




Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 32.9, 100.4, 144.1, 206.8, 264.8, 351.1$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d cos(30) + g^*_d cos(150)] / [r^*_d sin(30) + g^*_d sin(150) + b^*_d sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours d: $h_{ab,d} = 32.9, 100.4, 144.1, 206.8, 264.8, 351.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours: $h_{ab,d} = 32.9, 100.4, 141.1, 206.8, 244.6, 331.1$; Six hue angles of the elementary colours: $e_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 326.8$			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			rgb^* de50M			LAB^* ds50Mx (x=LabCh)			rgb^* ds50M			LAB^* s50M			rgb^* s50M			LAB^* de50Mx (x=LabCh)			$$		
--	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	---------------	--	--	--------------------------	--	--	---------------	--	--	--------------	--	--	--------------	--	--	--------------------------	--	--	----	--	--




Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 32.9, 100.4, 144.1, 206.8, 264.8, 351.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$						rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e
32	30	25	1.0	0.0	0.034	48.2	64.7	40.4	76.2	32	R_d	1.0	0.0	0.107	48.3	64.8	37.4	74.9	30	1.0	0.0	0.0 R_s	1.0	0.0	0.218	48.2	65.5	30.6	72.3	25	1.0	0.0	0.0 R_e					
33	31	27	1.0	0.008	0.0	48.2	64.4	41.8	76.8	33		1.0	0.0	0.071	48.3	64.8	38.9	75.6	31	1.0	0.017	0.0	1.0	0.0	0.177	48.3	65.3	33.3	73.3	27	1.0	0.017	0.0					
34	32	28	1.0	0.128	0.0	48.9	63.2	42.6	76.3	34		1.0	0.0	0.034	48.2	64.7	40.4	76.2	32	1.0	0.033	0.0	1.0	0.0	0.156	48.3	65.2	34.6	73.8	28	1.0	0.033	0.0					
35	33	29	1.0	0.155	0.0	49.2	62.9	44.0	76.8	35		1.0	0.008	0.0	48.2	64.4	41.8	76.8	33	1.0	0.05	0.0	1.0	0.0	0.135	48.3	65.0	36.0	74.3	29	1.0	0.05	0.0					
36	34	30	1.0	0.181	0.0	49.4	62.5	45.4	77.3	36		1.0	0.128	0.0	48.9	63.2	42.6	76.3	34	1.0	0.067	0.0	1.0	0.0	0.107	48.3	64.8	37.4	74.9	30	1.0	0.067	0.0					
37	35	31	1.0	0.207	0.0	49.6	62.2	46.8	77.8	37		1.0	0.155	0.0	49.2	62.9	44.0	76.8	35	1.0	0.083	0.0	1.0	0.0	0.071	48.3	64.8	38.9	75.6	31	1.0	0.083	0.0					
38	36	32	1.0	0.233	0.0	49.8	61.7	48.2	78.3	38		1.0	0.181	0.0	49.4	62.5	45.4	77.3	36	1.0	0.1	0.0	1.0	0.0	0.034	48.2	64.7	40.4	76.2	32	1.0	0.1	0.0					
39	37	33	1.0	0.255	0.0	50.1	61.0	49.4	78.5	39		1.0	0.207	0.0	49.6	62.2	46.8	77.8	37	1.0	0.117	0.0	1.0	0.008	0.0	48.2	64.4	41.8	76.8	33	1.0	0.117	0.0					
40	38	34	1.0	0.271	0.0	50.7	59.9	50.2	78.2	40		1.0	0.233	0.0	49.8	61.7	48.2	78.3	38	1.0	0.133	0.0	1.0	0.128	0.0	48.9	63.2	42.6	76.3	34	1.0	0.133	0.0					
41	39	36	1.0	0.286	0.0	51.3	58.7	51.0	77.8	41		1.0	0.255	0.0	50.1	61.0	49.4	78.5	39	1.0	0.15	0.0	1.0	0.181	0.0	49.4	62.5	45.4	77.3	36	1.0	0.15	0.0					
42	40	37	1.0	0.301	0.0	51.9	57.5	51.8	77.4	42		1.0	0.271	0.0	50.7	59.9	50.2	78.2	40	1.0	0.167	0.0	1.0	0.207	0.0	49.6	62.2	46.8	77.8	37	1.0	0.167	0.0					
43	41	38	1.0	0.317	0.0	52.5	56.3	52.5	77.0	43		1.0	0.286	0.0	51.3	58.7	51.0	77.8	41	1.0	0.183	0.0	1.0	0.233	0.0	49.8	61.7	48.2	78.3	38	1.0	0.183	0.0					
44	42	39	1.0	0.332	0.0	53.1	55.1	53.2	76.6	44		1.0	0.301	0.0	51.9	57.5	51.8	77.4	42	1.0	0.2	0.0	1.0	0.255	0.0	50.1	61.0	49.4	78.5	39	1.0	0.2	0.0					
45	43	40	1.0	0.347	0.0	53.7	53.9	53.9	76.2	45		1.0	0.317	0.0	52.5	56.3	52.5	77.0	43	1.0	0.217	0.0	1.0	0.271	0.0	50.7	59.9	50.2	78.2	40	1.0	0.217	0.0					
46	44	41	1.0	0.362	0.0	54.3	52.7	54.5	75.8	46		1.0	0.332	0.0	53.1	55.1	53.2	76.6	44	1.0	0.233	0.0	1.0	0.286	0.0	51.3	58.7	51.0	77.8	41	1.0	0.233	0.0					
47	45	42	1.0	0.377	0.0	54.9	51.5	55.2	75.4	47		1.0	0.347	0.0	53.7	53.9	53.9	76.2	45	1.0	0.25	0.0	1.0	0.301	0.0	51.9	57.5	51.8	77.4	42	1.0	0.25	0.0					
48	46	43	1.0	0.386	0.0	55.5	50.3	55.9	75.2	48		1.0	0.362	0.0	54.3	52.7	54.5	75.8	46	1.0	0.267	0.0	1.0	0.317	0.0	52.5	56.3	52.5	77.0	43	1.0	0.267	0.0					
49	47	44	1.0	0.395	0.0	56.1	49.2	56.6	75.0	49		1.0	0.377	0.0	54.9	51.5	55.2	75.4	47	1.0	0.283	0.0	1.0	0.332	0.0	53.1	55.1	53.2	76.6	44	1.0	0.283	0.0					
50	48	46	1.0	0.404	0.0	56.7	48.1	57.3	74.8	50		1.0	0.386	0.0	55.5	50.3	55.9	75.2	48	1.0	0.3	0.0	1.0	0.362	0.0	54.3	52.7	54.5	75.8	46	1.0	0.3	0.0					
51	49	47	1.0	0.413	0.0	57.3	46.9	57.9	74.5	51		1.0	0.395	0.0	56.1	49.2	56.6	75.0	49	1.0	0.317	0.0	1.0	0.377	0.0	54.9	51.5	55.2	75.4	47	1.0	0.317	0.0					
52	50	48	1.0	0.422	0.0	57.9	45.7	58.5	74.3	52		1.0	0.404	0.0	56.7	48.1	57.3	74.8	50	1.0	0.333	0.0	1.0	0.386	0.0	55.5	50.3	55.9	75.2	48	1.0	0.333	0.0					
53	51	49	1.0	0.431	0.0	58.5	44.6	59.2	74.1	53		1.0	0.413	0.0	57.3	46.9	57.9	74.5	51	1.0	0.35	0.0	1.0	0.395	0.0	56.1	49.2	56.6	75.0	49	1.0	0.35	0.0					
54	52	50	1.0	0.44	0.0	59.1	43.4	59.7	73.8	54		1.0	0.422	0.0	57.9	45.7	58.5	74.3	52	1.0	0.367	0.0	1.0	0.404	0.0	56.7	48.1	57.3	74.8	50	1.0	0.367	0.0					
55	53	51	1.0	0.449	0.0	59.7	42.2	60.3	73.6	55		1.0	0.431	0.0	58.5	44.6	59.2	74.1	53	1.0	0.383	0.0	1.0	0.413	0.0	57.3	46.9	57.9	74.5	51	1.0	0.383	0.0					
56	54	52	1.0	0.459	0.0	60.3	41.0	60.8	73.4	56		1.0	0.44	0.0	59.1	43.4	59.7	73.8	54	1.0	0.4	0.0	1.0	0.422	0.0	57.9	45.7	58.5	74.3	52	1.0	0.4	0.0					
57	55	53	1.0	0.468	0.0	60.9	39.8	61.3	73.2	57		1.0	0.449	0.0	59.7	42.2	60.3	73.6	55	1.0	0.417	0.0	1.0	0.431	0.0	58.5	44.6	59.2	74.1	53	1.0	0.417	0.0					
58	56	54	1.0	0.477	0.0	61.5	38.6	61.8	72.9	58		1.0	0.459	0.0	60.3	41.0	60.8	73.4	56	1.0	0.433	0.0	1.0	0.44	0.0	59.1	43.4	59.7	73.8	54	1.0	0.433	0.0					
59	57	56	1.0	0.486	0.0	62.1	37.4	62.3	72.7	59		1.0	0.468	0.0	60.9	39.8	61.3	73.2	57	1.0	0.45	0.0	1.0	0.459	0.0	60.3	41.0	60.8	73.4	56	1.0	0.45	0.0					
60	58	57	1.0	0.495	0.0	62.7	36.2	62.8	72.5	60		1.0	0.477	0.0	61.5	38.6	61.8	72.9	58	1.0	0.467	0.0	1.0	0.468	0.0	60.9	39.8	61.3	73.2	57	1.0	0.467	0.0					
61	59	58	1.0	0.504	0.0	63.3	35.1	63.3	72.4	61		1.0	0.486	0.0	62.1	37.4	62.3	72.7	59	1.0	0.483	0.0	1.0	0.477	0.0	61.5	38.6	61.8	72.9	58	1.0	0.483	0.0					
62	60	59	1.0	0.512	0.0	63.9	34.0	64.0	72.5	62		1.0	0.495	0.0	62.7	36.2	62.8	72.5	60	1.0	0.5	0.0	1.0	0.486	0.0	62.1	37.4	62.3	72.7	59	1.0	0.5	0.0					
63	61	60	1.0	0.521	0.0	64.5	33.0	64.7	72.6	63		1.0	0.504	0.0	63.3	35.1	63.3	72.4	61	1.0	0.517	0.0	1.0	0.495	0.0	62.7	36.2	62.8	72.5	60	1.0	0.517	0.0					
64	62	61	1.0	0.529	0.0	65.1	31.9	65.4	72.8	64		1.0	0.512	0.0	63.9	34.0</																						

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.9, 100.4, 144.1, 206.8, 264.8, 351.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi							LAB*dd361Mix (x=LabCh)							rgb*ds361Mi							LAB*ds361Mix (x=LabCh)							rgb*s50M							rgb*de361Mi							LAB*de361Mix (x=LabCh)							rgb*e50M							rgb* _{dd}			rgb* _{ds}			rgb* _{de}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
257	255	258	0.0	0.392	1.0	43.4	-11.0	-48.0	49.3	257	0.0	0.448	1.0	44.5	-12.8	-48.1	49.9	255	0.0	0.25	1.0	0.0	0.364	1.0	42.9	-10.1	-47.9	49.1	258	0.0	0.25	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 32.9, 100.4, 144.1, 206.8, 264.8, 351.1; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}				LAB* _{dd361Mix (x=LabCh)}				rgb* _{ds361Mi}				LAB* _{ds361Mix (x=LabCh)}				rgb* _{s50M}				rgb* _{de361Mi}				LAB* _{de361Mix (x=LabCh)}				rgb* _{e50M}				rgb* _{dd}	rgb* _{ds}	rgb* _{de}
302	300	300	0.655	0.0	1.0	37.3	25.2	-40.2	47.5	302	0.642	0.0	1.0	37.1	23.5	-40.6	47.0	300	0.5	0.0	1.0	0.642	0.0	1.0	37.1	23.5	-40.6	47.0	300	0.5	0.0	1.0					
303	301	301	0.661	0.0	1.0	37.5	26.0	-40.0	47.8	303	0.648	0.0	1.0	37.2	24.3	-40.4	47.3	301	0.517	0.0	1.0	0.648	0.0	1.0	37.2	24.3	-40.4	47.3	301	0.517	0.0	1.0					
304	302	302	0.668	0.0	1.0	37.6	26.8	-39.7	48.0	304	0.655	0.0	1.0	37.3	25.2	-40.2	47.5	302	0.533	0.0	1.0	0.655	0.0	1.0	37.3	25.2	-40.2	47.5	302	0.533	0.0	1.0					
305	303	303	0.675	0.0	1.0	37.7	27.7	-39.4	48.3	305	0.661	0.0	1.0	37.5	26.0	-40.0	47.8	303	0.55	0.0	1.0	0.661	0.0	1.0	37.5	26.0	-40.0	47.8	303	0.55	0.0	1.0					
306	304	304	0.681	0.0	1.0	37.8	28.5	-39.1	48.5	306	0.668	0.0	1.0	37.6	26.8	-39.7	48.0	304	0.567	0.0	1.0	0.668	0.0	1.0	37.6	26.8	-39.7	48.0	304	0.567	0.0	1.0					
307	305	305	0.688	0.0	1.0	37.9	29.3	-38.8	48.8	307	0.675	0.0	1.0	37.7	27.7	-39.4	48.3	305	0.583	0.0	1.0	0.675	0.0	1.0	37.7	27.7	-39.4	48.3	305	0.583	0.0	1.0					
308	306	306	0.694	0.0	1.0	38.0	30.2	-38.5	49.0	308	0.681	0.0	1.0	37.8	28.5	-39.1	48.5	306	0.6	0.0	1.0	0.681	0.0	1.0	37.8	28.5	-39.1	48.5	306	0.6	0.0	1.0					
309	307	307	0.701	0.0	1.0	38.1	31.0	-38.2	49.2	309	0.688	0.0	1.0	37.9	29.3	-38.8	48.8	307	0.617	0.0	1.0	0.688	0.0	1.0	37.9	29.3	-38.8	48.8	307	0.617	0.0	1.0					
310	308	308	0.708	0.0	1.0	38.2	31.8	-37.8	49.5	310	0.694	0.0	1.0	38.0	30.2	-38.5	49.0	308	0.633	0.0	1.0	0.694	0.0	1.0	38.0	30.2	-38.5	49.0	308	0.633	0.0	1.0					
311	309	309	0.714	0.0	1.0	38.4	32.6	-37.4	49.7	311	0.701	0.0	1.0	38.1	31.0	-38.2	49.2	309	0.65	0.0	1.0	0.701	0.0	1.0	38.1	31.0	-38.2	49.2	309	0.65	0.0	1.0					
312	310	310	0.721	0.0	1.0	38.5	33.5	-37.1	50.0	312	0.708	0.0	1.0	38.2	31.8	-37.8	49.5	310	0.667	0.0	1.0	0.708	0.0	1.0	38.2	31.8	-37.8	49.5	310	0.667	0.0	1.0					
313	311	311	0.727	0.0	1.0	38.6	34.3	-36.6	50.2	313	0.714	0.0	1.0	38.4	32.6	-37.4	49.7	311	0.683	0.0	1.0	0.714	0.0	1.0	38.4	32.6	-37.4	49.7	311	0.683	0.0	1.0					
314	312	312	0.734	0.0	1.0	38.7	35.1	-36.2	50.5	314	0.721	0.0	1.0	38.5	33.5	-37.1	50.0	312	0.7	0.0	1.0	0.721	0.0	1.0	38.5	33.5	-37.1	50.0	312	0.7	0.0	1.0					
315	313	312	0.741	0.0	1.0	38.8	35.9	-35.8	50.7	315	0.727	0.0	1.0	38.6	34.3	-36.6	50.2	313	0.717	0.0	1.0	0.721	0.0	1.0	38.5	33.5	-37.1	50.0	312	0.717	0.0	1.0					
316	314	313	0.747	0.0	1.0	38.9	36.7	-35.3	51.0	316	0.734	0.0	1.0	38.7	35.1	-36.2	50.5	314	0.733	0.0	1.0	0.727	0.0	1.0	38.6	34.3	-36.6	50.2	313	0.733	0.0	1.0					
317	315	314	0.755	0.0	1.0	39.1	37.6	-34.9	51.3	317	0.741	0.0	1.0	38.8	35.9	-35.8	50.7	315	0.75	0.0	1.0	0.734	0.0	1.0	38.7	35.1	-36.2	50.5	314	0.75	0.0	1.0					
318	316	315	0.762	0.0	1.0	39.3	38.5	-34.6	51.8	318	0.747	0.0	1.0	38.9	36.7	-35.3	51.0	316	0.767	0.0	1.0	0.741	0.0	1.0	38.8	35.9	-35.8	50.7	315	0.767	0.0	1.0					
319	317	316	0.77	0.0	1.0	39.4	39.4	-34.2	52.2	319	0.755	0.0	1.0	39.1	37.6	-34.9	51.3	317	0.783	0.0	1.0	0.747	0.0	1.0	38.9	36.7	-35.3	51.0	316	0.783	0.0	1.0					
320	318	317	0.778	0.0	1.0	39.6	40.3	-33.8	52.7	320	0.762	0.0	1.0	39.3	38.5	-34.6	51.8	318	0.8	0.0	1.0	0.755	0.0	1.0	39.1	37.6	-34.9	51.3	317	0.8	0.0	1.0					
321	319	318	0.786	0.0	1.0	39.8	41.3	-33.3	53.1	321	0.77	0.0	1.0	39.4	39.4	-34.2	52.2	319	0.817	0.0	1.0	0.762	0.0	1.0	39.3	38.5	-34.6	51.8	318	0.817	0.0	1.0					
322	320	319	0.794	0.0	1.0	40.0	42.2	-32.9	53.5	322	0.778	0.0	1.0	39.6	40.3	-33.8	52.7	320	0.833	0.0	1.0	0.77	0.0	1.0	39.4	39.4	-34.2	52.2	319	0.833	0.0	1.0					
323	321	320	0.802	0.0	1.0	40.2	43.1	-32.4	54.0	323	0.786	0.0	1.0	39.8	41.3	-33.3	53.1	321	0.85	0.0	1.0	0.778	0.0	1.0	39.6	40.3	-33.8	52.7	320	0.85	0.0	1.0					
324	322	321	0.81	0.0	1.0	40.4	44.0	-31.9	54.4	324	0.794	0.0	1.0	40.0	42.2	-32.9	53.5	322	0.867	0.0	1.0	0.786	0.0	1.0	39.8	41.3	-33.3	53.1	321	0.867	0.0	1.0					
325	323	322	0.817	0.0	1.0	40.6	44.9	-31.4	54.9	325	0.802	0.0	1.0	40.2	43.1	-32.4	54.0	323	0.883	0.0	1.0	0.794	0.0	1.0	40.0	42.2	-32.9	53.5	322	0.883	0.0	1.0					
326	324	323	0.825	0.0	1.0	40.8	45.8	-30.8	55.3	326	0.81	0.0	1.0	40.4	44.0	-31.9	54.4	324	0.9	0.0	1.0	0.802	0.0	1.0	40.2	43.1	-32.4	54.0	323	0.9	0.0	1.0					
327	325	324	0.833	0.0	1.0	41.0	46.7	-30.3	55.7	327	0.817	0.0	1.0	40.6	44.9	-31.4	54.9	325	0.917	0.0	1.0	0.81	0.0	1.0	40.4	44.0	-31.9	54.4	324	0.917	0.0	1.0					
328	326	325	0.841	0.0	1.0	41.1	47.6	-29.7	56.2	328	0.825	0.0	1.0	40.8	45.8	-30.8	55.3	326	0.933	0.0	1.0	0.817	0.0	1.0	40.6	44.9	-31.4	54.9	325	0.933	0.0	1.0					
329	327	326	0.849	0.0	1.0	41.3	48.5	-29.1	56.6	329	0.833	0.0	1.0	41.0	46.7	-30.3	55.7	327	0.95	0.0	1.0	0.825	0.0	1.0	40.8	45.8	-30.8	55.3	326	0.95	0.0	1.0					
330	328	327	0.857	0.0	1.0	41.5	49.4	-28.4	57.1	330	0.841	0.0	1.0	41.1	47.6	-29.7	56.2	328	0.967	0.0	1.0	0.833	0.0	1.0	41.0	46.7	-30.3	55.7	327	0.967	0.0	1.0					
331	329	328	0.864	0.0	1.0	41.7	50.3	-27.8	57.5	331	0.849	0.0	1.0	41.3	48.5	-29.1	56.6	329	0.983	0.0	1.0	0.841	0.0	1.0	41.1	47.6	-29.7	56.2	328	0.983	0.0	1.0					
332	330	329	0.872	0.0	1.0	41.9	51.2	-27.1	57.9	332	0.857	0.0	1.0	41.5	49.4	-28.4	57.1	330	1.0	0.0	1.0M _s	0.849	0.0	1.0	41.3	48.5	-29.1	56.6	329	1.0	0.0	1.0M _e					
333	331	330	0.879	0.0	1.0	42.2	52.2	-26.5	58.6	333	0.864	0.0	1.0	41.7	50.3	-27.8	57.5	331	1.0	0.0	0.983	0.857	0.0	1.0	41.5	49.4	-28.4	57.1	330	1.0	0.0	0.983					
334	332	331</																																			

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Six hue angles of the device colours d: $h_{ab,d} = 32.9, 100.4, 144.1, 206.8, 264.8, 351.1$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$						$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$						$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M					

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours d : $h_{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d cos(30) + g^*_d cos(150)] / [r^*_d sin(30) + g^*_d sin(150) + b^*_d sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																				
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 50M			LAB* _{dd} 50Mx (x=LabCh)			rgb* _{ds} 50M			LAB* _{ds} 50Mx (x=LabCh)			rgb* _s 50M			rgb* _{de} 50M			LAB* _{de} 50Mx (x=LabCh)			rgb* _e 50M			rgb* _{dd}	rgb* _{ds}	rgb* _{de}							
33.3	30.0	25.5	1.0	0.0	0.0	50.2	68.1	44.7	81.5	33.3	1.0	0.0	0.13	50.3	68.3	39.4	78.9	30	1.0	0.0	0.0	1.0	0.0	0.246	50.1	68.7	32.0	75.8	25	1.0	0.0	0.0				
34.1	37.5	33.8	1.0	0.125	0.0	50.9	66.9	45.3	80.8	34.1	1.0	0.242	0.0	51.8	65.5	51.2	83.2	38	1.0	0.125	0.0	1.0	0.113	0.0	50.8	67.1	45.2	80.9	34	1.0	0.125	0.0				
38.3	45.0	42.2	1.0	0.25	0.0	51.8	65.4	51.6	83.3	38.3	1.0	0.371	0.0	56.4	56.6	56.6	80.1	45	1.0	0.25	0.0	1.0	0.317	0.0	54.4	60.6	54.5	81.5	42	1.0	0.25	0.0				
45.2	52.5	50.5	1.0	0.375	0.0	56.5	56.3	56.7	79.9	45.2	1.0	0.457	0.0	61.7	46.4	61.6	77.2	53	1.0	0.375	0.0	1.0	0.436	0.0	60.3	49.0	60.5	77.9	51	1.0	0.375	0.0				
57.1	60.0	58.9	1.0	0.5	0.0	64.4	41.1	63.6	75.7	57.1	1.0	0.526	0.0	66.2	37.8	65.5	75.7	60	1.0	0.5	0.0	1.0	0.517	0.0	65.6	39.0	64.9	75.7	59	1.0	0.5	0.0				
70.9	67.5	67.2	1.0	0.625	0.0	73.1	24.8	71.4	75.6	70.9	1.0	0.599	0.0	71.3	28.3	70.1	75.6	68	1.0	0.625	0.0	1.0	0.59	0.0	70.6	29.5	69.6	75.6	67	1.0	0.625	0.0				
83.0	75.0	75.6	1.0	0.75	0.0	81.5	9.7	79.5	80.1	83.0	1.0	0.667	0.0	75.9	20.0	74.5	77.1	75	1.0	0.75	0.0	1.0	0.678	0.0	76.6	18.7	75.2	77.5	76	1.0	0.75	0.0				
92.2	82.5	84.0	1.0	0.875	0.0	89.4	-3.3	88.4	88.5	92.2	1.0	0.75	0.0	81.5	9.8	79.5	80.1	83	1.0	0.875	0.0	1.0	0.763	0.0	82.3	8.5	80.6	81.0	84	1.0	0.875	0.0				
96.7	90.0	92.3	1.0	1.0	0.0	94.0	-10.8	92.6	93.3	96.7	1.0	0.845	0.0	87.5	0.0	86.5	86.5	90	1.0	1.0	0.0	1.0	0.872	0.0	89.2	-3.0	88.2	88.3	92	1.0	1.0	0.0				
107.5	97.5	101.1	0.875	1.0	0.0	82.5	-23.3	74.4	78.0	107.5	0.985	1.0	0.0	92.6	-12.6	90.6	91.5	98	0.875	1.0	0.0	0.95	1.0	0.0	89.4	-16.5	85.6	87.2	101	0.875	1.0	0.0				
118.9	105.0	109.8	0.75	1.0	0.0	73.8	-33.5	60.8	69.5	118.9	0.904	1.0	0.0	85.1	-21.0	78.7	81.5	105	0.75	1.0	0.0	0.847	1.0	0.0	80.6	-25.9	71.5	76.1	110	0.75	1.0	0.0				
130.4	112.5	118.5	0.625	1.0	0.0	66.8	-40.5	47.8	62.7	130.4	0.815	1.0	0.0	78.3	-28.8	68.0	73.9	113	0.625	1.0	0.0	0.749	1.0	0.0	73.8	-33.6	60.7	69.4	119	0.625	1.0	0.0				
139.4	120.0	127.3	0.5	1.0	0.0	61.5	-48.2	41.4	63.6	139.4	0.738	1.0	0.0	73.2	-34.3	59.6	68.8	120	0.5	1.0	0.0	0.662	1.0	0.0	68.9	-38.8	51.7	64.7	127	0.5	1.0	0.0				
141.6	127.5	136.0	0.375	1.0	0.0	60.6	-50.2	39.8	64.1	141.6	0.651	1.0	0.0	68.3	-39.4	50.5	64.1	128	0.375	1.0	0.0	0.547	1.0	0.0	63.5	-45.4	44.0	63.3	136	0.375	1.0	0.0				
144.0	135.0	144.7	0.25	1.0	0.0	59.4	-54.0	39.3	66.9	144.0	0.561	1.0	0.0	64.1	-44.6	44.7	63.2	135	0.25	1.0	0.0	0.0	1.0	0.256	59.0	-54.6	38.3	66.8	145	0.25	1.0	0.0				
144.4	142.5	153.5	0.125	1.0	0.0	59.0	-54.9	39.4	67.6	144.4	0.301	1.0	0.0	59.9	-52.4	39.6	65.8	143	0.125	1.0	0.0	0.0	1.0	0.542	57.3	-55.3	28.2	62.1	153	0.125	1.0	0.0				
144.4	150.0	162.2	0.0	1.0	0.0	59.0	-54.9	39.4	67.6	144.4	0.0	1.0	0.452	57.7	-55.4	32.0	64.0	150	0.0	1.0	0.0	0.0	1.0	0.694	57.0	-53.8	17.5	56.7	162	0.0	1.0	0.0				
144.4	157.5	169.1	0.0	1.0	0.125	59.0	-54.9	39.4	67.6	144.4	0.0	1.0	0.648	56.8	-54.9	22.2	59.4	158	0.0	1.0	0.125	0.0	1.0	0.765	57.4	-51.5	10.0	52.6	169	0.0	1.0	0.125				
144.9	165.0	175.9	0.0	1.0	0.25	59.0	-54.6	38.5	66.8	144.9	0.0	1.0	0.729	57.1	-52.7	14.2	54.7	165	0.0	1.0	0.25	0.0	1.0	0.813	58.0	-49.6	3.5	49.8	176	0.0	1.0	0.25				
147.7	172.5	182.8	0.0	1.0	0.375	57.9	-55.6	35.2	65.9	147.7	0.0	1.0	0.793	57.7	-50.5	6.2	51.0	173	0.0	1.0	0.375	0.0	1.0	0.861	58.6	-46.9	-2.4	47.0	185	0.0	1.0	0.375				
151.4	180.0	189.6	0.0	1.0	0.5	57.5	-55.1	30.1	62.9	151.4	0.0	1.0	0.841	58.3	-48.1	0.0	48.2	180	0.0	1.0	0.5	0.0	1.0	0.902	58.0	-46.2	-8.1	45.0	190	0.0	1.0	0.5				
156.1	187.5	196.4	0.0	1.0	0.625	56.8	-55.3	24.6	60.7	156.1	0.0	1.0	0.891	58.3	-46.2	-6.4	46.7	188	0.0	1.0	0.625	0.0	1.0	0.934	57.0	-46.1	-14.1	43.0	196	0.0	1.0	0.625				
166.8	195.0	203.3	0.0	1.0	0.75	57.2	-52.0	12.2	53.5	166.8	0.0	1.0	0.929	57.2	-46.1	-12.3	47.9	195	0.0	1.0	0.75	0.0	1.0	0.971	55.9	-45.1	-19.1	41.2	203	0.0	1.0	0.75				
185.0	202.5	210.1	0.0	1.0	0.875	58.8	-45.9	-4.0	46.2	185.0	0.0	1.0	0.971	55.9	-45.2	-19.1	49.2	203	0.0	1.0	0.875	0.0	1.0	0.985	1.0	54.6	-44.4	-25.4	51.0	210	0.0	1.0	0.875			
208.3	210.0	217.0	0.0	1.0	1.0	55.1	-44.0	-23.6	50.1	208.3	0.0	0.985	1.0	54.6	-44.0	-25.4	51.0	210	0.0	1.0	1.0	0.0	0.923	1.0	53.5	-43.6	-30.1	54.7	217	0.0	1.0	1.0				
222.4	217.5	223.8	0.0	0.875	1.0	50.9	-42.4	-38.8	57.6	222.4	0.0	0.914	1.0	52.2	-43.4	-33.9	55.3	218	0.0	0.875	1.0	0.0	0.861	1.0	50.8	-41.7	-35.3	58.1	224	0.0	0.875	1.0				
236.4	225.0	230.7	0.0	0.75	1.0	49.6	-34.3	-51.6	62.1	236.4	0.0	0.852	1.0	50.7	-41.2	-41.2	58.5	225	0.0	0.75	1.0	0.0	0.0	0.75	50.1	-39.7	-46.8	60.4	231	0.0	0.75	1.0				
241.6	232.5	237.5	0.0	0.625	1.0	46.5	-27.7	-51.3	58.4	241.6	0.0	0.78	1.0	49.9	-36.6	-48.6	61.0	233	0.0	0.625	1.0	0.0	0.0	0.625	50.1	-38.6	-32.2	-51.6	61.0	238	0.0	0.625	1.0			
245.8	240.0	244.4	0.0	0.5	1.0	43.9	-22.9	-51.1	56.1	245.8	0.0	0.664	1.0	47.5	-29.7	-51.5	59.6	240	0.0	0.5	1.0	0.0	0.554	1.0	45.1	-24.9	-51.2	57.1	244	0.0	0.5	1.0				
249.8	247.5	251.2	0.0	0.375	1.0	41.6	-18.6	-50.7	54.2	249.8	0.0	0.432	1.0	42.7	-20.5	-50.9	55.1	248	0.0	0.375	1.0	0.0	0.375	1.0	41.1	-17.4	-50.7	53.7	251	0.0	0.375	1.0				
254.2	255.0	258.0	0.0	0.25	1.0	39.8	-14.2	-50.3	52.3	254.2	0.0	0.207	1.0	39.4	-13.4	-50.1	52.0	255	0.0	0.25	1.0	0.0	0.25	1.0	37.7	-10.5	-49.7	50.9	258	0.0	0.25	1.0				
256.5	262.5	264.9	0.0	0.125	1.0	38.5	-11.9	-49.8	51.3	256.5	0.397	0.0	1.0	35.8	-6.1	-50.5	51.0	263	0.0	0.125	1.0	0.0	0.125	1.0	35.7	-4.3	-50.0	50.3								

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*d			LAB* d			rgb^*s			LAB* s			rgb^*e			LAB* e			rgb^*s			LAB* s			rgb^*e			LAB* e								
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*d	rgb^*s	rgb^*e	L^*d	a^*d	b^*d	L^*s	a^*s	b^*s	L^*e	a^*e	b^*e	L^*s	a^*s	b^*s	L^*e	a^*e	b^*e	L^*s	a^*s	b^*s	L^*e	a^*e	b^*e	L^*s	a^*s	b^*s	L^*e	a^*e	b^*e						
33	30	25	1.0	0.0	0.013	50.2	68.1	44.2	81.2	33	R_d	1.0	0.0	0.13	50.3	68.3	39.4	78.9	30	1.0	0.0	0.0	R_s	1.0	0.0	0.246	50.1	68.7	32.0	75.8	25	1.0	0.0	0.0	R_e			
34	31	27	1.0	0.113	0.0	50.8	67.1	45.2	80.9	34		1.0	0.0	0.094	50.3	68.3	41.0	79.6	31	1.0	0.017	0.0		1.0	0.0	0.2	50.2	68.6	35.0	77.0	27	1.0	0.017	0.0				
35	32	28	1.0	0.153	0.0	51.1	66.7	46.7	81.4	35		1.0	0.0	0.053	50.3	68.2	42.6	80.4	32	1.0	0.033	0.0		1.0	0.0	0.177	50.2	68.5	36.4	77.6	28	1.0	0.033	0.0				
36	33	29	1.0	0.182	0.0	51.3	66.3	48.2	82.0	36		1.0	0.0	0.013	50.2	68.1	44.2	81.2	33	1.0	0.05	0.0		1.0	0.0	0.154	50.3	68.4	37.9	78.3	29	1.0	0.05	0.0				
37	34	30	1.0	0.212	0.0	51.6	65.9	49.7	82.6	37		1.0	0.113	0.0	50.8	67.1	45.2	80.9	34	1.0	0.067	0.0		1.0	0.0	0.13	50.3	68.3	39.4	78.9	30	1.0	0.067	0.0				
38	35	31	1.0	0.242	0.0	51.8	65.5	51.2	83.2	38		1.0	0.153	0.0	51.1	66.7	46.7	81.4	35	1.0	0.083	0.0		1.0	0.0	0.094	50.3	68.3	41.0	79.6	31	1.0	0.083	0.0				
39	36	32	1.0	0.263	0.0	52.3	64.5	52.2	83.0	39		1.0	0.182	0.0	51.3	66.3	48.2	82.0	36	1.0	0.1	0.0		1.0	0.0	0.053	50.3	68.2	42.6	80.4	32	1.0	0.1	0.0				
40	37	33	1.0	0.281	0.0	53.0	63.2	53.0	82.5	40		1.0	0.212	0.0	51.6	65.9	49.7	82.6	37	1.0	0.117	0.0		1.0	0.0	0.013	50.2	68.1	44.2	81.2	33	1.0	0.117	0.0				
41	38	34	1.0	0.299	0.0	53.7	61.9	53.8	82.0	41		1.0	0.242	0.0	51.8	65.5	51.2	83.2	38	1.0	0.133	0.0		1.0	0.113	0.0	50.8	67.1	45.2	80.9	34	1.0	0.133	0.0				
42	39	36	1.0	0.317	0.0	54.4	60.6	54.5	81.5	42		1.0	0.263	0.0	52.3	64.5	52.2	83.0	39	1.0	0.15	0.0		1.0	0.182	0.0	51.3	66.3	48.2	82.0	36	1.0	0.15	0.0				
43	40	37	1.0	0.335	0.0	55.0	59.3	55.3	81.0	43		1.0	0.281	0.0	53.0	63.2	53.0	82.5	40	1.0	0.167	0.0		1.0	0.212	0.0	51.6	65.9	49.7	82.6	37	1.0	0.167	0.0				
44	41	38	1.0	0.353	0.0	55.7	57.9	55.9	80.5	44		1.0	0.299	0.0	53.7	61.9	53.8	82.0	41	1.0	0.183	0.0		1.0	0.242	0.0	51.8	65.5	51.2	83.2	38	1.0	0.183	0.0				
45	42	39	1.0	0.371	0.0	56.4	56.6	56.6	80.1	45		1.0	0.317	0.0	54.4	60.6	54.5	81.5	42	1.0	0.2	0.0		1.0	0.263	0.0	52.3	64.5	52.2	83.0	39	1.0	0.2	0.0				
46	43	40	1.0	0.383	0.0	57.0	55.3	57.3	79.7	46		1.0	0.335	0.0	55.0	59.3	55.3	81.0	43	1.0	0.217	0.0		1.0	0.281	0.0	53.0	63.2	53.0	82.5	40	1.0	0.217	0.0				
47	44	41	1.0	0.394	0.0	57.7	54.1	58.0	79.3	47		1.0	0.353	0.0	55.7	57.9	55.9	80.5	44	1.0	0.233	0.0		1.0	0.299	0.0	53.7	61.9	53.8	82.0	41	1.0	0.233	0.0				
48	45	42	1.0	0.404	0.0	58.4	52.8	58.7	79.0	48		1.0	0.371	0.0	56.4	56.6	56.6	80.1	45	1.0	0.25	0.0		1.0	0.317	0.0	54.4	60.6	54.5	81.5	42	1.0	0.25	0.0				
49	46	43	1.0	0.415	0.0	59.0	51.6	59.3	78.6	49		1.0	0.383	0.0	57.0	55.3	57.3	79.7	46	1.0	0.267	0.0		1.0	0.335	0.0	55.0	59.3	55.3	81.0	43	1.0	0.267	0.0				
50	47	44	1.0	0.425	0.0	59.7	50.3	59.9	78.2	50		1.0	0.394	0.0	57.7	54.1	58.0	79.3	47	1.0	0.283	0.0		1.0	0.353	0.0	55.7	57.9	55.9	80.5	44	1.0	0.283	0.0				
51	48	46	1.0	0.436	0.0	60.3	49.0	60.5	77.9	51		1.0	0.404	0.0	58.4	52.8	58.7	79.0	48	1.0	0.3	0.0		1.0	0.383	0.0	57.0	55.3	57.3	79.7	46	1.0	0.3	0.0				
52	49	47	1.0	0.446	0.0	61.0	47.7	61.1	77.5	52		1.0	0.415	0.0	59.0	51.6	59.3	78.6	49	1.0	0.317	0.0		1.0	0.394	0.0	57.7	54.1	58.0	79.3	47	1.0	0.317	0.0				
53	50	48	1.0	0.457	0.0	61.7	46.4	61.6	77.2	53		1.0	0.425	0.0	59.7	50.3	59.9	78.2	50	1.0	0.333	0.0		1.0	0.404	0.0	58.4	52.8	58.7	79.0	48	1.0	0.333	0.0				
54	51	49	1.0	0.467	0.0	62.3	45.1	62.1	76.8	54		1.0	0.436	0.0	60.3	49.0	60.5	77.9	51	1.0	0.35	0.0		1.0	0.415	0.0	59.0	51.6	59.3	78.6	49	1.0	0.35	0.0				
55	52	50	1.0	0.478	0.0	63.0	43.8	62.6	76.4	55		1.0	0.446	0.0	61.0	47.7	61.1	77.5	52	1.0	0.367	0.0		1.0	0.425	0.0	59.7	50.3	59.9	78.2	50	1.0	0.367	0.0				
56	53	51	1.0	0.488	0.0	63.6	42.5	63.1	76.1	56		1.0	0.457	0.0	61.7	46.4	61.6	77.2	53	1.0	0.383	0.0		1.0	0.436	0.0	60.3	49.0	60.5	77.9	51	1.0	0.383	0.0				
57	54	52	1.0	0.499	0.0	64.3	41.2	63.5	75.7	57		1.0	0.467	0.0	62.3	45.1	62.1	76.8	54	1.0	0.4	0.0		1.0	0.446	0.0	61.0	47.7	61.1	77.5	52	1.0	0.4	0.0				
58	55	53	1.0	0.508	0.0	64.9	40.1	64.2	75.7	58		1.0	0.478	0.0	63.0	43.8	62.6	76.4	55	1.0	0.417	0.0		1.0	0.457	0.0	61.7	46.4	61.6	77.2	53	1.0	0.417	0.0				
59	56	54	1.0	0.517	0.0	65.6	39.0	64.9	75.7	59		1.0	0.488	0.0	63.6	42.5	63.1	76.1	56	1.0	0.433	0.0		1.0	0.467	0.0	62.3	45.1	62.1	76.8	54	1.0	0.433	0.0				
60	57	56	1.0	0.526	0.0	66.2	37.8	65.5	75.7	60		1.0	0.499	0.0	64.3	41.2	63.5	75.7	57	1.0	0.45	0.0		1.0	0.488	0.0	63.6	42.5	63.1	76.1	56	1.0	0.45	0.0				
61	58	57	1.0	0.535	0.0	66.8	36.7	66.2	75.6	61		1.0	0.508	0.0	64.9	40.1	64.2	75.7	58	1.0	0.467	0.0		1.0	0.499	0.0	64.3	41.2	63.5	75.7	57	1.0	0.467	0.0				
62	59	58	1.0	0.544	0.0	67.5	35.5	66.8	75.6	62		1.0	0.517	0.0	65.6	39.0	64.9	75.7	59	1.0	0.483	0.0		1.0	0.508	0.0	64.9	40.1	64.2	75.7	58	1.0	0.483	0.0				
63	60	59	1.0	0.553	0.0	68.1	34.3	67.4	75.6	63		1.0	0.526	0.0	66.2	37.8	65.5	75.7	60	1.0	0.0																	

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$								$LAB^*dd361Mix(x=LabCh)$								$rgb^*ds361Mi$								$LAB^*ds361Mix(x=LabCh)$								rgb^*s50M								$rgb^*de361Mi$								$LAB^*de361Mix(x=LabCh)$								rgb^*e50M								rgb^*_d	rgb^*_s	rgb^*_e
78	75	76	1.0	0.698	0.0	78.0	16.3	76.5	78.2	78	1.0	0.667	0.0	75.9	20.0	74.5	77.1	75	1.0	0.75	0.0	1.0	0.678	0.0	76.6	18.7	75.2	77.5	76	1.0	0.75	0.0																																					
79	76	77	1.0	0.709	0.0	78.7	15.0	77.2	78.6	79	1.0	0.678	0.0	76.6	18.7	75.2	77.5	76	1.0	0.767	0.0	1.0	0.688	0.0	77.3	17.5	75.9	77.9	77	1.0	0.767	0.0																																					
80	77	78	1.0	0.719	0.0	79.4	13.7	77.8	79.0	80	1.0	0.688	0.0	77.3	17.5	75.9	77.9	77	1.0	0.783	0.0	1.0	0.698	0.0	78.0	16.3	76.5	78.2	78	1.0	0.783	0.0																																					
81	78	79	1.0	0.729	0.0	80.1	12.4	78.4	79.4	81	1.0	0.698	0.0	78.0	16.3	76.5	78.2	78	1.0	0.8	0.0	1.0	0.709	0.0	78.7	15.0	77.2	78.6	79	1.0	0.8	0.0																																					
82	79	80	1.0	0.739	0.0	80.8	11.1	79.0	79.7	82	1.0	0.709	0.0	78.7	15.0	77.2	78.6	79	1.0	0.817	0.0	1.0	0.719	0.0	79.4	13.7	77.8	79.0	80	1.0	0.817	0.0																																					
83	80	81	1.0	0.75	0.0	81.5	9.8	79.5	80.1	83	1.0	0.719	0.0	79.4	13.7	77.8	79.0	80	1.0	0.833	0.0	1.0	0.729	0.0	80.1	12.4	78.4	79.4	81	1.0	0.833	0.0																																					
84	81	82	1.0	0.763	0.0	82.3	8.5	80.6	81.0	84	1.0	0.729	0.0	80.1	12.4	78.4	79.4	81	1.0	0.85	0.0	1.0	0.739	0.0	80.8	11.1	79.0	79.7	82	1.0	0.85	0.0																																					
85	82	83	1.0	0.777	0.0	83.2	7.1	81.6	81.9	85	1.0	0.739	0.0	80.8	11.1	79.0	79.7	82	1.0	0.867	0.0	1.0	0.75	0.0	81.5	9.8	79.5	80.1	83	1.0	0.867	0.0																																					
86	83	85	1.0	0.79	0.0	84.1	5.8	82.6	82.8	86	1.0	0.75	0.0	81.5	9.8	79.5	80.1	83	1.0	0.883	0.0	1.0	0.777	0.0	83.2	7.1	81.6	81.9	85	1.0	0.883	0.0																																					
87	84	86	1.0	0.804	0.0	84.9	4.4	83.6	83.7	87	1.0	0.763	0.0	82.3	8.5	80.6	81.0	84	1.0	0.9	0.0	1.0	0.79	0.0	84.1	5.8	82.6	82.8	86	1.0	0.9	0.0																																					
88	85	87	1.0	0.818	0.0	85.8	3.0	84.6	84.6	88	1.0	0.777	0.0	83.2	7.1	81.6	81.9	85	1.0	0.917	0.0	1.0	0.804	0.0	84.9	4.4	83.6	83.7	87	1.0	0.917	0.0																																					
89	86	88	1.0	0.831	0.0	86.6	1.5	85.5	85.5	89	1.0	0.79	0.0	84.1	5.8	82.6	82.8	86	1.0	0.933	0.0	1.0	0.818	0.0	85.8	3.0	84.6	84.6	88	1.0	0.933	0.0																																					
90	87	89	1.0	0.845	0.0	87.5	0.0	86.5	86.5	90	1.0	0.804	0.0	84.9	4.4	83.6	83.7	87	1.0	0.95	0.0	1.0	0.831	0.0	86.6	1.5	85.5	85.5	89	1.0	0.95	0.0																																					
91	88	90	1.0	0.858	0.0	88.3	-1.4	87.4	87.4	91	1.0	0.818	0.0	85.8	3.0	84.6	84.6	88	1.0	0.967	0.0	1.0	0.845	0.0	87.5	0.0	86.5	86.5	90	1.0	0.967	0.0																																					
92	89	91	1.0	0.872	0.0	89.2	-3.0	88.2	88.3	92	1.0	0.831	0.0	86.6	1.5	85.5	85.5	89	1.0	0.983	0.0	1.0	0.858	0.0	88.3	-1.4	87.4	87.4	91	1.0	0.983	0.0																																					
93	90	92	1.0	0.897	0.0	90.2	-4.6	89.2	89.3	93	1.0	0.845	0.0	87.5	0.0	86.5	86.5	90	1.0	1.0	0.0	1.0	0.872	0.0	89.2	-3.0	88.2	88.3	92	1.0	1.0	0.0	0.0																																				
94	91	93	1.0	0.924	0.0	91.2	-6.2	90.2	90.4	94	1.0	0.858	0.0	88.3	-1.4	87.4	87.4	91	0.983	1.0	0.0	1.0	0.897	0.0	90.2	-4.6	89.2	89.3	93	0.983	1.0	0.0																																					
95	92	95	1.0	0.952	0.0	92.2	-7.9	91.1	91.4	95	1.0	0.872	0.0	89.2	-3.0	88.2	88.3	92	0.967	1.0	0.0	1.0	0.952	0.0	92.2	-7.9	91.1	91.4	95	0.967	1.0	0.0																																					
96	93	96	1.0	0.98	0.0	93.3	-9.6	92.0	92.5	96	1.0	0.897	0.0	90.2	-4.6	89.2	89.3	93	0.95	1.0	0.0	1.0	0.98	0.0	93.3	-9.6	92.0	92.5	96	0.95	1.0	0.0																																					
97	94	97	0.997	1.0	0.0	93.7	-11.2	92.2	92.9	97	1.0	0.924	0.0	91.2	-6.2	90.2	90.4	94	0.933	1.0	0.0	0.997	1.0	0.0	93.7	-11.2	92.2	92.9	97	0.933	1.0	0.0																																					
98	95	98	0.985	1.0	0.0	92.6	-12.6	90.6	91.5	98	1.0	0.952	0.0	92.2	-7.9	91.1	91.4	95	0.917	1.0	0.0	0.985	1.0	0.0	92.6	-12.6	90.6	91.5	98	0.917	1.0	0.0																																					
99	96	99	0.973	1.0	0.0	91.5	-14.0	88.9	90.0	99	1.0	0.98	0.0	93.3	-9.6	92.0	92.5	96	0.9	1.0	0.0	0.973	1.0	0.0	91.5	-14.0	88.9	90.0	99	0.9	1.0	0.0																																					
100	97	100	0.962	1.0	0.0	90.5	-15.3	87.3	88.6	100	0.997	1.0	0.0	93.7	-11.2	92.2	92.9	97	0.883	1.0	0.0	0.962	1.0	0.0	90.5	-15.3	87.3	88.6	100	0.883	1.0	0.0																																					
101	98	102	0.95	1.0	0.0	89.4	-16.5	85.6	87.2	101	0.985	1.0	0.0	92.6	-12.6	90.6	91.5	98	0.867	1.0	0.0	0.939	1.0	0.0	88.3	-17.7	83.9	85.8	102	0.867	1.0	0.0																																					
102	99	103	0.939	1.0	0.0	88.3	-17.7	83.9	85.8	102	0.973	1.0	0.0	91.5	-14.0	88.9	90.0	99	0.85	1.0	0.0	0.927	1.0	0.0	87.3	-18.9	82.2	84.4	103	0.85	1.0	0.0																																					
103	100	104	0.927	1.0	0.0	87.3	-18.9	82.2	84.4	103	0.962	1.0	0.0	90.5	-15.3	87.3	88.6	100	0.833	1.0	0.0	0.915	1.0	0.0	86.2	-20.0	80.5	82.9	104	0.833	1.0	0.0																																					
104	101	105	0.915	1.0	0.0	86.2	-20.0	80.5	82.9	104	0.95	1.0	0.0	89.4	-16.5	85.6	87.2	101	0.817	1.0	0.0	0.904	1.0	0.0	85.1	-21.0	78.7	81.5	105	0.817	1.0	0.0																																					
105	102	106	0.904	1.0	0.0	85.1	-21.0	78.7	81.5	105	0.939	1.0	0.0	88.3	-17.7	83.9	85.8	102	0.8	1.0	0.0	0.892	1.0	0.0	84.1	-22.0	77.0	80.1	106	0.8	1.0	0.0																																					
106	103	107	0.892	1.0	0.0	84.1	-22.0	77.0	80.1	106	0.927	1.0	0.0	87.3	-18.9	82.2	84.4	103	0.783	1.0	0.0	0.88	1.0	0.0	83.0	-22.9	75.3	78.7	107	0.783	1.0	0.0																																					
107	104	109	0.88	1.0	0.0	83.0	-22.9	75.3	78.7	107	0.915	1.0	0.0	86.2	-20.0	80.5	82.9	104	0.767	1.0	0.0	0.858	1.0	0.0	81.3	-24.9	72.7	76.9	109	0.767	1.0	0.0																																					
108	105	110	0.869	1.0	0.0	82.1	-23.9	73.8	77.6	108	0.904	1.0	0.0	85.1	-21.0	78.7	81.5	105	0.75	1.0	0.0	0.847	1.0	0.0	80.6	-25.9	71.5	76.1	110	0.75	1.0	0.0																																					
109	106	111	0.858	1.0	0.0	81.3	-24.9	72.7	76.9	109	0.892	1.0	0.0	84.1	-22.0	77.0	80.1	106	0.733	1.0	0.0	0.836	1.0	0.0	79.8	-26.9	70.4	75.4	111	0.733	1.0	0.0																																					
110	107	112	0.847	1.0	0.0	80.6	-25.9	71.5	76.1	110	0.88	1.0	0.0	83.0	-22.9	75.3	78.7	107	0.717	1.0	0.0	0.826	1.0	0.0	79.1	-27.9	69.2	74.6	112	0.717	1.0	0.0																																					
111	108	113	0.836																																																																		

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Six hue angles of the device colours d: $h_{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*d361Mi$								$LAB^*d361Mix(x=LabCh)$								$rgb^*s361Mi$				$LAB^*s361Mix(x=LabCh)$				rgb^*s50M				$rgb^*e361Mi$				$LAB^*e361Mix(x=LabCh)$				rgb^*e50M				rgb^*_d				rgb^*_s				rgb^*_e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
168	165	176	0.0	1.0	0.758	57.3	-51.7	11.0	53.0	168	0.0	1.0	0.729	57.1	-52.7	14.2	54.7	165	0.0	1.0	0.25	0.0	1.0	0.813	58.0	-49.6	3.5	49.8	176	0.0	1.0	0.25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e						
213	210	217	0.0	0.959	1.0	53.7	-44.0	-28.5	52.6	213	0.0	0.985	1.0	54.6	-44.0	-25.4	51.0	210	0.0	1.0	1.0C _s	0.0	0.923	1.0	52.5	-43.6	-32.8	54.7	217	0.0	1.0	1.0C _e			
214	211	218	0.0	0.95	1.0	53.4	-43.9	-29.6	53.1	214	0.0	0.976	1.0	54.3	-44.0	-26.4	51.5	211	0.0	0.983	1.0	0.0	0.914	1.0	52.2	-43.4	-33.9	55.3	218	0.0	0.983	1.0			
215	212	219	0.0	0.941	1.0	53.1	-43.8	-30.7	53.7	215	0.0	0.967	1.0	54.0	-44.0	-27.5	52.0	212	0.0	0.967	1.0	0.0	0.905	1.0	51.9	-43.3	-35.0	55.8	219	0.0	0.967	1.0			
216	213	220	0.0	0.932	1.0	52.8	-43.7	-31.8	54.2	216	0.0	0.959	1.0	53.7	-44.0	-28.5	52.6	213	0.0	0.95	1.0	0.0	0.897	1.0	51.7	-43.1	-36.1	56.3	220	0.0	0.95	1.0			
217	214	221	0.0	0.923	1.0	52.5	-43.6	-32.8	54.7	217	0.0	0.95	1.0	53.4	-43.9	-29.6	53.1	214	0.0	0.933	1.0	0.0	0.888	1.0	51.4	-42.8	-37.2	56.9	221	0.0	0.933	1.0			
218	215	222	0.0	0.914	1.0	52.2	-43.4	-33.9	55.3	218	0.0	0.941	1.0	53.1	-43.8	-30.7	53.7	215	0.0	0.917	1.0	0.0	0.879	1.0	51.1	-42.6	-38.3	57.4	222	0.0	0.917	1.0			
219	216	222	0.0	0.905	1.0	51.9	-43.3	-35.0	55.8	219	0.0	0.932	1.0	52.8	-43.7	-31.8	54.2	216	0.0	0.9	1.0	0.0	0.879	1.0	51.1	-42.6	-38.3	57.4	222	0.0	0.9	1.0			
220	217	223	0.0	0.897	1.0	51.7	-43.1	-36.1	56.3	220	0.0	0.923	1.0	52.5	-43.6	-32.8	54.7	217	0.0	0.883	1.0	0.0	0.87	1.0	50.9	-42.2	-39.3	57.8	223	0.0	0.883	1.0			
221	218	224	0.0	0.888	1.0	51.4	-42.8	-37.2	56.9	221	0.0	0.914	1.0	52.2	-43.4	-33.9	55.3	218	0.0	0.867	1.0	0.0	0.861	1.0	50.8	-41.7	-40.3	58.1	224	0.0	0.867	1.0			
222	219	225	0.0	0.879	1.0	51.1	-42.6	-38.3	57.4	222	0.0	0.905	1.0	51.9	-43.3	-35.0	55.8	219	0.0	0.85	1.0	0.0	0.852	1.0	50.7	-41.2	-41.2	58.5	225	0.0	0.85	1.0			
223	220	226	0.0	0.87	1.0	50.9	-42.2	-39.3	57.8	223	0.0	0.897	1.0	51.7	-43.1	-36.1	56.3	220	0.0	0.833	1.0	0.0	0.843	1.0	50.6	-40.7	-42.2	58.8	226	0.0	0.833	1.0			
224	221	227	0.0	0.861	1.0	50.8	-41.7	-40.3	58.1	224	0.0	0.888	1.0	51.4	-42.8	-37.2	56.9	221	0.0	0.817	1.0	0.0	0.834	1.0	50.5	-40.2	-43.1	59.1	227	0.0	0.817	1.0			
225	222	228	0.0	0.852	1.0	50.7	-41.2	-41.2	58.5	225	0.0	0.879	1.0	51.1	-42.6	-38.3	57.4	222	0.0	0.8	1.0	0.0	0.825	1.0	50.4	-39.7	-44.1	59.4	228	0.0	0.8	1.0			
226	223	229	0.0	0.843	1.0	50.6	-40.7	-42.2	58.8	226	0.0	0.87	1.0	50.9	-42.2	-39.3	57.8	223	0.0	0.783	1.0	0.0	0.816	1.0	50.3	-39.1	-45.0	59.8	229	0.0	0.783	1.0			
227	224	230	0.0	0.834	1.0	50.5	-40.2	-43.1	59.1	227	0.0	0.861	1.0	50.8	-41.7	-40.3	58.1	224	0.0	0.767	1.0	0.0	0.807	1.0	50.2	-38.5	-45.9	60.1	230	0.0	0.767	1.0			
228	225	231	0.0	0.825	1.0	50.4	-39.7	-44.1	59.4	228	0.0	0.852	1.0	50.7	-41.2	-41.2	58.5	225	0.0	0.75	1.0	0.0	0.798	1.0	50.1	-37.9	-46.8	60.4	231	0.0	0.75	1.0			
229	226	232	0.0	0.816	1.0	50.3	-39.1	-45.0	59.8	229	0.0	0.843	1.0	50.6	-40.7	-42.2	58.8	226	0.0	0.733	1.0	0.0	0.789	1.0	50.0	-37.3	-47.7	60.7	232	0.0	0.733	1.0			
230	227	232	0.0	0.807	1.0	50.2	-38.5	-45.9	60.1	230	0.0	0.834	1.0	50.5	-40.2	-43.1	59.1	227	0.0	0.717	1.0	0.0	0.789	1.0	50.0	-37.3	-47.7	60.7	232	0.0	0.717	1.0			
231	228	233	0.0	0.798	1.0	50.1	-37.9	-46.8	60.4	231	0.0	0.825	1.0	50.4	-39.7	-44.1	59.4	228	0.0	0.7	1.0	0.0	0.78	1.0	49.9	-36.6	-48.6	61.0	233	0.0	0.7	1.0			
232	229	234	0.0	0.789	1.0	50.0	-37.3	-47.7	60.7	232	0.0	0.816	1.0	50.3	-39.1	-45.0	59.8	229	0.0	0.683	1.0	0.0	0.771	1.0	49.8	-36.0	-49.5	61.4	234	0.0	0.683	1.0			
233	230	235	0.0	0.78	1.0	49.9	-36.6	-48.6	61.0	233	0.0	0.807	1.0	50.2	-38.5	-45.9	60.1	230	0.0	0.667	1.0	0.0	0.762	1.0	49.7	-35.3	-50.4	61.7	235	0.0	0.667	1.0			
234	231	236	0.0	0.771	1.0	49.8	-36.0	-49.5	61.4	234	0.0	0.798	1.0	50.1	-37.9	-46.8	60.4	231	0.0	0.65	1.0	0.0	0.753	1.0	49.6	-34.6	-51.3	62.0	236	0.0	0.65	1.0			
235	232	237	0.0	0.762	1.0	49.7	-35.3	-50.4	61.7	235	0.0	0.789	1.0	50.0	-37.3	-47.7	60.7	232	0.0	0.633	1.0	0.0	0.735	1.0	49.2	-33.5	-51.6	61.7	237	0.0	0.633	1.0			
236	233	238	0.0	0.753	1.0	49.6	-34.6	-51.3	62.0	236	0.0	0.78	1.0	49.9	-36.6	-48.6	61.0	233	0.0	0.617	1.0	0.0	0.712	1.0	48.6	-32.2	-51.6	61.0	238	0.0	0.617	1.0			
237	234	239	0.0	0.735	1.0	49.2	-33.5	-51.6	61.7	237	0.0	0.771	1.0	49.8	-36.0	-49.5	61.4	234	0.0	0.6	1.0	0.0	0.688	1.0	48.1	-30.9	-51.6	60.3	239	0.0	0.6	1.0			
238	235	240	0.0	0.712	1.0	48.6	-32.2	-51.6	61.0	238	0.0	0.762	1.0	49.7	-35.3	-50.4	61.7	235	0.0	0.583	1.0	0.0	0.664	1.0	47.5	-29.7	-51.5	59.6	240	0.0	0.583	1.0			
239	236	241	0.0	0.688	1.0	48.1	-30.9	-51.6	60.3	239	0.0	0.753	1.0	49.6	-34.6	-51.3	62.0	236	0.0	0.567	1.0	0.0	0.64	1.0	46.9	-28.4	-51.4	58.9	241	0.0	0.567	1.0			
240	237	242	0.0	0.664	1.0	47.5	-29.7	-51.5	59.6	240	0.0	0.735	1.0	49.2	-33.5	-51.6	61.7	237	0.0	0.55	1.0	0.0	0.614	1.0	46.3	-27.2	-51.3	58.2	242	0.0	0.55	1.0			
241	238	243	0.0	0.64	1.0	46.9	-28.4	-51.4	58.9	241	0.0	0.712	1.0	48.6	-32.2	-51.6	61.0	238	0.0	0.533	1.0	0.0	0.584	1.0	45.7	-26.1	-51.3	57.7	243	0.0	0.533	1.0			
242	239	243	0.0	0.614	1.0	46.3	-27.2	-51.3	58.2	242	0.0	0.688	1.0	48.1	-30.9	-51.6	60.3	239	0.0	0.517	1.0	0.0	0.584	1.0	45.7	-26.1	-51.3	57.7	243	0.0	0.517	1.0			
243	240	244	0.0	0.584	1.0	45.7	-26.1	-51.3	57.7	243	0.0	0.664	1.0	47.5	-29.7	-51.5	59.6	240	0.0	0.5	1.0	0.0	0.554	1.0	45.1	-24.9	-51.2	57.1	244	0.0	0.5	1.0			
244	241	245	0.0	0.554	1.0	45.1	-24.9	-51.2	57.1	244	0.0	0.64	1.0	46.9	-28.4	-51.4	58.9	241	0.0	0.483	1.0	0.0	0.524	1.0	44.4	-23.8	-51.2	56.6							

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}				LAB* _{dd361Mix (x=LabCh)}				rgb* _{ds361Mi}				LAB* _{ds361Mix (x=LabCh)}				rgb* _{s50M}				rgb* _{de361Mi}				LAB* _{de361Mix (x=LabCh)}				rgb* _{e50M}				rgb* _{dd}	rgb* _{ds}	rgb* _{de}
258	255	258	0.213	0.0	1.0	37.7	-10.5	-49.7	50.9	258	0.0	0.207	1.0	39.4	-13.4	-50.1	52.0	255	0.0	0.25	1.0	0.213	0.0	1.0	37.7	-10.5	-49.7	50.9	258	0.0	0.25	1.0					
259	256	259	0.275	0.0	1.0	37.3	-9.6	-50.0	51.0	259	0.0	0.152	1.0	38.8	-12.4	-49.9	51.6	256	0.0	0.233	1.0	0.275	0.0	1.0	37.3	-9.6	-50.0	51.0	259	0.0	0.233	1.0					
260	257	260	0.325	0.0	1.0	36.7	-8.8	-50.4	51.3	260	0.139	0.0	1.0	37.9	-11.4	-49.8	51.2	257	0.0	0.217	1.0	0.325	0.0	1.0	36.7	-8.8	-50.4	51.3	260	0.0	0.217	1.0					
261	258	261	0.374	0.0	1.0	36.0	-8.0	-50.9	51.6	261	0.213	0.0	1.0	37.7	-10.5	-49.7	50.9	258	0.0	0.2	1.0	0.374	0.0	1.0	36.0	-8.0	-50.9	51.6	261	0.0	0.2	1.0					
262	259	262	0.386	0.0	1.0	35.9	-7.0	-50.7	51.3	262	0.275	0.0	1.0	37.3	-9.6	-50.0	51.0	259	0.0	0.183	1.0	0.386	0.0	1.0	35.9	-7.0	-50.7	51.3	262	0.0	0.183	1.0					
263	260	263	0.397	0.0	1.0	35.8	-6.1	-50.5	51.0	263	0.325	0.0	1.0	36.7	-8.8	-50.4	51.3	260	0.0	0.167	1.0	0.397	0.0	1.0	35.8	-6.1	-50.5	51.0	263	0.0	0.167	1.0					
264	261	264	0.409	0.0	1.0	35.8	-5.2	-50.3	50.7	264	0.374	0.0	1.0	36.0	-8.0	-50.9	51.6	261	0.0	0.15	1.0	0.409	0.0	1.0	35.8	-5.2	-50.3	50.7	264	0.0	0.15	1.0					
265	262	264	0.42	0.0	1.0	35.7	-4.3	-50.0	50.3	265	0.386	0.0	1.0	35.9	-7.0	-50.7	51.3	262	0.0	0.133	1.0	0.409	0.0	1.0	35.8	-5.2	-50.3	50.7	264	0.0	0.133	1.0					
266	263	265	0.431	0.0	1.0	35.6	-3.4	-49.8	50.0	266	0.397	0.0	1.0	35.8	-6.1	-50.5	51.0	263	0.0	0.117	1.0	0.42	0.0	1.0	35.7	-4.3	-50.0	50.3	265	0.0	0.117	1.0					
267	264	266	0.442	0.0	1.0	35.5	-2.5	-49.5	49.7	267	0.409	0.0	1.0	35.8	-5.2	-50.3	50.7	264	0.0	0.1	1.0	0.431	0.0	1.0	35.6	-3.4	-49.8	50.0	266	0.0	0.1	1.0					
268	265	267	0.454	0.0	1.0	35.5	-1.6	-49.2	49.4	268	0.42	0.0	1.0	35.7	-4.3	-50.0	50.3	265	0.0	0.083	1.0	0.442	0.0	1.0	35.5	-2.5	-49.5	49.7	267	0.0	0.083	1.0					
269	266	268	0.465	0.0	1.0	35.4	-0.8	-48.9	49.0	269	0.431	0.0	1.0	35.6	-3.4	-49.8	50.0	266	0.0	0.067	1.0	0.454	0.0	1.0	35.5	-1.6	-49.2	49.4	268	0.0	0.067	1.0					
270	267	269	0.476	0.0	1.0	35.3	0.0	-48.6	48.7	270	0.442	0.0	1.0	35.5	-2.5	-49.5	49.7	267	0.0	0.05	1.0	0.465	0.0	1.0	35.4	-0.8	-48.9	49.0	269	0.0	0.05	1.0					
271	268	270	0.487	0.0	1.0	35.3	0.8	-48.3	48.4	271	0.454	0.0	1.0	35.5	-1.6	-49.2	49.4	268	0.0	0.033	1.0	0.476	0.0	1.0	35.3	0.0	-48.6	48.7	270	0.0	0.033	1.0					
272	269	271	0.499	0.0	1.0	35.2	1.7	-47.9	48.0	272	0.465	0.0	1.0	35.4	-0.8	-48.9	49.0	269	0.0	0.017	1.0	0.487	0.0	1.0	35.3	0.8	-48.3	48.4	271	0.0	0.017	1.0					
273	270	272	0.505	0.0	1.0	35.2	2.5	-47.7	47.9	273	0.476	0.0	1.0	35.3	0.0	-48.6	48.7	270	0.0	0.0	1.0	0.499	0.0	1.0	35.2	1.7	-47.9	48.0	272	0.0	0.0	1.0					
274	271	273	0.512	0.0	1.0	35.3	3.3	-47.5	47.7	274	0.487	0.0	1.0	35.3	0.8	-48.3	48.4	271	0.017	0.0	1.0	0.505	0.0	1.0	35.2	2.5	-47.7	47.9	273	0.017	0.0	1.0					
275	272	274	0.518	0.0	1.0	35.3	4.1	-47.3	47.6	275	0.499	0.0	1.0	35.2	1.7	-47.9	48.0	272	0.033	0.0	1.0	0.512	0.0	1.0	35.3	3.3	-47.5	47.7	274	0.033	0.0	1.0					
276	273	275	0.524	0.0	1.0	35.4	5.0	-47.1	47.4	276	0.505	0.0	1.0	35.2	2.5	-47.7	47.9	273	0.05	0.0	1.0	0.518	0.0	1.0	35.3	4.1	-47.3	47.6	275	0.05	0.0	1.0					
277	274	276	0.53	0.0	1.0	35.5	5.8	-46.8	47.3	277	0.512	0.0	1.0	35.3	3.3	-47.5	47.7	274	0.067	0.0	1.0	0.524	0.0	1.0	35.4	5.0	-47.1	47.4	276	0.067	0.0	1.0					
278	275	276	0.537	0.0	1.0	35.5	6.6	-46.6	47.1	278	0.518	0.0	1.0	35.3	4.1	-47.3	47.6	275	0.083	0.0	1.0	0.524	0.0	1.0	35.4	5.0	-47.1	47.4	276	0.083	0.0	1.0					
279	276	277	0.543	0.0	1.0	35.6	7.3	-46.3	47.0	279	0.524	0.0	1.0	35.4	5.0	-47.1	47.4	276	0.1	0.0	1.0	0.53	0.0	1.0	35.5	5.8	-46.8	47.3	277	0.1	0.0	1.0					
280	277	278	0.549	0.0	1.0	35.6	8.1	-46.0	46.8	280	0.53	0.0	1.0	35.5	5.8	-46.8	47.3	277	0.117	0.0	1.0	0.537	0.0	1.0	35.5	6.6	-46.6	47.1	278	0.117	0.0	1.0					
281	278	279	0.555	0.0	1.0	35.7	8.9	-45.7	46.7	281	0.537	0.0	1.0	35.5	6.6	-46.6	47.1	278	0.133	0.0	1.0	0.543	0.0	1.0	35.6	7.3	-46.3	47.0	279	0.133	0.0	1.0					
282	279	280	0.562	0.0	1.0	35.8	9.7	-45.4	46.5	282	0.543	0.0	1.0	35.6	7.3	-46.3	47.0	279	0.15	0.0	1.0	0.549	0.0	1.0	35.6	8.1	-46.0	46.8	280	0.15	0.0	1.0					
283	280	281	0.568	0.0	1.0	35.8	10.4	-45.1	46.4	283	0.549	0.0	1.0	35.6	8.1	-46.0	46.8	280	0.167	0.0	1.0	0.555	0.0	1.0	35.7	8.9	-45.7	46.7	281	0.167	0.0	1.0					
284	281	282	0.574	0.0	1.0	35.9	11.2	-44.7	46.2	284	0.555	0.0	1.0	35.7	8.9	-45.7	46.7	281	0.183	0.0	1.0	0.562	0.0	1.0	35.8	9.7	-45.4	46.5	282	0.183	0.0	1.0					
285	282	283	0.58	0.0	1.0	35.9	11.9	-44.4	46.1	285	0.562	0.0	1.0	35.8	9.7	-45.4	46.5	282	0.2	0.0	1.0	0.568	0.0	1.0	35.8	10.4	-45.1	46.4	283	0.2	0.0	1.0					
286	283	284	0.586	0.0	1.0	36.0	12.7	-44.0	45.9	286	0.568	0.0	1.0	35.8	10.4	-45.1	46.4	283	0.217	0.0	1.0	0.574	0.0	1.0	35.9	11.2	-44.7	46.2	284	0.217	0.0	1.0					
287	284	285	0.593	0.0	1.0	36.1	13.4	-43.7	45.8	287	0.574	0.0	1.0	35.9	11.2	-44.7	46.2	284	0.233	0.0	1.0	0.58	0.0	1.0	35.9	11.9	-44.4	46.1	285	0.233	0.0	1.0					
288	285	286	0.599	0.0	1.0	36.1	14.1	-43.3	45.6	288	0.58	0.0	1.0	35.9	11.9	-44.4	46.1	285	0.25	0.0	1.0	0.586	0.0	1.0	36.0	12.7	-44.0	45.9	286	0.25	0.0	1.0					
289	286	287	0.605	0.0	1.0	36.2	14.8	-42.9	45.5	289	0.586	0.0	1.0	36.0	12.7	-44.0	45.9	286	0.267	0.0	1.0	0.593	0.0	1.0	36.1	13.4	-43.7	45.8	287	0.267	0.0	1.0					
290	287	288	0.611	0.0	1.0	36.2	15.5	-42.5	45.3	290	0.593	0.0																									

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
303	300	300	0.685	0.0	1.0	37.7	25.5	-39.1	46.7	303	0.668	0.0	1.0	37.3	23.1	-40.0	46.2	300	0.5	0.0	1.0	0.668	0.0	1.0	37.3	23.1	-40.0	46.2	300	0.5	0.0	1.0			
304	301	301	0.69	0.0	1.0	37.8	26.2	-38.8	46.9	304	0.674	0.0	1.0	37.4	23.9	-39.7	46.4	301	0.517	0.0	1.0	0.674	0.0	1.0	37.4	23.9	-39.7	46.4	301	0.517	0.0	1.0			
305	302	302	0.696	0.0	1.0	37.9	27.0	-38.4	47.1	305	0.679	0.0	1.0	37.6	24.7	-39.4	46.6	302	0.533	0.0	1.0	0.679	0.0	1.0	37.6	24.7	-39.4	46.6	302	0.533	0.0	1.0			
306	303	303	0.701	0.0	1.0	38.0	27.7	-38.1	47.2	306	0.685	0.0	1.0	37.7	25.5	-39.1	46.7	303	0.55	0.0	1.0	0.685	0.0	1.0	37.7	25.5	-39.1	46.7	303	0.55	0.0	1.0			
307	304	304	0.707	0.0	1.0	38.2	28.5	-37.7	47.4	307	0.69	0.0	1.0	37.8	26.2	-38.8	46.9	304	0.567	0.0	1.0	0.69	0.0	1.0	37.8	26.2	-38.8	46.9	304	0.567	0.0	1.0			
308	305	305	0.712	0.0	1.0	38.3	29.3	-37.4	47.5	308	0.696	0.0	1.0	37.9	27.0	-38.4	47.1	305	0.583	0.0	1.0	0.696	0.0	1.0	37.9	27.0	-38.4	47.1	305	0.583	0.0	1.0			
309	306	306	0.718	0.0	1.0	38.4	30.0	-37.0	47.7	309	0.701	0.0	1.0	38.0	27.7	-38.1	47.2	306	0.6	0.0	1.0	0.701	0.0	1.0	38.0	27.7	-38.1	47.2	306	0.6	0.0	1.0			
310	307	307	0.723	0.0	1.0	38.5	30.8	-36.6	47.9	310	0.707	0.0	1.0	38.2	28.5	-37.7	47.4	307	0.617	0.0	1.0	0.707	0.0	1.0	38.2	28.5	-37.7	47.4	307	0.617	0.0	1.0			
311	308	308	0.729	0.0	1.0	38.7	31.5	-36.1	48.0	311	0.712	0.0	1.0	38.3	29.3	-37.4	47.5	308	0.633	0.0	1.0	0.712	0.0	1.0	38.3	29.3	-37.4	47.5	308	0.633	0.0	1.0			
312	309	309	0.734	0.0	1.0	38.8	32.2	-35.7	48.2	312	0.718	0.0	1.0	38.4	30.0	-37.0	47.7	309	0.65	0.0	1.0	0.718	0.0	1.0	38.4	30.0	-37.0	47.7	309	0.65	0.0	1.0			
313	310	310	0.74	0.0	1.0	38.9	33.0	-35.2	48.3	313	0.723	0.0	1.0	38.5	30.8	-36.6	47.9	310	0.667	0.0	1.0	0.723	0.0	1.0	38.5	30.8	-36.6	47.9	310	0.667	0.0	1.0			
314	311	311	0.745	0.0	1.0	39.0	33.7	-34.8	48.5	314	0.729	0.0	1.0	38.7	31.5	-36.1	48.0	311	0.683	0.0	1.0	0.729	0.0	1.0	38.7	31.5	-36.1	48.0	311	0.683	0.0	1.0			
315	312	312	0.751	0.0	1.0	39.1	34.4	-34.3	48.7	315	0.734	0.0	1.0	38.8	32.2	-35.7	48.2	312	0.7	0.0	1.0	0.734	0.0	1.0	38.8	32.2	-35.7	48.2	312	0.7	0.0	1.0			
316	313	312	0.758	0.0	1.0	39.3	35.3	-34.0	49.1	316	0.74	0.0	1.0	38.9	33.0	-35.2	48.3	313	0.717	0.0	1.0	0.734	0.0	1.0	38.8	32.2	-35.7	48.2	312	0.717	0.0	1.0			
317	314	313	0.764	0.0	1.0	39.5	36.2	-33.6	49.5	317	0.745	0.0	1.0	39.0	33.7	-34.8	48.5	314	0.733	0.0	1.0	0.74	0.0	1.0	38.9	33.0	-35.2	48.3	313	0.733	0.0	1.0			
318	315	314	0.771	0.0	1.0	39.7	37.1	-33.3	49.9	318	0.751	0.0	1.0	39.1	34.4	-34.3	48.7	315	0.75	0.0	1.0	0.745	0.0	1.0	39.0	33.7	-34.8	48.5	314	0.75	0.0	1.0			
319	316	315	0.778	0.0	1.0	39.9	37.9	-32.9	50.3	319	0.758	0.0	1.0	39.3	35.3	-34.0	49.1	316	0.767	0.0	1.0	0.751	0.0	1.0	39.1	34.4	-34.3	48.7	315	0.767	0.0	1.0			
320	317	316	0.784	0.0	1.0	40.1	38.8	-32.5	50.6	320	0.764	0.0	1.0	39.5	36.2	-33.6	49.5	317	0.783	0.0	1.0	0.758	0.0	1.0	39.3	35.3	-34.0	49.1	316	0.783	0.0	1.0			
321	318	317	0.791	0.0	1.0	40.3	39.7	-32.0	51.0	321	0.771	0.0	1.0	39.7	37.1	-33.3	49.9	318	0.8	0.0	1.0	0.764	0.0	1.0	39.5	36.2	-33.6	49.5	317	0.8	0.0	1.0			
322	319	318	0.798	0.0	1.0	40.5	40.5	-31.6	51.4	322	0.778	0.0	1.0	39.9	37.9	-32.9	50.3	319	0.817	0.0	1.0	0.771	0.0	1.0	39.7	37.1	-33.3	49.9	318	0.817	0.0	1.0			
323	320	319	0.804	0.0	1.0	40.7	41.4	-31.1	51.8	323	0.784	0.0	1.0	40.1	38.8	-32.5	50.6	320	0.833	0.0	1.0	0.778	0.0	1.0	39.9	37.9	-32.9	50.3	319	0.833	0.0	1.0			
324	321	320	0.811	0.0	1.0	40.9	42.2	-30.6	52.2	324	0.791	0.0	1.0	40.3	39.7	-32.0	51.0	321	0.85	0.0	1.0	0.784	0.0	1.0	40.1	38.8	-32.5	50.6	320	0.85	0.0	1.0			
325	322	321	0.818	0.0	1.0	41.1	43.1	-30.1	52.6	325	0.798	0.0	1.0	40.5	40.5	-31.6	51.4	322	0.867	0.0	1.0	0.791	0.0	1.0	40.3	39.7	-32.0	51.0	321	0.867	0.0	1.0			
326	323	322	0.825	0.0	1.0	41.3	43.9	-29.5	53.0	326	0.804	0.0	1.0	40.7	41.4	-31.1	51.8	323	0.883	0.0	1.0	0.798	0.0	1.0	40.5	40.5	-31.6	51.4	322	0.883	0.0	1.0			
327	324	323	0.831	0.0	1.0	41.5	44.8	-29.0	53.4	327	0.811	0.0	1.0	40.9	42.2	-30.6	52.2	324	0.9	0.0	1.0	0.804	0.0	1.0	40.7	41.4	-31.1	51.8	323	0.9	0.0	1.0			
328	325	324	0.838	0.0	1.0	41.7	45.6	-28.4	53.8	328	0.818	0.0	1.0	41.1	43.1	-30.1	52.6	325	0.917	0.0	1.0	0.811	0.0	1.0	40.9	42.2	-30.6	52.2	324	0.917	0.0	1.0			
329	326	325	0.845	0.0	1.0	41.9	46.4	-27.8	54.2	329	0.825	0.0	1.0	41.3	43.9	-29.5	53.0	326	0.933	0.0	1.0	0.818	0.0	1.0	41.1	43.1	-30.1	52.6	325	0.933	0.0	1.0			
330	327	326	0.851	0.0	1.0	42.1	47.3	-27.2	54.6	330	0.831	0.0	1.0	41.5	44.8	-29.0	53.4	327	0.95	0.0	1.0	0.825	0.0	1.0	41.3	43.9	-29.5	53.0	326	0.95	0.0	1.0			
331	328	327	0.858	0.0	1.0	42.3	48.1	-26.5	55.0	331	0.838	0.0	1.0	41.7	45.6	-28.4	53.8	328	0.967	0.0	1.0	0.831	0.0	1.0	41.5	44.8	-29.0	53.4	327	0.967	0.0	1.0			
332	329	328	0.865	0.0	1.0	42.5	48.9	-25.9	55.4	332	0.845	0.0	1.0	41.9	46.4	-27.8	54.2	329	0.983	0.0	1.0	0.838	0.0	1.0	41.7	45.6	-28.4	53.8	328	0.983	0.0	1.0			
333	330	329	0.872	0.0	1.0	42.7	49.7	-25.2	55.8	333	0.851	0.0	1.0	42.1	47.3	-27.2	54.6	330	1.0	0.0	1.0M _s	0.845	0.0	1.0	41.9	46.4	-27.8	54.2	329	1.0	0.0	1.0M _e			
334	331	330	0.878	0.0	1.0	42.9	50.6	-24.6	56.4	334	0.858	0.0	1.0	42.3	48.1	-26.5	55.0	331	1.0	0.0	0.983	0.851	0.0	1.0	42.1	47.3	-27.2	54.6	330						

Data of Maximum color M in colorimetric system laser printer HRS18_96; no separation, D65 and D50 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 33.3, 96.7, 144.4, 208.3, 256.5, 354.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds361Mi}$						$LAB^*_{ds361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$						$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}						$rgb^*_{de361Mi}$						$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}						rgb^*_d	rgb^*_s	rgb^*_e
348	345	343	0.963	0.0	1.0	47.8	66.3	-14.0	67.8	348	0.945	0.0	1.0	46.8	63.1	-16.8	65.3	345	1.0	0.0	0.75	0.933	0.0	1.0	46.1	60.9	-18.5	63.7	343	1.0	0.0	0.75																					
349	346	344	0.969	0.0	1.0	48.2	67.3	-13.0	68.6	349	0.951	0.0	1.0	47.1	64.2	-15.9	66.1	346	1.0	0.0	0.733	0.939	0.0	1.0	46.4	62.0	-17.7	64.5	344	1.0	0.0	0.733																					
350	347	345	0.975	0.0	1.0	48.5	68.3	-11.9	69.4	350	0.957	0.0	1.0	47.5	65.2	-15.0	66.9	347	1.0	0.0	0.717	0.945	0.0	1.0	46.8	63.1	-16.8	65.3	345	1.0	0.0	0.717																					
351	348	346	0.982	0.0	1.0	48.9	69.3	-10.9	70.2	351	0.963	0.0	1.0	47.8	66.3	-14.0	67.8	348	1.0	0.0	0.7	0.951	0.0	1.0	47.1	64.2	-15.9	66.1	346	1.0	0.0	0.7																					
352	349	347	0.988	0.0	1.0	49.2	70.3	-9.8	71.0	352	0.969	0.0	1.0	48.2	67.3	-13.0	68.6	349	1.0	0.0	0.683	0.957	0.0	1.0	47.5	65.2	-15.0	66.9	347	1.0	0.0	0.683																					
353	350	348	0.994	0.0	1.0	49.6	71.3	-8.7	71.8	353	0.975	0.0	1.0	48.5	68.3	-11.9	69.4	350	1.0	0.0	0.667	0.963	0.0	1.0	47.8	66.3	-14.0	67.8	348	1.0	0.0	0.667																					
354	351	349	1.0	0.0	1.0	49.9	72.2	-7.5	72.6	354	0.982	0.0	1.0	48.9	69.3	-10.9	70.2	351	1.0	0.0	0.65	0.969	0.0	1.0	48.2	67.3	-13.0	68.6	349	1.0	0.0	0.65																					
355	352	349	1.0	0.0	0.97	50.0	73.2	-6.3	73.5	355	0.988	0.0	1.0	49.2	70.3	-9.8	71.0	352	1.0	0.0	0.633	0.969	0.0	1.0	48.2	67.3	-13.0	68.6	349	1.0	0.0	0.633																					
356	353	350	1.0	0.0	0.938	50.0	74.1	-5.1	74.3	356	0.994	0.0	1.0	49.6	71.3	-8.7	71.8	353	1.0	0.0	0.617	0.975	0.0	1.0	48.5	68.3	-11.9	69.4	350	1.0	0.0	0.617																					
357	354	351	1.0	0.0	0.907	50.1	75.0	-3.8	75.2	357	1.0	0.0	1.0	49.9	72.2	-7.5	72.6	354	1.0	0.0	0.6	0.982	0.0	1.0	48.9	69.3	-10.9	70.2	351	1.0	0.0	0.6																					
358	355	352	1.0	0.0	0.876	50.1	75.9	-2.6	76.0	358	1.0	0.0	0.97	50.0	73.2	-6.3	73.5	355	1.0	0.0	0.583	0.988	0.0	1.0	49.2	70.3	-9.8	71.0	352	1.0	0.0	0.583																					
359	356	353	1.0	0.0	0.849	50.1	75.7	-1.2	75.8	359	1.0	0.0	0.938	50.0	74.1	-5.1	74.3	356	1.0	0.0	0.567	0.994	0.0	1.0	49.6	71.3	-8.7	71.8	353	1.0	0.0	0.567																					
0	357	354	1.0	0.0	0.822	50.0	75.5	0.0	75.5	0	1.0	0.0	0.907	50.1	75.0	-3.8	75.2	357	1.0	0.0	0.55	1.0	0.0	1.0	49.9	72.2	-7.5	72.6	354	1.0	0.0	0.55																					
1	358	355	1.0	0.0	0.795	49.9	75.2	1.3	75.2	1	1.0	0.0	0.876	50.1	75.9	-2.6	76.0	358	1.0	0.0	0.533	1.0	0.0	0.97	50.0	73.2	-6.3	73.5	355	1.0	0.0	0.533																					
2	359	356	1.0	0.0	0.768	49.9	75.0	2.6	75.0	2	1.0	0.0	0.849	50.1	75.7	-1.2	75.8	359	1.0	0.0	0.517	1.0	0.0	0.938	50.0	74.1	-5.1	74.3	356	1.0	0.0	0.517																					
3	360	357	1.0	0.0	0.743	49.8	74.7	3.9	74.8	3	1.0	0.0	0.822	50.0	75.5	0.0	75.5	0	1.0	0.0	0.5	1.0	0.0	0.907	50.1	75.0	-3.8	75.2	357	1.0	0.0	0.5																					
4	361	358	1.0	0.0	0.722	49.9	74.4	5.2	74.6	4	1.0	0.0	0.795	49.9	75.2	1.3	75.2	1	1.0	0.0	0.483	1.0	0.0	0.876	50.1	75.9	-2.6	76.0	358	1.0	0.0	0.483																					
5	362	359	1.0	0.0	0.701	49.9	74.1	6.5	74.4	5	1.0	0.0	0.768	49.9	75.0	2.6	75.0	2	1.0	0.0	0.467	1.0	0.0	0.849	50.1	75.7	-1.2	75.8	359	1.0	0.0	0.467																					
6	363	360	1.0	0.0	0.68	49.9	73.8	7.8	74.2	6	1.0	0.0	0.743	49.8	74.7	3.9	74.8	3	1.0	0.0	0.45	1.0	0.0	0.822	50.0	75.5	0.0	75.5	0	1.0	0.0	0.45																					
7	364	361	1.0	0.0	0.659	50.0	73.4	9.0	74.0	7	1.0	0.0	0.722	49.9	74.4	5.2	74.6	4	1.0	0.0	0.433	1.0	0.0	0.795	49.9	75.2	1.3	75.2	1	1.0	0.0	0.433																					
8	365	362	1.0	0.0	0.638	50.0	73.1	10.3	73.8	8	1.0	0.0	0.701	49.9	74.1	6.5	74.4	5	1.0	0.0	0.417	1.0	0.0	0.768	49.9	75.0	2.6	75.0	2	1.0	0.0	0.417																					
9	366	363	1.0	0.0	0.615	50.0	72.7	11.5	73.6	9	1.0	0.0	0.68	49.9	73.8	7.8	74.2	6	1.0	0.0	0.4	1.0	0.0	0.743	49.8	74.7	3.9	74.8	3	1.0	0.0	0.4																					
10	367	364	1.0	0.0	0.587	50.1	72.5	12.8	73.6	10	1.0	0.0	0.659	50.0	73.4	9.0	74.0	7	1.0	0.0	0.383	1.0	0.0	0.722	49.9	74.4	5.2	74.6	4	1.0	0.0	0.383																					
11	368	365	1.0	0.0	0.559	50.1	72.2	14.0	73.6	11	1.0	0.0	0.638	50.0	73.1	10.3	73.8	8	1.0	0.0	0.367	1.0	0.0	0.701	49.9	74.1	6.5	74.4	5	1.0	0.0	0.367																					
12	369	366	1.0	0.0	0.531	50.2	71.9	15.3	73.5	12	1.0	0.0	0.615	50.0	72.7	11.5	73.6	9	1.0	0.0	0.35	1.0	0.0	0.68	49.9	73.8	7.8	74.2	6	1.0	0.0	0.35																					
13	370	367	1.0	0.0	0.503	50.2	71.6	16.5	73.5	13	1.0	0.0	0.587	50.1	72.5	12.8	73.6	10	1.0	0.0	0.333	1.0	0.0	0.659	50.0	73.4	9.0	74.0	7	1.0	0.0	0.333																					
14	371	367	1.0	0.0	0.48	50.2	71.3	17.8	73.5	14	1.0	0.0	0.559	50.1	72.2	14.0	73.6	11	1.0	0.0	0.317	1.0	0.0	0.659	50.0	73.4	9.0	74.0	7	1.0	0.0	0.317																					
15	372	368	1.0	0.0	0.457	50.1	71.1	19.0	73.6	15	1.0	0.0	0.531	50.2	71.9	15.3	73.5	12	1.0	0.0	0.3	1.0	0.0	0.638	50.0	73.1	10.3	73.8	8	1.0	0.0	0.3																					
16	373	369	1.0	0.0	0.435	50.0	70.8	20.3	73.7	16	1.0	0.0	0.503	50.2	71.6	16.5	73.5	13	1.0	0.0	0.283	1.0	0.0	0.615	50.0	72.7	11.5	73.6	9	1.0	0.0	0.283																					
17	374	370	1.0	0.0	0.412	50.0	70.5	21.6	73.7	17	1.0	0.0	0.48	50.2	71.3	17.8	73.5	14	1.0	0.0	0.267	1.0	0.0	0.587	50.1	72.5	12.8	73.6	10	1.0	0.0	0.267																					
18	375	371	1.0	0.0	0.389	49.9	70.2	22.8	73.8	18	1.0	0.0	0.457	50.1	71.1	19.0	73.6	15	1.0	0.0	0.25	1.0	0.0	0.559	50.1	72.2	14.0	73.6	11	1.0	0.0	0.25																					
19	376	372	1.0	0.0	0.368	49.9	69.9	24.1	73.9	19	1.0	0.0	0.435	50.0	70.8	20.3	73.7	16	1.0	0.0	0.233	1.0	0.0	0.531	50.2	71.9	15.3	73.5	12	1.0	0.0	0.233																					