


Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 50M	LAB* _{dd} 50Mx (x=LabCh)							rgb* _{ds} 50M	LAB* _{ds} 50Mx (x=LabCh)							rgb* _s 50M	rgb* _{de} 50M	LAB* _{de} 50Mx (x=LabCh)							rgb* _e 50M	rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
33.5	30.0	25.5	1.0	0.0	0.0	35.8	57.3	54.3	79.0	43.5	1.0	0.0	0.366	36.1	57.8	33.4	66.8	30	1.0	0.0	0.0	1.0	0.0	0.413	36.3	58.5	27.3	64.5	25	1.0	0.0	0.0					
33.7	37.5	33.8	1.0	0.125	0.0	36.0	56.9	54.3	78.7	43.7	1.0	0.0	0.26	36.0	57.6	45.0	73.1	38	1.0	0.125	0.0	1.0	0.0	0.313	36.0	58.0	39.1	69.9	34	1.0	0.125	0.0					
44.7	45.0	42.2	1.0	0.25	0.0	36.6	55.3	54.7	77.8	44.7	1.0	0.0	0.262	0.0	36.8	54.8	54.8	77.5	45	1.0	0.25	0.0	1.0	0.0	0.143	35.9	57.4	51.7	77.2	42	1.0	0.25	0.0				
48.0	52.5	50.5	1.0	0.375	0.0	38.7	49.9	55.5	74.6	48.0	1.0	0.0	0.469	0.0	41.9	42.8	56.8	71.1	53	1.0	0.375	0.0	1.0	0.0	0.431	0.0	40.6	45.6	56.3	72.5	51	1.0	0.375	0.0			
54.7	60.0	58.9	1.0	0.5	0.0	42.9	40.5	57.0	69.9	54.7	1.0	0.0	0.559	0.0	45.9	34.0	58.9	68.0	60	1.0	0.5	0.0	1.0	0.0	0.548	0.0	45.4	35.2	58.6	68.4	59	1.0	0.5	0.0			
66.0	67.5	67.2	1.0	0.625	0.0	49.3	26.8	60.2	65.9	66.0	1.0	0.0	0.643	0.0	50.5	24.7	61.1	65.9	68	1.0	0.625	0.0	1.0	0.0	0.634	0.0	49.9	25.7	60.7	65.9	67	1.0	0.625	0.0			
80.2	75.0	75.6	1.0	0.75	0.0	57.8	11.3	65.2	66.2	80.2	1.0	0.0	0.704	0.0	54.7	17.1	63.8	66.1	75	1.0	0.75	0.0	1.0	0.0	0.713	0.0	55.3	16.0	64.1	66.1	76	1.0	0.75	0.0			
92.3	82.5	84.0	1.0	0.875	0.0	67.3	-2.8	71.7	71.8	92.3	1.0	0.0	0.779	0.0	60.0	8.2	67.0	67.5	83	1.0	0.875	0.0	1.0	0.0	0.789	0.0	60.8	7.1	67.6	67.9	84	1.0	0.875	0.0			
101.7	90.0	92.3	1.0	1.0	0.0	82.0	-17.2	83.4	85.2	101.7	1.0	0.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	1.0	0.0	1.0	0.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	1.0	1.0	0.0			
107.7	97.5	101.1	0.875	1.0	0.0	77.7	-24.9	78.3	82.2	107.7	1.0	0.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	0.875	1.0	0.0	1.0	0.0	0.99	0.0	80.8	-16.0	82.6	84.2	101	0.875	1.0	0.0			
116.0	105.0	109.8	0.75	1.0	0.0	72.6	-35.3	72.6	80.8	116.0	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	0.75	1.0	0.0	0.84	1.0	0.0	76.3	-27.9	76.9	81.8	110	0.75	1.0	0.0					
120.7	112.5	118.5	0.625	1.0	0.0	71.7	-42.1	71.0	82.6	120.7	0.795	1.0	0.0	74.4	-31.7	74.8	81.3	113	0.625	1.0	0.0	0.671	1.0	0.0	72.0	-39.6	71.7	82.0	119	0.625	1.0	0.0					
123.6	120.0	127.3	0.5	1.0	0.0	71.0	-46.4	70.0	84.0	123.6	0.644	1.0	0.0	71.8	-41.1	71.3	82.4	120	0.5	1.0	0.0	0.0	1.0	0.27	70.6	-49.8	66.2	82.9	127	0.5	1.0	0.0					
125.1	127.5	136.0	0.375	1.0	0.0	70.7	-48.7	69.5	84.9	125.1	0.0	1.0	0.343	70.6	-49.3	63.2	80.2	128	0.375	1.0	0.0	0.0	1.0	0.576	71.3	-46.0	44.5	64.1	136	0.375	1.0	0.0					
125.7	135.0	144.7	0.25	1.0	0.0	70.6	-49.8	69.3	85.4	125.7	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.25	1.0	0.0	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.25	1.0	0.0					
126.0	142.5	153.5	0.125	1.0	0.0	70.6	-50.2	69.2	85.6	126.0	0.0	1.0	0.674	71.8	-43.4	32.8	54.5	143	0.125	1.0	0.0	0.0	1.0	0.767	72.5	-39.8	20.3	44.8	153	0.125	1.0	0.0					
126.1	150.0	162.2	0.0	1.0	0.0	70.6	-50.2	69.2	85.6	126.0	0.0	1.0	0.75	72.3	-40.1	23.2	46.5	150	0.0	1.0	0.0	0.0	0.0	0.819	73.0	-37.7	12.3	39.7	162	0.0	1.0	0.0					
126.1	157.5	169.1	0.0	1.0	0.125	70.5	-50.1	68.8	85.1	126.1	0.0	1.0	0.796	72.8	-38.8	15.7	42.0	158	0.0	1.0	0.125	0.0	0.0	0.859	73.5	-35.0	6.8	35.8	169	0.0	1.0	0.125					
126.7	165.0	175.9	0.0	1.0	0.25	70.6	-49.9	67.0	83.6	126.7	0.0	1.0	0.836	73.2	-36.6	9.8	38.0	165	0.0	1.0	0.25	0.0	0.0	0.893	73.8	-33.3	2.3	33.5	176	0.0	1.0	0.25					
128.4	172.5	182.8	0.0	1.0	0.375	70.6	-49.1	61.9	79.1	128.4	0.0	1.0	0.88	73.7	-33.7	4.1	34.0	173	0.0	1.0	0.375	0.0	0.0	0.922	74.2	-32.2	-1.6	32.4	183	0.0	1.0	0.375					
132.1	180.0	189.6	0.0	1.0	0.5	71.0	-47.6	52.7	71.1	132.1	0.0	1.0	0.91	74.0	-32.8	0.0	32.9	180	0.0	1.0	0.5	0.0	0.0	0.952	74.5	-30.6	-5.3	31.2	190	0.0	1.0	0.5					
138.5	187.5	196.4	0.0	1.0	0.625	71.5	-44.6	39.5	59.6	138.5	0.0	1.0	0.943	74.4	-31.1	-4.3	31.5	188	0.0	1.0	0.625	0.0	0.0	0.977	74.8	-28.9	-8.2	30.2	196	0.0	1.0	0.625					
150.0	195.0	203.3	0.0	1.0	0.75	72.3	-40.1	23.2	46.4	150.0	0.0	1.0	0.973	74.8	-29.2	-7.8	30.4	195	0.0	1.0	0.75	0.0	0.0	0.994	75.0	-26.9	-11.3	29.3	203	0.0	1.0	0.75					
171.8	202.5	210.1	0.0	1.0	0.875	73.6	-33.8	4.9	34.2	171.8	0.0	1.0	0.994	1.0	74.7	-26.9	-11.3	29.3	203	0.0	1.0	0.875	0.0	0.0	0.969	1.0	72.9	-25.9	-14.6	29.4	210	0.0	1.0	0.875			
201.5	210.0	217.0	0.0	1.0	1.0	75.1	-27.2	-10.6	29.3	201.5	0.0	1.0	0.969	1.0	72.9	-25.3	-14.6	29.4	210	0.0	1.0	1.0	0.0	0.0	0.943	1.0	71.0	-23.4	-17.6	29.4	217	0.0	1.0	1.0			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																												
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$						R_d	$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$						R_s	rgb^*s50M			$LAB^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						R_e	rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e
43	30	25	1.0	0.0	0.064	35.8	57.3	53.5	78.4	43	R_d	1.0	0.0	0.366	36.1	57.8	33.4	66.8	30	1.0	0.0	0.0 R_s	1.0	0.0	0.413	36.3	58.5	27.3	64.5	25	1.0	0.0	0.0 R_e											
44	31	27	1.0	0.167	0.0	36.2	56.4	54.4	78.4	44		1.0	0.0	0.353	36.1	57.9	34.8	67.6	31	1.0	0.017	0.0	1.0	0.0	0.395	36.2	58.2	29.6	65.3	27	1.0	0.017	0.0											
45	32	28	1.0	0.262	0.0	36.8	54.8	54.8	77.5	45		1.0	0.0	0.339	36.1	58.0	36.2	68.3	32	1.0	0.033	0.0	1.0	0.0	0.387	36.2	58.0	30.8	65.7	28	1.0	0.033	0.0											
46	33	29	1.0	0.299	0.0	37.5	53.2	55.0	76.5	46		1.0	0.0	0.326	36.1	58.0	37.7	69.1	33	1.0	0.05	0.0	1.0	0.0	0.378	36.2	57.8	32.0	66.1	29	1.0	0.05	0.0											
47	34	30	1.0	0.336	0.0	38.1	51.5	55.3	75.6	47		1.0	0.0	0.313	36.0	58.0	39.1	69.9	34	1.0	0.067	0.0	1.0	0.0	0.366	36.1	57.8	33.4	66.8	30	1.0	0.067	0.0											
48	35	31	1.0	0.373	0.0	38.7	49.9	55.5	74.6	48		1.0	0.0	0.3	36.0	58.0	40.6	70.7	35	1.0	0.083	0.0	1.0	0.0	0.353	36.1	57.9	34.8	67.6	31	1.0	0.083	0.0											
49	36	32	1.0	0.393	0.0	39.3	48.5	55.8	73.9	49		1.0	0.0	0.287	36.0	57.9	42.1	71.5	36	1.0	0.1	0.0	1.0	0.0	0.339	36.1	58.0	36.2	68.3	32	1.0	0.1	0.0											
50	37	33	1.0	0.412	0.0	39.9	47.1	56.1	73.2	50		1.0	0.0	0.273	36.0	57.8	43.5	72.3	37	1.0	0.117	0.0	1.0	0.0	0.326	36.1	58.0	37.7	69.1	33	1.0	0.117	0.0											
51	38	34	1.0	0.431	0.0	40.6	45.6	56.3	72.5	51		1.0	0.0	0.26	36.0	57.6	45.0	73.1	38	1.0	0.133	0.0	1.0	0.0	0.313	36.0	58.0	39.1	69.9	34	1.0	0.133	0.0											
52	39	36	1.0	0.45	0.0	41.2	44.2	56.6	71.8	52		1.0	0.0	0.242	35.9	57.5	46.6	74.0	39	1.0	0.15	0.0	1.0	0.0	0.287	36.0	57.9	42.1	71.5	36	1.0	0.15	0.0											
53	40	37	1.0	0.469	0.0	41.9	42.8	56.8	71.1	53		1.0	0.0	0.209	35.9	57.5	48.3	75.1	40	1.0	0.167	0.0	1.0	0.0	0.273	36.0	57.8	43.5	72.3	37	1.0	0.167	0.0											
54	41	38	1.0	0.488	0.0	42.5	41.4	56.9	70.4	54		1.0	0.0	0.176	35.9	57.5	50.0	76.2	41	1.0	0.183	0.0	1.0	0.0	0.26	36.0	57.6	45.0	73.1	38	1.0	0.183	0.0											
55	42	39	1.0	0.504	0.0	43.1	40.0	57.2	69.8	55		1.0	0.0	0.143	35.9	57.4	51.7	77.2	42	1.0	0.2	0.0	1.0	0.0	0.242	35.9	57.5	46.6	74.0	39	1.0	0.2	0.0											
56	43	40	1.0	0.515	0.0	43.7	38.8	57.6	69.4	56		1.0	0.0	0.064	35.8	57.3	53.5	78.4	43	1.0	0.217	0.0	1.0	0.0	0.209	35.9	57.5	48.3	75.1	40	1.0	0.217	0.0											
57	44	41	1.0	0.526	0.0	44.2	37.6	57.9	69.1	57		1.0	0.167	0.0	36.2	56.4	54.4	78.4	44	1.0	0.233	0.0	1.0	0.0	0.176	35.9	57.5	50.0	76.2	41	1.0	0.233	0.0											
58	45	42	1.0	0.537	0.0	44.8	36.4	58.3	68.7	58		1.0	0.262	0.0	36.8	54.8	54.8	77.5	45	1.0	0.25	0.0	1.0	0.0	0.143	35.9	57.4	51.7	77.2	42	1.0	0.25	0.0											
59	46	43	1.0	0.548	0.0	45.4	35.2	58.6	68.4	59		1.0	0.299	0.0	37.5	53.2	55.0	76.5	46	1.0	0.267	0.0	1.0	0.0	0.064	35.8	57.3	53.5	78.4	43	1.0	0.267	0.0											
60	47	44	1.0	0.559	0.0	45.9	34.0	58.9	68.0	60		1.0	0.336	0.0	38.1	51.5	55.3	75.6	47	1.0	0.283	0.0	1.0	0.167	0.0	36.2	56.4	54.4	78.4	44	1.0	0.283	0.0											
61	48	46	1.0	0.57	0.0	46.5	32.8	59.2	67.7	61		1.0	0.373	0.0	38.7	49.9	55.5	74.6	48	1.0	0.3	0.0	1.0	0.299	0.0	37.5	53.2	55.0	76.5	46	1.0	0.3	0.0											
62	49	47	1.0	0.581	0.0	47.1	31.6	59.4	67.3	62		1.0	0.393	0.0	39.3	48.5	55.8	73.9	49	1.0	0.317	0.0	1.0	0.336	0.0	38.1	51.5	55.3	75.6	47	1.0	0.317	0.0											
63	50	48	1.0	0.592	0.0	47.6	30.4	59.7	66.9	63		1.0	0.412	0.0	39.9	47.1	56.1	73.2	50	1.0	0.333	0.0	1.0	0.373	0.0	38.7	49.9	55.5	74.6	48	1.0	0.333	0.0											
64	51	49	1.0	0.603	0.0	48.2	29.2	59.9	66.6	64		1.0	0.431	0.0	40.6	45.6	56.3	72.5	51	1.0	0.35	0.0	1.0	0.393	0.0	39.3	48.5	55.8	73.9	49	1.0	0.35	0.0											
65	52	50	1.0	0.614	0.0	48.8	28.0	60.0	66.2	65		1.0	0.45	0.0	41.2	44.2	56.6	71.8	52	1.0	0.367	0.0	1.0	0.412	0.0	39.9	47.1	56.1	73.2	50	1.0	0.367	0.0											
66	53	51	1.0	0.625	0.0	49.3	26.8	60.2	65.9	66		1.0	0.469	0.0	41.9	42.8	56.8	71.1	53	1.0	0.383	0.0	1.0	0.431	0.0	40.6	45.6	56.3	72.5	51	1.0	0.383	0.0											
67	54	52	1.0	0.634	0.0	49.9	25.7	60.7	65.9	67		1.0	0.488	0.0	42.5	41.4	56.9	70.4	54	1.0	0.4	0.0	1.0	0.45	0.0	41.2	44.2	56.6	71.8	52	1.0	0.4	0.0											
68	55	53	1.0	0.643	0.0	50.5	24.7	61.1	65.9	68		1.0	0.504	0.0	43.1	40.0	57.2	69.8	55	1.0	0.417	0.0	1.0	0.469	0.0	41.9	42.8	56.8	71.1	53	1.0	0.417	0.0											
69	56	54	1.0	0.651	0.0	51.1	23.6	61.6	65.9	69		1.0	0.515	0.0	43.7	38.8	57.6	69.4	56	1.0	0.433	0.0	1.0	0.488	0.0	42.5	41.4	56.9	70.4	54	1.0	0.433	0.0											
70	57	56	1.0	0.66	0.0	51.7	22.6	62.0	66.0	70		1.0	0.526	0.0	44.2	37.6	57.9	69.1	57	1.0	0.45	0.0	1.0	0.515	0.0	43.7	38.8	57.6	69.4	56	1.0	0.45	0.0											
71	58	57	1.0	0.669	0.0	52.3	21.5	62.4	66.0	71		1.0	0.537	0.0	44.8	36.4	58.3	68.7	58	1.0	0.467	0.0	1.0	0.526	0.0	44.2	37.6	57.9	69.1	57	1.0	0.467	0.0											
72	59	58	1.0	0.678	0.0	52.9	20.4	62.8	66.0	72		1.0	0.548	0.0	45.4	35.2	58.6	68.4	59	1.0	0.483	0.0	1.0	0.537	0.0	44.8	36.4	58.3	68.7	58	1.0	0.483	0.0											
73	60	59	1.0	0.687	0.0	53.5	19.3	63.1	66.0	73		1.0	0.559	0.0	45.9	34.0	58.9	68.0	60	1.0	0.5	0.0	1.0	0.548	0.0	45.4	35.2	58.6	68.4	59	1.0	0.5	0.0											
74	61	60	1.0	0.695	0.0	54.1	18.2	63.5	66.0	74		1.0	0.57	0.0	46.5	32.8	59.2	67.7	61	1.0	0.517	0.0	1.0	0.559	0.0	45.9	34.0	58.9	68.0	60	1.0	0.517	0.0											
75	62	61	1.0	0.704	0.0	54.7	17.1	63.																																				

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$						$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$						$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						rgb^*_d	rgb^*_s	rgb^*_e
88	75	76	1.0	0.831	0.0	63.9	2.4	69.7	69.8	88	1.0	0.704	0.0	54.7	17.1	63.8	66.1	75	1.0	0.75	0.0	1.0	0.713	0.0	55.3	16.0	64.1	66.1	76	1.0	0.75	0.0																					
89	76	77	1.0	0.841	0.0	64.7	1.2	70.2	70.2	89	1.0	0.713	0.0	55.3	16.0	64.1	66.1	76	1.0	0.767	0.0	1.0	0.722	0.0	55.9	14.9	64.4	66.1	77	1.0	0.767	0.0																					
90	77	78	1.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	0.722	0.0	55.9	14.9	64.4	66.1	77	1.0	0.783	0.0	1.0	0.731	0.0	56.5	13.7	64.7	66.1	78	1.0	0.783	0.0																					
91	78	79	1.0	0.862	0.0	66.3	-1.1	71.2	71.2	91	1.0	0.731	0.0	56.5	13.7	64.7	66.1	78	1.0	0.8	0.0	1.0	0.739	0.0	57.1	12.6	64.9	66.1	79	1.0	0.8	0.0																					
92	79	80	1.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	1.0	0.739	0.0	57.1	12.6	64.9	66.1	79	1.0	0.817	0.0	1.0	0.748	0.0	57.7	11.5	65.2	66.2	80	1.0	0.817	0.0																					
93	80	81	1.0	0.884	0.0	68.4	-3.7	72.7	72.8	93	1.0	0.748	0.0	57.7	11.5	65.2	66.2	80	1.0	0.833	0.0	1.0	0.758	0.0	58.4	10.4	65.7	66.5	81	1.0	0.833	0.0																					
94	81	82	1.0	0.898	0.0	69.9	-5.1	74.0	74.2	94	1.0	0.758	0.0	58.4	10.4	65.7	66.5	81	1.0	0.85	0.0	1.0	0.769	0.0	59.2	9.3	66.3	67.0	82	1.0	0.85	0.0																					
95	82	83	1.0	0.911	0.0	71.5	-6.5	75.3	75.6	95	1.0	0.769	0.0	59.2	9.3	66.3	67.0	82	1.0	0.867	0.0	1.0	0.779	0.0	60.0	8.2	67.0	67.5	83	1.0	0.867	0.0																					
96	83	85	1.0	0.924	0.0	73.0	-8.0	76.6	77.0	96	1.0	0.779	0.0	60.0	8.2	67.0	67.5	83	1.0	0.883	0.0	1.0	0.8	0.0	61.6	6.0	68.1	68.4	85	1.0	0.883	0.0																					
97	84	86	1.0	0.937	0.0	74.6	-9.5	77.9	78.5	97	1.0	0.789	0.0	60.8	7.1	67.6	67.9	84	1.0	0.9	0.0	1.0	0.81	0.0	62.4	4.8	68.7	68.9	86	1.0	0.9	0.0																					
98	85	87	1.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	1.0	0.8	0.0	61.6	6.0	68.1	68.4	85	1.0	0.917	0.0	1.0	0.82	0.0	63.1	3.6	69.2	69.3	87	1.0	0.917	0.0																					
99	86	88	1.0	0.964	0.0	77.7	-12.6	80.3	81.3	99	1.0	0.81	0.0	62.4	4.8	68.7	68.9	86	1.0	0.933	0.0	1.0	0.831	0.0	63.9	2.4	69.7	69.8	88	1.0	0.933	0.0																					
100	87	89	1.0	0.977	0.0	79.3	-14.3	81.5	82.7	100	1.0	0.82	0.0	63.1	3.6	69.2	69.3	87	1.0	0.95	0.0	1.0	0.841	0.0	64.7	1.2	70.2	70.2	89	1.0	0.95	0.0																					
101	88	90	1.0	0.99	0.0	80.8	-16.0	82.6	84.2	101	1.0	0.831	0.0	63.9	2.4	69.7	69.8	88	1.0	0.967	0.0	1.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	0.967	0.0																					
102	89	91	0.994	1.0	0.0	81.8	-17.6	83.2	85.1	102	1.0	0.841	0.0	64.7	1.2	70.2	70.2	89	1.0	0.983	0.0	1.0	0.862	0.0	66.3	-1.1	71.2	71.2	91	1.0	0.983	0.0																					
103	90	92	0.973	1.0	0.0	81.1	-18.9	82.4	84.6	103	1.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	1.0	0.0	1.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	1.0	1.0	0.0																					
104	91	93	0.952	1.0	0.0	80.3	-20.2	81.6	84.0	104	1.0	0.862	0.0	66.3	-1.1	71.2	71.2	91	0.983	1.0	0.0	1.0	0.884	0.0	68.4	-3.7	72.7	72.8	93	0.983	1.0	0.0																					
105	92	95	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	1.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	0.967	1.0	0.0	1.0	0.911	0.0	71.5	-6.5	75.3	75.6	95	0.967	1.0	0.0																					
106	93	96	0.91	1.0	0.0	78.9	-22.8	79.8	83.0	106	1.0	0.884	0.0	68.4	-3.7	72.7	72.8	93	0.95	1.0	0.0	1.0	0.924	0.0	73.0	-8.0	76.6	77.0	96	0.95	1.0	0.0																					
107	94	97	0.889	1.0	0.0	78.2	-24.0	78.9	82.5	107	1.0	0.898	0.0	69.9	-5.1	74.0	74.2	94	0.933	1.0	0.0	1.0	0.937	0.0	74.6	-9.5	77.9	78.5	97	0.933	1.0	0.0																					
108	95	98	0.87	1.0	0.0	77.5	-25.3	78.1	82.1	108	1.0	0.911	0.0	71.5	-6.5	75.3	75.6	95	0.917	1.0	0.0	1.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	0.917	1.0	0.0																					
109	96	99	0.855	1.0	0.0	76.9	-26.6	77.5	82.0	109	1.0	0.924	0.0	73.0	-8.0	76.6	77.0	96	0.9	1.0	0.0	1.0	0.964	0.0	77.7	-12.6	80.3	81.3	99	0.9	1.0	0.0																					
110	97	100	0.84	1.0	0.0	76.3	-27.9	76.9	81.8	110	1.0	0.937	0.0	74.6	-9.5	77.9	78.5	97	0.883	1.0	0.0	1.0	0.977	0.0	79.3	-14.3	81.5	82.7	100	0.883	1.0	0.0																					
111	98	102	0.825	1.0	0.0	75.6	-29.2	76.2	81.6	111	1.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	0.867	1.0	0.0	1.0	0.994	1.0	0.0	81.8	-17.6	83.2	85.1	102	0.867	1.0	0.0																				
112	99	103	0.81	1.0	0.0	75.0	-30.4	75.5	81.5	112	1.0	0.964	0.0	77.7	-12.6	80.3	81.3	99	0.85	1.0	0.0	1.0	0.973	1.0	0.0	81.1	-18.9	82.4	84.6	103	0.85	1.0	0.0																				
113	100	104	0.795	1.0	0.0	74.4	-31.7	74.8	81.3	113	1.0	0.977	0.0	79.3	-14.3	81.5	82.7	100	0.833	1.0	0.0	1.0	0.952	1.0	0.0	80.3	-20.2	81.6	84.0	104	0.833	1.0	0.0																				
114	101	105	0.78	1.0	0.0	73.8	-32.9	74.1	81.1	114	1.0	0.99	0.0	80.8	-16.0	82.6	84.2	101	0.817	1.0	0.0	1.0	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	0.817	1.0	0.0																				
115	102	106	0.765	1.0	0.0	73.2	-34.1	73.4	81.0	115	0.994	1.0	0.0	81.8	-17.6	83.2	85.1	102	0.8	1.0	0.0	1.0	0.91	1.0	0.0	78.9	-22.8	79.8	83.0	106	0.8	1.0	0.0																				
116	103	107	0.75	1.0	0.0	72.6	-35.3	72.6	80.8	116	0.973	1.0	0.0	81.1	-18.9	82.4	84.6	103	0.783	1.0	0.0	1.0	0.889	1.0	0.0	78.2	-24.0	78.9	82.5	107	0.783	1.0	0.0																				
117	104	109	0.724	1.0	0.0	72.4	-36.8	72.3	81.2	117	0.952	1.0	0.0	80.3	-20.2	81.6	84.0	104	0.767	1.0	0.0	1.0	0.855	1.0	0.0	76.9	-26.6	77.5	82.0	109	0.767	1.0	0.0																				
118	105	110	0.697	1.0	0.0	72.2	-38.2	72.0	81.6	118	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	0.75	1.0	0.0	1.0	0.84	1.0	0.0	76.3	-27.9	76.9	81.8	110	0.75	1.0	0.0																				
119	106	111	0.671	1.0	0.0	72.0	-39.6	71.7	82.0	119	0.91	1.0	0.0	78.9	-22.8	79.8	83.0	106	0.733	1.0	0.0	1.0	0.825	1.0	0.0	75.6	-29.2	76.2	81.6	111	0.733	1.0	0.0																				
120	107	112	0.644	1.0	0.0	71.8	-41.1	71.3	82.4	120	0.889	1.0	0.0	78.2	-24.0	78.9	82.5																																				

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																						
h _{ab,d}		h _{ab,s}	h _{ab,e}	rgb*dd361Mi						LAB*dd361Mix (x=LabCh)						rgb*ds361Mi						LAB*ds361Mix (x=LabCh)						rgb*s50M						rgb*de361Mi						LAB*de361Mix (x=LabCh)						rgb*e50M						rgb*_d	rgb*_s	rgb*_e
133	120	127	0.0	1.0	0.517	71.0	-47.3	50.8	69.5	133	0.644	1.0	0.0	71.8	-41.1	71.3	82.4	120	0.5	1.0	0.0	0.0	1.0	0.27	70.6	-49.8	66.2	82.9	127	0.5	1.0	0.0																						
134	121	128	0.0	1.0	0.537	71.1	-46.9	48.7	67.7	134	0.613	1.0	0.0	71.6	-42.5	71.0	82.8	121	0.483	1.0	0.0	0.0	1.0	0.343	70.6	-49.3	63.2	80.2	128	0.483	1.0	0.0																						
135	122	130	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.569	1.0	0.0	71.4	-44.0	70.6	83.3	122	0.467	1.0	0.0	0.0	1.0	0.428	70.8	-48.6	58.0	75.7	130	0.467	1.0	0.0																						
136	123	131	0.0	1.0	0.576	71.3	-46.0	44.5	64.1	136	0.526	1.0	0.0	71.2	-45.5	70.2	83.7	123	0.45	1.0	0.0	0.0	1.0	0.462	70.9	-48.1	55.5	73.5	131	0.45	1.0	0.0																						
137	124	132	0.0	1.0	0.595	71.3	-45.5	42.5	62.3	137	0.466	1.0	0.0	70.9	-47.0	69.9	84.3	124	0.433	1.0	0.0	0.0	1.0	0.496	71.0	-47.6	53.0	71.3	132	0.433	1.0	0.0																						
138	125	133	0.0	1.0	0.615	71.4	-44.9	40.5	60.6	138	0.382	1.0	0.0	70.8	-48.6	69.5	84.9	125	0.417	1.0	0.0	0.0	1.0	0.517	71.0	-47.3	50.8	69.5	133	0.417	1.0	0.0																						
139	126	134	0.0	1.0	0.63	71.5	-44.5	38.8	59.1	139	0.126	1.0	0.0	70.6	-50.2	69.2	85.6	126	0.4	1.0	0.0	0.0	1.0	0.537	71.1	-46.9	48.7	67.7	134	0.4	1.0	0.0																						
140	127	135	0.0	1.0	0.641	71.6	-44.3	37.2	57.9	140	0.0	1.0	0.27	70.6	-49.8	66.2	82.9	127	0.383	1.0	0.0	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.383	1.0	0.0																						
141	128	137	0.0	1.0	0.652	71.6	-44.0	35.7	56.8	141	0.0	1.0	0.343	70.6	-49.3	63.2	80.2	128	0.367	1.0	0.0	0.0	1.0	0.595	71.3	-45.5	42.5	62.3	137	0.367	1.0	0.0																						
142	129	138	0.0	1.0	0.663	71.7	-43.7	34.3	55.6	142	0.0	1.0	0.394	70.7	-48.9	60.5	77.9	129	0.35	1.0	0.0	0.0	1.0	0.615	71.4	-44.9	40.5	60.6	138	0.35	1.0	0.0																						
143	130	139	0.0	1.0	0.674	71.8	-43.4	32.8	54.5	143	0.0	1.0	0.428	70.8	-48.6	58.0	75.7	130	0.333	1.0	0.0	0.0	1.0	0.63	71.5	-44.5	38.8	59.1	139	0.333	1.0	0.0																						
144	131	140	0.0	1.0	0.685	71.9	-43.1	31.4	53.3	144	0.0	1.0	0.462	70.9	-48.1	55.5	73.5	131	0.317	1.0	0.0	0.0	1.0	0.641	71.6	-44.3	37.2	57.9	140	0.317	1.0	0.0																						
145	132	141	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.0	1.0	0.496	71.0	-47.6	53.0	71.3	132	0.3	1.0	0.0	0.0	1.0	0.652	71.6	-44.0	35.7	56.8	141	0.3	1.0	0.0																						
146	133	142	0.0	1.0	0.706	72.0	-42.2	28.6	51.1	146	0.0	1.0	0.517	71.0	-47.3	50.8	69.5	133	0.283	1.0	0.0	0.0	1.0	0.663	71.7	-43.7	34.3	55.6	142	0.283	1.0	0.0																						
147	134	144	0.0	1.0	0.717	72.1	-41.8	27.2	49.9	147	0.0	1.0	0.537	71.1	-46.9	48.7	67.7	134	0.267	1.0	0.0	0.0	1.0	0.685	71.9	-43.1	31.4	53.3	144	0.267	1.0	0.0																						
148	135	145	0.0	1.0	0.728	72.2	-41.3	25.8	48.8	148	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.25	1.0	0.0	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.25	1.0	0.0																						
149	136	146	0.0	1.0	0.739	72.3	-40.7	24.5	47.6	149	0.0	1.0	0.576	71.3	-46.0	44.5	64.1	136	0.233	1.0	0.0	0.0	1.0	0.706	72.0	-42.2	28.6	51.1	146	0.233	1.0	0.0																						
150	137	147	0.0	1.0	0.75	72.3	-40.1	23.2	46.5	150	0.0	1.0	0.595	71.3	-45.5	42.5	62.3	137	0.217	1.0	0.0	0.0	1.0	0.717	72.1	-41.8	27.2	49.9	147	0.217	1.0	0.0																						
151	138	148	0.0	1.0	0.756	72.4	-40.0	22.3	45.9	151	0.0	1.0	0.615	71.4	-44.9	40.5	60.6	138	0.2	1.0	0.0	0.0	1.0	0.728	72.2	-41.3	25.8	48.8	148	0.2	1.0	0.0																						
152	139	149	0.0	1.0	0.761	72.5	-39.9	21.3	45.3	152	0.0	1.0	0.63	71.5	-44.5	38.8	59.1	139	0.183	1.0	0.0	0.0	1.0	0.739	72.3	-40.7	24.5	47.6	149	0.183	1.0	0.0																						
153	140	151	0.0	1.0	0.767	72.5	-39.8	20.3	44.8	153	0.0	1.0	0.641	71.6	-44.3	37.2	57.9	140	0.167	1.0	0.0	0.0	1.0	0.756	72.4	-40.0	22.3	45.9	151	0.167	1.0	0.0																						
154	141	152	0.0	1.0	0.773	72.6	-39.6	19.4	44.2	154	0.0	1.0	0.652	71.6	-44.0	35.7	56.8	141	0.15	1.0	0.0	0.0	1.0	0.761	72.5	-39.9	21.3	45.3	152	0.15	1.0	0.0																						
155	142	153	0.0	1.0	0.779	72.6	-39.5	18.4	43.7	155	0.0	1.0	0.663	71.7	-43.7	34.3	55.6	142	0.133	1.0	0.0	0.0	1.0	0.767	72.5	-39.8	20.3	44.8	153	0.133	1.0	0.0																						
156	143	154	0.0	1.0	0.784	72.7	-39.3	17.5	43.1	156	0.0	1.0	0.674	71.8	-43.4	32.8	54.5	143	0.117	1.0	0.0	0.0	1.0	0.773	72.6	-39.6	19.4	44.2	154	0.117	1.0	0.0																						
157	144	155	0.0	1.0	0.79	72.7	-39.1	16.6	42.5	157	0.0	1.0	0.685	71.9	-43.1	31.4	53.3	144	0.1	1.0	0.0	0.0	1.0	0.779	72.6	-39.5	18.4	43.7	155	0.1	1.0	0.0																						
158	145	156	0.0	1.0	0.796	72.8	-38.8	15.7	42.0	158	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.083	1.0	0.0	0.0	1.0	0.784	72.7	-39.3	17.5	43.1	156	0.083	1.0	0.0																						
159	146	158	0.0	1.0	0.802	72.9	-38.6	14.8	41.4	159	0.0	1.0	0.706	72.0	-42.2	28.6	51.1	146	0.067	1.0	0.0	0.0	1.0	0.796	72.8	-38.8	15.7	42.0	158	0.067	1.0	0.0																						
160	147	159	0.0	1.0	0.807	72.9	-38.3	14.0	40.8	160	0.0	1.0	0.717	72.1	-41.8	27.2	49.9	147	0.05	1.0	0.0	0.0	1.0	0.802	72.9	-38.6	14.8	41.4	159	0.05	1.0	0.0																						
161	148	160	0.0	1.0	0.813	73.0	-38.0	13.1	40.3	161	0.0	1.0	0.728	72.2	-41.3	25.8	48.8	148	0.033	1.0	0.0	0.0	1.0	0.807	72.9	-38.3	14.0	40.8	160	0.033	1.0	0.0																						
162	149	161	0.0	1.0	0.819	73.0	-37.7	12.3	39.7	162	0.0	1.0	0.739	72.3	-40.7	24.5	47.6	149	0.017	1.0	0.0	0.0	1.0	0.813	73.0	-38.0	13.1	40.3	161	0.017	1.0	0.0																						
163	150	162	0.0	1.0	0.825	73.1	-37.4	11.5	39.2	163	0.0	1.0	0.75	72.3	-40.1	23.2	46.5	150	0.0	1.0	0.0G _s	0.0	1.0	0.819	73.0	-37.7	12.3	39.7	162	0.0	1.0	0.0G _e																						
164	151	163	0.0	1.0	0.83	73.2	-37.0	10.6	38.6	164	0.0	1.0	0.756	72.4	-40.0	22.3	45.9	151	0.0	1.0	0.017	0.0	1.0	0.825	73.1	-37.4	11.5	39.2	163	0.0	1.0	0.017																						
165	152	164	0.0	1.0	0.836	73.2	-36.6	9.8	38.0</																																													

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi LAB*dd361Mix (x=LabCh)								rgb*ds361Mi LAB*ds361Mix (x=LabCh)								rgb*s50M				rgb*de361Mi LAB*de361Mix (x=LabCh)				rgb*e50M				rgb*_dd	rgb*_ds	rgb*_de		
178	165	176	0.0	1.0	0.901	73.9	-33.1	1.2	33.2	178	0.0	1.0	0.836	73.2	-36.6	9.8	38.0	165	0.0	1.0	0.25	0.0	1.0	0.893	73.8	-33.3	2.3	33.5	176	0.0	1.0	0.25			
179	166	177	0.0	1.0	0.905	74.0	-32.9	0.6	33.0	179	0.0	1.0	0.842	73.3	-36.3	9.1	37.5	166	0.0	1.0	0.267	0.0	1.0	0.897	73.9	-33.2	1.7	33.4	177	0.0	1.0	0.267			
180	167	178	0.0	1.0	0.91	74.0	-32.8	0.0	32.9	180	0.0	1.0	0.848	73.3	-35.9	8.3	36.9	167	0.0	1.0	0.283	0.0	1.0	0.901	73.9	-33.1	1.2	33.2	178	0.0	1.0	0.283			
181	168	179	0.0	1.0	0.914	74.1	-32.6	-0.5	32.7	181	0.0	1.0	0.853	73.4	-35.5	7.6	36.4	168	0.0	1.0	0.3	0.0	1.0	0.905	74.0	-32.9	0.6	33.0	179	0.0	1.0	0.3			
182	169	180	0.0	1.0	0.918	74.1	-32.4	-1.0	32.5	182	0.0	1.0	0.859	73.5	-35.0	6.8	35.8	169	0.0	1.0	0.317	0.0	1.0	0.91	74.0	-32.8	0.0	32.9	180	0.0	1.0	0.317			
183	170	180	0.0	1.0	0.922	74.2	-32.2	-1.6	32.4	183	0.0	1.0	0.865	73.5	-34.6	6.1	35.2	170	0.0	1.0	0.333	0.0	1.0	0.91	74.0	-32.8	0.0	32.9	180	0.0	1.0	0.333			
184	171	181	0.0	1.0	0.926	74.2	-32.0	-2.1	32.2	184	0.0	1.0	0.871	73.6	-34.1	5.4	34.7	171	0.0	1.0	0.35	0.0	1.0	0.914	74.1	-32.6	-0.5	32.7	181	0.0	1.0	0.35			
185	172	182	0.0	1.0	0.931	74.3	-31.8	-2.7	32.0	185	0.0	1.0	0.876	73.6	-33.8	4.8	34.2	172	0.0	1.0	0.367	0.0	1.0	0.918	74.1	-32.4	-1.0	32.5	182	0.0	1.0	0.367			
186	173	183	0.0	1.0	0.935	74.3	-31.6	-3.2	31.9	186	0.0	1.0	0.88	73.7	-33.7	4.1	34.0	173	0.0	1.0	0.383	0.0	1.0	0.922	74.2	-32.2	-1.6	32.4	183	0.0	1.0	0.383			
187	174	184	0.0	1.0	0.939	74.4	-31.4	-3.8	31.7	187	0.0	1.0	0.884	73.7	-33.6	3.5	33.9	174	0.0	1.0	0.4	0.0	1.0	0.926	74.2	-32.0	-2.1	32.2	184	0.0	1.0	0.4			
188	175	185	0.0	1.0	0.943	74.4	-31.1	-4.3	31.5	188	0.0	1.0	0.889	73.8	-33.5	2.9	33.7	175	0.0	1.0	0.417	0.0	1.0	0.931	74.3	-31.8	-2.7	32.0	185	0.0	1.0	0.417			
189	176	186	0.0	1.0	0.948	74.5	-30.9	-4.8	31.4	189	0.0	1.0	0.893	73.8	-33.3	2.3	33.5	176	0.0	1.0	0.433	0.0	1.0	0.935	74.3	-31.6	-3.2	31.9	186	0.0	1.0	0.433			
190	177	187	0.0	1.0	0.952	74.5	-30.6	-5.3	31.2	190	0.0	1.0	0.897	73.9	-33.2	1.7	33.4	177	0.0	1.0	0.45	0.0	1.0	0.939	74.4	-31.4	-3.8	31.7	187	0.0	1.0	0.45			
191	178	188	0.0	1.0	0.956	74.6	-30.4	-5.8	31.0	191	0.0	1.0	0.901	73.9	-33.1	1.2	33.2	178	0.0	1.0	0.467	0.0	1.0	0.943	74.4	-31.1	-4.3	31.5	188	0.0	1.0	0.467			
192	179	189	0.0	1.0	0.96	74.6	-30.1	-6.3	30.9	192	0.0	1.0	0.905	74.0	-32.9	0.6	33.0	179	0.0	1.0	0.483	0.0	1.0	0.948	74.5	-30.9	-4.8	31.4	189	0.0	1.0	0.483			
193	180	190	0.0	1.0	0.964	74.7	-29.8	-6.8	30.7	193	0.0	1.0	0.91	74.0	-32.8	0.0	32.9	180	0.0	1.0	0.5	0.0	1.0	0.952	74.5	-30.6	-5.3	31.2	190	0.0	1.0	0.5			
194	181	191	0.0	1.0	0.969	74.7	-29.5	-7.3	30.5	194	0.0	1.0	0.914	74.1	-32.6	-0.5	32.7	181	0.0	1.0	0.517	0.0	1.0	0.956	74.6	-30.4	-5.8	31.0	191	0.0	1.0	0.517			
195	182	191	0.0	1.0	0.973	74.8	-29.2	-7.8	30.4	195	0.0	1.0	0.918	74.1	-32.4	-1.0	32.5	182	0.0	1.0	0.533	0.0	1.0	0.956	74.6	-30.4	-5.8	31.0	191	0.0	1.0	0.533			
196	183	192	0.0	1.0	0.977	74.8	-28.9	-8.2	30.2	196	0.0	1.0	0.922	74.2	-32.2	-1.6	32.4	183	0.0	1.0	0.55	0.0	1.0	0.96	74.6	-30.1	-6.3	30.9	192	0.0	1.0	0.55			
197	184	193	0.0	1.0	0.981	74.9	-28.6	-8.7	30.0	197	0.0	1.0	0.926	74.2	-32.0	-2.1	32.2	184	0.0	1.0	0.567	0.0	1.0	0.964	74.7	-29.8	-6.8	30.7	193	0.0	1.0	0.567			
198	185	194	0.0	1.0	0.985	74.9	-28.3	-9.1	29.9	198	0.0	1.0	0.931	74.3	-31.8	-2.7	32.0	185	0.0	1.0	0.583	0.0	1.0	0.969	74.7	-29.5	-7.3	30.5	194	0.0	1.0	0.583			
199	186	195	0.0	1.0	0.99	75.0	-28.0	-9.6	29.7	199	0.0	1.0	0.935	74.3	-31.6	-3.2	31.9	186	0.0	1.0	0.6	0.0	1.0	0.973	74.8	-29.2	-7.8	30.4	195	0.0	1.0	0.6			
200	187	196	0.0	1.0	0.994	75.0	-27.6	-10.0	29.5	200	0.0	1.0	0.939	74.4	-31.4	-3.8	31.7	187	0.0	1.0	0.617	0.0	1.0	0.977	74.8	-28.9	-8.2	30.2	196	0.0	1.0	0.617			
201	188	197	0.0	1.0	0.998	75.1	-27.3	-10.4	29.4	201	0.0	1.0	0.943	74.4	-31.1	-4.3	31.5	188	0.0	1.0	0.633	0.0	1.0	0.981	74.9	-28.6	-8.7	30.0	197	0.0	1.0	0.633			
202	189	198	0.0	0.998	1.0	75.0	-27.1	-10.9	29.3	202	0.0	1.0	0.948	74.5	-30.9	-4.8	31.4	189	0.0	1.0	0.65	0.0	1.0	0.985	74.9	-28.3	-9.1	29.9	198	0.0	1.0	0.65			
203	190	199	0.0	0.994	1.0	74.7	-26.9	-11.3	29.3	203	0.0	1.0	0.952	74.5	-30.6	-5.3	31.2	190	0.0	1.0	0.667	0.0	1.0	0.99	75.0	-28.0	-9.6	29.7	199	0.0	1.0	0.667			
204	191	200	0.0	0.991	1.0	74.4	-26.7	-11.8	29.3	204	0.0	1.0	0.956	74.6	-30.4	-5.8	31.0	191	0.0	1.0	0.683	0.0	1.0	0.994	75.0	-27.6	-10.0	29.5	200	0.0	1.0	0.683			
205	192	201	0.0	0.987	1.0	74.2	-26.5	-12.3	29.3	205	0.0	1.0	0.96	74.6	-30.1	-6.3	30.9	192	0.0	1.0	0.7	0.0	1.0	0.998	75.1	-27.3	-10.4	29.4	201	0.0	1.0	0.7			
206	193	201	0.0	0.983	1.0	73.9	-26.3	-12.8	29.3	206	0.0	1.0	0.964	74.7	-29.8	-6.8	30.7	193	0.0	1.0	0.717	0.0	1.0	0.998	75.1	-27.3	-10.4	29.4	201	0.0	1.0	0.717			
207	194	202	0.0	0.98	1.0	73.7	-26.0	-13.2	29.3	207	0.0	1.0	0.969	74.7	-29.5	-7.3	30.5	194	0.0	1.0	0.733	0.0	0.998	1.0	75.0	-27.1	-10.9	29.3	202	0.0	1.0	0.733			
208	195	203	0.0	0.976	1.0	73.4	-25.8	-13.7	29.3	208	0.0	1.0	0.973	74.8	-29.2	-7.8	30.4	195	0.0	1.0	0.75	0.0	0.994	1.0	74.7	-26.9	-11.3	29.3	203	0.0	1.0	0.75			
209	196	204	0.0	0.972	1.0	73.1	-25.6	-14.1	29.4	209	0.0	1.0	0.977	74.8	-28.9	-8.2	30.2	196	0.0	1.0	0.767	0.0	0.991	1.0	74.4	-26.7	-11.8	29.3	204	0.0	1.0	0.767			
210	197	205	0.0	0.969	1.0	72.9	-25.3	-14.6	29.4	210	0.0	1.0	0.981	74.9	-28.6	-8.7	30.0	197	0.0	1.0	0.783	0.0	0												




Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361Mi$						$LAB^*_{dd}361Mix(x=LabCh)$						$rgb^*_{ds}361Mi$						$LAB^*_{ds}361Mix(x=LabCh)$						rgb^*_{s50M}						$rgb^*_{de}361Mi$						$LAB^*_{de}361Mix(x=LabCh)$						rgb^*_{e50M}						rgb^*_a						rgb^*_d						rgb^*_e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
223	210	217	0.0	0.921	1.0	69.4	-21.5	-20.0	29.5	223	0.0	0.969	1.0	72.9	-25.3	-14.6	29.4	210	0.0	1.0	1.0C _s	0.0	0.943	1.0	71.0	-23.4	-17.6	29.4	217	0.0	1.0	1.0C _e																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
268	255	258	0.0	0.739	1.0	54.8	-1.4	-42.2	42.3	268	0.0	0.797	1.0	59.5	-9.4	-35.3	36.6	255	0.0	0.25	1.0	0.0	0.785	1.0	58.5	-7.7	-36.8	37.7	258	0.0	0.25	1.0			
269	256	259	0.0	0.732	1.0	54.2	-0.7	-43.2	43.3	269	0.0	0.793	1.0	59.2	-8.9	-35.8	37.0	256	0.0	0.233	1.0	0.0	0.781	1.0	58.2	-7.2	-37.3	38.1	259	0.0	0.233	1.0			
270	257	260	0.0	0.724	1.0	53.6	0.0	-44.2	44.3	270	0.0	0.789	1.0	58.9	-8.3	-36.3	37.4	257	0.0	0.217	1.0	0.0	0.777	1.0	57.8	-6.6	-37.8	38.5	260	0.0	0.217	1.0			
271	258	261	0.0	0.717	1.0	53.1	0.8	-45.2	45.3	271	0.0	0.785	1.0	58.5	-7.7	-36.8	37.7	258	0.0	0.2	1.0	0.0	0.773	1.0	57.5	-6.0	-38.3	38.8	261	0.0	0.2	1.0			
272	259	262	0.0	0.709	1.0	52.5	1.6	-46.2	46.3	272	0.0	0.781	1.0	58.2	-7.2	-37.3	38.1	259	0.0	0.183	1.0	0.0	0.769	1.0	57.2	-5.4	-38.7	39.2	262	0.0	0.183	1.0			
273	260	263	0.0	0.702	1.0	51.9	2.5	-47.2	47.4	273	0.0	0.777	1.0	57.8	-6.6	-37.8	38.5	260	0.0	0.167	1.0	0.0	0.765	1.0	56.8	-4.7	-39.2	39.6	263	0.0	0.167	1.0			
274	261	264	0.0	0.694	1.0	51.3	3.4	-48.2	48.4	274	0.0	0.773	1.0	57.5	-6.0	-38.3	38.8	261	0.0	0.15	1.0	0.0	0.76	1.0	56.5	-4.1	-39.6	39.9	264	0.0	0.15	1.0			
275	262	264	0.0	0.687	1.0	50.7	4.3	-49.1	49.4	275	0.0	0.769	1.0	57.2	-5.4	-38.7	39.2	262	0.0	0.133	1.0	0.0	0.76	1.0	56.5	-4.1	-39.6	39.9	264	0.0	0.133	1.0			
276	263	265	0.0	0.679	1.0	50.2	5.3	-50.0	50.4	276	0.0	0.765	1.0	56.8	-4.7	-39.2	39.6	263	0.0	0.117	1.0	0.0	0.756	1.0	56.2	-3.4	-40.0	40.3	265	0.0	0.117	1.0			
277	264	266	0.0	0.672	1.0	49.6	6.3	-50.9	51.4	277	0.0	0.76	1.0	56.5	-4.1	-39.6	39.9	264	0.0	0.1	1.0	0.0	0.752	1.0	55.8	-2.7	-40.4	40.6	266	0.0	0.1	1.0			
278	265	267	0.0	0.664	1.0	49.0	7.3	-51.8	52.4	278	0.0	0.756	1.0	56.2	-3.4	-40.0	40.3	265	0.0	0.083	1.0	0.0	0.747	1.0	55.4	-2.1	-41.1	41.3	267	0.0	0.083	1.0			
279	266	268	0.0	0.657	1.0	48.4	8.4	-52.7	53.5	279	0.0	0.752	1.0	55.8	-2.7	-40.4	40.6	266	0.0	0.067	1.0	0.0	0.739	1.0	54.8	-1.4	-42.2	42.3	268	0.0	0.067	1.0			
280	267	269	0.0	0.649	1.0	47.9	9.5	-53.5	54.5	280	0.0	0.747	1.0	55.4	-2.1	-41.1	41.3	267	0.0	0.05	1.0	0.0	0.732	1.0	54.2	-0.7	-43.2	43.3	269	0.0	0.05	1.0			
281	268	270	0.0	0.642	1.0	47.3	10.6	-54.4	55.5	281	0.0	0.739	1.0	54.8	-1.4	-42.2	42.3	268	0.0	0.033	1.0	0.0	0.724	1.0	53.6	0.0	-44.2	44.3	270	0.0	0.033	1.0			
282	269	271	0.0	0.634	1.0	46.7	11.7	-55.2	56.5	282	0.0	0.732	1.0	54.2	-0.7	-43.2	43.3	269	0.0	0.017	1.0	0.0	0.717	1.0	53.1	0.8	-45.2	45.3	271	0.0	0.017	1.0			
283	270	272	0.0	0.627	1.0	46.1	12.9	-55.9	57.5	283	0.0	0.724	1.0	53.6	0.0	-44.2	44.3	270	0.0	0.0	1.0B _s	0.0	0.709	1.0	52.5	1.6	-46.2	46.3	272	0.0	0.0	1.0B _e			
284	271	273	0.0	0.614	1.0	45.3	14.3	-57.3	59.2	284	0.0	0.717	1.0	53.1	0.8	-45.2	45.3	271	0.017	0.0	1.0	0.0	0.702	1.0	51.9	2.5	-47.2	47.4	273	0.017	0.0	1.0			
285	272	274	0.0	0.6	1.0	44.4	15.8	-58.8	61.0	285	0.0	0.709	1.0	52.5	1.6	-46.2	46.3	272	0.033	0.0	1.0	0.0	0.694	1.0	51.3	3.4	-48.2	48.4	274	0.033	0.0	1.0			
286	273	275	0.0	0.586	1.0	43.6	17.3	-60.3	62.8	286	0.0	0.702	1.0	51.9	2.5	-47.2	47.4	273	0.05	0.0	1.0	0.0	0.687	1.0	50.7	4.3	-49.1	49.4	275	0.05	0.0	1.0			
287	274	276	0.0	0.572	1.0	42.7	18.9	-61.8	64.7	287	0.0	0.694	1.0	51.3	3.4	-48.2	48.4	274	0.067	0.0	1.0	0.0	0.679	1.0	50.2	5.3	-50.0	50.4	276	0.067	0.0	1.0			
288	275	276	0.0	0.558	1.0	41.8	20.6	-63.2	66.5	288	0.0	0.687	1.0	50.7	4.3	-49.1	49.4	275	0.083	0.0	1.0	0.0	0.679	1.0	50.2	5.3	-50.0	50.4	276	0.083	0.0	1.0			
289	276	277	0.0	0.545	1.0	40.9	22.3	-64.5	68.4	289	0.0	0.679	1.0	50.2	5.3	-50.0	50.4	276	0.1	0.0	1.0	0.0	0.672	1.0	49.6	6.3	-50.9	51.4	277	0.1	0.0	1.0			
290	277	278	0.0	0.531	1.0	40.1	24.0	-65.9	70.2	290	0.0	0.672	1.0	49.6	6.3	-50.9	51.4	277	0.117	0.0	1.0	0.0	0.664	1.0	49.0	7.3	-51.8	52.4	278	0.117	0.0	1.0			
291	278	279	0.0	0.517	1.0	39.2	25.8	-67.1	72.0	291	0.0	0.664	1.0	49.0	7.3	-51.8	52.4	278	0.133	0.0	1.0	0.0	0.657	1.0	48.4	8.4	-52.7	53.5	279	0.133	0.0	1.0			
292	279	280	0.0	0.503	1.0	38.3	27.7	-68.4	73.9	292	0.0	0.657	1.0	48.4	8.4	-52.7	53.5	279	0.15	0.0	1.0	0.0	0.649	1.0	47.9	9.5	-53.5	54.5	280	0.15	0.0	1.0			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361Mi$								$LAB^*_{dd}361Mix(x=LabCh)$								$rgb^*_{ds}361Mi$				$LAB^*_{ds}361Mix(x=LabCh)$				rgb^*_s50M				$rgb^*_{de}361Mi$				$LAB^*_{de}361Mix(x=LabCh)$				rgb^*_e50M				rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
313	300	300	0.84	0.0	1.0	39.8	62.2	-66.6	91.2	313									0.0	0.172	1.0	29.4	48.0	-83.0	96.0	300	0.5	0.0	1.0		0.0	0.172	1.0	29.4	48.0	-83.0	96.0	300	0.5	0.0	1.0				
314	301	301	0.863	0.0	1.0	40.8	63.2	-65.3	91.0	314									0.312	0.0	1.0	29.4	50.3	-83.6	97.7	301	0.517	0.0	1.0		0.312	0.0	1.0	29.4	50.3	-83.6	97.7	301	0.517	0.0	1.0				
315	302	302	0.886	0.0	1.0	41.8	64.3	-64.2	90.9	315									0.442	0.0	1.0	30.3	51.3	-82.1	96.9	302	0.533	0.0	1.0		0.442	0.0	1.0	30.3	51.3	-82.1	96.9	302	0.533	0.0	1.0				
316	303	303	0.91	0.0	1.0	42.9	65.5	-63.1	91.0	316									0.515	0.0	1.0	31.1	52.4	-80.7	96.3	303	0.55	0.0	1.0		0.515	0.0	1.0	31.1	52.4	-80.7	96.3	303	0.55	0.0	1.0				
317	304	304	0.934	0.0	1.0	44.0	66.7	-62.1	91.2	317									0.565	0.0	1.0	31.9	53.4	-79.1	95.5	304	0.567	0.0	1.0		0.565	0.0	1.0	31.9	53.4	-79.1	95.5	304	0.567	0.0	1.0				
318	305	305	0.959	0.0	1.0	45.0	67.9	-61.0	91.4	318									0.615	0.0	1.0	32.7	54.3	-77.5	94.7	305	0.583	0.0	1.0		0.615	0.0	1.0	32.7	54.3	-77.5	94.7	305	0.583	0.0	1.0				
319	306	306	0.983	0.0	1.0	46.1	69.1	-59.9	91.5	319	M_d								0.651	0.0	1.0	33.5	55.3	-76.0	94.1	306	0.6	0.0	1.0		0.651	0.0	1.0	33.5	55.3	-76.0	94.1	306	0.6	0.0	1.0				
320	307	307	1.0	0.0	0.995	46.7	69.8	-58.4	91.1	320									0.683	0.0	1.0	34.2	56.3	-74.6	93.5	307	0.617	0.0	1.0		0.683	0.0	1.0	34.2	56.3	-74.6	93.5	307	0.617	0.0	1.0				
321	308	308	1.0	0.0	0.979	46.1	69.3	-56.0	89.2	321									0.716	0.0	1.0	35.0	57.2	-73.1	92.9	308	0.633	0.0	1.0		0.716	0.0	1.0	35.0	57.2	-73.1	92.9	308	0.633	0.0	1.0				
322	309	309	1.0	0.0	0.962	45.5	68.8	-53.7	87.3	322									0.748	0.0	1.0	35.8	58.1	-71.6	92.3	309	0.65	0.0	1.0		0.748	0.0	1.0	35.8	58.1	-71.6	92.3	309	0.65	0.0	1.0				
323	310	310	1.0	0.0	0.946	45.0	68.2	-51.3	85.4	323									0.772	0.0	1.0	36.8	59.1	-70.4	92.0	310	0.667	0.0	1.0		0.772	0.0	1.0	36.8	59.1	-70.4	92.0	310	0.667	0.0	1.0				
324	311	311	1.0	0.0	0.929	44.4	67.6	-49.0	83.6	324									0.794	0.0	1.0	37.8	60.2	-69.1	91.7	311	0.683	0.0	1.0		0.794	0.0	1.0	37.8	60.2	-69.1	91.7	311	0.683	0.0	1.0				
325	312	312	1.0	0.0	0.912	43.9	66.9	-46.8	81.7	325									0.817	0.0	1.0	38.8	61.2	-67.9	91.5	312	0.7	0.0	1.0		0.817	0.0	1.0	38.8	61.2	-67.9	91.5	312	0.7	0.0	1.0				
326	313	312	1.0	0.0	0.896	43.3	66.2	-44.5	79.8	326									0.84	0.0	1.0	39.8	62.2	-66.6	91.2	313	0.717	0.0	1.0		0.817	0.0	1.0	38.8	61.2	-67.9	91.5	312	0.717	0.0	1.0				
327	314	313	1.0	0.0	0.879	42.7	65.4	-42.3	77.9	327									0.863	0.0	1.0	40.8	63.2	-65.3	91.0	314	0.733	0.0	1.0		0.84	0.0	1.0	39.8	62.2	-66.6	91.2	313	0.733	0.0	1.0				
328	315	314	1.0	0.0	0.868	42.4	65.1	-40.6	76.8	328									0.886	0.0	1.0	41.8	64.3	-64.2	90.9	315	0.75	0.0	1.0		0.863	0.0	1.0	40.8	63.2	-65.3	91.0	314	0.75	0.0	1.0				
329	316	315	1.0	0.0	0.86	42.2	65.1	-39.0	76.0	329									0.91	0.0	1.0	42.9	65.5	-63.1	91.0	316	0.767	0.0	1.0		0.886	0.0	1.0	41.8	64.3	-64.2	90.9	315	0.767	0.0	1.0				
330	317	316	1.0	0.0	0.851	42.0	65.0	-37.5	75.1	330									0.934	0.0	1.0	44.0	66.7	-62.1	91.2	317	0.783	0.0	1.0		0.91	0.0	1.0	42.9	65.5	-63.1	91.0	316	0.783	0.0	1.0				
331	318	317	1.0	0.0	0.842	41.8	64.9	-35.9	74.3	331									0.959	0.0	1.0	45.0	67.9	-61.0	91.4	318	0.8	0.0	1.0		0.934	0.0	1.0	44.0	66.7	-62.1	91.2	317	0.8	0.0	1.0				
332	319	318	1.0	0.0	0.833	41.5	64.8	-34.4	73.4	332									0.983	0.0	1.0	46.1	69.1	-59.9	91.5	319	0.817	0.0	1.0		0.959	0.0	1.0	45.0	67.9	-61.0	91.4	318	0.817	0.0	1.0				
333	320	319	1.0	0.0	0.824	41.3	64.6	-32.8	72.5	333									1.0	0.0	0.995	46.7	69.8	-58.4	91.1	320	0.833	0.0	1.0		0.983	0.0	1.0	46.1	69.1	-59.9	91.5	319	0.833	0.0	1.0				
334	321	320	1.0	0.0	0.816	41.1	64.4	-31.3	71.7	334									1.0	0.0	0.979	46.1	69.3	-56.0	89.2	321	0.85	0.0	1.0		1.0	0.0	0.995	46.7	69.8	-58.4	91.1	320	0.85	0.0	1.0				
335	322	321	1.0	0.0	0.807	40.9	64.2	-29.8	70.8	335									1.0	0.0	0.962	45.5	68.8	-53.7	87.3	322	0.867	0.0	1.0		1.0	0.0	0.979	46.1	69.3	-56.0	89.2	321	0.867	0.0	1.0				
336	323	322	1.0	0.0	0.798	40.7	63.9	-28.4	70.0	336									1.0	0.0	0.946	45.0	68.2	-51.3	85.4	323	0.883	0.0	1.0		1.0	0.0	0.962	45.5	68.8	-53.7	87.3								

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																				
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$				$rgb^*_{ds361Mi}$				$LAB^*_{ds361Mix}(x=LabCh)$				rgb^*_{s50M}				$rgb^*_{de361Mi}$				$LAB^*_{de361Mix}(x=LabCh)$				rgb^*_{e50M}				rgb^*_d	rgb^*_s	rgb^*_e
358	345	343	1.0	0.0	0.624	37.8	59.8	-2.0	59.9	358	1.0	0.0	0.723	39.1	61.9	-16.5	64.1	345	1.0	0.0	0.75	1.0	0.0	0.738	39.3	62.0	-18.8	64.8	343	1.0	0.0	0.75				
359	346	344	1.0	0.0	0.617	37.7	59.9	-0.9	59.9	359	1.0	0.0	0.715	39.0	61.9	-15.3	63.8	346	1.0	0.0	0.733	1.0	0.0	0.731	39.2	62.0	-17.7	64.5	344	1.0	0.0	0.733				
0	347	345	1.0	0.0	0.61	37.7	59.9	0.0	59.9	0	1.0	0.0	0.708	38.9	61.8	-14.2	63.5	347	1.0	0.0	0.717	1.0	0.0	0.723	39.1	61.9	-16.5	64.1	345	1.0	0.0	0.717				
1	348	346	1.0	0.0	0.602	37.6	60.0	1.0	60.0	1	1.0	0.0	0.7	38.8	61.8	-13.0	63.1	348	1.0	0.0	0.7	1.0	0.0	0.715	39.0	61.9	-15.3	63.8	346	1.0	0.0	0.7				
2	349	347	1.0	0.0	0.595	37.6	60.0	2.1	60.0	2	1.0	0.0	0.692	38.7	61.6	-11.9	62.8	349	1.0	0.0	0.683	1.0	0.0	0.708	38.9	61.8	-14.2	63.5	347	1.0	0.0	0.683				
3	350	348	1.0	0.0	0.588	37.5	60.0	3.1	60.1	3	1.0	0.0	0.685	38.6	61.5	-10.7	62.5	350	1.0	0.0	0.667	1.0	0.0	0.7	38.8	61.8	-13.0	63.1	348	1.0	0.0	0.667				
4	351	349	1.0	0.0	0.58	37.5	60.0	4.2	60.1	4	1.0	0.0	0.677	38.5	61.4	-9.6	62.1	351	1.0	0.0	0.65	1.0	0.0	0.692	38.7	61.6	-11.9	62.8	349	1.0	0.0	0.65				
5	352	349	1.0	0.0	0.573	37.4	59.9	5.2	60.2	5	1.0	0.0	0.67	38.4	61.2	-8.5	61.8	352	1.0	0.0	0.633	1.0	0.0	0.692	38.7	61.6	-11.9	62.8	349	1.0	0.0	0.633				
6	353	350	1.0	0.0	0.566	37.3	59.9	6.3	60.2	6	1.0	0.0	0.662	38.3	61.0	-7.4	61.5	353	1.0	0.0	0.617	1.0	0.0	0.685	38.6	61.5	-10.7	62.5	350	1.0	0.0	0.617				
7	354	351	1.0	0.0	0.559	37.3	59.8	7.3	60.3	7	1.0	0.0	0.654	38.2	60.8	-6.3	61.1	354	1.0	0.0	0.6	1.0	0.0	0.677	38.5	61.4	-9.6	62.1	351	1.0	0.0	0.6				
8	355	352	1.0	0.0	0.551	37.2	59.7	8.4	60.3	8	1.0	0.0	0.647	38.1	60.6	-5.2	60.8	355	1.0	0.0	0.583	1.0	0.0	0.67	38.4	61.2	-8.5	61.8	352	1.0	0.0	0.583				
9	356	353	1.0	0.0	0.544	37.2	59.6	9.4	60.4	9	1.0	0.0	0.639	38.0	60.3	-4.1	60.5	356	1.0	0.0	0.567	1.0	0.0	0.662	38.3	61.0	-7.4	61.5	353	1.0	0.0	0.567				
10	357	354	1.0	0.0	0.537	37.1	59.5	10.5	60.4	10	1.0	0.0	0.632	37.9	60.1	-3.0	60.1	357	1.0	0.0	0.55	1.0	0.0	0.654	38.2	60.8	-6.3	61.1	354	1.0	0.0	0.55				
11	358	355	1.0	0.0	0.53	37.0	59.3	11.5	60.4	11	1.0	0.0	0.624	37.8	59.8	-2.0	59.9	358	1.0	0.0	0.533	1.0	0.0	0.647	38.1	60.6	-5.2	60.8	355	1.0	0.0	0.533				
12	359	356	1.0	0.0	0.522	37.0	59.2	12.6	60.5	12	1.0	0.0	0.617	37.7	59.9	-0.9	59.9	359	1.0	0.0	0.517	1.0	0.0	0.639	38.0	60.3	-4.1	60.5	356	1.0	0.0	0.517				
13	360	357	1.0	0.0	0.515	36.9	59.0	13.6	60.5	13	1.0	0.0	0.61	37.7	59.9	0.0	59.9	0	1.0	0.0	0.5	1.0	0.0	0.632	37.9	60.1	-3.0	60.1	357	1.0	0.0	0.5				
14	361	358	1.0	0.0	0.508	36.9	58.8	14.7	60.6	14	1.0	0.0	0.602	37.6	60.0	1.0	60.0	1	1.0	0.0	0.483	1.0	0.0	0.624	37.8	59.8	-2.0	59.9	358	1.0	0.0	0.483				
15	362	359	1.0	0.0	0.501	36.8	58.6	15.7	60.6	15	1.0	0.0	0.595	37.6	60.0	2.1	60.0	2	1.0	0.0	0.467	1.0	0.0	0.617	37.7	59.9	-0.9	59.9	359	1.0	0.0	0.467				
16	363	360	1.0	0.0	0.492	36.8	58.6	16.8	61.0	16	1.0	0.0	0.588	37.5	60.0	3.1	60.1	3	1.0	0.0	0.45	1.0	0.0	0.61	37.7	59.9	0.0	59.9	0	1.0	0.0	0.45				
17	364	361	1.0	0.0	0.483	36.7	58.7	17.9	61.4	17	1.0	0.0	0.58	37.5	60.0	4.2	60.1	4	1.0	0.0	0.433	1.0	0.0	0.602	37.6	60.0	1.0	60.0	1	1.0	0.0	0.433				
18	365	362	1.0	0.0	0.474	36.7	58.7	19.1	61.8	18	1.0	0.0	0.573	37.4	59.9	5.2	60.2	5	1.0	0.0	0.417	1.0	0.0	0.595	37.6	60.0	2.1	60.0	2	1.0	0.0	0.417				
19	366	363	1.0	0.0	0.466	36.6	58.8	20.2	62.2	19	1.0	0.0	0.566	37.3	59.9	6.3	60.2	6	1.0	0.0	0.4	1.0	0.0	0.588	37.5	60.0	3.1	60.1	3	1.0	0.0	0.4				
20	367	364	1.0	0.0	0.457	36.6	58.8	21.4	62.6	20	1.0	0.0	0.559	37.3	59.8	7.3	60.3	7	1.0	0.0	0.383	1.0	0.0	0.58	37.5	60.0	4.2	60.1	4	1.0	0.0	0.383				
21	368	365	1.0	0.0	0.448	36.5	58.8	22.6	62.9	21	1.0	0.0	0.551	37.2	59.7	8.4	60.3	8	1.0	0.0	0.367	1.0	0.0	0.573	37.4	59.9	5.2	60.2	5	1.0	0.0	0.367				
22	369	366	1.0	0.0	0.439	36.5	58.7	23.7	63.3	22	1.0	0.0	0.544	37.2	59.6	9.4	60.4	9	1.0	0.0	0.35	1.0	0.0	0.566	37.3	59.9	6.3	60.2	6	1.0	0.0	0.35				
23	370	367	1.0	0.0	0.43	36.4	58.7	24.9	63.7	23	1.0	0.0	0.537	37.1	59.5	10.5	60.4	10	1.0	0.0	0.333	1.0	0.0	0.559	37.3	59.8	7.3	60.3	7	1.0	0.0	0.333				
24	371	367	1.0	0.0	0.422	36.4	58.6	26.1	64.1	24	1.0	0.0	0.53	37.0	59.3	11.5	60.4	11	1.0	0.0	0.317	1.0	0.0	0.559	37.3	59.8	7.3	60.3	7	1.0	0.0	0.317				
25	372	368	1.0	0.0	0.413	36.3	58.5	27.3	64.5	25	1.0	0.0	0.522	37.0	59.2	12.6	60.5	12	1.0	0.0	0.3	1.0	0.0	0.551	37.2	59.7</										

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours d : $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																						
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 50M	LAB* _{dd} 50Mx (x=LabCh)							rgb* _{ds} 50M	LAB* _{ds} 50Mx (x=LabCh)							rgb* _s 50M	rgb* _{de} 50M	LAB* _{de} 50Mx (x=LabCh)							rgb* _e 50M	rgb* _{dd}	rgb* _{ds}	rgb* _{de}							
33.5	30.0	25.5	1.0	0.0	0.0	35.8	57.3	54.3	79.0	43.5	1.0	0.0	0.366	36.1	57.8	33.4	66.8	30	1.0	0.0	0.0	1.0	0.0	0.413	36.3	58.5	27.3	64.5	25	1.0	0.0	0.0						
33.7	37.5	33.8	1.0	0.125	0.0	36.0	56.9	54.3	78.7	43.7	1.0	0.0	0.26	36.0	57.6	45.0	73.1	38	1.0	0.125	0.0	1.0	0.0	0.313	36.0	58.0	39.1	69.9	34	1.0	0.125	0.0						
44.7	45.0	42.2	1.0	0.25	0.0	36.6	55.3	54.7	77.8	44.7	1.0	0.0	0.262	0.0	36.8	54.8	54.8	77.5	45	1.0	0.25	0.0	1.0	0.0	0.143	35.9	57.4	51.7	77.2	42	1.0	0.25	0.0					
48.0	52.5	50.5	1.0	0.375	0.0	38.7	49.9	55.5	74.6	48.0	1.0	0.0	0.469	0.0	41.9	42.8	56.8	71.1	53	1.0	0.375	0.0	1.0	0.0	0.431	0.0	40.6	45.6	56.3	72.5	51	1.0	0.375	0.0				
54.7	60.0	58.9	1.0	0.5	0.0	42.9	40.5	57.0	69.9	54.7	1.0	0.0	0.559	0.0	45.9	34.0	58.9	68.0	60	1.0	0.5	0.0	1.0	0.0	0.548	0.0	45.4	35.2	58.6	68.4	59	1.0	0.5	0.0				
66.0	67.5	67.2	1.0	0.625	0.0	49.3	26.8	60.2	65.9	66.0	1.0	0.0	0.643	0.0	50.5	24.7	61.1	65.9	68	1.0	0.625	0.0	1.0	0.0	0.634	0.0	49.9	25.7	60.7	65.9	67	1.0	0.625	0.0				
80.2	75.0	75.6	1.0	0.75	0.0	57.8	11.3	65.2	66.2	80.2	1.0	0.0	0.704	0.0	54.7	17.1	63.8	66.1	75	1.0	0.75	0.0	1.0	0.0	0.713	0.0	55.3	16.0	64.1	66.1	76	1.0	0.75	0.0				
92.3	82.5	84.0	1.0	0.875	0.0	67.3	-2.8	71.7	71.8	92.3	1.0	0.0	0.779	0.0	60.0	8.2	67.0	67.5	83	1.0	0.875	0.0	1.0	0.0	0.789	0.0	60.8	7.1	67.6	67.9	84	1.0	0.875	0.0				
101.7	90.0	92.3	1.0	1.0	0.0	82.0	-17.2	83.4	85.2	101.7	1.0	0.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	1.0	0.0	1.0	0.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	1.0	1.0	0.0				
107.7	97.5	101.1	0.875	1.0	0.0	77.7	-24.9	78.3	82.2	107.7	1.0	0.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	0.875	1.0	0.0	1.0	0.0	0.99	0.0	80.8	-16.0	82.6	84.2	101	0.875	1.0	0.0				
116.0	105.0	109.8	0.75	1.0	0.0	72.6	-35.3	72.6	80.8	116.0	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	0.75	1.0	0.0	0.0	0.84	1.0	0.0	76.3	-27.9	76.9	81.8	110	0.75	1.0	0.0					
120.7	112.5	118.5	0.625	1.0	0.0	71.7	-42.1	71.0	82.6	120.7	0.795	1.0	0.0	74.4	-31.7	74.8	81.3	113	0.625	1.0	0.0	0.0	0.671	1.0	0.0	72.0	-39.6	71.7	82.0	119	0.625	1.0	0.0					
123.6	120.0	127.3	0.5	1.0	0.0	71.0	-46.4	70.0	84.0	123.6	0.644	1.0	0.0	71.8	-41.1	71.3	82.4	120	0.5	1.0	0.0	0.0	0.0	1.0	0.27	70.6	-49.8	66.2	82.9	127	0.5	1.0	0.0					
125.1	127.5	136.0	0.375	1.0	0.0	70.7	-48.7	69.5	84.9	125.1	0.0	1.0	0.343	70.6	-49.3	63.2	80.2	128	0.375	1.0	0.0	0.0	0.0	1.0	0.576	71.3	-46.0	44.5	64.1	136	0.375	1.0	0.0					
125.7	135.0	144.7	0.25	1.0	0.0	70.6	-49.8	69.3	85.4	125.7	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.25	1.0	0.0	0.0	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.25	1.0	0.0					
126.0	142.5	153.5	0.125	1.0	0.0	70.6	-50.2	69.2	85.6	126.0	0.0	1.0	0.674	71.8	-43.4	32.8	54.5	143	0.125	1.0	0.0	0.0	0.0	1.0	0.767	72.5	-39.8	20.3	44.8	153	0.125	1.0	0.0					
126.1	150.0	162.2	0.0	1.0	0.0	70.6	-50.2	69.2	85.6	126.0	0.0	1.0	0.75	72.3	-40.1	23.2	46.5	150	0.0	1.0	0.0	0.0	0.0	1.0	0.819	73.0	-37.7	12.3	39.7	162	0.0	1.0	0.0					
126.1	157.5	169.1	0.0	1.0	0.125	70.5	-50.1	68.8	85.1	126.1	0.0	1.0	0.796	72.8	-38.8	15.7	42.0	158	0.0	1.0	0.125	0.0	0.0	1.0	0.859	73.5	-35.0	6.8	35.8	169	0.0	1.0	0.125					
126.7	165.0	175.9	0.0	1.0	0.25	70.6	-49.9	67.0	83.6	126.7	0.0	1.0	0.836	73.2	-36.6	9.8	38.0	165	0.0	1.0	0.25	0.0	0.0	1.0	0.893	73.8	-33.3	2.3	33.5	176	0.0	1.0	0.25					
128.4	172.5	182.8	0.0	1.0	0.375	70.6	-49.1	61.9	79.1	128.4	0.0	1.0	0.88	73.7	-33.7	4.1	34.0	173	0.0	1.0	0.375	0.0	0.0	1.0	0.922	74.2	-32.2	-1.6	32.4	183	0.0	1.0	0.375					
132.1	180.0	189.6	0.0	1.0	0.5	71.0	-47.6	52.7	71.1	132.1	0.0	1.0	0.91	74.0	-32.8	0.0	32.9	180	0.0	1.0	0.5	0.0	0.0	1.0	0.952	74.5	-30.6	-5.3	31.2	190	0.0	1.0	0.5					
138.5	187.5	196.4	0.0	1.0	0.625	71.5	-44.6	39.5	59.6	138.5	0.0	1.0	0.943	74.4	-31.1	-4.3	31.5	188	0.0	1.0	0.625	0.0	0.0	1.0	0.977	74.8	-28.9	-8.2	30.2	196	0.0	1.0	0.625					
150.0	195.0	203.3	0.0	1.0	0.75	72.3	-40.1	23.2	46.4	150.0	0.0	1.0	0.973	74.8	-29.2	-7.8	30.4	195	0.0	1.0	0.75	0.0	0.0	1.0	0.994	74.7	-26.9	-11.3	29.3	203	0.0	1.0	0.75					
171.8	202.5	210.1	0.0	1.0	0.875	73.6	-33.8	4.9	34.2	171.8	0.0	1.0	0.994	1.0	74.7	-26.9	-11.3	29.3	203	0.0	1.0	0.875	0.0	0.0	1.0	0.969	1.0	72.9	-25.9	-14.6	29.4	210	0.0	1.0	0.875			
201.5	210.0	217.0																																				

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$						R_d	$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$						R_s	rgb^*s50M			$LAB^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						R_e	rgb^*e50M			R_e	rgb^*_d	rgb^*_s	rgb^*_e
43	30	25	1.0	0.0	0.064	35.8	57.3	53.5	78.4	43	R_d	1.0	0.0	0.366	36.1	57.8	33.4	66.8	30	1.0	0.0	0.0	R_s	1.0	0.0	0.413	36.3	58.5	27.3	64.5	25	1.0	0.0	0.0	R_e										
44	31	27	1.0	0.167	0.0	36.2	56.4	54.4	78.4	44		1.0	0.0	0.353	36.1	57.9	34.8	67.6	31	1.0	0.017	0.0		1.0	0.0	0.395	36.2	58.2	29.6	65.3	27	1.0	0.017	0.0											
45	32	28	1.0	0.262	0.0	36.8	54.8	54.8	77.5	45		1.0	0.0	0.339	36.1	58.0	36.2	68.3	32	1.0	0.033	0.0		1.0	0.0	0.387	36.2	58.0	30.8	65.7	28	1.0	0.033	0.0											
46	33	29	1.0	0.299	0.0	37.5	53.2	55.0	76.5	46		1.0	0.0	0.326	36.1	58.0	37.7	69.1	33	1.0	0.05	0.0		1.0	0.0	0.378	36.2	57.8	32.0	66.1	29	1.0	0.05	0.0											
47	34	30	1.0	0.336	0.0	38.1	51.5	55.3	75.6	47		1.0	0.0	0.313	36.0	58.0	39.1	69.9	34	1.0	0.067	0.0		1.0	0.0	0.366	36.1	57.8	33.4	66.8	30	1.0	0.067	0.0											
48	35	31	1.0	0.373	0.0	38.7	49.9	55.5	74.6	48		1.0	0.0	0.3	36.0	58.0	40.6	70.7	35	1.0	0.083	0.0		1.0	0.0	0.353	36.1	57.9	34.8	67.6	31	1.0	0.083	0.0											
49	36	32	1.0	0.393	0.0	39.3	48.5	55.8	73.9	49		1.0	0.0	0.287	36.0	57.9	42.1	71.5	36	1.0	0.1	0.0		1.0	0.0	0.339	36.1	58.0	36.2	68.3	32	1.0	0.1	0.0											
50	37	33	1.0	0.412	0.0	39.9	47.1	56.1	73.2	50		1.0	0.0	0.273	36.0	57.8	43.5	72.3	37	1.0	0.117	0.0		1.0	0.0	0.326	36.1	58.0	37.7	69.1	33	1.0	0.117	0.0											
51	38	34	1.0	0.431	0.0	40.6	45.6	56.3	72.5	51		1.0	0.0	0.26	36.0	57.6	45.0	73.1	38	1.0	0.133	0.0		1.0	0.0	0.313	36.0	58.0	39.1	69.9	34	1.0	0.133	0.0											
52	39	36	1.0	0.45	0.0	41.2	44.2	56.6	71.8	52		1.0	0.0	0.242	35.9	57.5	46.6	74.0	39	1.0	0.15	0.0		1.0	0.0	0.287	36.0	57.9	42.1	71.5	36	1.0	0.15	0.0											
53	40	37	1.0	0.469	0.0	41.9	42.8	56.8	71.1	53		1.0	0.0	0.209	35.9	57.5	48.3	75.1	40	1.0	0.167	0.0		1.0	0.0	0.273	36.0	57.8	43.5	72.3	37	1.0	0.167	0.0											
54	41	38	1.0	0.488	0.0	42.5	41.4	56.9	70.4	54		1.0	0.0	0.176	35.9	57.5	50.0	76.2	41	1.0	0.183	0.0		1.0	0.0	0.26	36.0	57.6	45.0	73.1	38	1.0	0.183	0.0											
55	42	39	1.0	0.504	0.0	43.1	40.0	57.2	69.8	55		1.0	0.0	0.143	35.9	57.4	51.7	77.2	42	1.0	0.2	0.0		1.0	0.0	0.242	35.9	57.5	46.6	74.0	39	1.0	0.2	0.0											
56	43	40	1.0	0.515	0.0	43.7	38.8	57.6	69.4	56		1.0	0.0	0.064	35.8	57.3	53.5	78.4	43	1.0	0.217	0.0		1.0	0.0	0.209	35.9	57.5	48.3	75.1	40	1.0	0.217	0.0											
57	44	41	1.0	0.526	0.0	44.2	37.6	57.9	69.1	57		1.0	0.167	0.0	36.2	56.4	54.4	78.4	44	1.0	0.233	0.0		1.0	0.0	0.176	35.9	57.5	50.0	76.2	41	1.0	0.233	0.0											
58	45	42	1.0	0.537	0.0	44.8	36.4	58.3	68.7	58		1.0	0.262	0.0	36.8	54.8	54.8	77.5	45	1.0	0.25	0.0		1.0	0.0	0.143	35.9	57.4	51.7	77.2	42	1.0	0.25	0.0											
59	46	43	1.0	0.548	0.0	45.4	35.2	58.6	68.4	59		1.0	0.299	0.0	37.5	53.2	55.0	76.5	46	1.0	0.267	0.0		1.0	0.0	0.064	35.8	57.3	53.5	78.4	43	1.0	0.267	0.0											
60	47	44	1.0	0.559	0.0	45.9	34.0	58.9	68.0	60		1.0	0.336	0.0	38.1	51.5	55.3	75.6	47	1.0	0.283	0.0		1.0	0.167	0.0	36.2	56.4	54.4	78.4	44	1.0	0.283	0.0											
61	48	46	1.0	0.57	0.0	46.5	32.8	59.2	67.7	61		1.0	0.373	0.0	38.7	49.9	55.5	74.6	48	1.0	0.3	0.0		1.0	0.299	0.0	37.5	53.2	55.0	76.5	46	1.0	0.3	0.0											
62	49	47	1.0	0.581	0.0	47.1	31.6	59.4	67.3	62		1.0	0.393	0.0	39.3	48.5	55.8	73.9	49	1.0	0.317	0.0		1.0	0.336	0.0	38.1	51.5	55.3	75.6	47	1.0	0.317	0.0											
63	50	48	1.0	0.592	0.0	47.6	30.4	59.7	66.9	63		1.0	0.412	0.0	39.9	47.1	56.1	73.2	50	1.0	0.333	0.0		1.0	0.373	0.0	38.7	49.9	55.5	74.6	48	1.0	0.333	0.0											
64	51	49	1.0	0.603	0.0	48.2	29.2	59.9	66.6	64		1.0	0.431	0.0	40.6	45.6	56.3	72.5	51	1.0	0.35	0.0		1.0	0.393	0.0	39.3	48.5	55.8	73.9	49	1.0	0.35	0.0											
65	52	50	1.0	0.614	0.0	48.8	28.0	60.0	66.2	65		1.0	0.45	0.0	41.2	44.2	56.6	71.8	52	1.0	0.367	0.0		1.0	0.412	0.0	39.9	47.1	56.1	73.2	50	1.0	0.367	0.0											
66	53	51	1.0	0.625	0.0	49.3	26.8	60.2	65.9	66		1.0	0.469	0.0	41.9	42.8	56.8	71.1	53	1.0	0.383	0.0		1.0	0.431	0.0	40.6	45.6	56.3	72.5	51	1.0	0.383	0.0											
67	54	52	1.0	0.634	0.0	49.9	25.7	60.7	65.9	67		1.0	0.488	0.0	42.5	41.4	56.9	70.4	54	1.0	0.4	0.0		1.0	0.45	0.0	41.2	44.2	56.6	71.8	52	1.0	0.4	0.0											
68	55	53	1.0	0.643	0.0	50.5	24.7	61.1	65.9	68		1.0	0.504	0.0	43.1	40.0	57.2	69.8	55	1.0	0.417	0.0		1.0	0.469	0.0	41.9	42.8	56.8	71.1	53	1.0	0.417	0.0											
69	56	54	1.0	0.651	0.0	51.1	23.6	61.6	65.9	69		1.0	0.515	0.0	43.7	38.8	57.6	69.4	56	1.0	0.433	0.0		1.0	0.488	0.0	42.5	41.4	56.9	70.4	54	1.0	0.433	0.0											
70	57	56																																											

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$						$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$						$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						rgb^*_d	rgb^*_s	rgb^*_e
88	75	76	1.0	0.831	0.0	63.9	2.4	69.7	69.8	88	1.0	0.704	0.0	54.7	17.1	63.8	66.1	75	1.0	0.75	0.0	1.0	0.713	0.0	55.3	16.0	64.1	66.1	76	1.0	0.75	0.0																					
89	76	77	1.0	0.841	0.0	64.7	1.2	70.2	70.2	89	1.0	0.713	0.0	55.3	16.0	64.1	66.1	76	1.0	0.767	0.0	1.0	0.722	0.0	55.9	14.9	64.4	66.1	77	1.0	0.767	0.0																					
90	77	78	1.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	0.722	0.0	55.9	14.9	64.4	66.1	77	1.0	0.783	0.0	1.0	0.731	0.0	56.5	13.7	64.7	66.1	78	1.0	0.783	0.0																					
91	78	79	1.0	0.862	0.0	66.3	-1.1	71.2	71.2	91	1.0	0.731	0.0	56.5	13.7	64.7	66.1	78	1.0	0.8	0.0	1.0	0.739	0.0	57.1	12.6	64.9	66.1	79	1.0	0.8	0.0																					
92	79	80	1.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	1.0	0.739	0.0	57.1	12.6	64.9	66.1	79	1.0	0.817	0.0	1.0	0.748	0.0	57.7	11.5	65.2	66.2	80	1.0	0.817	0.0																					
93	80	81	1.0	0.884	0.0	68.4	-3.7	72.7	72.8	93	1.0	0.748	0.0	57.7	11.5	65.2	66.2	80	1.0	0.833	0.0	1.0	0.758	0.0	58.4	10.4	65.7	66.5	81	1.0	0.833	0.0																					
94	81	82	1.0	0.898	0.0	69.9	-5.1	74.0	74.2	94	1.0	0.758	0.0	58.4	10.4	65.7	66.5	81	1.0	0.85	0.0	1.0	0.769	0.0	59.2	9.3	66.3	67.0	82	1.0	0.85	0.0																					
95	82	83	1.0	0.911	0.0	71.5	-6.5	75.3	75.6	95	1.0	0.769	0.0	59.2	9.3	66.3	67.0	82	1.0	0.867	0.0	1.0	0.779	0.0	60.0	8.2	67.0	67.5	83	1.0	0.867	0.0																					
96	83	85	1.0	0.924	0.0	73.0	-8.0	76.6	77.0	96	1.0	0.779	0.0	60.0	8.2	67.0	67.5	83	1.0	0.883	0.0	1.0	0.8	0.0	61.6	6.0	68.1	68.4	85	1.0	0.883	0.0																					
97	84	86	1.0	0.937	0.0	74.6	-9.5	77.9	78.5	97	1.0	0.789	0.0	60.8	7.1	67.6	67.9	84	1.0	0.9	0.0	1.0	0.81	0.0	62.4	4.8	68.7	68.9	86	1.0	0.9	0.0																					
98	85	87	1.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	1.0	0.8	0.0	61.6	6.0	68.1	68.4	85	1.0	0.917	0.0	1.0	0.82	0.0	63.1	3.6	69.2	69.3	87	1.0	0.917	0.0																					
99	86	88	1.0	0.964	0.0	77.7	-12.6	80.3	81.3	99	1.0	0.81	0.0	62.4	4.8	68.7	68.9	86	1.0	0.933	0.0	1.0	0.831	0.0	63.9	2.4	69.7	69.8	88	1.0	0.933	0.0																					
100	87	89	1.0	0.977	0.0	79.3	-14.3	81.5	82.7	100	1.0	0.82	0.0	63.1	3.6	69.2	69.3	87	1.0	0.95	0.0	1.0	0.841	0.0	64.7	1.2	70.2	70.2	89	1.0	0.95	0.0																					
101	88	90	1.0	0.99	0.0	80.8	-16.0	82.6	84.2	101	1.0	0.831	0.0	63.9	2.4	69.7	69.8	88	1.0	0.967	0.0	1.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	0.967	0.0																					
102	89	91	0.994	1.0	0.0	81.8	-17.6	83.2	85.1	102	1.0	0.841	0.0	64.7	1.2	70.2	70.2	89	1.0	0.983	0.0	1.0	0.862	0.0	66.3	-1.1	71.2	71.2	91	1.0	0.983	0.0																					
103	90	92	0.973	1.0	0.0	81.1	-18.9	82.4	84.6	103	1.0	0.851	0.0	65.5	0.0	70.7	70.7	90	1.0	1.0	0.0	1.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	1.0	1.0	0.0																					
104	91	93	0.952	1.0	0.0	80.3	-20.2	81.6	84.0	104	1.0	0.862	0.0	66.3	-1.1	71.2	71.2	91	0.983	1.0	0.0	1.0	0.884	0.0	68.4	-3.7	72.7	72.8	93	0.983	1.0	0.0																					
105	92	95	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	1.0	0.872	0.0	67.1	-2.4	71.6	71.6	92	0.967	1.0	0.0	1.0	0.911	0.0	71.5	-6.5	75.3	75.6	95	0.967	1.0	0.0																					
106	93	96	0.91	1.0	0.0	78.9	-22.8	79.8	83.0	106	1.0	0.884	0.0	68.4	-3.7	72.7	72.8	93	0.95	1.0	0.0	1.0	0.924	0.0	73.0	-8.0	76.6	77.0	96	0.95	1.0	0.0																					
107	94	97	0.889	1.0	0.0	78.2	-24.0	78.9	82.5	107	1.0	0.898	0.0	69.9	-5.1	74.0	74.2	94	0.933	1.0	0.0	1.0	0.937	0.0	74.6	-9.5	77.9	78.5	97	0.933	1.0	0.0																					
108	95	98	0.87	1.0	0.0	77.5	-25.3	78.1	82.1	108	1.0	0.911	0.0	71.5	-6.5	75.3	75.6	95	0.917	1.0	0.0	1.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	0.917	1.0	0.0																					
109	96	99	0.855	1.0	0.0	76.9	-26.6	77.5	82.0	109	1.0	0.924	0.0	73.0	-8.0	76.6	77.0	96	0.9	1.0	0.0	1.0	0.964	0.0	77.7	-12.6	80.3	81.3	99	0.9	1.0	0.0																					
110	97	100	0.84	1.0	0.0	76.3	-27.9	76.9	81.8	110	1.0	0.937	0.0	74.6	-9.5	77.9	78.5	97	0.883	1.0	0.0	1.0	0.977	0.0	79.3	-14.3	81.5	82.7	100	0.883	1.0	0.0																					
111	98	102	0.825	1.0	0.0	75.6	-29.2	76.2	81.6	111	1.0	0.951	0.0	76.2	-11.0	79.1	79.9	98	0.867	1.0	0.0	1.0	0.994	1.0	0.0	81.8	-17.6	83.2	85.1	102	0.867	1.0	0.0																				
112	99	103	0.81	1.0	0.0	75.0	-30.4	75.5	81.5	112	1.0	0.964	0.0	77.7	-12.6	80.3	81.3	99	0.85	1.0	0.0	1.0	0.973	1.0	0.0	81.1	-18.9	82.4	84.6	103	0.85	1.0	0.0																				
113	100	104	0.795	1.0	0.0	74.4	-31.7	74.8	81.3	113	1.0	0.977	0.0	79.3	-14.3	81.5	82.7	100	0.833	1.0	0.0	1.0	0.952	1.0	0.0	80.3	-20.2	81.6	84.0	104	0.833	1.0	0.0																				
114	101	105	0.78	1.0	0.0	73.8	-32.9	74.1	81.1	114	1.0	0.99	0.0	80.8	-16.0	82.6	84.2	101	0.817	1.0	0.0	1.0	0.931	1.0	0.0	79.6	-21.5	80.7	83.5	105	0.817	1.0	0.0																				
115	102	106	0.765	1.0	0.0	73.2	-34.1	73.4	81.0	115	0.994	1.0	0.0	81.8	-17.6	83.2	85.1	102	0.8	1.0	0.0	1.0	0.91	1.0	0.0	78.9	-22.8	79.8	83.0	106	0.8	1.0	0.0																				
116	103	107	0.75	1.0	0.0	72.6	-35.3	72.6	80.8	116	0.973	1.0	0.0	81.1	-18.9	82.4	84.6	103	0.783	1.0	0.0	1.0	0.889	1.0	0.0																												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$						$LAB^*_{dd361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$						$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}						$rgb^*_{de361Mi}$						$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}						rgb^*_d	rgb^*_s	rgb^*_e
133	120	127	0.0	1.0	0.517	71.0	-47.3	50.8	69.5	133	0.644	1.0	0.0	71.8	-41.1	71.3	82.4	120	0.5	1.0	0.0	0.0	1.0	0.27	70.6	-49.8	66.2	82.9	127	0.5	1.0	0.0																					
134	121	128	0.0	1.0	0.537	71.1	-46.9	48.7	67.7	134	0.613	1.0	0.0	71.6	-42.5	71.0	82.8	121	0.483	1.0	0.0	0.0	1.0	0.343	70.6	-49.3	63.2	80.2	128	0.483	1.0	0.0																					
135	122	130	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.569	1.0	0.0	71.4	-44.0	70.6	83.3	122	0.467	1.0	0.0	0.0	1.0	0.428	70.8	-48.6	58.0	75.7	130	0.467	1.0	0.0																					
136	123	131	0.0	1.0	0.576	71.3	-46.0	44.5	64.1	136	0.526	1.0	0.0	71.2	-45.5	70.2	83.7	123	0.45	1.0	0.0	0.0	1.0	0.462	70.9	-48.1	55.5	73.5	131	0.45	1.0	0.0																					
137	124	132	0.0	1.0	0.595	71.3	-45.5	42.5	62.3	137	0.466	1.0	0.0	70.9	-47.0	69.9	84.3	124	0.433	1.0	0.0	0.0	1.0	0.496	71.0	-47.6	53.0	71.3	132	0.433	1.0	0.0																					
138	125	133	0.0	1.0	0.615	71.4	-44.9	40.5	60.6	138	0.382	1.0	0.0	70.8	-48.6	69.5	84.9	125	0.417	1.0	0.0	0.0	1.0	0.517	71.0	-47.3	50.8	69.5	133	0.417	1.0	0.0																					
139	126	134	0.0	1.0	0.63	71.5	-44.5	38.8	59.1	139	0.126	1.0	0.0	70.6	-50.2	69.2	85.6	126	0.4	1.0	0.0	0.0	1.0	0.537	71.1	-46.9	48.7	67.7	134	0.4	1.0	0.0																					
140	127	135	0.0	1.0	0.641	71.6	-44.3	37.2	57.9	140	0.0	1.0	0.27	70.6	-49.8	66.2	82.9	127	0.383	1.0	0.0	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.383	1.0	0.0																					
141	128	137	0.0	1.0	0.652	71.6	-44.0	35.7	56.8	141	0.0	1.0	0.343	70.6	-49.3	63.2	80.2	128	0.367	1.0	0.0	0.0	1.0	0.595	71.3	-45.5	42.5	62.3	137	0.367	1.0	0.0																					
142	129	138	0.0	1.0	0.663	71.7	-43.7	34.3	55.6	142	0.0	1.0	0.394	70.7	-48.9	60.5	77.9	129	0.35	1.0	0.0	0.0	1.0	0.615	71.4	-44.9	40.5	60.6	138	0.35	1.0	0.0																					
143	130	139	0.0	1.0	0.674	71.8	-43.4	32.8	54.5	143	0.0	1.0	0.428	70.8	-48.6	58.0	75.7	130	0.333	1.0	0.0	0.0	1.0	0.63	71.5	-44.5	38.8	59.1	139	0.333	1.0	0.0																					
144	131	140	0.0	1.0	0.685	71.9	-43.1	31.4	53.3	144	0.0	1.0	0.462	70.9	-48.1	55.5	73.5	131	0.317	1.0	0.0	0.0	1.0	0.641	71.6	-44.3	37.2	57.9	140	0.317	1.0	0.0																					
145	132	141	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.0	1.0	0.496	71.0	-47.6	53.0	71.3	132	0.3	1.0	0.0	0.0	1.0	0.652	71.6	-44.0	35.7	56.8	141	0.3	1.0	0.0																					
146	133	142	0.0	1.0	0.706	72.0	-42.2	28.6	51.1	146	0.0	1.0	0.517	71.0	-47.3	50.8	69.5	133	0.283	1.0	0.0	0.0	1.0	0.663	71.7	-43.7	34.3	55.6	142	0.283	1.0	0.0																					
147	134	144	0.0	1.0	0.717	72.1	-41.8	27.2	49.9	147	0.0	1.0	0.537	71.1	-46.9	48.7	67.7	134	0.267	1.0	0.0	0.0	1.0	0.685	71.9	-43.1	31.4	53.3	144	0.267	1.0	0.0																					
148	135	145	0.0	1.0	0.728	72.2	-41.3	25.8	48.8	148	0.0	1.0	0.556	71.2	-46.5	46.6	65.9	135	0.25	1.0	0.0	0.0	1.0	0.695	72.0	-42.7	29.9	52.2	145	0.25	1.0	0.0																					
149	136	146	0.0	1.0	0.739	72.3	-40.7	24.5	47.6	149	0.0	1.0	0.576	71.3	-46.0	44.5	64.1	136	0.233	1.0	0.0	0.0	1.0	0.706	72.0	-42.2	28.6	51.1	146	0.233	1.0	0.0																					
150	137	147	0.0	1.0	0.75	72.3	-40.1	23.2	46.5	150	0.0	1.0	0.595	71.3	-45.5	42.5	62.3	137	0.217	1.0	0.0	0.0	1.0	0.717	72.1	-41.8	27.2	49.9	147	0.217	1.0	0.0																					
151	138	148	0.0	1.0	0.756	72.4	-40.0	22.3	45.9	151	0.0	1.0	0.615	71.4	-44.9	40.5	60.6	138	0.2	1.0	0.0	0.0	1.0	0.728	72.2	-41.3	25.8	48.8	148	0.2	1.0	0.0																					
152	139	149	0.0	1.0	0.761	72.5	-39.9	21.3	45.3	152	0.0	1.0	0.63	71.5	-44.5	38.8	59.1	139	0.183	1.0	0.0	0.0	1.0	0.739	72.3	-40.7	24.5	47.6	149	0.183	1.0	0.0																					
153	140	151	0.0	1.0	0.767	72.5	-39.8	20.3	44.8	153	0.0	1.0	0.641	71.6	-44.3	37.2	57.9	140	0.167	1.0	0.0	0.0	1.0	0.756	72.4	-40.0	22.3	45.9	151	0.167	1.0	0.0																					
154	141	152	0.0	1.0	0.773	72.6	-39.6	19.4	44.2	154	0.0	1.0	0.652	71.6	-44.0	35.7	56.8	141	0.15	1.0	0.0	0.0	1.0	0.761	72.5	-39.9	21.3	45.3	152	0.15																							




Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e								
223	210	217	0.0	0.921	1.0	69.4	-21.5	-20.0	29.5	223	0.0	0.969	1.0	72.9	-25.3	-14.6	29.4	210	0.0	1.0	1.0	C_s	0.0	0.943	1.0	71.0	-23.4	-17.6	29.4	217	0.0	1.0	1.0	C_e			
224	211	218	0.0	0.918	1.0	69.2	-21.1	-20.4	29.5	224	0.0	0.965	1.0	72.6	-25.1	-15.0	29.4	211	0.0	0.983	1.0		0.0	0.94	1.0	70.8	-23.1	-18.0	29.4	218	0.0	0.983	1.0				
225	212	219	0.0	0.914	1.0	68.9	-20.8	-20.8	29.5	225	0.0	0.961	1.0	72.3	-24.8	-15.5	29.4	212	0.0	0.967	1.0		0.0	0.936	1.0	70.5	-22.8	-18.4	29.5	219	0.0	0.967	1.0				
226	213	220	0.0	0.91	1.0	68.6	-20.4	-21.1	29.5	226	0.0	0.958	1.0	72.1	-24.6	-15.9	29.4	213	0.0	0.95	1.0		0.0	0.932	1.0	70.2	-22.5	-18.8	29.5	220	0.0	0.95	1.0				
227	214	221	0.0	0.907	1.0	68.4	-20.0	-21.5	29.5	227	0.0	0.954	1.0	71.8	-24.3	-16.3	29.4	214	0.0	0.933	1.0		0.0	0.929	1.0	70.0	-22.1	-19.2	29.5	221	0.0	0.933	1.0				
228	215	222	0.0	0.903	1.0	68.1	-19.7	-21.9	29.5	228	0.0	0.951	1.0	71.5	-24.0	-16.8	29.4	215	0.0	0.917	1.0		0.0	0.925	1.0	69.7	-21.8	-19.6	29.5	222	0.0	0.917	1.0				
229	216	222	0.0	0.899	1.0	67.9	-19.3	-22.2	29.5	229	0.0	0.947	1.0	71.3	-23.7	-17.2	29.4	216	0.0	0.9	1.0		0.0	0.925	1.0	69.7	-21.8	-19.6	29.5	222	0.0	0.9	1.0				
230	217	223	0.0	0.896	1.0	67.6	-18.9	-22.5	29.6	230	0.0	0.943	1.0	71.0	-23.4	-17.6	29.4	217	0.0	0.883	1.0		0.0	0.921	1.0	69.4	-21.5	-20.0	29.5	223	0.0	0.883	1.0				
231	218	224	0.0	0.892	1.0	67.3	-18.5	-22.9	29.6	231	0.0	0.94	1.0	70.8	-23.1	-18.0	29.4	218	0.0	0.867	1.0		0.0	0.918	1.0	69.2	-21.1	-20.4	29.5	224	0.0	0.867	1.0				
232	219	225	0.0	0.888	1.0	67.1	-18.1	-23.2	29.6	232	0.0	0.936	1.0	70.5	-22.8	-18.4	29.5	219	0.0	0.85	1.0		0.0	0.914	1.0	68.9	-20.8	-20.8	29.5	225	0.0	0.85	1.0				
233	220	226	0.0	0.885	1.0	66.8	-17.7	-23.5	29.6	233	0.0	0.932	1.0	70.2	-22.5	-18.8	29.5	220	0.0	0.833	1.0		0.0	0.91	1.0	68.6	-20.4	-21.1	29.5	226	0.0	0.833	1.0				
23																																					

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
268	255	258	0.0	0.739	1.0	54.8	-1.4	-42.2	42.3	268	0.0	0.797	1.0	59.5	-9.4	-35.3	36.6	255	0.0	0.25	1.0	0.0	0.785	1.0	58.5	-7.7	-36.8	37.7	258	0.0	0.25	1.0			
269	256	259	0.0	0.732	1.0	54.2	-0.7	-43.2	43.3	269	0.0	0.793	1.0	59.2	-8.9	-35.8	37.0	256	0.0	0.233	1.0	0.0	0.781	1.0	58.2	-7.2	-37.3	38.1	259	0.0	0.233	1.0			
270	257	260	0.0	0.724	1.0	53.6	0.0	-44.2	44.3	270	0.0	0.789	1.0	58.9	-8.3	-36.3	37.4	257	0.0	0.217	1.0	0.0	0.777	1.0	57.8	-6.6	-37.8	38.5	260	0.0	0.217	1.0			
271	258	261	0.0	0.717	1.0	53.1	0.8	-45.2	45.3	271	0.0	0.785	1.0	58.5	-7.7	-36.8	37.7	258	0.0	0.2	1.0	0.0	0.773	1.0	57.5	-6.0	-38.3	38.8	261	0.0	0.2	1.0			
272	259	262	0.0	0.709	1.0	52.5	1.6	-46.2	46.3	272	0.0	0.781	1.0	58.2	-7.2	-37.3	38.1	259	0.0	0.183	1.0	0.0	0.769	1.0	57.2	-5.4	-38.7	39.2	262	0.0	0.183	1.0			
273	260	263	0.0	0.702	1.0	51.9	2.5	-47.2	47.4	273	0.0	0.777	1.0	57.8	-6.6	-37.8	38.5	260	0.0	0.167	1.0	0.0	0.765	1.0	56.8	-4.7	-39.2	39.6	263	0.0	0.167	1.0			
274	261	264	0.0	0.694	1.0	51.3	3.4	-48.2	48.4	274	0.0	0.773	1.0	57.5	-6.0	-38.3	38.8	261	0.0	0.15	1.0	0.0	0.76	1.0	56.5	-4.1	-39.6	39.9	264	0.0	0.15	1.0			
275	262	264	0.0	0.687	1.0	50.7	4.3	-49.1	49.4	275	0.0	0.769	1.0	57.2	-5.4	-38.7	39.2	262	0.0	0.133	1.0	0.0	0.76	1.0	56.5	-4.1	-39.6	39.9	264	0.0	0.133	1.0			
276	263	265	0.0	0.679	1.0	50.2	5.3	-50.0	50.4	276	0.0	0.765	1.0	56.8	-4.7																				

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$						$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$				$LAB^*ds361Mix(x=LabCh)$				rgb^*s50M				$rgb^*de361Mi$				$LAB^*de361Mix(x=LabCh)$				rgb^*e50M				rgb^*_d	rgb^*_s	rgb^*_e
313	300	300	0.84	0.0	1.0	39.8	62.2	-66.6	91.2	313	0.0	0.172	1.0	29.4	48.0	-83.0	96.0	300	0.5	0.0	1.0	0.0	0.172	1.0	29.4	48.0	-83.0	96.0	300	0.5	0.0	1.0									
314	301	301	0.863	0.0	1.0	40.8	63.2	-65.3	91.0	314	0.312	0.0	1.0	29.4	50.3	-83.6	97.7	301	0.517	0.0	1.0	0.312	0.0	1.0	29.4	50.3	-83.6	97.7	301	0.517	0.0	1.0									
315	302	302	0.886	0.0	1.0	41.8	64.3	-64.2	90.9	315	0.442	0.0	1.0	30.3	51.3	-82.1	96.9	302	0.533	0.0	1.0	0.442	0.0	1.0	30.3	51.3	-82.1	96.9	302	0.533	0.0	1.0									
316	303	303	0.91	0.0	1.0	42.9	65.5	-63.1	91.0	316	0.515	0.0	1.0	31.1	52.4	-80.7	96.3	303	0.55	0.0	1.0	0.515	0.0	1.0	31.1	52.4	-80.7	96.3	303	0.55	0.0	1.0									
317	304	304	0.934	0.0	1.0	44.0	66.7	-62.1	91.2	317	0.565	0.0	1.0	31.9	53.4	-79.1	95.5	304	0.567	0.0	1.0	0.565	0.0	1.0	31.9	53.4	-79.1	95.5	304	0.567	0.0	1.0									
318	305	305	0.959	0.0	1.0	45.0	67.9	-61.0	91.4	318	0.615	0.0	1.0	32.7	54.3	-77.5	94.7	305	0.583	0.0	1.0	0.615	0.0	1.0	32.7	54.3	-77.5	94.7	305	0.583	0.0	1.0									
319	306	306	0.983	0.0	1.0	46.1	69.1	-59.9	91.5	319M _d	0.651	0.0	1.0	33.5	55.3	-76.0	94.1	306	0.6	0.0	1.0	0.651	0.0	1.0	33.5	55.3	-76.0	94.1	306	0.6	0.0	1.0									
320	307	307	1.0	0.0	0.995	46.7	69.8	-58.4	91.1	320	0.683	0.0	1.0	34.2	56.3	-74.6	93.5	307	0.617	0.0	1.0	0.683	0.0	1.0	34.2	56.3	-74.6	93.5	307	0.617	0.0	1.0									
321	308	308	1.0	0.0	0.979	46.1	69.3	-56.0	89.2	321	0.716	0.0	1.0	35.0	57.2	-73.1	92.9	308	0.633	0.0	1.0	0.716	0.0	1.0	35.0	57.2	-73.1	92.9	308	0.633	0.0	1.0									

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 43.5, 101.7, 126.0, 201.5, 300.5, 319.7$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$				$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$				rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$				rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e			
358	345	343	1.0	0.0	0.624	37.8	59.8	-2.0	59.9	358	1.0	0.0	0.723	39.1	61.9	-16.5	64.1	345	1.0	0.0	0.75	1.0	0.0	0.738	39.3	62.0	-18.8	64.8	343	1.0	0.0	0.75			
359	346	344	1.0	0.0	0.617	37.7	59.9	-0.9	59.9	359	1.0	0.0	0.715	39.0	61.9	-15.3	63.8	346	1.0	0.0	0.733	1.0	0.0	0.731	39.2	62.0	-17.7	64.5	344	1.0	0.0	0.733			
0	347	345	1.0	0.0	0.61	37.7	59.9	0.0	59.9	0	1.0	0.0	0.708	38.9	61.8	-14.2	63.5	347	1.0	0.0	0.717	1.0	0.0	0.723	39.1	61.9	-16.5	64.1	345	1.0	0.0	0.717			
1	348	346	1.0	0.0	0.602	37.6	60.0	1.0	60.0	1	1.0	0.0	0.7	38.8	61.8	-13.0	63.1	348	1.0	0.0	0.7	1.0	0.0	0.715	39.0	61.9	-15.3	63.8	346	1.0	0.0	0.7			
2	349	347	1.0	0.0	0.595	37.6	60.0	2.1	60.0	2	1.0	0.0	0.692	38.7	61.6	-11.9	62.8	349	1.0	0.0	0.683	1.0	0.0	0.708	38.9	61.8	-14.2	63.5	347	1.0	0.0	0.683			
3	350	348	1.0	0.0	0.588	37.5	60.0	3.1	60.1	3	1.0	0.0	0.685	38.6	61.5	-10.7	62.5	350	1.0	0.0	0.667	1.0	0.0	0.7	38.8	61.8	-13.0	63.1	348	1.0	0.0	0.667			
4	351	349	1.0	0.0	0.58	37.5	60.0	4.2	60.1	4	1.0	0.0	0.677	38.5	61.4	-9.6	62.1	351	1.0	0.0	0.65	1.0	0.0	0.692	38.7	61.6	-11.9	62.8	349	1.0	0.0	0.65			
5	352	349	1.0	0.0	0.573	37.4	59.9	5.2	60.2	5	1.0	0.0	0.67	38.4	61.2	-8.5	61.8	352	1.0	0.0	0.633	1.0	0.0	0.692	38.7	61.6	-11.9	62.8	349	1.0	0.0	0.633			
6	353	350	1.0	0.0	0.566	37.3	59.9	6.3	60.2	6	1.0	0.0	0.662	38.3	61.0	-7.4	61.5	353	1.0	0.0	0.617	1.0	0.0	0.685	38.6	61.5	-10.7	62.5	350	1.0	0.0	0.617			
7	354	351	1.0	0.0	0.559	37.3	59.8	7.3	60.3	7	1.0	0.0	0.654	38.2	60.8	-6.3	61.1	354	1.0	0.0	0.6	1.0	0.0	0.677	38.5	61.4	-9.6	62.1	351	1.0	0.0	0.6			
8	355	352	1.0	0.0	0.551	37.2	59.7	8.4	60.3	8	1.0	0.0	0.647	38.1	60.6	-5.2	60.8	355	1.0	0.0	0.583	1.0	0.0	0.67	38.4	61.2	-8.5	61.8	352	1.0	0.0	0.583			
9	356	353	1.0	0.0	0.544	37.2	59.6	9.4	60.4	9	1.0	0.0	0.639	38.0	60.3	-4.1	60.5	356	1.0	0.0	0.567	1.0	0.0	0.662	38.3	61.0	-7.4	61.5	353	1.0	0.0	0.567			
10	357	3																																	

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours d : $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d cos(30) + g^*_d cos(150)] / [r^*_d sin(30) + g^*_d sin(150) + b^*_d sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 50M	LAB* _{dd} 50Mx (x=LabCh)						rgb* _{ds} 50M	LAB* _{ds} 50Mx (x=LabCh)						rgb* _s 50M	rgb* _{de} 50M	LAB* _{de} 50Mx (x=LabCh)						rgb* _e 50M	rgb* _{dd}	rgb* _{ds}	rgb* _{de}							
44.8	30.0	25.5	1.0	0.0	0.0	35.3	58.3	57.8	82.1	44.8	1.0	0.0	0.375	35.7	58.7	33.9	67.7	30	1.0	0.0	0.0	1.0	0.0	0.417	35.9	59.5	27.7	65.7	25	1.0	0.0	0.0	0.0	0.0	0.0
45.0	37.5	33.8	1.0	0.125	0.0	35.5	57.9	57.8	81.8	45.0	1.0	0.0	0.278	35.5	58.8	46.0	74.6	38	1.0	0.125	0.0	1.0	0.0	0.327	35.6	59.0	39.8	71.2	34	1.0	0.125	0.0	0.0	0.0	0.0
46.0	45.0	42.2	1.0	0.25	0.0	36.2	56.2	58.2	80.9	46.0	1.0	0.126	0.0	35.5	57.8	57.8	81.8	45	1.0	0.25	0.0	1.0	0.0	0.192	35.4	58.4	52.6	78.6	42	1.0	0.25	0.0	0.0	0.0	0.0
49.4	52.5	50.5	1.0	0.375	0.0	38.3	50.6	59.1	77.8	49.4	1.0	0.444	0.0	40.6	45.2	60.0	75.2	53	1.0	0.375	0.0	1.0	0.406	0.0	39.3	48.2	59.6	76.6	51	1.0	0.375	0.0	0.0	0.0	0.0
55.9	60.0	58.9	1.0	0.5	0.0	42.5	41.0	60.5	73.1	55.9	1.0	0.548	0.0	45.0	35.6	61.6	71.2	60	1.0	0.5	0.0	1.0	0.536	0.0	44.4	36.9	61.4	71.6	59	1.0	0.5	0.0	0.0	0.0	0.0
66.6	67.5	67.2	1.0	0.625	0.0	49.1	27.1	62.5	68.1	66.6	1.0	0.638	0.0	49.9	25.5	63.1	68.1	68	1.0	0.625	0.0	1.0	0.629	0.0	49.3	26.6	62.7	68.1	67	1.0	0.625	0.0	0.0	0.0	0.0
80.4	75.0	75.6	1.0	0.75	0.0	57.6	11.3	66.8	67.8	80.4	1.0	0.701	0.0	54.3	17.6	65.6	67.9	75	1.0	0.75	0.0	1.0	0.71	0.0	54.9	16.4	65.9	67.9	76	1.0	0.75	0.0	0.0	0.0	0.0
92.3	82.5	84.0	1.0	0.875	0.0	67.2	-2.8	72.9	73.0	92.3	1.0	0.778	0.0	59.7	8.4	68.4	68.9	83	1.0	0.875	0.0	1.0	0.788	0.0	60.5	7.2	69.0	69.4	84	1.0	0.875	0.0	0.0	0.0	0.0
101.7	90.0	92.3	1.0	1.0	0.0	81.9	-17.3	84.3	86.1	101.7	1.0	0.851	0.0	65.3	0.0	72.0	72.0	90	1.0	1.0	0.0	1.0	0.872	0.0	66.9	-2.4	72.8	72.8	92	1.0	1.0	0.0	0.0	0.0	0.0
107.6	97.5	101.1	0.875	1.0	0.0	77.6	-25.0	79.2	83.1	107.6	1.0	0.951	0.0	76.2	-11.2	80.2	80.9	98	0.875	1.0	0.0	1.0	0.991	0.0	80.9	-16.1	83.6	85.1	101	0.875	1.0	0.0	0.0	0.0	0.0
115.8	105.0	109.8	0.75	1.0	0.0	72.5	-35.5	73.5	81.7	115.8	0.93	1.0	0.0	79.5	-21.7	81.5	84.4	105	0.75	1.0	0.0	0.838	1.0	0.0	76.1	-28.2	77.7	82.7	110	0.75	1.0	0.0	0.0	0.0	

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																								
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$					R_d	$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$					R_s	rgb^*_{s50M}			$rgb^*_{de361Mi}$					$LAB^*_{de361Mix}(x=LabCh)$					R_e	rgb^*_{e50M}			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
44	30	25	1.0	0.0	0.116	35.4	58.3	56.3	81.0	44	R_d	1.0	0.0	0.375	35.7	58.7	33.9	67.7	30	1.0	0.0	0.0	R_s	1.0	0.0	0.417	35.9	59.5	27.7	65.7	25	1.0	0.0	0.0	R_e					
45	31	27	1.0	0.126	0.0	35.5	57.8	57.8	81.8	45		1.0	0.0	0.363	35.6	58.8	35.3	68.6	31	1.0	0.017	0.0		1.0	0.0	0.401	35.8	59.2	30.2	66.5	27	1.0	0.017	0.0						
46	32	28	1.0	0.246	0.0	36.1	56.2	58.2	80.9	46		1.0	0.0	0.351	35.6	58.9	36.8	69.5	32	1.0	0.033	0.0		1.0	0.0	0.392	35.7	59.1	31.4	66.9	28	1.0	0.033	0.0						
47	33	29	1.0	0.286	0.0	36.8	54.6	58.5	80.0	47		1.0	0.0	0.339	35.6	59.0	38.3	70.3	33	1.0	0.05	0.0		1.0	0.0	0.384	35.7	58.9	32.6	67.3	29	1.0	0.05	0.0						
48	34	30	1.0	0.323	0.0	37.4	52.9	58.8	79.1	48		1.0	0.0	0.327	35.6	59.0	39.8	71.2	34	1.0	0.067	0.0		1.0	0.0	0.375	35.7	58.7	33.9	67.7	30	1.0	0.067	0.0						
49	35	31	1.0	0.36	0.0	38.0	51.3	59.0	78.2	49		1.0	0.0	0.314	35.6	59.0	41.3	72.0	35	1.0	0.083	0.0		1.0	0.0	0.363	35.6	58.8	35.3	68.6	31	1.0	0.083	0.0						
50	36	32	1.0	0.386	0.0	38.7	49.7	59.3	77.4	50		1.0	0.0	0.302	35.5	59.0	42.9	72.9	36	1.0	0.1	0.0		1.0	0.0	0.351	35.6	58.9	36.8	69.5	32	1.0	0.1	0.0						
51	37	33	1.0	0.406	0.0	39.3	48.2	59.6	76.6	51		1.0	0.0	0.29	35.5	58.9	44.4	73.8	37	1.0	0.117	0.0		1.0	0.0	0.339	35.6	59.0	38.3	70.3	33	1.0	0.117	0.0						
52	38	34	1.0	0.425	0.0	40.0	46.7	59.8	75.9	52		1.0	0.0	0.278	35.5	58.8	46.0	74.6	38	1.0	0.133	0.0		1.0	0.0	0.327	35.6	59.0	39.8	71.2	34	1.0	0.133	0.0						
53	39	36	1.0	0.444	0.0	40.6	45.2	60.0	75.2	53		1.0	0.0	0.266	35.5	58.7	47.5	75.5	39	1.0	0.15	0.0		1.0	0.0	0.302	35.5	59.0	42.9	72.9	36	1.0	0.15	0.0						
54	40	37	1.0	0.463	0.0	41.3	43.8	60.2	74.5	54		1.0	0.0	0.254	35.5	58.5	49.1	76.4	40	1.0	0.167	0.0		1.0	0.0	0.29	35.5	58.9	44.4	73.8	37	1.0	0.167	0.0						
55	41	38	1.0	0.483	0.0	41.9	42.3	60.4	73.7	55		1.0	0.0	0.226	35.4	58.5	50.8	77.5	41	1.0	0.183	0.0		1.0	0.0	0.278	35.5	58.8	46.0	74.6	38	1.0	0.183	0.0						
56	42	39	1.0	0.501	0.0	42.6	40.8	60.5	73.0	56		1.0	0.0	0.192	35.4	58.4	52.6	78.6	42	1.0	0.2	0.0		1.0	0.0	0.266	35.5	58.7	47.5	75.5	39	1.0	0.2	0.0						
57	43	40	1.0	0.513	0.0	43.2	39.5	60.9	72.6	57		1.0	0.0	0.157	35.4	58.4	54.4	79.8	43	1.0	0.217	0.0		1.0	0.0	0.254	35.5	58.5	49.1	76.4	40	1.0	0.217	0.0						
58	44	41	1.0	0.525	0.0	43.8	38.2	61.1	72.1	58		1.0	0.0	0.116	35.4	58.3	56.3	81.0	44	1.0	0.233	0.0		1.0	0.0	0.226	35.4	58.5	50.8	77.5	41	1.0	0.233	0.0						
59	45	42	1.0	0.536	0.0	44.4	36.9	61.4	71.6	59		1.0	0.126	0.0	35.5	57.8	57.8	81.8	45	1.0	0.25	0.0		1.0	0.0	0.192	35.4	58.4	52.6	78.6	42	1.0	0.25	0.0						
60	46	43	1.0	0.548	0.0	45.0	35.6	61.6	71.2	60		1.0	0.246	0.0	36.1	56.2	58.2	80.9	46	1.0	0.267	0.0		1.0	0.0	0.157	35.4	58.4	54.4	79.8	43	1.0	0.267	0.0						
61	47	44	1.0	0.56	0.0	45.7	34.3	61.8	70.7	61		1.0	0.286	0.0	36.8	54.6	58.5	80.0	47	1.0	0.283	0.0		1.0	0.0	0.116	35.4	58.3	56.3	81.0	44	1.0	0.283	0.0						
62	48	46	1.0	0.571	0.0	46.3	33.0	62.0	70.3	62		1.0	0.323	0.0	37.4	52.9	58.8	79.1	48	1.0	0.3	0.0		1.0	0.246	0.0	36.1	56.2	58.2	80.9	46	1.0	0.3	0.0						
63	49	47	1.0	0.583	0.0	46.9	31.7	62.2	69.8	63		1.0	0.36	0.0	38.0	51.3	59.0	78.2	49	1.0	0.317	0.0		1.0	0.286	0.0	36.8	54.6	58.5	80.0	47	1.0	0.317	0.0						
64	50	48	1.0	0.595	0.0	47.5	30.4	62.3	69.3	64		1.0	0.386	0.0	38.7	49.7	59.3	77.4	50	1.0	0.333	0.0		1.0	0.323	0.0	37.4	52.9	58.8	79.1	48	1.0	0.333	0.0						
65	51	49	1.0	0.606	0.0	48.1	29.1	62.4	68.9	65		1.0	0.406	0.0	39.3	48.2	59.6	76.6	51	1.0	0.35	0.0		1.0	0.36	0.0	38.0	51.3	59.0	78.2	49	1.0	0.35	0.0						
66	52	50	1.0	0.618	0.0	48.7	27.8	62.5	68.4	66		1.0	0.425	0.0	40.0	46.7	59.8	75.9	52	1.0	0.367	0.0		1.0	0.386	0.0	38.7	49.7	59.3	77.4	50	1.0	0.367	0.0						
67	53	51	1.0	0.629	0.0	49.3	26.6	62.7	68.1	67		1.0	0.444	0.0	40.6	45.2	60.0	75.2	53	1.0	0.383	0.0		1.0	0.406	0.0	39.3	48.2	59.6	76.6	51	1.0	0.383	0.0						
68	54	52	1.0	0.638	0.0	49.9	25.5	63.1	68.1	68		1.0	0.463	0.0	41.3	43.8	60.2	74.5	54	1.0	0.4	0.0		1.0	0.425	0.0	40.0	46.7	59.8	75.9	52	1.0	0.4	0.0						
69	55	53	1.0	0.647	0.0	50.6	24.4	63.6	68.1	69		1.0	0.483	0.0	41.9	42.3	60.4	73.7	55	1.0	0.417	0.0		1.0	0.444	0.0	40.6	45.2	60.0	75.2	53	1.0	0.417	0.0						
70	56	54	1.0	0.656	0.0	51.2	23.3	63.9	68.0	70		1.0	0.501	0.0	42.6	40.8	60.5	73.0	56	1.0	0.433	0.0		1.0	0.463	0.0	41.3	43.8	60.2	74.5	54	1.0	0.433	0.0						
71	57	56	1.0	0.665	0.0	51.8	22.1	64.3	68.0	71		1.0	0.513	0.0	43.2	39.5	60.9	72.6	57	1.0	0.45	0.0		1.0	0.501	0.0	42.6	40.8	60.5	73.0	56	1.0	0.45	0.0						
72	58	57	1.0	0.674	0.0	52.4	21.0	64.7	68.0	72		1.0	0.525	0.0	43.8	38.2	61.1	72.1	58	1.0	0.467	0.0		1.0	0.513	0.0	43.2	39.5	60.9	72.6	57	1.0	0.467	0.0						
73	59	58	1.0	0.683	0.0	53.1	19.9	65.0	68.0	73		1.0	0.536	0.0	44.4	36.9	61.4	71.6	59	1.0	0.483	0.0		1.0	0.525	0.0	43.8	38.2	61.1	72.1	58	1.0	0.483	0.0						
74	60	59	1.0	0.692	0.0	53.7	18.7	65.3	67.9	74		1.0	0.548	0.0	45.0	35.6	61.6	71.2	60	1.0	0.5	0.0		1.0	0.536	0.0	44.4	36.9	61.4	71.6	59	1.0	0.5	0.0						
75	61	60	1.0	0.701	0.0	54.3	17.6	65.6	67.9	75		1.0	0.56	0.0	45.7	34.3	61.8	70.7	61	1.0	0.517	0.0		1.0	0.548															

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d : $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																								
h _{ab,d}		h _{ab,s}		h _{ab,e}		rgb* _{dd} 361Mi				LAB* _{dd} 361Mix (x=LabCh)				rgb* _{ds} 361Mi				LAB* _{ds} 361Mix (x=LabCh)				rgb* _s 50M				rgb* _{de} 361Mi				LAB* _{de} 361Mix (x=LabCh)				rgb* _e 50M				rgb* _{dd} rgb* _{ds} rgb* _{de}		
134	120	127	0.0	1.0	0.538	71.0	-47.2	49.0	68.1	134	0.64	1.0	0.0	71.7	-41.6	72.2	83.4	120	0.5	1.0	0.0	0.0	1.0	0.282	70.5	-50.0	66.5	83.3	127	0.5	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
135	121	128	0.0	1.0	0.558	71.1	-46.8	46.9	66.3	135	0.605	1.0	0.0	71.5	-43.1	71.8	83.8	121	0.483	1.0	0.0	0.0	1.0	0.353	70.5	-49.6	63.6	80.7	128	0.483	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
136	122	130	0.0	1.0	0.577	71.2	-46.3	44.8	64.5	136	0.562	1.0	0.0	71.3	-44.6	71.5	84.3	122	0.467	1.0	0.0	0.0	1.0	0.432	70.7	-48.8	58.3	76.1	130	0.467	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
137	123	131	0.0	1.0	0.596	71.2	-45.8	42.8	62.7	137	0.518	1.0	0.0	71.0	-46.1	71.1	84.8	123	0.45	1.0	0.0	0.0	1.0	0.466	70.8	-48.4	55.8	73.9	131	0.45	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
138	124	132	0.0	1.0	0.616	71.3	-45.2	40.7	60.9	138	0.451	1.0	0.0	70.8	-47.6	70.7	85.3	124	0.433	1.0	0.0	0.0	1.0	0.499	70.9	-47.9	53.3	71.7	132	0.433	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
139	125	133	0.0	1.0	0.631	71.4	-44.8	39.0	59.4	139	0.357	1.0	0.0	70.6	-49.2	70.4	85.9	125	0.417	1.0	0.0	0.0	1.0	0.519	70.9	-47.6	51.1	69.9	133	0.417	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
140	126	134	0.0	1.0	0.642	71.5	-44.5	37.5	58.3	140	0.0	1.0	0.133	70.4	-50.4	69.5	86.0	126	0.4	1.0	0.0	0.0	1.0	0.538	71.0	-47.2	49.0	68.1	134	0.4	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
141	127	135	0.0	1.0	0.652	71.6	-44.3	36.0	57.1	141	0.0	1.0	0.282	70.5	-50.0	66.5	83.3	127	0.383	1.0	0.0	0.0	1.0	0.558	71.1	-46.8	46.9	66.3	135	0.383	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
142	128	137	0.0	1.0	0.663	71.6	-44.0	34.5	56.0	142	0.0	1.0	0.353	70.5	-49.6	63.6	80.7	128	0.367	1.0	0.0	0.0	1.0	0.596	71.2	-45.8	42.8	62.7	137	0.367	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
143	129	138	0.0	1.0	0.674	71.7	-43.7	33.0	54.8	143	0.0	1.0	0.398	70.6	-49.2	60.9	78.3	129	0.35	1.0	0.0	0.0	1.0	0.616	71.3	-45.2	40.7	60.9	138	0.35	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
144	130	139	0.0	1.0	0.685	71.8	-43.3	31.5	53.7	144	0.0	1.0	0.432	70.7	-48.8	58.3	76.1	130	0.333	1.0	0.0	0.0	1.0	0.631	71.4	-44.8	39.0	59.4	139	0.333	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
145	131	140	0.0	1.0	0.696	71.9	-42.9	30.1	52.5	145	0.0	1.0	0.466	70.8	-48.4	55.8	73.9	131	0.317	1.0	0.0	0.0	1.0	0.642	71.5	-44.5	37.5	58.3	140	0.317	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
146	132	141	0.0	1.0	0.707	71.9	-42.5	28.7	51.4	146	0.0	1.0	0.499	70.9	-47.9	53.3	71.7	132	0.3	1.0	0.0	0.0	1.0	0.652	71.6	-44.3	36.0	57.1	141	0.3	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
147	133	142	0.0	1.0	0.717	72.0	-42.0	27.3	50.2	147	0.0	1.0	0.519	70.9	-47.6	51.1	69.9	133	0.283	1.0	0.0	0.0	1.0	0.663	71.6	-44.0	34.5	56.0	142	0.283	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
148	134	144	0.0	1.0	0.728	72.1	-41.5	26.0	49.1	148	0.0	1.0	0.538	71.0	-47.2	49.0	68.1	134	0.267	1.0	0.0	0.0	1.0	0.685	71.8	-43.3	31.5	53.7	144	0.267	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
149	135	145	0.0	1.0	0.739	72.2	-41.0	24.7	47.9	149	0.0	1.0	0.558	71.1	-46.8	46.9	66.3	135	0.25	1.0	0.0	0.0	1.0	0.696	71.9	-42.9	30.1	52.5	145	0.25	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
150	136	146	0.0	1.0	0.75	72.2	-40.4	23.4	46.8	150	0.0	1.0	0.577	71.2	-46.3	44.8	64.5	136	0.233	1.0	0.0	0.0	1.0	0.707	71.9	-42.5	28.7	51.4	146	0.233	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
151	137	147	0.0	1.0	0.756	72.3	-40.3	22.4	46.2	151	0.0	1.0	0.596	71.2	-45.8	42.8	62.7	137	0.217	1.0	0.0	0.0	1.0	0.717	72.0	-42.0	27.3	50.2	147	0.217	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
152	138	148	0.0	1.0	0.761	72.4	-40.2	21.4	45.6	152	0.0	1.0	0.616	71.3	-45.2	40.7	60.9	138	0.2	1.0	0.0	0.0	1.0	0.728	72.1	-41.5	26.0	49.1	148	0.2	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
153	139	149	0.0	1.0	0.767	72.4	-40.0	20.5	45.0	153	0.0	1.0	0.631	71.4	-44.8	39.0	59.4	139	0.183	1.0	0.0	0.0	1.0	0.739	72.2	-41.0	24.7	47.9	149	0.183	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
154	140	151	0.0	1.0	0.773	72.5	-39.9	19.5	44.5	154	0.0	1.0	0.642	71.5	-44.5	37.5	58.3	140	0.167	1.0	0.0	0.0	1.0	0.756	72.3	-40.3	22.4	46.2	151	0.167	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
155	141	152	0.0	1.0	0.779	72.5	-39.7	18.6	43.9	155	0.0	1.0	0.652	71.6	-44.3	36.0	57.1	141	0.15	1.0	0.0	0.0	1.0	0.761	72.4	-40.2	21.4	45.6	152	0.15	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
156	142	153	0.0	1.0	0.784	72.6	-39.5	17.6	43.4	156	0.0	1.0	0.663	71.6	-44.0	34.5	56.0	142	0.133	1.0	0.0	0.0	1.0	0.767	72.4	-40.0	20.5	45.0	153	0.133	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
157	143	154	0.0	1.0	0.79	72.7	-39.3	16.7	42.8	157	0.0	1.0	0.674	71.7	-43.7	33.0	54.8	143	0.117	1.0	0.0	0.0	1.0	0.773	72.5	-39.9	19.5	44.5	154	0.117	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
158	144	155	0.0	1.0	0.796	72.7	-39.0	15.8	42.2	158	0.0	1.0	0.685	71.8	-43.3	31.5	53.7	144	0.1	1.0	0.0	0.0	1.0	0.779	72.5	-39.7	18.6	43.9	155	0.1	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
159	145	156	0.0	1.0	0.802	72.8	-38.8	14.9	41.7	159	0.0	1.0	0.696	71.9	-42.9	30.1	52.5	145	0.083	1.0	0.0	0.0	1.0	0.784	72.6	-39.5	17.6	43.4	156	0.083	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
160	146	158	0.0	1.0	0.807	72.8	-38.5	14.1	41.1	160	0.0	1.0	0.707	71.9	-42.5	28.7	51.4	146	0.067	1.0	0.0	0.0	1.0	0.796	72.7	-39.0	15.8	42.2	158	0.067	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
161	147	159	0.0	1.0	0.813	72.9	-38.2	13.2	40.5	161	0.0	1.0	0.717	72.0	-42.0	27.3	50.2	147	0.05	1.0	0.0	0.0	1.0	0.802	72.8	-38.8	14.9	41.7	159	0.05	1.0	0.0	0.0	1.0	0.00	0.0	0.0	0.0		
162	148	160	0.0	1.0	0.819	72.9	-37.9	12.3	40.0	162	0.0	1.0	0.728	72.1	-41.5	26.0	49.1	148	0.033	1.0	0.0	0.0	1.0	0.807	72.8	-38.5	14.1	41.1	160	0.										



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e						
224	210	217	0.0	0.918	1.0	69.1	-21.2	-20.5	29.7	224	0.0	0.969	1.0	72.8	-25.5	-14.7	29.5	210	0.0	1.0	1.0C _s	0.0	0.943	1.0	70.9	-23.5	-17.7	29.6	217	0.0	1.0	1.0C _e			
225	211	218	0.0	0.914	1.0	68.8	-20.9	-20.9	29.7	225	0.0	0.965	1.0	72.5	-25.2	-15.1	29.5	211	0.0	0.983	1.0	0.0	0.939	1.0	70.6	-23.2	-18.1	29.6	218	0.0	0.983	1.0			
226	212	219	0.0	0.91	1.0	68.5	-20.5	-21.3	29.7	226	0.0	0.961	1.0	72.2	-25.0	-15.6	29.5	212	0.0	0.967	1.0	0.0	0.936	1.0	70.4	-22.9	-18.5	29.6	219	0.0	0.967	1.0			
227	213	220	0.0	0.907	1.0	68.3	-20.2	-21.6	29.7	227	0.0	0.958	1.0	72.0	-24.7	-16.0	29.6	213	0.0	0.95	1.0	0.0	0.932	1.0	70.1	-22.6	-18.9	29.6	220	0.0	0.95	1.0			
228	214	221	0.0	0.903	1.0	68.0	-19.8	-22.0	29.7	228	0.0	0.954	1.0	71.7	-24.4	-16.4	29.6	214	0.0	0.933	1.0	0.0	0.928	1.0	69.9	-22.3	-19.3	29.6	221	0.0	0.933	1.0			
229	215	222	0.0	0.899	1.0	67.7	-19.4	-22.3	29.7	229	0.0	0.95	1.0	71.4	-24.1	-16.9	29.6	215	0.0	0.917	1.0	0.0	0.925	1.0	69.6	-21.9	-19.7	29.6	222	0.0	0.917	1.0			
230	216	222	0.0	0.896	1.0	67.5	-19.0	-22.7	29.7	230	0.0	0.947	1.0	71.2	-23.8	-17.3	29.6	216	0.0	0.9	1.0	0.0	0.925	1.0	69.6	-21.9	-19.7	29.6	222	0.0	0.9	1.0			
231	217	223	0.0	0.892	1.0	67.2	-18.6	-23.0	29.7	231	0.0	0.943	1.0	70.9	-23.5	-17.7	29.6	217	0.0	0.883	1.0	0.0	0.921	1.0	69.3	-21.6	-20.1	29.7	223	0.0	0.883	1.0			
232	218	224	0.0	0.888	1.0	66.9	-18.2	-23.3	29.7	232	0.0	0.939	1.0	70.6	-23.2	-18.1	29.6	218	0.0	0.867	1.0	0.0	0.918	1.0	69.1	-21.2	-20.5	29.7	224	0.0	0.867	1.0			
233	219	225	0.0	0.885	1.0	66.7	-17.8	-23.7	29.8	233	0.0	0.936	1.0	70.4	-22.9	-18.5	29.6	219	0.0	0.85	1.0	0.0	0.914	1.0	68.8	-20.9	-20.9	29.7	225	0.0	0.85	1.0			
234	220	226	0.0	0.881	1.0	66.4	-17.4	-24.0	29.8	234	0.0	0.932	1.0	70.1	-22.6	-18.9	29.6	220	0.0	0.833	1.0	0.0	0.91	1.0	68.5	-20.5	-21.3	29.7	226	0.0	0.833	1.0			
235	221	227	0.0	0.877	1.0	66.1	-17.0	-24.3	29.8	235	0.0	0.928	1.0	69.9	-22.3	-19.3	29.6	221	0.0	0.817	1.0	0.0	0.907	1.0	68.3	-20.2	-21.6	29.7	227	0.0	0.817	1.0			
236	222	228	0.0	0.873	1.0	65.8	-16.6	-24.7	29.9	236	0.0	0.925	1.0	69.6	-21.9	-19.7	29.6	222	0.0	0.8	1.0	0.0	0.903	1.0	68.0	-19.8	-22.0	29.7	228	0.0	0.8	1.0			
237	223	229	0.0	0.869	1.0	65.5	-16.4	-25.3	30.3	237	0.0	0.921	1.0	69.3	-21.6	-20.1	29.7	223	0.0	0.783	1.0	0.0	0.899	1.0	67.7	-19.4	-22.3	29.7	229	0.0	0.783	1.0			
238	224	230	0.0	0.865	1.0	65.2	-16.1	-25.9	30.7	238	0.0	0.918	1.0	69.1	-21.2	-20.5	29.7	224	0.0	0.767	1.0	0.0	0.896	1.0	67.5	-19.0	-22.7	29.7	230	0.0	0.767	1.0			
239	225	231	0.0	0.861	1.0	64.8	-15.9	-26.5	31.0	239	0.0	0.914	1.0	68.8	-20.9	-20.9	29.7	225	0.0	0.75	1.0	0.0	0.892	1.0	67.2	-18.6	-23.0	29.7	231	0.0	0.75	1.0			
240	226	232	0.0	0.857	1.0	64.5	-15.6	-27.1	31.4	240	0.0	0.91	1.0	68.5	-20.5	-21.3	29.7	226	0.0	0.733	1.0	0.0	0.888	1.0	66.9	-18.2	-23.3	29.7	232	0.0	0.733	1.0			
241	227	232	0.0	0.853	1.0	64.1	-15.3	-27.7	31.7	241	0.0	0.907	1.0	68.3	-20.2	-21.6	29.7	227	0.0	0.717	1.0	0.0	0.888	1.0	66.9	-18.2	-23.3	29.7	232	0.0	0.717	1.0			
242	228	233	0.0	0.849	1.0	63.8	-15.0	-28.3	32.1	242	0.0	0.903	1.0	68.0	-19.8	-22.0	29.7	228	0.0	0.7	1.0	0.0	0.885	1.0	66.7	-17.8	-23.7	29.8	233	0.0	0.7	1.0			
243	229	234	0.0	0.845	1.0	63.5	-14.6	-28.8	32.5	243	0.0	0.899	1.0	67.7	-19.4	-22.3	29.7	229	0.0	0.683	1.0	0.0	0.881	1.0	66.4	-17.4	-24.0	29.8	234	0.0	0.683	1.0			
244	230	235	0.0	0.841	1.0	63.1	-14.3	-29.4	32.8	244	0.0	0.896	1.0	67.5	-19.0	-22.7	29.7	230	0.0	0.667	1.0	0.0	0.877	1.0	66.1	-17.0	-24.3	29.8	235	0.0	0.667	1.0			
245	231	236	0.0	0.837	1.0	62.8	-13.9	-30.0	33.2	245	0.0	0.892	1.0	67.2	-18.6	-23.0	29.7	231	0.0	0.65	1.0	0.0	0.873	1.0	65.8	-16.6	-24.7	29.9	236	0.0	0.65	1.0			
246	232	237	0.0	0.833	1.0	62.4	-13.6	-30.6	33.6	246	0.0	0.888	1.0	66.9	-18.2	-23.3	29.7	232	0.0	0.633	1.0	0.0	0.869	1.0	65.5	-16.4	-25.3	30.3	237	0.0	0.633	1.0			
247	233	238	0.0	0.829	1.0	62.1	-13.2	-31.1	33.9	247	0.0	0.885	1.0	66.7	-17.8	-23.7	29.8	233	0.0	0.617	1.0	0.0	0.865	1.0	65.2	-16.1	-25.9	30.7	238	0.0	0.617	1.0			
248	234	239	0.0	0.825	1.0	61.7	-12.8	-31.7	34.3	248	0.0	0.881	1.0	66.4	-17.4	-24.0	29.8	234	0.0	0.6	1.0	0.0	0.861	1.0	64.8	-15.9	-26.5	31.0	239	0.0	0.6	1.0			
249	235	240	0.0	0.821	1.0	61.4	-12.3	-32.3	34.7	249	0.0	0.877	1.0	66.1	-17.0	-24.3	29.8	235	0.0	0.583	1.0	0.0	0.857	1.0	64.5	-15.6	-27.1	31.4	240	0.0	0.583	1.0			
250	236	241	0.0	0.817	1.0	61.1	-11.9	-32.8	35.0	250	0.0	0.873	1.0	65.8	-16.6	-24.7	29.9	236	0.0	0.567	1.0	0.0	0.853	1.0	64.1	-15.3	-27.7	31.7	241	0.0	0.567	1.0			
251	237	242	0.0	0.813	1.0	60.7	-11.4	-33.4	35.4	251	0.0	0.869	1.0	65.5	-16.4	-25.3	30.3	237	0.0	0.55	1.0	0.0	0.849	1.0	63.8	-15.0	-28.3	32.1	242	0.0	0.55	1.0			
252	238	243	0.0	0.809	1.0	60.4	-11.0	-33.9	35.8	252	0.0	0.865	1.0	65.2	-16.1	-25.9	30.7	238	0.0	0.533	1.0	0.0	0.845	1.0	63.5	-14.6	-28.8	32.5	243	0.0	0.533	1.0			
253	239	243	0.0	0.805	1.0	60.0	-10.5	-34.5	36.1	253	0.0	0.861	1.0	64.8	-15.9	-26.5	31.0	239	0.0	0.517	1.0	0.0	0.845	1.0	63.5	-14.6	-28.8	32.5	243	0.0	0.517	1.0			
254																																			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
269	255	258	0.0	0.732	1.0	54.0	-0.7	-43.5	43.6	269	0.0	0.797	1.0	59.4	-9.4	-35.5	36.9	255	0.0	0.25	1.0	0.0	0.785	1.0	58.3	-7.8	-37.0	38.0	258	0.0	0.25	1.0			
270	256	259	0.0	0.724	1.0	53.4	0.0	-44.5	44.6	270	0.0	0.793	1.0	59.0	-8.9	-36.0	37.2	256	0.0	0.233	1.0	0.0	0.781	1.0	58.0	-7.2	-37.5	38.3	259	0.0	0.233	1.0			
271	257	260	0.0	0.717	1.0	52.8	0.8	-45.5	45.6	271	0.0	0.789	1.0	58.7	-8.4	-36.5	37.6	257	0.0	0.217	1.0	0.0	0.777	1.0	57.6	-6.6	-38.0	38.7	260	0.0	0.217	1.0			
272	258	261	0.0	0.709	1.0	52.2	1.6	-46.5	46.7	272	0.0	0.785	1.0	58.3	-7.8	-37.0	38.0	258	0.0	0.2	1.0	0.0	0.773	1.0	57.3	-6.0	-38.5	39.1	261	0.0	0.2	1.0			
273	259	262	0.0	0.702	1.0	51.7	2.5	-47.5	47.7	273	0.0	0.781	1.0	58.0	-7.2	-37.5	38.3	259	0.0	0.183	1.0	0.0	0.769	1.0	57.0	-5.4	-39.0	39.4	262	0.0	0.183	1.0			
274	260	263	0.0	0.694	1.0	51.1	3.4	-48.5	48.7	274	0.0	0.777	1.0	57.6	-6.6	-38.0	38.7	260	0.0	0.167	1.0	0.0	0.764	1.0	56.6	-4.8	-39.4	39.8	263	0.0	0.167	1.0			
275	261	264	0.0	0.687	1.0	50.5	4.3	-49.4	49.7	275	0.0	0.773	1.0	57.3	-6.0	-38.5	39.1	261	0.0	0.15	1.0	0.0	0.76	1.0	56.3	-4.1	-39.9	40.2	264	0.0	0.15	1.0			
276	262	264	0.0	0.68	1.0	49.9	5.3	-50.4	50.8	276	0.0	0.769	1.0	57.0	-5.4	-39.0	39.4	262	0.0	0.133	1.0	0.0	0.76	1.0	56.3	-4.1	-39.9	40.2	264	0.0	0.133	1.0			
277	263	265	0.0	0.672	1.0	49.3	6.3	-51.3	51.8	277	0.0	0.764	1.0	56.6	-4.8	-39.4	39.8	263	0.0	0.117	1.0	0.0	0.756	1.0	55.9	-3.4	-40.3	40.5	265	0.0	0.117	1.0			
278	264	266	0.0	0.665	1.0	48.7	7.3	-52.2	52.8	278	0.0	0.76	1.0	56.3	-4.1	-39.9	40.2	264	0.0	0.1	1.0	0.0	0.752	1.0	55.6	-2.8	-40.7	40.9	266	0.0	0.1	1.0			
279	265	267	0.0	0.657	1.0	48.2	8.4	-53.1	53.8	279	0.0	0.756	1.0	55.9	-3.4	-40.3	40.5	265	0.0	0.083	1.0	0.0	0.747	1.0	55.2	-2.1	-41.4	41.5	267	0.0	0.083	1.0			
280	266	268	0.0	0.65	1.0	47.6	9.5	-53.9	54.8	280	0.0	0.752	1.0	55.6	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.739	1.0	54.6	-1.4	-42.4	42.6	268	0.0	0.067	1.0			
281	267	269	0.0	0.642	1.0	47.0	10.7	-54.7	55.9	281	0.0	0.747	1.0	55.2	-2.1	-41.4	41.5	267	0.0	0.05	1.0	0.0	0.732	1.0	54.0	-0.7	-43.5	43.6	269	0.0	0.05	1.0			
282	268	270	0.0	0.635	1.0	46.4	11.8	-55.5	56.9	282	0.0	0.739	1.0	54.6	-1.4	-42.4	42.6	268	0.0	0.033	1.0	0.0	0.724	1.0	53.4	0.0	-44.5	44.6	270	0.0	0.033	1.0			
283	269	271	0.0	0.627	1.0	45.8	13.0	-56.3	57.9	283	0.0	0.732	1.0	54.0	-0.7	-43.5	43.6	269	0.0	0.017	1.0	0.0	0.717	1.0	52.8	0.8	-45.5	45.6	271	0.0	0.017	1.0			
284	270	272	0.0	0.615	1.0	45.0	14.4	-57.7	59.5	284	0.0	0.724	1.0	53.4	0.0	-44.5	44.6	270	0.0	0.0	1.0B _s	0.0	0.709	1.0	52.2	1.6	-46.5	46.7	272	0.0	0.0	1.0B _e			
285	271	273	0.0	0.601	1.0	44.2	15.9	-59.2	61.4	285	0.0	0.717	1.0	52.8	0.8	-45.5	45.6	271	0.017	0.0	1.0	0.0	0.702	1.0	51.7	2.5	-47.5	47.7	273	0.017	0.0	1.0			
286	272	274	0.0	0.587	1.0	43.3	17.4	-60.7	63.2	286	0.0	0.709	1.0	52.2	1.6	-46.5	46.7	272	0.033	0.0	1.0	0.0	0.694	1.0	51.1	3.4	-48.5	48.7	274	0.033	0.0	1.0			
287	273	275	0.0	0.574	1.0	42.4	19.0	-62.2	65.1	287	0.0	0.702	1.0	51.7	2.5	-47.5	47.7	273	0.05	0.0	1.0	0.0	0.687	1.0	50.5	4.3	-49.4	49.7	275	0.05	0.0	1.0			
288	274	276	0.0	0.56	1.0	41.5	20.7	-63.6	67.0	288	0.0	0.694	1.0	51.1	3.4	-48.5	48.7	274	0.067	0.0	1.0	0.0	0.68	1.0	49.9	5.3	-50.4	50.8	276	0.067	0.0	1.0			
289	275	276	0.0	0.546	1.0	40.6	22.4	-65.0	68.8	289	0.0	0.687	1.0	50.5	4.3	-49.4	49.7	275	0.083	0.0	1.0	0.0	0.68	1.0	49.9	5.3	-50.4	50.8	276	0.083	0.0	1.0			
290	276	277	0.0	0.532	1.0	39.8	24.2	-66.3	70.7	290	0.0	0.68	1.0	49.9	5.3	-50.4	50.8	276	0.1	0.0	1.0	0.0	0.672	1.0	49.3	6.3	-51.3	51.8	277	0.1	0.0	1.0			
291	277	278	0.0	0.519	1.0	38.9	26.0	-67.6	72.5	291	0.0	0.672	1.0	49.3	6.3	-51.3	51.8	277	0.117	0.0	1.0	0.0	0.665	1.0	48.7	7.3	-52.2	52.8	278	0.117	0.0	1.0			
292	278	279	0.0	0.505	1.0	38.0	27.9	-68.9	74.4	292	0.0	0.665	1.0	48.7	7.3	-52.2	52.8	278	0.133	0.0	1.0	0.0	0.657	1.0	48.2	8.4	-53.1	53.8	279	0.133	0.0	1.0			
293	279	280	0.0	0.484	1.0	37.0	30.0	-70.5	76.7	293	0.0	0.657	1.0	48.2	8.4	-53.1	53.8	279	0.15	0.0	1.0	0.0	0.65	1.0	47.6	9.5	-53.9	54.8	280	0.15	0.0	1.0			
294	280	281	0.0	0.459	1.0	36.0	32.3	-72.4	79.3	294	0.0	0.65	1.0	47.6	9.5	-53.9	54.8	280	0.167	0.0	1.0	0.0	0.642	1.0	47.0	10.7	-54.7								

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}		LAB* _{dd361Mix (x=LabCh)}		rgb* _{ds361Mi}		LAB* _{ds361Mix (x=LabCh)}		rgb* _{s50M}		rgb* _{de361Mi}		LAB* _{de361Mix (x=LabCh)}		rgb* _{e50M}		rgb*_ _{dd}	rgb*_ _{ds}	rgb*_ _{de}											
314	300	300	0.86	0.0	1.0	40.3	63.9	-66.1	92.0	314	0.0	0.222	1.0	29.1	48.3	-83.5	96.5	300	0.5	0.0	1.0											
315	301	301	0.884	0.0	1.0	41.4	64.9	-64.8	91.8	315	0.166	0.0	1.0	28.3	51.3	-85.3	99.7	301	0.517	0.0	1.0											
316	302	302	0.908	0.0	1.0	42.4	66.1	-63.8	91.9	316	0.419	0.0	1.0	29.5	52.2	-83.4	98.5	302	0.533	0.0	1.0											
317	303	303	0.932	0.0	1.0	43.5	67.3	-62.7	92.1	317	0.503	0.0	1.0	30.3	53.3	-82.0	97.9	303	0.55	0.0	1.0											
318	304	304	0.957	0.0	1.0	44.6	68.5	-61.6	92.2	318	0.553	0.0	1.0	31.1	54.3	-80.4	97.1	304	0.567	0.0	1.0											
319	305	305	0.981	0.0	1.0	45.7	69.7	-60.5	92.3	319M _d	0.604	0.0	1.0	31.9	55.2	-78.7	96.3	305	0.583	0.0	1.0											
320	306	306	1.0	0.0	0.996	46.4	70.5	-59.0	92.0	320	0.644	0.0	1.0	32.8	56.1	-77.2	95.5	306	0.6	0.0	1.0											
321	307	307	1.0	0.0	0.98	45.8	70.0	-56.6	90.1	321	0.677	0.0	1.0	33.6	57.1	-75.7	94.9	307	0.617	0.0	1.0											
322	308	308	1.0	0.0	0.963	45.2	69.5	-54.2	88.2	322	0.71	0.0	1.0	34.4	58.0	-74.1	94.2	308	0.633	0.0	1.0											
323	309	309	1.0	0.0	0.946	44.7	69.0	-51.9	86.4	323	0.743	0.0	1.0	35.1	58.9	-72.6	93.5	309	0.65	0.0	1.0											
324	310	310	1.0	0.0	0.93	44.1	68.4	-49.6	84.5	324	0.768	0.0	1.0	36.1	59.9	-71.3	93.2	310	0.667	0.0	1.0											
325	311	311	1.0	0.0	0.913	43.5	67.7	-47.3	82.6	325	0.791	0.0	1.0	37.2	60.9	-70.0	92.9	311	0.683	0.0	1.0											
326	312	312	1.0	0.0	0.897	43.0	66.9	-45.1	80.8	326	0.814	0.0	1.0	38.2	61.9	-68.7	92.6	312	0.7	0.0	1.0											
327	313	312	1.0	0.0	0.88	42.4	66.2	-42.9	78.9	327	0.837	0.0	1.0	39.3	62.9	-67.4	92.3	313	0.717	0.0	1.0											
328	314	313	1.0	0.0	0.869	42.1	65.9	-41.1	77.7	328	0.86	0.0	1.0	40.3	63.9	-66.1	92.0	314	0.733	0.0	1.0											
329	315	314	1.0	0.0	0.86	41.8	65.9	-39.5	76.9	329	0.884	0.0	1.0	41.4	64.9	-64.8	91.8	315	0.75	0.0	1.0											
330	316	315	1.0	0.0	0.851	41.6	65.8	-37.9	76.0	330	0.908	0.0	1.0	42.4	66.1	-63.8	91.9	316	0.767	0.0	1.0											
331	317	316	1.0	0.0	0.842	41.4	65.7	-36.3	75.1	331	0.932	0.0	1.0	43.5	67.3	-62.7	92.1	317	0.783	0.0	1.0											
332	318	317	1.0	0.0	0.833	41.2	65.6	-34.8	74.3	332	0.957	0.0	1.0	44.6	68.5	-61.6	92.2	318	0.8	0.0	1.0											
333	319	318	1.0	0.0	0.825	40.9	65.4	-33.2	73.4	333	0.981	0.0	1.0	45.7	69.7	-60.5	92.3	319	0.817	0.0	1.0											
334	320	319	1.0	0.0	0.816	40.7	65.2	-31.7	72.6	334	1.0	0.0	0.996	46.4	70.5	-59.0	92.0	320	0.833	0.0	1.0											
335	321	320	1.0	0.0	0.807	40.5	65.0	-30.2	71.7	335	1.0	0.0	0.98	45.8	70.0	-56.6	90.1	321	0.85	0.0	1.0											
336	322	321	1.0	0.0	0.798	40.3	64.7	-28.7	70.9	336	1.0	0.0	0.963	45.2	69.5	-54.2	88.2	322	0.867	0.0	1.0											
337	323	322	1.0	0.0	0.789	40.0	64.4	-27.3	70.0	337	1.0	0.0	0.946	44.7	69.0	-51.9	86.4	323	0.883	0.0	1.0											
338	324	323	1.0	0.0	0.78	39.8	64.1	-25.8	69.1	338	1.0	0.0	0.93	44.1	68.4	-49.6	84.5	324	0.9	0.0	1.0											
339	325	324	1.0	0.0	0.771	39.6	63.8	-24.4	68.3	339	1.0	0.0	0.913	43.5	67.7	-47.3	82.6	325	0.917	0.0	1.0											
340	326	325	1.0	0.0	0.763	39.4	63.4	-23.0	67.4	340	1.0	0.0	0.897	43.0	66.9	-45.1	80.8	326	0.933	0.0	1.0											
341	327	326	1.0	0.0	0.754	39.1	62.9	-21.6	66.6	341	1.0	0.0	0.88	42.4	66.2	-42.9	78.9	327	0.95	0.0	1.0											
342	328	327	1.0	0.0	0.746	39.0	62.8	-20.3	66.0	342	1.0	0.0	0.869	42.1	65.9	-41.1	77.7	328	0.967	0.0	1.0											
343	329	328	1.0	0.0	0.738	38.9	62.8	-19.1	65.7	343	1.0	0.0	0.86	41.8	65.9	-39.5	76.9	329	0.983	0.0	1.0											
344	330	329	1.0	0.0	0.73	38.8	62.8	-17.9	65.3	344	1.0	0.0	0.851	41.6	65.8	-37.9	76.0	330	1.0	0.0	1.0M _s	1.0	0.0	0.86	41.8	65.9	-39.5	76.9	329	1.0	0.0	1.0M _e
345	331	330	1.0	0.0	0.723	38.7	62.8	-16.7	65.0	345	1.0	0.0	0.842	41.4	65.7	-36.3	75.1	331	1.0	0.0	0.983	1.0	0.0	0.851	41.6	65.8	-37.9	76.0	330	1.0	0.0	0.983
346	332	331	1.0	0.0	0.715	38.6	62.8	-15.5	64.7	346	1.0	0.0	0.833	41.2	65.6	-34.8	74.3	332	1.0	0.0	0.967	1.0	0.0	0.842	41.4	65.7	-36.3	75.1	331	1.0	0.0	0.967
347	333	331	1.0	0.0	0.708	38.5	62.7	-14.4	64.3	347	1.0	0.0	0.825	40.9	65.4	-33.2	73.4	333	1.0	0.0	0.95	1.0	0.0	0.842	41.4	65.7	-36.3	75.1	331	1.0	0.0	0.95
348	334	332	1.0	0.0	0.7	38.4	62.6	-13.2	64.0	348	1.0	0.0	0.816	40.7	65.2	-31.7	72.6	334	1.0	0.0	0.933	1.0	0.0	0.833	41.2	65.6	-34.8	74.3	332	1.0	0.0	0.933
349	335	333	1.0	0.0	0.692	38.3	62.5	-12.1	63.7	349	1.0	0.0	0.807	40.5	65.0	-30.2	71.7	335	1.0	0.0	0.917	1.0	0.0	0.825	40.9	65.4	-33.2	73.4	333	1.0	0.0	0.917
350	336	334	1.0	0.0	0.685	38.2	62.4	-10.9	63.4	350	1.0	0.0	0.798	40.3	64.7	-28.7	70.9	336	1.0	0.0	0.9	1.0	0.0	0.816	40.7	65.2	-31.7	72.6	334	1.0	0.0	0.9
351	337	335	1.0	0.0	0.677	38.1	62.2	-9.8	63.0	351	1.0	0.0	0.789	40.0	64.4	-27.3	70.0	337	1.0	0.0	0.883	1.0	0.0	0.807	40.5	65.0	-30.2	71.7	335	1.0	0.0	0.883
352	338	336	1.0	0.0	0.67	38.0	62.1	-8.6	62.7	352	1.0	0.0	0.78	39.8	64.1	-25.8	69.1	338	1.0	0.0	0.867	1.0	0.0	0.798	40.3	64.7	-28.7	70.9	336	1.0	0.0	0.867
353	339	337	1.0	0.0	0.662	37.9	61.9	-7.5	62.4	353	1.0	0.0	0.771	39.6	63.8	-24.4	68.3	339	1.0	0.0	0.85	1.0	0.0	0.789	40.0	64.4	-27.3	70.0	337	1.0	0.0	0.85
354	340	338	1.0	0.0	0.654	37.7	61.7	-6.4	62.0	354	1.0	0.0	0.763	39.4	63.4	-23.0	67.4	340	1.0	0.0	0.833	1.0	0.0	0.78	39.8	64.1	-25.8	69.1	338	1.0	0.0	0.833
355	341	339	1.0	0.0	0.647	37.6	61.5	-5.3	61.7	355	1.0	0.0	0.754	39.1	62.9	-21.6	66.6	341	1.0	0.0	0.817	1.0	0.0	0.771	39.6	63.8	-					

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																													
Six hue angles of the device colours d: $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$																	

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																													
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 50M			LAB* _{dd} 50Mx (x=LabCh)			rgb* _{ds} 50M			LAB* _{ds} 50Mx (x=LabCh)			rgb* _s 50M			rgb* _{de} 50M			LAB* _{de} 50Mx (x=LabCh)			rgb* _e 50M			rgb* _{dd} rgb* _{ds} rgb* _{de}		

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$					R_d	$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$					R_s	rgb^*s50M			$rgb^*de361Mi$					R_e	rgb^*_d	rgb^*_s	rgb^*_e
44	30	25	1.0	0.0																												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d : $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$




$h_{ab,d}$			$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$					$LAB^*_{dd361Mix}(x=LabCh)$					$rgb^*_{ds361Mi}$					$LAB^*_{ds361Mix}(x=LabCh)$					rgb^*_{s50M}					$rgb^*_{de361Mi}$					$LAB^*_{de361Mix}(x=LabCh)$					rgb^*_{e50M}					rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
134	120	127	0.0	1.0	0.538	71.0	-47.2	49.0	68.1	134	0.64	1.0	0.0	71.7	-41.6	72.2	83.4	120	0.5	1.0	0.0	0.0	1.0	0.282	70.5	-50.0	66.5	83.3	127	0.5	1.0	0.0															
135	121	128	0.0	1.0	0.558	71.1	-46.8	46.9	66.3	135	0.605	1.0	0.0	71.5	-43.1	71.8	83.8	121	0.483	1.0	0.0	0.0	1.0	0.353	70.5	-49.6	63.6	80.7	128	0.483	1.0	0.0															
136	122	130	0.0	1.0	0.577																																										

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																									
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi						LAB*dd361Mix (x=LabCh)						rgb*ds361Mi						LAB*ds361Mix (x=LabCh)						rgb*s50M						rgb*de361Mi						LAB*de361Mix (x=LabCh)		

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d: $h_{ab,d} = 44.8, 101.7, 125.8, 201.4, 300.8, 319.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361Mi$	$LAB^*_{dd}361Mix(x=LabCh)$	$rgb^*_{ds}361Mi$	$LAB^*_{ds}361Mix(x=LabCh)$	rgb^*_{s50M}	$rgb^*_{de}361Mi$	$LAB^*_{de}361Mix(x=LabCh)$	rgb^*_{e50M}	$rgb^*_{dd}361Mi$	$rgb^*_{ds}361Mi$	$rgb^*_{de}361Mi$								
269	255	258	0.0	0.732 1.0	54.0	-0.7	-43.5 43.6	269	0.0	0.25 1.0	0.0	0.785 1.0	58.3	-7.8	-37.0 38.0	258	0.0	0.25 1.0			
270	256	259	0.0	0.724 1.0	53.4	0.0	-44.5 44.6	270	0.0	0.233 1.0	0.0	0.781 1.0	58.0	-7.2	-37.5 38.3	259	0.0	0.233 1.0			
271	257	260	0.0	0.717 1.0	52.8	0.8	-45.5 45.6	271	0.0	0.217 1.0	0.0	0.777 1.0	57.6	-6.6	-38.0 38.						

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s: $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e: $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
6. The values rgb^*_{le} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$						$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$						$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						rgb^*_d	rgb^*_s	rgb^*_e
86	75	76	1.0	0.811	0.0	62.6	4.7	67.1	67.3	86	1.0	0.707	0.0	55.2	16.6	61.8	64.0	75	1.0	0.75	0.0	1.0	0.716	0.0	55.8	15.5	62.2	64.1	76	1.0	0.75	0.0																					
87	76	77	1.0	0.821	0.0	63.4	3.5	67.7	67.7	87	1.0	0.716	0.0	55.8	15.5	62.2	64.1	76	1.0	0.767	0.0	1.0	0.724	0.0	56.3	14.4	62.5	64.1	77	1.0	0.767	0.0																					
88	77	78	1.0	0.831	0.0	64.1	2.4	68.2	68.2	88	1.0	0.724	0.0	56.3	14.4	62.5	64.1	77	1.0	0.783	0.0	1.0	0.733	0.0	56.9	13.3	62.8	64.2	78	1.0	0.783	0.0																					
89	78	79	1.0	0.841	0.0	64.9	1.2	68.7	68.7	89	1.0	0.733	0.0	56.9	13.3	62.8	64.2	78	1.0	0.8	0.0	1.0	0.741	0.0	57.5	12.3	63.1	64.3	79	1.0	0.8	0.0																					
90	79	80	1.0	0.851	0.0	65.7	0.0	69.2	69.2	90	1.0	0.741	0.0	57.5	12.3	63.1	64.3	79	1.0	0.817	0.0	1.0	0.75	0.0	58.0	11.2	63.3	64.3	80	1.0	0.817	0.0																					
91	80	81	1.0	0.862	0.0	66.4	-1.1	69.7	69.7	91	1.0	0.75	0.0	58.0	11.2	63.3	64.3	80	1.0	0.833	0.0	1.0	0.76	0.0	58.8	10.1	64.0	64.8	81	1.0	0.833	0.0																					
92	81	82	1.0	0.872	0.0	67.2	-2.4	70.2	70.2	92	1.0	0.76	0.0	58.8	10.1	64.0	64.8	81	1.0	0.85	0.0	1.0	0.77	0.0	59.6	9.1	64.7	65.3	82	1.0	0.85	0.0																					
93	82	83	1.0	0.884	0.0	68.5	-3.6	71.2	71.3	93	1.0	0.77	0.0	59.6	9.1	64.7	65.3	82	1.0	0.867	0.0	1.0	0.78	0.0	60.3	8.0	65.3	65.8	83	1.0	0.867	0.0																					
94	83	85	1.0	0.897	0.0	70.0	-5.0	72.6	72.8	94	1.0	0.78	0.0	60.3	8.0	65.3	65.8	83	1.0	0.883	0.0	1.0	0.801	0.0	61.9	5.8	66.5	66.8	85	1.0	0.883	0.0																					
95	84	86	1.0	0.91	0.0	71.6	-6.4	74.0	74.3	95	1.0	0.79	0.0	61.1	6.9	65.9	66.3	84	1.0	0.9	0.0	1.0	0.811	0.0	62.6	4.7	67.1	67.3	86	1.0	0.9	0.0																					
96	85	87	1.0	0.923	0.0	73.1	-7.8	75.3	75.7	96	1.0	0.801	0.0	61.9	5.8	66.5	66.8	85	1.0	0.917	0.0	1.0	0.821	0.0	63.4	3.5	67.7	67.7	87	1.0	0.917	0.0																					
97	86	88	1.0	0.937	0.0	74.6	-9.3	76.6	77.2	97	1.0	0.811	0.0	62.6	4.7	67.1	67.3	86	1.0	0.933	0.0	1.0	0.831	0.0	64.1	2.4	68.2	68.2	88	1.0	0.933	0.0																					
98	87	89	1.0	0.95	0.0	76.2	-10.8	77.8	78.6	98	1.0	0.821	0.0	63.4	3.5	67.7	67.7	87	1.0	0.95	0.0	1.0	0.841	0.0	64.9	1.2	68.7	68.7	89	1.0	0.95	0.0																					
99	88	90	1.0	0.963	0.0	77.7	-12.4	79.1	80.1	99	1.0	0.831	0.0	64.1	2.4	68.2	68.2	88	1.0	0.967	0.0	1.0	0.851	0.0	65.7	0.0	69.2	69.2	90	1.0	0.967	0.0																					
100	89	91	1.0	0.976	0.0	79.2	-14.1	80.3	81.5	100	1.0	0.841	0.0	64.9	1.2	68.7	68.7	89	1.0	0.983	0.0	1.0	0.862	0.0	66.4	-1.1	69.7	69.7	91	1.0	0.983	0.0																					
101	90	92	1.0	0.989	0.0	80.8	-15.7	81.4	83.0	101	J_d	1.0	0.851	0.0	65.7	0.0	69.2	69.2	90	1.0	1.0	0.0	J_s	1.0	0.872	0.0	67.2	-2.4	70.2	70.2	92	1.0	1.0	0.0	J_e																		
102	91	93	0.996	1.0	0.0	81.9	-17.4	82.2	84.1	102	1.0	0.862	0.0	66.4	-1.1	69.7	69.7	91	0.983	1.0	0.0	1.0	0.884	0.0	68.5	-3.6	71.2	71.3	93	0.983	1.0	0.0																					
103	92	95	0.975	1.0	0.0	81.2	-18.7	81.4	83.6	103	1.0	0.872	0.0	67.2	-2.4	70.2	70.2	92	0.967	1.0	0.0	1.0	0.91	0.0	71.6	-6.4	74.0	74.3	95	0.967	1.0	0.0																					
104	93	96	0.954	1.0	0.0	80.5	-20.0	80.6	83.0	104	1.0	0.884	0.0	68.5	-3.6	71.2	71.3	93	0.95	1.0	0.0	1.0	0.923	0.0	73.1	-7.8	75.3	75.7	96	0.95	1.0	0.0																					
105	94	97	0.934	1.0	0.0	79.8	-21.3	79.7	82.5	105	1.0	0.897	0.0	70.0	-5.0	72.6	72.8	94	0.933	1.0	0.0	1.0	0.937	0.0	74.6	-9.3	76.6	77.2	97	0.933	1.0	0.0																					
106	95	98	0.913	1.0	0.0	79.0	-22.5	78.9	82.0	106	1.0	0.91	0.0	71.6	-6.4	74.0	74.3	95	0.917	1.0	0.0	1.0	0.95	0.0	76.2	-10.8	77.8	78.6	98	0.917	1.0	0.0																					
107	96	99	0.892	1.0	0.0	78.3	-23.7	78.0	81.5	107	1.0	0.923	0.0	73.1	-7.8	75.3	75.7	96	0.9	1.0	0.0	1.0	0.963	0.0	77.7	-12.4	79.1	80.1	99	0.9	1.0	0.0																					
108	97	100	0.872	1.0	0.0	77.6	-25.0	77.1	81.1	108	1.0	0.937	0.0	74.6	-9.3	76.6	77.2	97	0.883	1.0	0.0	1.0	0.976	0.0	79.2	-14.1	80.3	81.5	100	0.883	1.0	0.0																					
109	98	102	0.857	1.0	0.0	77.0	-26.2	76.5	80.9	109	1.0	0.95	0.0	76.2	-10.8	77.8	78.6	98	0.867	1.0	0.0	1.0	0.996	1.0	0.0	81.9	-17.4	82.2	84.1	102	0.867	1.0	0.0																				
110	99	103	0.842	1.0	0.0	76.4	-27.5	75.9	80.7	110	1.0	0.963	0.0	77.7	-12.4	79.1	80.1	99	0.85	1.0	0.0	1.0	0.975	1.0	0.0	81.2	-18.7	81.4	83.6	103	0.85	1.0	0.0																				
111	100	104	0.827	1.0	0.0	75.8	-28.8	75.2	80.6	111	1.0	0.976	0.0	79.2	-14.1	80.3	81.5	100	0.833	1.0	0.0	1.0	0.954	1.0	0.0	80.5	-20.0	80.6	83.0	104	0.833	1.0	0.0																				
112	101	105	0.813	1.0	0.0	75.2	-30.0	74.5	80.4	112	1.0	0.989	0.0	80.8	-15.7	81.4	83.0	101	0.817	1.0	0.0	1.0	0.934	1.0	0.0	79.8	-21.3	79.7	82.5	105	0.817	1.0	0.0																				
113	102	106	0.798	1.0	0.0	74.6	-31.2	73.8	80.2																																												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																				
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi LAB*dd361Mix (x=LabCh)								rgb*ds361Mi LAB*ds361Mix (x=LabCh)								rgb*s50M rgb*de361Mi LAB*de361Mix (x=LabCh)								rgb*e50M rgb*dd361Mi rgb*ds361Mi rgb*de361Mi									
176	165	176	0.0	1.0	0.893	73.9	-33.1	2.3	33.3	176	0.0	1.0	0.836	73.3	-36.4	9.8	37.8	165	0.0	1.0	0.25	0.0	1.0	0.893	73.9	-33.1	2.3	33.3	176	0.0	1.0	0.25				
177	166	177	0.0	1.0	0.897	74.0	-33.0	1.7	33.1	177	0.0	1.0	0.842	73.4	-36.0	9.0	37.2	166	0.0	1.0	0.267	0.0	1.0	0.897	74.0	-33.0	1.7	33.1	177	0.0	1.0	0.267				
178	167	178	0.0	1.0	0.901	74.0	-32.8	1.2	33.0	178	0.0	1.0	0.848	73.4	-35.6	8.2	36.6	167	0.0	1.0	0.283	0.0	1.0	0.901	74.0	-32.8	1.2	33.0	178	0.0	1.0	0.283				
179	168	179	0.0	1.0	0.905	74.1	-32.7	0.6	32.8	179	0.0	1.0	0.853	73.5	-35.2	7.5	36.1	168	0.0	1.0	0.3	0.0	1.0	0.905	74.1	-32.7	0.6	32.8	179	0.0	1.0	0.3				
180	169	180	0.0	1.0	0.91	74.1	-32.5	0.0	32.6	180	0.0	1.0	0.859	73.6	-34.8	6.8	35.5	169	0.0	1.0	0.317	0.0	1.0	0.91	74.1	-32.5	0.0	32.6	180	0.0	1.0	0.317				
181	170	180	0.0	1.0	0.914	74.2	-32.4	-0.5	32.5	181	0.0	1.0	0.865	73.6	-34.3	6.1	35.0	170	0.0	1.0	0.333	0.0	1.0	0.91	74.1	-32.5	0.0	32.6	180	0.0	1.0	0.333				
182	171	181	0.0	1.0	0.918	74.2	-32.2	-1.0	32.3	182	0.0	1.0	0.871	73.7	-33.9	5.4	34.4	171	0.0	1.0	0.35	0.0	1.0	0.914	74.2	-32.4	-0.5	32.5	181	0.0	1.0	0.35				
183	172	182	0.0	1.0	0.922	74.3	-32.0	-1.6	32.1	183	0.0	1.0	0.876	73.7	-33.5	4.7	34.0	172	0.0	1.0	0.367	0.0	1.0	0.918	74.2	-32.2	-1.0	32.3	182	0.0	1.0	0.367				
184	173	183	0.0	1.0	0.926	74.3	-31.8	-2.1	32.0	184	0.0	1.0	0.88	73.8	-33.4	4.1	33.8	173	0.0	1.0	0.383	0.0	1.0	0.922	74.3	-32.0	-1.6	32.1	183	0.0	1.0	0.383				
185	174	184	0.0	1.0	0.931	74.4	-31.6	-2.7	31.8	185	0.0	1.0	0.884	73.8	-33.3	3.5	33.6	174	0.0	1.0	0.4	0.0	1.0	0.926	74.3	-31.8	-2.1	32.0	184	0.0	1.0	0.4				
186	175	185	0.0	1.0	0.935	74.4	-31.4	-3.2	31.6	186	0.0	1.0	0.889	73.9	-33.2	2.9	33.5	175	0.0	1.0	0.417	0.0	1.0	0.931	74.4	-31.6	-2.7	31.8	185	0.0	1.0	0.417				
187	176	186	0.0	1.0	0.939	74.5	-31.1	-3.7	31.5	187	0.0	1.0	0.893	73.9	-33.1	2.3	33.3	176	0.0	1.0	0.433	0.0	1.0	0.935	74.4	-31.4	-3.2	31.6	186	0.0	1.0	0.433				
188	177	187	0.0	1.0	0.943	74.5	-30.9	-4.3	31.3	188	0.0	1.0	0.897	74.0	-33.0	1.7	33.1	177	0.0	1.0	0.45	0.0	1.0	0.939	74.5	-31.1	-3.7	31.5	187	0.0	1.0	0.45				
189	178	188	0.0	1.0	0.947	74.6	-30.7	-4.8	31.1	189	0.0	1.0	0.901	74.0	-32.8	1.2	33.0	178	0.0	1.0	0.467	0.0	1.0	0.943	74.5	-30.9	-4.3	31.3	188	0.0	1.0	0.467				
190	179	189	0.0	1.0	0.952	74.6	-30.4	-5.3	31.0	190	0.0	1.0	0.905	74.1	-32.7	0.6	32.8	179	0.0	1.0	0.483	0.0	1.0	0.947	74.6	-30.7	-4.8	31.1	189	0.0	1.0	0.483				
191	180	190	0.0	1.0	0.956	74.7	-30.2	-5.8	30.8	191	0.0	1.0	0.91	74.1	-32.5	0.0	32.6	180	0.0	1.0	0.5	0.0	1.0	0.952	74.6	-30.4	-5.3	31.0	190	0.0	1.0	0.5				
192	181	191	0.0	1.0	0.96	74.7	-29.9	-6.3	30.7	192	0.0	1.0	0.914	74.2	-32.4	-0.5	32.5	181	0.0	1.0	0.517	0.0	1.0	0.956	74.7	-30.2	-5.8	30.8	191	0.0	1.0	0.517				
193	182	191	0.0	1.0	0.964	74.8	-29.6	-6.8	30.5	193	0.0	1.0	0.918	74.2	-32.2	-1.0	32.3	182	0.0	1.0	0.533	0.0	1.0	0.956	74.7	-30.2	-5.8	30.8	191	0.0	1.0	0.533				
194	183	192	0.0	1.0	0.969	74.8	-29.3	-7.2	30.3	194	0.0	1.0	0.922	74.3	-32.0	-1.6	32.1	183	0.0	1.0	0.55	0.0	1.0	0.96	74.7	-29.9	-6.3	30.7	192	0.0	1.0	0.55				
195	184	193	0.0	1.0	0.973	74.9	-29.0	-7.7	30.2	195	0.0	1.0	0.926	74.3	-31.8	-2.1	32.0	184	0.0	1.0	0.567	0.0	1.0	0.964	74.8	-29.6	-6.8	30.5	193	0.0	1.0	0.567				
196	185	194	0.0	1.0	0.977	74.9	-28.7	-8.2	30.0	196	0.0	1.0	0.931	74.4	-31.6	-2.7	31.8	185	0.0	1.0	0.583	0.0	1.0	0.969	74.8	-29.3	-7.2	30.3	194	0.0	1.0	0.583				
197	186	195	0.0	1.0	0.981	75.0	-28.4	-8.6	29.8	197	0.0	1.0	0.935	74.4	-31.4	-3.2	31.6	186	0.0	1.0	0.6	0.0	1.0	0.973	74.9	-29.0	-7.7	30.2	195	0.0	1.0	0.6				
198	187	196	0.0	1.0	0.985	75.0	-28.1	-9.1	29.7	198	0.0	1.0	0.939	74.5	-31.1	-3.7	31.5	187	0.0	1.0	0.617	0.0	1.0	0.977	74.9	-28.7	-8.2	30.0	196	0.0	1.0	0.617				
199	188	197	0.0	1.0	0.99	75.1	-27.8	-9.5	29.5	199	0.0	1.0	0.943	74.5	-30.9	-4.3	31.3	188	0.0	1.0	0.633	0.0	1.0	0.981	75.0	-28.4	-8.6	29.8	197	0.0	1.0	0.633				
200	189	198	0.0	1.0	0.994	75.1	-27.5	-9.9	29.3	200	0.0	1.0	0.947	74.6	-30.7	-4.8	31.1	189	0.0	1.0	0.65	0.0	1.0	0.985	75.0	-28.1	-9.1	29.7	198	0.0	1.0	0.65				
201	190	199	0.0	1.0	0.998	75.2	-27.1	-10.4	29.2	201C _d	0.0	1.0	0.952	74.6	-30.4	-5.3	31.0	190	0.0	1.0	0.667	0.0	1.0	0.99	75.1	-27.8	-9.5	29.5	199	0.0	1.0	0.667				
202	191	200	0.0	0.998	1.0	75.1	-26.9	-10.8	29.1	202	0.0	1.0	0.956	74.7	-30.2	-5.8	30.8	191	0.0	1.0	0.683	0.0	1.0	0.994	75.1	-27.5	-9.9	29.3	200	0.0	1.0	0.683				
203	192	201	0.0	0.994	1.0	74.8	-26.7	-11.3	29.1	203	0.0	1.0	0.96	74.7	-29.9	-6.3	30.7	192	0.0	1.0																




Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e								
221	210	217	0.0	0.929	1.0	70.1	-22.0	-19.1	29.3	221	0.0	0.969	1.0	73.0	-25.2	-14.5	29.2	210	0.0	1.0	1.0	C_s	0.0	0.943	1.0	71.2	-23.2	-17.5	29.2	217	0.0	1.0	1.0	C_e			
222	211	218	0.0	0.925	1.0	69.9	-21.7	-19.5	29.3	222	0.0	0.965	1.0	72.7	-24.9	-14.9	29.2	211	0.0	0.983	1.0		0.0	0.94	1.0	70.9	-22.9	-17.9	29.2	218	0.0	0.983	1.0				
223	212	219	0.0	0.921	1.0	69.6	-21.3	-19.9	29.3	223	0.0	0.962	1.0	72.5	-24.7	-15.4	29.2	212	0.0	0.967	1.0		0.0	0.936	1.0	70.6	-22.6	-18.3	29.3	219	0.0	0.967	1.0				
224	213	220	0.0	0.918	1.0	69.3	-21.0	-20.3	29.3	224	0.0	0.958	1.0	72.2	-24.4	-15.8	29.2	213	0.0	0.95	1.0		0.0	0.932	1.0	70.4	-22.3	-18.7	29.3	220	0.0	0.95	1.0				
225	214	221	0.0	0.914	1.0	69.1	-20.6	-20.6	29.3	225	0.0	0.954	1.0	71.9	-24.1	-16.2	29.2	214	0.0	0.933	1.0		0.0	0.929	1.0	70.1	-22.0	-19.1	29.3	221	0.0	0.933	1.0				
226	215	222	0.0	0.91	1.0	68.8	-20.3	-21.0	29.3	226	0.0	0.951	1.0	71.7	-23.8	-16.7	29.2	215	0.0	0.917	1.0		0.0	0.925	1.0	69.9	-21.7	-19.5	29.3	222	0.0	0.917	1.0				
227	216	222	0.0	0.907	1.0	68.5	-19.9	-21.3	29.3	227	0.0	0.947	1.0	71.4	-23.5	-17.1	29.2	216	0.0	0.9	1.0		0.0	0.925	1.0	69.9	-21.7	-19.5	29.3	222	0.0	0.9	1.0				
228	217	223	0.0	0.903	1.0	68.3	-19.5	-21.7	29.3	228	0.0	0.943	1.0	71.2	-23.2	-17.5	29.2	217	0.0	0.883	1.0		0.0	0.921	1.0	69.6	-21.3	-19.9	29.3	223	0.0	0.883	1.0				
229	218	224	0.0	0.9	1.0	68.0	-19.1	-22.0	29.3	229	0.0	0.94	1.0	70.9	-22.9	-17.9	29.2	218	0.0	0.867	1.0		0.0	0.918	1.0	69.3	-21.0	-20.3	29.3	224	0.0	0.867	1.0				
230	219	225	0.0	0.896	1.0	67.8	-18.8	-22.4	29.3	230	0.0	0.936	1.0	70.6	-22.6	-18.3	29.3	219	0.0	0.85	1.0		0.0	0.914	1.0	69.1	-20.6	-20.6	29.3	225	0.0	0.85	1.0				
231	220	226	0.0	0.892	1.0	67.5	-18.4	-22.7	29.4	231	0.0	0.932	1.0	70.4	-22.3	-18.7	29.3	220	0.0	0.833	1.0		0.0	0.91	1.0	68.8	-20.3	-21.0	29.3	226	0.0	0.833	1.0				
232	221	227	0.0	0.889	1.0	67.2	-18.0	-23.0	29.4	232	0.0	0.929	1.0	70.1	-22.0	-19.1	29.3	221	0.0	0.817	1.0		0.0	0.907	1.0	68.5	-19.9	-21.3	29.3	227	0.0	0.817	1.0				
233	222	228	0.0	0.885	1.0	67.0	-17.6	-23.4	29.4	233	0.0	0.925	1.0	69.9	-21.7	-19.5	29.3	222	0.0	0.8	1.0		0.0	0.903	1.0	68.3	-19.5	-21.7	29.3	228	0.0	0.8	1.0				
234	223	229	0.0	0.881	1.0	66.7	-17.2	-23.7	29.4	234	0.0	0.921	1.0	69.6	-21.3	-19.9	29.3	223	0.0	0.783	1.0		0.0	0.9	1.0	68.0	-19.1	-22.0	29.3	229	0.0	0.783	1.0				
235	224	230	0.0	0.878	1.0	66.5	-16.8	-24.0	29.4	235	0.0	0.918	1.0	69.3	-21.0	-20.3	29.3	224	0.0	0.767	1.0		0.0	0.896	1.0	67.8	-18.8	-22.4	29.3	230	0.0	0.767	1.0				
236	225	231	0.0	0.874	1.0	66.2	-16.4	-24.4	29.5	236	0.0	0.914	1.0	69.1	-20.6	-20.6	29.3	225	0.0	0.75	1.0		0.0	0.892	1.0	67.5	-18.4	-22.7	29.4	231	0.0	0.75	1.0				
237	226	232	0.0	0.87	1.0	65.8	-16.2	-24.9	29.9	237	0.0	0.91	1.0	68.8	-20.3	-21.0	29.3	226	0.0	0.733	1.0		0.0	0.889	1.0	67.2	-18.0	-23.0	29.4	232	0.0	0.733	1.0				
238	227	232	0.0	0.866	1.0	65.5	-15.9	-25.5	30.2	238	0.0	0.907	1.0	68.5	-19.9	-21.3	29.3	227	0.0	0.717	1.0		0.0	0.889	1.0	67.2	-18.0	-23.0	29.4	232	0.0	0.717	1.0				
239	228	233	0.0	0.862	1.0	65.2	-15.7	-26.1	30.6	239	0.0	0.903	1.0	68.3	-19.5	-21.7	29.3	228	0.0	0.7	1.0		0.0	0.885	1.0	67.0	-17.6	-23.4	29.4	233	0.0	0.7	1.0				
240	229	234	0.0	0.858	1.0	64.8	-15.4	-26.7	30.9	240	0.0	0.9	1.0	68.0	-19.1	-22.0	29.3	229	0.0	0.683	1.0		0.0	0.881	1.0	66.7	-17.2	-23.7	29.4	234	0.0	0.683	1.0				
241	230	235	0.0	0.854	1.0	64.5	-15.1	-27.3	31.3	241	0.0	0.896	1.0	67.8	-18.8	-22.4	29.3	230	0.0	0.667	1.0		0.0	0.878	1.0	66.5	-16.8	-24.0	29.4	235	0.0	0.667	1.0				
242	231	236	0.0	0.85	1.0	64.2	-14.8	-27.9	31.7	242	0.0	0.892	1.0	67.5	-18.4	-22.7	29.4	231	0.0	0.65	1.0		0.0	0.874	1.0	66.2	-16.4	-24.4	29.5	236	0.0	0.65	1.0				
243	232	237	0.0	0.846	1.0	63.8	-14.4	-28.4	32.0	243	0.0	0.889	1.0	67.2	-18.0	-23.0	29.4	232	0.0	0.633	1.0		0.0	0.87	1.0	65.8	-16.2	-24.9	29.9	237	0.0	0.633	1.0				
244	233	238	0.0	0.841	1.0	63.5	-14.1	-29.0	32.4	244	0.0	0.885	1.0	67.0	-17.6	-23.4	29.4	233	0.0	0.617	1.0		0.0	0.866	1.0	65.5	-15.9	-25.5	30.2	238	0.0	0.617	1.0				
245	234	239	0.0	0.837	1.0	63.1	-13.7	-29.6	32.8	245	0.0	0.881	1.0	66.7	-17.2	-23.7	29.4	234	0.0	0.6	1.0		0.0	0.862	1.0	65.2	-15.7	-26.1	30.6	239	0.0	0.6	1.0				
246	235	240	0.0	0.833	1.0	62.8	-13.4	-30.1	33.1</																												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$					$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$					rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$					rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e
266	255	258	0.0	0.752	1.0	56.1	-2.7	-40.1	40.3	266	0.0	0.797	1.0	59.8	-9.3	-35.0	36.4	255	0.0	0.25	1.0	0.0	0.785	1.0	58.8	-7.7	-36.5	37.4	258	0.0	0.25	1.0			
267	256	259	0.0	0.747	1.0	55.6	-2.0	-40.8	40.9	267	0.0	0.793	1.0	59.4	-8.8	-35.5	36.7	256	0.0	0.233	1.0	0.0	0.781	1.0	58.4	-7.1	-37.0	37.8	259	0.0	0.233	1.0			
268	257	260	0.0	0.739	1.0	55.1	-1.4	-41.8	41.9	268	0.0	0.789	1.0	59.1	-8.2	-36.0	37.1	257	0.0	0.217	1.0	0.0	0.777	1.0	58.1	-6.5	-37.5	38.2	260	0.0	0.217	1.0			
269	258	261	0.0	0.732	1.0	54.5	-0.6	-42.8	42.9	269	0.0	0.785	1.0	58.8	-7.7	-36.5	37.4	258	0.0	0.2	1.0	0.0	0.773	1.0	57.8	-5.9	-37.9	38.5	261	0.0	0.2	1.0			
270	259	262	0.0	0.724	1.0	53.9	0.0	-43.9	44.0	270	0.0	0.781	1.0	58.4	-7.1	-37.0	37.8	259	0.0	0.183	1.0	0.0	0.769	1.0	57.4	-5.3	-38.4	38.9	262	0.0	0.183	1.0			
271	260	263	0.0	0.717	1.0	53.3	0.8	-44.9	45.0	271	0.0	0.777	1.0	58.1	-6.5	-37.5	38.2	260	0.0	0.167	1.0	0.0	0.765	1.0	57.1	-4.7	-38.9	39.2	263	0.0	0.167	1.0			
272	261	264	0.0	0.709	1.0	52.8	1.6	-45.8	46.0	272	0.0	0.773	1.0	57.8	-5.9	-37.9	38.5	261	0.0	0.15	1.0	0.0	0.761	1.0	56.7	-4.0	-39.3	39.6	264	0.0	0.15	1.0			
273	262	264	0.0	0.702	1.0	52.2	2.5	-46.8	47.0	273	0.0	0.769	1.0	57.4	-5.3	-38.4	38.9	262	0.0	0.133	1.0	0.0	0.761	1.0	56.7	-4.0	-39.3	39.6	264	0.0	0.133	1.0			
274	263	265	0.0	0.694	1.0	51.6	3.3	-47.8	48.0	274	0.0	0.765	1.0	57.1	-4.7	-38.9	39.2	263	0.0	0.117	1.0	0.0	0.757	1.0	56.4	-3.4	-39.7	40.0	265	0.0	0.117	1.0			
275	264	266	0.0	0.687	1.0	51.1	4.3	-48.7	49.0	275	0.0	0.761	1.0	56.7	-4.0	-39.3	39.6	264	0.0	0.1	1.0	0.0	0.752	1.0	56.1	-2.7	-40.1	40.3	266	0.0	0.1	1.0			
276	265	267	0.0	0.679	1.0	50.5	5.2	-49.6	50.0	276	0.0	0.757	1.0	56.4	-3.4	-39.7	40.0	265	0.0	0.083	1.0	0.0	0.747	1.0	55.6	-2.0	-40.8	40.9	267	0.0	0.083	1.0			
277	266	268	0.0	0.671	1.0	49.9	6.2	-50.5	51.0	277	0.0	0.752	1.0	56.1	-2.7	-40.1	40.3	266	0.0	0.067	1.0	0.0	0.739	1.0	55.1	-1.4	-41.8	41.9	268	0.0	0.067	1.0			
278	267	269	0.0	0.664	1.0	49.3	7.2	-51.4	52.0	278	0.0	0.747	1.0	55.6	-2.0	-40.8	40.9	267	0.0	0.05	1.0	0.0	0.732	1.0	54.5	-0.6	-42.8	42.9	269	0.0	0.05	1.0			
279	268	270	0.0	0.656	1.0	48.8	8.3	-52.2	53.0	279	0.0	0.739	1.0	55.1	-1.4	-41.8	41.9	268	0.0	0.033	1.0	0.0	0.724	1.0	53.9	0.0	-43.9	44.0	270	0.0	0.033	1.0			
280	269	271	0.0	0.649	1.0	48.2	9.4	-53.1	54.0	280	0.0	0.732	1.0	54.5	-0.6	-42.8	42.9	269	0.0	0.017	1.0	0.0	0.717	1.0	53.3	0.8	-44.9	45.0	271	0.0	0.017	1.0			
281	270	272	0.0	0.641	1.0	47.6	10.5	-53.9	55.0	281	0.0	0.724	1.0	53.9	0.0	-43.9	44.0	270	0.0	0.0	1.0B _s	0.0	0.709	1.0	52.8	1.6	-45.8	46.0	272	0.0	0.0	1.0B _e			
282	271	273	0.0	0.634	1.0	47.0	11.6	-54.7	56.0	282	0.0	0.717	1.0	53.3	0.8	-44.9	45.0	271	0.017	0.0	1.0	0.0	0.702	1.0	52.2	2.5	-46.8	47.0	273	0.017	0.0	1.0			
283	272	274	0.0	0.626	1.0	46.5	12.8	-55.5	57.0	283	0.0	0.709	1.0	52.8	1.6	-45.8	46.0	272	0.033	0.0	1.0	0.0	0.694	1.0	51.6	3.3	-47.8	48.0	274	0.033	0.0	1.0			
284	273	275	0.0	0.613	1.0	45.6	14.2	-56.9	58.7	284	0.0	0.702	1.0	52.2	2.5	-46.8	47.0	273	0.05	0.0	1.0	0.0	0.687	1.0	51.1	4.3	-48.7	49.0	275	0.05	0.0	1.0			
285	274	276	0.0	0.599	1.0	44.8	15.7	-58.4	60.5	285	0.0	0.694	1.0	51.6	3.3	-47.8	48.0	274	0.067	0.0	1.0	0.0	0.679	1.0	50.5	5.2	-49.6	50.0	276	0.067	0.0	1.0			
286	275	276	0.0	0.585	1.0	43.9	17.2	-59.8	62.4	286	0.0	0.687	1.0	51.1	4.3	-48.7	49.0	275	0.083	0.0	1.0	0.0	0.679	1.0	50.5	5.2	-49.6	50.0	276	0.083	0.0	1.0			
287	276	277	0.0	0.571	1.0	43.0	18.8	-61.3	64.2	287	0.0	0.679	1.0	50.5	5.2	-49.6	50.0	276	0.1	0.0	1.0	0.0	0.671	1.0	49.9	6.2	-50.5	51.0	277	0.1	0.0	1.0			
288	277	278	0.0	0.557	1.0	42.2	20.4	-62.7	66.0	288	0.0	0.671	1.0	49.9	6.2	-50.5	51.0	277	0.117	0.0	1.0	0.0	0.664	1.0	49.3	7.2	-51.4	52.0	278	0.117	0.0	1.0			
289	278	279	0.0	0.543	1.0	41.3	22.1	-64.0	67.8	289	0.0	0.664	1.0	49.3	7.2	-51.4	52.0	278	0.133	0.0	1.0	0.0	0.656	1.0	48.8	8.3	-52.2	53.0	279	0.133	0.0	1.0			
290	279	280	0.0	0.528	1.0	40.5	23.8	-65.3	69.6	290	0.0	0.656	1.0	48.8	8.3	-52.2	53.0	279	0.15	0.0	1.0	0.0	0.649	1.0	48.2	9.4	-53.1	54.0	280	0.15	0.0	1.0			
291	280	281	0.0	0.514	1.0	39.6	25.6	-66.6	71.4	291	0.0	0.649	1.0	48.2	9.4	-53.1	54.0	280	0.167	0.0	1.0	0.0	0.641	1.0	47.6	10.5	-53.9	55.0	281	0.167	0.0	1.0			
292	281	282	0.0	0.5	1.0	38.7	27.4	-67.8	73.2	292	0.0	0.641	1.0	47.6	10.5	-53.9	55.0	281	0.183	0.0	1.0	0.0	0.634	1.0	47.0	11.6	-54.7	56.0	282	0.183	0.0	1.0			
293	282	283	0.0	0.475	1.0	37.7	29.6</																												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}		LAB* _{dd361Mix (x=LabCh)}		rgb* _{ds361Mi}		LAB* _{ds361Mix (x=LabCh)}		rgb* _{s50M}		rgb* _{de361Mi}		LAB* _{de361Mix (x=LabCh)}		rgb* _{e50M}		rgb* _{dd361Mi}		rgb* _{ds361Mi}		rgb* _{de361Mi}		rgb* _{dd361Mi}		rgb* _{ds361Mi}		rgb* _{de361Mi}						
311	300	300	0.798	0.0	1.0	38.5	59.3	-68.1	90.4	311	0.0	0.075	1.0	29.8	47.7	-82.5	95.4	300	0.5	0.0	1.0	0.0	0.075	1.0	29.8	47.7	-82.5	95.4	300	0.5	0.0	1.0			
312	301	301	0.821	0.0	1.0	39.5	60.3	-66.9	90.2	312	0.386	0.0	1.0	30.6	49.2	-81.7	95.5	301	0.517	0.0	1.0	0.386	0.0	1.0	30.6	49.2	-81.7	95.5	301	0.517	0.0	1.0			
313	302	302	0.843	0.0	1.0	40.5	61.4	-65.7	90.0	313	0.468	0.0	1.0	31.3	50.3	-80.5	95.0	302	0.533	0.0	1.0	0.468	0.0	1.0	31.3	50.3	-80.5	95.0	302	0.533	0.0	1.0			
314	303	303	0.866	0.0	1.0	41.4	62.4	-64.5	89.8	314	0.53	0.0	1.0	32.1	51.4	-79.1	94.4	303	0.55	0.0	1.0	0.53	0.0	1.0	32.1	51.4	-79.1	94.4	303	0.55	0.0	1.0			
315	304	304	0.889	0.0	1.0	42.4	63.5	-63.4	89.8	315	0.579	0.0	1.0	32.8	52.4	-77.6	93.7	304	0.567	0.0	1.0	0.579	0.0	1.0	32.8	52.4	-77.6	93.7	304	0.567	0.0	1.0			
316	305	305	0.913	0.0	1.0	43.5	64.7	-62.4	90.0	316	0.627	0.0	1.0	33.6	53.3	-76.1	93.0	305	0.583	0.0	1.0	0.627	0.0	1.0	33.6	53.3	-76.1	93.0	305	0.583	0.0	1.0			
317	306	306	0.937	0.0	1.0	44.5	65.9	-61.4	90.2	317	0.659	0.0	1.0	34.3	54.3	-74.7	92.4	306	0.6	0.0	1.0	0.659	0.0	1.0	34.3	54.3	-74.7	92.4	306	0.6	0.0	1.0			
318	307	307	0.961	0.0	1.0	45.5	67.1	-60.3	90.3	318	0.691	0.0	1.0	35.1	55.3	-73.3	91.9	307	0.617	0.0	1.0	0.691	0.0	1.0	35.1	55.3	-73.3	91.9	307	0.617	0.0	1.0			
319	308	308	0.985	0.0	1.0	46.6	68.3	-59.3	90.5	319M _s	0.723	0.0	1.0	35.8	56.2	-71.8	91.3	308	0.633	0.0	1.0	0.723	0.0	1.0	35.8	56.2	-71.8	91.3	308	0.633	0.0	1.0			
320	309	309	1.0	0.0	0.994	47.0	68.9	-57.7	90.0	320	0.753	0.0	1.0	36.6	57.1	-70.5	90.8	309	0.65	0.0	1.0	0.753	0.0	1.0	36.6	57.1	-70.5	90.8	309	0.65	0.0	1.0			
321	310	310	1.0	0.0	0.977	46.5	68.4	-55.3	88.1	321	0.776	0.0	1.0	37.5	58.2	-69.3	90.6	310	0.667	0.0	1.0	0.776	0.0	1.0	37.5	58.2	-69.3	90.6	310	0.667	0.0	1.0			
322	311	311	1.0	0.0	0.961	45.9	67.9	-53.0	86.2	322	0.798	0.0	1.0	38.5	59.3	-68.1	90.4	311	0.683	0.0	1.0	0.798	0.0	1.0	38.5	59.3	-68.1	90.4	311	0.683	0.0	1.0			
323	312	312	1.0	0.0	0.944	45.4	67.3	-50.6	84.3	323	0.821	0.0	1.0	39.5	60.3	-66.9	90.2	312	0.7	0.0	1.0	0.821	0.0	1.0	39.5	60.3	-66.9	90.2	312	0.7	0.0	1.0			
324	313	312	1.0	0.0	0.928	44.8	66.7	-48.4	82.4	324	0.843	0.0	1.0	40.5	61.4	-65.7	90.0	313	0.717	0.0	1.0	0.821	0.0	1.0	39.5	60.3	-66.9	90.2	312	0.717	0.0	1.0			
325	314	313	1.0	0.0	0.911	44.2	66.0	-46.1	80.6	325	0.866	0.0	1.0	41.4	62.4	-64.5	89.8	314	0.733	0.0	1.0	0.843	0.0	1.0	40.5	61.4	-65.7	90.0	313	0.733	0.0	1.0			
326	315	314	1.0	0.0	0.895	43.7	65.2	-43.9	78.7	326	0.889	0.0	1.0	42.4	63.5	-63.4	89.8	315	0.75	0.0	1.0	0.866	0.0	1.0	41.4	62.4	-64.5	89.8	314	0.75	0.0	1.0			
327	316	315	1.0	0.0	0.878	43.1	64.4	-41.7	76.8	327	0.913	0.0	1.0	43.5	64.7	-62.4	90.0	316	0.767	0.0	1.0	0.889	0.0	1.0	42.4	63.5	-63.4	89.8	315	0.767	0.0	1.0			
328	317	316	1.0	0.0	0.868	42.9	64.2	-40.0	75.7	328	0.937	0.0	1.0	44.5	65.9	-61.4	90.2	317	0.783	0.0	1.0	0.913	0.0	1.0	43.5	64.7	-62.4	90.0	316	0.783	0.0	1.0			
329	318	317	1.0	0.0	0.859	42.6	64.2	-38.5	74.9	329	0.961	0.0	1.0	45.5	67.1	-60.3	90.3	318	0.8	0.0	1.0	0.937	0.0	1.0	44.5	65.9	-61.4	90.2	317	0.8	0.0	1.0			
330	319	318	1.0	0.0	0.851	42.4	64.1	-36.9	74.0	330	0.985	0.0	1.0	46.6	68.3	-59.3	90.5	319	0.817	0.0	1.0	0.961	0.0	1.0	45.5	67.1	-60.3	90.3	318	0.817	0.0	1.0			
331	320	319	1.0	0.0	0.842	42.2	64.0	-35.4	73.2	331	1.0	0.0	0.994	47.0	68.9	-57.7	90.0	320	0.833	0.0	1.0	0.985	0.0	1.0	46.6	68.3	-59.3	90.5	319	0.833	0.0	1.0			
332	321	320	1.0	0.0	0.833	42.0	63.9	-33.9	72.3	332	1.0	0.0	0.977	46.5	68.4	-55.3	88.1	321	0.85	0.0	1.0	1.0	0.0	0.994	47.0	68.9	-57.7	90.0	320	0.85	0.0	1.0			
333	322	321	1.0	0.0	0.824	41.8	63.7	-32.3	71.5	333	1.0	0.0	0.961	45.9	67.9	-53.0	86.2	322	0.867	0.0	1.0	1.0	0.0	0.977	46.5	68.4	-55.3	88.1	321	0.867	0.0	1.0			
334	323	322	1.0	0.0	0.815	41.6	63.5	-30.9	70.6	334	1.0	0.0	0.944	45.4	67.3	-50.6	84.3	323	0.883	0.0	1.0	1.0	0.0	0.961	45.9	67.9	-53.0	86.2	322	0.883	0.0	1.0			
335	324	323	1.0	0.0	0.807	41.4	63.2	-29.4	69.8	335	1.0	0.0	0.928	44.8	66.7	-48.4	82.4	324	0.9	0.0	1.0	1.0	0.0	0.944	45.4	67.3	-50.6	84.3	323	0.9	0.0	1.0			
336	325	324	1.0	0.0	0.798	41.1	62.9	-27.9	68.9	336	1.0	0.0	0.911	44.2	66.0	-46.1	80.6	325	0.917	0.0	1.0	1.0	0.0	0.928	44.8	66.7	-48.4	82.4	324	0.917	0.0	1.0			
337	326	325	1.0	0.0	0.789	40.9	62.6	-26.5	68.1	337	1.0	0.0	0.895	43.7	65.2	-43.9	78.7	326	0.933	0.0	1.0	1.0													

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 41.6, 101.8, 126.2, 201.5, 300.1, 319.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			LAB* $dd361Mix$ (x=LabCh)			$rgb^*ds361Mi$			LAB* $ds361Mix$ (x=LabCh)			rgb^*s50M			$rgb^*de361Mi$			LAB* $de361Mix$ (x=LabCh)			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
356	345	343	1.0	0.0	0.639	38.5	59.3	-4.0	59.4	356	1.0	0.0	0.723	39.6	60.9	-16.2	63.1	345	1.0	0.0	0.75	1.0	0.0	0.738	39.8	61.0	-18.5	63.7	343	1.0	0.0	0.75			
357	346	344	1.0	0.0	0.632	38.4	59.0	-3.0	59.1	357	1.0	0.0	0.715	39.5	60.9	-15.1	62.7	346	1.0	0.0	0.733	1.0	0.0	0.731	39.7	60.9	-17.4	63.4	344	1.0	0.0	0.733			
358	347	345	1.0	0.0	0.624	38.4	58.8	-2.0	58.8	358	1.0	0.0	0.708	39.4	60.8	-13.9	62.4	347	1.0	0.0	0.717	1.0	0.0	0.723	39.6	60.9	-16.2	63.1	345	1.0	0.0	0.717			
359	348	346	1.0	0.0	0.617	38.3	58.8	-0.9	58.8	359	1.0	0.0	0.7	39.3	60.7	-12.8	62.1	348	1.0	0.0	0.7	1.0	0.0	0.715	39.5	60.9	-15.1	62.7	346	1.0	0.0	0.7			
0	349	347	1.0	0.0	0.609	38.2	58.9	0.0	58.9	0	1.0	0.0	0.693	39.2	60.6	-11.7	61.7	349	1.0	0.0	0.683	1.0	0.0	0.708	39.4	60.8	-13.9	62.4	347	1.0	0.0	0.683			
1	350	348	1.0	0.0	0.602	38.2	58.9	1.0	58.9	1	1.0	0.0	0.685	39.1	60.5	-10.6	61.4	350	1.0	0.0	0.667	1.0	0.0	0.7	39.3	60.7	-12.8	62.1	348	1.0	0.0	0.667			
2	351	349	1.0	0.0	0.595	38.1	58.9	2.1	59.0	2	1.0	0.0	0.677	39.0	60.3	-9.5	61.1	351	1.0	0.0	0.65	1.0	0.0	0.693	39.2	60.6	-11.7	61.7	349	1.0	0.0	0.65			
3	352	349	1.0	0.0	0.587	38.1	58.9	3.1	59.0	3	1.0	0.0	0.67	38.9	60.2	-8.4	60.7	352	1.0	0.0	0.633	1.0	0.0	0.693	39.2	60.6	-11.7	61.7	349	1.0	0.0	0.633			
4	353	350	1.0	0.0	0.58	38.0	58.9	4.1	59.0	4	1.0	0.0	0.662	38.8	60.0	-7.3	60.4	353	1.0	0.0	0.617	1.0	0.0	0.685	39.1	60.5	-10.6	61.4	350	1.0	0.0	0.617			
5	354	351	1.0	0.0	0.573	37.9	58.8	5.1	59.1	5	1.0	0.0	0.655	38.7	59.8	-6.2	60.1	354	1.0	0.0	0.6	1.0	0.0	0.677	39.0	60.3	-9.5	61.1	351	1.0	0.0	0.6			
6	355	352	1.0	0.0	0.565	37.9	58.8	6.2	59.1	6	1.0	0.0	0.647	38.6	59.5	-5.1	59.8	355	1.0	0.0	0.583	1.0	0.0	0.67	38.9	60.2	-8.4	60.7	352	1.0	0.0	0.583			
7	356	353	1.0	0.0	0.558	37.8	58.7	7.2	59.1	7	1.0	0.0	0.639	38.5	59.3	-4.0	59.4	356	1.0	0.0	0.567	1.0	0.0	0.662	38.8	60.0	-7.3	60.4	353	1.0	0.0	0.567			
8	357	354	1.0	0.0	0.551	37.8	58.6	8.2	59.2	8	1.0	0.0	0.632	38.4	59.0	-3.0	59.1	357	1.0	0.0	0.55	1.0	0.0	0.655	38.7	59.8	-6.2	60.1	354	1.0	0.0	0.55			
9	358	355	1.0	0.0	0.543	37.7	58.5	9.3	59.2	9	1.0	0.0	0.624	38.4	58.8	-2.0	58.8	358	1.0	0.0	0.533	1.0	0.0	0.647	38.6	59.5	-5.1	59.8	355	1.0	0.0	0.533			
10	359	356	1.0	0.0	0.536	37.7	58.4	10.3	59.3	10	1.0	0.0	0.617	38.3	58.8	-0.9	58.8	359	1.0	0.0	0.517	1.0	0.0	0.639	38.5	59.3	-4.0	59.4	356	1.0	0.0	0.517			
11	360	357	1.0	0.0	0.528	37.6	58.2	11.3	59.3	11	1.0	0.0	0.609	38.2	58.9	0.0	58.9	0	1.0	0.0	0.5	1.0	0.0	0.632	38.4	59.0	-3.0	59.1	357	1.0	0.0	0.5			
12	361	358	1.0	0.0	0.521	37.5	58.0	12.3	59.3	12	1.0	0.0	0.602	38.2	58.9	1.0	58.9	1	1.0	0.0	0.483	1.0	0.0	0.624	38.4	58.8	-2.0	58.8	358	1.0	0.0	0.483			
13	362	359	1.0	0.0	0.514	37.5	57.8	13.4	59.4	13	1.0	0.0	0.595	38.1	58.9	2.1	59.0	2	1.0	0.0	0.467	1.0	0.0	0.617	38.3	58.8	-0.9	58.8	359	1.0	0.0	0.467			
14	363	360	1.0	0.0	0.506	37.4	57.6	14.4	59.4	14	1.0	0.0	0.587	38.1	58.9	3.1	59.0	3	1.0	0.0	0.45	1.0	0.0	0.609	38.2	58.9	0.0	58.9	0	1.0	0.0	0.45			
15	364	361	1.0	0.0	0.499	37.4	57.5	15.4	59.5	15	1.0	0.0	0.58	38.0	58.9	4.1	59.0	4	1.0	0.0	0.433	1.0	0.0	0.602	38.2	58.9	1.0	58.9	1	1.0	0.0	0.433			
16	365	362	1.0	0.0	0.49	37.3	57.5	16.5	59.9	16	1.0	0.0	0.573	37.9	58.8	5.1	59.1	5	1.0	0.0	0.417	1.0	0.0	0.595	38.1	58.9	2.1	59.0	2	1.0	0.0	0.417			
17	366	363	1.0	0.0	0.481	37.3	57.6	17.6	60.2	17	1.0	0.0	0.565	37.9	58.8	6.2	59.1	6	1.0	0.0	0.4	1.0	0.0	0.587	38.1	58.9	3.1	59.0	3	1.0	0.0	0.4			
18	367	364	1.0	0.0	0.471	37.2	57.6	18.7	60.6	18	1.0	0.0	0.558	37.8	58.7	7.2	59.1	7	1.0	0.0	0.383	1.0	0.0	0.58	38.0	58.9	4.1	59.0	4	1.0	0.0	0.383			
19	368	365	1.0	0.0	0.462	37.2	57.6	19.8	61.0	19	1.0	0.0	0.551	37.8	58.6	8.2	59.2	8	1.0	0.0	0.367	1.0	0.0	0.573	37.9	58.8	5.1	59.1	5	1.0	0.0	0.367			
20	369	366	1.0	0.0	0.453	37.1	57.6	21.0	61.3	20	1.0	0.0	0.543	37.7	58.5	9.3	59.2	9	1.0	0.0	0.35	1.0	0.0	0.565	37.9	58.8	6.2	59.1	6	1.0	0.0	0.35			
21	370	367	1.0	0.0	0.444	37.1	57.6	22.1	61.7	21	1.0	0.0	0.536	37.7	58.4	10.3	59.3	10	1.0	0.0	0.333	1.0	0.0	0.558	37.8	58.7	7.2	59.1	7	1.0	0.0	0.333			
22	371	367	1.0	0.0	0.435	37.0	57.5	23.2	62.1	22	1.0	0.0	0.528	37.6	58.2	11.3	59.3	11	1.0	0.0	0.317	1.0	0.0	0.558	37.8	58.7	7.2	59.1	7	1.0	0.0	0.317			
23	372	368	1.0	0.0	0.426	37.0	57.5	24.4	62.4	23	1.0																								

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s: $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e: $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
6. The values rgb^*_{le} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 50M			LAB* _{dd} 50Mx (x=LabCh)					rgb* _{ds} 50M			LAB* _{ds} 50Mx (x=LabCh)					rgb* _s 50M			rgb* _{de} 50M			LAB* _{de} 50Mx (x=LabCh)					rgb* _e 50M			rgb* _{dd}	rgb* _{ds}	rgb* _{de}
38.6	30.0	25.5	1.0	0.0	0.0	37.5	54.3	43.4	69.5	38.6	1.0	0.0	0.333	37.7	54.8	31.6	63.3	30	1.0	0.0	0.0	1.0	0.0	0.398	37.9	55.1	25.7	60.8	25	1.0	0.0	0.0			
38.9	37.5	33.8	1.0	0.125	0.0	37.6	53.9	43.4	69.2	38.9	1.0	0.0	0.105	37.5	54.3	42.4	68.9	38	1.0	0.125	0.0	1.0	0.0	0.267	37.6	54.6	36.8	65.9	34	1.0	0.125	0.0			
40.0	45.0	42.2	1.0	0.25	0.0	38.2	52.4	44.0	68.4	40.0	1.0	0.395	0.0	40.8	46.1	46.1	65.2	45	1.0	0.25	0.0	1.0	0.317	0.0	39.3	49.8	44.8	67.0	42	1.0	0.25	0.0			
43.8	52.5	50.5	1.0	0.375	0.0	40.2	47.5	45.5	65.7	43.8	1.0	0.515	0.0	44.8	37.3	49.5	62.0	53	1.0	0.375	0.0	1.0	0.492	0.0	43.9	39.3	48.6	62.5	51	1.0	0.375	0.0			
51.5	60.0	58.9	1.0	0.5	0.0	44.1	38.7	48.7	62.3	51.5	1.0	0.583	0.0	48.2	30.3	52.4	60.5	60	1.0	0.5	0.0	1.0	0.573	0.0	47.7	31.3	52.1	60.7	59	1.0	0.5	0.0			
64.3	67.5	67.2	1.0	0.625	0.0	50.3	25.9	53.8	59.7	64.3	1.0	0.655	0.0	52.2	22.5	55.7	60.1	68	1.0	0.625	0.0	1.0	0.647	0.0	51.7	23.4	55.2	60.0	67	1.0	0.625	0.0			
79.7	75.0	75.6	1.0	0.75	0.0	58.5	10.9	60.4	61.4	79.7	1.0	0.712	0.0	56.0	15.7	58.8	60.8	75	1.0	0.75	0.0	1.0	0.72	0.0	56.5	14.7	59.1	60.9	76	1.0	0.75	0.0			
92.4	82.5	84.0	1.0	0.875	0.0	67.7	-2.7	67.9	68.0	92.4	1.0	0.782	0.0	60.9	7.7	62.6	63.1	83	1.0	0.875	0.0	1.0	0.792	0.0	61.6	6.6	63.2	63.6	84	1.0	0.875	0.0			
102.0	90.0	92.3	1.0	1.0	0.0	82.1	-17.0	80.6	82.3	102.0	1.0	0.852	0.0	66.0	0.0	66.7	66.7	90	1.0	1.0	0.0	1.0	0.871	0.0	67.4	-2.3	67.8	67.8	92	1.0	1.0	0.0			
108.0	97.5	101.1	0.875	1.0	0.0	77.9	-24.4	75.4	79.3	108.0	1.0	0.948	0.0	76.2	-10.5	75.7	76.4	98	0.875	1.0	0.0	1.0	0.988	0.0	80.7	-15.3	79.4	80.9	101	0.875	1.0	0.0			
116.5	105.0	109.8	0.75	1.0	0.0	72.9	-34.6	69.6	77.7	116.5	0.937	1.0	0.0	80.0	-20.8	78.0	80.8	105	0.75	1.0	0.0	0.846	1.0	0.0	76.7	-26.9	74.1	78.9	110	0.75	1.0	0.0			
121.3	112.5	118.5	0.625	1.0	0.0	72.0	-41.2	68.0	79.6	121.3	0.802	1.0	0.0	75.0	-30.3	72.1	78.4	113	0.625	1.0	0.0	0.685	1.0	0.0	72.5	-38.1	68.8	78.7	119	0.625	1.0	0.0			
124.2	120.0	127.3	0.5	1.0	0.0	71.4	-45.3	67.0	80.9	124.2	0.658	1.0	0.0	72.3	-39.4	68.5	79.1	120	0.5	1.0	0.0	0.0	1.0	0.191	70.9	-48.8	65.0	81.3	127	0.5	1.0	0.0			
125.7	127.5	136.0	0.375	1.0	0.0	71.1	-47.6	66.5	81.8	125.7	0.0	1.0	0.307	71.0	-48.4	62.1	78.8	128	0.375	1.0	0.0	0.0	1.0	0.571	71.6	-45.1	43.7	62.8	136	0.375	1.0	0.0			
126.3	135.0	144.7	0.25	1.0	0.0	71.0	-48.6	66.3	82.3	126.3	0.0	1.0	0.551	71.5	-45.6	45.7	64.6	135	0.25	1.0	0.0	0.0	1.0	0.694	72.3	-41.8	29.3	51.1	145	0.25	1.0	0.0			
126.6	142.5	153.5	0.125	1.0	0.0	70.9	-49.0	66.2	82.5	126.6	0.0	1.0	0.672	72.1	-42.5	32.1	53.3	143	0.125	1.0	0.0	0.0	1.0	0.767	72.8	-39.0	19.9	43.8	153	0.125	1.0	0.0			
126.6	150.0	162.2	0.0	1.0	0.0	70.9	-49.0	66.2	82.5	126.6	0.0	1.0	0.749	72.7	-39.3	22.8	45.5	150	0.0	1.0	0.0	0.0	1.0	0.819	73.4	-36.9	12.0	38.9	162	0.0	1.0	0.0			
126.7	157.5	169.1	0.0	1.0	0.125	70.9	-48.9	65.8	82.1	126.7	0.0	1.0	0.796	73.1	-38.0	15.4	41.1	158	0.0	1.0	0.125	0.0	1.0	0.859	73.8	-34.3	6.7	35.1	169	0.0	1.0	0.125			
127.3	165.0	175.9	0.0	1.0	0.25	70.9	-48.7	64.2	80.7	127.3	0.0	1.0	0.836	73.5	-35.9	9.6	37.3	165	0.0	1.0	0.25	0.0	1.0	0.893	74.1	-32.7	2.3	32.9	176	0.0	1.0	0.25			
128.9	172.5	182.8	0.0	1.0	0.375	71.0	-47.9	59.5	76.5	128.9	0.0	1.0	0.88	74.0	-33.4	4.1	33.4	173	0.0	1.0	0.375	0.0	1.0	0.922	74.5	-31.6	-1.6	31.7	183	0.0	1.0	0.375			
132.4	180.0	189.6	0.0	1.0	0.5	71.3	-46.5	51.0	69.1	132.4	0.0	1.0	0.91	74.3	-32.1	0.0	32.2	180	0.0	1.0	0.5	0.0	1.0	0.952	74.8	-30.0	-5.2	30.6	190	0.0	1.0	0.5			
138.7	187.5	196.4	0.0	1.0	0.625	71.8	-43.6	38.4	58.2	138.7	0.0	1.0	0.943	74.7	-30.5	-4.2	30.9	188	0.0	1.0	0.625	0.0	1.0	0.977	75.1	-28.4	-8.1	29.6	196	0.0	1.0	0.625			
150.1	195.0	203.3	0.0	1.0	0.75	72.7	-39.3	22.7	45.5	150.1	0.0	1.0	0.973	75.1	-28.7	-7.6	29.8	195	0.0	1.0	0.75	0.0	1.0	0.995	1.0	75.0	-26.4	-							

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$						$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$						$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M						$rgb^*de361Mi$						$LAB^*de361Mix(x=LabCh)$						rgb^*e50M						rgb^*_d	rgb^*_s	rgb^*_e
83	75	76	1.0	0.782	0.0	60.9	7.7	62.6	63.1	83	1.0	0.712	0.0	56.0	15.7	58.8	60.8	75	1.0	0.75	0.0	1.0	0.72	0.0	56.5	14.7	59.1	60.9	76	1.0	0.75	0.0																					
84	76	77	1.0	0.792	0.0	61.6	6.6	63.2	63.6	84	1.0	0.72	0.0	56.5	14.7	59.1	60.9	76	1.0	0.767	0.0	1.0	0.728	0.0	57.0	13.7	59.5	61.1	77	1.0	0.767	0.0																					
85	77	78	1.0	0.802	0.0	62.3	5.6	63.9	64.1	85	1.0	0.728	0.0	57.0	13.7	59.5	61.1	77	1.0	0.783	0.0	1.0	0.736	0.0	57.6	12.7	59.8	61.2	78	1.0	0.783	0.0																					
86	78	79	1.0	0.812	0.0	63.1	4.5	64.5	64.6	86	1.0	0.736	0.0	57.6	12.7	59.8	61.2	78	1.0	0.8	0.0	1.0	0.744	0.0	58.1	11.7	60.1	61.3	79	1.0	0.8	0.0																					
87	79	80	1.0	0.822	0.0	63.8	3.4	65.1	65.2	87	1.0	0.744	0.0	58.1	11.7	60.1	61.3	79	1.0	0.817	0.0	1.0	0.753	0.0	58.7	10.7	60.6	61.5	80	1.0	0.817	0.0																					
88	80	81	1.0	0.832	0.0	64.5	2.3	65.7	65.7	88	1.0	0.753	0.0	58.7	10.7	60.6	61.5	80	1.0	0.833	0.0	1.0	0.763	0.0	59.4	9.7	61.3	62.0	81	1.0	0.833	0.0																					
89	81	82	1.0	0.842	0.0	65.3	1.2	66.2	66.2	89	1.0	0.763	0.0	59.4	9.7	61.3	62.0	81	1.0	0.85	0.0	1.0	0.772	0.0	60.1	8.7	61.9	62.5	82	1.0	0.85	0.0																					
90	82	83	1.0	0.852	0.0	66.0	0.0	66.7	66.7	90	1.0	0.772	0.0	60.1	8.7	61.9	62.5	82	1.0	0.867	0.0	1.0	0.782	0.0	60.9	7.7	62.6	63.1	83	1.0	0.867	0.0																					
91	83	85	1.0	0.861	0.0	66.7	-1.1	67.3	67.3	91	1.0	0.782	0.0	60.9	7.7	62.6	63.1	83	1.0	0.883	0.0	1.0	0.802	0.0	62.3	5.6	63.9	64.1	85	1.0	0.883	0.0																					
92	84	86	1.0	0.871	0.0	67.4	-2.3	67.8	67.8	92	1.0	0.792	0.0	61.6	6.6	63.2	63.6	84	1.0	0.9	0.0	1.0	0.812	0.0	63.1	4.5	64.5	64.6	86	1.0	0.9	0.0																					
93	85	87	1.0	0.883	0.0	68.7	-3.5	68.8	68.9	93	1.0	0.802	0.0	62.3	5.6	63.9	64.1	85	1.0	0.917	0.0	1.0	0.822	0.0	63.8	3.4	65.1	65.2	87	1.0	0.917	0.0																					
94	86	88	1.0	0.896	0.0	70.2	-4.8	70.3	70.4	94	1.0	0.812	0.0	63.1	4.5	64.5	64.6	86	1.0	0.933	0.0	1.0	0.832	0.0	64.5	2.3	65.7	65.7	88	1.0	0.933	0.0																					
95	87	89	1.0	0.909	0.0	71.7	-6.2	71.7	71.9	95	1.0	0.822	0.0	63.8	3.4	65.1	65.2	87	1.0	0.95	0.0	1.0	0.842	0.0	65.3	1.2	66.2	66.2	89	1.0	0.95	0.0																					
96	88	90	1.0	0.922	0.0	73.2	-7.6	73.0	73.4	96	1.0	0.832	0.0	64.5	2.3	65.7	65.7	88	1.0	0.967	0.0	1.0	0.852	0.0	66.0	0.0	66.7	66.7	90	1.0	0.967	0.0																					
97	89	91	1.0	0.935	0.0	74.7	-9.0	74.4	74.9	97	1.0	0.842	0.0	65.3	1.2	66.2	66.2	89	1.0	0.983	0.0	1.0	0.861	0.0	66.7	-1.1	67.3	67.3	91	1.0	0.983	0.0																					
98	90	92	1.0	0.948	0.0	76.2	-10.5	75.7	76.4	98	1.0	0.852	0.0	66.0	0.0	66.7	66.7	90	1.0	1.0	0.0	1.0	0.871	0.0	67.4	-2.3	67.8	67.8	92	1.0	1.0	0.0																					
99	91	93	1.0	0.961	0.0	77.7	-12.1	77.0	77.9	99	1.0	0.861	0.0	66.7	-1.1	67.3	67.3	91	0.983	1.0	0.0	1.0	0.883	0.0	68.7	-3.5	68.8	68.9	93	0.983	1.0	0.0																					
100	92	95	1.0	0.974	0.0	79.2	-13.7	78.2	79.4	100	1.0	0.871	0.0	67.4	-2.3	67.8	67.8	92	0.967	1.0	0.0	1.0	0.909	0.0	71.7	-6.2	71.7	71.9	95	0.967	1.0	0.0																					
101	93	96	1.0	0.988	0.0	80.7	-15.3	79.4	80.9	101	1.0	0.883	0.0	68.7	-3.5	68.8	68.9	93	0.95	1.0	0.0	1.0	0.922	0.0	73.2	-7.6	73.0	73.4	96	0.95	1.0	0.0																					
102	94	97	0.999	1.0	0.0	82.1	-17.0	80.5	82.3	102	1.0	0.896	0.0	70.2	-4.8	70.3	70.4	94	0.933	1.0	0.0	1.0	0.935	0.0	74.7	-9.0	74.4	74.9	97	0.933	1.0	0.0																					
103	95	98	0.979	1.0	0.0	81.4	-18.3	79.7	81.8	103	1.0	0.909	0.0	71.7	-6.2	71.7	71.9	95	0.917	1.0	0.0	1.0	0.948	0.0	76.2	-10.5	75.7	76.4	98	0.917	1.0	0.0																					
104	96	99	0.958	1.0	0.0	80.7	-19.6	78.9	81.3	104	1.0	0.922	0.0	73.2	-7.6	73.0	73.4	96	0.9	1.0	0.0	1.0	0.961	0.0	77.7	-12.1	77.0	77.9	99	0.9	1.0	0.0																					
105	97	100	0.937	1.0	0.0	80.0	-20.8	78.0	80.8	105	1.0	0.935	0.0	74.7	-9.0	74.4	74.9	97	0.883	1.0	0.0	1.0	0.974	0.0	79.2	-13.7	78.2	79.4	100	0.883	1.0	0.0																					
106	98	102	0.917	1.0	0.0	79.3	-22.0	77.2	8																																												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																								
h _{ab,d}		h _{ab,s}		h _{ab,e}		rgb*dd361Mi				LAB*dd361Mix (x=LabCh)				rgb*ds361Mi				LAB*ds361Mix (x=LabCh)				rgb*s50M				rgb*de361Mi				LAB*de361Mix (x=LabCh)				rgb*e50M				rgb* _{dd} rgb* _{ds} rgb* _{de}		
128	120	127	0.0	1.0	0.307	71.0	-48.4	62.1	78.8	128	0.658	1.0	0.0	72.3	-39.4	68.5	79.1	120	0.5	1.0	0.0	0.0	1.0	0.191	70.9	-48.8	65.0	81.3	127	0.5	1.0	0.0								
129	121	128	0.0	1.0	0.379	71.0	-47.9	59.3	76.3	129	0.632	1.0	0.0	72.1	-40.8	68.1	79.5	121	0.483	1.0	0.0	0.0	1.0	0.307	71.0	-48.4	62.1	78.8	128	0.483	1.0	0.0								
130	122	130	0.0	1.0	0.414	71.1	-47.6	56.8	74.2	130	0.594	1.0	0.0	71.9	-42.3	67.8	79.9	122	0.467	1.0	0.0	0.0	1.0	0.414	71.1	-47.6	56.8	74.2	130	0.467	1.0	0.0								
131	123	131	0.0	1.0	0.449	71.2	-47.2	54.4	72.1	131	0.55	1.0	0.0	71.6	-43.7	67.4	80.4	123	0.45	1.0	0.0	0.0	1.0	0.449	71.2	-47.2	54.4	72.1	131	0.45	1.0	0.0								
132	124	132	0.0	1.0	0.485	71.3	-46.7	52.0	70.0	132	0.507	1.0	0.0	71.4	-45.1	67.0	80.9	124	0.433	1.0	0.0	0.0	1.0	0.485	71.3	-46.7	52.0	70.0	132	0.433	1.0	0.0								
133	125	133	0.0	1.0	0.511	71.4	-46.3	49.8	68.1	133	0.43	1.0	0.0	71.2	-46.6	66.7	81.4	125	0.417	1.0	0.0	0.0	1.0	0.511	71.4	-46.3	49.8	68.1	133	0.417	1.0	0.0								
134	126	134	0.0	1.0	0.531	71.4	-46.0	47.7	66.3	134	0.31	1.0	0.0	71.0	-48.1	66.4	82.0	126	0.4	1.0	0.0	0.0	1.0	0.531	71.4	-46.0	47.7	66.3	134	0.4	1.0	0.0								
135	127	135	0.0	1.0	0.551	71.5	-45.6	45.7	64.6	135	0.0	1.0	0.191	70.9	-48.8	65.0	81.3	127	0.383	1.0	0.0	0.0	1.0	0.551	71.5	-45.6	45.7	64.6	135	0.383	1.0	0.0								
136	128	137	0.0	1.0	0.571	71.6	-45.1	43.7	62.8	136	0.0	1.0	0.307	71.0	-48.4	62.1	78.8	128	0.367	1.0	0.0	0.0	1.0	0.591	71.7	-44.6	41.7	61.1	137	0.367	1.0	0.0								
137	129	138	0.0	1.0	0.591	71.7	-44.6	41.7	61.1	137	0.0	1.0	0.379	71.0	-47.9	59.3	76.3	129	0.35	1.0	0.0	0.0	1.0	0.611	71.7	-44.0	39.7	59.4	138	0.35	1.0	0.0								
138	130	139	0.0	1.0	0.611	71.7	-44.0	39.7	59.4	138	0.0	1.0	0.414	71.1	-47.6	56.8	74.2	130	0.333	1.0	0.0	0.0	1.0	0.629	71.8	-43.5	37.9	57.8	139	0.333	1.0	0.0								
139	131	140	0.0	1.0	0.629	71.8	-43.5	37.9	57.8	139	0.0	1.0	0.449	71.2	-47.2	54.4	72.1	131	0.317	1.0	0.0	0.0	1.0	0.639	71.9	-43.3	36.4	56.7	140	0.317	1.0	0.0								
140	132	141	0.0	1.0	0.639	71.9	-43.3	36.4	56.7	140	0.0	1.0	0.485	71.3	-46.7	52.0	70.0	132	0.3	1.0	0.0	0.0	1.0	0.65	72.0	-43.1	35.0	55.6	141	0.3	1.0	0.0								
141	133	142	0.0	1.0	0.65	72.0	-43.1	35.0	55.6	141	0.0	1.0	0.511	71.4	-46.3	49.8	68.1	133	0.283	1.0	0.0	0.0	1.0	0.661	72.1	-42.8	33.5	54.5	142	0.283	1.0	0.0								
142	134	144	0.0	1.0	0.661	72.1	-42.8	33.5	54.5	142	0.0	1.0	0.531	71.4	-46.0	47.7	66.3	134	0.267	1.0	0.0	0.0	1.0	0.683	72.2	-42.2	30.7	52.2	144	0.267	1.0	0.0								
143	135	145	0.0	1.0	0.672	72.1	-42.5	32.1	53.3	143	0.0	1.0	0.551	71.5	-45.6	45.7	64.6	135	0.25	1.0	0.0	0.0	1.0	0.694	72.3	-41.8	29.3	51.1	145	0.25	1.0	0.0								
144	136	146	0.0	1.0	0.683	72.2	-42.2	30.7	52.2	144	0.0	1.0	0.571	71.6	-45.1	43.7	62.8	136	0.233	1.0	0.0	0.0	1.0	0.705	72.4	-41.3	28.0	50.0	146	0.233	1.0	0.0								
145	137	147	0.0	1.0	0.694	72.3	-41.8	29.3	51.1	145	0.0	1.0	0.591	71.7	-44.6	41.7	61.1	137	0.217	1.0	0.0	0.0	1.0	0.716	72.4	-40.9	26.6	48.9	147	0.217	1.0	0.0								
146	138	148	0.0	1.0	0.705	72.4	-41.3	28.0	50.0	146	0.0	1.0	0.611	71.7	-44.0	39.7	59.4	138	0.2	1.0	0.0	0.0	1.0	0.727	72.5	-40.4	25.3	47.8	148	0.2	1.0	0.0								
147	139	149	0.0	1.0	0.716	72.4	-40.9	26.6	48.9	147	0.0	1.0	0.629	71.8	-43.5	37.9	57.8	139	0.183	1.0	0.0	0.0	1.0	0.738	72.6	-39.9	24.0	46.6	149	0.183	1.0	0.0								
148	140	151	0.0	1.0	0.727	72.5	-40.4	25.3	47.8	148	0.0	1.0	0.639	71.9	-43.3	36.4	56.7	140	0.167	1.0	0.0	0.0	1.0	0.755	72.7	-39.2	21.8	44.9	151	0.167	1.0	0.0								
149	141	152	0.0	1.0	0.738	72.6	-39.9	24.0	46.6	149	0.0	1.0	0.65	72.0	-43.1	35.0	55.6	141	0.15	1.0	0.0	0.0	1.0	0.761	72.8	-39.1	20.8	44.4	152	0.15	1.0	0.0								



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																		
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi LAB*dd361Mix (x=LabCh)							rgb*ds361Mi LAB*ds361Mix (x=LabCh)							rgb*s50M			rgb*de361Mi LAB*de361Mix (x=LabCh)							rgb*e50M			rgb*_d	rgb*_s	rgb*_e		
173	165	176	0.0	1.0	0.88	74.0	-33.0	4.1	33.4	173	0.0	1.0	0.836	73.5	-35.9	9.6	37.3	165	0.0	1.0	0.25	0.0	1.0	0.893	74.1	-32.7	2.3	32.9	176	0.0	1.0	0.25		
174	166	177	0.0	1.0	0.884	74.0	-32.9	3.5	33.2	174	0.0	1.0	0.842	73.6	-35.5	8.9	36.7	166	0.0	1.0	0.267	0.0	1.0	0.897	74.2	-32.6	1.7	32.7	177	0.0	1.0	0.267		
175	167	178	0.0	1.0	0.889	74.1	-32.8	2.9	33.0	175	0.0	1.0	0.848	73.6	-35.1	8.1	36.2	167	0.0	1.0	0.283	0.0	1.0	0.901	74.2	-32.4	1.1	32.5	178	0.0	1.0	0.283		
176	168	179	0.0	1.0	0.893	74.1	-32.7	2.3	32.9	176	0.0	1.0	0.853	73.7	-34.7	7.4	35.6	168	0.0	1.0	0.3	0.0	1.0	0.905	74.3	-32.3	0.6	32.4	179	0.0	1.0	0.3		
177	169	180	0.0	1.0	0.897	74.2	-32.6	1.7	32.7	177	0.0	1.0	0.859	73.8	-34.3	6.7	35.1	169	0.0	1.0	0.317	0.0	1.0	0.91	74.3	-32.1	0.0	32.2	180	0.0	1.0	0.317		
178	170	180	0.0	1.0	0.901	74.2	-32.4	1.1	32.5	178	0.0	1.0	0.865	73.8	-33.9	6.0	34.5	170	0.0	1.0	0.333	0.0	1.0	0.91	74.3	-32.1	0.0	32.2	180	0.0	1.0	0.333		
179	171	181	0.0	1.0	0.905	74.3	-32.3	0.6	32.4	179	0.0	1.0	0.871	73.9	-33.5	5.3	34.0	171	0.0	1.0	0.35	0.0	1.0	0.914	74.4	-32.0	-0.5	32.1	181	0.0	1.0	0.35		
180	172	182	0.0	1.0	0.91	74.3	-32.1	0.0	32.2	180	0.0	1.0	0.876	73.9	-33.1	4.7	33.5	172	0.0	1.0	0.367	0.0	1.0	0.918	74.4	-31.8	-1.0	31.9	182	0.0	1.0	0.367		
181	173	183	0.0	1.0	0.914	74.4	-32.0	-0.5	32.1	181	0.0	1.0	0.88	74.0	-33.0	4.1	33.4	173	0.0	1.0	0.383	0.0	1.0	0.922	74.5	-31.6	-1.6	31.7	183	0.0	1.0	0.383		
182	174	184	0.0	1.0	0.918	74.4	-31.8	-1.0	31.9	182	0.0	1.0	0.884	74.0	-32.9	3.5	33.2	174	0.0	1.0	0.4	0.0	1.0	0.926	74.5	-31.4	-2.1	31.6	184	0.0	1.0	0.4		
183	175	185	0.0	1.0	0.922	74.5	-31.6	-1.6	31.7	183	0.0	1.0	0.889	74.1	-32.8	2.9	33.0	175	0.0	1.0	0.417	0.0	1.0	0.931	74.6	-31.2	-2.6	31.4	185	0.0	1.0	0.417		
184	176	186	0.0	1.0	0.926	74.5	-31.4	-2.1	31.6	184	0.0	1.0	0.893	74.1	-32.7	2.3	32.9	176	0.0	1.0	0.433	0.0	1.0	0.935	74.6	-31.0	-3.2	31.3	186	0.0	1.0	0.433		
185	177	187	0.0	1.0	0.931	74.6	-31.2	-2.6	31.4	185	0.0	1.0	0.897	74.2	-32.6	1.7	32.7	177	0.0	1.0	0.45	0.0	1.0	0.939	74.7	-30.8	-3.7	31.1	187	0.0	1.0	0.45		
186	178	188	0.0	1.0	0.935	74.6	-31.0	-3.2	31.3	186	0.0	1.0	0.901	74.2	-32.4	1.1	32.5	178	0.0	1.0	0.467	0.0	1.0	0.943	74.7	-30.5	-4.2	30.9	188	0.0	1.0	0.467		
187	179	189	0.0	1.0	0.939	74.7	-30.8	-3.7	31.1	187	0.0	1.0	0.905	74.3	-32.3	0.6	32.4	179	0.0	1.0	0.483	0.0	1.0	0.947	74.8	-30.3	-4.7	30.8	189	0.0	1.0	0.483		
188	180	190	0.0	1.0	0.943	74.7	-30.5	-4.2	30.9	188	0.0	1.0	0.91	74.3	-32.1	0.0	32.2	180	0.0	1.0	0.5	0.0	1.0	0.952	74.8	-30.0	-5.2	30.6	190	0.0	1.0	0.5		
189	181	191	0.0	1.0	0.947	74.8	-30.3	-4.7	30.8	189	0.0	1.0	0.914	74.4	-32.0	-0.5	32.1	181	0.0	1.0	0.517	0.0	1.0	0.956	74.9	-29.8	-5.7	30.4	191	0.0	1.0	0.517		
190	182	191	0.0	1.0	0.952	74.8	-30.0	-5.2	30.6	190	0.0	1.0	0.918	74.4	-31.8	-1.0	31.9	182	0.0	1.0	0.533	0.0	1.0	0.956	74.9	-29.8	-5.7	30.4	191	0.0	1.0	0.533		
191	183	192	0.0	1.0	0.956	74.9	-29.8	-5.7	30.4	191	0.0	1.0	0.922	74.5	-31.6	-1.6	31.7	183	0.0	1.0	0.55	0.0	1.0	0.96	74.9	-29.5	-6.2	30.3	192	0.0	1.0	0.55		
192	184	193	0.0	1.0	0.96	74.9	-29.5	-6.2	30.3	192	0.0	1.0	0.926	74.5	-31.4	-2.1	31.6	184	0.0	1.0	0.567	0.0	1.0	0.964	75.0	-29.3	-6.7	30.1	193	0.0	1.0	0.567		
193	185	194	0.0	1.0	0.964	75.0	-29.3	-6.7	30.1	193	0.0	1.0	0.931	74.6	-31.2	-2.6	31.4	185	0.0	1.0	0.583	0.0	1.0	0.968	75.0	-29.0	-7.1	30.0	194	0.0	1.0	0.583		
194	186	195	0.0	1.0	0.968	75.0	-29.0	-7.1	30.0	194	0.0	1.0	0.935	74.6	-31.0	-3.2	31.3	186	0.0	1.0	0.6	0.0	1.0	0.973	75.1	-28.7	-7.6	29.8	195	0.0	1.0	0.6		
195	187	196	0.0	1.0	0.973	75.1	-28.7	-7.6	29.8	195	0.0	1.0	0.939	74.7	-30.8	-3.7	31.1	187	0.0	1.0	0.617	0.0	1.0	0.977	75.1	-28.4	-8.1	29.6	196	0.0	1.0	0.617		
196	188	197	0.0	1.0	0.977	75.1	-28.4	-8.1	29.6	196	0.0	1.0	0.943	74.7	-30.5	-4.2	30.9	188	0.0	1.0	0.633	0.0	1.0	0.981	75.2	-28.1	-8.5	29.5	197	0.0	1.0	0.633		

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e								
218	210	217	0.0	0.94	1.0	71.1	-22.7	-17.7	28.9	218	0.0	0.969	1.0	73.2	-24.9	-14.3	28.8	210	0.0	1.0	1.0	C_s	0.0	0.944	1.0	71.4	-23.0	-17.3	28.9	217	0.0	1.0	1.0	C_e			
219	211	218	0.0	0.936	1.0	70.9	-22.4	-18.1	28.9	219	0.0	0.965	1.0	72.9	-24.6	-14.7	28.8	211	0.0	0.983	1.0		0.0	0.94	1.0	71.1	-22.7	-17.7	28.9	218	0.0	0.983	1.0				
220	212	219	0.0	0.933	1.0	70.6	-22.0	-18.5	28.9	220	0.0	0.962	1.0	72.7	-24.4	-15.2	28.8	212	0.0	0.967	1.0		0.0	0.936	1.0	70.9	-22.4	-18.1	28.9	219	0.0	0.967	1.0				
221	213	220	0.0	0.929	1.0	70.4	-21.7	-18.9	28.9	221	0.0	0.958	1.0	72.4	-24.1	-15.6	28.8	213	0.0	0.95	1.0		0.0	0.933	1.0	70.6	-22.0	-18.5	28.9	220	0.0	0.95	1.0				
222	214	221	0.0	0.925	1.0	70.1	-21.4	-19.2	28.9	222	0.0	0.954	1.0	72.2	-23.8	-16.0	28.9	214	0.0	0.933	1.0		0.0	0.929	1.0	70.4	-21.7	-18.9	28.9	221	0.0	0.933	1.0				
223	215	222	0.0	0.922	1.0	69.9	-21.1	-19.6	28.9	223	0.0	0.951	1.0	71.9	-23.5	-16.5	28.9	215	0.0	0.917	1.0		0.0	0.925	1.0	70.1	-21.4	-19.2	28.9	222	0.0	0.917	1.0				
224	216	222	0.0	0.918	1.0	69.6	-20.7	-20.0	28.9	224	0.0	0.947	1.0	71.7	-23.3	-16.9	28.9	216	0.0	0.9	1.0		0.0	0.925	1.0	70.1	-21.4	-19.2	28.9	222	0.0	0.9	1.0				
225	217	223	0.0	0.914	1.0	69.3	-20.4	-20.4	28.9	225	0.0	0.944	1.0	71.4	-23.0	-17.3	28.9	217	0.0	0.883	1.0		0.0	0.922	1.0	69.9	-21.1	-19.6	28.9	223	0.0	0.883	1.0				
226	218	224	0.0	0.911	1.0	69.1	-20.0	-20.7	28.9	226	0.0	0.94	1.0	71.1	-22.7	-17.7	28.9	218	0.0	0.867	1.0		0.0	0.918	1.0	69.6	-20.7	-20.0	28.9	224	0.0	0.867	1.0				
227	219	225	0.0	0.907	1.0	68.8	-19.6	-21.1	29.0	227	0.0	0.936	1.0	70.9	-22.4	-18.1	28.9	219	0.0	0.85	1.0		0.0	0.914	1.0	69.3	-20.4	-20.4	28.9	225	0.0	0.85	1.0				
228	220	226	0.0	0.903	1.0	68.6	-19.3	-21.4	29.0	228	0.0	0.933	1.0	70.6	-22.0	-18.5	28.9	220	0.0	0.833	1.0		0.0	0.911	1.0	69.1	-20.0	-20.7	28.9	226	0.0	0.833	1.0				
229	221	227	0.0	0.9	1.0	68.3	-18.9	-21.8	29.0	229	0.0	0.929	1.0	70.4	-21.7	-18.9	28.9	221	0.0	0.817	1.0		0.0	0.907	1.0	68.8	-19.6	-21.1	29.0	227	0.0	0.817	1.0				
230	222	228	0.0	0.896	1.0	68.1	-18.5	-22.1	29.0	230	0.0	0.925	1.0	70.1	-21.4	-19.2	28.9	222	0.0	0.8	1.0		0.0	0.903	1.0	68.6	-19.3	-21.4	29.0	228	0.0	0.8	1.0				
231	223	229	0.0	0.893	1.0	67.8	-18.1	-22.4	29.0	231	0.0	0.922	1.0	69.9	-21.1	-19.6	28.9	223	0.0	0.783	1.0		0.0	0.9	1.0	68.3	-18.9	-21.8	29.0	229	0.0	0.783	1.0				
232	224	230	0.0	0.889	1.0	67.5	-17.8	-22.7	29.0	232	0.0	0.918	1.0	69.6	-20.7	-20.0	28.9	224	0.0	0.767	1.0		0.0	0.896	1.0	68.1	-18.5	-22.1	29.0	230	0.0	0.767	1.0				
233	225	231	0.0	0.885	1.0	67.3	-17.4	-23.1	29.0	233	0.0	0.914	1.0	69.3	-20.4	-20.4	28.9	225	0.0	0.75	1.0		0.0	0.893	1.0	67.8	-18.1	-22.4	29.0	231	0.0	0.75	1.0				
234	226	232	0.0	0.882	1.0	67.0	-17.0	-23.4	29.0	234	0.0	0.911	1.0	69.1	-20.0	-20.7	28.9	226	0.0	0.733	1.0		0.0	0.889	1.0	67.5	-17.8	-22.7	29.0	232	0.0	0.733	1.0				
235	227	232	0.0	0.878	1.0	66.8	-16.5	-23.7	29.0	235	0.0	0.907	1.0	68.8	-19.6	-21.1	29.0	227	0.0	0.717	1.0		0.0	0.889	1.0	67.5	-17.8	-22.7	29.0	232	0.0	0.717	1.0				
236	228	233	0.0	0.874	1.0	66.5	-16.2	-24.0	29.1	236	0.0	0.903	1.0	68.6	-19.3	-21.4	29.0	228	0.0	0.7	1.0		0.0	0.885	1.0	67.3	-17.4	-23.1	29.0	233	0.0	0.7	1.0				
237	229	234	0.0	0.87	1.0	66.2	-15.9	-24.6	29.5	237	0.0	0.9	1.0	68.3	-18.9	-21.8	29.0	229	0.0	0.683	1.0		0.0	0.882	1.0	67.0	-17.0	-23.4	29.0	234	0.0	0.683	1.0				
238	230	235	0.0	0.866	1.0	65.8	-15.7	-25.2	29.8	238	0.0	0.896	1.0	68.1	-18.5	-22.1	29.0	230	0.0	0.667	1.0		0.0	0.878	1.0	66.8	-16.5	-23.7	29.0	235	0.0	0.667	1.0				
239	231	236	0.0	0.862	1.0	65.5	-15.4	-25.8	30.2	239	0.																										

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																														
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 361Mi						LAB* _{dd} 361Mix (x=LabCh)						rgb* _{ds} 361Mi				LAB* _{ds} 361Mix (x=LabCh)				rgb* _s 50M				rgb* _{de} 361Mi				LAB* _{de} 361Mix (x=LabCh)				rgb* _e 50M				rgb* _{dd} rgb* _{ds} rgb* _{de}							
308	300	300	0.734	0.0	1.0	37.1	54.6	-69.7	88.6	308	0.288	0.0	1.0	31.5	46.5	-80.4	92.9	300	0.5	0.0	1.0	0.288	0.0	1.0	31.5	46.5	-80.4	92.9	300	0.5	0.0	1.0	0.288	0.0	1.0	31.5	46.5	-80.4	92.9	300	0.5	0.0	1.0			
309	301	301	0.761	0.0	1.0	37.9	55.6	-68.5	88.3	309	0.431	0.0	1.0	32.4	47.5	-79.0	92.3	301	0.517	0.0	1.0	0.431	0.0	1.0	32.4	47.5	-79.0	92.3	301	0.517	0.0	1.0	0.431	0.0	1.0	32.4	47.5	-79.0	92.3	301	0.517	0.0	1.0			
310	302	302	0.783	0.0	1.0	38.8	56.7	-67.5	88.2	310	0.506	0.0	1.0	33.0	48.7	-77.8	91.8	302	0.533	0.0	1.0	0.506	0.0	1.0	33.0	48.7	-77.8	91.8	302	0.533	0.0	1.0	0.506	0.0	1.0	33.0	48.7	-77.8	91.8	302	0.533	0.0	1.0			
311	303	303	0.805	0.0	1.0	39.8	57.8	-66.4	88.1	311	0.554	0.0	1.0	33.7	49.7	-76.4	91.2	303	0.55	0.0	1.0	0.554	0.0	1.0	33.7	49.7	-76.4	91.2	303	0.55	0.0	1.0	0.554	0.0	1.0	33.7	49.7	-76.4	91.2	303	0.55	0.0	1.0			
312	304	304	0.827	0.0	1.0	40.7	58.8	-65.3	87.9	312	0.601	0.0	1.0	34.4	50.7	-75.0	90.6	304	0.567	0.0	1.0	0.601	0.0	1.0	34.4	50.7	-75.0	90.6	304	0.567	0.0	1.0	0.601	0.0	1.0	34.4	50.7	-75.0	90.6	304	0.567	0.0	1.0			
313	305	305	0.849	0.0	1.0	41.6	59.9	-64.1	87.8	313	0.641	0.0	1.0	35.1	51.7	-73.7	90.1	305	0.583	0.0	1.0	0.641	0.0	1.0	35.1	51.7	-73.7	90.1	305	0.583	0.0	1.0	0.641	0.0	1.0	35.1	51.7	-73.7	90.1	305	0.583	0.0	1.0			
314	306	306	0.871	0.0	1.0	42.5	60.9	-63.0	87.7	314	0.672	0.0	1.0	35.8	52.7	-72.4	89.6	306	0.6	0.0	1.0	0.672	0.0	1.0	35.8	52.7	-72.4	89.6	306	0.6	0.0	1.0	0.672	0.0	1.0	35.8	52.7	-72.4	89.6	306	0.6	0.0	1.0			
315	307	307	0.894	0.0	1.0	43.5	62.1	-62.0	87.9	315	0.703	0.0	1.0	36.5	53.6	-71.1	89.1	307	0.617	0.0	1.0	0.703	0.0	1.0	36.5	53.6	-71.1	89.1	307	0.617	0.0	1.0	0.703	0.0	1.0	36.5	53.6	-71.1	89.1	307	0.617	0.0	1.0			
316	308	308	0.918	0.0	1.0	44.4	63.4	-61.1	88.1	316	0.734	0.0	1.0	37.1	54.6	-69.7	88.6	308	0.633	0.0	1.0	0.734	0.0	1.0	37.1	54.6	-69.7	88.6	308	0.633	0.0	1.0	0.734	0.0	1.0	37.1	54.6	-69.7	88.6	308	0.633	0.0	1.0			
317	309	309	0.941	0.0	1.0	45.4	64.6	-60.1	88.3	317	0.761	0.0	1.0	37.9	55.6	-68.5	88.3	309	0.65	0.0	1.0	0.761	0.0	1.0	37.9	55.6	-68.5	88.3	309	0.65	0.0	1.0	0.761	0.0	1.0	37.9										

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 38.6, 102.0, 126.6, 201.5, 299.5, 319.5$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$						$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$						rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$						rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e
353	345	343	1.0	0.0	0.662	39.8	58.2	-7.0	58.6	353		1.0	0.0	0.723	40.5	59.2	-15.7	61.2	345	1.0	0.0	0.75	1.0	0.0	0.738	40.7	59.2	-18.0	61.9	343	1.0	0.0	0.75					
354	346	344	1.0	0.0	0.655	39.7	57.9	-6.0	58.3	354		1.0	0.0	0.716	40.4	59.1	-14.6	60.9	346	1.0	0.0	0.733	1.0	0.0	0.731	40.6	59.2	-16.9	61.6	344	1.0	0.0	0.733					
355	347	345	1.0	0.0	0.647	39.6	57.7	-4.9	57.9	355		1.0	0.0	0.708	40.4	59.0	-13.5	60.6	347	1.0	0.0	0.717	1.0	0.0	0.723	40.5	59.2	-15.7	61.2	345	1.0	0.0	0.717					
356	348	346	1.0	0.0	0.639	39.5	57.5	-3.9	57.6	356		1.0	0.0	0.7	40.3	58.9	-12.4	60.2	348	1.0	0.0	0.7	1.0	0.0	0.716	40.4	59.1	-14.6	60.9	346	1.0	0.0	0.7					
357	349	347	1.0	0.0	0.632	39.4	57.2	-2.9	57.3	357		1.0	0.0	0.693	40.2	58.8	-11.3	59.9	349	1.0	0.0	0.683	1.0	0.0	0.708	40.4	59.0	-13.5	60.6	347	1.0	0.0	0.683					
358	350	348	1.0	0.0	0.624	39.3	56.9	-1.9	57.0	358		1.0	0.0	0.685	40.1	58.7	-10.2	59.6	350	1.0	0.0	0.667	1.0	0.0	0.7	40.3	58.9	-12.4	60.2	348	1.0	0.0	0.667					
359	351	349	1.0	0.0	0.617	39.3	57.0	-0.9	57.0	359		1.0	0.0	0.678	40.0	58.5	-9.2	59.3	351	1.0	0.0	0.65	1.0	0.0	0.693	40.2	58.8	-11.3	59.9	349	1.0	0.0	0.65					
0	352	349	1.0	0.0	0.609	39.2	57.0	0.0	57.0	0		1.0	0.0	0.67	39.9	58.3	-8.1	58.9	352	1.0	0.0	0.633	1.0	0.0	0.693	40.2	58.8	-11.3	59.9	349	1.0	0.0	0.633					
1	353	350	1.0	0.0	0.602	39.2	57.0	1.0	57.1	1		1.0	0.0	0.662	39.8	58.2	-7.0	58.6	353	1.0	0.0	0.617	1.0	0.0	0.685	40.1	58.7	-10.2	59.6	350	1.0	0.0	0.617					
2	354	351	1.0	0.0	0.594	39.1	57.0	2.0	57.1	2		1.0	0.0	0.655	39.7	57.9	-6.0	58.3	354	1.0	0.0	0.6	1.0	0.0	0.678	40.0	58.5	-9.2	59.3	351	1.0	0.0	0.6					
3	355	352	1.0	0.0	0.587	39.0	57.0	3.0	57.1	3		1.0	0.0	0.647	39.6	57.7	-4.9	57.9	355	1.0	0.0	0.583	1.0	0.0	0.67	39.9	58.3	-8.1	58.9	352	1.0	0.0	0.583					
4	356	353	1.0	0.0	0.579	39.0	57.0	4.0	57.1	4		1.0	0.0	0.639	39.5	57.5	-3.9	57.6	356	1.0	0.0	0.567	1.0	0.0	0.662	39.8	58.2	-7.0	58.6	353	1.0	0.0	0.567					
5	357	354	1.0	0.0	0.572	38.9	56.9	5.0	57.2	5		1.0	0.0	0.632	39.4	57.2	-2.9	57.3	357	1.0	0.0	0.55	1.0	0.0	0.655													

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours d : $h_{ab,d} = 35.0, 102.2, 127.2, 201.6, 298.5, 319.2$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 35.0, 102.2, 172.2, 201.6, 298.5, 319.2$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*dd50M			$LAB^*dd50Mx(x=LabCh)$					rgb^*ds50M			$LAB^*ds50Mx(x=LabCh)$					rgb^*s50M			rgb^*de50M			$LAB^*de50Mx(x=LabCh)$					rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e
35.0	30.0	25.5	1.0	0.0	0.0	39.5	50.8	35.6	62.0	35.0	1.0	0.0	0.292	39.6	51.2	29.6	59.1	30	1.0	0.0	0.0	1.0	0.0	0.382	39.8	51.4	24.0	56.7	25	1.0	0.0	0.0			
35.2	37.5	33.8	1.0	0.125	0.0	39.6	50.5	35.7	61.8	35.2	1.0	0.298	0.0	40.9	47.4	37.0	60.2	38	1.0	0.125	0.0	1.0	0.0	0.148	39.5	50.9	34.3	61.3	34	1.0	0.125	0.0			
36.4	45.0	42.2	1.0	0.25	0.0	40.2	49.1	36.3	61.1	36.4	1.0	0.443	0.0	44.0	40.4	40.4	57.1	45	1.0	0.25	0.0	1.0	0.398	0.0	42.6	43.2	38.9	58.2	42	1.0	0.25	0.0			
40.5	52.5	50.5	1.0	0.375	0.0	42.0	44.7	38.1	58.7	40.5	1.0	0.538	0.0	47.4	33.2	44.1	55.2	53	1.0	0.375	0.0	1.0	0.52	0.0	46.6	34.9	43.1	55.5	51	1.0	0.375	0.0			
48.8	60.0	58.9	1.0	0.5	0.0	45.6	36.7	42.0	55.8	48.8	1.0	0.601	0.0	50.3	27.1	47.0	54.3	60	1.0	0.5	0.0	1.0	0.592	0.0	49.9	28.0	46.6	54.4	59	1.0	0.5	0.0			
62.7	67.5	67.2	1.0	0.625	0.0	51.5	24.7	47.9	53.9	62.7	1.0	0.665	0.0	54.0	20.5	50.7	54.7	68	1.0	0.625	0.0	1.0	0.658	0.0	53.5	21.3	50.2	54.5	67	1.0	0.625	0.0			
79.2	75.0	75.6	1.0	0.75	0.0	59.3	10.6	55.4	56.4	79.2	1.0	0.718	0.0	57.3	14.4	53.9	55.8	75	1.0	0.75	0.0	1.0	0.726	0.0	57.8	13.5	54.2	55.9	76	1.0	0.75	0.0			
92.5	82.5	84.0	1.0	0.875	0.0	68.3	-2.6	63.7	63.8	92.5	1.0	0.786	0.0	61.9	7.1	58.1	58.5	83	1.0	0.875	0.0	1.0	0.795	0.0	62.6	6.2	58.8	59.1	84	1.0	0.875	0.0			
102.2	90.0	92.3	1.0	1.0	0.0	82.4	-16.6	77.2	79.0	102.2	1.0	0.852	0.0	66.6	0.0	62.4	62.4	90	1.0	1.0	0.0	1.0	0.871	0.0	67.9	-2.1	63.5	63.6	92	1.0	1.0	0.0			
108.4	97.5	101.1	0.875	1.0	0.0	78.2	-23.9	71.9	75.8	108.4	1.0	0.946	0.0	76.3	-10.0	71.7	72.4	98	0.875	1.0	0.0	1.0	0.984	0.0	80.6	-14.6	75.7	77.1	101	0.875	1.0	0.0			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 35.0, 102.2, 172.0, 201.6, 298.5, 319.2; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																					
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi						LAB*dd361Mix (x=LabCh)						rgb*ds361Mi						LAB*ds361Mix (x=LabCh)						rgb*s50M						rgb*de361Mi						LAB*de361Mix (x=LabCh)						rgb*e50M						rgb* _d rgb* _s rgb* _e		
34	30	25	1.0	0.0	0.148	39.5	50.9	34.3	61.3	34	R _d	1.0	0.0	0.292	39.6	51.2	29.6	59.1	30	1.0	0.0	0.0R _s	1.0	0.0	0.382	39.8	51.4	24.0	56.7	25	1.0	0.0	0.0R _e																				
35	31	27	1.0	0.003	0.0	39.5	50.8	35.6	62.0	35		1.0	0.0	0.272	39.6	51.1	30.7	59.6	31	1.0	0.017	0.0	1.0	0.0	0.35	39.7	51.3	26.1	57.5	27	1.0	0.017	0.0																				
36	32	28	1.0	0.204	0.0	40.0	49.6	36.1	61.3	36		1.0	0.0	0.253	39.6	51.0	31.9	60.1	32	1.0	0.033	0.0	1.0	0.0	0.33	39.7	51.3	27.3	58.1	28	1.0	0.033	0.0																				
37	33	29	1.0	0.267	0.0	40.4	48.5	36.6	60.8	37		1.0	0.0	0.203	39.5	50.9	33.1	60.7	33	1.0	0.05	0.0	1.0	0.0	0.311	39.7	51.2	28.4	58.6	29	1.0	0.05	0.0																				
38	34	30	1.0	0.298	0.0	40.9	47.4	37.0	60.2	38		1.0	0.0	0.148	39.5	50.9	34.3	61.3	34	1.0	0.067	0.0	1.0	0.0	0.292	39.6	51.2	29.6	59.1	30	1.0	0.067	0.0																				
39	35	31	1.0	0.329	0.0	41.3	46.3	37.5	59.6	39		1.0	0.003	0.0	39.5	50.8	35.6	62.0	35	1.0	0.083	0.0	1.0	0.0	0.272	39.6	51.1	30.7	59.6	31	1.0	0.083	0.0																				
40	36	32	1.0	0.36	0.0	41.7	45.2	37.9	59.0	40		1.0	0.204	0.0	40.0	49.6	36.1	61.3	36	1.0	0.1	0.0	1.0	0.0	0.253	39.6	51.0	31.9	60.1	32	1.0	0.1	0.0																				
41	37	33	1.0	0.383	0.0	42.2	44.2	38.4	58.5	41		1.0	0.267	0.0	40.4	48.5	36.6	60.8	37	1.0	0.117	0.0	1.0	0.0	0.203	39.5	50.9	33.1	60.7	33	1.0	0.117	0.0																				
42	38	34	1.0	0.398	0.0	42.6	43.2	38.9	58.2	42		1.0	0.298	0.0	40.9	47.4	37.0	60.2	38	1.0	0.133	0.0	1.0	0.0	0.148	39.5																											

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 35.0, 102.2, 127.2, 201.6, 319.2; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*dd361Mi						LAB*dd361Mix (x=LabCh)						rgb*ds361Mi						LAB*ds361Mix (x=LabCh)						rgb*s50M						rgb*de361Mi						LAB*de361Mix (x=LabCh)						rgb*e50M						rgb*_d	rgb*_s	rgb*_e
79	75	76	1.0	0.748	0.0	59.2	10.8	55.3	56.4	79	1.0	0.718	0.0	57.3	14.4	53.9	55.8	75	1.0	0.75	0.0	1.0	0.726	0.0	57.8	13.5	54.2	55.9	76	1.0	0.75	0.0																					
80	76	77	1.0	0.758	0.0	59.9	9.9	56.0	56.8	80	1.0	0.726	0.0	57.8	13.5	54.2	55.9	76	1.0	0.767	0.0	1.0	0.733	0.0	58.3	12.6	54.6	56.1	77	1.0	0.767	0.0																					
81	77	78	1.0	0.767	0.0	60.5	9.0	56.7	57.4	81	1.0	0.733	0.0	58.3	12.6	54.6	56.1	77	1.0	0.783	0.0	1.0	0.741	0.0	58.7	11.7	55.0	56.2	78	1.0	0.783	0.0																					
82	78	79	1.0	0.776	0.0	61.2	8.1	57.4	58.0	82	1.0	0.741	0.0	58.7	11.7	55.0	56.2	78	1.0	0.8	0.0	1.0	0.748	0.0	59.2	10.8	55.3	56.4	79	1.0	0.8	0.0																					
83	79	80	1.0	0.786	0.0	61.9	7.1	58.1	58.5	83	1.0	0.748	0.0	59.2	10.8	55.3	56.4	79	1.0	0.817	0.0	1.0	0.758	0.0	59.9	9.9	56.0	56.8	80	1.0	0.817	0.0																					
84	80	81	1.0	0.795	0.0	62.6	6.2	58.8	59.1	84	1.0	0.758	0.0	59.9	9.9	56.0	56.8	80	1.0	0.833	0.0	1.0	0.767	0.0	60.5	9.0	56.7	57.4	81	1.0	0.833	0.0																					
85	81	82	1.0	0.805	0.0	63.2	5.2	59.4	59.6	85	1.0	0.767	0.0	60.5	9.0	56.7	57.4	81	1.0	0.85	0.0	1.0	0.776	0.0	61.2	8.1	57.4	58.0	82	1.0	0.85	0.0																					
86	82	83	1.0	0.814	0.0	63.9	4.2	60.0	60.2	86	1.0	0.776	0.0	61.2	8.1	57.4	58.0	82	1.0	0.867	0.0	1.0	0.786	0.0	61.9	7.1	58.1	58.5	83	1.0	0.867	0.0																					
87	83	85	1.0	0.824	0.0	64.6	3.2	60.7	60.8	87	1.0	0.786	0.0	61.9	7.1	58.1	58.5	83	1.0	0.883	0.0	1.0	0.805	0.0	63.2	5.2	59.4	59.6	85	1.0	0.883	0.0																					
88	84	86	1.0	0.833	0.0	65.2	2.1	61.3	61.3	88	1.0	0.795	0.0	62.6	6.2	58.8	59.1	84	1.0	0.9	0.0	1.0	0.814	0.0	63.9	4.2	60.0	60.2	86	1.0	0.9	0.0																					
89	85	87	1.0	0.842	0.0	65.9	1.1	61.9	61.9	89	1.0	0.805	0.0	63.2	5.2	59.4	59.6	85	1.0	0.917	0.0	1.0	0.824	0.0	64.6	3.2	60.7	60.8	87	1.0	0.917	0.0																					
90	86	88	1.0	0.852	0.0	66.6	0.0	62.4	62.4	90	1.0	0.814	0.0	63.9	4.2	60.0	60.2	86	1.0	0.933	0.0	1.0	0.833	0.0	65.2	2.1	61.3	61.3	88	1.0	0.933	0.0																					
91	87	89	1.0	0.861	0.0	67.3	-1.0	63.0	63.0	91	1.0	0.824	0.0	64.6	3.2</																																						



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 35.0, 102.2, 172.0, 201.6, 298.5, 319.2; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_{dd}</i> 361Mi		<i>LAB*_{dd}</i> 361Mix (x=LabCh)				<i>rgb*_{ds}</i> 361Mi		<i>LAB*_{ds}</i> 361Mix (x=LabCh)				<i>rgb*_s</i> 50M		<i>rgb*_{de}</i> 361Mi		<i>LAB*_{de}</i> 361Mix (x=LabCh)				<i>rgb*_e</i> 50M		<i>rgb*_{dd}</i>		<i>rgb*_{ds}</i>	<i>rgb*_{de}</i>							
124	120	127	0.535	1.0	0.0	72.0	-42.9	63.8	77.0	124	0.675	1.0	0.0	72.8	-37.5	65.2	75.3	120	0.5	1.0	0.0	0.237	1.0	0.0	71.4	-47.2	62.8	78.7	127	0.5	1.0	0.0			
125	121	128	0.484	1.0	0.0	71.8	-44.3	63.4	77.4	125	0.649	1.0	0.0	72.6	-38.9	64.9	75.7	121	0.483	1.0	0.0	0.0	1.0	0.261	71.4	-47.3	60.6	76.9	128	0.483	1.0	0.0			
126	122	130	0.401	1.0	0.0	71.6	-45.8	63.1	78.0	126	0.621	1.0	0.0	72.5	-40.2	64.5	76.1	122	0.467	1.0	0.0	0.0	1.0</												

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 35.0, 102.2, 172.2, 201.6, 298.5, 319.2$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
259	255	258	0.0	0.781	1.0	59.7	-6.8	-35.5	36.2	259	0.0	0.798	1.0	61.0	-8.9	-33.6	34.8	255	0.0	0.25	1.0	0.0	0.785	1.0	60.0	-7.4	-35.0	35.9	258	0.0	0.25	1.0			
260	256	259	0.0	0.777	1.0	59.4	-6.2	-35.9	36.6	260	0.0	0.793	1.0	60.7	-8.4	-34.0	35.2	256	0.0	0.233	1.0	0.0	0.781	1.0	59.7	-6.8	-35.5	36.2	259	0.0	0.233	1.0			
261	257	260	0.0	0.773	1.0	59.1	-5.7	-36.4	36.9	261	0.0	0.789	1.0	60.4	-7.9	-34.5	35.5																		

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 35.0, 102.2, 172.2, 201.6, 298.5, 319.2; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																					
<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_{dd}361Mi</i>				<i>LAB*_{dd}361Mix (x=LabCh)</i>				<i>rgb*_{ds}361Mi</i>				<i>LAB*_{ds}361Mix (x=LabCh)</i>				<i>rgb*_s50M</i>				<i>rgb*_{de}361Mi</i>				<i>LAB*_{de}361Mix (x=LabCh)</i>				<i>rgb*_e50M</i>				<i>rgb*_{dd}</i>	<i>rgb*_{ds}</i>	<i>rgb*_{de}</i>
304	300	300	0.634	0.0	1.0	37.2	47.7	-70.6	85.3	304	0.428	0.0	1.0	34.8	43.5	-75.2	87.0	300	0.5	0.0	1.0	0.428	0.0	1.0	34.8	43.5	-75.2	87.0	300	0.5	0.0	1.0					
305	301	301	0.664	0.0	1.0	37.8	48.7	-69.5	85.0	305	0.503	0.0	1.0	35.4	44.7	-74.2	86.7	301	0.517	0.0	1.0	0.503	0.0	1.0	35.4	44.7	-74.2	86.7	301	0.517	0.0	1.0					
306	302	302	0.694	0.0	1.0	38.4	49.7	-68.3	84.6	306	0.548	0.0	1.0	36.0	45.7	-73.0	86.2	302	0.533	0.0	1.0	0.548															

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 35.0, 102.2, 172.0, 201.6, 298.5, 319.2$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			LAB* $dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			LAB* $ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			LAB* $de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
349	345	343	1.0	0.0	0.693	42.0	55.5	-10.7	56.5	349	1.0	0.0	0.723	42.3	55.9	-14.9	57.8	345	1.0	0.0	0.75	1.0	0.0	0.739	42.5	55.9	-17.0	58.5	343	1.0	0.0	0.75			
350	346	344	1.0	0.0	0.685	41.9	55.4	-9.7	56.2	350	1.0	0.0	0.716	42.2	55.8	-13.8	57.5	346	1.0	0.0	0.733	1.0	0.0	0.731	42.4	55.9	-15.9	58.2	344	1.0	0.0	0.733			
351	347	345	1.0	0.0	0.678	41.8	55.2	-8.6	55.9	351																									

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours d : $h_{ab,d} = 31.1, 102.7, 128.3, 201.7, 296.8, 318.8$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.1, 102.7, 128.3, 201.7, 296.8, 318.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6		
---	--	--

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.1, 102.7, 128.3, 201.7, 296.8, 318.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 1
--




Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: h
--

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;<
--

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 31.1, 102.7, 128.3, 201.7, 296.8, 318.8; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_d</i> dd361Mi			<i>LAB*_d</i> dd361Mix (x=LabCh)			<i>rgb*_s</i> ds361Mi			<i>LAB*_s</i> ds361Mix (x=LabCh)			<i>rgb*_s</i> s50M			<i>rgb*_d</i> de361Mi			<i>LAB*_d</i> de361Mix (x=LabCh)			<i>rgb*_e</i> e50M			<i>rgb*_d</i>	<i>rgb*_s</i>	<i>rgb*_d</i>						
301	300	300	0.568	0.0	1.0	40.3	40.0	-66.5	77.6	301	0.525	0.0	1.0	39.9	39.0	-67.4	78.0	300	0.5	0.0	1.0	0.525	0.0	1.0	39.9	39.0	-67.4	78.0	300	0.5	0.0	1.0			
302	301	301	0.611	0.0	1.0	40.8	41.0	-65.5	77.3	302	0.568	0.0	1.0	40.3	40.0	-66.5	77.6	301	0.517	0.0	1.0	0.568	0.0	1.0	40.3	40.0	-66.5	77.6	301	0.517	0.0	1.0			
303	302	302	0.644	0.0	1.0	41.3	42.0	-64.5	77.1	303	0.611	0.0	1.0	40.8	41.0	-65.5	77.3	302	0.533	0.0	1.0	0.611	0.0	1.0	40.8	41.0	-65.5	77.3	302	0.533	0.0	1.0			
304	303	303	0.672	0.0	1.0	41.8	43.0	-63.6	76.9	304	0.644	0.0	1.0	41.3	42.0	-64.5	77.1	303	0.55	0.0	1.0	0.644	0.0	1.0	41.3	42.0	-64.5	77.1	303	0.55	0.0	1.0			
305	304	304	0.701	0.0	1.0	42.2	44.0	-62.7	76.6	305	0.672	0.0	1.0	41.8	43.0	-63.6	76.9	304	0.567	0.0	1.0	0.672	0.0	1.0	41.8	43.0	-63.6	76.9	304	0.567	0.0	1.0			
306	305	305	0.729	0.0	1.0	42.7	44.9	-61.7	76.4	306	0.701	0.0	1.0	42.2	44.0	-62.7	76.6	305	0.583	0.0	1.0	0.701	0.0	1.0	42.2	44.0	-62.7	76.6	305	0.583	0.0	1.0			
307	306	306	0.755	0.0	1.0	43.3	45.9	-60.8	76.3	307	0.729	0.0	1.0	42.7	44.9	-61.7	76.4	306	0.6	0.0	1.0	0.729	0.0	1.0	42.7	44.9	-61.7	76.4	306	0.6	0.0	1.0			
308	307	307	0.775	0.0	1.0	43.9	47.1	-60.1	76.4	308	0.755	0.0	1.0	43.3	45.9	-60.8	76.3	307	0.617	0.0	1.0	0.755	0.0	1.0	43.3	45.9	-60.8	76.3	307	0.617	0.0	1.0			
309	308	308	0.795	0.0	1.0	44.6	48.2	-59.4	76.6	309	0.775	0.0	1.0	43.9	47.1	-60.1	76.4	308	0.633	0.0	1.0	0.775	0.0	1.0	43.9	47.1	-60.1	76.4	308	0.633	0.0	1.0			
310	309	309	0.815	0.0	1.0	45.2	49.3	-58.7	76.7	310	0.795	0.0	1.0	44.6	48.2	-59.4	76.6	309	0.65	0.0	1.0	0.795	0.0	1.0	44.6	48.2	-59.4	76.6	309	0.65	0.0	1.0			
311	310	310	0.835	0.0	1.0	45.9	50.4	-57.9	76.8	311	0.815	0.0	1.0	45.2	49.3	-58.7	76.7	310	0.667	0.0	1.0	0.815	0.0	1.0	45.2	49.3	-58.7	76.7	310	0.667	0.0	1.0			
312	311	311	0.855	0.0	1.0	46.6	51.5	-57.1	77.0	312	0.835	0.0	1.0	45.9	50.4	-57.9	76.8	311	0.683	0.0	1.0	0.835	0.0	1.0	45.9	50.4	-57.9	76.8	311	0.683	0.0	1.0			
313	312	312	0.874	0.0	1.0	47.2	52.6	-56.3	77.1	313	0.855	0.0	1.0	46.6	51.5	-57.1	77.0	312	0.7	0.0	1.0	0.855	0.0	1.0	46.6	51.5	-57.1	77.0	312	0.7	0.0	1.0			
314	313	312	0.896	0.0	1.0	48.0	53.9	-55.7	77.5	314	0.874	0.0	1.0	47.2	52.6	-56.3	77.1	313	0.717	0.0	1.0	0.855	0.0	1.0	46.6	51.5	-57.1	77.0	312	0.717	0.0	1.0			
315	314	313	0.918	0.0	1.0	48.8	55.1	-55.0	78.0	315	0.896	0.0	1.0	48.0	53.9	-55.7	77.5	314	0.733	0.0	1.0	0.874	0.0	1.0	47.2	52.6	-56.3	77.1	313	0.733	0.0	1.0			
316	315	314	0.94	0.0	1.0	49.5	56.4	-54.4	78.4	316	0.918	0.0	1.0	48.8	55.1	-55.0	78.0	315	0.75	0.0	1.0	0.896	0.0	1.0	48.0	53.9	-55.7	77.5	314	0.75	0.0	1.0			
317	316	315	0.961	0.0	1.0	50.3	57.7	-53.7	78.9	317	0.94	0.0	1.0	49.5	56.4	-54.4	78.4	316	0.767	0.0	1.0	0.918	0.0	1.0	48.8	55.1	-55.0	78.0	315	0.767	0.0	1.0			
318	317	316	0.983	0.0	1.0	51.0	58.9	-53.0	79.3	318M _d	0.961	0.0	1.0	50.3	57.7	-53.7	78.9	317	0.783	0.0	1.0	0.94	0.0	1.0	49.5	56.4	-54.4	78.4	316	0.783	0.0	1.0			
319	318	317	1.0	0.0	0.996	51.5	59.8	-51.9	79.2	319	0.983	0.0	1.0	51.0	58.9	-53.0	79.3	318	0.8	0.0	1.0	0.961	0.0	1.0	50.3	57.7	-53.7	78.9	317	0.8	0.0	1.0			
320	319	318	1.0	0.0	0.981	51.1	59.3	-49.6	77.4	320	1.0	0.0	0.996	51.5	59.8	-51.9	79.2	319	0.817	0.0	1.0	0.983	0.0	1.0	51.0	58.9	-53.0	79.3	318	0.817	0.0	1.0			
321	320	319	1.0	0.0	0.965	50.7	58.7	-47.4	75.5	321	1.0	0.0	0.981	51.1	59.3	-49.6	77.4	320	0.833	0.0	1.0	1.0	0.0	0.996	51.5	59.8	-51.9	79.2	319	0.833	0.0	1.0			
322	321	320	1.0	0.0	0.949	50.2	58.0	-45.3	73.7	322	1.0	0.0	0.965	50.7	58.7	-47.4	75.5	321	0.85	0.0	1.0	1.0	0.0	0.981	51.1	59.3	-49.6	77.4	320	0.85	0.0	1.0			
323	322	321	1.0	0.0	0.933	49.8	57.3	-43.1	71.8	323	1.0	0.0	0.949	50.2	58.0	-45.3	73.7	322	0.867	0.0	1.0	1.0	0.0	0.965	50.7	58.7	-47.4	75.5	321	0.867	0.0	1.0			
324	323	322	1.0	0.0	0.917	49.4	56.6	-41.0	69.9	324	1.0	0.0	0.933	49.8	57.3	-43.1	71.8	323	0.883	0.0	1.0	1.0	0.0	0.949	50.2	58.0	-45.3	73.7	322	0.883	0.0	1.0			
325	324	323	1.0	0.0	0.901	48.9	55.8	-39.0	68.1	325	1.0	0.0	0.917	49.4	56.6	-41.0	69.9	324	0.9	0.0	1.0	1.0	0.0	0.933	49.8	57.3	-43.1	71.8	323	0.9	0.0	1.0			
326	325	324	1.0	0.0	0.885	48.5	54.9	-36.9	66.2	326	1.0	0.0	0.901	48.9	55.8	-39.0	68.1	325	0.917	0.0	1.0	1.0	0.0	0.917	49.4	56.6	-41.0	69.9	324	0.917	0.0	1.0			
327	326	325	1.0	0.0	0.872	48.1	54.3	-35.2	64.7	327	1.0	0.0	0.885	48.5	54.9	-36.9	66.2	326	0.933	0.0	1.0	1.0	0.0	0.901	48.9	55.8	-39.0	68.1	325	0.933	0.0	1.0			
328	327	326	1.0	0.0	0.864	48.0	54.2	-33.8	63.9	328	1.0	0.0	0.872	48.1	54.3	-35.2	64.7	327	0.95	0.0	1.0	1.0	0.0	0.885	48.5	54.9	-36.9	66.2	326	0.95	0.0	1.0			
329	328	327	1.0	0.0	0.855	47.8	54.1	-32.4	63.1	329	1.0	0.0	0.864	48.0	54.2	-33.8	63.9	328	0.967	0.0	1.0	1.0	0.0	0.872	48.1	54.3	-35.2	64.7	327	0.967	0.0	1.0			
330	329	328	1.0	0.0	0.847	47.7	54.0	-31.1	62.3	330	1.0	0.0	0.855	47.8	54.1	-32.4	63.1	329	0.983	0.0	1.0	1.0	0.0	0.864	48.0	54.2	-33.8	63.9	328	0.983	0.0	1.0			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 31.1, 102.7, 128.3, 201.7, 296.8, 318.8$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
346	345	343	1.0	0.0	0.716	45.5	50.2	-12.4	51.7	346	1.0	0.0	0.724	45.5	50.2	-13.4	52.0	345	1.0	0.0	0.75	1.0	0.0	0.739	45.7	50.3	-15.3	52.6	343	1.0	0.0	0.75						
347	346	344	1.0	0.0	0.709	45.4	50.1	-11.5	51.4	347	1.0	0.0	0.716	45.5	50.2	-12.4	51.7	346	1.0	0.0	0.733	1.0	0.0	0.732	45.6	50.3	-14.3	52.3	344	1.0	0.0	0.733						
348	347	345	1.0	0.0	0.701	45.3	49.9	-10.5	51.1	348	1.0	0.0	0.709	45.4	50.1	-11.5	51.4	347	1.0	0.0	0.717	1.0	0.0	0.724	45.5	50.2	-13.4	52.0	345	1.0	0.0	0.717						
349	348	346	1.0	0.0	0.694	45.2	49.8	-9.6	50.7	349	1.0	0.0	0.701	45.3	49.9	-10.5	51.1	348	1.0	0.0	0.7	1.0	0.0	0.716	45.5	50.2	-12.4	51.7	346	1.0	0.0	0.7						
350	349	347	1.0	0.0	0.686	45.1	49.7	-8.7	50.4	350	1.0	0.0	0.694	45.2	49.8	-9.6	50.7	349	1.0	0.0	0.683	1.0	0.0	0.709	45.4	50.1	-11.5	51.4	347	1.0	0.0	0.683						
351	350	348	1.0	0.0	0.678	45.1	49.5	-7.7	50.1	351	1.0	0.0	0.686	45.1	49.7	-8.7	50.4	350	1.0	0.0	0.667	1.0	0.0	0.701	45.3	49.9	-10.5	51.1	348	1.0	0.0	0.667						
352	351	349	1.0	0.0	0.671	45.0	49.3	-6.8	49.8	352	1.0	0.0	0.678	45.1	49.5	-7.7	50.1	351	1.0	0.0	0.65	1.0	0.0	0.694	45.2	49.8	-9.6	50.7	349	1.0	0.0	0.65						
353	352	349	1.0	0.0	0.663	44.9	49.1	-5.9	49.5	353	1.0	0.0	0.671	45.0	49.3	-6.8	49.8	352	1.0	0.0	0.633	1.0	0.0	0.694	45.2	49.8	-9.6	50.7	349	1.0	0.0	0.633						
354	353	350	1.0	0.0	0.655	44.8	48.9	-5.0	49.2	354	1.0	0.0	0.663	44.9	49.1	-5.9	49.5	353	1.0	0.0	0.617	1.0	0.0	0.686	45.1	49.7	-8.7	50.4	350	1.0	0.0	0.617						
355	354	351	1.0	0.0	0.648	44.8	48.7	-4.2	48.9	355	1.0	0.0	0.655	44.8	48.9	-5.0	49.2	354	1.0	0.0	0.6	1.0	0.0	0.678	45.1	49.5	-7.7	50.1	351	1.0	0.0	0.6						
356	355	352	1.0	0.0	0.64	44.7	48.4	-3.3	48.5	356	1.0	0.0	0.648	44.8	48.7	-4.2	48.9	355	1.0	0.0	0.583	1.0	0.0	0.671	45.0	49.3	-6.8	49.8	352	1.0	0.0	0.583						
357	356	353	1.0	0.0	0.633	44.6	48.2	-2.4	48.2	357	1.0	0.0	0.64	44.7	48.4	-3.3	48.5	356	1.0	0.0	0.567	1.0	0.0	0.663	44.9	49.1	-5.9	49.5	353	1.0	0.0	0.567						
358	357	354	1.0	0.0	0.625	44.5	47.9	-1.6	47.9	358	1.0	0.0	0.633	44.6	48.2	-2.4	48.2	357	1.0	0.0	0.55	1.0	0.0	0.655	44.8	48.9	-5.0	49.2	354	1.0	0.0	0.55						
359	358	355	1.0	0.0	0.617	44.5	47.9	-0.7	47.9	359	1.0	0.0	0.625	44.5	47.9	-1.6	47.9	358	1.0	0.0	0.533	1.0	0.0	0.648	44.8	48.7	-4.2	48.9	355	1.0	0.0	0.533						
0	359	356	1.0	0.0	0.608	44.4	47.9	0.0	47.9	0	1.0	0.0	0.617	44.5	47.9	-0.7	47.9	359	1.0	0.0	0.517	1.0	0.0	0.64	44.7	48.4	-3.3	48.5	356	1.0	0.0	0.517						
1	360	357	1.0	0.0	0.6	44.4	47.9	0.8	47.9	1	1.0	0.0	0.608	44.4	47.9	0.0	47.9	0	1.0	0.0	0.5	1.0	0.0	0.633	44.6	48.2	-2.4	48.2	357	1.0	0.0	0.5						
2	361	358	1.0	0.0	0.592	44.3	47.8	1.7	47.8	2	1.0	0.0	0.6	44.4	47.9	0.8	47.9	1	1.0	0.0	0.483	1.0	0.0	0.625	44.5	47.9	-1.6	47.9	358	1.0	0.0	0.483						
3	362	359	1.0	0.0	0.584	44.3	47.8	2.5	47.8	3	1.0	0.0	0.592	44.3	47.8	1.7	47.8	2	1.0	0.0	0.467	1.0	0.0	0.617	44.5	47.9	-0.7	47.9	359	1.0	0.0	0.467						
4	363	360	1.0	0.0	0.575	44.2	47.7	3.3	47.8	4	1.0	0.0	0.584	44.3	47.8	2.5	47.8	3	1.0	0.0	0.45	1.0	0.0	0.608	44.4	47.9	0.0	47.9	0	1.0	0.0	0.45						
5	364	361	1.0	0.0	0.567	44.2	47.6	4.2	47.8	5	1.0	0.0	0.575	44.2	47.7	3.3	47.8	4	1.0	0.0	0.433	1.0	0.0	0.6	44.4	47.9	0.8	47.9	1	1.0	0.0	0.433						
6	365	362	1.0	0.0	0.559	44.1	47.5	5.0	47.8	6	1.0	0.0	0.567	44.2	47.6	4.2	47.8	5	1.0	0.0	0.417	1.0	0.0	0.592	44.3	47.8	1.7	47.8	2	1.0	0.0	0.417						
7	366	363	1.0	0.0	0.551	44.1	47.4	5.8	47.8	7	1.0	0.0	0.559	44.1	47.5	5.0	47.8	6	1.0	0.0	0.4	1.0	0.0	0.584	44.3	47.8	2.5	47.8	3	1.0	0.0	0.4						
8	367	364	1.0	0.0	0.542	44.0	47.3	6.6	47.7	8	1.0	0.0	0.551	44.1	47.4	5.8	47.8	7	1.0	0.0	0.383	1.0	0.0	0.575	44.2	47.7	3.3	47.8	4	1.0	0.0	0.383						
9	368	365	1.0	0.0	0.534	44.0	47.1	7.5	47.7	9	1.0	0.0	0.542	44.0	47.3	6.6	47.7	8	1.0	0.0	0.367	1.0	0.0	0.567	44.2	47.6	4.2	47.8	5	1.0	0.0	0.367						
10	369	366	1.0	0.0	0.526	44.0	47.0	8.3	47.7	10	1.0	0.0	0.534	44.0	47.1	7.5	47.7	9	1.0	0.0	0.35	1.0	0.0	0.559	44.1	47.5	5.0	47.8	6	1.0	0.0	0.35						
11	370	367	1.0	0.0	0.518	43.9	46.8	9.1	47.7	11	1.0	0.0	0.526	44.0	47.0	8.3	47.7	10	1.0	0.0	0.333	1.0	0.0	0.551	44.1	47.4	5.8	47.8	7	1.0	0.0	0.333						
12	371	367	1.0	0.0	0.509	43.9	46.6	9.9	47.7	12	1.0	0.0	0.518	43.9	46.8	9.1	47.7	11	1.0	0.0	0.317	1.0	0.0	0.551	44.1	47.4	5.8	47.8	7	1.0	0.0	0.317						
13	372	368	1.0	0.0	0.501	43.8	46.4	10.7	47.6	13	1.0	0.0	0.509	43.9	46.6	9.9	47.7	12	1.0	0.0	0.3	1.0	0.0	0.542	44.0	47.3	6.6	47.7	8	1.0	0.0	0.3						
14	373	369	1.0	0.0	0.49	43.8	46.4	11.6	47.8	14	1.0	0.0	0.501	43.8	46.4	10.7	47.6	13	1.0	0.0	0.283	1.0	0.0	0.534	44.0	47.1	7.5	47.7	9	1.0	0.0	0.283						
15	374	370	1.0	0.0	0.478	43.7	46.3	12.4	48.0	15	1.0	0.0	0.49	43.8	46.4	11.6	47.8	14	1.0	0.0	0.267	1.0	0.0	0.526	44.0	47.0	8.3	47.7	10	1.0	0.0	0.267						
16	375	371	1.0	0.0	0.466	43.7	46.3	13.3	48.2	16	1.0	0.0	0.478	43.7	46.3	12.4	48.0	15	1.0	0.0	0.25	1.0	0.0	0.518	43.9	46.8	9.1	47.7	11	1.0	0.0	0.25						
17	376	372	1.0	0.0	0.453	43.6	46.2	14.1	48.3	17	1.0	0.0	0.466	43.7	46.3	13.3	48.2	16	1.0	0.0	0.233	1.0	0.0	0.509	43.9	46.6	9.9	47.7	12	1.0	0.0	0.233						
18	377	373	1.0	0.0	0.441	43.6	46.2	15.0	48.5	18	1.0	0.0	0.453	43.6	46.2	14.1	48.3	17	1.0	0.0	0.217	1.0	0.0	0.501	43.8	46.4	10.7	47.6	13	1.0	0.0	0.217						
19	378	374	1.0	0.0	0.429	43.5	46.1	15.9	48.7																													

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd50M}			$LAB^*_{dd50Mx}(x=LabCh)$					rgb^*_{ds50M}			$LAB^*_{ds50Mx}(x=LabCh)$					rgb^*_{s50M}			rgb^*_{de50M}			$LAB^*_{de50Mx}(x=LabCh)$					rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
27.4	30.0	25.5	1.0	0.0	0.0	49.2	36.3	18.8	40.9	27.4	1.0	0.287	0.0	50.0	34.5	19.9	39.9	30	1.0	0.0	0.0	1.0	0.0	0.267	49.3	36.5	17.0	40.3	25	1.0	0.0	0.0			
27.6	37.5	33.8	1.0	0.125	0.0	49.3	36.1	18.9	40.7	27.6	1.0	0.449	0.0	52.4	29.7	23.2	37.7	38	1.0	0.125	0.0	1.0	0.392	0.0	51.2	31.9	21.5	38.5	34	1.0	0.125	0.0			
28.8	45.0	42.2	1.0	0.25	0.0	49.7	35.3	19.4	40.3	28.8	1.0	0.527	0.0	54.4	25.9	25.9	36.6	45	1.0	0.25	0.0	1.0	0.503	0.0	53.6	27.4	24.7	36.9	42	1.0	0.25	0.0			
32.8	52.5	50.5	1.0	0.375	0.0	50.9	32.6	21.0	38.8	32.8	1.0	0.591	0.0	56.6	21.7	28.8	36.1	53	1.0	0.375	0.0	1.0	0.575	0.0	56.0	22.8	28.2	36.2	51	1.0	0.375	0.0			
41.6	60.0	58.9	1.0	0.5	0.0	53.5	27.6	24.5	36.9	41.6	1.0	0.642	0.0	58.6	18.1	31.3	36.2	60	1.0	0.5	0.0	1.0	0.636	0.0	58.3	18.6	30.9	36.0	59	1.0	0.5	0.0			
57.3	67.5	67.2	1.0	0.625	0.0	57.8	19.3	30.1	35.8	57.3	1.0	0.692	0.0	61.1	14.0	34.7	37.4	68	1.0	0.625	0.0	1.0	0.686	0.0	60.8	14.6	34.3	37.3	67	1.0	0.625	0.0			
77.2	75.0	75.6	1.0	0.75	0.0	64.0	8.6	37.9	38.9	77.2	1.0	0.736	0.0	63.3	10.0	37.2	38.5	75	1.0	0.75	0.0	1.0	0.743	0.0	63.6	9.4	37.5	38.7	76	1.0	0.75	0.0			
92.8	82.5	84.0	1.0	0.875	0.0	71.4	-2.2	46.9	47.0	92.8	1.0	0.796	0.0	66.7	5.1	41.6	41.9	83	1.0	0.875	0.0	1.0	0.804	0.0	67.2	4.4	42.1	42.4	84	1.0	0.875	0.0			
103.5	90.0	92.3	1.0	1.0	0.0	83.6	-14.7	61.5	63.3	103.5	1.0	0.852	0.0	70.0	0.0	45.5	45.5	90	1.0	1.0	0.0	1.0	0.868	0.0	71.0	-1.5	46.5	46.5	92	1.0	1.0	0.0			
110.3	97.5	101.1	0.875	1.0	0.0	80.0	-20.8	56.4	60.1	110.3	1.0	0.935	0.0	77.3	-7.5	54.3	54.8	98	0.875	1.0	0.0	1.0	0.971	0.0	80.8	-11.2	58.3	59.4	101	0.875	1.0	0.0			
119.6	105.0	109.8	0.75	1.0	0.0	75.7	-28.7	50.6	58.2	119.6	0.973	1.0	0.0	82.8	-16.1	60.4	62.6	105	0.75	1.0	0.0	0.881	1.0	0.0	80.2	-20.5	56.6	60.3	110	0.75	1.0	0.0			
124.6	112.5	118.5	0.625	1.0	0.0	75.0	-33.9	49.3	59.9	124.6	0.839	1.0	0.0	78.8	-23.2	54.8	59.6	113	0.625	1.0	0.0	0.759	1.0	0.0	76.0	-28.2	51.0	58.3	119	0.625	1.0	0.0			
127.5	120.0	127.3	0.5	1.0	0.0	74.4	-37.1	48.4	61.0	127.5	0.741	1.0	0.0	75.7	-29.1	50.5	58.3	120	0.5	1.0	0.0	0.522	1.0	0.0	74.5	-36.5	48.6	60.8	127	0.5	1.0	0.0			
129.0	127.5	136.0	0.375	1.0	0.0	74.2	-38.8	48.0	61.8	129.0	0.46	1.0	0.0	74.3	-37.6	48.3	61.3	128	0.375	1.0	0.0	0.0	1.0	0.536	74.5	-37.5	36.3	52.2	136	0.375	1.0	0.0			
129.7	135.0	144.7	0.25	1.0	0.0	74.1	-39.6	47.8	62.1	129.7	0.0	1.0	0.513	74.4	-37.8	37.9	53.6	135	0.25	1.0	0.0	0.0	1.0	0.687	75.1	-34.5	24.2	42.3	145	0.25	1.0	0.0			
129.9	142.5	153.5	0.125	1.0	0.0	74.1	-39.9	47.8	62.3	129.9	0.0	1.0	0.663	75.0	-35.1	26.5	44.1	143	0.125	1.0	0.0	0.0	1.0	0.766	75.6	-32.2	16.5	36.3	153	0.125	1.0	0.0			
129.9	150.0	162.2	0.0	1.0	0.0	74.0	-39.9	47.7	62.2	129.9	0.0	1.0	0.746	75.5	-32.6	18.9	37.8	150	0.0	1.0	0.0	0.0	1.0	0.818	76.1	-30.6	10.0	32.3	162	0.0	1.0	0.0			
130.0	157.5	169.1	0.0	1.0	0.125	74.0	-39.8	47.5	62.0	130.0	0.0	1.0	0.795	75.9	-31.5	12.8	34.1	158	0.0	1.0	0.125	0.0	1.0	0.859	76.4	-28.6	5.6	29.2	169	0.0	1.0	0.125			
130.4	165.0	175.9	0.0	1.0	0.25	74.0	-39.7	46.7	61.3	130.4	0.0	1.0	0.836	76.2	-29.8	8.0	31.0	165	0.0	1.0	0.25	0.0	1.0	0.893	76.7	-27.3	1.9	27.5	176	0.0	1.0	0.25			
131.7	172.5	182.8	0.0	1.0	0.375	74.1	-39.0	44.0	58.9	131.7	0.0	1.0	0.88	76.6	-27.5	3.4	27.8	173	0.0	1.0	0.375	0.0	1.0	0.922	77.0	-26.5	-1.3	26.6	183	0.0	1.0	0.375			
134.5	180.0	189.6	0.0	1.0	0.5	74.4	-38.0	38.8	54.3	134.5	0.0	1.0	0.909	76.9	-26.9	0.0	27.0	180	0.0	1.0	0.5	0.0	1.0	0.951	77.3	-25.3	-4.4	25.8	190	0.0	1.0	0.5			
139.8	187.5	196.4	0.0	1.0	0.625	74.8	-35.7	30.3	46.9	139.8	0.0	1.0	0.942	77.2	-25.7	-3.5	26.0	188	0.0	1.0	0.625	0.0	1.0	0.975	77.6	-24.0	-6.8	25.0	196	0.0	1.0	0.625			
150.3	195.0	203.3	0.0	1.0	0.75	75.5	-32.4	18.5	37.5	150.3	0.0	1.0	0.971	77.5	-24.2	-6.4	25.1	195	0.0	1.0	0.75	0.0	1.0	0.996	77.6	-22.3	-9.4	24.3	203	0.0	1.0	0.75			
171.7	202.5	210.1	0.0	1.0	0.875	76.6	-27.6	4.1	28.0	171.7	0.0	0.996	1.0	77.6	-22.3	-9.4	24.3	203	0.0	1.0	0.875	0.0	1.0	0.971	76.1	-20.9	-12.0	24.3	210	0.0	1.0	0.875			
202.0	210.0	217.0	0.0	1.0	1.0	77.8	-22.4	-9.0	24.3	202.0	0.0	0.971	1.0	76.1	-20.9	-12.0	24.3	210	0.0	1.0	1.0	0.0	1.0	0.946	74.6	-19.3	-14.5	24.3	217	0.0	1.0	1.0			
236.9	217.5	223.8	0.0	0.875	1.0	70.4	-13.1	-20.2	24.2	236.9	0.0	0.943	1.0	74.4	-19.0	-14.8	24.3	218	0.0	0.875	1.0	0.0	0.921	73.2	-17.4	-16.8	24.3	224	0.0	0.875	1.0				

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$					R_d	$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$					R_s	rgb^*_{s50M}			$rgb^*_{de361Mi}$					$LAB^*_{de361Mix}(x=LabCh)$					R_e	rgb^*_{e50M}			$0.0R_e$	rgb^*_d	rgb^*_s	rgb^*_e
27	30	25	1.0	0.0	0.128	49.2	36.3	18.5	40.8	27	1.0	0.287	0.0	50.0	34.5	19.9	39.9	30	1.0	0.0	0.0	0.0	1.0	0.0	0.267	49.3	36.5	17.0	40.3	25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
28	31	27	1.0	0.164	0.0	49.4	35.9	19.1	40.6	28	1.0	0.318	0.0	50.3	33.8	20.3	39.5	31	1.0	0.017	0.0	0.0	1.0	0.0	0.128	49.2	36.3	18.5	40.8	27	1.0	0.017	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
29	32	28	1.0	0.256	0.0	49.7	35.2	19.5	40.2	29	1.0	0.349	0.0	50.6	33.1	20.7	39.1	32	1.0	0.033	0.0	0.0	1.0	0.164	0.0	49.4	35.9	19.1	40.6	28	1.0	0.033	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
30	33	29	1.0	0.287	0.0	50.0	34.5	19.9	39.9	30	1.0	0.377	0.0	50.9	32.5	21.1	38.7	33	1.0	0.05	0.0	0.0	1.0	0.256	0.0	49.7	35.2	19.5	40.2	29	1.0	0.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
31	34	30	1.0	0.318	0.0	50.3	33.8	20.3	39.5	31	1.0	0.392	0.0	51.2	31.9	21.5	38.5	34	1.0	0.067	0.0	0.0	1.0	0.287	0.0	50.0	34.5	19.9	39.9	30	1.0	0.067	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
32	35	31	1.0	0.349	0.0	50.6	33.1	20.7	39.1	32	1.0	0.406	0.0	51.5	31.4	22.0	38.3	35	1.0	0.083	0.0	0.0	1.0	0.318	0.0	50.3	33.8	20.3	39.5	31	1.0	0.083	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
33	36	32	1.0	0.377	0.0	50.9	32.5	21.1	38.7	33	1.0	0.42	0.0	51.8	30.8	22.4	38.1	36	1.0	0.1	0.0	0.0	1.0	0.349	0.0	50.6	33.1	20.7	39.1	32	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
34	37	33	1.0	0.392	0.0	51.2	31.9	21.5	38.5	34	1.0	0.434	0.0	52.1	30.2	22.8	37.9	37	1.0	0.117	0.0	0.0	1.0	0.377	0.0	50.9	32.5	21.1	38.7	33	1.0	0.117	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
35	38	34	1.0	0.406	0.0	51.5	31.4	22.0	38.3	35	1.0	0.449	0.0	52.4	29.7	23.2	37.7	38	1.0	0.133	0.0	0.0	1.0	0.392	0.0	51.2	31.9	21.5	38.5	34	1.0	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
36	39	36	1.0	0.42	0.0	51.8	30.8	22.4	38.1	36	1.0	0.463	0.0	52.7	29.1	23.6	37.4	39	1.0	0.15	0.0	0.0	1.0	0.42	0.0	51.8	30.8	22.4	38.1	36	1.0	0.15	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
37	40	37	1.0	0.434	0.0	52.1	30.2	22.8	37.9	37	1.0	0.477	0.0	53.0	28.5	23.9	37.2	40	1.0	0.167	0.0	0.0	1.0	0.434	0.0	52.1	30.2	22.8	37.9	37	1.0	0.167	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
38	41	38	1.0	0.449	0.0	52.4	29.7	23.2	37.7	38	1.0	0.492	0.0	53.3	27.9	24.3	37.0	41	1.0	0.183	0.0	0.0	1.0	0.449	0.0	52.4	29.7	23.2	37.7	38	1.0	0.183	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
39	42	39	1.0	0.463	0.0	52.7	29.1	23.6	37.4	39	1.0	0.503	0.0	53.6	27.4	24.7	36.9	42	1.0	0.2	0.0	0.0	1.0	0.463	0.0	52.7	29.1	23.6	37.4	39	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
40	43	40	1.0	0.477	0.0	53.0	28.5	23.9	37.2	40	1.0	0.511	0.0	53.8	26.9	25.1	36.8	43	1.0	0.217	0.0	0.0	1.0	0.477	0.0	53.0	28.5	23.9	37.2	40	1.0	0.217	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
41	44	41	1.0	0.492	0.0	53.3	27.9	24.3	37.0	41	1.0	0.519	0.0	54.1	26.4	25.5	36.7	44	1.0	0.233	0.0	0.0	1.0	0.492	0.0	53.3	27.9	24.3	37.0	41	1.0	0.233	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
42	45	42	1.0	0.503	0.0	53.6	27.4	24.7	36.9	42	1.0	0.527	0.0	54.4	25.9	25.9	36.6	45	1.0	0.25	0.0	0.0	1.0	0.503	0.0	53.6	27.4	24.7	36.9	42	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
43	46	43	1.0	0.511	0.0	53.8	26.9	25.1	36.8	43	1.0	0.535	0.0	54.7	25.4	26.3	36.6	46	1.0	0.267	0.0	0.0	1.0	0.511	0.0	53.8	26.9	25.1	36.8	43	1.0	0.267	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
44	47	44	1.0	0.519	0.0	54.1	26.4	25.5	36.7	44	1.0	0.543	0.0	54.9	24.9	26.7	36.5	47	1.0	0.283	0.0	0.0	1.0	0.519	0.0	54.1	26.4	25.5	36.7	44	1.0	0.283	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
45	48	46	1.0	0.527	0.0	54.4	25.9	25.9	36.6	45	1.0	0.551	0.0	55.2	24.4	27.1	36.4	48	1.0	0.3	0.0	0.0	1.0	0.535	0.0	54.7	25.4	26.3	36.6	46	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
46	49	47	1.0	0.535	0.0	54.7	25.4	26.3	36.6	46	1.0	0.559	0.0	55.5	23.9	27.4	36.4	49	1.0	0.317	0.0	0.0	1.0	0.543	0.0	54.9	24.9	26.7	36.5	47	1.0	0.317	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
47	50	48	1.0	0.543	0.0	54.9	24.9	26.7	36.5	47	1.0	0.567	0.0	55.8	23.3	27.8	36.3	50	1.0	0.333	0.0	0.0	1.0	0.551	0.0	55.2	24.4	27.1	36.4	48	1.0	0.333	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
48	51	49	1.0	0.551	0.0	55.2	24.4	27.1	36.4	48	1.0	0.575	0.0	56.0	22.8	28.2	36.2	51	1.0	0.35	0.0	0.0	1.0	0.559	0.0	55.5	23.9	27.4	36.4	49	1.0	0.35	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
49	52	50	1.0	0.559	0.0	55.5	23.9	27.4	36.4	49	1.0	0.583	0.0	56.3	22.3	28.5	36.2	52	1.0	0.367	0.0	0.0	1.0	0.567	0.0	55.8	23.3	27.8	36.3	50	1.0	0.367	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
50	53	51	1.0	0.567	0.0	55.8	23.3	27.8	36.3	50	1.0	0.591	0.0	56.6	21.7	28.8	36.1	53	1.0	0.383	0.0	0.0	1.0	0.575	0.0	56.0	22.8	28.2	36.2	51	1.0	0.383	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
51	54	52	1.0	0.575	0.0	56.0	22.8	28.2	36.2	51	1.0	0.599	0.0	56.9	21.2	29.1	36.0	54	1.0	0.4	0.0	0.0	1.0	0.583	0.0	56.3	22.3	28.5	36.2	52	1.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
52	55	53	1.0	0.583	0.0	56.3	22.3	28.5	36.2	52	1.0	0.607	0.0	57.1	20.6	29.4	35.9	55	1.0	0.417	0.0	0.0	1.0	0.591	0.0	56.6	21.7	28.8	36.1	53	1.0	0.417	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
53	56	54	1.0	0.591	0.0	56.6	21.7	28.8	36.1	53	1.0	0.614	0.0	57.4	20.1	29.7	35.9	56	1.0	0.433	0.0	0.0	1.0	0.599	0.0	56.9	21.2	29.1	36.0	54	1.0	0.433	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
54	57	56	1.0	0.599	0.0	56.9	21.2	29.1	36.0	54	1.0	0.622	0.0	57.7	19.5	30.0	35.8	57	1.0	0.45	0.0	0.0	1.0	0.614	0.0	57.4	20.1	29.7	35.9	56	1.0	0.45	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
55	58	57	1.0	0.607	0.0	57.1	20.6	29.4	35.9	55	1.0	0.629	0.0	58.0	19.0	30.4	35.9	58																							

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																					
h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd361Mi						LAB*dd361Mix (x=LabCh)						rgb*ds361Mi						LAB*ds361Mix (x=LabCh)						rgb*s50M						rgb*de361Mi						LAB*de361Mix (x=LabCh)						rgb*e50M						rgb*_d	rgb*_s	rgb*_e
72	75	76	1.0	0.717	0.0	62.3	11.8	36.2	38.1	72	1.0	0.736	0.0	63.3	10.0	37.2	38.5	75	1.0	0.75	0.0	1.0	0.743	0.0	63.6	9.4	37.5	38.7	76	1.0	0.75	0.0																					
73	76	77	1.0	0.724	0.0	62.7	11.2	36.5	38.2	73	1.0	0.743	0.0	63.6	9.4	37.5	38.7	76	1.0	0.767	0.0	1.0	0.749	0.0	63.9	8.7	37.8	38.8	77	1.0	0.767	0.0																					
74	77	78	1.0	0.73	0.0	63.0	10.6	36.9	38.4	74	1.0	0.749	0.0	63.9	8.7	37.8	38.8	77	1.0	0.783	0.0	1.0	0.756	0.0	64.3	8.2	38.4	39.3	78	1.0	0.783	0.0																					
75	78	79	1.0	0.736	0.0	63.3	10.0	37.2	38.5	75	1.0	0.756	0.0	64.3	8.2	38.4	39.3	78	1.0	0.8	0.0	1.0	0.764	0.0	64.8	7.6	39.1	39.8	79	1.0	0.8	0.0																					
76	79	80	1.0	0.743	0.0	63.6	9.4	37.5	38.7	76	1.0	0.764	0.0	64.8	7.6	39.1	39.8	79	1.0	0.817	0.0	1.0	0.772	0.0	65.3	7.0	39.7	40.3	80	1.0	0.817	0.0																					
77	80	81	1.0	0.749	0.0	63.9	8.7	37.8	38.8	77	1.0	0.772	0.0	65.3	7.0	39.7	40.3	80	1.0	0.833	0.0	1.0	0.78	0.0	65.8	6.4	40.3	40.8	81	1.0	0.833	0.0																					
78	81	82	1.0	0.756	0.0	64.3	8.2	38.4	39.3	78	1.0	0.78	0.0	65.8	6.4	40.3	40.8	81	1.0	0.85	0.0	1.0	0.788	0.0	66.2	5.8	40.9	41.3	82	1.0	0.85	0.0																					
79	82	83	1.0	0.764	0.0	64.8	7.6	39.1	39.8	79	1.0	0.788	0.0	66.2	5.8	40.9	41.3	82	1.0	0.867	0.0	1.0	0.796	0.0	66.7	5.1	41.6	41.9	83	1.0	0.867	0.0																					
80	83	85	1.0	0.772	0.0	65.3	7.0	39.7	40.3	80	1.0	0.796	0.0	66.7	5.1	41.6	41.9	83	1.0	0.883	0.0	1.0	0.812	0.0	67.7	3.7	42.7	42.9	85	1.0	0.883	0.0																					
81	84	86	1.0	0.78	0.0	65.8	6.4	40.3	40.8	81	1.0	0.804	0.0	67.2	4.4	42.1	42.4	84	1.0	0.9	0.0	1.0	0.82	0.0	68.1	3.0	43.3	43.4	86	1.0	0.9	0.0																					
82	85	87	1.0	0.788	0.0	66.2	5.8	40.9	41.3	82	1.0	0.812	0.0	67.7	3.7	42.7	42.9	85	1.0	0.917	0.0	1.0	0.828	0.0	68.6	2.3	43.9	43.9	87	1.0	0.917	0.0																					
83	86	88	1.0	0.796	0.0	66.7	5.1	41.6	41.9	83	1.0	0.82	0.0	68.1	3.0	43.3	43.4	86	1.0	0.933	0.0	1.0	0.836	0.0	69.1	1.6	44.4	44.5	88	1.0	0.933	0.0																					
84	87	89	1.0	0.804	0.0	67.2	4.4	42.1	42.4	84	1.0	0.828	0.0	68.6	2.3	43.9	43.9	87	1.0	0.95	0.0	1.0	0.844	0.0	69.6	0.8	45.0	45.0	89	1.0	0.95	0.0																					
85	88	90	1.0	0.812	0.0	67.7	3.7	42.7	42.9	85	1.0	0.836	0.0	69.1	1.6	44.4	44.5	88	1.0	0.967	0.0	1.0	0.852	0.0	70.0	0.0	45.5	45.5	90	1.0	0.967	0.0																					
86	89	91	1.0	0.82	0.0	68.1	3.0	43.3	43.4	86	1.0	0.844	0.0	69.6	0.8	45.0	45.0	89	1.0	0.983	0.0	1.0	0.86	0.0	70.5	-0.7	46.0	46.0	91	1.0	0.983	0.0																					
87	90	92	1.0	0.828	0.0	68.6	2.3	43.9	43.9	87	1.0	0.852	0.0	70.0	0.0	45.5	45.5	90	1.0	1.0	0.0J _s	1.0	0.868	0.0	71.0	-1.5	46.5	46.5	92	1.0	1.0	0.0J _e																					
88	91	93	1.0	0.836	0.0	69.1	1.6	44.4	44.5	88	1.0	0.86	0.0	70.5	-0.7	46.0	46.0	91	0.983	1.0	0.0	1.0	0.877	0.0	71.6	-2.4	47.2	47.2	93	0.983	1.0	0.0																					
89	92	95	1.0	0.844	0.0	69.6	0.8	45.0	45.0	89	1.0	0.868	0.0	71.0	-1.5	46.5	46.5	92	0.967	1.0	0.0	1.0	0.9	0.0	73.9	-4.3	50.1	50.3	95	0.967	1.0	0.0																					
90	93	96	1.0	0.852	0.0	70.0	0.0	45.5	45.5	90	1.0	0.877	0.0	71.6	-2.4	47.2	47.2	93	0.95	1.0	0.0	1.0	0.912	0.0	75.0	-5.3	51.5	51.8	96	0.95	1.0	0.0																					
91	94	97	1.0	0.86	0.0	70.5	-0.7	46.0	46.0	91	1.0	0.889	0.0	72.7	-3.3	48.6	48.7	94	0.933	1.0	0.0	1.0	0.924	0.0	76.2	-6.4	52.9	53.3	97	0.933	1.0	0.0																					
92	95	98	1.0	0.868	0.0	71.0	-1.5	46.5	46.5	92	1.0	0.9	0.0	73.9	-4.3	50.1	50.3	95	0.917	1.0	0.0	1.0	0.935	0.0	77.3	-7.5	54.3	54.8	98	0.917	1.0	0.0																					
93	96	99	1.0	0.877	0.0	71.6	-2.4	47.2	47.2	93	1.0	0.912	0.0	75.0	-5.3	51.5	51.8	96	0.9	1.0	0.0	1.0	0.947	0.0	78.5	-8.7	55.7	56.4	99	0.9	1.0	0.0																					
94	97	100	1.0	0.889	0.0	72.7	-3.3	48.6	48.7	94	1.0	0.924	0.0	76.2	-6.4	52.9	53.3	97	0.883	1.0	0.0	1.0	0.959	0.0	79.6	-10.0	57.0	57.9	100	0.883	1.0	0.0																					
95	98	102	1.0	0.9	0.0	73.9	-4.3	50.1	50.3	95	1.0	0.935	0.0	77.3	-7.5	54.3	54.8	98	0.867	1.0	0.0	1.0	0.982	0.0	81.9	-12.6	59.6	60.9	102	0.867	1	0.0																					
96	99	103	1.0	0.912	0.0	75.0	-5.3	51.5	51.8	96	1.0	0.947	0.0	78.5	-8.7	55.7	56.4	99	0.85	1.0	0.0	1.0	0.994	0.0	83.0	-13.9	60.9	62.5	103	0.85	1.0	0.0																					
97	100	104	1.0	0.924	0.0	76.2	-6.4	52.9	53.3	97	1.0	0.959	0.0	79.6	-10.0	57.0	57.9	100	0.833	1.0	0.0	0.991	1.0	0.0	83.4	-15.1	61.2	63.0	104	0.833	1.0	0.0																					
98	101	105	1.0	0.935	0.0	77.3	-7.5	54.3	54.8	98	1.0	0.971	0.0	80.8	-11.2	58.3	59.4	101	0.817	1.0	0.0	0.973	1.0	0.0	82.8	-16.1	60.4	62.6	105	0.817	1.0	0.0																					
99	102	106	1.0	0.947	0.0	78.5	-8.7	55.7	56.4	99	1.0	0.982	0.0	81.9	-12.6	59.6	60.9	102	0.8	1.0	0.0	0.955	1.0	0.0	82.3	-17.0	59.7	62.1	106	0.8	1.0	0.0																					
100	103	107	1.0	0.959	0.0	79.6	-10.0	57.0	57.9	100	1.0	0.994	0.0	83.0	-13.9	60.9	62.5	103	0.783	1.0	0.0	0.936	1.0	0.0	81.8	-17.9	59.0	61.7	107	0.783	1.0	0.0																					
101	104	109	1.0	0.971	0.0	80.8	-11.2	58.3	59.4	101	0.991	1.0	0.0	83.4	-15.1	61.2	63.0	104	0.767	1.0	0.0	0.9	1.0	0.0	80.7	-19.7	57.4	60.7	109	0.767	1.0	0.0																					
102	105	110	1.0	0.982	0.0	81.9	-12.6	59.6	60.9	102	0.973	1.0	0.0	82.8	-16.1	60.4	62.6	105	0.75	1.0	0.0	0.881	1.0	0.0	80.2	-20.5	56.6	60.3	110	0.75	1.0	0.0																					
103	106	111	1.0	0.994	0.0	83.0	-13.9	60.9	62.5	103J _d	0.955	1.0	0.0	82.3	-17.0	59.7	62.1	106	0.733	1.0	0.0	0.866	1.0	0.0	79.7	-21.4	56.0	60.0	111	0.733	1.0	0.0																					
104	107	112	0.991	1.0	0.0	83.4	-15.1	61.2	63.0	104	0.936	1.0	0.0	81.8	-17.9	59.0	61.7	107	0.717	1.0	0.0	0.853	1.0	0.0	79.2	-22.3	55.4	59.8	112	0.717	1.0	0.0																					
105	108	113	0.973	1.0	0.0	82.8	-16.1	60.4	62.6	105	0.918	1.0	0.0	81.2	-18.8	58.2	61.2	108																																			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 361Mi						LAB* _{dd} 361Mix (x=LabCh)						rgb* _{ds} 361Mi						LAB* _{ds} 361Mix (x=LabCh)						rgb* _s 50M						rgb* _{de} 361Mi						LAB* _{de} 361Mix (x=LabCh)						rgb* _e 50M						rgb* _{dd} rgb* _{ds} rgb* _{de}																																																
117	120	127	0.785	1.0	0.0	76.9	-26.6	52.3	58.8	117	0.741	1.0	0.0	75.7	-29.1	50.5	58.3	120	0.5	1.0	0.0	0.522	1.0	0.0	74.5	-36.5	48.6	60.8	127	0.5	1.0	0.0																																																																			
118	121	128	0.772	1.0	0.0	76.5	-27.4	51.7	58.5	118	0.715	1.0	0.0	75.5	-30.1	50.3	58.7	121	0.483	1.0	0.0	0.46	1.0	0.0	74.3	-37.6	48.3	61.3	128	0.483	1.0	0.0																																																																			
119	122	130	0.759	1.0	0.0	76.0	-28.2	51.0	58.3	119	0.69	1.0	0.0	75.4	-31.2	50.0	59.0	122	0.467	1.0	0.0	0.0	1.0	0.081	74.0	-39.8	47.6	62.1	130	0.467	1.0	0.0																																																																			
120	123	131	0.741	1.0	0.0	75.7	-29.1	50.5	58.3	120	0.665	1.0	0.0	75.2	-32.2	49.8	59.4	123	0.45	1.0	0.0	0.0	1.0	0.308	74.1	-39.4	45.4	60.2	131	0.45	1.0	0.0																																																																			
121	124	132	0.715	1.0	0.0	75.5	-30.1	50.3	58.7	121	0.64	1.0	0.0	75.1	-33.3	49.5	59.7	124	0.433	1.0	0.0	0.0	1.0	0.391	74.1	-38.9	43.3	58.3	132	0.433	1.0	0.0																																																																			
122	125	133	0.69	1.0	0.0	75.4	-31.2	50.0	59.0	122	0.607	1.0	0.0	74.9	-34.3	49.2	60.0	125	0.417	1.0	0.0	0.0	1.0	0.435	74.2	-38.6	41.5	56.7	133	0.417	1.0	0.0																																																																			
123	126	134	0.665	1.0	0.0	75.2	-32.2	49.8	59.4	123	0.565	1.0	0.0	74.7	-35.4	48.9	60.4	126	0.4	1.0	0.0	0.0	1.0	0.479	74.3	-38.2	39.6	55.1	134	0.4	1.0	0.0																																																																			
124	127	135	0.64	1.0	0.0	75.1	-33.3	49.5	59.7	124	0.522	1.0	0.0	74.5	-36.5	48.6	60.8	127	0.383	1.0	0.0	0.0	1.0	0.513	74.4	-37.8	37.9	53.6	135	0.383	1.0	0.0																																																																			
125	128	137	0.607	1.0	0.0	74.9	-34.3	49.2	60.0	125	0.46	1.0	0.0	74.3	-37.6	48.3	61.3	128	0.367	1.0	0.0	0.0	1.0	0.559	74.6	-37.1	34.7	50.8	137	0.367	1.0	0.0																																																																			
126	129	138	0.565	1.0	0.0	74.7	-35.4	48.9	60.4	126	0.376	1.0	0.0	74.2	-38.8	48.0	61.7	129	0.35	1.0	0.0	0.0	1.0	0.583	74.6	-36.6	33.1	49.4	138	0.35	1.0	0.0																																																																			
127	130	139	0.522	1.0	0.0	74.5	-36.5	48.6	60.8	127	0.0	1.0	0.081	74.0	-39.8	47.6	62.1	130	0.333	1.0	0.0	0.0	1.0	0.606	74.7	-36.2	31.5	48.0	139	0.333	1.0	0.0																																																																			
128	131	140	0.46	1.0	0.0	74.3	-37.6	48.3	61.3	128	0.0	1.0	0.308	74.1	-39.4	45.4	60.2	131	0.317	1.0	0.0	0.0	1.0	0.627	74.8	-35.7	30.1	46.8	140	0.317	1.0	0.0																																																																			
129	132	141	0.376	1.0	0.0	74.2	-38.8	48.0	61.7	129	0.0	1.0	0.391	74.1	-38.9	43.3	58.3	132	0.3	1.0	0.0	0.0	1.0	0.639	74.9	-35.5	28.9	45.9	141	0.3	1.0	0.0																																																																			
130	133	142	0.0	1.0	0.081	74.0	-39.8	47.6	62.1	130	0.0	1.0	0.435	74.2	-38.6	41.5	56.7	133	0.283	1.0	0.0	0.0	1.0	0.651	74.9	-35.3	27.7	45.0	142	0.283	1.0	0.0																																																																			
131	134	144	0.0	1.0	0.308	74.1	-39.4	45.4	60.2	131	0.0	1.0	0.479	74.3	-38.2	39.6	55.1	134	0.267	1.0	0.0	0.0	1.0	0.675	75.1	-34.8	25.4	43.2	144	0.267	1.0	0.0																																																																			
132	135	145	0.0	1.0	0.391	74.1	-38.9	43.3	58.3	132	0.0	1.0	0.513	74.4	-37.8	37.9	53.6	135	0.25	1.0	0.0	0.0	1.0	0.687	75.1	-34.5	24.2	42.3	145	0.25	1.0	0.0																																																																			
133	136	146	0.0	1.0	0.435	74.2	-38.6	41.5	56.7	133	0.0	1.0	0.536	74.5	-37.5	36.3	52.2	136	0.233	1.0	0.0	0.0	1.0	0.698	75.2	-34.2	23.1	41.4	146	0.233	1.0	0.0																																																																			
134	137	147	0.0	1.0	0.479	74.3	-38.2	39.6	55.1	134	0.0	1.0	0.559	74.6	-37.1	34.7	50.8	137	0.217	1.0	0.0	0.0	1.0	0.71	75.3	-33.8	22.0	40.5	147	0.217	1.0	0.0																																																																			
135	138	148	0.0	1.0	0.513	74.4	-37.8	37.9	53.6	135	0.0	1.0	0.583	74.6	-36.6	33.1	49.4	138	0.2	1.0	0.0	0.0	1.0	0.722	75.3	-33.4	21.0	39.6	148	0.2	1.0	0.0																																																																			
136	139	149	0.0	1.0	0.536	74.5	-37.5	36.3	52.2	136	0.0	1.0	0.606	74.7	-36.2	31.5	48.0	139	0.183	1.0	0.0	0.0	1.0	0.734	75.4	-33.0	19.9	38.7	149	0.183	1.0	0.0																																																																			
137	140	151	0.0	1.0	0.559	74.6	-37.1	34.7	50.8	137	0.0	1.0	0.627	74.8	-35.7	30.1	46.8	140	0.167	1.0	0.0	0.0	1.0	0.754	75.5	-32.4	18.0	37.2	151	0.167	1.0	0.0																																																																			
138	141	152	0.0	1.0	0.583	74.6	-36.6	33.1	49.4	138	0.0	1.0	0.639	74.9	-35.5	28.9	45.9	141	0.15	1.0	0.0	0.0	1.0	0.76	75.6	-32.3	17.2	36.7	152	0.15	1.0	0.0																																																																			
139	142	153	0.0	1.0	0.606	74.7	-36.2	31.5	48.0	139	0.0	1.0	0.651	74.9	-35.3	27.7	45.0	142	0.133	1.0	0.0	0.0	1.0	0.766	75.6	-32.2	16.5	36.3	153	0.133	1.0	0.0																																																																			
140	143	154	0.0	1.0	0.627	74.8	-35.7	30.1	46.8	140	0.0	1.0	0.663	75.0	-35.1	26.5	44.1	143	0.117	1.0	0.0	0.0	1.0	0.771	75.7	-32.1	15.7	35.8	154	0.117	1.0	0.0																																																																			
141	144	155	0.0	1.0	0.639	74.9	-35.5	28.9	45.9	141	0.0	1.0	0.675	75.1	-34.8	25.4	43.2	144	0.1	1.0	0.0	0.0	1.0	0.777	75.7	-32.0	15.0	35.4	155	0.1	1.0	0.0																																																																			
142	145	156	0.0	1.0	0.651	74.9	-35.3	27.7	45.0	142	0.0	1.0	0.687	75.1	-34.5	24.2	42.3	145	0.083	1.0	0.0	0.0	1.0	0.783	75.8	-31.8	14.2	34.9	156	0.083	1.0	0.0																																																																			
143	146	158	0.0	1.0	0.663	75.0	-35.1	26.5	44.1	143	0.0	1.0	0.698	75.2	-34.2	23.1	41.4	146	0.067	1.0	0.0	0.0	1.0	0.795	75.9	-31.5	12.8	34.1	158	0.067	1.0	0.0																																																																			
144	147	159	0.0	1.0	0.675	75.1	-34.8	25.4	43.2	144	0.0	1.0	0.71	75.3	-33.8	22.0	40.5	147	0.05	1.0	0.0	0.0	1.0	0.801	75.9	-31.3	12.0	33.6	159	0.05	1.0	0.0																																																																			
145	148	160	0.0	1.0	0.687	75.1	-34.5	24.2	42.3	145	0.0	1.0	0.722	75.3	-33.4	21.0	39.6	148	0.033	1.0	0.0	0.0	1.0	0.807	76.0	-31.1	11.3	33.2	160	0.033	1.0	0.0																																																																			
146	149	161	0.0	1.0	0.698	75.2	-34.2	23.1	41.4	146	0.0	1.0	0.734	75.4	-33.0	19.9	38.7	149	0.017	1.0	0.0	0.0	1.0	0.812	76.0	-30.8	10.7	32.7	161	0.017	1.0	0.0																																																																			
147	150	162	0.0	1.0	0.71	75.3	-33.8	22.0	40.5	147	0.0	1.0	0.746	75.5	-32.6	18.9	37.8	150	0.0	1.0	0.0	0.0	1.0	0.818	76.1	-30.6	10.0	32.3	162	0.0	1.0	0.0	0.0	1.0	0.818	76.1	-30.6	10.0	32.3	162	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd} 361Mi LAB* _{dd} 361Mix (x=LabCh)								rgb* _{ds} 361Mi LAB* _{ds} 361Mix (x=LabCh)								rgb* _s 50M				rgb* _{de} 361Mi LAB* _{de} 361Mix (x=LabCh)				rgb* _e 50M				rgb* _{dd}	rgb* _{ds}	rgb* _{de}		
162	165	176	0.0	1.0	0.818	76.1	-30.6	10.0	32.3	162	0.0	1.0	0.836	76.2	-29.8	8.0	31.0	165	0.0	1.0	0.25	0.0	1.0	0.893	76.7	-27.3	1.9	27.5	176	0.0	1.0	0.25			
163	166	177	0.0	1.0	0.824	76.1	-30.4	9.3	31.8	163	0.0	1.0	0.842	76.3	-29.5	7.4	30.5	166	0.0	1.0	0.267	0.0	1.0	0.897	76.8	-27.2	1.4	27.3	177	0.0	1.0	0.267			
164	167	178	0.0	1.0	0.83	76.2	-30.1	8.7	31.4	164	0.0	1.0	0.848	76.3	-29.2	6.8	30.1	167	0.0	1.0	0.283	0.0	1.0	0.901	76.8	-27.1	1.0	27.2	178	0.0	1.0	0.283			
165	168	179	0.0	1.0	0.836	76.2	-29.8	8.0	31.0	165	0.0	1.0	0.853	76.4	-28.9	6.2	29.6	168	0.0	1.0	0.3	0.0	1.0	0.905	76.9	-27.0	0.5	27.1	179	0.0	1.0	0.3			
166	169	180	0.0	1.0	0.842	76.3	-29.5	7.4	30.5	166	0.0	1.0	0.859	76.4	-28.6	5.6	29.2	169	0.0	1.0	0.317	0.0	1.0	0.909	76.9	-26.9	0.0	27.0	180	0.0	1.0	0.317			
167	170	180	0.0	1.0	0.848	76.3	-29.2	6.8	30.1	167	0.0	1.0	0.865	76.5	-28.2	5.0	28.7	170	0.0	1.0	0.333	0.0	1.0	0.909	76.9	-26.9	0.0	27.0	180	0.0	1.0	0.333			
168	171	181	0.0	1.0	0.853	76.4	-28.9	6.2	29.6	168	0.0	1.0	0.871	76.5	-27.9	4.4	28.3	171	0.0	1.0	0.35	0.0	1.0	0.913	77.0	-26.8	-0.4	26.9	181	0.0	1.0	0.35			
169	172	182	0.0	1.0	0.859	76.4	-28.6	5.6	29.2	169	0.0	1.0	0.876	76.6	-27.6	3.9	28.0	172	0.0	1.0	0.367	0.0	1.0	0.918	77.0	-26.6	-0.8	26.7	182	0.0	1.0	0.367			
170	173	183	0.0	1.0	0.865	76.5	-28.2	5.0	28.7	170	0.0	1.0	0.88	76.6	-27.5	3.4	27.8	173	0.0	1.0	0.383	0.0	1.0	0.922	77.0	-26.5	-1.3	26.6	183	0.0	1.0	0.383			
171	174	184	0.0	1.0	0.871	76.5	-27.9	4.4	28.3	171	0.0	1.0	0.885	76.7	-27.5	2.9	27.7	174	0.0	1.0	0.4	0.0	1.0	0.926	77.1	-26.3	-1.7	26.5	184	0.0	1.0	0.4			
172	175	185	0.0	1.0	0.876	76.6	-27.6	3.9	28.0	172	0.0	1.0	0.889	76.7	-27.4	2.4	27.6	175	0.0	1.0	0.417	0.0	1.0	0.93	77.1	-26.2	-2.2	26.4	185	0.0	1.0	0.417			
173	176	186	0.0	1.0	0.88	76.6	-27.5	3.4	27.8	173	0.0	1.0	0.893	76.7	-27.3	1.9	27.5	176	0.0	1.0	0.433	0.0	1.0	0.934	77.2	-26.0	-2.6	26.2	186	0.0	1.0	0.433			
174	177	187	0.0	1.0	0.885	76.7	-27.5	2.9	27.7	174	0.0	1.0	0.897	76.8	-27.2	1.4	27.3	177	0.0	1.0	0.45	0.0	1.0	0.938	77.2	-25.8	-3.1	26.1	187	0.0	1.0	0.45			
175	178	188	0.0	1.0	0.889	76.7	-27.4	2.4	27.6	175	0.0	1.0	0.901	76.8	-27.1	1.0	27.2	178	0.0	1.0	0.467	0.0	1.0	0.942	77.2	-25.7	-3.5	26.0	188	0.0	1.0	0.467			
176	179	189	0.0	1.0	0.893	76.7	-27.3	1.9	27.5	176	0.0	1.0	0.905	76.9	-27.0	0.5	27.1	179	0.0	1.0	0.483	0.0	1.0	0.947	77.3	-25.5	-3.9	25.9	189	0.0	1.0	0.483			
177	180	190	0.0	1.0	0.897	76.8	-27.2	1.4	27.3	177	0.0	1.0	0.909	76.9	-26.9	0.0	27.0	180	0.0	1.0	0.5	0.0	1.0	0.951	77.3	-25.3	-4.4	25.8	190	0.0	1.0	0.5			
178	181	191	0.0	1.0	0.901	76.8	-27.1	1.0	27.2	178	0.0	1.0	0.913	77.0	-26.8	-0.4	26.9	181	0.0	1.0	0.517	0.0	1.0	0.955	77.4	-25.1	-4.8	25.6	191	0.0	1.0	0.517			
179	182	191	0.0	1.0	0.905	76.9	-27.0	0.5	27.1	179	0.0	1.0	0.918	77.0	-26.6	-0.8	26.7	182	0.0	1.0	0.533	0.0	1.0	0.955	77.4	-25.1	-4.8	25.6	191	0.0	1.0	0.533			
180	183	192	0.0	1.0	0.909	76.9	-26.9	0.0	27.0	180	0.0	1.0	0.922	77.0	-26.5	-1.3	26.6	183	0.0	1.0	0.55	0.0	1.0	0.959	77.4	-24.9	-5.2	25.5	192	0.0	1.0	0.55			
181	184	193	0.0	1.0	0.913	77.0	-26.8	-0.4	26.9	181	0.0	1.0	0.926	77.1	-26.3	-1.7	26.5	184	0.0	1.0	0.567	0.0	1.0	0.963	77.5	-24.6	-5.6	25.4	193	0.0	1.0	0.567			
182	185	194	0.0	1.0	0.918	77.0	-26.6	-0.8	26.7	182	0.0	1.0	0.93	77.1	-26.2	-2.2	26.4	185	0.0	1.0	0.583	0.0	1.0	0.967	77.5	-24.4	-6.0	25.3	194	0.0	1.0	0.583			
183	186	195	0.0	1.0	0.922	77.0	-26.5	-1.3	26.6	183	0.0	1.0	0.934	77.2	-26.0	-2.6	26.2	186	0.0	1.0	0.6	0.0	1.0	0.971	77.5	-24.2	-6.4	25.1	195	0.0	1.0	0.6			
184	187	196	0.0	1.0	0.926	77.1	-26.3	-1.7	26.5	184	0.0	1.0	0.938	77.2	-25.8	-3.1	26.1	187	0.0	1.0	0.617	0.0	1.0	0.975	77.6	-24.0	-6.8	25.0	196	0.0	1.0	0.617			
185	188	197	0.0	1.0	0.93	77.1	-26.2	-2.2	26.4	185	0.0	1.0	0.942	77.2	-25.7	-3.5	26.0	188	0.0	1.0	0.633	0.0	1.0	0.98	77.6	-23.7	-7.2	24.9	197	0.0	1.0	0.633			
186	189	198	0.0	1.0	0.934	77.2	-26.0	-2.6	26.2	186	0.0	1.0	0.947	77.3	-25.5	-3.9	25.9	189	0.0	1.0	0.65	0.0	1.0	0.984	77.7	-23.5	-7.6	24.8	198	0.0	1.0	0.65			
187	190	199	0.0	1.0	0.938	77.2	-25.8	-3.1	26.1	187	0.0	1.0	0.951	77.3	-25.3	-4.4	25.8	190	0.0	1.0	0.667	0.0	1.0	0.988	77.7	-23.2	-7.9	24.7	199	0.0	1.0	0.667			
188	191	200	0.0	1.0	0.942	77.2	-25.7	-3.5	26.0	188	0.0	1.0	0.955	77.4	-25.1	-4.8	25.6	191	0.0	1.0	0.683	0.0	1.0	0.992	77.7	-23.0	-8.3	24.5	200	0.0	1.0	0.683			
189	192	201	0.0	1.0	0.947	77.3	-25.5	-3.9	25.9	189	0.0	1.0	0.959	77.4	-24.9	-5.2	25.5	192	0.0	1.0	0.7	0.0	1.0	0.996	77.8	-22.7	-8.6	24.4	201	0.0	1.0	0.7			
190	193	201	0.0	1.0	0.951	77.3	-25.3	-4.4	25.8	190	0.0	1.0	0.963	77.5	-24.6	-5.6	25.4	193	0.0	1.0	0.717	0.0	1.0	0.996	77.8	-22.7	-8.6	24.4	201	0.0	1.0	0.717			
191	194	202	0.0	1.0	0.955	77.4	-25.1	-4.8	25.6	191	0.0	1.0	0.967	77.5	-24.4	-6.0	25.3	194	0.0	1.0	0.733	0.0	1.0	1.0	77.8	-22.4	-9.0	24.3	202	0.0	1.0	0.733			
192	195	203	0.0	1.0	0.959	77.4	-24.9	-5.2	25.5	192	0.0	1.0	0.971	77.5	-24.2	-6.4	25.1	195	0.0	1.0	0.75	0.0	0.996	1.0	77.6	-22.3	-9.4	24.3	203	0.0	1.0	0.75			
193	196	204	0.0	1.0	0.963	77.5	-24.6	-5.6	25.4	193	0.0	1.0	0.975	77.6	-24.0	-6.8	25.0	196	0.0	1.0	0.767	0.0	0.993	1.0	77.4	-22.1	-9.8	24.3	204	0.0	1.0	0.767			
194	197	205	0.0	1.0	0.967	77.5	-24.4	-6.0	25.3	194	0.0	1.0	0.98	77.6	-23.7	-7.2	24.9																		

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d : $h_{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



ab, d			h _{ab,s}			h _{ab,e}			rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb* _{dd361Mi}			rgb* _{ds361Mi}			rgb* _{de361Mi}		
207	210	217	0.0	0.982	1.0	76.8	-21.5	-10.9	24.3	207	0.0	0.971	1.0	76.1	-20.9	-12.0	24.3	210	0.0	1.0	1.0C _s	0.0	0.946	1.0	74.6	-19.3	-14.5	24.3	217	0.0	1.0	1.0C _e									
208	211	218	0.0	0.978	1.0	76.5	-21.3	-11.3	24.3	208	0.0	0.968	1.0	75.9	-20.7	-12.4	24.3	211	0.0	0.983	1.0	0.0	0.943	1.0	74.4	-19.0	-14.8	24.3	218	0.0	0.983	1.0									
209	212	219	0.0	0.975	1.0	76.3	-21.1	-11.7	24.3	209	0.0	0.964	1.0	75.7	-20.5	-12.8	24.3	212	0.0	0.967	1.0	0.0	0.939	1.0	74.2	-18.8	-15.2	24.3	219	0.0	0.967	1.0									
210	213	220	0.0	0.971	1.0	76.1	-20.9	-12.0	24.3	210	0.0	0.96	1.0	75.5	-20.3	-13.1	24.3	213	0.0	0.95	1.0	0.0	0.935	1.0	74.0	-18.5	-15.5	24.3	220	0.0	0.95	1.0									
211	214	221	0.0	0.968	1.0	75.9	-20.7	-12.4	24.3	211	0.0	0.957	1.0	75.3	-20.0	-13.5	24.3	214	0.0	0.933	1.0	0.0	0.932	1.0	73.8	-18.2	-15.8	24.3	221	0.0	0.933	1.0									
212	215	222	0.0	0.964	1.0	75.7	-20.5	-12.8	24.3	212	0.0	0.953	1.0	75.1	-19.8	-13.8	24.3	215	0.0	0.917	1.0	0.0	0.928	1.0	73.6	-17.9	-16.1	24.3	222	0.0	0.917	1.0									
213	216	222	0.0	0.96	1.0	75.5	-20.3	-13.1	24.3	213	0.0	0.95	1.0	74.9	-19.5	-14.2	24.3	216	0.0	0.9	1.0	0.0	0.928	1.0	73.6	-17.9	-16.1	24.3	222	0.0	0.9	1.0									
214	217	223	0.0	0.957	1.0	75.3	-20.0	-13.5	24.3	214	0.0	0.946	1.0	74.6	-19.3	-14.5	24.3	217	0.0	0.883	1.0	0.0	0.925	1.0	73.4	-17.6	-16.5	24.3	223	0.0	0.883	1.0									
215	218	224	0.0	0.953	1.0	75.1	-19.8	-13.8	24.3	215	0.0	0.943	1.0	74.4	-19.0	-14.8	24.3	218	0.0	0.867	1.0	0.0	0.921	1.0	73.2	-17.4	-16.8	24.3	224	0.0	0.867	1.0									
216	219	225	0.0	0.95	1.0	74.9	-19.5	-14.2	24.3	216	0.0	0.939	1.0	74.2	-18.8	-15.2	24.3	219	0.0	0.85	1.0	0.0	0.918	1.0	72.9	-17.1	-17.1	24.3	225	0.0	0.85	1.0									
217	220	226	0.0	0.946	1.0	74.6	-19.3	-14.5	24.3	217	0.0	0.935	1.0	74.0	-18.5	-15.5	24.3	220	0.0	0.833	1.0	0.0	0.914	1.0	72.7	-16.8	-17.4	24.3	226	0.0	0.833	1.0									
218	221	227	0.0	0.943	1.0	74.4	-19.0	-14.8	24.3	218	0.0	0.932	1.0	73.8	-18.2	-15.8	24.3	221	0.0	0.817	1.0	0.0	0.91	1.0	72.5	-16.4	-17.6	24.3	227	0.0	0.817	1.0									
219	222	228	0.0	0.939	1.0																																				

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e						
252	255	258	0.0	0.812	1.0	66.3	-8.7	-27.1	28.6	252	0.0	0.799	1.0	65.5	-7.5	-28.4	29.5	255	0.0	0.25	1.0	0.0	0.787	1.0	64.7	-6.2	-29.6	30.3	258	0.0	0.25	1.0			
253	256	259	0.0	0.808	1.0	66.1	-8.3	-27.5	28.9	253	0.0	0.795	1.0	65.2	-7.1	-28.8	29.8	256	0.0	0.233	1.0	0.0	0.783	1.0	64.4	-5.7	-30.0	30.6	259	0.0	0.233	1.0			
254	257	260	0.0	0.804	1.0	65.8	-7.9	-27.9	29.2	254	0.0	0.791	1.0	65.0	-6.7	-29.2	30.0	257	0.0	0.217	1.0	0.0	0.779	1.0	64.2	-5.3	-30.3	30.9	260	0.0	0.217	1.0			
255	258	261	0.0	0.799	1.0	65.5	-7.5	-28.4	29.5	255	0.0	0.787	1.0	64.7	-6.2	-29.6	30.3	258	0.0	0.2	1.0	0.0	0.774	1.0	63.9	-4.8	-30.7	31.2	261	0.0	0.2	1.0			
256	259	262	0.0	0.795	1.0	65.2	-7.1	-28.8	29.8	256	0.0	0.783	1.0	64.4	-5.7	-30.0	30.6	259	0.0	0.183	1.0	0.0	0.77	1.0	63.6	-4.3	-31.1	31.5	262	0.0	0.183	1.0			
257	260	263	0.0	0.791	1.0	65.0	-6.7	-29.2	30.0	257	0.0	0.779	1.0	64.2	-5.3	-30.3	30.9	260	0.0	0.167	1.0	0.0	0.766	1.0	63.3	-3.8	-31.4	31.8	263	0.0	0.167	1.0			
258	261	264	0.0	0.787	1.0	64.7	-6.2	-29.6	30.3	258	0.0	0.774	1.0	63.9	-4.8	-30.7	31.2	261	0.0	0.15	1.0	0.0	0.762	1.0	63.1	-3.3	-31.8	32.1	264	0.0	0.15	1.0			
259	262	264	0.0	0.783	1.0	64.4	-5.7	-30.0	30.6	259	0.0	0.77	1.0	63.6	-4.3	-31.1	31.5	262	0.0	0.133	1.0	0.0	0.762	1.0	63.1	-3.3	-31.8	32.1	264	0.0	0.133	1.0			
260	263	265	0.0	0.779	1.0	64.2	-5.3	-30.3	30.9	260	0.0	0.766	1.0	63.3	-3.8	-31.4	31.8	263	0.0	0.117	1.0	0.0	0.758	1.0	62.8	-2.7	-32.1	32.3	265	0.0	0.117	1.0			
261	264	266	0.0	0.774	1.0	63.9	-4.8	-30.7	31.2	261	0.0	0.762	1.0	63.1	-3.3	-31.8	32.1	264	0.0	0.1	1.0	0.0	0.754	1.0	62.5	-2.2	-32.5	32.6	266	0.0	0.1	1.0			
262	265	267	0.0	0.77	1.0	63.6	-4.3	-31.1	31.5	262	0.0	0.758	1.0	62.8	-2.7	-32.1	32.3	265	0.0	0.083	1.0	0.0	0.749	1.0	62.2	-1.6	-32.8	33.0	267	0.0	0.083	1.0			
263	266	268	0.0	0.766	1.0	63.3	-3.8	-31.4	31.8	263	0.0	0.754	1.0	62.5	-2.2	-32.5	32.6	266	0.0	0.067	1.0	0.0	0.74	1.0	61.8	-1.1	-33.7	33.8	268	0.0	0.067	1.0			
264	267	269	0.0	0.762	1.0	63.1	-3.3	-31.8	32.1	264	0.0	0.749	1.0	62.2	-1.6	-32.8	33.0	267	0.0	0.05	1.0	0.0	0.732	1.0	61.3	-0.5	-34.5	34.6	269	0.0	0.05	1.0			
265	268	270	0.0	0.758	1.0	62.8	-2.7	-32.1	32.3	265	0.0	0.74	1.0	61.8	-1.1	-33.7	33.8	268	0.0	0.033	1.0	0.0	0.724	1.0	60.8	0.0	-35.2	35.3	270	0.0	0.033	1.0			
266	269	271	0.0	0.754	1.0	62.5	-2.2	-32.5	32.6	266	0.0	0.732	1.0	61.3	-0.5	-34.5	34.6	269	0.0	0.017	1.0	0.0	0.715	1.0	60.4	0.6	-36.0	36.1	271	0.0	0.017	1.0			
267	270	272	0.0	0.749	1.0	62.2	-1.6	-32.8	33.0	267	0.0	0.724	1.0	60.8	0.0	-35.2	35.3	270	0.0	0.0	1.0B _s	0.0	0.707	1.0	59.9	1.3	-36.8	36.9	272	0.0	0.0	1.0B _e			
268	271	273	0.0	0.74	1.0	61.8	-1.1	-33.7	33.8	268	0.0	0.715	1.0	60.4	0.6	-36.0	36.1	271	0.017	0.0	1.0	0.0	0.698	1.0	59.5	2.0	-37.5	37.7	273	0.017	0.0	1.0			
269	272	274	0.0	0.732	1.0	61.3	-0.5	-34.5	34.6	269	0.0	0.707	1.0	59.9	1.3	-36.8	36.9	272	0.033	0.0	1.0	0.0	0.69	1.0	59.0	2.7	-38.3	38.5	274	0.033	0.0	1.0			
270	273	275	0.0	0.724	1.0	60.8	0.0	-35.2	35.3	270	0.0	0.698	1.0	59.5	2.0	-37.5	37.7	273	0.05	0.0	1.0	0.0	0.681	1.0	58.6	3.4	-39.0	39.3	275	0.05	0.0	1.0			
271	274	276	0.0	0.715	1.0	60.4	0.6	-36.0	36.1	271	0.0	0.69	1.0	59.0	2.7	-38.3	38.5	274	0.067	0.0	1.0	0.0	0.673	1.0	58.1	4.2	-39.7	40.1	276	0.067	0.0	1.0			
272	275	276	0.0	0.707	1.0	59.9	1.3	-36.8	36.9	272	0.0	0.681	1.0	58.6	3.4	-39.0	39.3	275	0.083	0.0	1.0	0.0	0.673	1.0	58.1	4.2	-39.7	40.1	276	0.083	0.0	1.0			
273	276	277	0.0	0.698	1.0	59.5	2.0	-37.5	37.7	273	0.0	0.673	1.0	58.1	4.2	-39.7	40.1	276	0.1	0.0	1.0	0.0	0.664	1.0	57.6	5.0	-40.4	40.8	277	0.1	0.0	1.0			
274	277	278	0.0	0.69	1.0	59.0	2.7	-38.3	38.5	274	0.0	0.664	1.0	57.6	5.0	-40.4	40.8	277	0.117	0.0	1.0	0.0	0.656	1.0	57.2	5.8	-41.1	41.6	278	0.117	0.0	1.0			
275	278	279	0.0	0.681	1.0	58.6	3.4	-39.0	39.3	275	0.0	0.656	1.0	57.2	5.8	-41.1	41.6	278	0.133	0.0	1.0	0.0	0.648	1.0	56.7	6.6	-41.8	42.4	279	0.133	0.0	1.0			
276	279	280	0.0	0.673	1.0	58.1	4.2	-39.7	40.1	276	0.0	0.648	1.0	56.7	6.6	-41.8	42.4	279	0.15	0.0	1.0	0.0	0.639	1.0	56.3	7.5	-42.4	43.2	280	0.15	0.0	1.0			
277	280	281	0.0	0.664	1.0	57.6	5.0	-40.4	40.8	277	0.0	0.639	1.0	56.3	7.5	-42.4	43.2	280	0.167	0.0	1.0	0.0	0.631	1.0	55.8	8.4	-43.1	44.0	281	0.167	0.0	1.0			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																														
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361Mi								LAB* _{dd} 361Mix (x=LabCh)								rgb* _{ds} 361Mi				LAB* _{ds} 361Mix (x=LabCh)				rgb* _s 50M				rgb* _{de} 361Mi				LAB* _{de} 361Mix (x=LabCh)				rgb* _e 50M				rgb* _{dd}	rgb* _{ds}	rgb* _{de}	
297	300	300	0.485	0.0	1.0	46.5	29.6	-58.1	65.3	297	0.613	0.0	1.0	47.5	32.4	-56.0	64.8	300	0.5	0.0	1.0	0.613	0.0	1.0	47.5	32.4	-56.0	64.8	300	0.5	0.0	1.0	0.613	0.0	1.0	47.5	32.4	-56.0	64.8	300	0.5	0.0	1.0			
298	301	301	0.532	0.0	1.0	46.8	30.6	-57.4	65.1	298	0.644	0.0	1.0	47.8	33.3	-55.3	64.6	301	0.517	0.0	1.0	0.644	0.0	1.0	47.8	33.3	-55.3	64.6	301	0.517	0.0	1.0	0.644	0.0	1.0	47.8	33.3	-55.3	64.6	301	0.517	0.0	1.0			
299	302	302	0.572	0.0	1.0	47.2	31.5	-56.7	64.9	299	0.67	0.0	1.0	48.2	34.2	-54.6	64.5	302	0.533	0.0	1.0	0.67	0.0	1.0	48.2	34.2	-54.6	64.5	302	0.533	0.0	1.0	0.67	0.0	1.0	48.2	34.2	-54.6	64.5	302	0.533	0.0	1.0			
300	303	303	0.613	0.0	1.0	47.5	32.4	-56.0	64.8	300	0.697	0.0	1.0	48.5	35.1	-53.9	64.4	303	0.55	0.0	1.0	0.697	0.0	1.0	48.5	35.1	-53.9	64.4	303	0.55	0.0	1.0	0.697	0.0	1.0	48.5	35.1	-53.9	64.4	303	0.55	0.0	1.0			
301	304	304	0.644	0.0	1.0	47.8	33.3	-55.3	64.6	301	0.724	0.0	1.0	48.9	36.0	-53.2	64.3	304	0.567	0.0	1.0	0.724	0.0	1.0	48.9	36.0	-53.2	64.3	304	0.567	0.0	1.0	0.724	0.0	1.0	48.9	36.0	-53.2	64.3	304	0.567	0.0	1.0			
302	305	305	0.67	0.0	1.0	48.2	34.2	-54.6	64.5	302	0.75	0.0	1.0	49.2	36.8	-52.5	64.2	305	0.583	0.0	1.0	0.75	0.0	1.0	49.2	36.8	-52.5	64.2	305	0.583	0.0	1.0	0.75	0.0	1.0	49.2	36.8	-52.5	64.2	305	0.583	0.0	1.0			
303	306	306	0.697	0.0	1.0	48.5	35.1	-53.9	64.4	303	0.769	0.0	1.0	49.7	37.9	-52.1	64.5	306	0.6	0.0	1.0	0.769	0.0	1.0	49.7	37.9	-52.1	64.5	306	0.6	0.0	1.0	0.769	0.0	1.0	49.7	37.9	-52.1	64.5	306	0.6	0.0	1.0			
304	307	307	0.724	0.0	1.0	48.9	36.0	-53.2	64.3	304	0.787	0.0	1.0	50.2	39.0	-51.6	64.7	307	0.617	0.0	1.0	0.787	0.0	1.0	50.2	39.0	-51.6	64.7	307	0.617	0.0	1.0	0.787	0.0	1.0	50.2	39.0	-51.6	64.7	307	0.617	0.0	1.0			
305	308	308	0.75	0.0	1.0	49.2	36.8	-52.5	64.2	305	0.805	0.0	1.0	50.7	40.0	-51.1	65.0	308	0.633	0.0	1.0	0.805	0.0	1.0	50.7	40.0	-51.1	65.0	308	0.633	0.0	1.0	0.805	0.0	1.0	50.7	40.0	-51.1	65.0	308	0.633	0.0	1.0			
306	309	309	0.769	0.0	1.0	49.7	37.9	-52.1	64.5	306	0.824	0.0	1.0	51.1	41.1	-50.6	65.3	309	0.65	0.0	1.0	0.824	0.0	1.0	51.1	41.1	-50.6	65.3	309	0.65	0.0	1.0	0.824	0.0	1.0	51.1	41.1	-50.6	65.3	309	0.65	0.0	1.0			
307	310	310	0.787	0.0	1.0	50.2	39.0	-51.6	64.7	307	0.842	0.0	1.0	51.6	42.1	-50.1	65.5	310	0.667	0.0	1.0	0.842	0.0	1.0	51.6	42.1	-50.1	65.5	310	0.667	0.0	1.0	0.842	0.0	1.0	51.6	42.1	-50.1	65.5	310	0.667	0.0	1.0			
308	311	311	0.805	0.0	1.0	50.7	40.0	-51.1	65.0	308	0.861	0.0	1.0	52.1	43.2	-49.6	65.8	311	0.683	0.0	1.0	0.861	0.0	1.0	52.1	43.2	-49.6	65.8	311	0.683	0.0	1.0	0.861	0.0	1.0	52.1	43.2	-49.6	65.8	311	0.683	0.0	1.0			
309	312	312	0.824	0.0	1.0	51.1	41.1	-50.6	65.3	309	0.879	0.0	1.0	52.6	44.2	-49.0	66.1	312	0.7	0.0	1.0	0.879	0.0	1.0	52.6	44.2	-49.0	66.1	312	0.7	0.0	1.0	0.879	0.0	1.0	52.6	44.2	-49.0	66.1	312	0.7	0.0	1.0			
310	313	312	0.842	0.0	1.0	51.6	42.1	-50.1	65.5	310	0.9	0.0	1.0	53.2	45.5	-48.6	66.7	313	0.717	0.0	1.0	0.879	0.0	1.0	52.6	44.2	-49.0	66.1	312	0.717	0.0	1.0	0.879	0.0	1.0	52.6	44.2	-49.0	66.1	312	0.717	0.0	1.0			
311	314	313	0.861	0.0	1.0	52.1	43.2	-49.6	65.8	311	0.92	0.0	1.0	53.8	46.7	-48.2	67.2	314	0.733	0.0	1.0	0.9	0.0	1.0	53.2	45.5	-48.6	66.7	313	0.733	0.0	1.0	0.9	0.0	1.0	53.2	45.5	-48.6	66.7	313	0.733	0.0	1.0			
312	315	314	0.879	0.0	1.0	52.6	44.2	-49.0	66.1	312	0.94	0.0	1.0	54.3	47.9	-47.8	67.7	315	0.75	0.0	1.0	0.92	0.0	1.0	53.8	46.7	-48.2	67.2	314	0.75	0.0	1.0	0.92	0.0	1.0	53.8	46.7	-48.2	67.2	314	0.75	0.0	1.0			
313	316	315	0.9	0.0	1.0	53.2	45.5	-48.6	66.7	313	0.96	0.0	1.0	54.9	49.1	-47.3	68.3	316	0.767	0.0	1.0	0.94	0.0	1.0	54.3	47.9	-47.8	67.7	315	0.767	0.0	1.0	0.94	0.0	1.0	54.3	47.9	-47.8	67.7	315	0.767	0.0	1.0			
314	317	316	0.92	0.0	1.0	53.8	46.7	-48.2	67.2	314	0.981	0.0	1.0	55.5	50.3	-46.8	68.8	317	0.783	0.0	1.0	0.96	0.0	1.0	54.9	49.1	-47.3	68.3	316	0.783	0.0	1.0	0.96	0.0	1.0	54.9	49.1	-47.3	68.3	316	0.783	0.0	1.0			
315	318	317	0.94	0.0	1.0	54.3	47.9	-47.8	67.7	315	1.0	0.0	0.999	56.0	51.5	-46.2	69.2	318	0.8	0.0	1.0	0.981	0.0	1.0	55.5	50.3	-46.8	68.8	317	0.8	0.0	1.0	0.981	0.0	1.0	55.5	50.3	-46.8	68.8	317	0.8	0.0	1.0			
316	319	318	0.96	0.0	1.0	54.9	49.1	-47.3	68.3	316	1.0	0.0	0.984	55.7	50.9	-44.2	67.5	319	0.817	0.0	1.0	1.0	0.0	0.999	56.0	51.5	-46.2	69.2	318	0.817	0.0	1.0	1.0	0.0	0.999	56.0	51.5	-46.2	69.2	318	0.817	0.0	1.0			
317	320	319	0.981	0.0	1.0	55.5	50.3	-46.8	68.8	317M _d	1.0	0.0	0.969	55.3	50.4	-42.2	65.8	320	0.833	0.0	1.0	1.0	0.0	0.984	55.7	50.9	-44.2	67.5	319	0.833	0.0	1.0	1.0	0.0	0.984	55.7	50.9	-44.2	67.5	319	0.833	0.0	1.0			
318	321	320	1.0	0.0	0.999	56.0	51.5	-46.2	69.2	318	1.0	0.0	0.953	55.0	49.7	-40.2	64.0	321	0.85	0.0	1.0	1.0	0.0	0.969	55.3	50.4	-42.2	65.8	320	0.85	0.0	1.0	1.0	0.0	0.969	55.3	50.4	-42.2	65.8	320	0.85	0.0	1.0			
319	322	321	1.0	0.0	0.984	55.7	50.9	-44.2	67.5	319	1.0	0.0	0.938	54.7	49.1	-38.2	62.3	322	0.867	0.0	1.0	1.0	0.0	0.953	55.0	49.7	-40.2	64.0	321	0.867	0.0	1.0	1.0	0.0	0.953	55.0	49.7	-40.2	64.0	321	0.867	0.0	1.0			
320	323	322	1.0	0.0	0.969	55.3	50.4	-42.2	65.8	320	1.0	0.0	0.923	54.3	48.3	-36.3	60.5	323	0.883	0.0	1.0	1.0	0.0	0.938	54.7	49.1	-38.2	62.3	322	0.883	0.0	1.0	1.0	0.0	0.938	54.7	49.1	-38.2	62.3	322	0.883	0.0	1.0			
321	324	323	1.0	0.0	0.953	55.0	49.7	-40.2	64.0	321	1.0	0.0	0.908	54.0	47.5	-34.4	58.8	324	0.9	0.0	1.0	1.0	0.0																							

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 27.4, 103.5, 129.9, 202.0, 294.5, 318.0$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
342	345	343	1.0	0.0	0.748	51.3	41.6	-13.4	43.7	342	1.0	0.0	0.725	51.1	41.4	-11.0	42.9	345	1.0	0.0	0.75	1.0	0.0	0.74	51.2	41.6	-12.6	43.5	343	1.0	0.0	0.75						
343	346	344	1.0	0.0	0.74	51.2	41.6	-12.6	43.5	343	1.0	0.0	0.717	51.1	41.3	-10.2	42.6	346	1.0	0.0	0.733	1.0	0.0	0.732	51.2	41.5	-11.8	43.2	344	1.0	0.0	0.733						
344	347	345	1.0	0.0	0.732	51.2	41.5	-11.8	43.2	344	1.0	0.0	0.71	51.0	41.2	-9.4	42.3	347	1.0	0.0	0.717	1.0	0.0	0.725	51.1	41.4	-11.0	42.9	345	1.0	0.0	0.717						
345	348	346	1.0	0.0	0.725	51.1	41.4	-11.0	42.9	345	1.0	0.0	0.702	50.9	41.1	-8.6	42.0	348	1.0	0.0	0.7	1.0	0.0	0.717	51.1	41.3	-10.2	42.6	346	1.0	0.0	0.7						
346	349	347	1.0	0.0	0.717	51.1	41.3	-10.2	42.6	346	1.0	0.0	0.694	50.9	41.0	-7.9	41.8	349	1.0	0.0	0.683	1.0	0.0	0.71	51.0	41.2	-9.4	42.3	347	1.0	0.0	0.683						
347	350	348	1.0	0.0	0.71	51.0	41.2	-9.4	42.3	347	1.0	0.0	0.687	50.8	40.9	-7.1	41.5	350	1.0	0.0	0.667	1.0	0.0	0.702	50.9	41.1	-8.6	42.0	348	1.0	0.0	0.667						
348	351	349	1.0	0.0	0.702	50.9	41.1	-8.6	42.0	348	1.0	0.0	0.679	50.8	40.7	-6.3	41.2	351	1.0	0.0	0.65	1.0	0.0	0.694	50.9	41.0	-7.9	41.8	349	1.0	0.0	0.65						
349	352	349	1.0	0.0	0.694	50.9	41.0	-7.9	41.8	349	1.0	0.0	0.671	50.7	40.5	-5.6	40.9	352	1.0	0.0	0.633	1.0	0.0	0.694	50.9	41.0	-7.9	41.8	349	1.0	0.0	0.633						
350	353	350	1.0	0.0	0.687	50.8	40.9	-7.1	41.5	350	1.0	0.0	0.664	50.6	40.3	-4.9	40.6	353	1.0	0.0	0.617	1.0	0.0	0.687	50.8	40.9	-7.1	41.5	350	1.0	0.0	0.617						
351	354	351	1.0	0.0	0.679	50.8	40.7	-6.3	41.2	351	1.0	0.0	0.656	50.6	40.1	-4.1	40.3	354	1.0	0.0	0.6	1.0	0.0	0.679	50.8	40.7	-6.3	41.2	351	1.0	0.0	0.6						
352	355	352	1.0	0.0	0.671	50.7	40.5	-5.6	40.9	352	1.0	0.0	0.648	50.5	39.9	-3.4	40.1	355	1.0	0.0	0.583	1.0	0.0	0.671	50.7	40.5	-5.6	40.9	352	1.0	0.0	0.583						
353	356	353	1.0	0.0	0.664	50.6	40.3	-4.9	40.6	353	1.0	0.0	0.641	50.5	39.7	-2.7	39.8	356	1.0	0.0	0.567	1.0	0.0	0.664	50.6	40.3	-4.9	40.6	353	1.0	0.0	0.567						
354	357	354	1.0	0.0	0.656	50.6	40.1	-4.1	40.3	354	1.0	0.0	0.633	50.4	39.4	-2.0	39.5	357	1.0	0.0	0.55	1.0	0.0	0.656	50.6	40.1	-4.1	40.3	354	1.0	0.0	0.55						
355	358	355	1.0	0.0	0.648	50.5	39.9	-3.4	40.1	355	1.0	0.0	0.626	50.3	39.2	-1.3	39.2	358	1.0	0.0	0.533	1.0	0.0	0.648	50.5	39.9	-3.4	40.1	355	1.0	0.0	0.533						
356	359	356	1.0	0.0	0.641	50.5	39.7	-2.7	39.8	356	1.0	0.0	0.617	50.3	39.1	-0.6	39.2	359	1.0	0.0	0.517	1.0	0.0	0.641	50.5	39.7	-2.7	39.8	356	1.0	0.0	0.517						
357	360	357	1.0	0.0	0.633	50.4	39.4	-2.0	39.5	357	1.0	0.0	0.608	50.3	39.1	0.0	39.1	0	1.0	0.0	0.5	1.0	0.0	0.633	50.4	39.4	-2.0	39.5	357	1.0	0.0	0.5						
358	361	358	1.0	0.0	0.626	50.3	39.2	-1.3	39.2	358	1.0	0.0	0.599	50.2	39.1	0.7	39.1	1	1.0	0.0	0.483	1.0	0.0	0.626	50.3	39.2	-1.3	39.2	358	1.0	0.0	0.483						
359	362	359	1.0	0.0	0.617	50.3	39.1	-0.6	39.2	359	1.0	0.0	0.59	50.2	39.0	1.4	39.0	2	1.0	0.0	0.467	1.0	0.0	0.617	50.3	39.1	-0.6	39.2	359	1.0	0.0	0.467						
0	363	360	1.0	0.0	0.608	50.3	39.1	0.0	39.1	0	1.0	0.0	0.581	50.1	38.9	2.0	39.0	3	1.0	0.0	0.45	1.0	0.0	0.608	50.3	39.1	0.0	39.1	0	1.0	0.0	0.45						
1	364	361	1.0	0.0	0.599	50.2	39.1	0.7	39.1	1	1.0	0.0	0.572	50.1	38.8	2.7	38.9	4	1.0	0.0	0.433	1.0	0.0	0.599	50.2	39.1	0.7	39.1	1	1.0	0.0	0.433						
2	365	362	1.0	0.0	0.59	50.2	39.0	1.4	39.0	2	1.0	0.0	0.564	50.1	38.7	3.4	38.9	5	1.0	0.0	0.417	1.0	0.0	0.59	50.2	39.0	1.4	39.0	2	1.0	0.0	0.417						
3	366	363	1.0	0.0	0.581	50.1	38.9	2.0	39.0	3	1.0	0.0	0.555	50.0	38.6	4.1	38.8	6	1.0	0.0	0.4	1.0	0.0	0.581	50.1	38.9	2.0	39.0	3	1.0	0.0	0.4						
4	367	364	1.0	0.0	0.572	50.1	38.8	2.7	38.9	4	1.0	0.0	0.546	50.0	38.5	4.7	38.8	7	1.0	0.0	0.383	1.0	0.0	0.572	50.1	38.8	2.7	38.9	4	1.0	0.0	0.383						
5	368	365	1.0	0.0	0.564	50.1	38.7	3.4	38.9	5	1.0	0.0	0.537	49.9	38.4	5.4	38.7	8	1.0	0.0	0.367	1.0	0.0	0.564	50.1	38.7	3.4	38.9	5	1.0	0.0	0.367						
6	369	366	1.0	0.0	0.555	50.0	38.6	4.1	38.8	6	1.0	0.0	0.528	49.9	38.2	6.1	38.7	9	1.0	0.0	0.35	1.0	0.0	0.555	50.0	38.6	4.1	38.8	6	1.0	0.0	0.35						
7	370	367	1.0	0.0	0.546	50.0	38.5	4.7	38.8	7	1.0	0.0	0.519	49.8	38.1	6.7	38.7	10	1.0	0.0	0.333	1.0	0.0	0.546	50.0	38.5	4.7	38.8	7	1.0	0.0	0.333						
8	371	367	1.0	0.0	0.537	49.9	38.4	5.4	38.7	8	1.0	0.0	0.51	49.8	37.9	7.4	38.6	11	1.0	0.0	0.317	1.0	0.0	0.546	50.0	38.5	4.7	38.8	7	1.0	0.0	0.317						
9	372	368	1.0	0.0	0.528	49.9	38.2	6.1	38.7	9	1.0	0.0	0.502	49.8	37.7	8.0	38.6	12	1.0	0.0	0.3	1.0	0.0	0.537	49.9	38.4	5.4	38.7	8	1.0	0.0	0.3						
10	373	369	1.0	0.0	0.519	49.8	38.1	6.7	38.7	10	1.0	0.0	0.489	49.7	37.6	8.7	38.6	13	1.0	0.0	0.283	1.0	0.0	0.528	49.9	38.2	6.1	38.7	9	1.0	0.0	0.283						
11	374	370	1.0	0.0	0.51	49.8	37.9	7.4	38.6	11	1.0	0.0	0.475	49.7	37.6	9.4	38.7	14	1.0	0.0	0.267	1.0	0.0	0.519	49.8	38.1	6.7	38.7	10	1.0	0.0	0.267						
12	375	371	1.0	0.0	0.502	49.8	37.7	8.0	38.6	12	1.0	0.0	0.461	49.6	37.5	10.0	38.8	15	1.0	0.0	0.25	1.0	0.0	0.51	49.8	37.9	7.4	38.6	11	1.0	0.0	0.25						
13	376	372	1.0	0.0	0.489	49.7	37.6	8.7	38.6	13	1.0	0.0	0.447	49.6	37.4	10.7	38.9	16	1.0	0.0	0.233	1.0	0.0	0.502	49.8	37.7	8.0	38.6	12	1.0	0.0	0.233						
14	377	373	1.0	0.0	0.475	49.7	37.6	9.4	38.7	14	1.0	0.0	0.433	49.6	37.3	11.4	39.0	17	1.0	0.0	0.217	1.0	0.0	0.489	49.7	37.6	8.7	38.6	13	1.0	0.0	0.217						
15	378	374	1.0	0.0	0.461	49.6	37.5	10.0	38.8</																													

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours d : $h_{ab,d} = 24.4, 104.8, 132.0, 202.4, 291.8, 316.6$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_d -input values the CIELAB data LCH^*_d and LAB^*_d have been measured.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:
$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{2}$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{3}$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 7) \tag{4}$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, ..., 5; j = 0, 1, ..., 59) \tag{5}$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 3.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																				
Six hue angles of the device colours d: $h_{ab,d} = 24.4, 104.8, 132.0, 202.4, 291.8, 316.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																				
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*dd50M			$LAB^*dd50Mx(x=LabCh)$					rgb^*ds50M			$LAB^*ds50Mx(x=LabCh)$					rgb^*s50M			rgb^*de50M			$LAB^*de50Mx(x=LabCh)$					rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e	
24.4	30.0	25.5	1.0	0.0	0.0	58.8	25.2	11.5	27.7	24.4	1.0	0.381	0.0	60.0	22.8	13.2	26.3	30	1.0	0.0	0.0	1.0	0.163	0.0	59.0	25.0	11.6	27.5	25	1.0	0.0	0.0				
24.7	37.5	33.8	1.0	0.125	0.0	58.9	25.1	11.5	27.6	24.7	1.0	0.499	0.0	61.7	19.8	15.5	25.2	38	1.0	0.125	0.0	1.0	0.44	0.0	60.9	21.4	14.4	25.8	34	1.0	0.125	0.0				
25.8	45.0	42.2	1.0	0.25	0.0	59.1	24.6	11.9	27.4	25.8	1.0	0.554	0.0	63.1	17.6	17.6	24.9	45	1.0	0.25	0.0	1.0	0.531	0.0	62.5	18.6	16.7	25.0	42	1.0	0.25	0.0				
29.6	52.5	50.5	1.0	0.375	0.0	60.0	22.9	13.0	26.4	29.6	1.0	0.616	0.0	64.6	14.7	19.5	24.5	53	1.0	0.375	0.0	1.0	0.601	0.0	64.2	15.5	19.1	24.6	51	1.0	0.375	0.0				
38.1	60.0	58.9	1.0	0.5	0.0	61.7	19.8	15.5	25.2	38.1	1.0	0.659	0.0	66.1	12.5	21.7	25.1	60	1.0	0.5	0.0	1.0	0.653	0.0	65.8	12.9	21.4	25.0	59	1.0	0.5	0.0				
54.1	67.5	67.2	1.0	0.625	0.0	64.8	14.3	19.8	24.4	54.1	1.0	0.705	0.0	67.8	9.7	24.1	26.0	68	1.0	0.625	0.0	1.0	0.699	0.0	67.5	10.1	23.8	25.9	67	1.0	0.625	0.0				
75.7	75.0	75.6	1.0	0.75	0.0	69.4	6.6	26.1	26.9	75.7	1.0	0.746	0.0	69.3	6.9	25.9	26.8	75	1.0	0.75	0.0	1.0	0.752	0.0	69.5	6.5	26.2	27.0	76	1.0	0.75	0.0				
93.1	82.5	84.0	1.0	0.875	0.0	75.2	-1.7	33.8	33.8	93.1	1.0	0.802	0.0	71.8	3.6	29.6	29.8	83	1.0	0.875	0.0	1.0	0.809	0.0	72.2	3.2	30.0	30.2	84	1.0	0.875	0.0				
104.8	90.0	92.3	1.0	1.0	0.0	85.3	-12.3	47.0	48.6	104.8	1.0	0.853	0.0	74.2	0.0	32.6	32.6	90	1.0	1.0	0.0	1.0	0.867	0.0	74.8	-1.1	33.4	33.4	92	1.0	1.0	0.0				
112.0	97.5	101.1	0.875	1.0	0.0	82.2	-17.1	42.5	45.9	112.0	1.0	0.927	0.0	79.4	-5.5	39.6	40.0	98	0.875	1.0	0.0	1.0	0.96	0.0	82.0	-8.3	43.0	43.8	101	0.875	1.0	0.0				
121.7	105.0	109.8	0.75	1.0	0.0	78.7	-23.0	37.5	44.0	121.7	0.996	1.0	0.0	85.2	-12.5	46.9	48.5	105	0.75	1.0	0.0	0.91	1.0	0.0	83.1	-15.9	43.8	46.6	110	0.75	1.0	0.0				
126.7	112.5	118.5	0.625	1.0	0.0	78.1	-27.0	36.4	45.4	126.7	0.863	1.0	0.0	81.9	-17.7	42.0	45.7	113	0.625	1.0	0.0	0.785	1.0	0.0	79.7	-21.5	39.0	44.5	119	0.625	1.0	0.0				
129.6	120.0	127.3	0.5	1.0	0.0	77.7	-29.4	35.7	46.3	129.6	0.772	1.0	0.0	79.3	-22.1	38.4	44.4	120	0.5	1.0	0.0	0.611	1.0	0.0	78.1	-27.3	36.3	45.5	127	0.5	1.0	0.0				
131.1	127.5	136.0	0.375	1.0	0.0	77.5	-30.7	35.3	46.9	131.1	0.568	1.0	0.0	77.9	-28.1	36.1	45.8	128	0.375	1.0	0.0	0.0	1.0	0.504	77.6	-30.1	29.1	41.9	136	0.375	1.0	0.0				
131.7	135.0	144.7	0.25	1.0	0.0	77.4	-31.3	35.2	47.1	131.7	0.0	1.0	0.456	77.6	-30.4	30.5	43.1	135	0.25	1.0	0.0	0.0	1.0	0.68	78.2	-27.6	19.4	33.8	145	0.25	1.0	0.0				
132.0	142.5	153.5	0.125	1.0	0.0	77.4	-31.5	35.1	47.3	132.0	0.0	1.0	0.655	78.1	-28.1	21.2	35.2	143	0.125	1.0	0.0	0.0	1.0	0.764	78.7	-25.8	13.2	29.1	153	0.125	1.0	0.0				
132.0	150.0	162.2	0.0	1.0	0.0	77.3	-31.5	35.1	47.2	132.0	0.0	1.0	0.743	78.5	-26.2	15.2	30.3	150	0.0	1.0	0.0	0.0	1.0	0.818	79.0	-24.6	8.0	26.0	162	0.0	1.0	0.0				
132.1	157.5	169.1	0.0	1.0	0.125	77.3	-31.4	35.0	47.1	132.1	0.0	1.0	0.794	78.9	-25.3	10.2	27.3	158	0.0	1.0	0.125	0.0	1.0	0.86	79.3	-23.0	4.5	23.5	169	0.0	1.0	0.125				
132.4	165.0	175.9	0.0	1.0	0.25	77.4	-31.3	34.4	46.6	132.4	0.0	1.0	0.836	79.2	-24.0	6.4	24.9	165	0.0	1.0	0.25	0.0	1.0	0.893	79.6	-22.1	1.6	22.2	176	0.0	1.0	0.25				
133.4	172.5	182.8	0.0	1.0	0.375	77.4	-30.9	32.7	45.1	133.4	0.0	1.0	0.881	79.5	-22.2	2.7	22.5	173	0.0	1.0	0.375	0.0	1.0	0.921	79.8	-21.5	-1.0	21.6	183	0.0	1.0	0.375				
135.9	180.0	189.6	0.0	1.0	0.5	77.6	-30.1	29.3	42.1	135.9	0.0	1.0	0.909	79.7	-21.8	0.0	21.9	180	0.0	1.0	0.5	0.0	1.0	0.95	80.0	-20.6	-3.5	21.0	190	0.0	1.0	0.5				
140.7	187.5	196.4	0.0	1.0	0.625	78.0	-28.4	23.4	36.9	140.7	0.0	1.0	0.942	80.0	-20.8	-2.8	21.2	188	0.0	1.0	0.625	0.0	1.0	0.974	80.2	-19.5	-5.5	20.4	196	0.0	1.0	0.625				
150.6	195.0	203.3	0.0	1.0	0.75	78.6	-26.0	14.7	29.9	150.6	0.0	1.0	0.97	80.2	-19.7	-5.2	20.5	195	0.0	1.0	0.75	0.0	1.0	0.998	1.0	80.4	-18.2	-7.7	19.9	203	0.0	1.0	0.75			
171.6	202.5	210.1	0.0	1.0	0.875	79.4	-22.3	3.3	22.6	171.6	0.0	0.998	1.0	80.4	-18.2	-7.7	19.9	203	0.0	1.0	0.875	0.0	1.0	0.973	1.0	79.2	-17.1	-9.8	19.8	210	0.0	1.0	0.875			
202.4	210.0	217.0	0.0	1.0	1.0	80.5	-18.3	-7.5	19.9	202.4	0.0	0.973	1.0	79.2	-17.1	-9.8	19.8	210	0.0	1.0	1.0	0.0	0.949	1.0	78.0	-15.7	-11.8	19.8	217	0.0	1.0	1.0				
237.9	217.5	223.8	0.0	0.875	1.0	74.5	-10.3	-16.5	19.6	237.9	0.0	0.945	1.0	77.8	-15.5	-12.1	19.8	218	0.0	0.875	1.0	0.0	0.924	1.0	76.8	-14.1	-13.6	19.7	224	0.0	0.875	1.0				
267.0	225.0	230.7	0.0	0.75	1.0	68.1	-1.3	-26.2	26.3	267.0	0.0	0.92	1.0	76.6	-13.8	-13.8	19.7	225	0.0</																	

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 24.4, 104.8, 132.0, 202.4, 291.8, 316.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																							
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$						R_d	$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$						R_s	$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$						R_e	rgb^*_{e50M}			R_e	rgb^*_d	rgb^*_s	rgb^*_e
24	30	25	1.0	0.0	0.14	58.9	25.3	11.2	27.6	24		1.0	0.381	0.0	60.0	22.8	13.2	26.3	30	1.0	0.0	0.0		1.0	0.163	0.0	59.0	25.0	11.6	27.5	25	1.0	0.0	0.0					
25	31	27	1.0	0.163	0.0	59.0	25.0	11.6	27.5	25		1.0	0.396	0.0	60.3	22.4	13.5	26.2	31	1.0	0.017	0.0		1.0	0.291	0.0	59.4	24.1	12.3	27.0	27	1.0	0.017	0.0					
26	32	28	1.0	0.258	0.0	59.2	24.5	12.0	27.3	26		1.0	0.411	0.0	60.5	22.1	13.8	26.0	32	1.0	0.033	0.0		1.0	0.323	0.0	59.6	23.7	12.6	26.8	28	1.0	0.033	0.0					
27	33	29	1.0	0.291	0.0	59.4	24.1	12.3	27.0	27		1.0	0.425	0.0	60.7	21.7	14.1	25.9	33	1.0	0.05	0.0		1.0	0.356	0.0	59.8	23.2	12.9	26.5	29	1.0	0.05	0.0					
28	34	30	1.0	0.323	0.0	59.6	23.7	12.6	26.8	28		1.0	0.44	0.0	60.9	21.4	14.4	25.8	34	1.0	0.067	0.0		1.0	0.381	0.0	60.0	22.8	13.2	26.3	30	1.0	0.067	0.0					
29	35	31	1.0	0.356	0.0	59.8	23.2	12.9	26.5	29		1.0	0.455	0.0	61.1	21.0	14.7	25.6	35	1.0	0.083	0.0		1.0	0.396	0.0	60.3	22.4	13.5	26.2	31	1.0	0.083	0.0					
30	36	32	1.0	0.381	0.0	60.0	22.8	13.2	26.3	30		1.0	0.47	0.0	61.3	20.6	15.0	25.5	36	1.0	0.1	0.0		1.0	0.411	0.0	60.5	22.1	13.8	26.0	32	1.0	0.1	0.0					
31	37	33	1.0	0.396	0.0	60.3	22.4	13.5	26.2	31		1.0	0.484	0.0	61.5	20.2	15.2	25.3	37	1.0	0.117	0.0		1.0	0.425	0.0	60.7	21.7	14.1	25.9	33	1.0	0.117	0.0					
32	38	34	1.0	0.411	0.0	60.5	22.1	13.8	26.0	32		1.0	0.499	0.0	61.7	19.8	15.5	25.2	38	1.0	0.133	0.0		1.0	0.44	0.0	60.9	21.4	14.4	25.8	34	1.0	0.133	0.0					
33	39	36	1.0	0.425	0.0	60.7	21.7	14.1	25.9	33		1.0	0.507	0.0	61.9	19.5	15.8	25.1	39	1.0	0.15	0.0		1.0	0.47	0.0	61.3	20.6	15.0	25.5	36	1.0	0.15	0.0					
34	40	37	1.0	0.44	0.0	60.9	21.4	14.4	25.8	34		1.0	0.515	0.0	62.1	19.2	16.1	25.1	40	1.0	0.167	0.0		1.0	0.484	0.0	61.5	20.2	15.2	25.3	37	1.0	0.167	0.0					
35	41	38	1.0	0.455	0.0	61.1	21.0	14.7	25.6	35		1.0	0.523	0.0	62.3	18.9	16.4	25.0	41	1.0	0.183	0.0		1.0	0.499	0.0	61.7	19.8	15.5	25.2	38	1.0	0.183	0.0					
36	42	39	1.0	0.47	0.0	61.3	20.6	15.0	25.5	36		1.0	0.531	0.0	62.5	18.6	16.7	25.0	42	1.0	0.2	0.0		1.0	0.507	0.0	61.9	19.5	15.8	25.1	39	1.0	0.2	0.0					
37	43	40	1.0	0.484	0.0	61.5	20.2	15.2	25.3	37		1.0	0.538	0.0	62.7	18.2	17.0	24.9	43	1.0	0.217	0.0		1.0	0.515	0.0	62.1	19.2	16.1	25.1	40	1.0	0.217	0.0					
38	44	41	1.0	0.499	0.0	61.7	19.8	15.5	25.2	38		1.0	0.546	0.0	62.9	17.9	17.3	24.9	44	1.0	0.233	0.0		1.0	0.523	0.0	62.3	18.9	16.4	25.0	41	1.0	0.233	0.0					
39	45	42	1.0	0.507	0.0	61.9	19.5	15.8	25.1	39		1.0	0.554	0.0	63.1	17.6	17.6	24.9	45	1.0	0.25	0.0		1.0	0.531	0.0	62.5	18.6	16.7	25.0	42	1.0	0.25	0.0					
40	46	43	1.0	0.515	0.0	62.1	19.2	16.1	25.1	40		1.0	0.562	0.0	63.2	17.2	17.8	24.8	46	1.0	0.267	0.0		1.0	0.538	0.0	62.7	18.2	17.0	24.9	43	1.0	0.267	0.0					
41	47	44	1.0	0.523	0.0	62.3	18.9	16.4	25.0	41		1.0	0.57	0.0	63.4	16.9	18.1	24.8	47	1.0	0.283	0.0		1.0	0.546	0.0	62.9	17.9	17.3	24.9	44	1.0	0.283	0.0					
42	48	46	1.0	0.531	0.0	62.5	18.6	16.7	25.0	42		1.0	0.577	0.0	63.6	16.5	18.4	24.7	48	1.0	0.3	0.0		1.0	0.562	0.0	63.2	17.2	17.8	24.8	46	1.0	0.3	0.0					
43	49	47	1.0	0.538	0.0	62.7	18.2	17.0	24.9	43		1.0	0.585	0.0	63.8	16.2	18.6	24.7	49	1.0	0.317	0.0		1.0	0.57	0.0	63.4	16.9	18.1	24.8	47	1.0	0.317	0.0					
44	50	48	1.0	0.546	0.0	62.9	17.9	17.3	24.9	44		1.0	0.593	0.0	64.0	15.8	18.9	24.6	50	1.0	0.333	0.0		1.0	0.577	0.0	63.6	16.5	18.4	24.7	48	1.0	0.333	0.0					
45	51	49	1.0	0.554	0.0	63.1	17.6	17.6	24.9	45		1.0	0.601	0.0	64.2	15.5	19.1	24.6	51	1.0	0.35	0.0		1.0	0.585	0.0	63.8	16.2	18.6	24.7	49	1.0	0.35	0.0					
46	52	50	1.0	0.562	0.0	63.2	17.2	17.8	24.8	46		1.0	0.608	0.0	64.4	15.1	19.3	24.5	52	1.0	0.367	0.0		1.0	0.593	0.0	64.0	15.8	18.9	24.6	50	1.0	0.367	0.0					
47	53	51	1.0	0.57	0.0	63.4	16.9	18.1	24.8	47		1.0	0.616	0.0	64.6	14.7	19.5	24.5	53	1.0	0.383	0.0		1.0	0.601	0.0	64.2	15.5	19.1	24.6	51	1.0	0.383	0.0					
48	54	52	1.0	0.577	0.0	63.6	16.5	18.4	24.7	48		1.0	0.624	0.0	64.8	14.4	19.8	24.4	54	1.0	0.4	0.0		1.0	0.608	0.0	64.4	15.1	19.3	24.5	52	1.0	0.4	0.0					
49	55	53	1.0	0.585	0.0	63.8	16.2	18.6	24.7	49		1.0	0.63	0.0	65.0	14.1	20.1	24.5	55	1.0	0.417	0.0		1.0	0.616	0.0	64.6	14.7	19.5	24.5	53	1.0	0.417	0.0					
50	56	54	1.0	0.593	0.0	64.0	15.8	18.9	24.6	50		1.0	0.636	0.0	65.2	13.8	20.4	24.6	56	1.0	0.433	0.0		1.0	0.624	0.0	64.8	14.4	19.8	24.4	54	1.0	0.433	0.0					
51	57	56	1.0	0.601	0.0	64.2	15.5	19.1	24.6	51		1.0	0.642	0.0	65.4	13.5	20.8	24.7	57	1.0	0.45	0.0		1.0	0.636	0.0	65.2	13.8	20.4	24.6	56	1.0	0.45	0.0					
52	58	57	1.0	0.608	0.0	64.4	15.1	19.3	24.5	52		1.0	0.647	0.0	65.6	13.2	21.1	24.9	58	1.0	0.467	0.0		1.0	0.642	0.0	65.4	13.5	20.8	24.7	57	1.0	0.467	0.0					
53	59	58	1.0	0.616	0.0	64.6	14.7	19.5	24.5	53		1.0	0.653	0.0	65.8	12.9	21.4	25.0	59	1.0	0.483	0.0		1.0	0.647	0.0	65.6	13.2	21.1	24.9	58	1.0	0.483	0.0					
54	60	59	1.0	0.624	0.0	64.8	14.4	19.8	24.4	54		1.0	0.659	0.0	66.1	12.5	21.7	25.1	60	1.0	0.5	0.0		1.0	0.653	0.0	65.8	12.9	21.4	25.0	59	1.0	0.5	0.0					
55	61	60	1.0	0.63	0.0	65.0	14.1	20.1	24.5	55		1.0	0.665	0.0	66.3	12.2	22.0	25.2	61	1.0	0.517	0.0		1.0	0.659	0.0	66.1	12.5	21.7	25.1	60	1.0	0.517	0.0					
56	62	61	1.0	0.636	0.0	65.2	13.8	20.4	24.6	56		1.0	0.671																										

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;



Six hue angles of the device colours d : $h_{ab,d} = 24.4, 104.8, 132.0, 202.4, 291.8, 316.6$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 24.4, 104.8, 312.0, 20.2, 291.8, 316.6; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}			LAB* _{dd361Mix (x=LabCh)}			rgb* _{ds361Mi}			LAB* _{ds361Mix (x=LabCh)}			rgb* _{s50M}			rgb* _{de361Mi}			LAB* _{de361Mix (x=LabCh)}			rgb* _{e50M}			rgb*_ _{dd}	rgb*_ _{ds}	rgb*_ _{de}						
294	300	300	0.462	0.0	1.0	57.0	19.5	-43.8	48.0	294	0.683	0.0	1.0	58.3	23.8	-41.1	47.6	300	0.5	0.0	1.0	0.683	0.0	1.0	58.3	23.8	-41.1	47.6	300	0.5	0.0	1.0			
295	301	301	0.518	0.0	1.0	57.2	20.3	-43.4	47.9	295	0.708	0.0	1.0	58.5	24.5	-40.6	47.5	301	0.517	0.0	1.0	0.708	0.0	1.0	58.5	24.5	-40.6	47.5	301	0.517	0.0	1.0			
296	302	302	0.557	0.0	1.0	57.4	21.0	-42.9	47.8	296	0.734	0.0	1.0	58.7	25.2	-40.2	47.5	302	0.533	0.0	1.0	0.734	0.0	1.0	58.7	25.2	-40.2	47.5	302	0.533	0.0	1.0			
297	303	303	0.597	0.0	1.0	57.6	21.7	-42.4	47.7	297	0.756	0.0	1.0	58.9	25.9	-39.8	47.6	303	0.55	0.0	1.0	0.756	0.0	1.0	58.9	25.9	-39.8	47.6	303	0.55	0.0	1.0			
298	304	304	0.632	0.0	1.0	57.8	22.4	-42.0	47.6	298	0.773	0.0	1.0	59.2	26.8	-39.6	47.9	304	0.567	0.0	1.0	0.773	0.0	1.0	59.2	26.8	-39.6	47.9	304	0.567	0.0	1.0			
299	305	305	0.658	0.0	1.0	58.1	23.1	-41.5	47.6	299	0.79	0.0	1.0	59.6	27.6	-39.4	48.2	305	0.583	0.0	1.0	0.79	0.0	1.0	59.6	27.6	-39.4	48.2	305	0.583	0.0	1.0			
300	306	306	0.683	0.0	1.0	58.3	23.8	-41.1	47.6	300	0.807	0.0	1.0	59.9	28.5	-39.1	48.5	306	0.6	0.0	1.0	0.807	0.0	1.0	59.9	28.5	-39.1	48.5	306	0.6	0.0	1.0			
301	307	307	0.708	0.0	1.0	58.5	24.5	-40.6	47.5	301	0.825	0.0	1.0	60.2	29.3	-38.8	48.8	307	0.617	0.0	1.0	0.825	0.0	1.0	60.2	29.3	-38.8	48.8	307	0.617	0.0	1.0			
302	308	308	0.734	0.0	1.0	58.7	25.2	-40.2	47.5	302	0.842	0.0	1.0	60.5	30.2	-38.5	49.0	308	0.633	0.0	1.0	0.842	0.0	1.0	60.5	30.2	-38.5	49.0	308	0.633	0.0	1.0			
303	309	309	0.756	0.0	1.0	58.9	25.9	-39.8	47.6	303	0.859	0.0	1.0	60.8	31.0	-38.2	49.3	309	0.65	0.0	1.0	0.859	0.0	1.0	60.8	31.0	-38.2	49.3	309	0.65	0.0	1.0			
304	310	310	0.773	0.0	1.0	59.2	26.8	-39.6	47.9	304	0.876	0.0	1.0	61.1	31.9	-37.9	49.6	310	0.667	0.0	1.0	0.876	0.0	1.0	61.1	31.9	-37.9	49.6	310	0.667	0.0	1.0			
305	311	311	0.79	0.0	1.0	59.6	27.6	-39.4	48.2	305	0.895	0.0	1.0	61.4	32.9	-37.8	50.2	311	0.683	0.0	1.0	0.895	0.0	1.0	61.4	32.9	-37.8	50.2	311	0.683	0.0	1.0			
306	312	312	0.807	0.0	1.0	59.9	28.5	-39.1	48.5	306	0.913	0.0	1.0	61.8	33.9	-37.6	50.7	312	0.7	0.0	1.0	0.913	0.0	1.0	61.8	33.9	-37.6	50.7	312	0.7	0.0	1.0			
307	313	312	0.825	0.0	1.0	60.2	29.3	-38.8	48.8	307	0.932	0.0	1.0	62.2	35.0	-37.4	51.3	313	0.717	0.0	1.0	0.913	0.0	1.0	61.8	33.9	-37.6	50.7	312	0.717	0.0	1.0			
308	314	313	0.842	0.0	1.0	60.5	30.2	-38.5	49.0	308	0.951	0.0	1.0	62.6	36.0	-37.2	51.8	314	0.733	0.0	1.0	0.932	0.0	1.0	62.2	35.0	-37.4	51.3	313	0.733	0.0	1.0			
309	315	314	0.859	0.0	1.0	60.8	31.0	-38.2	49.3	309	0.969	0.0	1.0	62.9	37.0	-36.9	52.3	315	0.75	0.0	1.0	0.951	0.0	1.0	62.6	36.0	-37.2	51.8	314	0.75	0.0	1.0			
310	316	315	0.876	0.0	1.0	61.1	31.9	-37.9	49.6	310	0.988	0.0	1.0	63.3	38.0	-36.6	52.9	316	0.767	0.0	1.0	0.969	0.0	1.0	62.9	37.0	-36.9	52.3	315	0.767	0.0	1.0			
311	317	316	0.895	0.0	1.0	61.4	32.9	-37.8	50.2	311	1.0	0.0	0.995	63.5	38.6	-35.9	52.7	317	0.783	0.0	1.0	0.988	0.0	1.0	63.3	38.0	-36.6	52.9	316	0.783	0.0	1.0			
312	318	317	0.913	0.0	1.0	61.8	33.9	-37.6	50.7	312	1.0	0.0	0.981	63.3	38.1	-34.2	51.3	318	0.8	0.0	1.0	1.0	0.0	0.995	63.5	38.6	-35.9	52.7	317	0.8	0.0	1.0			
313	319	318	0.932	0.0	1.0	62.2	35.0	-37.4	51.3	313	1.0	0.0	0.966	63.0	37.6	-32.6	49.8	319	0.817	0.0	1.0	1.0	0.0	0.981	63.3	38.1	-34.2	51.3	318	0.817	0.0	1.0			
314	320	319	0.951	0.0	1.0	62.6	36.0	-37.2	51.8	314	1.0	0.0	0.952	62.8	37.1	-31.0	48.4	320	0.833	0.0	1.0	1.0	0.0	0.966	63.0	37.6	-32.6	49.8	319	0.833	0.0	1.0			
315	321	320	0.969	0.0	1.0	62.9	37.0	-36.9	52.3	315	1.0	0.0	0.938	62.6	36.5	-29.4	46.9	321	0.85	0.0	1.0	1.0	0.0	0.952	62.8	37.1	-31.0	48.4	320	0.85	0.0	1.0			
316	322	321	0.988	0.0	1.0	63.3	38.0	-36.6	52.9	316M _d	1.0	0.0	0.924	62.3	35.8	-27.9	45.5	322	0.867	0.0	1.0	1.0	0.0	0.938	62.6	36.5	-29.4	46.9	321	0.867	0.0	1.0			
317	323	322	1.0	0.0	0.995	63.5	38.6	-35.9	52.7	317	1.0	0.0	0.909	62.1	35.2	-26.4	44.0	323	0.883	0.0	1.0	1.0	0.0	0.924	62.3	35.8	-27.9	45.5	322	0.883	0.0	1.0			
318	324	323	1.0	0.0	0.981	63.3	38.1	-34.2	51.3	318	1.0	0.0	0.895	61.9	34.5	-24.9	42.6	324	0.9	0.0	1.0	1.0	0.0	0.909	62.1	35.2	-26.4	44.0	323	0.9	0.0	1.0			
319	325	324	1.0	0.0	0.966	63.0	37.6	-32.6	49.8	319	1.0	0.0	0.881	61.7	33.7	-23.5	41.1	325	0.917	0.0	1.0	1.0	0.0	0.895	61.9	34.5	-24.9	42.6	324	0.917	0.0	1.0			
320	326	325	1.0	0.0	0.952	62.8	37.1	-31.0	48.4	320	1.0	0.0	0.87	61.5	33.4	-22.4	40.2	326	0.933	0.0	1.0	1.0	0.0	0.881	61.7	33.7	-23.5	41.1	325	0.933	0.0	1.0			
321	327	326	1.0	0.0	0.938	62.6	36.5	-29.4	46.9	321	1.0	0.0	0.863	61.5	33.3	-21.5	39.7	327	0.95	0.0	1.0	1.0	0.0	0.87	61.5	33.4	-22.4	40.2	326	0.95	0.0	1.0			
322	328	327	1.0	0.0	0.924	62.3	35.8	-27.9	45.5	322	1.0	0.0	0.855	61.4	33.2	-20.6	39.1	328	0.967	0.0	1.0	1.0	0.0	0.863	61.5	33.3	-21.5	39.7	327	0.967	0.0	1.0			
323																																			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																																									
Six hue angles of the device colours d: $h_{ab,d} = 24.4, 104.8, 132.0, 202.4, 291.8, 316.6$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$						$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$						rgb^*_{s50M}			$rgb^*_{de361Mi}$						$LAB^*_{de361Mix}(x=LabCh)$						rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e
339	345	343	1.0	0.0	0.772	60.5	30.7	-11.7	32.9	339	1.0	0.0	0.726	60.1	29.6	-7.8	30.6	345	1.0	0.0	0.75	1.0	0.0	0.741	60.2	29.7	-9.0	31.0	343	1.0	0.0	0.75									
340	346	344	1.0	0.0	0.764	60.4	30.4	-11.0	32.3	340	1.0	0.0	0.718	60.1	29.5	-7.2	30.4	346	1.0	0.0	0.733	1.0	0.0	0.733	60.2	29.6	-8.4	30.8	344	1.0	0.0	0.733									
341	347	345	1.0	0.0	0.756	60.3	30.0	-10.2	31.8	341	1.0	0.0	0.71	60.0	29.4	-6.7	30.2	347	1.0	0.0	0.717	1.0	0.0	0.726	60.1	29.6	-7.8	30.6	345	1.0	0.0	0.717									
342	348	346	1.0	0.0	0.749	60.2	29.7	-9.6	31.3	342	1.0	0.0	0.703	60.0	29.3	-6.1	29.9	348	1.0	0.0	0.7	1.0	0.0	0.718	60.1	29.5	-7.2	30.4	346	1.0	0.0	0.7									
343	349	347	1.0	0.0	0.741	60.2	29.7	-9.0	31.0	343	1.0	0.0	0.695	60.0	29.2	-5.6	29.7	349	1.0	0.0	0.683	1.0	0.0	0.71	60.0	29.4	-6.7	30.2	347	1.0	0.0	0.683									
344	350	348	1.0	0.0	0.733	60.2	29.6	-8.4	30.8	344	1.0	0.0	0.687	59.9	29.0	-5.0	29.5	350	1.0	0.0	0.667	1.0	0.0	0.703	60.0	29.3	-6.1	29.9	348	1.0	0.0	0.667									
345	351	349	1.0	0.0	0.726	60.1	29.6	-7.8	30.6	345	1.0	0.0	0.68	59.9	28.9	-4.5	29.3	351	1.0	0.0	0.65	1.0	0.0	0.695	60.0	29.2	-5.6	29.7	349	1.0	0.0	0.65									
346	352	349	1.0	0.0	0.718	60.1	29.5	-7.2	30.4	346	1.0	0.0	0.672	59.8	28.8	-3.9	29.0	352	1.0	0.0	0.633	1.0	0.0	0.695	60.0	29.2	-5.6	29.7	349	1.0	0.0	0.633									
347	353	350	1.0	0.0	0.71	60.0	29.4	-6.7	30.2	347	1.0	0.0	0.664	59.8	28.6	-3.4	28.8	353	1.0	0.0	0.617	1.0	0.0	0.687	59.9	29.0	-5.0	29.5	350	1.0	0.0	0.617									
348	354	351	1.0	0.0	0.703	60.0	29.3	-6.1	29.9	348	1.0	0.0	0.657	59.8	28.4	-2.9	28.6	354	1.0	0.0	0.6	1.0	0.0	0.68	59.9	28.9	-4.5	29.3	351	1.0	0.0	0.6									
349	355	352	1.0	0.0	0.695	60.0	29.2	-5.6	29.7	349	1.0	0.0	0.649	59.7	28.3	-2.4	28.4	355	1.0	0.0	0.583	1.0	0.0	0.672	59.8	28.8	-3.9	29.0	352	1.0	0.0	0.583									
350	356	353	1.0	0.0	0.687	59.9	29.0	-5.0	29.5	350	1.0	0.0	0.642	59.7	28.1	-1.9	28.1	356	1.0	0.0	0.567	1.0	0.0	0.664	59.8	28.6	-3.4	28.8	353	1.0	0.0	0.567									
351	357	354	1.0	0.0	0.68	59.9	28.9	-4.5	29.3	351	1.0	0.0	0.634	59.6	27.9	-1.4	27.9	357	1.0	0.0	0.55	1.0	0.0	0.657	59.8	28.4	-2.9	28.6	354	1.0	0.0	0.55									
352	358	355	1.0	0.0	0.672	59.8	28.8	-3.9	29.0	352	1.0	0.0	0.626	59.6	27.7	-0.9	27.7	358	1.0	0.0	0.533	1.0	0.0	0.649	59.7	28.3	-2.4	28.4	355	1.0	0.0	0.533									
353	359	356	1.0	0.0	0.664	59.8	28.6	-3.4	28.8	353	1.0	0.0	0.617	59.6	27.6	-0.4	27.6	359	1.0	0.0	0.517	1.0	0.0	0.642	59.7	28.1	-1.9	28.1	356	1.0	0.0	0.517									
354	360	357	1.0	0.0	0.657	59.8	28.4	-2.9	28.6	354	1.0	0.0	0.607	59.5	27.6	0.0	27.6	0	1.0	0.0	0.5	1.0	0.0	0.634	59.6	27.9	-1.4	27.9	357	1.0	0.0	0.5									
355	361	358	1.0	0.0	0.649	59.7	28.3	-2.4	28.4	355	1.0	0.0	0.598	59.5	27.5	0.5	27.5	1	1.0	0.0	0.483	1.0	0.0	0.626	59.6	27.7	-0.9	27.7	358	1.0	0.0	0.483									
356	362	359	1.0	0.0	0.642	59.7	28.1	-1.9	28.1	356	1.0	0.0	0.588	59.5	27.4	1.0	27.4	2	1.0	0.0	0.467	1.0	0.0	0.617	59.6	27.6	-0.4	27.6	359	1.0	0.0	0.467									
357	363	360	1.0	0.0	0.634	59.6	27.9	-1.4	27.9	357	1.0	0.0	0.579	59.5	27.3	1.4	27.4	3	1.0	0.0	0.45	1.0	0.0	0.607	59.5	27.6	0.0	27.6	0	1.0	0.0	0.45									
358	364	361	1.0	0.0	0.626	59.6	27.7	-0.9	27.7	358	1.0	0.0	0.569	59.4	27.3	1.9	27.3	4	1.0	0.0	0.433	1.0	0.0	0.598	59.5	27.5	0.5	27.5	1	1.0	0.0	0.433									
359	365	362	1.0	0.0	0.617	59.6	27.6	-0.4	27.6	359	1.0	0.0	0.56	59.4	27.2	2.4	27.3	5	1.0	0.0	0.417	1.0	0.0	0.588	59.5	27.4	1.0	27.4	2	1.0	0.0	0.417									
0	366	363	1.0	0.0	0.607	59.5	27.6	0.0	27.6	0	1.0	0.0	0.55	59.4	27.1	2.8	27.2	6	1.0	0.0	0.4	1.0	0.0	0.579	59.5	27.3	1.4	27.4	3	1.0	0.0	0.4									
1	367	364	1.0	0.0	0.598	59.5	27.5	0.5	27.5	1	1.0	0.0	0.541	59.3	27.0	3.3	27.2	7	1.0	0.0	0.383	1.0	0.0	0.569	59.4	27.3	1.9	27.3	4	1.0	0.0	0.383									
2	368	365	1.0	0.0	0.588	59.5	27.4	1.0	27.4	2	1.0	0.0	0.531	59.3	26.8	3.8	27.1	8	1.0	0.0	0.367	1.0	0.0	0.56	59.4	27.2	2.4	27.3	5	1.0	0.0	0.367									
3	369	366	1.0	0.0	0.579	59.5	27.3	1.4	27.4	3	1.0	0.0	0.521	59.3	26.7	4.2	27.0	9	1.0	0.0	0.35	1.0	0.0	0.55	59.4	27.1	2.8	27.2	6	1.0	0.0	0.35									
4	370	367	1.0	0.0	0.569	59.4	27.3	1.9	27.3	4	1.0	0.0	0.512	59.2	26.6	4.7	27.0	10	1.0	0.0	0.333	1.0	0.0	0.541	59.3	27.0	3.3	27.2	7	1.0	0.0	0.333									
5	371	367	1.0	0.0	0.56	59.4	27.2	2.4	27.3	5	1.0	0.0	0.502	59.2	26.4	5.1	26.9	11	1.0	0.0	0.317	1.0	0.0	0.541	59.3	27.0	3.3	27.2	7	1.0	0.0	0.317									
6	372	368	1.0	0.0	0.55	59.4	27.1	2.8	27.2	6	1.0	0.0	0.488	59.2	26.3	5.6	26.9	12	1.0	0.0	0.3	1.0	0.0	0.531	59.3	26.8	3.8	27.1	8	1.0	0.0	0.3									
7	373	369	1.0	0.0	0.541	59.3	27.0	3.3	27.2	7	1.0	0.0	0.472	59.1	26.3	6.1	27.0	13	1.0	0.0	0.283	1.0	0.0	0.521	59.3	26.7	4.2	27.0	9	1.0	0.0	0.283									
8	374	370	1.0	0.0	0.531	59.3	26.8	3.8	27.1	8	1.0	0.0	0.457	59.1	26.2	6.5	27.0	14	1.0	0.0	0.267	1.0	0.0	0.512	59.2	26.6	4.7	27.0	10	1.0	0.0	0.267									
9	375	371	1.0	0.0	0.521	59.3	26.7	4.2	27.0	9	1.0	0.0	0.441	59.1	26.1	7.0	27.0	15	1.0	0.0	0.25	1.0	0.0	0.502	59.2	26.4	5.1	26.9	11	1.0	0.0	0.25									
10	376	372	1.0	0.0	0.512	59.2	26.6	4.7	27.0	10	1.0	0.0	0.425	59.1	26.0	7.4	27.0	16	1.0	0.0	0.233	1.0	0.0	0.488	59.2	26.3	5.6	26.9	12	1.0	0.0	0.233									
11	377	373	1.0	0.0	0.502	59.2	26.4	5.1	26.9	11	1.0	0.0	0.409	59.																											

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d : $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: h _{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours d: h _{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9; Six hue angles of the elementary colours e: h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																							
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd50M	LAB* dd50Mx (x=LabCh)						rgb* ds50M	LAB* ds50Mx (x=LabCh)						rgb* s50M	rgb* de50M	LAB* de50Mx (x=LabCh)						rgb* e50M	rgb* dd	rgb* ds	rgb* de											
22.4	30.0	25.5	1.0	0.0	0.0	72.9	13.2	5.4	14.2	22.4	1.0	0.418	0.0	73.8	11.6	6.7	13.4	30	1.0	0.0	0.0	1.0	0.298	0.0	73.2	12.6	5.9	13.9	25	1.0	0.0	0.0							
22.6	37.5	33.8	1.0	0.125	0.0	72.9	13.1	5.5	14.2	22.6	1.0	0.521	0.0	74.7	10.3	8.0	13.0	38	1.0	0.125	0.0	1.0	0.48	0.0	74.2	10.9	7.4	13.2	34	1.0	0.125	0.0							
23.6	45.0	42.2	1.0	0.25	0.0	73.1	12.9	5.6	14.1	23.6	1.0	0.576	0.0	75.4	9.1	9.1	12.8	45	1.0	0.25	0.0	1.0	0.552	0.0	75.1	9.6	8.6	12.9	42	1.0	0.25	0.0							
27.2	52.5	50.5	1.0	0.375	0.0	73.5	12.1	6.2	13.6	27.2	1.0	0.634	0.0	76.2	7.7	10.2	12.8	53	1.0	0.375	0.0	1.0	0.623	0.0	76.0	8.0	9.9	12.7	51	1.0	0.375	0.0							
35.3	60.0	58.9	1.0	0.5	0.0	74.4	10.7	7.6	13.1	35.3	1.0	0.673	0.0	77.0	6.6	11.5	13.2	60	1.0	0.5	0.0	1.0	0.667	0.0	76.9	6.8	11.3	13.2	59	1.0	0.5	0.0							
51.3	67.5	67.2	1.0	0.625	0.0	76.0	7.9	9.9	12.7	51.3	1.0	0.716	0.0	77.9	5.1	12.7	13.7	68	1.0	0.625	0.0	1.0	0.711	0.0	77.8	5.3	12.6	13.7	67	1.0	0.625	0.0							
74.2	75.0	75.6	1.0	0.75	0.0	78.6	3.8	13.6	14.1	74.2	1.0	0.755	0.0	78.8	3.7	13.8	14.3	75	1.0	0.75	0.0	1.0	0.762	0.0	78.9	3.5	14.1	14.5	76	1.0	0.75	0.0							
93.5	82.5	84.0	1.0	0.875	0.0	82.1	-1.0	18.4	18.5	93.5	1.0	0.807	0.0	80.2	2.0	16.0	16.1	83	1.0	0.875	0.0	1.0	0.813	0.0	80.4	1.7	16.2	16.3	84	1.0	0.875	0.0							
106.5	90.0	92.3	1.0	1.0	0.0	88.5	-8.0	27.5	28.7	106.5	1.0	0.852	0.0	81.4	0.0	17.7	17.7	90	1.0	1.0	0.0	1.0	0.865	0.0	81.8	-0.5	18.1	18.1	92	1.0	1.0	0.0							
142.7	97.5	101.1	0.875	1.0	0.0	86.5	-10.9	24.4	26.8	114.2	1.0	0.918	0.0	84.3	-3.0	21.8	22.0	98	0.875	1.0	0.0	1.0	0.947	0.0	85.8	-4.6	24.0	24.4	101	0.875	1.0	0.0							
24.0	105.0	109.8	0.75	1.0	0.0	84.2	-14.1	21.1	25.4	124.0	1.0	0.986	0.0	87.8	-7.0	26.6	27.6	105	0.75	1.0	0.0	0.943	1.0	0.0	87.6	-9.4	26.2	27.8	110	0.75	1.0	0.0							
29.0	112.5	118.5	0.625	1.0	0.0	83.9	-16.4	20.4	26.3	129.0	0.894	1.0	0.0	86.8	-10.5	24.9	27.1	113	0.625	1.0	0.0	0.814	1.0	0.0	85.4	-12.6	22.9	26.1	119	0.625	1.0	0.0							
31.8	120.0	127.3	0.5	1.0	0.0	83.6	-17.7	19.9	26.7	131.8	0.801	1.0	0.0	85.2	-12.9	22.5	26.0	120	0.5	1.0	0.0	0.675	1.0	0.0	84.0	-15.5	20.7	25.9	127	0.5	1.0	0.0							
33.2	127.5	136.0	0.375	1.0	0.0	83.5	-18.4	19.7	27.1	133.2	0.65	1.0	0.0	83.9	-16.0	20.6	26.1	128	0.375	1.0	0.0	0.0	1.0	0.416	83.5	-18.4	17.9	25.7	136	0.375	1.0	0.0							
33.9	135.0	144.7	0.25	1.0	0.0	83.4	-18.8	19.6	27.2	133.9	0.0	1.0	0.329	83.4	-18.6	18.7	26.5	135	0.25	1.0	0.0	0.0	1.0	0.67	83.9	-16.9	11.9	20.7	145	0.25	1.0	0.0							
34.1	142.5	153.5	0.125	1.0	0.0	83.4	-18.9	19.6	27.3	134.1	0.0	1.0	0.643	83.8	-17.1	13.0	21.5	143	0.125	1.0	0.0	0.0	1.0	0.763	84.2	-15.8	8.1	17.8	153	0.125	1.0	0.0							
34.1	150.0	162.2	0.0	1.0	0.0	83.4	-18.9	19.6	27.3	134.1	0.0	1.0	0.738	84.1	-16.0	9.3	18.6	150	0.0	1.0	0.0	0.0	1.0	0.818	84.4	-15.1	4.9	16.0	162	0.0	1.0	0.0							
34.2	157.5	169.1	0.0	1.0	0.125	83.4	-18.9	19.5	27.2	134.2	0.0	1.0	0.793	84.3	-15.5	6.3	16.8	158	0.0	1.0	0.125	0.0	1.0	0.86	84.6	-14.2	2.8	14.5	169	0.0	1.0	0.125							
34.5	165.0	175.9	0.0	1.0	0.25	83.4	-18.8	19.3	27.0	134.5	0.0	1.0	0.836	84.5	-14.7	4.0	15.4	165	0.0	1.0	0.25	0.0	1.0	0.893	84.8	-13.7	1.0	13.8	176	0.0	1.0	0.25							
35.3	172.5	182.8	0.0	1.0	0.375	83.4	-18.5	18.4	26.2	135.3	0.0	1.0	0.881	84.7	-13.7	1.7	13.9	173	0.0	1.0	0.375	0.0	1.0	0.921	84.9	-13.4	-0.6	13.5	183	0.0	1.0	0.375							
37.4	180.0	189.6	0.0	1.0	0.5	83.5	-18.1	16.8	24.8	137.4	0.0	1.0	0.909	84.8	-13.5	0.0	13.6	180	0.0	1.0	0.5	0.0	1.0	0.948	85.1	-12.9	-2.2	13.2	190	0.0	1.0	0.5							
41.7	187.5	196.4	0.0	1.0	0.625	83.8	-17.2	13.7	22.1	141.7	0.0	1.0	0.94	85.0	-13.0	-1.7	13.2	188	0.0	1.0	0.625	0.0	1.0	0.972	85.2	-12.3	-3.4	12.9	196	0.0	1.0	0.625							
50.9	195.0	203.3	0.0	1.0	0.75	84.1	-15.9	8.9	18.3	150.9	0.0	1.0	0.968	85.2	-12.4	-3.2	12.9	195	0.0	1.0	0.75	0.0	1.0	1.0	85.3	-11.4	-4.8	12.5	203	0.0	1.0	0.75							
71.5	202.5	210.1	0.0	1.0	0.875	84.7	-13.8	2.1	14.0	171.5	0.0	1.0	1.0	85.3	-11.4	-4.8	12.5	203	0.0	1.0	0.875	0.0	1.0	0.976	1.0	84.6	-10.7	-6.1	12.5	210	0.0	1.0	0.875						
203.1	210.0	217.0	0.0	1.0	1.0	85.3	-11.4	-4.8	12.5	203.1	0.0	0.976	1.0	84.6	-10.7	-6.1	12.5	210	0.0	1.0	1.0	0.0	1.0	0.952	1.0	83.9	-9.8	-7.4	12.4	217	0.0	1.0	1.0						

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$					R_d	$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$					R_s	rgb^*_{s50M}			$rgb^*_{de361Mi}$					R_e	rgb^*_{e50M}			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}			
22	30	25	1.0	0.0	0.142	72.9	13.2	5.3	14.2	22	R_d	1.0	0.418	0.0	73.8	11.6	6.7	13.4	30	1.0	0.0	0.0	R_s	1.0	0.298	0.0	73.2	12.6	5.9	13.9	25	1.0	0.0	0.0	R_e			
23	31	27	1.0	0.172	0.0	73.0	13.0	5.5	14.1	23		1.0	0.434	0.0	73.9	11.5	6.9	13.4	31	1.0	0.017	0.0		1.0	0.367	0.0	73.5	12.2	6.2	13.6	27	1.0	0.017	0.0				
24	32	28	1.0	0.263	0.0	73.1	12.8	5.7	14.0	24		1.0	0.449	0.0	74.0	11.3	7.0	13.3	32	1.0	0.033	0.0		1.0	0.387	0.0	73.6	12.0	6.4	13.6	28	1.0	0.033	0.0				
25	33	29	1.0	0.298	0.0	73.2	12.6	5.9	13.9	25		1.0	0.464	0.0	74.1	11.1	7.2	13.2	33	1.0	0.05	0.0		1.0	0.403	0.0	73.7	11.8	6.5	13.5	29	1.0	0.05	0.0				
26	34	30	1.0	0.333	0.0	73.3	12.4	6.0	13.8	26		1.0	0.48	0.0	74.2	10.9	7.4	13.2	34	1.0	0.067	0.0		1.0	0.418	0.0	73.8	11.6	6.7	13.4	30	1.0	0.067	0.0				
27	35	31	1.0	0.367	0.0	73.5	12.2	6.2	13.6	27		1.0	0.495	0.0	74.4	10.7	7.5	13.1	35	1.0	0.083	0.0		1.0	0.434	0.0	73.9	11.5	6.9	13.4	31	1.0	0.083	0.0				
28	36	32	1.0	0.387	0.0	73.6	12.0	6.4	13.6	28		1.0	0.505	0.0	74.5	10.6	7.7	13.1	36	1.0	0.1	0.0		1.0	0.449	0.0	74.0	11.3	7.0	13.3	32	1.0	0.1	0.0				
29	37	33	1.0	0.403	0.0	73.7	11.8	6.5	13.5	29		1.0	0.513	0.0	74.6	10.4	7.8	13.0	37	1.0	0.117	0.0		1.0	0.464	0.0	74.1	11.1	7.2	13.2	33	1.0	0.117	0.0				
30	38	34	1.0	0.418	0.0	73.8	11.6	6.7	13.4	30		1.0	0.521	0.0	74.7	10.3	8.0	13.0	38	1.0	0.133	0.0		1.0	0.48	0.0	74.2	10.9	7.4	13.2	34	1.0	0.133	0.0				
31	39	36	1.0	0.434	0.0	73.9	11.5	6.9	13.4	31		1.0	0.529	0.0	74.8	10.1	8.2	13.0	39	1.0	0.15	0.0		1.0	0.505	0.0	74.5	10.6	7.7	13.1	36	1.0	0.15	0.0				
32	40	37	1.0	0.449	0.0	74.0	11.3	7.0	13.3	32		1.0	0.537	0.0	74.9	9.9	8.3	13.0	40	1.0	0.167	0.0		1.0	0.513	0.0	74.6	10.4	7.8	13.0	37	1.0	0.167	0.0				
33	41	38	1.0	0.464	0.0	74.1	11.1	7.2	13.2	33		1.0	0.545	0.0	75.0	9.8	8.5	12.9	41	1.0	0.183	0.0		1.0	0.521	0.0	74.7	10.3	8.0	13.0	38	1.0	0.183	0.0				
34	42	39	1.0	0.48	0.0	74.2	10.9	7.4	13.2	34		1.0	0.552	0.0	75.1	9.6	8.6	12.9	42	1.0	0.2	0.0		1.0	0.529	0.0	74.8	10.1	8.2	13.0	39	1.0	0.2	0.0				
35	43	40	1.0	0.495	0.0	74.4	10.7	7.5	13.1	35		1.0	0.56	0.0	75.2	9.4	8.8	12.9	43	1.0	0.217	0.0		1.0	0.537	0.0	74.9	9.9	8.3	13.0	40	1.0	0.217	0.0				
36	44	41	1.0	0.505	0.0	74.5	10.6	7.7	13.1	36		1.0	0.568	0.0	75.3	9.3	8.9	12.9	44	1.0	0.233	0.0		1.0	0.545	0.0	75.0	9.8	8.5	12.9	41	1.0	0.233	0.0				
37	45	42	1.0	0.513	0.0	74.6	10.4	7.8	13.0	37		1.0	0.576	0.0	75.4	9.1	9.1	12.8	45	1.0	0.25	0.0		1.0	0.552	0.0	75.1	9.6	8.6	12.9	42	1.0	0.25	0.0				
38	46	43	1.0	0.521	0.0	74.7	10.3	8.0	13.0	38		1.0	0.584	0.0	75.5	8.9	9.2	12.8	46	1.0	0.267	0.0		1.0	0.56	0.0	75.2	9.4	8.8	12.9	43	1.0	0.267	0.0				
39	47	44	1.0	0.529	0.0	74.8	10.1	8.2	13.0	39		1.0	0.592	0.0	75.6	8.7	9.4	12.8	47	1.0	0.283	0.0		1.0	0.568	0.0	75.3	9.3	8.9	12.9	44	1.0	0.283	0.0				
40	48	46	1.0	0.537	0.0	74.9	9.9	8.3	13.0	40		1.0	0.599	0.0	75.7	8.5	9.5	12.8	48	1.0	0.3	0.0		1.0	0.584	0.0	75.5	8.9	9.2	12.8	46	1.0	0.3	0.0				
41	49	47	1.0	0.545	0.0	75.0	9.8	8.5	12.9	41		1.0	0.607	0.0	75.8	8.4	9.6	12.8	49	1.0	0.317	0.0		1.0	0.592	0.0	75.6	8.7	9.4	12.8	47	1.0	0.317	0.0				
42	50	48	1.0	0.552	0.0	75.1	9.6	8.6	12.9	42		1.0	0.615	0.0	75.9	8.2	9.8	12.7	50	1.0	0.333	0.0		1.0	0.599	0.0	75.7	8.5	9.5	12.8	48	1.0	0.333	0.0				
43	51	49	1.0	0.56	0.0	75.2	9.4	8.8	12.9	43		1.0	0.623	0.0	76.0	8.0	9.9	12.7	51	1.0	0.35	0.0		1.0	0.607	0.0	75.8	8.4	9.6	12.8	49	1.0	0.35	0.0				
44	52	50	1.0	0.568	0.0	75.3	9.3	8.9	12.9	44		1.0	0.629	0.0	76.1	7.8	10.0	12.7	52	1.0	0.367	0.0		1.0	0.615	0.0	75.9	8.2	9.8	12.7	50	1.0	0.367	0.0				
45	53	51	1.0	0.576	0.0	75.4	9.1	9.1	12.8	45		1.0	0.634	0.0	76.2	7.7	10.2	12.8	53	1.0	0.383	0.0		1.0	0.623	0.0	76.0	8.0	9.9	12.7	51	1.0	0.383	0.0				
46	54	52	1.0	0.584	0.0	75.5	8.9	9.2	12.8	46		1.0	0.64	0.0	76.3	7.6	10.4	12.9	54	1.0	0.4	0.0		1.0	0.629	0.0	76.1	7.8	10.0	12.7	52	1.0	0.4	0.0				
47	55	53	1.0	0.592	0.0	75.6	8.7	9.4	12.8	47		1.0	0.645	0.0	76.5	7.4	10.6	12.9	55	1.0	0.417	0.0		1.0	0.634	0.0	76.2	7.7	10.2	12.8	53	1.0	0.417	0.0				
48	56	54	1.0	0.599	0.0	75.7	8.5	9.5	12.8	48		1.0	0.651	0.0	76.6	7.3	10.8	13.0	56	1.0	0.433	0.0		1.0	0.64	0.0	76.3	7.6	10.4	12.9	54	1.0	0.433	0.0				
49	57	56	1.0	0.607	0.0	75.8	8.4	9.6	12.8	49		1.0	0.656	0.0	76.7	7.1	10.9	13.1	57	1.0	0.45	0.0		1.0	0.651	0.0	76.6	7.3	10.8	13.0	56	1.0	0.45	0.0				
50	58	57	1.0	0.615	0.0	75.9	8.2	9.8	12.7	50		1.0	0.662	0.0	76.8	7.0	11.1	13.1	58	1.0	0.467	0.0		1.0	0.656	0.0	76.7	7.1	10.9	13.1	57	1.0	0.467	0.0				
51	59	58	1.0	0.623	0.0	76.0	8.0	9.9	12.7	51		1.0	0.667	0.0	76.9	6.8	11.3	13.2	59	1.0	0.483	0.0		1.0	0.662	0.0	76.8	7.0	11.1	13.1	58	1.0	0.483	0.0				
52	60	59	1.0	0.629	0.0	76.1	7.8	10.0	12.7	52		1.0	0.673	0.0	77.0	6.6	11.5	13.2	60	1.0	0.5	0.0		1.0	0.667	0.0	76.9	6.8	11.3	13.2	59	1.0	0.5	0.0				
53	61	60	1.0	0.634	0.0	76.2	7.7	10.2	12.8	53		1.0	0.678	0.0	77.1	6.4	11.6	13.3	61	1.0	0.517	0.0		1.0	0.673													

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d : $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d : $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

ab			h _{abs}			h _{ab,e}			rgb* _{dd361Mi}				LAB* _{dd361Mix (x=LabCh)}				rgb* _{ds361Mi}				LAB* _{ds361Mix (x=LabCh)}				rgb* _{s50M}				rgb* _{de361Mi}				LAB* _{de361Mix (x=LabCh)}				rgb* _{e50M}				rgb* _{dd}			rgb* _{ds}			rgb* _{de}		
112	120	127	0.91	1.0	0.0	87.0	-10.1	25.3	27.3	112	0.801	1.0	0.0	85.2	-12.9	22.5	26.0	120	0.5	1.0	0.0	0.675	1.0	0.0	84.0	-15.5	20.7	25.9	127	0.5	1.0	0.0																	
113	121	128	0.894	1.0	0.0	86.8	-10.5	24.9	27.1	113	0.789	1.0	0.0	84.9	-13.2	22.2	25.8	121	0.483	1.0	0.0	0.65	1.0	0.0	83.9	-16.0	20.6	26.1	128	0.483	1.0	0.0																	
114	122	130	0.878	1.0	0.0	86.5	-10.8	24.5	26.8	114	0.776	1.0	0.0	84.7	-13.5	21.8	25.7	122	0.467	1.0	0.0	0.58	1.0	0.0	83.8	-16.9	20.2	26.4	130	0.467	1.0	0.0																	
115	123	131	0.865	1.0	0.0	86.3	-11.2	24.2	26.7	115	0.763	1.0	0.0	84.5	-13.8	21.4	25.6	123	0.45	1.0	0.0	0.536	1.0	0.0	83.7	-17.4	20.1	26.6	131	0.45	1.0	0.0																	
116	124	132	0.852	1.0	0.0	86.1	-11.5	23.9	26.5	116	0.75	1.0	0.0	84.2	-14.1	21.1	25.4	124	0.433	1.0	0.0	0.484	1.0	0.0	83.6	-17.8	19.9	26.8	132	0.433	1.0	0.0																	
117	125	133	0.839	1.0	0.0	85.8	-11.9	23.5	26.4	117	0.726	1.0	0.0	84.2	-14.6	21.0	25.6	125	0.417	1.0	0.0	0.395	1.0	0.0	83.5	-18.3	19.8	27.0	133	0.417	1.0	0.0																	
118	126	134	0.827	1.0	0.0	85.6	-12.2	23.2	26.3	118	0.7	1.0	0.0	84.1	-15.0	20.8	25.8	126	0.4	1.0	0.0	0.175	1.0	0.0	83.4	-18.9	19.6	27.3	134	0.4	1.0	0.0																	
119	127	135	0.814	1.0	0.0	85.4	-12.6	22.9	26.1	119	0.675	1.0	0.0	84.0	-15.5	20.7	25.9	127	0.383	1.0	0.0	0.0	1.0	0.329	83.4	-18.6	18.7	26.5	135	0.383	1.0	0.0																	
120	128	137	0.801	1.0	0.0	85.2	-12.9	22.5	26.0	120	0.65	1.0	0.0	83.9	-16.0	20.6	26.1	128	0.367	1.0	0.0	0.0	1.0	0.475	83.5	-18.2	17.1	25.1	137	0.367	1.0	0.0																	
121	129	138	0.789	1.0	0.0	84.9	-13.2	22.2	25.8	121	0.624	1.0	0.0	83.9	-16.4	20.4	26.3	129	0.35	1.0	0.0	0.0	1.0	0.517	83.6	-18.0	16.3	24.4	138	0.35	1.0	0.0																	
122	130	139	0.776	1.0	0.0	84.7	-13.5	21.8	25.7	122	0.58	1.0	0.0	83.8	-16.9	20.2	26.4	130	0.333	1.0	0.0	0.0	1.0	0.546	83.6	-17.8	15.6	23.8	139	0.333	1.0	0.0																	
123	131	140	0.763	1.0	0.0	84.5	-13.8	21.4	25.6	123	0.536	1.0	0.0	83.7	-17.4	20.1	26.6	131	0.317	1.0	0.0	0.0	1.0	0.576	83.7	-17.6	14.9	23.1	140	0.317	1.0	0.0																	
124	132	141	0.75	1.0	0.0	84.2	-14.1	21.1	25.4	124	0.484	1.0	0.0	83.6	-17.8	19.9	26.8	132	0.3	1.0	0.0	0.0	1.0	0.605	83.7	-17.4	14.2	22.5	141	0.3	1.0	0.0																	
125	133	142	0.726	1.0	0.0	84.2	-14.6	21.0	25.6	125	0.395	1.0	0.0	83.5	-18.3	19.8	27.0	133	0.283	1.0	0.0	0.0	1.0	0.629	83.8	-17.2	13.5	21.9	142	0.283	1.0	0.0																	
126	134	144	0.7	1.0	0.0	84.1	-15.0	20.8	25.8	126	0.175	1.0	0.0	83.4	-18.9	19.6	27.3	134	0.267	1.0	0.0	0.0	1.0	0.657	83.8	-17.0	12.4	21.1	144	0.267	1.0	0.0																	
127	135	145	0.675	1.0	0.0	84.0	-15.5	20.7	25.9	127	0.0	1.0	0.329	83.4	-18.6	18.7	26.5	135	0.25	1.0	0.0	0.0	1.0	0.67	83.9	-16.9	11.9	20.7	145	0.25	1.0	0.0																	
128	136	146	0.65	1.0	0.0	83.9	-16.0	20.6	26.1	128	0.0	1.0	0.416	83.5	-18.4	17.9	25.7	136	0.233	1.0	0.0	0.0	1.0	0.684	83.9	-16.7	11.3	20.3	146	0.233	1.0	0.0																	
129	137	147	0.624	1.0	0.0	83.9	-16.4	20.4	26.3	129	0.0	1.0	0.475	83.5	-18.2	17.1	25.1	137	0.217	1.0	0.0	0.0	1.0	0.697	84.0	-16.6	10.8	19.9	147	0.217	1.0	0.0																	
130	138	148	0.58	1.0	0.0	83.8	-16.9	20.2	26.4	130	0.0	1.0	0.517	83.6	-18.0	16.3	24.4	138	0.2	1.0	0.0	0.0	1.0	0.711	84.0	-16.4	10.3	19.5	148	0.2	1.0	0.0																	
131	139	149	0.536	1.0	0.0	83.7	-17.4	20.1	26.6	131	0.0	1.0	0.546	83.6	-17.8	15.6	23.8	139	0.183	1.0	0.0	0.0	1.0	0.725	84.0	-16.2	9.8	19.0	149	0.183	1.0	0.0																	
132	140	151	0.484	1.0	0.0	83.6	-17.8	19.9	26.8	132	0.0	1.0	0.576	83.7	-17.6	14.9	23.1	140	0.167	1.0	0.0	0.0	1.0	0.751	84.1	-15.9	8.8	18.2	151	0.167	1.0	0.0																	
133	141	152	0.395	1.0	0.0	83.5	-18.3	19.8	27.0	133	0.0	1.0	0.605	83.7	-17.4	14.2	22.5	141	0.15	1.0	0.0	0.0	1.0	0.757	84.2	-15.8	8.5	18.0	152	0.15	1.0	0.0																	
134	142	153	0.175	1.0	0.0	83.4	-18.9	19.6	27.3	134	0.0	1.0	0.629	83.8	-17.2	13.5	21.9	142	0.133	1.0	0.0	0.0	1.0	0.763	84.2	-15.8	8.1	17.8	153	0.133	1.0	0.0																	
135	143	154	0.0	1.0	0.329	83.4	-18.6	18.7	26.5	135	0.0	1.0	0.643	83.8	-17.1	13.0	21.5	143	0.117	1.0	0.0	0.0	1.0	0.769	84.2	-15.7	7.7	17.6	154	0.117	1.0	0.0																	
136	144	155	0.0	1.0	0.416	83.5	-18.4	17.9	25.7	136	0.0	1.0	0.657	83.8	-17.0	12.4	21.1	144	0.1	1.0	0.0	0.0	1.0	0.775	84.2	-15.7	7.4	17.4	155	0.1	1.0	0.0																	
137	145	156	0.0	1.0	0.475	83.5	-18.2	17.1	25.1	137	0.0	1.0	0.67	83.9	-16.9	11.9	20.7	145	0.083	1.0	0.0	0.0	1.0	0.781	84.3	-15.6	7.0	17.2	156	0.083	1.0	0.0																	
138	146	158	0.0	1.0	0.517	83.6	-18.0	16.3	24.4	138	0.0	1.0	0.684	83.9	-16.7	11.3	20.3	146	0.067	1.0	0.0	0.0	1.0	0.793	84.3	-15.5	6.3	16.8	158	0.067	1.0	0.0																	
139	147	159	0.0	1.0	0.546	83.6	-17.8	15.6	23.8	139	0.0	1.0	0.697	84.0	-16.6	10.8	19.9	147	0.05	1.0	0.0	0.0	1.0	0.799	84.3	-15.4	5.9	16.6	159	0.05	1.0	0.0																	
140	148	160	0.0	1.0	0.576	83.7	-17.6	14.9	23.1	140	0.0	1.0	0.711	84.0	-16.4	10.3	19.5	148	0.033	1.0	0.0	0.0	1.0	0.805	84.4	-15.3	5.6	16.4	160	0.033	1.0	0.0																	
141	149	161	0.0	1.0	0.605	83.7	-17.4	14.2	22.5	141	0.0	1.0	0.725	84.0	-16.2	9.8	19.0	149	0.017	1.0	0.0	0.0	1.0	0.811	84.4	-15.2	5.3	16.2	161	0.017	1.0	0.0																	
142	150	162	0.0	1.0	0.629	83.8	-17.2	13.5	21.9	142	0.0	1.0	0.738	84.1	-16.0	9.3	18.6	150	0.0	1.0	0.0	0.0	1.0	0.818	84.4	-15.1	4.9	16.0	162	0.0	1.0	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0								
143	151	163	0.0	1.0	0.643	83.8	-17.1	13.0	21.5	143	0.0	1.0	0.751	84.1	-15.9	8.8	18.2	151	0.0	1.0	0.017	0.0	1.0	0.824	84.4	-15.0	4.6	15.8	163	0.0	1.0	0.017	0.0	1.0	0.017	0.0	1.0	0.017	0.0	1.0	0.017								
144	152	164	0.0	1.0	0.657	83.8	-17.0	12.4	21.1	144	0.0	1.0	0.757	84.2	-15.8	8.5	18.0	152	0.0	1.0	0.033	0.0	1.0	0.83	84.5	-14.9	4.3	15.6	164	0.0	1.0	0.033	0.0	1.0	0.033	0.0	1.0	0.033	0.0	1.0	0.033								
145	153	165	0.0	1.0	0.67	83.9	-16.9	11.9	20.7	145	0.0	1.0	0.763	84.2	-15.8	8.1	17.8	153	0.0	1.0	0.05	0.0	1.0	0.836	84.5	-14.7	4.0	15.4	165	0.0	1.0	0.05	0.0	1.0	0.05	0.0	1.0	0.05	0.0	1.0	0.05								
146	154	166	0.0	1.0	0.684	83.9	-16.7	11.3	20.3	146	0.0	1.0	0.769	84.2	-15.7	7.7	17.6	154	0.0	1.0	0.067	0.0	1.0	0.842	84.5	-14.6	3.7	15.1	166	0.0	1.0	0.067	0.0	1.0	0.067	0.0	1.0	0.067	0.0	1.0	0.067								
147	155	167	0.0	1.0	0.697	84.0	-16.6	10.8	19.9	147	0.0	1.0	0.775	84.2	-15.7	7.4	17.4	155	0.0	1.0	0.083	0.0	1.0	0.848	84.6	-14.5	3.4	14.9	167	0.0	1.0	0.083	0.0	1.0	0.083	0.0	1.0	0.083	0.0	1.0	0.083								
148	156	168	0.0	1.0	0.711	84.0	-16.4	10.3	19.5	148	0.0	1.0	0.781	84.3	-15.6	7.0	17.2	156	0.0	1.0	0.1	0.0	1.0	0.854	84.6	-14.3	3.1	14.7	168	0.0	1.0	0.1	0.0	1.0	0.1	0.0	1.0	0.1	0.0										

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$				$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$				rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$				rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e					
202	210	217	0.0	1.0	0.996	85.3	-11.6	-4.6	12.6	202	0.0	0.976	1.0	84.6	-10.7	-6.1	12.5	210	0.0	1.0	1.0	C_s	0.0	0.952	1.0	83.9	-9.8	-7.4	12.4	217	0.0	1.0	1.0	C_e			
203	211	218	0.0	1.0	1.0	85.3	-11.4	-4.8	12.5	203	0.0	0.973	1.0	84.5	-10.6	-6.3	12.5	211	0.0	0.983	1.0		0.0	0.949	1.0	83.8	-9.7	-7.5	12.4	218	0.0	0.983	1.0				
204	212	219	0.0	0.997	1.0	85.2	-11.3	-5.0	12.5	204	0.0	0.969	1.0	84.4	-10.5	-6.5	12.5	212	0.0	0.967	1.0		0.0	0.945	1.0	83.7	-9.5	-7.7	12.4	219	0.0	0.967	1.0				
205	213	220	0.0	0.993	1.0	85.1	-11.2	-5.2	12.5	205	0.0	0.966	1.0	84.3	-10.3	-6.7	12.5	213	0.0	0.95	1.0		0.0	0.942	1.0	83.6	-9.4	-7.9	12.4	220	0.0	0.95	1.0				
206	214	221	0.0	0.99	1.0	85.0	-11.1	-5.4	12.5	206	0.0	0.962	1.0	84.2	-10.2	-6.9	12.4	214	0.0	0.933	1.0		0.0	0.938	1.0	83.5	-9.2	-8.0	12.4	221	0.0	0.933	1.0				
207	215	222	0.0	0.987	1.0	84.9	-11.0	-5.6	12.5	207	0.0	0.959	1.0	84.1	-10.1	-7.0	12.4	215	0.0	0.917	1.0		0.0	0.935	1.0	83.4	-9.1	-8.2	12.4	222	0.0	0.917	1.0				
208	216	222	0.0	0.983	1.0	84.8	-10.9	-5.8	12.5	208	0.0	0.955	1.0	84.0	-10.0	-7.2	12.4	216	0.0	0.9	1.0		0.0	0.935	1.0	83.4	-9.1	-8.2	12.4	222	0.0	0.9	1.0				
209	217	223	0.0	0.98	1.0	84.7	-10.8	-6.0	12.5	209	0.0	0.952	1.0	83.9	-9.8	-7.4	12.4	217	0.0	0.883	1.0		0.0	0.931	1.0	83.3	-8.9	-8.3	12.4	223	0.0	0.883	1.0				
210	218	224	0.0	0.976	1.0	84.6	-10.7	-6.1	12.5	210	0.0	0.949	1.0	83.8	-9.7	-7.5	12.4	218	0.0	0.867	1.0		0.0	0.928	1.0	83.2	-8.8	-8.5	12.4	224	0.0	0.867	1.0				
211	219	225	0.0	0.973	1.0	84.5	-10.6	-6.3	12.5	211	0.0	0.945	1.0	83.7	-9.5	-7.7	12.4	219	0.0	0.85	1.0		0.0	0.924	1.0	83.1	-8.6	-8.6	12.4	225	0.0	0.85	1.0				
212	220	226	0.0	0.969	1.0	84.4	-10.5	-6.5	12.5	212	0.0	0.942	1.0	83.6	-9.4	-7.9	12.4	220	0.0	0.833	1.0		0.0	0.921	1.0	83.0	-8.5	-8.8	12.3	226	0.0	0.833	1.0				
213	221	227	0.0	0.966	1.0	84.3	-10.3	-6.7	12.5	213	0.0	0.938	1.0	83.5	-9.2	-8.0	12.4	221	0.0	0.817	1.0		0.0	0.917	1.0	82.9	-8.3	-8.9	12.3	227	0.0	0.817	1.0				
214	222	228	0.0	0.962	1.0	84.2	-10.2	-6.9	12.4	214	0.0	0.935	1.0	83.4	-9.1	-8.2	12.4	222	0.0	0.8	1.0		0.0	0.914	1.0	82.8	-8.2	-9.1	12.3	228	0.0	0.8	1.0				
215	223	229	0.0	0.959	1.0	84.1	-10.1	-7.0	12.4	215	0.0	0.931	1.0	83.3	-8.9	-8.3	12.4	223	0.0	0.783	1.0		0.0	0.91	1.0	82.7	-8.0	-9.2	12.3	229	0.0	0.783	1.0				
216	224	230	0.0	0.955	1.0	84.0	-10.0	-7.2	12.4	216	0.0	0.928	1.0	83.2	-8.8	-8.5	12.4	224	0.0	0.767	1.0		0.0	0.907	1.0	82.5	-7.8	-9.3	12.3	230	0.0	0.767	1.0				
217	225	231	0.0	0.952	1.0	83.9	-9.8	-7.4	12.4	217	0.0	0.924	1.0	83.1	-8.6	-8.6	12.4	225	0.0	0.75	1.0		0.0	0.904	1.0	82.4	-7.6	-9.5	12.3	231	0.0	0.75	1.0				
218	226	232	0.0	0.949	1.0	83.8	-9.7	-7.5	12.4	218	0.0	0.921	1.0	83.0	-8.5	-8.8	12.3	226	0.0	0.733	1.0		0.0	0.9	1.0	82.3	-7.5	-9.6	12.3	232	0.0	0.733	1.0				
219	227	232	0.0	0.945	1.0	83.7	-9.5	-7.7	12.4	219	0.0	0.917	1.0	82.9	-8.3	-8.9	12.3	227	0.0	0.717	1.0		0.0	0.9	1.0	82.3	-7.5	-9.6	12.3	232	0.0	0.717	1.0				
220	228	233	0.0	0.942	1.0	83.6	-9.4	-7.9	12.4	220	0.0	0.914	1.0	82.8	-8.2	-9.1	12.3	228	0.0	0.7	1.0		0.0	0.897	1.0	82.2	-7.3	-9.7	12.3	233	0.0	0.7	1.0				
221	229	234	0.0	0.938	1.0	83.5	-9.2	-8.0	12.4	221	0.0	0.91	1.0	82.7	-8.0	-9.2	12.3	229	0.0	0.683	1.0		0.0	0.893	1.0	82.1	-7.1	-9.8	12.3	234	0.0	0.683	1.0				
222	230	235	0.0	0.935	1.0	83.4	-9.1	-8.2	12.4	222	0.0	0.907	1.0	82.5	-7.8	-9.3	12.3	230	0.0	0.667	1.0		0.0	0.89	1.0	82.0	-6.9	-10.0	12.3	235	0.0	0.667	1.0				
223	231	236	0.0	0.931	1.0	83.3	-8.9	-8.3	12.4	223	0.0	0.904	1.0	82.4	-7.6	-9.5	12.3	231	0.0	0.65	1.0		0.0	0.886	1.0	81.9	-6.8	-10.1	12.3	236	0.0	0.65	1.0				
224	232	237	0.0	0.928	1.0	83.2	-8.8	-8.5	12.4	224	0.0	0.9	1.0	82.3	-7.5	-9.6	12.3	232	0.0	0.633	1.0		0.0	0.883	1.0	81.8	-6.6	-10.2	12.3	237	0.0	0.633	1.0				
225	233	238	0.0	0.924	1.0	83.1	-8.6	-8.6	12.4	225	0.0	0.897	1.0	82.2	-7.3	-9.7	12.3	233	0.0	0.617	1.0		0.0	0.879	1.0	81.7	-6.4	-10.3	12.2	238	0.0	0.617	1.0				
226	234	239	0.0	0.921	1.0	83.0	-8.5	-8.8	12.3	226	0.0	0.893	1.0	82.1	-7.1	-9.8	12.3	234	0.0	0.6	1.0		0.0	0.876	1.0	81.6	-6.2	-10.4	12.2	239	0.0	0.6	1.0				
227	235	240	0.0	0.917	1.0	82.9	-8.3	-8.9	12.3	227	0.0	0.89	1.0	82.0	-6.9	-10.0	12.3	235	0.0	0.583	1.0		0.0	0.872	1.0	81.5	-6.1	-10.6	12.3	240	0.0	0.583	1.0				
228	236	241	0.0	0.914	1.0	82.8	-8.2	-9.1	12.3	228	0.0	0.886	1.0	81.9	-6.8	-10.1	12.3	236	0.0	0.567	1.0		0.0	0.867	1.0	81.4	-5.9	-10.8	12.5	241	0.0	0.567	1.0				
229	237	242	0.0	0.91	1.0	82.7	-8.0	-9.2	12.3	229	0.0	0.883	1.0	81.8	-6.6	-10.2	12.3	237	0.0	0.55	1.0		0.0	0.863	1.0	81.2	-5.8	-11.0	12.6	242	0.0	0.55	1.0				
230	238	243	0.0	0.907	1.0	82.5	-7.8	-9.3	12.3	230	0.0	0.879	1.0	81.7	-6.4	-10.3	12.2	238	0.0	0.533	1.0		0.0	0.858	1.0	81.1	-5.7	-11.3	12.8	243	0.0	0.533	1.0				
231	239	243	0.0	0.904	1.0	82.4	-7.6	-9.5	12.3	231	0.0	0.876	1.0	81.6	-6.2	-10.4	12.2	239	0.0	0.517	1.0		0.0	0.858	1.0	81.1	-5.7	-11.3	12.8	243	0.0	0.517	1.0				
232	240	244	0.0	0.9	1.0	82.3	-7.5	-9.6	12.3	232	0.0	0.872	1.0	81.5	-6.1	-10.6	12.3	240	0.0	0.5	1.0		0.0	0.854	1.0	81.0	-5.5	-11.5	12.9	244	0.0	0.5	1.0				
233	241	245	0.0	0.897	1.0	82.2	-7.3	-9.7	12.3	233	0.0	0.867	1.0	81.4	-5.9	-10.8	12.5	241	0.0	0.483	1.0		0.0	0.849	1.0	80.8	-5.4	-11.7	13.0	245	0.0	0.					

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*dd361Mi$			$LAB^*dd361Mix(x=LabCh)$			$rgb^*ds361Mi$			$LAB^*ds361Mix(x=LabCh)$			rgb^*s50M			$rgb^*de361Mi$			$LAB^*de361Mix(x=LabCh)$			rgb^*e50M			rgb^*_d	rgb^*_s	rgb^*_e						
247	255	258	0.0	0.84	1.0	80.6	-5.1	-12.1	13.3	247	0.0	0.805	1.0	79.5	-3.6	-13.8	14.4	255	0.0	0.25	1.0	0.0	0.791	1.0	79.1	-3.0	-14.4	14.8	258	0.0	0.25	1.0			
248	256	259	0.0	0.836	1.0	80.4	-4.9	-12.4	13.4	248	0.0	0.8	1.0	79.4	-3.4	-14.0	14.5	256	0.0	0.233	1.0	0.0	0.787	1.0	79.0	-2.8	-14.6	15.0	259	0.0	0.233	1.0			
249	257	260	0.0	0.832	1.0	80.3	-4.8	-12.6	13.6	249	0.0	0.796	1.0	79.2	-3.2	-14.2	14.7	257	0.0	0.217	1.0	0.0	0.782	1.0	78.9	-2.5	-14.8	15.1	260	0.0	0.217	1.0			
250	258	261	0.0	0.827	1.0	80.2	-4.6	-12.8	13.7	250	0.0	0.791	1.0	79.1	-3.0	-14.4	14.8	258	0.0	0.2	1.0	0.0	0.778	1.0	78.7	-2.3	-14.9	15.2	261	0.0	0.2	1.0			
251	259	262	0.0	0.823	1.0	80.0	-4.4	-13.0	13.9	251	0.0	0.787	1.0	79.0	-2.8	-14.6	15.0	259	0.0	0.183	1.0	0.0	0.774	1.0	78.6	-2.0	-15.1	15.4	262	0.0	0.183	1.0			
252	260	263	0.0	0.818	1.0	79.9	-4.2	-13.2	14.0	252	0.0	0.782	1.0	78.9	-2.5	-14.8	15.1	260	0.0	0.167	1.0	0.0	0.769	1.0	78.5	-1.8	-15.3	15.5	263	0.0	0.167	1.0			
253	261	264	0.0	0.814	1.0	79.8	-4.0	-13.4	14.1	253	0.0	0.778	1.0	78.7	-2.3	-14.9	15.2	261	0.0	0.15	1.0	0.0	0.765	1.0	78.3	-1.5	-15.5	15.6	264	0.0	0.15	1.0			
254	262	264	0.0	0.809	1.0	79.6	-3.8	-13.6	14.3	254	0.0	0.774	1.0	78.6	-2.0	-15.1	15.4	262	0.0	0.133	1.0	0.0	0.765	1.0	78.3	-1.5	-15.5	15.6	264	0.0	0.133	1.0			
255	263	265	0.0	0.805	1.0	79.5	-3.6	-13.8	14.4	255	0.0	0.769	1.0	78.5	-1.8	-15.3	15.5	263	0.0	0.117	1.0	0.0	0.76	1.0	78.2	-1.3	-15.6	15.8	265	0.0	0.117	1.0			
256	264	266	0.0	0.8	1.0	79.4	-3.4	-14.0	14.5	256	0.0	0.765	1.0	78.3	-1.5	-15.5	15.6	264	0.0	0.1	1.0	0.0	0.756	1.0	78.1	-1.0	-15.8	15.9	266	0.0	0.1	1.0			
257	265	267	0.0	0.796	1.0	79.2	-3.2	-14.2	14.7	257	0.0	0.76	1.0	78.2	-1.3	-15.6	15.8	265	0.0	0.083	1.0	0.0	0.751	1.0	77.9	-0.7	-15.9	16.1	267	0.0	0.083	1.0			
258	266	268	0.0	0.791	1.0	79.1	-3.0	-14.4	14.8	258	0.0	0.756	1.0	78.1	-1.0	-15.8	15.9	266	0.0	0.067	1.0	0.0	0.743	1.0	77.7	-0.5	-16.2	16.4	268	0.0	0.067	1.0			
259	267	269	0.0	0.787	1.0	79.0	-2.8	-14.6	15.0	259	0.0	0.751	1.0	77.9	-0.7	-15.9	16.1	267	0.0	0.05	1.0	0.0	0.733	1.0	77.5	-0.2	-16.6	16.7	269	0.0	0.05	1.0			
260	268	270	0.0	0.782	1.0	78.9	-2.5	-14.8	15.1	260	0.0	0.743	1.0	77.7	-0.5	-16.2	16.4	268	0.0	0.033	1.0	0.0	0.723	1.0	77.3	0.0	-17.0	17.1	270	0.0	0.033	1.0			
261	269	271	0.0	0.778	1.0	78.7	-2.3	-14.9	15.2	261	0.0	0.733	1.0	77.5	-0.2	-16.6	16.7	269	0.0	0.017	1.0	0.0	0.713	1.0	77.1	0.3	-17.3	17.4	271	0.0	0.017	1.0			
262	270	272	0.0	0.774	1.0	78.6	-2.0	-15.1	15.4	262	0.0	0.723	1.0	77.3	0.0	-17.0	17.1	270	0.0	0.0	1.0B _s	0.0	0.703	1.0	76.8	0.6	-17.7	17.8	272	0.0	0.0	1.0B _e			
263	271	273	0.0	0.769	1.0	78.5	-1.8	-15.3	15.5	263	0.0	0.713	1.0	77.1	0.3	-17.3	17.4	271	0.017	0.0	1.0	0.0	0.693	1.0	76.6	0.9	-18.0	18.2	273	0.017	0.0	1.0			
264	272	274	0.0	0.765	1.0	78.3	-1.5	-15.5	15.6	264	0.0	0.703	1.0	76.8	0.6	-17.7	17.8	272	0.033	0.0	1.0	0.0	0.682	1.0	76.4	1.3	-18.4	18.5	274	0.033	0.0	1.0			
265	273	275	0.0	0.76	1.0	78.2	-1.3	-15.6	15.8	265	0.0	0.693	1.0	76.6	0.9	-18.0	18.2	273	0.05	0.0	1.0	0.0	0.672	1.0	76.2	1.6	-18.7	18.9	275	0.05	0.0	1.0			
266	274	276	0.0	0.756	1.0	78.1	-1.0	-15.8	15.9	266	0.0	0.682	1.0	76.4	1.3	-18.4	18.5	274	0.067	0.0	1.0	0.0	0.662	1.0	76.0	2.0	-19.0	19.2	276	0.067	0.0	1.0			
267	275	276	0.0	0.751	1.0	77.9	-0.7	-15.9	16.1	267	0.0	0.672	1.0	76.2	1.6	-18.7	18.9	275	0.083	0.0	1.0	0.0	0.662	1.0	76.0	2.0	-19.0	19.2	276	0.083	0.0	1.0			
268	276	277	0.0	0.743	1.0	77.7	-0.5	-16.2	16.4	268	0.0	0.662	1.0	76.0	2.0	-19.0	19.2	276	0.1	0.0	1.0	0.0	0.652	1.0	75.7	2.4	-19.3	19.6	277	0.1	0.0	1.0			
269	277	278	0.0	0.733	1.0	77.5	-0.2	-16.6	16.7	269	0.0	0.652	1.0	75.7	2.4	-19.3	19.6	277	0.117	0.0	1.0	0.0	0.642	1.0	75.5	2.8	-19.7	19.9	278	0.117	0.0	1.0			
270	278	279	0.0	0.723	1.0	77.3	0.0	-17.0	17.1	270	0.0	0.642	1.0	75.5	2.8	-19.7	19.9	278	0.133	0.0	1.0	0.0	0.632	1.0	75.3	3.2	-20.0	20.3	279	0.133	0.0	1.0			
271	279	280	0.0	0.713	1.0	77.1	0.3	-17.3	17.4	271	0.0	0.632	1.0	75.3	3.2	-20.0	20.3	279	0.15	0.0	1.0	0.0	0.619	1.0	75.1	3.6	-20.3	20.7	280	0.15	0.0	1.0			
272	280	281	0.0	0.703	1.0	76.8	0.6	-17.7	17.8	272	0.0	0.619	1.0	75.1	3.6	-20.3	20.7	280	0.167	0.0	1.0	0.0	0.596	1.0	74.7	4.1	-20.8	21.3	281	0.167	0.0	1			

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours d: $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_d	rgb^*_s	rgb^*_e						
292	300	300	0.506	0.0	1.0	72.1	10.1	-24.9	27.0	292	0.75	0.0	1.0	72.9	13.4	-23.0	26.7	300	0.5	0.0	1.0	0.75	0.0	1.0	72.9	13.4	-23.0	26.7	300	0.5	0.0	1.0			
293	301	301	0.545	0.0	1.0	72.2	10.5	-24.7	26.9	293	0.766	0.0	1.0	73.1	13.9	-23.0	26.9	301	0.517	0.0	1.0	0.766	0.0	1.0	73.1	13.9	-23.0	26.9	301	0.517	0.0	1.0			
294	302	302	0.585	0.0	1.0	72.3	10.9	-24.4	26.9	294	0.782	0.0	1.0	73.2	14.4	-22.9	27.1	302	0.533	0.0	1.0	0.782	0.0	1.0	73.2	14.4	-22.9	27.1	302	0.533	0.0	1.0			
295	303	303	0.625	0.0	1.0	72.4	11.3	-24.2	26.8	295	0.799	0.0	1.0	73.4	14.9	-22.8	27.3	303	0.55	0.0	1.0	0.799	0.0	1.0	73.4	14.9	-22.8	27.3	303	0.55	0.0	1.0			
296	304	304	0.65	0.0	1.0	72.5	11.7	-24.0	26.8	296	0.815	0.0	1.0	73.5	15.4	-22.7	27.6	304	0.567	0.0	1.0	0.815	0.0	1.0	73.5	15.4	-22.7	27.6	304	0.567	0.0	1.0			
297	305	305	0.675	0.0	1.0	72.6	12.2	-23.8	26.8	297	0.831	0.0	1.0	73.7	15.9	-22.6	27.8	305	0.583	0.0	1.0	0.831	0.0	1.0	73.7	15.9	-22.6	27.8	305	0.583	0.0	1.0			
298	306	306	0.7	0.0	1.0	72.7	12.6	-23.5	26.8	298	0.848	0.0	1.0	73.8	16.4	-22.5	28.0	306	0.6	0.0	1.0	0.848	0.0	1.0	73.8	16.4	-22.5	28.0	306	0.6	0.0	1.0			
299	307	307	0.725	0.0	1.0	72.8	13.0	-23.3	26.7	299	0.864	0.0	1.0	73.9	17.0	-22.4	28.2	307	0.617	0.0	1.0	0.864	0.0	1.0	73.9	17.0	-22.4	28.2	307	0.617	0.0	1.0			
300	308	308	0.75	0.0	1.0	72.9	13.4	-23.0	26.7	300	0.881	0.0	1.0	74.1	17.5	-22.3	28.4	308	0.633	0.0	1.0	0.881	0.0	1.0	74.1	17.5	-22.3	28.4	308	0.633	0.0	1.0			
301	309	309	0.766	0.0	1.0	73.1	13.9	-23.0	26.9	301	0.898	0.0	1.0	74.3	18.1	-22.3	28.8	309	0.65	0.0	1.0	0.898	0.0	1.0	74.3	18.1	-22.3	28.8	309	0.65	0.0	1.0			
302	310	310	0.782	0.0	1.0	73.2	14.4	-22.9	27.1	302	0.916	0.0	1.0	74.5	18.8	-22.3	29.2	310	0.667	0.0	1.0	0.916	0.0	1.0	74.5	18.8	-22.3	29.2	310	0.667	0.0	1.0			
303	311	311	0.799	0.0	1.0	73.4	14.9	-22.8	27.3	303	0.933	0.0	1.0	74.7	19.4	-22.2	29.6	311	0.683	0.0	1.0	0.933	0.0	1.0	74.7	19.4	-22.2	29.6	311	0.683	0.0	1.0			
304	312	312	0.815	0.0	1.0	73.5	15.4	-22.7	27.6	304	0.95	0.0	1.0	74.8	20.0	-22.2	30.0	312	0.7	0.0	1.0	0.95	0.0	1.0	74.8	20.0	-22.2	30.0	312	0.7	0.0	1.0			
305	313	312	0.831	0.0	1.0	73.7	15.9	-22.6	27.8	305	0.968	0.0	1.0	75.0	20.7	-22.1	30.3	313	0.717	0.0	1.0	0.95	0.0	1.0	74.8	20.0	-22.2	30.0	312	0.717	0.0	1.0			
306	314	313	0.848	0.0	1.0	73.8	16.4	-22.5	28.0	306	0.985	0.0	1.0	75.2	21.3	-22.0	30.7	314	0.733	0.0	1.0	0.968	0.0	1.0	75.0	20.7	-22.1	30.3	313	0.733	0.0	1.0			
307	315	314	0.864	0.0	1.0	73.9	17.0	-22.4	28.2	307	1.0	0.0	0.998	75.3	21.9	-21.8	30.9	315	0.75	0.0	1.0	0.985	0.0	1.0	75.2	21.3	-22.0	30.7	314	0.75	0.0	1.0			
308	316	315	0.881	0.0	1.0	74.1	17.5	-22.3	28.4	308	1.0	0.0	0.985	75.2	21.6	-20.8	30.0	316	0.767	0.0	1.0	1.0	0.0	0.998	75.3	21.9	-21.8	30.9	315	0.767	0.0	1.0			
309	317	316	0.898	0.0	1.0	74.3	18.1	-22.3	28.8	309	1.0	0.0	0.972	75.1	21.3	-19.8	29.1	317	0.783	0.0	1.0	1.0	0.0	0.985	75.2	21.6	-20.8	30.0	316	0.783	0.0	1.0			
310	318	317	0.916	0.0	1.0	74.5	18.8	-22.3	29.2	310	1.0	0.0	0.959	75.0	21.0	-18.8	28.2	318	0.8	0.0	1.0	1.0	0.0	0.972	75.1	21.3	-19.8	29.1	317	0.8	0.0	1.0			
311	319	318	0.933	0.0	1.0	74.7	19.4	-22.2	29.6	311	1.0	0.0	0.946	74.9	20.6	-17.8	27.4	319	0.817	0.0	1.0	1.0	0.0	0.959	75.0	21.0	-18.8	28.2	318	0.817	0.0	1.0			
312	320	319	0.95	0.0	1.0	74.8	20.0	-22.2	30.0	312	1.0	0.0	0.933	74.8	20.3	-16.9	26.5	320	0.833	0.0	1.0	1.0	0.0	0.946	74.9	20.6	-17.8	27.4	319	0.833	0.0	1.0			
313	321	320	0.968	0.0	1.0	75.0	20.7	-22.1	30.3	313	1.0	0.0	0.92	74.7	19.9	-16.0	25.6	321	0.85	0.0	1.0	1.0	0.0	0.933	74.8	20.3	-16.9	26.5	320	0.85	0.0	1.0			
314	322	321	0.985	0.0	1.0	75.2	21.3	-22.0	30.7	314M _d	1.0	0.0	0.907	74.6	19.5	-15.1	24.7	322	0.867	0.0	1.0	1.0	0.0	0.92	74.7	19.9	-16.0	25.6	321	0.867	0.0	1.0			
315	323	322	1.0	0.0	0.998	75.3	21.9	-21.8	30.9	315	1.0	0.0	0.894	74.5	19.0	-14.2	23.8	323	0.883	0.0	1.0	1.0	0.0	0.907	74.6	19.5	-15.1	24.7	322	0.883	0.0	1.0			
316	324	323	1.0	0.0	0.985	75.2	21.6	-20.8	30.0	316	1.0	0.0	0.882	74.4	18.5	-13.4	22.9	324	0.9	0.0	1.0	1.0	0.0	0.894	74.5	19.0	-14.2	23.8	323	0.9	0.0	1.0			
317	325	324	1.0	0.0	0.972	75.1	21.3	-19.8	29.1	317	1.0	0.0	0.871	74.3	18.3	-12.7	22.3	325	0.917	0.0	1.0	1.0	0.0	0.882	74.4	18.5	-13.4	22.9	324	0.917	0.0	1.0			
318	326	325	1.0	0.0	0.959	75.0	21.0	-18.8	28.2	318	1.0	0.0	0.864	74.3	18.2	-12.2	22.0	326	0.933	0.0	1.0	1.0	0.0	0.871	74.3	18.3	-12.7	22.3	325	0.933	0.0	1.0			
319	327	326	1.0	0.0	0.946	74.9	20.6	-17.8	27.4	319	1.0	0.0	0.857	74.2	18.2	-11.7	21.7	327	0.95	0.0	1.0	1.0	0.0	0.864	74.3	18.2	-12.2	22.0	326	0.95	0.0	1.0			
320	328	327	1.0	0.0	0.933	74.8	20.3	-16.9	26.5	320	1.0	0.0	0.85	74.2	18.1	-11.2	21.3	328	0.967	0.0	1.0	1.0	0.0	0.857	74.2	18.2	-11.7	21.7	327	0.967	0.0	1.0			
321	329	328	1.0	0.0	0.92	74.7	19.9	-16.0	25.6	321	1.0	0.0	0.843	74.1	18.0	-10.7	21.0	329	0.983	0.0	1.0	1.0	0.0	0.85	74.2	18.1	-11.2	21.3	328	0.983	0.0	1.0			
322	330	329	1.0	0.0	0.907	74.6	19.5	-15.1	24.7	322	1.0	0.0	0.836	74.1	17.9	-10.2	20.7	330	1.0	0.0	1.0M _s	1.0	0.0	0.843	74.1	18.0	-10.7	21.0	329	1.0	0.0	1.0M _e			
323	331	330	1.0	0.0	0.894	74.5	19.0	-14.2	23.8	323	1.0	0.0	0.828	74.1	17.8	-9.8	20.4	331	1.0	0.0	0.983	1.0	0.0	0.836	74.1	17.9	-10.2	20.7	330	1.0	0.0	0.983			
324	332	331	1.0	0.0	0.882	74.4	18.5	-13.4	22.9	324	1.0	0.0																							

Data of Maximum color M in colorimetric system LCD projector_2, no separation, D65 for input or output; Six hue angles of the 60 degree standard colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours d : $h_{ab,d} = 22.4, 106.5, 134.1, 203.1, 289.2, 314.9$; Six hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$			$h_{ab,s}$			$h_{ab,e}$			$rgb^*_{dd361Mi}$			$LAB^*_{dd361Mix}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mix}(x=LabCh)$			rgb^*_{s50M}			$rgb^*_{de361Mi}$			$LAB^*_{de361Mix}(x=LabCh)$			rgb^*_{e50M}			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
337	345	343	1.0	0.0	0.786	73.8	16.9	-7.1	18.4	337	1.0	0.0	0.727	73.6	15.8	-4.1	16.4	345	1.0	0.0	0.75	1.0	0.0	0.742	73.6	15.9	-4.8	16.6	343	1.0	0.0	0.75			
338	346	344	1.0	0.0	0.778	73.8	16.7	-6.7	18.1	338	1.0	0.0	0.719	73.6	15.8	-3.8	16.2	346	1.0	0.0	0.733	1.0	0.0	0.734	73.6	15.9	-4.4	16.5	344	1.0	0.0	0.733			
339	347	345	1.0	0.0	0.771	73.8	16.6	-6.3	17.7	339	1.0	0.0	0.711	73.5	15.7	-3.5	16.1	347	1.0	0.0	0.717	1.0	0.0	0.727	73.6	15.8	-4.1	16.4	345	1.0	0.0	0.717			
340	348	346	1.0	0.0	0.764	73.7	16.4	-5.9	17.4	340	1.0	0.0	0.704	73.5	15.6	-3.2	16.0	348	1.0	0.0	0.7	1.0	0.0	0.719	73.6	15.8	-3.8	16.2	346	1.0	0.0	0.7			
341	349	347	1.0	0.0	0.757	73.7	16.1	-5.5	17.1	341	1.0	0.0	0.696	73.5	15.6	-2.9	15.8	349	1.0	0.0	0.683	1.0	0.0	0.711	73.5	15.7	-3.5	16.1	347	1.0	0.0	0.683			
342	350	348	1.0	0.0	0.75	73.6	15.9	-5.1	16.8	342	1.0	0.0	0.688	73.5	15.5	-2.6	15.7	350	1.0	0.0	0.667	1.0	0.0	0.704	73.5	15.6	-3.2	16.0	348	1.0	0.0	0.667			
343	351	349	1.0	0.0	0.742	73.6	15.9	-4.8	16.6	343	1.0	0.0	0.681	73.4	15.4	-2.3	15.6	351	1.0	0.0	0.65	1.0	0.0	0.696	73.5	15.6	-2.9	15.8	349	1.0	0.0	0.65			
344	352	349	1.0	0.0	0.734	73.6	15.9	-4.4	16.5	344	1.0	0.0	0.673	73.4	15.3	-2.1	15.5	352	1.0	0.0	0.633	1.0	0.0	0.696	73.5	15.6	-2.9	15.8	349	1.0	0.0	0.633			
345	353	350	1.0	0.0	0.727	73.6	15.8	-4.1	16.4	345	1.0	0.0	0.665	73.4	15.2	-1.8	15.3	353	1.0	0.0	0.617	1.0	0.0	0.688	73.5	15.5	-2.6	15.7	350	1.0	0.0	0.617			
346	354	351	1.0	0.0	0.719	73.6	15.8	-3.8	16.2	346	1.0	0.0	0.658	73.4	15.1	-1.5	15.2	354	1.0	0.0	0.6	1.0	0.0	0.681	73.4	15.4	-2.3	15.6	351	1.0	0.0	0.6			
347	355	352	1.0	0.0	0.711	73.5	15.7	-3.5	16.1	347	1.0	0.0	0.65	73.4	15.0	-1.2	15.1	355	1.0	0.0	0.583	1.0	0.0	0.673	73.4	15.3	-2.1	15.5	352	1.0	0.0	0.583			
348	356	353	1.0	0.0	0.704	73.5	15.6	-3.2	16.0	348	1.0	0.0	0.642	73.3	14.9	-0.9	14.9	356	1.0	0.0	0.567	1.0	0.0	0.665	73.4	15.2	-1.8	15.3	353	1.0	0.0	0.567			
349	357	354	1.0	0.0	0.696	73.5	15.6	-2.9	15.8	349	1.0	0.0	0.634	73.3	14.8	-0.7	14.8	357	1.0	0.0	0.55	1.0	0.0	0.658	73.4	15.1	-1.5	15.2	354	1.0	0.0	0.55			
350	358	355	1.0	0.0	0.688	73.5	15.5	-2.6	15.7	350	1.0	0.0	0.627	73.3	14.7	-0.4	14.7	358	1.0	0.0	0.533	1.0	0.0	0.65	73.4	15.0	-1.2	15.1	355	1.0	0.0	0.533			
351	359	356	1.0	0.0	0.681	73.4	15.4	-2.3	15.6	351	1.0	0.0	0.617	73.3	14.6	-0.2	14.6	359	1.0	0.0	0.517	1.0	0.0	0.642	73.3	14.9	-0.9	14.9	356	1.0	0.0	0.517			
352	360	357	1.0	0.0	0.673	73.4	15.3	-2.1	15.5	352	1.0	0.0	0.607	73.3	14.6	0.0	14.6	0	1.0	0.0	0.5	1.0	0.0	0.634	73.3	14.8	-0.7	14.8	357	1.0	0.0	0.5			
353	361	358	1.0	0.0	0.665	73.4	15.2	-1.8	15.3	353	1.0	0.0	0.597	73.3	14.5	0.3	14.5	1	1.0	0.0	0.483	1.0	0.0	0.627	73.3	14.7	-0.4	14.7	358	1.0	0.0	0.483			
354	362	359	1.0	0.0	0.658	73.4	15.1	-1.5	15.2	354	1.0	0.0	0.587	73.2	14.5	0.5	14.5	2	1.0	0.0	0.467	1.0	0.0	0.617	73.3	14.6	-0.2	14.6	359	1.0	0.0	0.467			
355	363	360	1.0	0.0	0.65	73.4	15.0	-1.2	15.1	355	1.0	0.0	0.577	73.2	14.4	0.8	14.4	3	1.0	0.0	0.45	1.0	0.0	0.607	73.3	14.6	0.0	14.6	0	1.0	0.0	0.45			
356	364	361	1.0	0.0	0.642	73.3	14.9	-0.9	14.9	356	1.0	0.0	0.566	73.2	14.4	1.0	14.4	4	1.0	0.0	0.433	1.0	0.0	0.597	73.3	14.5	0.3	14.5	1	1.0	0.0	0.433			
357	365	362	1.0	0.0	0.634	73.3	14.8	-0.7	14.8	357	1.0	0.0	0.556	73.2	14.3	1.3	14.3	5	1.0	0.0	0.417	1.0	0.0	0.587	73.2	14.5	0.5	14.5	2	1.0	0.0	0.417			
358	366	363	1.0	0.0	0.627	73.3	14.7	-0.4	14.7	358	1.0	0.0	0.546	73.2	14.2	1.5	14.3	6	1.0	0.0	0.4	1.0	0.0	0.577	73.2	14.4	0.8	14.4	3	1.0	0.0	0.4			
359	367	364	1.0	0.0	0.617	73.3	14.6	-0.2	14.6	359	1.0	0.0	0.536	73.2	14.2	1.7	14.3	7	1.0	0.0	0.383	1.0	0.0	0.566	73.2	14.4	1.0	14.4	4	1.0	0.0	0.383			
0	368	365	1.0	0.0	0.607	73.3	14.6	0.0	14.6	0	1.0	0.0	0.526	73.1	14.1	2.0	14.2	8	1.0	0.0	0.367	1.0	0.0	0.556	73.2	14.3	1.3	14.3	5	1.0	0.0	0.367			
1	369	366	1.0	0.0	0.597	73.3	14.5	0.3	14.5	1	1.0	0.0	0.516	73.1	14.0	2.2	14.2	9	1.0	0.0	0.35	1.0	0.0	0.546	73.2	14.2	1.5	14.3	6	1.0	0.0	0.35			
2	370	367	1.0	0.0	0.587	73.2	14.5	0.5	14.5	2	1.0	0.0	0.505	73.1	13.9	2.5	14.1	10	1.0	0.0	0.333	1.0	0.0	0.536	73.2	14.2	1.7	14.3	7	1.0	0.0	0.333			
3	371	367	1.0	0.0	0.577	73.2	14.4	0.8	14.4	3	1.0	0.0	0.492	73.1	13.8	2.7	14.1	11	1.0	0.0	0.317	1.0	0.0	0.536	73.2	14.2	1.7	14.3	7	1.0	0.0	0.317			
4	372	368	1.0	0.0	0.566	73.2	14.4	1.0	14.4	4	1.0	0.0	0.474	73.1	13.8	2.9	14.1	12	1.0	0.0	0.3	1.0	0.0	0.526	73.1	14.1	2.0	14.2	8	1.0	0.0	0.3			
5	373	369	1.0	0.0	0.556	73.2	14.3	1.3	14.3	5	1.0	0.0	0.457	73.1	13.7	3.2	14.1	13	1.0	0.0	0.283	1.0	0.0	0.516	73.1	14.0	2.2	14.2	9	1.0	0.0	0.283			
6	374	370	1.0	0.0	0.546	73.2	14.2	1.5	14.3	6	1.0	0.0	0.439	73.0	13.7	3.4	14.1	14	1.0	0.0	0.267	1.0	0.0	0.505	73.1	13.9	2.5	14.1	10	1.0	0.0	0.267			
7	375	371	1.0	0.0	0.536	73.2	14.2	1.7	14.3	7	1.0	0.0	0.422	73.0	13.6	3.6	14.1	15	1.0	0.0	0.25	1.0	0.0	0.492	73.1	13.8	2.7	14.1	11	1.0	0.0	0.25			
8	376	372	1.0	0.0	0.526	73.1	14.1	2.0	14.2	8	1.0	0.0	0.405	73.0	13.5	3.9	14.1	16	1.0	0.0	0.233	1.0	0.0	0.474	73.1	13.8	2.9	14.1	12	1.0	0.0	0.233			
9	377	373	1.0	0.0	0.516	73.1	14.0	2.2	14.2	9	1.0	0.0	0.387	73.0	13.4	4.1	14.1	17	1.0	0.0	0.217	1.0	0.0	0.457	73.1	13.7	3.2	14.1	13	1.0	0.0	0.217			
10	378	374	1.0	0.0	0.505	73.1	13.9	2.5	14.1	10	1.0	0.0	0.364	73.0	13.4	4.3	14.1	18	1.0	0.0	0.2	1.0	0.0	0.439	73.0	13.7	3.4	14.1	14	1.0	0.0	0.2			
11	379	375	1.0	0.0	0.492	73.1	13.8	2.7	14.1	11	1.0	0.0	0.327	73.0	13.3	4.6	14.1	19	1.0	0.0	0.183	1.0	0.0	0.422	73.0	13.6	3.6	14.1	15	1.0	0.0	0.183			
12	380	376	1.0	0.0	0.474	73.1	13.8	2.9	14.1	12	1.0	0.0	0.289	73.0	13.3	4.8	14.2	20	1.0	0.0	0.167	1.0	0.0	0.405	73.0	13.5	3.9	14.1	16	1.0	0.0	0.167			
13	381	377	1.0	0.0	0.457	73.1	13.7	3.2	14.1	13	1.0	0.0	0.252	72.9	13.3	5.1	14.2	21	1.0	0.0	0.15	1.0	0.0	0.387	73.0	13.4	4.1	14.1	17	1.0	0.0	0.15			
14	382	378	1.0	0.0	0.439	73.0	13.7	3.4	14.1	14	1.0	0.0	0.142	72.9	13.2	5.3	14.2	22	1.0	0.0	0.133	1.0	0.0	0.364	73.0	13.4	4.3	14.1	18	1.0	0.0	0.133			
15	383	379	1.0	0.0	0.422	73.0	13.6	3.6	14.1	15	1.0	0.172	0.0	73.0	13.0	5.5	14.1	23	1.0	0.0	0.117	1.0	0.0	0.327	73.0	13.3	4.6	14.1	19	1.0	0.0	0.117			
16	384	380	1.0	0.0	0.405	73.0	13.5	3.9	14.1	16	1.0	0.263	0.0	73.1	12.8	5.7	14.0	24	1.0	0.0	0.1	1.0	0.0	0.289	73.0	13.3	4.8	14.2	20	1.0	0.0	0.1			
17	385	381	1.0	0.0	0.387	73.0	13.4	4.1	14.1	17	1.0	0.298	0.0	73.2	12.6	5.9	13.9	25	1.0	0.0	0.083	1.0	0.0	0.252	72.9	13.3	5.1	14.2	21	1.0	0.0	0.083			
18	386	3																																	