

	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-010-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-010-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-010-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-010-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-010-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-011-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-011-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-011-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-011-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-011-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-012-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-012-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-012-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-012-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-012-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-013-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-013-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-013-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-013-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-013-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-014-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-014-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-014-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-014-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-014-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-015-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-015-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-015-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-015-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-015-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-016-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-016-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-016-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-016-0

Can equally spaced lines be seen?


Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-016-2



	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
line raster diameter in <i>lpi</i>																	

Test for the best visual linearized output of Picture A7-017-0 **Yes/No**
Output test with the computer display () or the external display ()

Test of the *Landolt*-rings N–W according to picture A4-017-0

N–W-radial grating:

Is the recognition frequency of the *Landolt*-rings > 50% (5 of 8 at least)?

background – ring

0 – 1

Yes/No

7 – 8

Yes/No

E – F

Yes/No

2 – 0

Yes/No

8 – 6

Yes/No

F – D

Yes/No

Test of the radial grating under 45° according to picture A5-017-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

Test of the radial grating under 90° according to picture A6-017-0

Can equally spaced lines be seen?

Visual testing: for radial diameter from 15 to 60 lpi

Yes/No

Test with a magnifying glass (e.g. 6x): – from 15 lpi:

to lpi

For linearized output of the 16 grey steps of Picture A7-017-2

