



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1


<http://130.149.60.45/~farbmetrik/OE53/OE53L0NA.TXT> /PS; start output, Page 1/3
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



OE530-3N, Picture A1-030-0: Radial grating N-W, W-N, N-Z, W-Z; PS operator: w* w* w* setrgbcolor




OE530-5N, Picture A2-030-0: 5 equidistant L^* -grey steps+ N_0 + W_1 ; PS operator: w* w* w* setrgbcolor




OE530-7N, Picture A3-030-0: 16 visual equidistant L^* -grey steps; PS operator: w* w* w* setrgbcolor

OE53: similar ME16 according to ISO 9241-306; DH
Viewing Y contrast $Y_W:Y_N=88,9:0,31$; Y_N range 0,0 to <0,46




Landolt-rings W-N code: background-ring

OE531-1N, Picture A4-030-0: Landolt-rings W-N; PS operator: w* w* w* setrgbcolor



line raster diameter in lpi

OE531-3N, Picture A5-030-0: Line raster under 45° (or 135°); PS operator: w* w* w* setrgbcolor



line raster diameter in lpi

OE531-5N, Picture A6-030-0: Line raster under 90° (or 0°); PS operator: w* w* w* setrgbcolor

input: rgb (->rgb*_d) setrgbcolor
output 030-0: no change

TUB registration: 20110801-OE53/OE53L0NA.TXT /PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rh4ta