



OE561-1, Picture D4N-D-000-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-000-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-000-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-000-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NP.PDF> underline Yes/No

PS-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NA.PS> or underline Yes/No

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file

For device output with PDF-file OE56L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE56L0NA.PS:

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....
.....
.....

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560-7A, Picture A7-030-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-001-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-001-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-001-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-001-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

PDF-File: <http://130.149.60.45/farbmetrik/OE56/OE56L0NP.PDF> **underline** Yes/No

PS-File: <http://130.149.60.45/farbmetrik/OE56/OE56L0NA.PS> **or underline Yes/No**

either one of Windows/Mac/Unix/other and version:.....

Device model, driver and version:.....

Device output with PDF/PS-file:	underline	PDF/PS-file
---------------------------------	-----------	-------------

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Ghostscript and version:.....

either PS-file transfer "download, copy" to PS device.....


or with software e. g. Ghostscript and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


Part 3

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0


OE560–7A, Picture A7-031-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-002-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-002-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-002-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-002-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NP.PDF> underline Yes/No

PS-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NA.PS> or underline Yes/No

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file

For device output with PDF-file OE56L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE56L0NA.PS:

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....
.....
.....

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560–7A, Picture A7-032-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-003-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-003-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-003-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-003-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NP.PDF> underline Yes/No

PS-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NA.PS> or underline Yes/No

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file

For device output with PDF-file OE56L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE56L0NA.PS:

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....
.....
.....

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560–7A, Picture A7-033-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-004-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-004-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-004-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-004-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NP.PDF> underline Yes/No

PS-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NA.PS> or underline Yes/No

Used computer operating system:
either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer
Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file


For device output with PDF-file OE56L0NP.PDF:
either PDF-file transfer "download, copy" to PDF device.....
or with computer system interpretation by "Display-PDF":.....
or with software e. g. Adobe-Reader/-Acrobat and version:.....
or with software e. g. Ghostscript and version:.....

For device output with PS-file OE56L0NA.PS:
either PS-file transfer "download, copy" to PS device.....
or with computer system interpretation by "Display-PS":.....
or with software e. g. Ghostscript and version:.....
or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)
.....
.....
.....

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560–7A, Picture A7-034-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-005-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-005-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-005-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-005-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NP.PDF> underline Yes/No

PS-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NA.PS> or underline Yes/No

Used computer operating system:

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file

For device output with PDF-file OE56L0NP.PDF:

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

For device output with PS-file OE56L0NA.PS:

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....
.....
.....

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560–7A, Picture A7-035-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-006-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-006-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-006-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-006-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

PDF-File: <http://130.149.60.45/farbmetrik/OE56/OE56L0NP.PDF> **underline** Yes/No

PDF-File: <http://130.149.60.45/farbmetrik/OE56/OE56L0NP.PDF> **underline** Yes/No

PS-File: <http://130.149.60.45/farbmetrik/OE56/OE56L0NA.PS> **or underline Yes/No**

either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file:	underline	PDF/PS-file
---------------------------------	-----------	-------------

Device output with PDF/PS-file:	underline	PDF/PS-file
---------------------------------	-----------	-------------

either PDF-file transfer "download, copy" to PDF device.....

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

either PS-file transfer "download, copy" to PS device.....

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....


or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560–7A, Picture A7-036-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$




OE561-1, Picture D4N-D-007-0: 16 equidistant steps $N-R_d$; $N-G_d$; $N-B_d$; $W-N$; PS : $\rightarrow rgb_d$ setrgbcolor



OE561-3, Picture D5N-007-0: Script and Landolt-rings W ; R_d ; G_d ; B_d ; Z ; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-5, Picture D6N-D-007-0: Landolt-rings $N-R_d$; $N-G_d$; PS operator $\rightarrow rgb_d$ setrgbcolor



OE561-7, Picture D7N-D-007-0: Landolt-rings $N-B_d$; $W-N$; PS operator $\rightarrow rgb_d$ setrgbcolor

Documentation of file format, hardware and software for this test:

PDF-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NP.PDF> underline Yes/No

PS-File: <http://130.149.60.45/farbmatrik/OE56/OE56L0NA.PS> or underline Yes/No

Used computer operating system:
either one of Windows/Mac/Unix/other and version:.....

This evaluation is for the device output: underline monitor/data projector/printer
Device model, driver and version:.....

Device output with PDF/PS-file: underline PDF/PS-file

For device output with PDF-file OE56L0NP.PDF:
either PDF-file transfer "download, copy" to PDF device.....
or with computer system interpretation by "Display-PDF":.....
or with software e. g. Adobe-Reader/-Acrobat and version:.....
or with software e. g. Ghostscript and version:.....

For device output with PS-file OE56L0NA.PS:
either PS-file transfer "download, copy" to PS device.....
or with computer system interpretation by "Display-PS":.....
or with software e. g. Ghostscript and version:.....
or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)
.....
.....
.....

L^*/Y_{intended} (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
w^*_{intended}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
w^*_{out}	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE560–7A, Picture A7-037-2: 16 visual equidistant L^* -grey steps; PS operator: $w^* w^* w^* \text{setrgbcolor}$