



OE661-1, Picture D4N-D-000-0: 16 equidistant steps  $N-R_e$ ;  $N-G_e$ ;  $N-B_e$ ;  $W-N$ ;  $PS$ :  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-3, Picture D5N-000-0: Script and Landolt-rings  $W$ ;  $R_e$ ;  $G_e$ ;  $B_e$ ;  $Z$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-5, Picture D6N-D-000-0: Landolt-rings  $N-R_e$ ;  $N-G_e$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-7, Picture D7N-D-000-0: Landolt-rings  $N-B_e$ ;  $W-N$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660-7A, Picture A7-030-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$




OE661-1, Picture D4N-D-001-0: 16 equidistant steps  $N-R_e$ ;  $N-G_e$ ;  $N-B_e$ ;  $W-N$ ;  $PS$ :  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-3, Picture D5N-001-0: Script and Landolt-rings  $W$ ;  $R_e$ ;  $G_e$ ;  $B_e$ ;  $Z$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-5, Picture D6N-D-001-0: Landolt-rings  $N-R_e$ ;  $N-G_e$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-7, Picture D7N-D-001-0: Landolt-rings  $N-B_e$ ;  $W-N$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0


OE660-7A, Picture A7-031-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$




OE661-1, Picture D4N-D-002-0: 16 equidistant steps  $N-R_e$ ;  $N-G_e$ ;  $N-B_e$ ;  $W-N$ ;  $PS$ :  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-3, Picture D5N-002-0: Script and Landolt-rings  $W$ ;  $R_e$ ;  $G_e$ ;  $B_e$ ;  $Z$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-5, Picture D6N-D-002-0: Landolt-rings  $N-R_e$ ;  $N-G_e$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-7, Picture D7N-D-002-0: Landolt-rings  $N-B_e$ ;  $W-N$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....




Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....



$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660-7A, Picture A7-032-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$



**PDF-File:** <http://130.149.60.45/farbmetrik/OE66/OE66L0NP.PDF> **underline** Yes/No

**PDF-File:** <http://130.149.60.45/farbmetrik/OE66/OE66L0NP.PDF> **underline** Yes/No

**PS-File:** <http://130.149.60.45/farbmetrik/OE66/OE66L0NA.PS> **or underline Yes/No**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline   monitor/data   projector/printer

Device model, driver and version:.....

Device output with PDF/PS-file:	underline	PDF/PS-file
---------------------------------	-----------	-------------

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device.....

or with computer system interpretation by "Display-PDF":.....

or with software. e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....


---

.....


.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660–7A, Picture A7-033-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$




OE661-1, Picture D4N-D-004-0: 16 equidistant steps  $N-R_e$ ;  $N-G_e$ ;  $N-B_e$ ;  $W-N$ ;  $PS$ :  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-3, Picture D5N-004-0: Script and Landolt-rings  $W$ ;  $R_e$ ;  $G_e$ ;  $B_e$ ;  $Z$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-5, Picture D6N-D-004-0: Landolt-rings  $N-R_e$ ;  $N-G_e$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-7, Picture D7N-D-004-0: Landolt-rings  $N-B_e$ ;  $W-N$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660-7A, Picture A7-034-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$




OE661-1, Picture D4N-D-005-0: 16 equidistant steps  $N-R_e$ ;  $N-G_e$ ;  $N-B_e$ ;  $W-N$ ;  $PS$ :  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-3, Picture D5N-005-0: Script and Landolt-rings  $W$ ;  $R_e$ ;  $G_e$ ;  $B_e$ ;  $Z$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-5, Picture D6N-D-005-0: Landolt-rings  $N-R_e$ ;  $N-G_e$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-7, Picture D7N-D-005-0: Landolt-rings  $N-B_e$ ;  $W-N$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....


or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660–7A, Picture A7-035-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$




OE661-1, Picture D4N-D-006-0: 16 equidistant steps  $N-R_e$ ;  $N-G_e$ ;  $N-B_e$ ;  $W-N$ ;  $PS$ :  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-3, Picture D5N-006-0: Script and Landolt-rings  $W$ ;  $R_e$ ;  $G_e$ ;  $B_e$ ;  $Z$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-5, Picture D6N-D-006-0: Landolt-rings  $N-R_e$ ;  $N-G_e$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$



OE661-7, Picture D7N-D-006-0: Landolt-rings  $N-B_e$ ;  $W-N$ ;  $PS$  operator  $\rightarrow rgb_e \text{ setrgbcolor}$

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....



or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i>																
$g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660-7A, Picture A7-036-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$



**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE66/OE66L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE66L0NP.PDF:**

either PDF-file transfer "download, copy" to PDF device:.....

or with computer system interpretation by "Display-PDF":.....

or with software e. g. Adobe-Reader/-Acrobat and version:.....

or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE66L0NA.PS:**

either PS-file transfer "download, copy" to PS device:.....

or with computer system interpretation by "Display-PS":.....

or with software e. g. Ghostscript and version:.....

or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_P=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=I^*$ <i>CIELAB, r</i> (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE660-7A, Picture A7-037-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^* \text{setrgbcolor}$