

Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-000-0

$W-R_\phi$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_\phi$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_\phi$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-000-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_ϕ	Ring G_ϕ	Ring B_ϕ
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-000-0, and D7W-000-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_\phi$		Colour row $W-G_\phi$		Colour row $W-B_\phi$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-000-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-001-0

$W-R_d$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_d$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_d$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-001-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_d	Ring G_d	Ring B_d
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-001-0, and D7W-001-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_d$		Colour row $W-G_d$		Colour row $W-B_d$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-001-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-002-0

$W-R_\phi$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_\phi$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_\phi$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-002-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_ϕ	Ring G_ϕ	Ring B_ϕ
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-002-0, and D7W-002-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_\phi$		Colour row $W-G_\phi$		Colour row $W-B_\phi$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-002-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-003-0

$W-R_d$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_d$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_d$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-003-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_d	Ring G_d	Ring B_d
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-003-0, and D7W-003-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_d$		Colour row $W-G_d$		Colour row $W-B_d$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-003-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-004-0

$W-R_d$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_d$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_d$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-004-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_d	Ring G_d	Ring B_d
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-004-0, and D7W-004-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_d$		Colour row $W-G_d$		Colour row $W-B_d$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-004-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-005-0

$W-R_d$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_d$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_d$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-005-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_d	Ring G_d	Ring B_d
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-005-0, and D7W-005-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_d$		Colour row $W-G_d$		Colour row $W-B_d$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-005-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-006-0

$W-R_\phi$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_\phi$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_\phi$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-006-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?


Relative size	Letters	Ring N	Ring R_ϕ	Ring G_ϕ	Ring B_ϕ
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-006-0, and D7W-006-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_\phi$		Colour row $W-G_\phi$		Colour row $W-B_\phi$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-006-2



Test of 16 visually equally spaced steps of the colour rows $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to picture D4W-007-0

$W-R_d$ White – Orangered:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-G_d$ White – Leafgreen:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-B_d$ White – Violetblue:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps
$W-N$ White – Black:	Are all the 16 steps distinguishable?		Yes/No
	If No: How many steps can be distinguished?	of the given 16 steps	 Steps

Test of characters and Landolt-rings in four sizes according to picture D5W-007-0

Is the recognition frequency > 50% for letters (17 from 32 at least) and for Landolt-rings (minimum 5 of 8)?

Relative size	Letters	Ring N	Ring R_d	Ring G_d	Ring B_d
10	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
8	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
6	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No
4	Yes/No	Yes/No	Yes/No	Yes/No	Yes/No

Test of recognition frequency of Landolt-rings $W-R_\phi$, $W-G_\phi$, $W-B_\phi$, and $W-N$ according to pictures D6W-007-0, and D7W-007-0

Is the recognition frequency of the Landolt-rings > 50% (min. 5 of 8 at least)?

Colour row $W-R_d$		Colour row $W-G_d$		Colour row $W-B_d$		Colour row $W-N$	
background – ring		background – ring		background – ring		background – ring	
0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No	0 – 1	Yes/No
7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No	7 – 8	Yes/No
E – F	Yes/No	E – F	Yes/No	E – F	Yes/No	E – F	Yes/No
2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No	2 – 0	Yes/No
8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No	8 – 6	Yes/No
F – D	Yes/No	F – D	Yes/No	F – D	Yes/No	F – D	Yes/No

For linearized output of the 16 grey steps of Picture A7-007-2

