




Use of the PS operator 000*n*\* *setcmkcolor*



Use of the PS operator *w*\* *setgray*



Use of the PS operator *nnn*0\* *setcmkcolor*



Use of the PS operator *www*\* *setrgbcolor*

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE74L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE74L0NA.PS:**


- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_p=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*$ CIELAB, $r$ (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0


OE740–7A, Picture A7-031-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  *setrgbcolor*




Use of the PS operator 000n\* setcmkcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmkcolor



Use of the PS operator www\* setrgbcolor

OE740–7A-032-0: Use of four different equivalent PS operators

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE74L0NA.PS:**


- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....









Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor

OE740–7A-033-0: Use of four different equivalent PS operators

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE74L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator `000n* setcmykcolor`



Use of the PS operator `w* setgray`



Use of the PS operator `nnn0* setcmykcolor`



Use of the PS operator `www* setrgbcolor`

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE74L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor



**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE74L0NA.PS:**


- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)


.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_p=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*$ CIELAB, $r$ (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0


OE740-7A, Picture A7-035-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  *setrgbcolor*




Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor

OE740–7A-036-0: Use of four different equivalent PS operators

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**


- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....


**For device output with PS-file OE74L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....


Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....







Use of the PS operator 000n\* setcmykcolor



Use of the PS operator w\* setgray



Use of the PS operator nnn0\* setcmykcolor



Use of the PS operator www\* setrgbcolor

OE740–7A-037-0: Use of four different equivalent PS operators

**Documentation of file format, hardware and software for this test:**

**PDF-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NP.PDF>      underline Yes/No

**PS-File:** <http://130.149.60.45/farbmatrik/OE74/OE74L0NA.PS>      or underline Yes/No

**Used computer operating system:**

either one of Windows/Mac/Unix/other and version:.....

**This evaluation is for the device output:**      underline monitor/data projector/printer

Device model, driver and version:.....

**Device output with PDF/PS-file:**      underline      PDF/PS-file

**For device output with PDF-file OE74L0NP.PDF:**

- either PDF-file transfer "download, copy" to PDF device.....
- or with computer system interpretation by "Display-PDF":.....
- or with software. e. g. Adobe-Reader/-Acrobat and version:.....
- or with software e. g. Ghostscript and version:.....

**For device output with PS-file OE74L0NA.PS:**

- either PS-file transfer "download, copy" to PS device.....
- or with computer system interpretation by "Display-PS":.....
- or with software e. g. Ghostscript and version:.....
- or with software e. g. Mac-Yap and version:.....

Special remarks:Special remarks, e. g. output of Landscape (L)

.....  
.....  
.....

$L^*/Y_{\text{intended}}$ (absolute)	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
$w^* w^* w^*$ <i>setrgb</i> $g_p=1.00$																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*$ CIELAB, $r$ (relative)																
$w^*_{\text{intended}}$	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000
$w^*_{\text{out}}$	0.0	0.067	0.133	0.2	0.267	0.333	0.4	0.467	0.533	0.6	0.667	0.733	0.8	0.867	0.933	1.0

OE740–7A, Picture A7-037-2: 16 visual equidistant  $L^*$ -grey steps; PS operator:  $w^* w^* w^*$  *setrgbcolor*