




See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



TUB registration: 20110801-OE81/OE81L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems





OE810-7N-130-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3






OE81: Test chart 2 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: $cmy0$ ($\rightarrow cmy0^*_{de}$) $setcmyk$
output 130-0: $g_P=1.0$; $g_N=1.0$





See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB



OE810-7N-131-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE81: Test chart 2 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *cmy0* ($\rightarrow cmy0^*_{de}$) *setcmyk*
output 130-0: $g_P=1.0$; $g_N=1.08$



TUB registration: 20110801-OE81/OE81L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems
TUB material: code=rha4ta

TUB registration: 20110801-OE81/OE81L0NA.TXT /.PS TUB material: code=rha4ta
application for output of displays: monitor systems or data projector systems




OE810-7N-133-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE81: Test chart 2 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: $cmy0$ ($\rightarrow cmy0^*_{de}$) $setcmyk$
output 130-0: $g_P=1.0$; $g_N=1.29$



See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1,1, CIELAB




OE810-7N-134-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE81: Test chart 2 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: *cmy0* ($\rightarrow cmy0^*_{de}$) *setcmyk*
output 130-0: $g_P=1.0$; $g_N=1.42$

TUB registration: 20110801-OE81/OE81L0NA.TXT /.PS
application for output of displays: monitor systems or data projector systems

TUB material: code=rha4ta



1 UB registration: 20110801-0E81/0E81LUNA.1X1/.PS 1 UB material: code=rh44a
7 application for output of displays: monitor systems or data projector systems

OE810-7N-137-0: Test chart with 24x17=408 colours and digital equidistant 17 step colour scales; compare ISO/IEC 15775:1999; rgb colour data, patch size and grey layout: 8mm x 8mm, 247mm x 170mm, Page 1/3

OE81: Test chart 2 according to DIN 33872-1; 1MR, DEH
17 step equally spaced colours and three hue circles

input: $cmy0$ ($\rightarrow cmy0^*_{de}$) setcmyk
output 130-0: $g_P=1.0$; $g_N=2.1$