Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)
ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-030-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)

ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)

ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-031-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)

ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)

ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-032-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)

ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)

ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-033-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)

ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)

ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-034-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)
ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)
ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-035-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)

ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)

ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-036-11: File: Measure unknown; Device: Device unknown; Date: Date unknown

Discriminability of 5 step colour series (Yes/No decision)

Layout example: three 5 step colour series



There are three basic colours on each page:
Black N, White W and Chromatic X.

Ten pages include 10 hue planes
X = OYLCVM and RJGB.
There are at maximum 12 distinguashable steps.

All steps of the three series N−W, W−X and X−N should be distiguishable on **all** pages.

Are the three 5step series distinguishable on all pages? **underline: Yes/No**

only in case of No: Are the three 5 step series on Page x of 10 pages distiguishable?

Underline Yes/No and give in case of No the number of distinguishable steps?

Page 1: Yes/No, if No ../12 step differences are distinguashable of O = Orange Red
Page 2: Yes/No, if No ../12 step differences are distinguashable of Y = Yellow
Page 3: Yes/No, if No ../12 step differences are distinguashable of L = Leaf green
Page 4: Yes/No, if No ../12 step differences are distinguashable of C = Cyan blue
Page 5: Yes/No, if No ../12 step differences are distinguashable of V = Violett blue
Page 6: Yes/No, if No ../12 step differences are distinguashable of M = Magenta Red
Page 7: Yes/No, if No ../12 step differences are distinguashable of R = Elementary Red
Page 8: Yes/No, if No ../12 step differences are distinguashable of J = Elementary yellow
Page 9: Yes/No, if No ../12 step differences are distinguashable of G = Elemantary Green
Page 10: Yes/No, if No ../12 step differences are distinguashable of B = Elementary blue

Sum: ../10 Yes-Pages and .../120 step differences are distingishable

i	LAB*ref			l*out	LAB*out			LAB*out/c−ref			ΔE*
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
2	6.36	0.0	0.0	0.07	6.36	0.0	0.0	0.0	0.0	0.0	0.01
3	12.72	0.0	0.0	0.13	12.72	0.0	0.0	0.0	0.0	0.0	0.01
4	19.08	0.0	0.0	0.2	19.08	0.0	0.0	0.0	0.0	0.0	0.01
5	25.44	0.0	0.0	0.27	25.44	0.0	0.0	0.0	0.0	0.0	0.01
6	31.8	0.0	0.0	0.33	31.8	0.0	0.0	0.0	0.0	0.0	0.01
7	38.16	0.0	0.0	0.4	38.16	0.0	0.0	0.0	0.0	0.0	0.01
8	44.52	0.0	0.0	0.47	44.52	0.0	0.0	0.0	0.0	0.0	0.01
9	50.89	0.0	0.0	0.53	50.89	0.0	0.0	0.0	0.0	0.0	0.01
10	57.25	0.0	0.0	0.6	57.25	0.0	0.0	0.0	0.0	0.0	0.01
11	63.61	0.0	0.0	0.67	63.61	0.0	0.0	0.0	0.0	0.0	0.01
12	69.97	0.0	0.0	0.73	69.97	0.0	0.0	0.0	0.0	0.0	0.01
13	76.33	0.0	0.0	0.8	76.33	0.0	0.0	0.0	0.0	0.0	0.01
14	82.69	0.0	0.0	0.87	82.69	0.0	0.0	0.0	0.0	0.0	0.01
15	89.05	0.0	0.0	0.93	89.05	0.0	0.0	0.0	0.0	0.0	0.01
16	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.01
18	23.85	0.0	0.0	0.25	23.85	0.0	0.0	0.0	0.0	0.0	0.01
19	47.71	0.0	0.0	0.5	47.71	0.0	0.0	0.0	0.0	0.0	0.01
20	71.56	0.0	0.0	0.75	71.56	0.0	0.0	0.0	0.0	0.0	0.01
21	95.41	0.0	0.0	1.0	95.41	0.0	0.0	0.0	0.0	0.0	0.01

Start output S1
Specification according to ISO/IEC 15775 Annex G and DIN 33866-1 Annex G

Mean lightness difference (16 steps)

ΔE^*_{CIELAB} = **0.0**

Mean lightness difference (5 steps)

ΔL^*_{CIELAB} = **0.0**

Mean colour reproduction index: $R^*_{ab,m}$ = **100**

OE830−3A-037-11: File: Measure unknown; Device: Device unknown; Date: Date unknown