





—See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241IE>
 Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1, CIELAB

1 UB registration: 201110801-UE88/UE88LUNA.1X1/.PS 1 UB material: code=ma4ta
 application for output of displays: monitor systems or data projector systems

OE880-7N-131-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; rgb colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3


OE88: Test chart 1 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: rgb ($\rightarrow rgb_{de}$) $setrgbcolor$
output 130-0: $g_P=1.0$; $g_N=1.08$





—See similar ISO test charts: <http://www.ps.bam.de/24705TE>, <http://www.ps.bam.de/9241E>
 Technical information: <http://www.ps.bam.de/33872E> Version 2.1, io=1, CIELAB

http://130.149.60.45/~farbmetrik/OE88/OE88L0NA.TXT /.PS; linearized output, Page 1/3
F: Output Linearization (OL) data OE88/OE88L0NA.TXT /.PS in File (F)



TUB registration: 20110801-OE88/OE88L0NA.TXT /.PSS
application for output of displays: monitor systems or data

TUB material: code=rha4ta
ctor systems



OE880-7N-132-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; rgb colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE88: Test chart 1 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: $rgb \rightarrow rgb^*_{de}$ setrgbcolor
output 130-0: $g_P=1.0$; $g_N=1.17$



1 UB registration: 20110801-0E88/0E88LUNA.1X1/.PS 1 UB material: code=rh44a
7 application for output of displays: monitor systems or data projector systems

OE880-7N-133-0: Test chart with 27x18=486 separate and adjacent colours; 9 step scales; compare ISO/IEC 15775:1999; rgb colour data, patch sizes: 8mm x 8mm and 9mm x 9mm, Page 1/3

OE88: Test chart 1 according to DIN 33872-6; 1MR, DEH
Equivalent and regular colour spacing of *O-C*, *Y-V*, *L-M*

input: $rgb \rightarrow rgb_{de}$ setrgbcolor
output 130-0: $g_P=1.0$; $g_N=1.29$

