


Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$

$H^*_- = R00Y_-$

Data for any device (d) or elementary (e) colour:

HIC^*_-
hue text for the colours of this page:
 $H^*_- = R00Y_-$
triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100_

$rgbic^*_{-,Ma}$:



1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/PE91/PE91.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PE91/PE91L0NA.TXT /.PS
application for measurement of display output

TUB material: code=rh4ta


Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 40/360 = 0.11$

$H^*_d = R00Y_d$

Data for any device (d) or elementary (e) colour:
 HIC^*_d

hue text for the colours of this page:
 $H^*_d = R00Y_d$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4	40
Y _{d,Ma}	92.6	-20.7	90.7	93.0	102
G _{d,Ma}	83.6	-82.7	79.8	115.0	136
C _{d,Ma}	86.8	-46.1	-13.5	48.1	196
B _{d,Ma}	30.3	76.0	-103.5	128.5	306
M _{d,Ma}	57.2	94.3	-58.4	110.9	328
N _{d,Ma}	0.0	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 50 76 64 100 40

HIC^*_d, Ma : R00Y_100_100d

$rgbic^*_d, Ma$:



1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	50.4	76.9	64.5	100.4	40
R25Y_100_100d	53.7	67.6	65.8	94.4	44
R50Y_100_100d	63.6	41.3	71.0	82.2	59
R75Y_100_100d	78.2	7.8	80.6	81.0	84
Y00G_100_100d	92.6	-20.7	90.7	93.0	102
Y25G_100_100d	88.7	-43.3	86.2	96.5	116
Y50G_100_100d	85.7	-65.2	82.4	105.1	128
Y75G_100_100d	84.0	-78.7	80.4	112.5	134
G00B_100_100d	83.6	-82.7	79.8	115.0	136
G25B_100_100d	84.3	-73.7	44.9	86.4	148
G50B_100_100d	86.8	-46.1	-13.5	48.1	196
G75B_100_100d	51.7	18.3	-68.3	70.7	285
B00R_100_100d	30.3	76.0	-103.5	128.5	306
B25R_100_100d	38.5	79.8	-89.7	120.0	311
B50R_100_100d	57.2	94.3	-58.4	110.9	328
B75R_100_100d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$






see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91L0NA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*, ddx64M (x=LabCh), r_{gb}^b, ddx361M, LAB*, ddx361M (x=LabCh), r_{gb}^c, dsx361M, LAB*, dsx361M (x=LabCh), r_{gb}^d, dex361M, LAB*, dex361M) and rows of color data.




see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	1.0 0.0	0.0 735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	1.0 0.0	0.0 665 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	1.0 0.0	0.0 618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	1.0 0.0	0.0 533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	1.0 0.0	0.0 441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	1.0 0.0	0.0 361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	1.0 0.0	0.0 0.263 50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device and elementary color parameters (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, LAB^{*}, R_d, R_s, R_e) and rows for 60 standard colors (40-82). Includes color calibration data for sRGB standard device.

see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /.PS application for measurement of display output, no separation TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)																			
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0					
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0					
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0					
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0					
130	124	131	0.433	1.0	0.0	85.0	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0					
130	125	133	0.416	1.0	0.0	85.2	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.416	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.416	1.0	0.0					
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0					
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0					
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.366	1.0	0.0	0.0	1.0	0.0	0.073	83.7	-82.3	78.0	113.5	136	0.366	1.0	0.0				
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0				
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0				
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.316	1.0	0.0	0.0	1.0	0.0	0.273	83.8	-80.0	67.0	104.5	140	0.316	1.0	0.0				
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0				
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0				
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.266	1.0	0.0	0.0	1.0	0.0	0.383	84.0	-77.5	57.3	96.4	143	0.266	1.0	0.0				
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0				
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0				
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.0	0.125	83.7	-82.1	76.6	112.3	137	0.216	1.0	0.0	0.0	1.0	0.0	0.464	84.2	-75.0	48.7	89.5	147	0.216	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.0	0.271	83.8	-80.1	67.3	104.7	140	0.166	1.0	0.0	0.0	1.0	0.0	0.533	84.5	-72.5	41.0	83.4	150	0.166	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.0	0.368	84.0	-77.9	58.8	97.7	143	0.116	1.0	0.0	0.0	1.0	0.0	0.593	84.7	-70.0	34.1	77.9	154	0.116	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.0	0.439	84.2	-75.9	51.3	91.7	146	0.066	1.0	0.0	0.0	1.0	0.0	0.646	84.9	-67.5	27.9	73.2	157	0.066	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.0	0.462	84.2	-75.1	48.8	89.7	147	0.049	1.0	0.0	0.0	1.0	0.0	0.661	85.0	-66.9	26.1	71.9	158	0.049	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.0	0.506	84.4	-73.5	44.2	85.9	149	0.016	1.0	0.0	0.0	1.0	0.0	0.691	85.1	-65.4	22.5	69.2	161	0.016	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6																															

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* ds361Mi					
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267	0.0	1.0	0.267	83.8	-80.2	67.6	104.9	139
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317	0.0	1.0	0.317	83.9	-79.2	63.1	101.3	141
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367	0.0	1.0	0.367	84.0	-78.0	58.8	97.7	142
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417	0.0	1.0	0.417	84.1	-76.6	53.6	93.5	145
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467	0.0	1.0	0.467	84.2	-75.0	48.3	89.2	147
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517	0.0	1.0	0.517	84.4	-73.2	42.9	84.8	149
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567	0.0	1.0	0.567	84.5	-71.2	37.0	80.3	152
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617	0.0	1.0	0.617	84.7	-68.9	31.5	75.8	155
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667	0.0	1.0	0.667	84.9	-66.7	25.4	71.3	159
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717	0.0	1.0	0.717	85.2	-64.0	19.5	67.0	163
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767	0.0	1.0	0.767	85.4	-61.2	13.7	62.8	167
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817	0.0	1.0	0.817	85.7	-58.5	7.5	59.0	172
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867	0.0	1.0	0.867	86.0	-55.1	1.9	55.2	177
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917	0.0	1.0	0.917	86.3	-52.2	-4.2	52.4	184
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967	0.0	1.0	0.967	86.6	-48.8	-10.1	49.8	191
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196

see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 30 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}dd361Mi, LAB^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^add, r_{gb}^ads, r_{gb}^ade. Rows 196-301.

see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_*ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_*dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_de361Mi, LAB*_*dex361Mi (x=LabCh), r_{gb}*_dd361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi, r_{gb}*_ds361Mi, r_{gb}*_de361Mi. Rows 301-311.

1-0031030-L0 PE910-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0


Output: sRGB standard device; no separation, D65, page 11/29

TUB-test chart PE91; hue code: H*_D=R00Y_D
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}_d
output: transfer to r_{gb}_d

see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* d361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds	rgb* ds	rgb* ds																					
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	304	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	55.1	89.									

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi												
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	53.0	84.5	-15.6	86.0	349	1.0	0.0	0.633	53.0	84.5	-15.6	86.0	349
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	52.8	83.7	-12.6	84.7	351	1.0	0.0	0.6	52.8	83.7	-12.6	84.7	351
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	52.6	83.1	-5.6	83.3	356	1.0	0.0	0.517	52.6	83.1	-5.6	83.3	356
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	52.0	83.6	-11.6	84.4	352	1.0	0.0	0.5	52.0	83.6	-11.6	84.4	352
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	52.2	81.8	1.4	81.8	361	1.0	0.0	0.483	52.2	81.8	1.4	81.8	361
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	52.1	81.5	2.8	81.6	362	1.0	0.0	0.467	52.1	81.5	2.8	81.6	362
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	52.1	81.2	4.3	81.3	363	1.0	0.0	0.45	52.1	81.2	4.3	81.3	363
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	52.0	81.2	5.7	81.4	364	1.0	0.0	0.433	52.0	81.2	5.7	81.4	364
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	51.9	81.1	7.1	81.4	365	1.0	0.0	0.417	51.9	81.1	7.1	81.4	365
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	51.9	81.1	8.5	81.5	366	1.0	0.0	0.4	51.9	81.1	8.5	81.5	366
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	51.8	81.0	9.9	81.6	367	1.0	0.0	0.383	51.8	81.0	9.9	81.6	367
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	51.8	80.9	11.4	81.6	368	1.0	0.0	0.367	51.8	80.9	11.4	81.6	368
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	51.7	80.7	12.8	81.7	369	1.0	0.0	0.35	51.7	80.7	12.8	81.7	369
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	51.7	80.6	14.2	81.8	370	1.0	0.0	0.333	51.7	80.6	14.2	81.8	370
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	51.6	80.4	15.6	81.9	371	1.0	0.0	0.317	51.6	80.4	15.6	81.9	371
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	51.9	81.1	17.0	81.9	372	1.0	0.0	0.3	51.9	81.1	17.0	81.9	372
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	51.5	79.9	18.4	82.0	373	1.0	0.0	0.283	51.5	79.9	18.4	82.0	373
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	51.4	79.6	19.9	82.1	374	1.0	0.0	0.267	51.4	79.6	19.9	82.1	374
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	51.4	79.4	21.3	82.2	375	1.0	0.0	0.25	51.4	79.4	21.3	82.2	375
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	51.3	79.3	22.7	82.5	376	1.0	0.0	0.233	51.3	79.3	22.7	82.5	376
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	51.3	79.3	24.3	82.9	377	1.0	0.0	0.217	51.3	79.3	24.3	82.9	377
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	51.2	79.3	25.8	83.4	378	1.0	0.0	0.2	51.2	79.3	25.8	83.4	378
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	51.2	79.3	27.3	83.8	379	1.0	0.0	0.183	51.2	79.3	27.3	83.8	379
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	51.2	79.2	28.8	84.3	380	1.0	0.0	0.167	51.2	79.2	28.8	84.3	380
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	51.1	79.1	30.4	84.7	381	1.0	0.0	0.15	51.1	79.1	30.4	84.7	381
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	51.1	79.0	31.9	85.2	382	1.0	0.0	0.133	51.1	79.0	31.9	85.2	382
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	51.0	78.8	33.5	85.6	383	1.0	0.0	0.117	51.0	78.8	33.5	85.6	383
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	51.0	78.6	35.0	86.1	384	1.0	0.0	0.1	51.0	78.6	35.0	86.1	384
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	50.9	78.4	36.6	86.5	385	1.0	0.0	0.083	50.9	78.4	36.6	86.5	385
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	50.9	78.2	38.1	87.0	386	1.0	0.0	0.067	50.9	78.2	38.1	87.0	386
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	50.9	78.0	39.7	87.5	387	1.0	0.0	0.05	50.9	78.0	39.7	87.5	387
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	50.8	78.1	41.5	88.4	388	1.0	0.0	0.033	50.8	78.1	41.5	88.4	388
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	50.8	78.1	43.3	89.3	389	1.0	0.0	0.017	50.8	78.1	43.3	89.3	389
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	50.8	78.0	45.1	90.1	390	1.0	0.0	0.0	50.8	78.0	45.1	90.1	390

see similar files: http://130.149.60.45/~farbmetrik/PE91/PE91.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rha4ta

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd
0/668	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/648	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00G_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25G_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50G_100_100a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75G_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	G25B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G50B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/440	G75B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/840	B00R_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B50R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/652	B75R_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B50R_100_100a	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_100a	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_100a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/706	R25Y_100_100a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y00G_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/440	Y25G_100_100a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/400	G00B_100_100a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/400	G25B_100_100a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/688	R00Y_100_100a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	R25Y_100_100a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_100a	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
28/524	R50Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
29/542	Y00G_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
30/380	Y50G_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
31/218	G00B_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
32/222	G50B_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
33/186	B00R_075_050a	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
34/510	B50R_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
35/506	R00Y_075_050a	0.75	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
37/342	R50Y_050_050a	0.5	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
38/360	Y00G_050_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
39/198	Y50G_050_050a	0.25	0.5	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
40/36	G00B_050_050a	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
42/4	B00R_050_050a	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
44/324	R00Y_050_050a	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025a	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_038a	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_050a	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/455	NW_065a	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_080a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/637	NW_088a	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_100a	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: delta E* = 6.5

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/29

input: rgb/cmyk -> rgbd
 output: transfer to rgbd

TUB-test chart PE91; hue code: H*d=R00Yd
 colors and differences, ΔE*'

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd. Rows 81-161.

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/29

input: rgb/cmyk -> rgbd output: transfer to rgbd

delta E* = 8.3

PE91-7N, Page 17/29-F

TUB-test chart PE91; hue code: H*d=R00Yd colors and differences, ΔE*

L-0031630-F0

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/29

Table with 32 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd, rpb*Fd, rpb*Fd. The table contains numerical data for each row, representing color calibration parameters.

input: rgb/cmyk -> rgbd output: transfer to rgbd delta_E* = 10.5

Mean color difference of this page: 10.5

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

n	HC*Fd	rgb*Fd	ief*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd
405	R00Y_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.0	31.5	48.0	40.3	62.7	40.3	0.0	39.4	70.1	44.5	54.1
406	R00Y_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.114	48.7	48.7	29.7	57.0	31.0	0.0	38.0	38.0	3.0	38.0
407	R00Y_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.239	32.1	49.6	12.8	7.1	52.7	0.0	6.7	36.7	1.0	0.0
408	B09K_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.385	30.0	52.2	7.1	52.7	59.1	0.0	35.2	5.0	0.0	0.0
409	B59K_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.51	34.3	55.5	22.8	69.3	337.6	0.0	33.8	6.0	0.0	0.0
410	B59K_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.625	33.0	58.9	36.5	69.3	328.2	0.0	33.8	6.0	0.0	0.0
411	B43K_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.75	38.4	66.8	51.4	84.3	312.4	0.0	32.8	6.0	0.0	0.0
412	B37K_062_062A	0.625 0.0	0.625 0.312	0.625 0.0	0.875	32.1	64.1	40.7	66.6	100.1	0.0	31.8	3.8	0.0	0.0
413	B31K_100_100A	0.625 0.0	0.625 0.312	0.625 0.0	1.0	43.0	82.7	82.2	116.6	61.0	0.0	32.8	6.0	0.0	0.0
414	R18Y_062_062A	0.625 0.125	0.625 0.312	0.625 0.114	0.0	32.9	44.0	40.9	60.1	41.5	0.0	37.4	5.0	0.0	0.0
415	R00Y_062_062A	0.625 0.125	0.625 0.312	0.625 0.125	0.241	38.4	33.8	32.2	50.2	40.0	0.0	33.8	6.0	0.0	0.0
416	R26Y_062_059A	0.625 0.5	0.625 0.375	0.625 0.125	0.241	37.3	39.0	20.6	44.1	27.8	0.0	33.8	6.0	0.0	0.0
417	R00Y_062_059A	0.625 0.125	0.625 0.375	0.625 0.125	0.508	37.9	41.0	40.6	2.0	40.6	0.0	33.8	6.0	0.0	0.0
418	B61K_062_059A	0.625 0.5	0.625 0.375	0.625 0.125	0.508	37.9	41.0	40.6	2.0	40.6	0.0	33.8	6.0	0.0	0.0
419	B00K_062_059A	0.625 0.125	0.625 0.375	0.625 0.125	0.75	43.1	55.0	44.2	70.6	32.2	0.0	33.8	6.0	0.0	0.0
420	B40K_062_059A	0.625 0.125	0.625 0.375	0.625 0.125	0.75	43.1	55.0	44.2	70.6	32.2	0.0	33.8	6.0	0.0	0.0
421	B34K_062_059A	0.625 0.125	0.625 0.375	0.625 0.125	0.875	45.5	61.0	59.4	86.6	31.7	0.0	33.8	6.0	0.0	0.0
422	B34K_062_059A	0.625 0.125	0.625 0.375	0.625 0.125	1.0	48.0	71.4	74.4	105.2	31.8	0.0	33.8	6.0	0.0	0.0
423	R38Y_062_064A	0.625 0.25	0.625 0.312	0.625 0.239	0.0	36.6	34.0	42.6	54.6	51.3	0.0	37.4	5.0	0.0	0.0
424	R23Y_062_064A	0.625 0.25	0.625 0.312	0.625 0.241	0.125	38.8	33.8	32.9	47.2	44.2	0.0	37.4	5.0	0.0	0.0
425	R00Y_062_057A	0.625 0.25	0.625 0.375	0.625 0.25	0.25	42.7	28.8	24.2	37.6	40.0	0.0	38.2	19.6	4.0	0.0
426	R18Y_062_057A	0.625 0.25	0.625 0.375	0.625 0.25	0.368	43.0	32.0	11.1	31.7	20.0	0.0	38.2	19.6	4.0	0.0
427	B06K_062_057A	0.625 0.25	0.625 0.375	0.625 0.25	0.508	43.0	32.0	11.1	31.7	20.0	0.0	38.2	19.6	4.0	0.0
428	B59K_062_057A	0.625 0.25	0.625 0.375	0.625 0.25	0.625	43.0	32.0	11.1	31.7	20.0	0.0	38.2	19.6	4.0	0.0
429	B38K_062_059A	0.625 0.25	0.625 0.375	0.625 0.25	0.75	47.8	45.2	43.0	41.6	346.8	0.0	38.2	19.6	4.0	0.0
430	B38K_062_059A	0.625 0.25	0.625 0.375	0.625 0.25	0.875	50.8	50.8	47.2	41.6	346.8	0.0	38.2	19.6	4.0	0.0
431	B38K_100_074A	0.625 0.25	0.625 0.375	0.625 0.25	1.0	52.3	50.8	47.2	41.6	346.8	0.0	38.2	19.6	4.0	0.0
432	R00Y_062_057A	0.625 0.375	0.625 0.312	0.625 0.385	0.0	43.5	16.7	46.8	49.7	7.0	0.0	44.1	19.3	6.0	0.0
433	R00Y_062_059A	0.625 0.375	0.625 0.312	0.625 0.385	0.0	43.5	16.7	46.8	49.7	7.0	0.0	44.1	19.3	6.0	0.0
434	R31Y_062_057A	0.625 0.375	0.625 0.312	0.625 0.368	0.25	44.9	29.2	35.3	33.9	47.0	0.0	44.1	19.3	6.0	0.0
435	R00Y_062_057A	0.625 0.375	0.625 0.312	0.625 0.375	0.375	45.5	24.9	21.6	16.1	20.0	0.0	44.1	19.3	6.0	0.0
436	R00Y_062_057A	0.625 0.375	0.625 0.312	0.625 0.375	0.5	48.7	20.0	10.0	20.3	2.0	0.0	44.1	19.3	6.0	0.0
437	B59K_062_057A	0.625 0.375	0.625 0.312	0.625 0.375	0.625	50.1	23.5	14.6	27.7	328.2	0.0	44.1	19.3	6.0	0.0
438	B59K_062_057A	0.625 0.375	0.625 0.312	0.625 0.375	0.75	52.5	31.9	49.4	43.3	311.6	0.0	44.1	19.3	6.0	0.0
439	B25K_062_059A	0.625 0.375	0.625 0.312	0.625 0.375	0.875	50.0	39.9	49.8	40.0	316.6	0.0	44.1	19.3	6.0	0.0
440	B19K_100_062A	0.625 0.375	0.625 0.312	0.625 0.375	1.0	57.8	48.8	59.4	76.8	399.7	0.0	44.1	19.3	6.0	0.0
441	R81Y_062_062A	0.625 0.5	0.625 0.312	0.625 0.51	0.0	50.8	1.0	51.8	1.0	51.8	0.0	51.9	57.7	8.0	0.0
442	R6Y_062_057A	0.625 0.5	0.625 0.375	0.625 0.508	0.125	51.0	3.9	40.3	40.3	84.4	0.0	50.8	50.5	6.0	0.0
443	R6Y_062_057A	0.625 0.5	0.625 0.375	0.625 0.508	0.25	51.3	6.0	29.1	29.9	76.5	0.0	50.8	50.5	6.0	0.0
444	R00Y_062_057A	0.625 0.5	0.625 0.375	0.625 0.5	0.375	51.6	10.0	17.7	20.0	59.7	0.0	50.8	50.5	6.0	0.0
445	R00Y_062_057A	0.625 0.5	0.625 0.375	0.625 0.5	0.5	54.0	9.6	8.0	12.5	40.0	0.0	50.8	50.5	6.0	0.0
446	R00Y_062_057A	0.625 0.5	0.625 0.375	0.625 0.5	0.625	54.8	11.9	7.3	13.8	328.2	0.0	50.8	50.5	6.0	0.0
447	B59K_062_057A	0.625 0.5	0.625 0.375	0.625 0.5	0.75	57.3	19.9	22.4	30.0	311.6	0.0	50.8	50.5	6.0	0.0
448	B18K_062_057A	0.625 0.5	0.625 0.375	0.625 0.5	0.875	60.4	29.0	36.6	46.7	307.4	0.0	50.8	50.5	6.0	0.0
449	B18K_100_059A	0.625 0.5	0.625 0.375	0.625 0.5	1.0	63.9	38.3	50.8	63.1	102.8	0.0	50.8	50.5	6.0	0.0
450	Y00G_062_062A	0.625 0.625	0.625 0.312	0.625 0.625	0.0	57.9	12.9	56.7	78.1	102.8	0.0	50.8	50.5	6.0	0.0
451	Y00G_062_062A	0.625 0.625	0.625 0.312	0.625 0.625	0.125	58.2	10.0	45.3	46.5	102.8	0.0	50.8	50.5	6.0	0.0
452	Y00G_062_057A	0.625 0.625	0.625 0.375	0.625 0.625	0.25	58.5	7.7	34.9	34.9	102.8	0.0	50.8	50.5	6.0	0.0
453	Y00G_062_057A	0.625 0.625	0.625 0.375	0.625 0.625	0.375	58.9	5.1	22.6	23.2	102.8	0.0	50.8	50.5	6.0	0.0
454	Y00G_062_057A	0.625 0.625	0.625 0.375	0.625 0.625	0.5	59.2	2.5	11.3	11.6	102.8	0.0	50.8	50.5	6.0	0.0
455	Y00G_062_057A	0.625 0.625	0.625 0.375	0.625 0.625	0.625	59.6	0.0	0.0	0.0	102.8	0.0	50.8	50.5	6.0	0.0
456	B00K_075_012A	0.625 0.625	0.625 0.312	0.625 0.625	0.0	60.2	9.5	12.9	16.0	306.2	0.0	50.8	50.5	6.0	0.0
457	B00K_087_025A	0.625 0.625	0.625 0.312	0.625 0.625	0.125	63.4	9.5	12.9	16.0	306.2	0.0	50.8	50.5	6.0	0.0
458	B00K_100_057A	0.625 0.625	0.625 0.312	0.625 0.625	0.25	67.2	12.0	25.8	32.1	306.2	0.0	50.8	50.5	6.0	0.0
459	Y15G_075_057A	0.625 0.625	0.625 0.375	0.625 0.625	0.0	71.0	28.5	38.8	48.1	306.2	0.0	50.8	50.5	6.0	0.0
460	Y18G_075_062A	0.625 0.625	0.625 0.375	0.625 0.625	0.125	67.5	26.5	68.8	71.0	113.8	0.0	50.8	50.5	6.0	0.0
461	Y18G_075_062A	0.625 0.625	0.625 0.375	0.625 0.625	0.25	68.2	21.6	33.1	34.3	59.6	0.0	50.8	50.5	6.0	0.0
462	Y18G_075_062A	0.625 0.625	0.625 0.375	0.625 0.625	0.375	69.6	19.0	31.8	31.8	106.6	0.0	50.8	50.5	6.0	0.0
463	Y18G_075_062A	0.625 0.625	0.625 0.375	0.625 0.625	0.5	70.5	16.0	26.2	26.2	128.3	0.0	50.8	50.5	6.0	0.0
464	G00B_075_012A	0.625 0.75	0.625 0.312	0.625 0.75	0.0	62.5	10.0	10.3	9.9	14.3	0.0	62.5	10.0	0.0	0.0
465	G00B_075_012A	0.625 0.75	0.625 0.312	0.625 0.75	0.125	68.8	7.0	4.0	5.7	116.0	0.0	62.5	10.0	0.0	0.0
466	G5B_087_025A	0.625 0.75	0.625 0.375	0.625 0.75	0.25	72.5	70.5	17.6	16.6	265.0	0.0	62.5	10.0	0.0	0.0
467	G84B_100_057A	0.625 0.75	0.625 0.375	0.625 0.75	0.375	74.4	17.1	32.5	36.7	297.8	0.0	62.5	10.0	0.0	0.0
468	Y36G_087_087A	0.625 0.75	0.625 0.375	0.625 0.75	0.5	77.2	10.0	49.0	85.2	218.4	0.0	62.5	10.0	0.0	0.0
469	Y38G_087_062A	0.625 0.75	0.625 0.375	0.625 0.75	0.625	78.1	38.0	63.7	74.2	120.8	0.0	62.5	10.0	0.0	0.0
470	Y38G_087_062A	0.625 0.75	0.625 0.375	0.625 0.75	0.75	81.0	35.2	52.4	63.1	123.9	0.0	62.5	10.0	0.0	0.0
471	Y50G_087_059A	0.625 0.75	0.625 0.375	0.625 0.75	0.875	79.6	32.6	41.2	52.5	128.3	0.0	62.5	10.0	0.0	0.0
472	Y60G_087_087A	0.625 0.75	0.625 0.375	0.625 0.75	1.0	81.0	30.3	31.4	32.9	136.0	0.0	62.5	10.0	0.0	0.0
473	G00B_087_025A	0.625 0.875	0.625 0.312	0.625 0.875	0.0	62.5	10.0	11.2	12.6	148.6	0.0	62.5	10.0	0.0	0.0
474	G5B_087_025A	0.625 0.875	0.625 0.312	0.625 0.875	0.125	68.0	10.0	11.2	12.6	148.6	0.0	62.5	10		

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 10 columns: n, HHC*Fd, Rgb*Fd, iCt*Fd, Hs*Fd, Rgb*Fd, LabCh*Fd, LabCh*Fd, DF*Fd, Hs*Fd, Rgb*Fd, LabCh*Fd. Rows 567-647.

delta E* = 9.2

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: transfer to rgbd

TUB-test chart PE91; hue code: H*d=R00Yd colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/29

n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
648	R00Y_100_100a	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	0.0	50.4	76.9
649	R38Y_100_100a	1.0	0.0	0.116	50.5	77.2	55.6	95.1	35.7	0.0	50.5	77.2
650	R25Y_100_100a	1.0	0.0	0.233	50.8	78.0	41.2	88.2	27.8	0.0	0.233	50.8
651	R13Y_100_100a	1.0	0.0	0.375	51.3	79.3	22.7	82.5	16.0	0.0	0.375	51.3
652	R00Y_100_100a	1.0	0.0	0.5	52.0	81.1	4.1	81.2	2.9	0.0	0.5	52.0
653	B68K_100_100a	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	35.0	0.0	0.633	53.0
654	B61R_100_100a	1.0	0.0	0.766	54.4	87.3	-30.6	92.5	34.6	0.0	0.766	54.4
655	B55K_100_100a	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	33.6	0.0	0.883	55.7
656	B50R_100_100a	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	32.8	0.0	1.0	57.2
657	R11Y_100_100a	1.0	0.0	1.116	51.4	74.1	64.9	98.5	41.2	0.0	1.116	51.4
658	R00Y_100_087a	1.0	0.125	0.125	50.4	76.9	64.5	100.4	40.0	0.0	0.125	50.4
659	R36Y_100_087a	1.0	0.125	0.241	56.2	67.7	47.1	82.5	34.8	0.0	0.125	56.2
660	R23Y_100_087a	1.0	0.125	0.375	56.8	68.5	32.2	75.7	25.1	0.0	0.125	56.8
661	R08Y_100_087a	1.0	0.125	0.489	57.0	70.2	13.8	71.6	11.1	0.0	0.125	57.0
662	B70R_100_087a	1.0	0.125	0.562	57.0	72.8	-6.0	73.0	35.2	0.0	0.125	57.0
663	B63K_100_087a	1.0	0.125	0.625	58.2	75.6	-23.1	79.1	34.2	0.0	0.125	58.2
664	B56R_100_087a	1.0	0.125	0.688	60.5	80.8	-37.5	83.4	33.4	0.0	0.125	60.5
665	B50R_100_087a	1.0	0.125	0.75	62.0	82.5	-51.1	97.1	32.8	0.0	0.125	62.0
666	R23Y_100_100a	1.0	0.233	0.0	53.7	67.6	65.9	94.4	44.2	0.0	0.233	53.7
667	R13Y_100_087a	1.0	0.233	0.125	54.1	67.0	57.6	88.4	40.7	0.0	0.233	54.1
668	R00Y_100_075a	1.0	0.25	0.25	50.4	76.9	64.5	100.4	40.0	0.0	0.25	50.4
669	R33Y_100_075a	1.0	0.25	0.362	61.8	57.2	48.4	75.3	35.9	0.0	0.25	61.8
670	R18Y_100_075a	1.0	0.25	0.489	62.1	59.3	22.3	63.9	20.6	0.0	0.25	62.1
671	R00Y_100_075a	1.0	0.25	0.625	62.9	60.8	3.1	60.9	2.9	0.0	0.25	62.9
672	B63K_100_075a	1.0	0.25	0.688	64.0	64.1	-14.9	34.6	34.6	0.0	0.25	64.0
673	B56R_100_075a	1.0	0.25	0.75	65.3	68.7	-33.3	38.3	33.3	0.0	0.25	65.3
674	B50R_100_075a	1.0	0.25	0.812	67.0	70.7	-43.8	53.2	32.2	0.0	0.25	67.0
675	R36Y_100_100a	1.0	0.375	0.0	59.7	56.2	67.9	88.3	47.4	0.0	0.375	59.7
676	R26Y_100_087a	1.0	0.375	0.125	59.7	57.0	81.3	45.5	45.5	0.0	0.375	59.7
677	R15Y_100_075a	1.0	0.375	0.241	62.8	54.3	48.9	73.1	41.9	0.0	0.375	62.8
678	R00Y_100_062a	1.0	0.625	0.687	39.0	1.0	40.3	62.7	57.0	0.0	0.625	39.0
679	R11Y_100_062a	1.0	0.625	0.687	37.9	4.8	49.6	12.8	51.3	0.0	0.625	37.9
680	R00Y_100_062a	1.0	0.625	0.687	36.7	10.1	52.7	33.1	14.4	0.0	0.625	36.7
681	B69K_100_062a	1.0	0.625	0.687	35.3	10.1	52.2	-21.8	52.7	0.0	0.625	35.3
682	B62R_100_062a	1.0	0.625	0.687	34.1	10.1	58.9	-36.5	69.3	0.0	0.625	34.1
683	B50Y_100_062a	1.0	0.625	0.687	33.0	10.1	58.9	-36.5	69.3	0.0	0.625	33.0
684	R50Y_100_100a	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	0.0	0.5	63.6
685	R41Y_100_087a	1.0	0.5	0.125	64.4	44.4	60.6	75.1	53.7	0.0	0.5	64.4
686	R31Y_100_075a	1.0	0.5	0.25	66.0	45.5	50.4	67.9	47.9	0.0	0.5	66.0
687	R18Y_100_062a	1.0	0.5	0.375	68.7	44.0	40.9	60.1	42.8	0.0	0.5	68.7
688	R00Y_100_050a	1.0	0.5	0.5	72.9	39.0	32.2	50.2	40.0	0.0	0.5	72.9
689	R26Y_100_050a	1.0	0.5	0.625	73.1	39.0	20.6	44.1	27.8	0.0	0.5	73.1
690	B61R_100_050a	1.0	0.5	0.75	73.7	40.1	20.6	40.6	2.0	0.0	0.5	73.7
691	B50R_100_050a	1.0	0.5	0.812	74.9	43.6	-19.3	46.2	34.6	0.0	0.5	74.9
692	R63Y_100_100a	1.0	0.5	1.0	76.3	47.1	75.4	79.4	71.8	0.0	1.0	76.3
693	R38Y_100_087a	1.0	0.633	0.0	70.5	24.7	64.8	70.4	68.6	0.0	0.633	70.5
694	R26Y_100_075a	1.0	0.633	0.125	71.6	27.1	64.8	70.4	68.6	0.0	0.633	71.6
695	R18Y_100_062a	1.0	0.625	0.25	71.6	31.0	53.2	61.6	59.7	0.0	0.625	71.6
696	R38Y_100_050a	1.0	0.625	0.375	72.3	34.0	42.6	54.6	51.3	0.0	0.625	72.3
697	R23Y_100_050a	1.0	0.625	0.489	74.5	33.8	32.9	47.2	44.2	0.0	0.625	74.5
698	R00Y_100_037a	1.0	0.625	0.625	78.5	28.8	24.2	37.6	40.0	0.0	0.625	78.5
699	B63K_100_037a	1.0	0.375	0.812	77.1	32.6	11.1	31.7	20.6	0.0	0.375	77.1
700	B50R_100_037a	1.0	0.375	0.812	79.7	32.6	11.1	31.7	20.6	0.0	0.375	79.7
701	R00Y_100_037a	1.0	0.625	1.0	81.1	31.7	20.6	41.6	32.8	0.0	0.625	81.1
702	R16Y_100_100a	1.0	0.75	0.0	82.2	7.8	80.6	81.0	84.4	0.0	0.75	82.2
703	R31Y_100_087a	1.0	0.75	0.125	78.6	10.5	69.4	70.2	81.3	0.0	0.75	78.6
704	R18Y_100_075a	1.0	0.75	0.25	78.3	13.9	38.2	59.8	76.5	0.0	0.75	78.3
705	R00Y_100_062a	1.0	0.75	0.375	79.3	16.2	35.5	77.0	84.4	0.0	0.75	79.3
706	B50Y_100_050a	1.0	0.75	0.5	80.5	15.0	35.5	41.7	59.7	0.0	0.75	80.5
707	R31Y_100_037a	1.0	0.75	0.625	79.7	22.7	23.2	33.9	47.9	0.0	0.75	79.7
708	R00Y_100_025a	1.0	0.375	0.812	49.0	1.0	49.0	22.7	33.9	0.0	0.375	49.0
709	R00Y_100_025a	1.0	0.375	0.812	48.0	1.0	48.0	22.7	33.9	0.0	0.375	48.0
710	B50R_100_025a	1.0	0.25	0.875	39.0	1.0	20.3	20.3	40.0	0.0	0.25	39.0
711	R88Y_100_100a	1.0	0.0	0.5	85.8	23.5	-14.6	27.7	32.8	0.0	0.5	85.8
712	R85Y_100_087a	1.0	0.0	0.5	85.3	23.5	-14.6	27.7	32.8	0.0	0.5	85.3
713	R85Y_100_075a	1.0	0.0	0.5	85.3	23.5	-14.6	27.7	32.8	0.0	0.5	85.3
714	R81Y_100_062a	1.0	0.0	0.5	86.3	-1.8	63.2	63.2	93.1	0.0	0.5	86.3
715	R76Y_100_050a	1.0	0.0	0.5	86.3	-1.8	63.2	63.2	93.1	0.0	0.5	86.3
716	R68Y_100_037a	1.0	0.0	0.5	86.8	3.9	40.3	40.5	84.4	0.0	0.5	86.8
717	R50Y_100_025a	1.0	0.0	0.5	86.8	3.9	40.3	40.5	84.4	0.0	0.5	86.8
718	R00Y_100_012a	1.0	0.0	0.5	87.5	8.7	17.7	20.9	76.5	0.0	0.5	87.5
719	B50R_100_012a	1.0	0.0	0.5	87.5	8.7	17.7	20.9	76.5	0.0	0.5	87.5
720	Y00G_100_100a	1.0	0.0	0.5	90.6	11.7	-7.3	13.8	32.8	0.0	0.5	90.6
721	Y00G_100_087a	1.0	0.0	0.5	92.6	-18.1	90.7	93.0	102.8	0.0	0.5	92.6
722	Y00G_100_075a	1.0	0.0	0.5	93.0	-20.3	87.7	90.0	103.0	0.0	0.5	93.0
723	Y00G_100_062a	1.0	0.0	0.5	93.3	-15.5	68.0	69.8	102.8	0.0	0.5	93.3
724	Y00G_100_050a	1.0	0.0	0.5	94.0	-12.9	56.7	58.1	102.8	0.0	0.5	94.0
725	Y00G_100_037a	1.0	0.0	0.5	94.0	-10.3	45.3	46.5	102.8	0.0	0.5	94.0
726	Y00G_100_025a	1.0	0.0	0.5	94.7	-9.3	34.0	34.9	102.8	0.0	0.5	94.7
727	Y00G_100_012a	1.0	0.0	0.5	95.0	-5.1	22.6	23.2	102.8	0.0	0.5	95.0
728	NW_100a	1.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	1.0	95.4

input: rgb/cmyk -> rgbd
output: transfer to rgbd
delta E* = 9.3
Mean color difference of this page:

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/PE91/PE91.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HC*Fd	rgb_Fd	icc_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH**Fd	rgb**Fd	DF*Fd	hsa*Fd	rgb**Ma	LabCH**Ma	0.0	0.0	0.0
729	NW_100a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
730	G50B_100.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
731	G50B_100.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
732	G50B_100.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
733	G50B_100.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
734	G50B_100.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
735	G50B_100.0754	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
736	G50B_100.0874	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
737	G50B_100.1004	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
738	ROY_100.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
739	NW_087a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
740	G50B_087.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
741	G50B_087.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
742	G50B_087.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
743	G50B_087.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
744	G50B_087.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
745	G50B_087.0754	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
746	G50B_087.0874	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
747	ROY_100.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
748	ROY_100.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
749	NW_075a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
750	G50B_075.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
751	G50B_075.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
752	G50B_075.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
753	G50B_075.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
754	G50B_075.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
755	G50B_075.0754	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
756	G50B_075.0874	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
757	ROY_100.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
758	ROY_087.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
759	NW_062a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
760	G50B_062.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
761	G50B_062.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
762	G50B_062.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
763	G50B_062.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
764	G50B_062.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
765	ROY_100.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
766	ROY_087.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
767	ROY_075.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
768	NW_050a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
770	G50B_050.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
771	G50B_050.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
772	G50B_050.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
773	G50B_050.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
774	ROY_100.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
775	ROY_087.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
776	ROY_075.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
777	ROY_062.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
778	NW_050a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
779	NW_037a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
780	G50B_037.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
781	G50B_037.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
782	G50B_037.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
783	ROY_100.0754	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
784	ROY_087.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
785	G50B_062.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
786	G50B_062.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
787	ROY_087.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
788	ROY_050.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
789	NW_025a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
790	G50B_025.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
791	G50B_025.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
792	ROY_100.0874	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
793	ROY_087.0754	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
794	ROY_075.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
795	ROY_062.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
796	ROY_050.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
797	ROY_037.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
798	ROY_025.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
799	NW_012a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
800	ROY_012.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
801	ROY_100.1004	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
802	ROY_087.0874	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
803	ROY_075.0754	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
804	ROY_062.0624	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
805	ROY_050.0504	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
806	ROY_037.0374	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
807	ROY_025.0254	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
808	ROY_012.0124	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0
809	NW_000a	0.875	1.0	1.0	0.875	1.0	95.4	1.0	325.2	360	1.0	95.4	0.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbd
output: transfer to rgbd

PE9

TUB registration: 20130201-PE91/PE91LONA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/PE91/PE91LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/29

n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	0.0
891	NW_100k	1.0	1.0	1.0	1.0	95.4	95.4	1.0	325.2	0.0	360	95.4	95.4	0.0
892	BS0R_100.0124	1.0	0.875	1.0	0.875	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
893	BS0R_100.0254	1.0	0.75	1.0	0.75	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
894	BS0R_100.0374	1.0	0.625	1.0	0.625	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
895	BS0R_100.0504	1.0	0.5	1.0	0.5	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
896	BS0R_100.0624	1.0	0.375	1.0	0.375	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
897	BS0R_100.0754	1.0	0.25	1.0	0.25	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
898	BS0R_100.0874	1.0	0.125	1.0	0.125	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
899	BS0R_100.1004	1.0	0.0	1.0	0.0	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
900	BS0R_100.1124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	0.0	0.0	1.0	95.4	95.4	0.0
901	BS0R_087.0124	0.875	1.0	0.875	0.875	1.0	0.875	0.875	0.0	0.0	0.875	0.875	0.875	0.0
902	BS0R_087.0254	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.875	0.875	0.875	0.0
903	BS0R_087.0374	0.875	0.75	0.875	0.75	0.875	0.75	0.875	0.0	0.0	0.875	0.75	0.875	0.0
904	BS0R_087.0504	0.875	0.625	0.875	0.625	0.875	0.625	0.875	0.0	0.0	0.875	0.625	0.875	0.0
905	BS0R_087.0624	0.875	0.5	0.875	0.5	0.875	0.5	0.875	0.0	0.0	0.875	0.5	0.875	0.0
906	BS0R_087.0754	0.875	0.375	0.875	0.375	0.875	0.375	0.875	0.0	0.0	0.875	0.375	0.875	0.0
907	BS0R_087.0874	0.875	0.25	0.875	0.25	0.875	0.25	0.875	0.0	0.0	0.875	0.25	0.875	0.0
908	BS0R_087.1004	0.875	0.125	0.875	0.125	0.875	0.125	0.875	0.0	0.0	0.875	0.125	0.875	0.0
909	BS0R_087.1124	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.875	0.0	0.875	0.0
910	BS0R_075.0124	0.75	1.0	0.75	1.0	0.75	1.0	0.75	0.0	0.0	1.0	0.75	0.75	0.0
911	BS0R_075.0254	0.75	0.875	0.75	0.875	0.75	0.875	0.75	0.0	0.0	1.0	0.75	0.75	0.0
912	BS0R_075.0374	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	1.0	0.75	0.75	0.0
913	BS0R_075.0504	0.75	0.625	0.75	0.625	0.75	0.625	0.75	0.0	0.0	1.0	0.75	0.75	0.0
914	BS0R_075.0624	0.75	0.5	0.75	0.5	0.75	0.5	0.75	0.0	0.0	1.0	0.75	0.75	0.0
915	BS0R_075.0754	0.75	0.375	0.75	0.375	0.75	0.375	0.75	0.0	0.0	1.0	0.75	0.75	0.0
916	BS0R_075.0874	0.75	0.25	0.75	0.25	0.75	0.25	0.75	0.0	0.0	1.0	0.75	0.75	0.0
917	BS0R_075.1004	0.75	0.125	0.75	0.125	0.75	0.125	0.75	0.0	0.0	1.0	0.75	0.75	0.0
918	BS0R_075.1124	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.0	1.0	0.75	0.75	0.0
919	BS0R_062.0124	0.625	1.0	0.625	1.0	0.625	1.0	0.625	0.0	0.0	1.0	0.625	0.625	0.0
920	BS0R_062.0254	0.625	0.875	0.625	0.875	0.625	0.875	0.625	0.0	0.0	1.0	0.625	0.625	0.0
921	BS0R_062.0374	0.625	0.75	0.625	0.75	0.625	0.75	0.625	0.0	0.0	1.0	0.625	0.625	0.0
922	BS0R_062.0504	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	1.0	0.625	0.625	0.0
923	BS0R_062.0624	0.625	0.5	0.625	0.5	0.625	0.5	0.625	0.0	0.0	1.0	0.625	0.625	0.0
924	BS0R_062.0754	0.625	0.375	0.625	0.375	0.625	0.375	0.625	0.0	0.0	1.0	0.625	0.625	0.0
925	BS0R_062.0874	0.625	0.25	0.625	0.25	0.625	0.25	0.625	0.0	0.0	1.0	0.625	0.625	0.0
926	BS0R_062.1004	0.625	0.125	0.625	0.125	0.625	0.125	0.625	0.0	0.0	1.0	0.625	0.625	0.0
927	BS0R_062.1124	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	1.0	0.625	0.625	0.0
928	BS0R_050.0124	0.5	1.0	0.5	1.0	0.5	1.0	0.5	0.0	0.0	1.0	0.5	0.5	0.0
929	BS0R_050.0254	0.5	0.875	0.5	0.875	0.5	0.875	0.5	0.0	0.0	1.0	0.5	0.5	0.0
930	BS0R_050.0374	0.5	0.75	0.5	0.75	0.5	0.75	0.5	0.0	0.0	1.0	0.5	0.5	0.0
931	BS0R_050.0504	0.5	0.625	0.5	0.625	0.5	0.625	0.5	0.0	0.0	1.0	0.5	0.5	0.0
932	BS0R_050.0624	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	1.0	0.5	0.5	0.0
933	BS0R_050.0754	0.5	0.375	0.5	0.375	0.5	0.375	0.5	0.0	0.0	1.0	0.5	0.5	0.0
934	BS0R_050.0874	0.5	0.25	0.5	0.25	0.5	0.25	0.5	0.0	0.0	1.0	0.5	0.5	0.0
935	BS0R_050.1004	0.5	0.125	0.5	0.125	0.5	0.125	0.5	0.0	0.0	1.0	0.5	0.5	0.0
936	BS0R_050.1124	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.0	1.0	0.5	0.5	0.0
937	BS0R_040.0124	0.375	1.0	0.375	1.0	0.375	1.0	0.375	0.0	0.0	1.0	0.375	0.375	0.0
938	BS0R_040.0254	0.375	0.875	0.375	0.875	0.375	0.875	0.375	0.0	0.0	1.0	0.375	0.375	0.0
939	BS0R_040.0374	0.375	0.75	0.375	0.75	0.375	0.75	0.375	0.0	0.0	1.0	0.375	0.375	0.0
940	BS0R_040.0504	0.375	0.625	0.375	0.625	0.375	0.625	0.375	0.0	0.0	1.0	0.375	0.375	0.0
941	BS0R_040.0624	0.375	0.5	0.375	0.5	0.375	0.5	0.375	0.0	0.0	1.0	0.375	0.375	0.0
942	BS0R_040.0754	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	1.0	0.375	0.375	0.0
943	BS0R_040.0874	0.375	0.25	0.375	0.25	0.375	0.25	0.375	0.0	0.0	1.0	0.375	0.375	0.0
944	BS0R_040.1004	0.375	0.125	0.375	0.125	0.375	0.125	0.375	0.0	0.0	1.0	0.375	0.375	0.0
945	BS0R_040.1124	0.375	0.0	0.375	0.0	0.375	0.0	0.375	0.0	0.0	1.0	0.375	0.375	0.0
946	BS0R_030.0124	0.25	1.0	0.25	1.0	0.25	1.0	0.25	0.0	0.0	1.0	0.25	0.25	0.0
947	BS0R_030.0254	0.25	0.875	0.25	0.875	0.25	0.875	0.25	0.0	0.0	1.0	0.25	0.25	0.0
948	BS0R_030.0374	0.25	0.75	0.25	0.75	0.25	0.75	0.25	0.0	0.0	1.0	0.25	0.25	0.0
949	BS0R_030.0504	0.25	0.625	0.25	0.625	0.25	0.625	0.25	0.0	0.0	1.0	0.25	0.25	0.0
950	BS0R_030.0624	0.25	0.5	0.25	0.5	0.25	0.5	0.25	0.0	0.0	1.0	0.25	0.25	0.0
951	BS0R_030.0754	0.25	0.375	0.25	0.375	0.25	0.375	0.25	0.0	0.0	1.0	0.25	0.25	0.0
952	BS0R_030.0874	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	1.0	0.25	0.25	0.0
953	BS0R_030.1004	0.25	0.125	0.25	0.125	0.25	0.125	0.25	0.0	0.0	1.0	0.25	0.25	0.0
954	BS0R_030.1124	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.0	1.0	0.25	0.25	0.0
955	BS0R_020.0124	0.125	1.0	0.125	1.0	0.125	1.0	0.125	0.0	0.0	1.0	0.125	0.125	0.0
956	BS0R_020.0254	0.125	0.875	0.125	0.875	0.125	0.875	0.125	0.0	0.0	1.0	0.125	0.125	0.0
957	BS0R_020.0374	0.125	0.75	0.125	0.75	0.125	0.75	0.125	0.0	0.0	1.0	0.125	0.125	0.0
958	BS0R_020.0504	0.125	0.625	0.125	0.625	0.125	0.625	0.125	0.0	0.0	1.0	0.125	0.125	0.0
959	BS0R_020.0624	0.125	0.5	0.125	0.5	0.125	0.5	0.125	0.0	0.0	1.0	0.125	0.125	0.0
960	BS0R_020.0754	0.125	0.375	0.125	0.375	0.125	0.375	0.125	0.0	0.0	1.0	0.125	0.125	0.0
961	BS0R_020.0874	0.125	0.25	0.125	0.25	0.125	0.25	0.125	0.0	0.0	1.0	0.125	0.125	0.0
962	BS0R_020.1004	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	1.0	0.125	0.125	0.0
963	BS0R_020.1124	0.125	0.0	0.125	0.0	0.125	0.0	0.125	0.0	0.0	1.0	0.125	0.125	0.0
964	BS0R_010.0124	0.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0
965	BS0R_010.0254	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.0	1.0	0.0	0.0	0.0
966	BS0R_010.0374	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.0	0.0	1.0	0.0	0.0	0.0
967	BS0R_010.0504	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.0	1.0	0.0	0.0	0.0
968	BS0R_010.0624	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.0	0.0	1.0	0.0	0.0	0.0
969	BS0R_010.0754	0.0	0.375	0.0	0.375	0.0	0.375	0.0	0.0	0.0	1.0	0.0	0.0	0.0
970	BS0R_010.0874	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.0	0.0	1.0	0.0	0.0	0.0
971	BS0R_010.1004	0.0	0.125	0.0	0.125	0.0	0.125	0.0	0.0	0.0	1.0	0.0	0.0	0.0
972	BS0R_010.1124	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0


Mean color difference of this page: $\Delta E^* = 11.4$

input: rgb/cmyk -> rgbd
output: transfer to rgbd

TUB-test chart PE91; hue code: H*d=R00Yd
colors and differences, ΔE^*


L-0032630-F0

PE910-7N, Page 27/29-F




TUB registration: 20130201-PE91/PE91LONA.TXT /.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC*Fd	rgb*Fd	ict*Fd	hsl*Fd	rgb*Fd	LabCH*Fd	hsl*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsl*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsl*Fd	LabCH*Fd	rgb*Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1059	NW_0400d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1060	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1061	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1062	NW_0800d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1063	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1064	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1065	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1066	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1067	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068	NW_0400d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_0800d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	ROY_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	GS0B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B00L_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B00R_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: $\Delta E^*_{90} = 1.0$



see similar files: <http://130.149.60.45/~farbmetrik/PE91/PE91.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

I-0032830-F0

PE910/-7N, Page 29/29-F

TUB-test chart PE91; hue code: H*_d=R00Y_d
 colors and differences, ΔE^*_{90}

input: rgb/cmyk -> rgbd
 output: transfer to rgbd

