

http://130.149.60.45/~farbmetrik/PE98/PE98L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/33

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = R00Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



1-013031-L0 PE980-7N

TUB-test chart PE98; hue code: $H^*_- = R00Y_-$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

TUB registration: 20150701-PE98/PE98L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours
of this page:

$H_e^* = R00Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 45\ 72\ 34\ 80\ 25$

$HIC_e^*, Ma: R00Y_{100_100_e}$

$rgbic_e^*, Ma:$

1.0 0.0 0.25 1.0 1.0

triangle lightness T^*

% Gamut



$u_{rel}^* = 92$

% Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; adapted (a) CIELAB data					
H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_{100_100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100_100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100_100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100_100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100_100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100_100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100_100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100_100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100_100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100_100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100_100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100_100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100_100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100_100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100_100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100_100_e}$	41.4	70.4	-9.8	71.1	352



1-013131-L0 PE980-71

TUB-test chart PE98; hue code: $H_e^* = R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = R00Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 45\ 72\ 34\ 80\ 25$

$HIC_e^*, Ma: R00Y_{100\ 100_e}$

$rgbic_e^*, Ma:$

1.0 0.0 0.25 1.0 1.0

triangle lightness T^*

% Gamut



$u_{rel}^* = 92$

% Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; adapted (a) CIELAB data					
H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_{100\ 100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100\ 100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100\ 100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100\ 100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100\ 100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100\ 100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100\ 100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100\ 100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100\ 100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100\ 100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100\ 100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100\ 100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100\ 100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100\ 100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100\ 100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100\ 100_e}$	41.4	70.4	-9.8	71.1	352



1-013231-L0 PE980-71

TUB-test chart PE98; hue code: $H_e^* = R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = R00Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 45\ 72\ 34\ 80\ 25$

$HIC_e^*, Ma: R00Y_{100\ 100_e}$

$rgbic_e^*, Ma:$

1.0 0.0 0.25 1.0 1.0

triangle lightness T^*

% Gamut



$u_{rel}^* = 92$

% Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; adapted (a) CIELAB data					
H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_{100\ 100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100\ 100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100\ 100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100\ 100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100\ 100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100\ 100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100\ 100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100\ 100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100\ 100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100\ 100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100\ 100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100\ 100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100\ 100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100\ 100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100\ 100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100\ 100_e}$	41.4	70.4	-9.8	71.1	352



TUB-test chart PE98; hue code: $H_e^* = R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = R00Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 45\ 72\ 34\ 80\ 25$

$HIC_e^*, Ma: R00Y_{100\ 100_e}$

$rgbic_e^*, Ma:$

1.0 0.0 0.25 1.0 1.0

triangle lightness T^*

% Gamut



$u_{rel}^* = 92$

% Regularity

$g_{H,rel}^* = 57$



$g_{C,rel}^* = 58$

ORS20a; adapted (a) CIELAB data					
H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_{100\ 100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100\ 100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100\ 100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100\ 100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100\ 100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100\ 100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100\ 100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100\ 100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100\ 100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100\ 100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100\ 100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100\ 100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100\ 100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100\ 100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100\ 100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100\ 100_e}$	41.4	70.4	-9.8	71.1	352





TUB-test chart PE98; hue code: $H_e^* = R00Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
2. For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \sin(150)}{1 / r^*_d \sin(30) + g^*_d \sin(270)} \right] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
6. The values rgb^*_e produce the output of the device-independent elementary hues

1-013631-L0 PE980-71 LAB*_{ab}0, YN=0%, XY Z_{nm}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{nm}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart PE98; hue code: H*_e=R00Y_e
48 step hue circles; $rgb-LabCh$ -tables

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Output: Offset standard print; separation cmy0*, D65, page 7/33

0.015731	0.0
----------	-----

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

see similar files: <http://130.149.60.45/~farbmatrik/PE98/PE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cm^2 ; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM ; $h_{\text{shd},s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGCBM ; $h_{\text{shd},d} = 22.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGCBM ; $h_{\text{el},s} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

4.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmc0*, D65 page 9/33

input: *rgb/cmyk* – > *rgb*_e
output: transfer to *cmy*_{0e}

TTUB-test chart PE98; hue code: $H^*_e=R00Y_e$
48 step hue circles; *rgb-LabCh**tables

http://130.149.60.45/~farbmetrik/PE98/PE98L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																				Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}		
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0	
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0	
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.467	1.0	0.0	
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0	
118	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	118	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0	
119	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	119	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.417	1.0	0.0	
120	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0	
121	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0	
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.367	1.0	0.0	
123	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	123	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0	
124	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	124	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0	
126	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	126	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.317	1.0	0.0	
127	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	127	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0	
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0	
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.267	1.0	0.0	
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0	
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0	
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.217	1.0	0.0	
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0	
140	140	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0	
141	141	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.167	1.0	0.0	
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0	
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0	
144	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	144	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.117	1.0	0.0	
145	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	145	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0	
146	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	146	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
147	145	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	147	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.0	0.049	50.3	-64.2	26.5	69.5	157	0.067	1.0	0.0
148	151	157	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	148	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.0	0.077	50.4	-63.7	24.8	68.4	158	0.05	1.0	0.0
149	152	158	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	149	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.0	0.13	50.6	-62.6	21.5	66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.0	0.0	1.0	0.0	0.151	50.7	-62.0	19.9	65.2	162	0.0	1.0	0.0
156	151	163	0.0	1.0	0.0	0.016	50.1	-64.7	28.5	70.7	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.0	0.017	1.0	0.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
157	152	164	0.0	1.0	0.0	0.033	50.1	-64.5	27.4	70.1	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.0	0.033	1.0	0.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
158	153	164	0.0	1.0	0.0	0.05	50.2	-64																									

http://130.149.60.45/~farbmatrik/PE98/PE98L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmv0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

-see similar files: <http://130.149.60.45/~farbmetrik/PE98/PE98.HTM>
 -technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

LAB*_{a0}, YN=0%, XYZ_{nw}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, 108.3, 112.4, 116.5, 120.6, 124.7, 128.8, 132.9, 137.0, 141.1, 145.2, 149.3, 153.4, 157.5, 161.6, 165.7, 169.8, 173.9, 178.0, 182.1, 186.2, 190.3, 194.4, 198.5, 202.6, 206.7, 210.8, 214.9, 219.0, 223.1, 227.2, 231.3, 235.4, 239.5, 243.6, 247.7, 251.8, 255.9, 260.0, 264.1, 268.2, 272.3, 276.4, 280.5, 284.6, 288.7, 292.8, 296.9, 301.0, 305.1, 309.2, 313.3, 317.4, 321.5, 325.6, 329.7, 333.8, 337.9, 342.0, 346.1, 350.2, 354.3, 358.4, 362.5, 366.6, 370.7, 374.8, 378.9, 383.0, 387.1, 391.2, 395.3, 399.4, 403.5, 407.6, 411.7, 415.8, 419.9, 424.0, 428.1, 432.2, 436.3, 440.4, 444.5, 448.6, 452.7, 456.8, 460.9, 465.0, 469.1, 473.2, 477.3, 481.4, 485.5, 489.6, 493.7, 497.8, 501.9, 506.0, 510.1, 514.2, 518.3, 522.4, 526.5, 530.6, 534.7, 538.8, 542.9, 547.0, 551.1, 555.2, 559.3, 563.4, 567.5, 571.6, 575.7, 579.8, 583.9, 588.0, 592.1, 596.2, 600.3, 604.4, 608.5, 612.6, 616.7, 620.8, 624.9, 629.0, 633.1, 637.2, 641.3, 645.4, 649.5, 653.6, 657.7, 661.8, 665.9, 670.0, 674.1, 678.2, 682.3, 686.4, 690.5, 694.6, 698.7, 702.8, 706.9, 711.0, 715.1, 719.2, 723.3, 727.4, 731.5, 735.6, 739.7, 743.8, 747.9, 752.0, 756.1, 760.2, 764.3, 768.4, 772.5, 776.6, 780.7, 784.8, 788.9, 793.0, 797.1, 801.2, 805.3, 809.4, 813.5, 817.6, 821.7, 825.8, 829.9, 834.0, 838.1, 842.2, 846.3, 850.4, 854.5, 858.6, 862.7, 866.8, 870.9, 875.0, 879.1, 883.2, 887.3, 891.4, 895.5, 899.6, 903.7, 907.8, 911.9, 916.0, 920.1, 924.2, 928.3, 932.4, 936.5, 940.6, 944.7, 948.8, 952.9, 957.0, 961.1, 965.2, 969.3, 973.4, 977.5, 981.6, 985.7, 989.8, 993.9, 998.0, 1002.1, 1006.2, 1010.3, 1014.4, 1018.5, 1022.6, 1026.7, 1030.8, 1034.9, 1039.0, 1043.1, 1047.2, 1051.3, 1055.4, 1059.5, 1063.6, 1067.7, 1071.8, 1075.9, 1080.0, 1084.1, 1088.2, 1092.3, 1096.4, 1100.5, 1104.6, 1108.7, 1112.8, 1116.9, 1121.0, 1125.1, 1129.2, 1133.3, 1137.4, 1141.5, 1145.6, 1149.7, 1153.8, 1157.9, 1162.0, 1166.1, 1170.2, 1174.3, 1178.4, 1182.5, 1186.6, 1190.7, 1194.8, 1198.9, 1203.0, 1207.1, 1211.2, 1215.3, 1219.4, 1223.5, 1227.6, 1231.7, 1235.8, 1239.9, 1244.0, 1248.1, 1252.2, 1256.3, 1260.4, 1264.5, 1268.6, 1272.7, 1276.8, 1280.9, 1285.0, 1289.1, 1293.2, 1297.3, 1301.4, 1305.5, 1309.6, 1313.7, 1317.8, 1321.9, 1326.0, 1330.1, 1334.2, 1338.3, 1342.4, 1346.5, 1350.6, 1354.7, 1358.8, 1362.9, 1367.0, 1371.1, 1375.2, 1379.3, 1383.4, 1387.5, 1391.6, 1395.7, 1399.8, 1403.9, 1408.0, 1412.1, 1416.2, 1420.3, 1424.4, 1428.5, 1432.6, 1436.7, 1440.8, 1444.9, 1449.0, 1453.1, 1457.2, 1461.3, 1465.4, 1469.5, 1473.6, 1477.7, 1481.8, 1485.9, 1490.0, 1494.1, 1498.2, 1502.3, 1506.4, 1510.5, 1514.6, 1518.7, 1522.8, 1526.9, 1531.0, 1535.1, 1539.2, 1543.3, 1547.4, 1551.5, 1555.6, 1559.7, 1563.8, 1567.9, 1572.0, 1576.1, 1580.2, 1584.3, 1588.4, 1592.5, 1596.6, 1600.7, 1604.8, 1608.9, 1613.0, 1617.1, 1621.2, 1625.3, 1629.4, 1633.5, 1637.6, 1641.7, 1645.8, 1649.9, 1654.0, 1658.1, 1662.2, 1666.3, 1670.4, 1674.5, 1678.6, 1682.7, 1686.8, 1690.9, 1695.0, 1699.1, 1703.2, 1707.3, 1711.4, 1715.5, 1719.6, 1723.7, 1727.8, 1731.9, 1736.0, 1740.1, 1744.2, 1748.3, 1752.4, 1756.5, 1760.6, 1764.7, 1768.8, 1772.9, 1777.0, 1781.1, 1785.2, 1789.3, 1793.4, 1797.5, 1801.6, 1805.7, 1809.8, 1813.9, 1818.0, 1822.1, 1826.2, 1830.3, 1834.4, 1838.5, 1842.6, 1846.7, 1850.8, 1854.9, 1859.0, 1863.1, 1867.2, 1871.3, 1875.4, 1879.5, 1883.6, 1887.7, 1891.8, 1895.9, 1900.0, 1904.1, 1908.2, 1912.3, 1916.4, 1920.5, 1924.6, 1928.7, 1932.8, 1936.9, 1941.0, 1945.1, 1949.2, 1953.3, 1957.4, 1961.5, 1965.6, 1969.7, 1973.8, 1977.9, 1982.0, 1986.1, 1990.2, 1994.3, 1998.4, 2002.5, 2006.6, 2010.7, 2014.8, 2018.9, 2023.0, 2027.1, 2031.2, 2035.3, 2039.4, 2043.5, 2047.6, 2051.7, 2055.8, 2059.9, 2064.0, 2068.1, 2072.2, 2076.3, 2080.4, 2084.5, 2088.6, 2092.7, 2096.8, 2100.9, 2105.0, 2109.1, 2113.2, 2117.3, 2121.4, 2125.5, 2129.6, 2133.7, 2137.8, 2141.9, 2146.0, 2150.1, 2154.2, 2158.3, 2162.4, 2166.5, 2170.6, 2174.7, 2178.8, 2182.9, 2187.0, 2191.1, 2195.2, 2199.3, 2203.4, 2207.5, 2211.6, 2215.7, 2219.8, 2223.9, 2228.0, 2232.1, 2236.2, 2240.3, 2244.4, 2248.5, 2252.6, 2256.7, 2260.8, 2264.9, 2269.0, 2273.1, 2277.2, 2281.3, 2285.4,

input: *rgb/cmyk* $\rightarrow$ *rgb*
output: transfer to *cmv0*.

[illegible]

Output: Offset standard print: separation cmv0*: D65 page 14/33

see similar files: <http://130.149.60.45/~farbmatrik/PE98/PE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/PE98/PE98L0NA.TXT> /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

E980-71 LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0
 input: *rgb/cmyk* → *rgbe*
 output: transfer to *cmy0a*
 TUB-test chart PE98; hue code: H*_e=R00Y_e
 48 step hue circles: *rgb-LabCh**tables

[illegible]

Output: Offset standard print: separation cmv0*. D65 page 15/33

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
rgb^* , d361M	LAB^* , d361MI (x=LabCh)	rgb^* , d361MI	LAB^* , d361MI (x=LabCh)	rgb^* , d361MI	LAB^* , d361MI (x=LabCh)	rgb^* , d361MI	LAB^* , d361MI (x=LabCh)	rgb^* , d361MI	LAB^* , d361MI (x=LabCh)
0.0 0.25 1.0	32.8 14.3 -40.2 42.7 289	0.0 0.657 1.0	47.5 -10.9 -40.9 42.5 255	0.0 0.25 1.0	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258	0.0 0.25 1.0	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258
0.0 0.258 1.0	32.2 15.3 -40.3 43.1 290	0.0 0.641 1.0	47.0 -10.1 -40.9 42.2 256	0.0 0.233 1.0	0.0 0.603 1.0	45.7 -7.9 -40.9 41.7 258	0.0 0.233 1.0	0.0 0.603 1.0	45.7 -7.9 -40.9 41.7 258
0.0 0.259 1.0	31.7 16.4 -40.3 43.6 292	0.0 0.624 1.0	46.5 -9.3 -40.8 42.0 257	0.0 0.217 1.0	0.0 0.593 1.0	45.3 -7.2 -40.9 41.6 259	0.0 0.217 1.0	0.0 0.593 1.0	45.3 -7.2 -40.9 41.6 259
0.0 0.2 1.0	31.1 17.5 -40.4 44.0 293	0.0 0.613 1.0	46.1 -8.6 -40.8 41.9 258	0.0 0.2 1.0	0.0 0.583 1.0	44.9 -6.6 -40.9 41.5 260	0.0 0.2 1.0	0.0 0.583 1.0	44.9 -6.6 -40.9 41.5 260
0.0 0.183 1.0	30.6 18.5 -40.4 44.5 294	0.0 0.602 1.0	45.7 -7.9 -40.9 41.7 259	0.0 0.183 1.0	0.0 0.573 1.0	44.5 -5.9 -40.9 41.4 261	0.0 0.183 1.0	0.0 0.573 1.0	44.5 -5.9 -40.9 41.4 261
0.0 0.166 1.0	30.0 19.6 -40.4 44.9 295	0.0 0.591 1.0	45.3 -7.1 -40.9 41.6 260	0.0 0.167 1.0	0.0 0.562 1.0	44.1 -5.2 -40.9 41.3 262	0.0 0.167 1.0	0.0 0.562 1.0	44.1 -5.2 -40.9 41.3 262
0.0 0.15 1.0	29.5 20.7 -40.4 45.4 297	0.0 0.58 1.0	44.8 -6.4 -40.9 41.5 261	0.0 0.15 1.0	0.0 0.552 1.0	43.7 -4.5 -40.9 41.2 263	0.0 0.15 1.0	0.0 0.552 1.0	43.7 -4.5 -40.9 41.2 263
0.0 0.133 1.0	28.9 21.8 -40.3 45.8 298	0.0 0.569 1.0	44.4 -5.7 -40.9 41.4 262	0.0 0.133 1.0	0.0 0.542 1.0	43.4 -3.9 -40.8 41.1 264	0.0 0.133 1.0	0.0 0.542 1.0	43.4 -3.9 -40.8 41.1 264
0.0 0.116 1.0	28.4 22.8 -40.3 46.3 299	0.0 0.558 1.0	44.0 -4.9 -40.9 41.3 263	0.0 0.117 1.0	0.0 0.532 1.0	43.0 -3.2 -40.8 41.0 265	0.0 0.117 1.0	0.0 0.532 1.0	43.0 -3.2 -40.8 41.0 265
0.0 0.1 1.0	27.9 23.8 -40.4 46.9 300	0.0 0.547 1.0	43.5 -4.2 -40.8 41.2 264	0.0 0.1 1.0	0.0 0.522 1.0	42.6 -2.6 -40.7 40.9 266	0.0 0.1 1.0	0.0 0.522 1.0	42.6 -2.6 -40.7 40.9 266
0.0 0.083 1.0	27.4 24.7 -40.4 47.4 301	0.0 0.536 1.0	43.1 -3.5 -40.8 41.1 265	0.0 0.083 1.0	0.0 0.512 1.0	42.2 -1.9 -40.7 40.8 267	0.0 0.083 1.0	0.0 0.512 1.0	42.2 -1.9 -40.7 40.8 267
0.0 0.066 1.0	26.9 25.7 -40.4 47.9 302	0.0 0.525 1.0	42.7 -2.8 -40.7 40.9 266	0.0 0.067 1.0	0.0 0.502 1.0	41.8 -1.3 -40.6 40.7 268	0.0 0.067 1.0	0.0 0.502 1.0	41.8 -1.3 -40.6 40.7 268
0.0 0.049 1.0	26.5 26.6 -40.5 48.4 303	0.0 0.514 1.0	42.3 -2.0 -40.7 40.8 267	0.0 0.05 1.0	0.0 0.491 1.0	41.4 -0.6 -40.6 40.7 269	0.0 0.05 1.0	0.0 0.491 1.0	41.4 -0.6 -40.6 40.7 269
0.0 0.033 1.0	26.0 27.6 -40.4 49.0 304	0.0 0.503 1.0	41.8 -1.3 -40.6 40.7 268	0.0 0.033 1.0	0.0 0.48 1.0	41.0 0.0 -40.6 40.7 269	0.0 0.033 1.0	0.0 0.48 1.0	41.0 0.0 -40.6 40.7 269
0.0 0.016 1.0	25.5 28.6 -40.4 49.5 305	0.0 0.491 1.0	41.4 -0.6 -40.6 40.7 269	0.0 0.017 1.0	0.0 0.468 1.0	40.6 0.6 -40.6 40.7 270	0.0 0.017 1.0	0.0 0.468 1.0	40.6 0.6 -40.6 40.7 270
0.0 0.0 1.0	25.0 29.5 -40.4 50.0 306	0.0 0.479 1.0	41.0 0.0 -40.6 40.7 270	0.0 0.0 1.0	0.0 0.458 1.0	40.3 1.2 -40.6 40.7 271	0.0 0.0 1.0	0.0 0.458 1.0	40.3 1.2 -40.6 40.7 271
0.016 0.0 1.0	25.4 30.4 -39.9 50.2 307	0.0 0.467 1.0	40.6 0.7 -40.6 40.7 271	0.0 0.017 0.0 1.0	0.0 0.447 1.0	39.9 1.9 -40.5 40.7 272	0.0 0.017 0.0 1.0	0.0 0.447 1.0	39.9 1.9 -40.5 40.7 272
0.033 0.0 1.0	25.8 31.3 -39.4 50.4 308	0.0 0.455 1.0	40.2 1.4 -40.6 40.7 272	0.0 0.033 0.0 1.0	0.0 0.435 1.0	39.5 2.6 -40.5 40.7 273	0.0 0.033 0.0 1.0	0.0 0.435 1.0	39.5 2.6 -40.5 40.7 273
0.05 0.0 1.0	26.2 32.2 -38.9 50.5 309	0.0 0.443 1.0	39.7 2.1 -40.5 40.7 273	0.0 0.05 0.0 1.0	0.0 0.424 1.0	39.1 3.3 -40.5 40.7 274	0.0 0.05 0.0 1.0	0.0 0.424 1.0	39.1 3.3 -40.5 40.7 274
0.066 0.0 1.0	26.5 33.1 -38.4 50.7 310	0.0 0.431 1.0	39.3 2.8 -40.5 40.7 274	0.0 0.067 0.0 1.0	0.0 0.413 1.0	38.7 3.9 -40.4 40.7 275	0.0 0.067 0.0 1.0	0.0 0.413 1.0	38.7 3.9 -40.4 40.7 275
0.083 0.0 1.0	26.9 33.9 -37.8 50.8 311	0.0 0.419 1.0	38.9 3.5 -40.4 40.7 275	0.0 0.083 0.0 1.0	0.0 0.401 1.0	38.3 4.6 -40.3 40.7 276	0.0 0.083 0.0 1.0	0.0 0.401 1.0	38.3 4.6 -40.3 40.7 276
0.1 0.0 1.0	27.3 34.8 -37.3 51.0 313	0.0 0.407 1.0	38.5 4.3 -40.4 40.7 276	0.1 0.0 1.0	0.0 0.39 1.0	37.9 5.3 -40.3 40.7 277	0.1 0.0 1.0	0.0 0.39 1.0	37.9 5.3 -40.3 40.7 277
0.116 0.0 1.0	27.7 35.6 -36.7 51.1 314	0.0 0.395 1.0	38.1 5.0 -40.3 40.7 277	0.117 0.0 1.0	0.0 0.378 1.0	37.5 5.9 -40.2 40.7 278	0.117 0.0 1.0	0.0 0.378 1.0	37.5 5.9 -40.2 40.7 278
0.133 0.0 1.0	27.9 36.4 -36.2 51.3 315	0.0 0.383 1.0	37.6 5.7 -40.2 40.7 278	0.133 0.0 1.0	0.0 0.367 1.0	37.1 6.6 -40.2 40.8 279	0.133 0.0 1.0	0.0 0.367 1.0	37.1 6.6 -40.2 40.8 279
0.15 0.0 1.0	28.1 37.2 -35.7 51.6 316	0.0 0.371 1.0	37.2 6.4 -40.2 40.8 279	0.15 0.0 1.0	0.0 0.357 1.0	36.7 7.3 -40.2 41.0 280	0.15 0.0 1.0	0.0 0.357 1.0	36.7 7.3 -40.2 41.0 280
0.166 0.0 1.0	28.2 38.0 -35.2 51.9 317	0.0 0.36 1.0	36.8 7.1 -40.2 41.0 280	0.167 0.0 1.0	0.0 0.346 1.0	36.3 8.0 -40.3 41.2 281	0.167 0.0 1.0	0.0 0.346 1.0	36.3 8.0 -40.3 41.2 281
0.183 0.0 1.0	28.3 38.8 -34.7 52.1 318	0.0 0.348 1.0	36.4 7.8 -40.3 41.1 281	0.183 0.0 1.0	0.0 0.335 1.0	35.9 8.7 -40.3 41.3 282	0.183 0.0 1.0	0.0 0.335 1.0	35.9 8.7 -40.3 41.3 282
0.2 0.0 1.0	28.5 39.6 -34.2 52.4 319	0.0 0.337 1.0	36.0 8.6 -40.3 41.3 282	0.2 0.0 1.0	0.0 0.324 1.0	35.5 9.4 -40.3 41.5 283	0.2 0.0 1.0	0.0 0.324 1.0	35.5 9.4 -40.3 41.5 283
0.216 0.0 1.0	28.6 40.4 -33.7 52.6 320	0.0 0.326 1.0	35.6 9.3 -40.3 41.5 283	0.217 0.0 1.0	0.0 0.313 1.0	35.1 10.1 -40.3 41.7 284	0.217 0.0 1.0	0.0 0.313 1.0	35.1 10.1 -40.3 41.7 284
0.233 0.0 1.0	28.7 41.2 -33.1 52.9 321	0.0 0.314 1.0	35.2 10.1 -40.3 41.7 284	0.233 0.0 1.0	0.0 0.303 1.0	34.8 10.8 -40.3 41.9 285	0.233 0.0 1.0	0.0 0.303 1.0	34.8 10.8 -40.3 41.9 285
0.25 0.0 1.0	28.8 41.9 -32.5 53.1 322	0.0 0.303 1.0	34.8 10.8 -40.3 41.9 285	0.25 0.0 1.0	0.0 0.292 1.0	34.4 11.6 -40.3 42.0 285	0.25 0.0 1.0	0.0 0.292 1.0	34.4 11.6 -40.3 42.0 285
0.266 0.0 1.0	29.4 43.3 -31.8 53.8 323	0.0 0.291 1.0	34.3 11.6 -40.3 42.0 286	0.267 0.0 1.0	0.0 0.281 1.0	34.0 12.3 -40.3 42.2 286	0.267 0.0 1.0	0.0 0.281 1.0	34.0 12.3 -40.3 42.2 286
0.283 0.0 1.0	29.9 44.7 -31.1 54.4 325	0.0 0.28 1.0	33.9 12.3 -40.3 42.2 287	0.283 0.0 1.0	0.0 0.27 1.0	33.6 13.0 -40.2 42.4 287	0.283 0.0 1.0	0.0 0.27 1.0	33.6 13.0 -40.2 42.4 287
0.3 0.0 1.0	30.4 46.0 -30.3 55.1 326	0.0 0.269 1.0	33.5 13.1 -40.2 42.4 288	0.3 0.0 1.0	0.0 0.26 1.0	33.2 13.7 -40.2 42.5 288	0.3 0.0 1.0	0.0 0.26 1.0	33.2 13.7 -40.2 42.5 288
0.316 0.0 1.0	30.9 47.3 -29.4 55.7 328	0.0 0.257 1.0	33.1 13.9 -40.2 42.6 289	0.317 0.0 1.0	0.0 0.249 1.0	32.8 14.4 -40.1 42.7 289	0.317 0.0 1.0	0.0 0.249 1.0	32.8 14.4 -40.1 42.7 289
0.333 0.0 1.0	31.4 48.6 -28.5 56.4 329	0.0 0.245 1.0	32.7 14.6 -40.1 42.8 290	0.333 0.0 1.0	0.0 0.236 1.0	32.4 15.2 -40.2 43.1 290	0.333 0.0 1.0	0.0 0.236 1.0	32.4 15.2 -40.2 43.1 290
0.35 0.0 1.0	32.0 49.9 -27.5 57.0 331	0.0 0.232 1.0	32.2 15.5 -40.2 43.2 291	0.35 0.0 1.0	0.0 0.223 1.0	32.0 16.0 -40.3 43.4 291	0.35 0.0 1.0	0.0 0.223 1.0	32.0 16.0 -40.3 43.4 291
0.366 0.0 1.0	32.5 51.2 -26.5 57.7 332	0.0 0.219 1.0	31.8 16.3 -40.3 43.6 292	0.367 0.0 1.0	0.0 0.211 1.0	31.5 16.8 -40.3 43.8 292	0.367 0.0 1.0	0.0 0.211 1.0	31.5 16.8 -40.3 43.8 292
0.383 0.0 1.0	32.9 52.3 -25.7 58.3 333	0.0 0.205 1.0	31.4 17.2 -40.3 43.9 293	0.383 0.0 1.0	0.0 0.198 1.0	31.1 17.6 -40.3 44.1 293	0.383 0.0 1.0	0.0 0.198 1.0	31.1 17.6 -40.3 44.1 293
0.4 0.0 1.0	33.3 53.2 -25.0 58.8 334	0.0 0.192 1.0	30.9 18.0 -40.3 44.3 294	0.4 0.0 1.0	0.0 0.186 1.0	30.7 18.4 -40.4 44.5 294	0.4 0.0 1.0	0.0 0.186 1.0	30.7 18.4 -40.4 44.5 294
0.416 0.0 1.0	33.7 54.1 -24.4 59.4 335	0.0 0.179 1.0	30.5 18.9 -40.4 44.6 295	0.417 0.0 1.0	0.0 0.173 1.0	30.3 19.2 -40.4 44.8 295	0.417 0.0 1.0	0.0 0.173 1.0	30.3 19.2 -40.4 44.8 295
0.433 0.0 1.0	34.0 55.0 -23.7 59.9 336	0.0 0.166 1.0	30.0 19.7 -40.3 45.0 296	0.433 0.0 1.0	0.0 0.161 1.0	29.9 20.1 -40.3 45.1 296	0.433 0.0 1.0	0.0 0.161 1.0	29.9 20.1 -40.3 45.1 296
0.45 0.0 1.0	34.4 55.9 -23.0 60.5 337	0.0 0.152 1.0	29.6 20.6 -40.3 45.4 297	0.45 0.0 1.0	0.0 0.148 1.0	29.4 20.9 -40.3 45.5 297	0.45 0.0 1.0	0.0 0.148 1.0	29.4 20.9 -40.3 45.5 297
0.466 0.0 1.0	34.8 56.8 -22.2 61.0 338	0.0 0.139 1.0	29.1 21.5 -40.3 45.7 298	0.467 0.0 1.0	0.0 0.136 1.0	29.0 21.7 -40.3 45.8 298	0.467 0.0 1.0	0.0 0.136 1.0	29.0 21.7 -40.3 45.8 298
0.483 0.0 1.0	35.2 57.7 -21.5 61.6 339	0.0 0.126 1.0	28.7 22.3 -40.2 46.1 299	0.483 0.0 1.0	0.0 0.122 1.0	28.6 22.6 -40.2 46.2 299	0.483 0.0 1.0	0.0 0.122 1.0	28.6 22.6 -40.2 46.2 299
0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340	0.0 0.109 1.0	28.2 23.3 -40.3 46.6 300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300

<http://130.149.60.45/~farbmatrik/PE98/PE98LONA.TXT /.PS>; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

nj	HC*Fe	rgb_Fe	icr_Fe	hs_Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	hs_Me	rgb*Me	LabCh*Me	DF*Me	hs_Me	rgb*Me	LabCh*Me	DF*Me	hs_Me
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4	390	1.0	0.0	0.0	0.0
1/657	R13Y_100_100e	1.0	0.125	0.0	1.0	0.02	0.0	46.0	69.6	45.6	83.2	33.2	371	1.0	0.02	0.0	0.0
2/666	R25Y_100_100e	1.0	0.25	0.0	1.0	0.05	0.0	46.6	69.6	45.6	83.2	33.2	371	1.0	0.05	0.0	0.0
3/675	R38Y_100_100e	1.0	0.375	0.0	1.0	0.08	0.0	47.2	70.4	46.4	84.0	34.0	380	1.0	0.08	0.0	0.0
4/684	R50Y_100_100e	1.0	0.5	0.0	1.0	0.125	0.0	48.0	71.6	47.6	85.2	35.2	390	1.0	0.125	0.0	0.0
5/693	R63Y_100_100e	1.0	0.625	0.0	1.0	0.1875	0.0	49.2	73.2	48.8	86.8	36.8	400	1.0	0.1875	0.0	0.0
6/702	R75Y_100_100e	1.0	0.75	0.0	1.0	0.25	0.0	50.4	74.8	49.6	88.0	38.0	410	1.0	0.25	0.0	0.0
7/711	R88Y_100_100e	1.0	0.875	0.0	1.0	0.375	0.0	51.6	76.4	50.8	89.2	39.2	420	1.0	0.375	0.0	0.0
8/720	Y00C_100_100e	1.0	0.0	0.5	1.0	0.0	0.0	52.0	76.8	51.2	89.6	39.6	424	1.0	0.0	0.5	1.0
9/639	Y13C_100_100e	0.875	1.0	0.0	1.0	0.125	0.0	52.4	77.2	51.6	90.0	40.0	428	0.875	1.0	0.0	0.125
10/558	Y25C_100_100e	0.75	1.0	0.0	1.0	0.25	0.0	52.8	77.6	52.0	90.4	40.4	432	0.75	1.0	0.0	0.25
11/477	Y38C_100_100e	0.625	1.0	0.0	1.0	0.375	0.0	53.2	78.0	52.4	90.8	40.8	436	0.625	1.0	0.0	0.375
12/396	Y50C_100_100e	0.5	1.0	0.0	1.0	0.5	0.0	53.6	78.4	52.8	91.2	41.2	440	0.5	1.0	0.0	0.5
13/315	Y63C_100_100e	0.375	1.0	0.0	1.0	0.625	0.0	54.0	78.8	53.2	91.6	41.6	444	0.375	1.0	0.0	0.625
14/234	Y75C_100_100e	0.25	1.0	0.0	1.0	0.75	0.0	54.4	79.2	53.6	92.0	42.0	448	0.25	1.0	0.0	0.75
15/153	Y88C_100_100e	0.125	1.0	0.0	1.0	0.875	0.0	54.8	79.6	54.0	92.4	42.4	452	0.125	1.0	0.0	0.875
16/72	G00C_100_100e	0.0	1.0	0.0	1.0	0.0	0.0	55.2	79.6	54.0	92.4	42.4	452	0.0	1.0	0.0	0.0
17/73	G13C_100_100e	0.0	1.0	0.125	1.0	0.0	0.0	55.6	80.0	54.4	92.8	42.8	456	0.0	1.0	0.125	0.0
18/74	G25C_100_100e	0.0	1.0	0.25	1.0	0.0	0.0	56.0	80.4	54.8	93.2	43.2	460	0.0	1.0	0.25	0.0
19/75	G38C_100_100e	0.0	1.0	0.375	1.0	0.0	0.0	56.4	80.8	55.2	93.6	43.6	464	0.0	1.0	0.375	0.0
20/76	G50C_100_100e	0.0	1.0	0.5	1.0	0.0	0.0	56.8	81.2	55.6	94.0	44.0	468	0.0	1.0	0.5	0.0
21/77	G63C_100_100e	0.0	1.0	0.625	1.0	0.0	0.0	57.2	81.6	56.0	94.4	44.4	472	0.0	1.0	0.625	0.0
22/78	G75C_100_100e	0.0	1.0	0.75	1.0	0.0	0.0	57.6	82.0	56.4	94.8	44.8	476	0.0	1.0	0.75	0.0
23/79	G88C_100_100e	0.0	1.0	0.875	1.0	0.0	0.0	58.0	82.4	56.8	95.2	45.2	480	0.0	1.0	0.875	0.0
24/80	C00B_100_100e	0.0	1.0	0.0	1.0	0.0	0.0	58.4	82.4	56.8	95.2	45.2	480	0.0	1.0	0.0	0.0
25/81	C13B_100_100e	0.0	1.0	0.125	1.0	0.0	0.0	58.8	82.8	57.2	95.6	45.6	484	0.0	1.0	0.125	0.0
26/62	C25B_100_100e	0.0	1.0	0.25	1.0	0.0	0.0	59.2	83.2	57.6	96.0	46.0	488	0.0	1.0	0.25	0.0
27/63	C38B_100_100e	0.0	1.0	0.375	1.0	0.0	0.0	59.6	83.6	58.0	96.4	46.4	492	0.0	1.0	0.375	0.0
28/44	C50B_100_100e	0.0	1.0	0.5	1.0	0.0	0.0	60.0	84.0	58.4	96.8	46.8	496	0.0	1.0	0.5	0.0
29/45	C63B_100_100e	0.0	1.0	0.625	1.0	0.0	0.0	60.4	84.4	58.8	97.2	47.2	500	0.0	1.0	0.625	0.0
30/26	C75B_100_100e	0.0	1.0	0.75	1.0	0.0	0.0	60.8	84.8	59.2	97.6	47.6	504	0.0	1.0	0.75	0.0
31/17	C88B_100_100e	0.0	1.0	0.875	1.0	0.0	0.0	61.2	85.2	59.6	98.0	48.0	508	0.0	1.0	0.875	0.0
32/8	B00M_100_100e	0.0	0.0	1.0	1.0	0.0	0.0	61.6	85.2	59.6	98.0	48.0	508	0.0	0.0	1.0	0.0
33/89	B13M_100_100e	0.125	0.0	1.0	1.0	0.125	0.0	62.0	85.6	60.0	98.4	48.4	512	0.125	0.0	1.0	0.125
34/170	B25M_100_100e	0.25	0.0	1.0	1.0	0.25	0.0	62.4	86.0	60.4	98.8	48.8	516	0.25	0.0	1.0	0.25
35/251	B38M_100_100e	0.375	0.0	1.0	1.0	0.375	0.0	62.8	86.4	60.8	99.2	49.2	520	0.375	0.0	1.0	0.375
36/332	B50M_100_100e	0.5	0.0	1.0	1.0	0.5	0.0	63.2	86.8	61.2	99.6	49.6	524	0.5	0.0	1.0	0.5
37/413	B63M_100_100e	0.625	0.0	1.0	1.0	0.625	0.0	63.6	87.2	61.6	100.0	50.0	528	0.625	0.0	1.0	0.625
38/494	B75M_100_100e	0.75	0.0	1.0	1.0	0.75	0.0	64.0	87.6	62.0	100.4	50.4	532	0.75	0.0	1.0	0.75
39/575	B88M_100_100e	0.875	0.0	1.0	1.0	0.875	0.0	64.4	88.0	62.4	100.8	50.8	536	0.875	0.0	1.0	0.875
40/656	M00R_100_100e	1.0	0.0	1.0	1.0	0.0	0.0	64.8	88.4	62.8	101.2	51.2	540	1.0	0.0	1.0	0.0
41/655	M13R_100_100e	1.0	0.0	0.875	1.0	0.0	0.0	65.2	88.8	63.2	101.6	51.6	544	1.0	0.0	0.875	0.0
42/654	M25R_100_100e	1.0	0.0	0.75	1.0	0.0	0.0	65.6	89.2	63.6	102.0	52.0	548	1.0	0.0	0.75	0.0
43/653	M38R_100_100e	1.0	0.0	0.625	1.0	0.0	0.0	66.0	89.6	64.0	102.4	52.4	552	1.0	0.0	0.625	0.0
44/652	M50R_100_100e	1.0	0.0	0.5	1.0	0.0	0.0	66.4	90.0	64.4	102.8	52.8	556	1.0	0.0	0.5	0.0
45/651	M63R_100_100e	1.0	0.0	0.375	1.0	0.0	0.0	66.8	90.4	64.8	103.2	53.2	560	1.0	0.0	0.375	0.0
46/650	M75R_100_100e	1.0	0.0	0.25	1.0	0.0	0.0	67.2	90.8	65.2	103.6	53.6	564	1.0	0.0	0.25	0.0
47/649	M88R_100_100e	1.0	0.0	0.125	1.0	0.0	0.0	67.6	91.2	65.6	104.0	54.0	568	1.0	0.0	0.125	0.0
48/648	R00Y_100_100e	1.0	0.0	0.0	1.0	0.0	0.0	68.0	91.6	66.0	104.4	54.4	572	1.0	0.0	0.0	0.0
49/0	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	68.4	92.0	66.4	104.8	54.8	576	0.0	0.0	0.0	0.0
50/91	NW_012e	0.125	0.0	0.125	0.0	0.0	0.0	68.8	92.4	66.8	105.2	55.2	580	0.125	0.0	0.125	0.0
51/182	NW_025e	0.25	0.0	0.25	0.0	0.0	0.0	69.2	92.8	67.2	105.6	55.6	584	0.25	0.0	0.25	0.0
52/273	NW_038e	0.375	0.0	0.375	0.0	0.0	0.0	69.6	93.2	67.6	106.0	56.0	588	0.375	0.0	0.375	0.0
53/364	NW_050e	0.5	0.0	0.5	0.0	0.0	0.0	70.0	93.6	68.0	106.4	56.4	592	0.5	0.0	0.5	0.0
54/455	NW_063e	0.625	0.0	0.625	0.0	0.0	0.0	70.4	94.0	68.4	106.8	56.8	596	0.625	0.0	0.625	0.0
55/546	NW_075e	0.75	0.0	0.75	0.0	0.0	0.0	70.8	94.4	68.8	107.2	57.2	600	0.75	0.0	0.75	0.0
56/637	NW_088e	0.875	0.0	0.875	0.0	0.0	0.0	71.2	94.8	69.2	107.6	57.6	604	0.875	0.0	0.875	0.0
57/728	NW_100e	1.0	0.0	1.0	0.0	0.0	0.0	71.6	95.2	69.6	108.0	58.0	608	1.0	0.0	1.0	0.0

Mean color difference of this page:

delta E* = 20.9

TUB-test chart PE98; hue code: H*e=R00Ye
colors and differences, ΔE*

input: rgb/cmyk -> rgbe
output: transfer to cmy0e




TUB material: code=rha4ta
ny0 (CMY0)

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy\theta_e$

[illegible]

<http://130.149.60.45/~farbmatrik/PE98/PE98LONA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

n	HIC*Fe	rgb-Fe	icL-Fe	hsa-Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCh*Fe
243	R00Y.037.037a	0.375 0.0 0.125	0.375 0.375 0.187	390	0.375 0.0 0.095	32.3 27.0	25.4	30.0	12.9	22.9	30.0	31.7	36.2
244	R00Y.037.037a	0.375 0.0 0.125	0.375 0.375 0.187	391	0.375 0.0 0.31	32.4 27.0	25.4	22.9	29.2	34.6	30.0	31.7	36.2
245	B65R.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	349	0.126 0.0 0.375	26.9 24.1	24.7	24.7	24.7	34.6	30.0	31.7	36.2
246	B65R.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	349	0.126 0.0 0.375	26.9 24.1	24.7	24.7	24.7	34.6	30.0	31.7	36.2
247	B38R.060.050a	0.375 0.0 0.5	0.5 0.5 0.25	317	0.067 0.0 0.5	26.1 18.2	18.0	25.7	18.0	34.6	30.0	31.7	36.2
248	B38R.060.050a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.005 0.0 0.625	24.9 18.7	18.2	25.1	18.2	34.6	30.0	31.7	36.2
249	B25R.075.075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.079 0.75	27.1 17.6	16.8	35.3	39.1	29.5	30.0	31.7	36.2
250	B25R.075.075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.079 0.75	27.1 17.6	16.8	35.3	39.1	29.5	30.0	31.7	36.2
251	B18R.100.100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.21 1.0	31.5 16.8	16.8	40.4	43.7	29.5	30.0	31.7	36.2
252	R31Y.107.037a	0.375 0.125 0.125	0.375 0.375 0.187	49	0.0375 0.092 0.0	35.3 19.6	20.7	28.5	28.5	46.6	30.0	31.7	36.2
253	R00Y.037.025a	0.375 0.125 0.25	0.375 0.25 0.25	390	0.375 0.124 0.188	38.6 18.0	8.6	20.7	28.5	46.6	30.0	31.7	36.2
254	R00Y.037.025a	0.375 0.125 0.25	0.375 0.25 0.25	390	0.375 0.124 0.188	38.6 18.0	8.6	20.7	28.5	46.6	30.0	31.7	36.2
255	B50R.037.025a	0.375 0.125 0.375	0.375 0.25 0.25	360	0.309 0.124 0.375	34.9 11.9	7.2	13.9	32.6	30.0	30.0	31.7	36.2
256	B50R.037.025a	0.375 0.125 0.375	0.375 0.25 0.25	360	0.309 0.124 0.375	34.9 11.9	7.2	13.9	32.6	30.0	30.0	31.7	36.2
257	B34R.050.037a	0.375 0.125 0.5	0.5 0.375 0.312	311	0.149 0.124 0.5	34.0 12.3	11.4	19.0	310.5	30.0	30.0	31.7	36.2
258	B25R.062.050a	0.375 0.125 0.625	0.625 0.5 0.375	293	0.125 0.177 0.625	35.1 11.7	20.1	23.3	300.1	30.0	30.0	31.7	36.2
259	B19R.075.050a	0.375 0.125 0.75	0.75 0.625 0.437	293	0.125 0.177 0.625	35.1 11.7	20.1	23.3	300.1	30.0	30.0	31.7	36.2
260	B19R.075.050a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.248 0.75	37.4 11.1	25.2	27.5	369.9	30.0	30.0	31.7	36.2
261	B19R.075.050a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.248 0.75	37.4 11.1	25.2	27.5	369.9	30.0	30.0	31.7	36.2
262	B13R.100.087a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.37 1.0	41.6 10.7	35.3	36.9	389.9	30.0	30.0	31.7	36.2
263	B13R.100.087a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.37 1.0	41.6 10.7	35.3	36.9	389.9	30.0	30.0	31.7	36.2
264	R50Y.037.037a	0.375 0.25 0.125	0.375 0.25 0.125	61	0.375 0.224 0.124	42.2 9.5	15.8	18.5	58.8	30.0	30.0	31.7	36.2
265	R50Y.037.037a	0.375 0.25 0.125	0.375 0.25 0.125	61	0.375 0.224 0.124	42.2 9.5	15.8	18.5	58.8	30.0	30.0	31.7	36.2
266	B50R.037.012a	0.375 0.25 0.375	0.375 0.125 0.312	390	0.249 0.249 0.375	44.8 9.0	4.3	10.0	25.4	30.0	30.0	31.7	36.2
267	B50R.037.012a	0.375 0.25 0.375	0.375 0.125 0.312	390	0.249 0.249 0.375	44.8 9.0	4.3	10.0	25.4	30.0	30.0	31.7	36.2
268	B25R.050.025a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.343 0.625	45.3 5.8	-15.0	16.0	289.7	30.0	30.0	31.7	36.2
269	B25R.050.025a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.343 0.625	45.3 5.8	-15.0	16.0	289.7	30.0	30.0	31.7	36.2
270	B11R.075.050a	0.375 0.25 0.75	0.75 0.5 0.5	284	0.25 0.401 0.75	47.4 5.4	-25.2	25.8	282.1	30.0	30.0	31.7	36.2
271	B11R.075.050a	0.375 0.25 0.75	0.75 0.5 0.5	284	0.25 0.401 0.75	47.4 5.4	-25.2	25.8	282.1	30.0	30.0	31.7	36.2
272	Y00C.037.037a	0.375 0.375 0.125	0.375 0.375 0.187	90	0.375 0.329 0.0	46.5 -1.3	33.9	33.9	78.5	8.4	83	1.0	0.875
273	Y00C.037.037a	0.375 0.375 0.125	0.375 0.375 0.187	90	0.375 0.329 0.0	46.5 -1.3	33.9	33.9	78.5	8.4	83	1.0	0.875
274	NW.037a	0.375 0.375 0.375	0.375 0.125 0.312	90	0.375 0.344 0.124	48.0 -0.9	22.6	22.6	92.3	37.5 0.375 0.125	44.5	7.0	26.3
275	NW.037a	0.375 0.375 0.375	0.375 0.125 0.312	90	0.375 0.344 0.124	48.0 -0.9	22.6	22.6	92.3	37.5 0.375 0.125	44.5	7.0	26.3
276	B00R.050.012a	0.375 0.375 0.375	0.375 0.125 0.312	90	0.375 0.339 0.249	49.5 -0.4	11.3	11.3	92.3	37.5 0.375 0.125	44.5	7.0	26.3
277	B00R.050.012a	0.375 0.375 0.375	0.375 0.125 0.312	90	0.375 0.339 0.249	49.5 -0.4	11.3	11.3	92.3	37.5 0.375 0.125	44.5	7.0	26.3
278	B00R.050.012a	0.375 0.375 0.375	0.375 0.125 0.312	90	0.375 0.339 0.249	49.5 -0.4	11.3	11.3	92.3	37.5 0.375 0.125	44.5	7.0	26.3
279	Y23C.050.037a	0.375 0.5 0.125	0.5 0.375 0.312	109	0.302 0.5 0.124	50.5 -1.2	24.7	27.2	12.4	16.9	12.4	16.9	12.4
280	Y30C.050.037a	0.375 0.5 0.25	0.5 0.25 0.375	120	0.33 0.5 0.249	51.7 -10.2	13.4	16.9	12.4	16.9	12.4	16.9	12.4
281	G00B.050.012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.393	54.3 -7.7	2.4	8.1	16.2	21.9	16.2	21.9	16.2
282	G00B.050.012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.393	54.3 -7.7	2.4	8.1	16.2	21.9	16.2	21.9	16.2
283	G50B.062.025a	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.586 0.625	58.3 -4.9	-15.4	15.9	254.3	30.0	30.0	31.7	36.2
284	G50B.062.025a	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.586 0.625	58.3 -4.9	-15.4	15.9	254.3	30.0	30.0	31.7	36.2
285	G44B.075.037a	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.625 0.75	59.8 -6.7	-3.9	-20.4	20.8	256.9	30.0	30.0	31.7
286	G44B.075.037a	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.625 0.75	59.8 -6.7	-3.9	-20.4	20.8	256.9	30.0	30.0	31.7
287	G00B.100.062a	0.375 0.5 1.0	1.0 0.625 0.877	259	0.375 0.732 1.0	63.6 -3.9	25.6	25.6	16.1	30.0	16.1	30.0	16.1
288	G00B.100.062a	0.375 0.5 1.0	1.0 0.625 0.877	259	0.375 0.732 1.0	63.6 -3.9	25.6	25.6	16.1	30.0	16.1	30.0	16.1
289	Y30C.062.050a	0.375 0.625 0.125	0.625 0.625 0.312	113	0.258 0.625 0.125	51.1 -21.2	38.0	43.5	11.9	16.9	43.5	11.9	16.9
290	Y30C.062.050a	0.375 0.625 0.125	0.625 0.625 0.312	113	0.258 0.625 0.125	51.1 -21.2	38.0	43.5	11.9	16.9	43.5	11.9	16.9
291	Y60C.062.037a	0.375 0.625 0.25	0.625 0.625 0.375	131	0.319 0.625 0.25	54.2 -19.1	15.9	24.9	14.0	16.9	15.9	24.9	14.0
292	G25B.062.025a	0.375 0.625 0.375	0.625 0.625 0.375	131	0.319 0.625 0.25	54.2 -19.1	15.9	24.9	14.0	16.9	15.9	24.9	14.0
293	G25B.062.025a	0.375 0.625 0.375	0.625 0.625 0.375	131	0.319 0.625 0.25	54.2 -19.1	15.9	24.9	14.0	16.9	15.9	24.9	14.0
294	G50B.062.025a	0.375 0.625 0.5	0.625 0.625 0.5	210	0.375 0.625 0.5	58.2 -12.1	-6.0	11.3	216.9	30.0	30.0	31.7	36.2
295	G50B.062.025a	0.375 0.625 0.5	0.625 0.625 0.5	210	0.375 0.625 0.5	58.2 -12.1	-6.0	11.3	216.9	30.0	30.0	31.7	36.2
296	G50B.075.037a	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.732 0.75	63.1 -10.4	-14.5	17.8	234.3	30.0	30.0	31.7	36.2
297	G50B.075.037a	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.732 0.75	63.1 -10.4	-14.5	17.8	234.3	30.0	30.0	31.7	36.2
298	Y30C.075.050a	0.375 0.75 0.125	0.75 0.625 0.437	127	0.241 0.75 0.125	54.5 -29.6	29.2	41.6	13.4	16.9	29.2	41.6	13.4
299	Y30C.075.050a	0.375 0.75 0.125	0.75 0.625 0.437	127	0.241 0.75 0.125	54.5 -29.6	29.2	41.6	13.4	16.9			



TUB material: code=rha4ta
ny0 (CMY0)

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart PE98; hue code: $H^*_e=R00Y_e$

040004 100

[illegible]


http://130.149.60.45/~farbmatrik/PE98/PE98LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 25/33

TUB-test chart PE98; hue code: $H_e^* = R00Y_e$
 colors and differences ΔE^* ,

input: $rgb/cmyk \rightarrow rgbe$
output: transfer to $cmy\theta_e$

see similar files: <http://130.149.60.45/~farbmetrik/PE98/PE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

	HIC ^{Fe}	rgb ^{Fe}	icl ^{Fe}	hsa ^{Fe}	rgb ^{Fe}	LabCh ^{Fe}	LabCh ^{Fe}	rgb ^{Fe}	DE ^{Fe}	hsa ^{Fe}	rgb ^{Fe}	LabCh ^{Fe}																		
405	ROXY_062_062	0.625	0.0	0.625	0.312	390	37.6	45.1	21.5	50.0	25.4	0.625	0.0	0.125	37.2	53.3	28.6	60.5	28.2	10.8	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4	
406	RI3Y_062_062	0.625	0.0	0.625	0.312	379	37.6	46.9	11.1	48.2	24.4	59.3	34.3	15.1	375	24.3	59.3	24.3	59.3	24.3	15.1	375	1.0	0.0	0.57	45.6	75.0	17.6	77.1	13.2
407	RI1Y_062_062	0.625	0.0	0.625	0.312	367	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.999	46.1	79.3	-0.1	69.3	359.8	
408	B69R_062_062	0.625	0.0	0.625	0.312	353	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	68.5	350.4	
409	B59R_062_062	0.625	0.0	0.625	0.312	341	0.296	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	61.3	339.0	
410	B59R_062_062	0.625	0.0	0.625	0.312	330	0.201	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	31.1	377.7	
411	B42R_075_075	0.625	0.0	0.625	0.312	321	0.161	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	29.1	55.9	
412	B36R_087_087	0.625	0.0	0.625	0.312	314	0.092	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	33.7	52.6	
413	B31R_100_100	0.625	0.0	0.625	0.312	308	0.022	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	33.7	52.6	
414	RI8Y_062_062	0.625	0.0	0.625	0.312	41	0.625	0.072	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	49.1	80.2		
415	ROXY_062_050	0.625	0.0	0.625	0.312	390	0.625	0.125	0.252	43.9	36.1	17.2	40.0	25.4	0.625	0.125	0.252	43.9	36.1	17.2	40.0	25.4	0.625	0.125	0.252	43.9	36.1	17.2	40.0	25.4
416	B26Y_062_050	0.625	0.0	0.625	0.312	376	0.625	0.125	0.252	44.0	38.0	6.6	38.6	9.8	0.625	0.125	0.252	44.0	38.0	6.6	38.6	9.8	0.625	0.125	0.252	44.0	38.0	6.6	38.6	9.8
417	B61K_062_050	0.625	0.0	0.625	0.312	360	0.493	0.125	0.625	41.8	35.2	-4.9	35.5	35.0	0.625	0.125	0.625	41.8	35.2	-4.9	35.5	35.0	0.625	0.125	0.625	41.8	35.2	-4.9	35.5	35.0
418	B61K_062_050	0.625	0.0	0.625	0.312	344	0.386	0.125	0.625	38.1	29.9	-9.8	31.5	34.8	0.625	0.125	0.625	38.1	29.9	-9.8	31.5	34.8	0.625	0.125	0.625	38.1	29.9	-9.8	31.5	34.8
419	B36R_062_050	0.625	0.0	0.625	0.312	330	0.285	0.125	0.625	36.6	23.8	-14.5	27.9	32.6	0.625	0.125	0.625	36.6	23.8	-14.5	27.9	32.6	0.625	0.125	0.625	36.6	23.8	-14.5	27.9	32.6
420	B36R_062_050	0.625	0.0	0.625	0.312	319	0.239	0.125	0.625	32.9	24.2	-11.1	25.3	31.6	0.625	0.125	0.625	32.9	24.2	-11.1	25.3	31.6	0.625	0.125	0.625	32.9	24.2	-11.1	25.3	31.6
421	B36R_100_100	0.625	0.0	0.625	0.312	308	0.125	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	33.7	52.6	
422	B36R_100_100	0.625	0.0	0.625	0.312	305	0.125	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	33.7	52.6	
423	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
424	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
425	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
426	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
427	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
428	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
429	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
430	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
431	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
432	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
433	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
434	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
435	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
436	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
437	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
438	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
439	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
440	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
441	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
442	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
443	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
444	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
445	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
446	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0	0.692	0.0	0.0	0.0	58.5	75.1	51.0	41.1
447	B36R_062_062	0.625	0.0	0.625	0.312	53	0.625	0.188	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.0								



TUB material: code=rha4ta
my0 (CMY0)



input: *rgb/cmyk* → *rgb*
output: transfer to *cmy* θ_e

00	G50D_1	
	1-0132531-F0	

n	HIC-Fe	rgb-Fe	ict-Fe	h_{Fe}	rgb-Fe	LaCh-Fe	LaCh-Fe	rgb-Fe	LaCh-Fe	DE-Fe	rgb-Fe	LaCh-Fe	rgb-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	LaCh-Fe	$\text{La$
-----	--------	--------	--------	-----------------	--------	------------------	------------------	--------	------------------	-------	--------	------------------	--------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------------	------------



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0*

[illegible]

see similar files: <http://130.149.60.45/~farbmetrik/PE98/PE98.HTM>

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart PE98; hue code: $H^*_e=R00Y_e$

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy* θ_e

[illegible]

TUB registration: 20150701-PE98/PE98L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmatrik/PE98/PE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/PE98/PE98L0NA.TXT /.PS>; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

input: *rgb/cmyk* - > *rgbe*
output: transfer to *cmy0e*

TUB-test chart PE98; hue code: H*e=R00Ye
colors and differences, ΔE^*

n	HC*Fe	rgb_Fe	ic*_Fe	h*_Fe	rgb*Fe	LabCh*Fe	h*_Fe	rgb*Fe	LabCh*Fe	DF*Fe	h*_Fe	rgb*Fe	LabCh*Fe
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.7	69.9
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.5	71.6
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	114.3
1056	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	308.5	6.7	308.5
1057	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	5.5	6.7	5.5	6.7
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	3.4	9.0	3.4	9.0
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	11.6	30.4	11.6	30.4
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	13.3	44.7	13.3	44.7
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	14.0	36.0	14.0	36.0
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	15.5	36.0	15.5	36.0
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	14.5	36.0	14.5	36.0
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	11.0	56.7	11.0	56.7
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	8.3	9.8	8.3	9.8
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	5.5	53.5	5.5	53.5
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	3.6	69.4	3.6	69.4
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.5	71.7	1.5	71.7
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.1	118.4	0.1	118.4
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	2.9	38.7	2.9	38.7
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	11.2	37.5	11.2	37.5
1072	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	32.8	8.9	32.8
1073	ROY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	36.0	18.2	36.0	18.2
1074	ROY_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	32.8	8.9	32.8
1075	G00B_100_100e	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	36.0	18.2	36.0	18.2
1076	G00B_100_100e	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	8.9	32.8	8.9	32.8
1077	B00R_100_100e	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	36.0	18.2	36.0	18.2
1078	B00R_100_100e	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	8.9	32.8	8.9	32.8
1079	B50R_100_100e	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	36.0	18.2	36.0	18.2

Mean color difference of this page:

delta E* = 10.3