

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$

$H^*_{-} = R00Y_{-}$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_{-}

codice di tonalità per i colori questa pagina:

$H^*_{-} = R00Y_{-}$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.0 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_{-}	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



Immettere y uscita: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 40/360 = 0.11$

$H^*_d = R00Y_d$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_d

codice di tonalità per i colori questa pagina:

$H^*_d = R00Y_d$

triangolo chiarezza T^*



TLS00a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	50.4	76.9	64.5	100.4	40
Y _d ,Ma	92.6	-20.7	90.7	93.0	102
G _d ,Ma	83.6	-82.7	79.8	115.0	136
C _d ,Ma	86.8	-46.1	-13.5	48.1	196
B _d ,Ma	30.3	76.0	-103.5	128.5	306
M _d ,Ma	57.2	94.3	-58.4	110.9	328
N _d ,Ma	0.0	0.0	0.0	0.0	0
W _d ,Ma	95.4	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma$: 50 76 64 100 40

HIC^*_d, Ma : R00Y_100_100d

$rgbic^*_d, Ma$:

1.0 0.0 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 158$

%Regolarità

$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

TLS00a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	50.4	76.9	64.5	100.4	40
R25Y_100_100d	53.7	67.6	65.8	94.4	44
R50Y_100_100d	63.6	41.3	71.0	82.2	59
R75Y_100_100d	78.2	7.8	80.6	81.0	84
Y00G_100_100d	92.6	-20.7	90.7	93.0	102
Y25G_100_100d	88.7	-43.3	86.2	96.5	116
Y50G_100_100d	85.7	-65.2	82.4	105.1	128
Y75G_100_100d	84.0	-78.7	80.4	112.5	134
G00B_100_100d	83.6	-82.7	79.8	115.0	136
G25B_100_100d	84.3	-73.7	44.9	86.4	148
G50B_100_100d	86.8	-46.1	-13.5	48.1	196
G75B_100_100d	51.7	18.3	-68.3	70.7	285
B00R_100_100d	30.3	76.0	-103.5	128.5	306
B25R_100_100d	38.5	79.8	-89.7	120.0	311
B50R_100_100d	57.2	94.3	-58.4	110.9	328
B75R_100_100d	52.0	81.1	4.1	81.2	2








grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
grafico conformemente a DIN 33872, 3D=1, de=0, sRGB*

Input: $rgb/cmyk \rightarrow rgb_{dd}$
Output: 3D-linearizzazione a rgb^*_{dd}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$$

$$rgb^*_d LCH^*_d LAB^*_d$$

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$$h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$$h_{ab,d}$$

$$rgb^*_{de}$$

4-103230-L0 PI910-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

grafico TUB-PI91; codice di tinte: H*_d=R00Y_d
grafico conformemente a DIN 33872, 3D=1, de=0, sRGB*

Input: rgb/cmyk -> rgb_{dd}
Output: 3D-linearizzazione a rgb*_{dd}

uscita: sRGB standard device; no separation, D65, pagina 3/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M				LAB* ddx64M (x=LabCh)				rgb* ddx361M				LAB* ddx361M (x=LabCh)				rgb* dsx361M				LAB* dsx361M (x=LabCh)				rgb* dex361M				LAB* dex361M			
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0	51.5	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.7	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7										

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M}(x=LabCh)$						$rgb^*_{dex361M}$			$LAB^*_{dex361M}$						rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25				
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33				
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42				
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49				
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58				
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66				
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75				
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83				
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92				
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100				
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109				
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117				
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127				
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135				
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144				
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152				
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162				
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168				
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175				
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182				
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189				
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195				
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203				
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209				
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216				
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223				
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230				
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237				
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244				
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250				
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258				
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264				
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271				
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278				
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285				
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292				
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300				
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306				
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314				
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321				
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328				
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335				
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342				
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349				
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352				
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359				
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368				
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376				
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385				

4-103430-L0

PI910-72

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

uscita: sRGB standard device; no separation, D65, pagina 5/29

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
grafico conformemente a DIN 33872, 3D=1, de=0, sRGB*

Input: $rgb/cmyk \rightarrow rgb_{dd}$
Output: 3D-linearizzazione a rgb^*_{dd}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi} (x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi} (x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	R_e	$rgb^*_{dd361Mi}$	$LAB^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40	30	25	1.0	0.0 0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0	0.0	1.0	0.0	0.0
40	31	26	1.0	0.016 0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017 0.0	50.9	1.0	0.017 0.0	50.9
40	32	27	1.0	0.033 0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033 0.0	50.8	1.0	0.033 0.0	50.8
40	33	28	1.0	0.05 0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05 0.0	50.8	1.0	0.05 0.0	50.8
40	34	29	1.0	0.066 0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.067 0.0	50.8	1.0	0.067 0.0	50.8
40	35	31	1.0	0.083 0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083 0.0	50.7	1.0	0.083 0.0	50.7
41	36	32	1.0	0.1 0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1 0.0	50.6	1.0	0.1 0.0	50.6
41	37	33	1.0	0.116 0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.117 0.0	50.6	1.0	0.117 0.0	50.6
41	38	34	1.0	0.133 0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133 0.0	50.5	1.0	0.133 0.0	50.5
41	39	35	1.0	0.15 0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15 0.0	50.5	1.0	0.15 0.0	50.5
42	40	36	1.0	0.166 0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.167 0.0	50.5	1.0	0.167 0.0	50.5
42	41	37	1.0	0.183 0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183 0.0	50.5	1.0	0.183 0.0	50.5
43	42	38	1.0	0.2 0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2 0.0	50.5	1.0	0.2 0.0	50.5
43	43	39	1.0	0.216 0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.217 0.0	50.5	1.0	0.217 0.0	50.5
44	44	41	1.0	0.233 0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233 0.0	51.4	1.0	0.233 0.0	51.4
44	45	42	1.0	0.25 0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25 0.0	52.2	1.0	0.25 0.0	52.2
45	46	43	1.0	0.266 0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.267 0.0	53.0	1.0	0.267 0.0	53.0
46	47	44	1.0	0.283 0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283 0.0	53.9	1.0	0.283 0.0	53.9
47	48	45	1.0	0.3 0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3 0.0	54.7	1.0	0.3 0.0	54.7
47	49	46	1.0	0.316 0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.317 0.0	55.4	1.0	0.317 0.0	55.4
48	50	47	1.0	0.333 0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333 0.0	56.2	1.0	0.333 0.0	56.2
49	51	48	1.0	0.35 0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35 0.0	56.9	1.0	0.35 0.0	56.9
50	52	49	1.0	0.366 0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.367 0.0	57.7	1.0	0.367 0.0	57.7
51	53	51	1.0	0.383 0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383 0.0	58.4	1.0	0.383 0.0	58.4
52	54	52	1.0	0.4 0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4 0.0	59.1	1.0	0.4 0.0	59.1
53	55	53	1.0	0.416 0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.417 0.0	59.7	1.0	0.417 0.0	59.7
54	56	54	1.0	0.433 0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433 0.0	60.4	1.0	0.433 0.0	60.4
56	57	55	1.0	0.45 0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45 0.0	61.1	1.0	0.45 0.0	61.1
57	58	56	1.0	0.466 0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.467 0.0	61.8	1.0	0.467 0.0	61.8
58	59	57	1.0	0.483 0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483 0.0	62.5	1.0	0.483 0.0	62.5
59	60	58	1.0	0.5 0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5 0.0	63.1	1.0	0.5 0.0	63.1
61	61	60	1.0	0.516 0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.517 0.0	63.8	1.0	0.517 0.0	63.8
62	62	61	1.0	0.533 0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533 0.0	64.4	1.0	0.533 0.0	64.4
64	63	62	1.0	0.55 0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55 0.0	65.1	1.0	0.55 0.0	65.1
65	64	63	1.0	0.566 0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.567 0.0	65.7	1.0	0.567 0.0	65.7
67	65	64	1.0	0.583 0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583 0.0	66.4	1.0	0.583 0.0	66.4
68	66	65	1.0	0.6 0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6 0.0	67.0	1.0	0.6 0.0	67.0
70	67	66	1.0	0.616 0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.617 0.0	67.6	1.0	0.617 0.0	67.6
71	68	67	1.0	0.633 0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633 0.0	68.3	1.0	0.633 0.0	68.3
73	69	68	1.0	0.65 0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65 0.0	68.9	1.0	0.65 0.0	68.9
75	70	70	1.0	0.666 0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.667 0.0	69.5	1.0	0.667 0.0	69.5
76	71	71	1.0	0.683 0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683 0.0	70.1	1.0	0.683 0.0	70.1
78	72	72	1.0	0.7 0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7 0.0	70.7	1.0	0.7 0.0	70.7
79	73	73	1.0	0.716 0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.717 0.0	71.3	1.0	0.717 0.0	71.3
81	74	74	1.0	0.733 0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733 0.0	71.9	1.0	0.733 0.0	71.9
82	75	75	1.0	0.75 0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75 0.0	72.5	1.0	0.75 0.0	72.5

4-103530-L0 PI910-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

uscita: sRGB standard device; no separation, D65, pagina 6/29

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
grafico conformemente a DIN 33872, 3D=1, de=0, sRGB*

Input: $rgb/cmyk \rightarrow rgb_{dd}$
Output: 3D-linearizzazione a rgb^*_{dd}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Angles of the three colours (x=LabCh)										Angles of the elementary colours (x=LabCh)										Angles of the three colours (x=LabCh)										Angles of the elementary colours (x=LabCh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}							LAB* _{ds361Mi} (x=LabCh)							rgb* _{ds361Mi}							LAB* _{ds361Mi} (x=LabCh)							rgb* _{dd361Mi}							LAB* _{dex361Mi} (x=LabCh)							rgb* _{dd361Mi}							rgb* _{ds361Mi}							rgb* _{de361Mi}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

4-103730-L0	PI910-72	LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0
-------------	----------	---

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
cerchio delle tinte a 48 passi; $rqb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_{dd}$

Output: 3D-linearizzazione a rgb^*_{dd}

uscita: sRGB standard device; no separation, D65, pagina 8/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{de}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0

4-103830-L0 PI910-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_{dd}$
Output: 3D-linearizzazione a rgb^*_{dd}

uscita: sRGB standard device; no separation, D65, pagina 9/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{d361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
196	210	216	0.0	1.0	1.0	86.8	-46.1 -13.5 48.1	196	0.0	0.927 1.0	81.7	-38.6 -22.2 44.7	210	C_s
199	211	217	0.0	0.983 1.0	85.6	-44.6 -15.8 47.3	199	0.0	0.922 1.0	81.3	-38.0 -22.8 44.4	211	0.0	0.983 1.0
202	212	218	0.0	0.966 1.0	84.5	-42.9 -17.9 46.5	202	0.0	0.917 1.0	81.0	-37.3 -23.3 44.2	212	0.0	0.967 1.0
205	213	219	0.0	0.95 1.0	83.3	-41.1 -19.8 45.7	205	0.0	0.911 1.0	80.6	-36.7 -23.8 43.9	213	0.0	0.95 1.0
208	214	220	0.0	0.933 1.0	82.1	-39.3 -21.7 44.9	208	0.0	0.906 1.0	80.2	-36.1 -24.3 43.6	214	0.0	0.933 1.0
212	215	221	0.0	0.916 1.0	80.9	-37.4 -23.4 44.1	212	0.0	0.901 1.0	79.8	-35.4 -24.8 43.4	215	0.0	0.917 1.0
215	216	222	0.0	0.9 1.0	79.7	-35.4 -24.9 43.3	215	0.0	0.895 1.0	79.5	-34.8 -25.3 43.1	216	0.0	0.9 1.0
218	217	223	0.0	0.883 1.0	78.5	-33.4 -26.3 42.5	218	0.0	0.89 1.0	79.1	-34.1 -25.7 42.9	217	0.0	0.883 1.0
221	218	224	0.0	0.866 1.0	77.4	-31.5 -28.1 42.2	221	0.0	0.885 1.0	78.7	-33.5 -26.1 42.6	218	0.0	0.867 1.0
225	219	225	0.0	0.85 1.0	76.2	-29.9 -30.2 42.5	225	0.0	0.879 1.0	78.3	-32.8 -26.6 42.4	219	0.0	0.85 1.0
228	220	226	0.0	0.833 1.0	75.0	-28.1 -32.3 42.8	228	0.0	0.874 1.0	77.9	-32.2 -27.0 42.2	220	0.0	0.833 1.0
232	221	227	0.0	0.816 1.0	73.8	-26.1 -34.2 43.1	232	0.0	0.87 1.0	77.6	-31.8 -27.6 42.2	221	0.0	0.817 1.0
236	222	227	0.0	0.8 1.0	72.6	-24.0 -36.0 43.3	236	0.0	0.865 1.0	77.3	-31.3 -28.2 42.3	222	0.0	0.8 1.0
239	223	228	0.0	0.783 1.0	71.4	-21.8 -37.7 43.6	239	0.0	0.861 1.0	77.0	-30.9 -28.8 42.4	223	0.0	0.783 1.0
243	224	229	0.0	0.766 1.0	70.2	-19.5 -39.3 43.9	243	0.0	0.856 1.0	76.7	-30.4 -29.4 42.5	224	0.0	0.767 1.0
247	225	230	0.0	0.75 1.0	69.1	-17.0 -40.7 44.1	247	0.0	0.851 1.0	76.3	-30.0 -30.0 42.5	225	0.0	0.75 1.0
250	226	231	0.0	0.733 1.0	67.9	-15.3 -42.9 45.5	250	0.0	0.847 1.0	76.0	-29.5 -30.6 42.6	226	0.0	0.733 1.0
253	227	232	0.0	0.716 1.0	66.7	-13.5 -44.9 46.9	253	0.0	0.842 1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.717 1.0
256	228	233	0.0	0.7 1.0	65.5	-11.4 -46.9 48.3	256	0.0	0.838 1.0	75.4	-28.5 -31.7 42.8	228	0.0	0.7 1.0
259	229	234	0.0	0.683 1.0	64.4	-9.2 -48.8 49.7	259	0.0	0.833 1.0	75.0	-28.0 -32.2 42.8	229	0.0	0.683 1.0
262	230	235	0.0	0.666 1.0	63.2	-6.8 -50.6 51.1	262	0.0	0.829 1.0	74.7	-27.5 -32.8 42.9	230	0.0	0.667 1.0
265	231	236	0.0	0.65 1.0	62.0	-4.2 -52.3 52.5	265	0.0	0.824 1.0	74.4	-26.9 -33.3 43.0	231	0.0	0.65 1.0
268	232	237	0.0	0.633 1.0	60.9	-1.5 -53.9 53.9	268	0.0	0.82 1.0	74.1	-26.4 -33.8 43.1	232	0.0	0.633 1.0
270	233	237	0.0	0.616 1.0	59.7	0.8 -55.6 55.7	270	0.0	0.815 1.0	73.7	-25.9 -34.3 43.1	233	0.0	0.617 1.0
272	234	238	0.0	0.6 1.0	58.6	2.9 -57.7 57.8	272	0.0	0.81 1.0	73.4	-25.3 -34.9 43.2	234	0.0	0.6 1.0
274	235	239	0.0	0.583 1.0	57.4	5.1 -59.7 59.9	274	0.0	0.806 1.0	73.1	-24.7 -35.4 43.3	235	0.0	0.583 1.0
276	236	240	0.0	0.566 1.0	56.3	7.4 -61.6 62.1	276	0.0	0.801 1.0	72.8	-24.1 -35.8 43.4	236	0.0	0.567 1.0
278	237	241	0.0	0.55 1.0	55.2	10.0 -63.5 64.2	278	0.0	0.797 1.0	72.4	-23.6 -36.3 43.4	237	0.0	0.55 1.0
280	238	242	0.0	0.533 1.0	54.0	12.6 -65.2 66.4	280	0.0	0.792 1.0	72.1	-23.0 -36.8 43.5	238	0.0	0.533 1.0
283	239	243	0.0	0.516 1.0	52.9	15.4 -66.8 68.5	283	0.0	0.788 1.0	71.8	-22.3 -37.2 43.6	239	0.0	0.517 1.0
285	240	244	0.0	0.5 1.0	51.7	18.3 -68.3 70.7	285	0.0	0.783 1.0	71.5	-21.7 -37.7 43.6	240	0.0	0.5 1.0
286	241	245	0.0	0.483 1.0	50.7	20.6 -70.2 73.2	286	0.0	0.779 1.0	71.1	-21.1 -38.1 43.7	241	0.0	0.483 1.0
287	242	246	0.0	0.466 1.0	49.6	22.9 -72.1 75.7	287	0.0	0.774 1.0	70.8	-20.5 -38.6 43.8	242	0.0	0.467 1.0
288	243	247	0.0	0.45 1.0	48.6	25.4 -74.0 78.2	288	0.0	0.769 1.0	70.5	-19.8 -39.0 43.9	243	0.0	0.45 1.0
290	244	248	0.0	0.433 1.0	47.5	28.0 -75.7 80.7	290	0.0	0.765 1.0	70.2	-19.2 -39.4 43.9	244	0.0	0.433 1.0
291	245	248	0.0	0.416 1.0	46.5	30.6 -77.4 83.2	291	0.0	0.76 1.0	69.8	-18.5 -39.8 44.0	245	0.0	0.417 1.0
292	246	249	0.0	0.4 1.0	45.4	33.3 -79.0 85.7	292	0.0	0.756 1.0	69.5	-17.8 -40.2 44.1	246	0.0	0.4 1.0
294	247	250	0.0	0.383 1.0	44.3	36.2 -80.5 88.2	294	0.0	0.751 1.0	69.2	-17.2 -40.6 44.2	247	0.0	0.383 1.0
295	248	251	0.0	0.366 1.0	43.4	38.7 -82.0 90.7	295	0.0	0.746 1.0	68.8	-16.6 -41.2 44.5	248	0.0	0.367 1.0
296	249	252	0.0	0.35 1.0	42.5	41.0 -83.6 93.2	296	0.0	0.74 1.0	68.4	-16.0 -41.9 45.0	249	0.0	0.35 1.0
296	250	253	0.0	0.333 1.0	41.6	43.4 -85.2 95.6	296	0.0	0.735 1.0	68.0	-15.4 -42.6 45.5	250	0.0	0.333 1.0
297	251	254	0.0	0.316 1.0	40.7	45.8 -86.7 98.1	297	0.0	0.729 1.0	67.7	-14.8 -43.3 45.9	251	0.0	0.317 1.0
298	252	255	0.0	0.3 1.0	39.8	48.2 -88.2 100.5	298	0.0	0.724 1.0	67.3	-14.2 -44.0 46.4	252	0.0	0.3 1.0
299	253	256	0.0	0.283 1.0	38.9	50.7 -89.6 103.0	299	0.0	0.718 1.0	66.9	-13.6 -44.7 46.8	253	0.0	0.283 1.0
300	254	257	0.0	0.266 1.0	38.0	53.3 -91.0 105.4	300	0.0	0.713 1.0	66.5	-12.9 -45.4 47.3	254	0.0	0.267 1.0
301	255	258	0.0	0.25 1.0	37.1	55.9 -92.3 107.9	301	0.0	0.707 1.0	66.1	-12.3 -46.0 47.8	255	0.0	0.25 1.0

4-103930-L0 PI910-72 LAB*a0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_{dd}$
Output: 3D-linearizzazione a rgb^*_{dd}

uscita: sRGB standard device; no separation, D65, pagina 10/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi} (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$								
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308
308	291	291	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308
309	292	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309
310	295	295	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310
310	296	296	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310
310	297	297	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310
311	298	298	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311
311	299	299	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311

4-1031030-L0 PI910-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_{dd}$
Output: 3D-linearizzazione a rgb^*_{dd}

uscita: sRGB standard device; no separation, D65, pagina 11/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$			$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{d361Mi} (x=LabCh)$			$rgb^*_{ds361Mi} (x=LabCh)$			$LAB^*_{ds361Mi} (x=LabCh)$			$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi} (x=LabCh)$			$rgb^*_{dd361Mi}$							
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0	
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0	
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0	
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0	
313	304	303	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0	
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0	
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0	
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.1	127.5	306	0.617	0.0	1.0	
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0	
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0	
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0	
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0	
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0	
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0	
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0	
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0	
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0	
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0	
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0	
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0	
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0	
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0	
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0	
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0	
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0	
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0	
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0	
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0	
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0	
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0	
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M_d 1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M_s 1.0	0.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M_e 1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983	
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967	
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95	
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4					

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,d,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBM_d$: $h_{ab,d,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d} h _{ab,s} h _{ab,e}			LAB* _d s361Mi (x=LabCh)									LAB* _s s361Mi (x=LabCh)									LAB* _e s361Mi (x=LabCh)									LAB* _d s361Mi (x=LabCh)									LAB* _s s361Mi (x=LabCh)									LAB* _e s361Mi (x=LabCh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			rgb* _d s361Mi									rgb* _s s361Mi									rgb* _e s361Mi									rgb* _d s361Mi									rgb* _s s361Mi									rgb* _e s361Mi																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.707	53.8	86.0	-23.0	89.1	345	1.0	0.0	0.75	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342	1.0	0.0	0.75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

4-1031230-L0	PI910-72	LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0
--------------	----------	---

uscita: sRGB standard device; no separation, D65, pagina 13/29

grafico TUB-PI91; codice di tinte: $H^*_d=R00Y_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_{dd}$

Output: 3D-linearizzazione a rgb^*_{dd}

iscrizione TUB: 20160501-PI91/PI91L0FA.TXT /.PS
+ Applicazione per la misura dell'output su display, ne

TUB materiale: code=rha4ta

vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.130.130.130>

iscrizione TUB: 20160501-PI91/PI91L0FA.TXT /.PS
Application per la misura dell'output su display, nessuna separazione

TUB materiale: code=rha4ta


grafico TUB-PI91; codice di tinte: H*d=R00Yd
colori e la differenza, ΔE^*

Input: *rgb/cmyk* -> *rgbd*
Output: 3D-linearizzazione a *rgb***dd*



vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n/f	HfC*Fid	rgb_Fid	ic_Fid	hs_Fid	rgb_Fid	LabCh*Fid	LabCh*Fid	rgb_Fid	DE*Fid hAnxId	rgb*Mid	LabCh*Mid	LabCh*Mid									
0/648	R00Y_100_100d	1.0	0.0	0.0	1.0	0.0	50.4	76.9	64.5	100.4	39.9	0.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0		
1/657	R13Y_100_100d	0.125	0.0	0.0	1.0	0.116	51.4	74.1	64.8	98.5	41.1	0.1	36	1.0	0.116	51.4	74.1	64.9	98.5	41.2	
2/666	R25Y_100_100d	0.25	0.0	0.0	1.0	0.233	53.6	67.6	65.8	94.4	44.2	0.2	42	1.0	0.233	53.6	67.6	65.8	94.4	44.3	
3/675	R38Y_100_100d	0.375	0.0	0.0	1.0	0.366	57.9	56.2	67.9	88.1	50.3	0.0	51	0.0	0.366	57.9	56.2	67.9	88.1	50.4	
4/684	R50Y_100_100d	0.5	0.0	0.0	1.0	0.5	63.6	41.3	71.0	82.2	59.7	0.2	59	1.0	0.5	63.6	41.3	71.0	82.2	59.7	
5/693	R63Y_100_100d	0.625	0.0	0.0	1.0	0.633	70.5	24.7	75.4	79.4	71.8	0.2	68	0.0	0.633	70.5	24.7	75.4	79.4	71.8	
6/702	R75Y_100_100d	0.75	0.0	0.0	1.0	0.766	80.6	8.0	80.6	81.0	84.4	0.2	77	1.0	0.766	80.6	8.0	80.6	81.0	84.4	
7/711	R88Y_100_100d	1.0	0.0	0.0	1.0	0.883	85.8	85.8	85.8	84.4	85.8	0.1	83	1.0	0.883	85.8	85.8	85.8	84.4	85.9	
8/720	Y00C_100_100d	1.0	1.0	0.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	0.0	89	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8
9/639	Y13C_100_100d	0.875	1.0	0.0	1.0	0.883	90.5	-32.2	88.3	94.0	110.0	0.0	96	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110.0
10/558	Y25C_100_100d	0.75	1.0	0.0	1.0	0.766	88.7	-43.3	86.2	96.5	116.6	0.1	102	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116.6
11/477	Y38C_100_100d	0.625	1.0	0.0	1.0	0.633	87.0	-55.2	84.0	105.1	128.3	0.1	111	0.633	1.0	0.0	87.0	-55.2	84.0	105.1	128.3
12/396	Y50C_100_100d	0.5	1.0	0.0	1.0	0.5	85.0	-65.2	82.4	105.1	128.3	0.1	119	0.5	1.0	0.0	85.0	-65.2	82.4	105.1	128.3
13/315	Y63C_100_100d	0.375	1.0	0.0	1.0	0.366	84.3	-73.1	81.2	109.3	134.3	0.0	128	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	134.3
14/234	Y75C_100_100d	0.25	1.0	0.0	1.0	0.233	84.0	-78.7	80.4	112.5	134.3	0.0	137	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134.3
15/153	Y88C_100_100d	0.125	1.0	0.0	1.0	0.116	83.7	-81.5	80.0	114.2	135.5	0.0	143	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135.5
16/72	G00C_100_100d	0.0	1.0	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	149	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0
17/73	G13C_100_100d	0.0	1.0	0.125	1.0	0.116	83.6	-82.1	76.8	112.5	136.9	0.0	156	0.116	0.0	0.0	83.6	-82.1	76.8	112.5	136.9
18/74	G25C_100_100d	0.0	1.0	0.25	1.0	0.233	83.7	-80.8	70.1	106.9	139.0	0.1	162	0.233	0.0	0.0	83.7	-80.8	70.1	106.9	139.0
19/75	G38C_100_100d	0.0	1.0	0.375	1.0	0.366	84.0	-73.7	49.6	97.6	148.9	0.2	171	0.366	0.0	0.0	84.0	-73.7	49.6	97.6	148.9
20/76	G50C_100_100d	0.0	1.0	0.5	1.0	0.5	84.3	-68.1	44.9	96.4	148.6	0.2	180	0.5	0.0	0.0	84.3	-68.1	44.9	96.4	148.6
21/77	G63C_100_100d	0.0	1.0	0.625	1.0	0.633	84.8	-68.1	29.7	74.3	156.4	0.1	188	0.633	0.0	0.0	84.8	-68.1	29.7	74.3	156.4
22/78	G75C_100_100d	0.0	1.0	0.75	1.0	0.766	85.4	-61.2	13.7	62.6	167.2	0.2	197	0.766	0.0	0.0	85.4	-61.2	13.7	62.6	167.2
23/79	G88C_100_100d	0.0	1.0	0.875	1.0	0.883	86.1	-54.1	0.0	54.1	180.0	0.0	203	0.883	0.0	0.0	86.1	-54.1	0.0	54.1	180.0
24/80	C00B_100_100d	0.0	1.0	1.0	1.0	0.0	86.8	-46.1	-13.5	48.1	196.3	0.0	210	0.0	1.0	0.0	86.8	-46.1	-13.5	48.1	196.3
25/81	C13B_100_100d	0.0	1.0	1.0	1.0	0.116	86.8	-46.1	-13.5	48.1	196.3	0.0	216	0.116	0.0	0.0	86.8	-46.1	-13.5	48.1	196.3
26/62	C25B_100_100d	0.0	1.0	1.0	1.0	0.233	87.0	-19.5	-39.3	43.9	243.6	0.0	221	0.233	0.0	0.0	87.0	-19.5	-39.3	43.9	243.6
27/63	C38B_100_100d	0.0	1.0	1.0	1.0	0.366	87.0	-19.5	-39.3	43.9	243.6	0.0	221	0.366	0.0	0.0	87.0	-19.5	-39.3	43.9	243.6
28/44	C50B_100_100d	0.0	1.0	1.0	1.0	0.5	87.0	-19.5	-39.3	43.9	243.6	0.0	221	0.5	0.0	0.0	87.0	-19.5	-39.3	43.9	243.6
29/35	C63B_100_100d	0.0	1.0	1.0	1.0	0.633	87.0	-19.5	-39.3	43.9	243.6	0.0	221	0.633	0.0	0.0	87.0	-19.5	-39.3	43.9	243.6
30/26	C75B_100_100d	0.0	1.0	1.0	1.0	0.766	87.0	-19.5	-39.3	43.9	243.6	0.0	221	0.766	0.0	0.0	87.0	-19.5	-39.3	43.9	243.6
31/17	C88B_100_100d	0.0	1.0	1.0	1.0	0.883	87.0	-19.5	-39.3	43.9	243.6	0.0	221	0.883	0.0	0.0	87.0	-19.5	-39.3	43.9	243.6
32/8	B00M_100_100d	0.0	1.0	1.0	1.0	0.0	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.0	1.0	0.0	90.1	-66.3	-111.9	323.6	304.9
33/89	B13M_100_100d	0.125	0.0	1.0	1.0	0.116	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.116	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
34/170	B25M_100_100d	0.25	0.0	1.0	1.0	0.233	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.233	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
35/251	B38M_100_100d	0.375	0.0	1.0	1.0	0.366	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.366	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
36/332	B50M_100_100d	0.5	0.0	1.0	1.0	0.5	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.5	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
37/413	B63M_100_100d	0.625	0.0	1.0	1.0	0.633	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.633	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
38/494	B75M_100_100d	0.75	0.0	1.0	1.0	0.766	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.766	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
39/575	B88M_100_100d	0.875	0.0	1.0	1.0	0.883	90.1	-66.3	-111.9	323.6	304.9	0.2	257	0.883	0.0	0.0	90.1	-66.3	-111.9	323.6	304.9
40/656	M00R_100_100d	1.0	0.0	1.0	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	1.0	0.0	0.0	94.3	-58.4	110.9	338.2	336.0
41/655	M13R_100_100d	1.0	0.0	0.875	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.875	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
42/654	M25R_100_100d	1.0	0.0	0.75	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.75	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
43/653	M38R_100_100d	1.0	0.0	0.625	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.625	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
44/652	M50R_100_100d	1.0	0.0	0.5	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.5	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
45/651	M63R_100_100d	1.0	0.0	0.375	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.375	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
46/650	M75R_100_100d	1.0	0.0	0.25	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.25	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
47/649	M88R_100_100d	1.0	0.0	0.125	1.0	0.0	94.3	-58.4	110.9	338.2	336.0	0.0	330	0.125	1.0	0.0	94.3	-58.4	110.9	338.2	336.0
48/648	R00Y_100_100d	1.0	0.0	0.0	1.0	0.0	50.4	76.9	64.5	100.4	40.0	0.0	389	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0
49/0	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0	0.0	0.0	0.0	0.0	
50/91	NW_013d	0.125	0.0	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	360	0.125	1.0	0.0	0.0	0.0	0.0	0.0	
51/182	NW_025d	0.25	0.0	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	360	0.25	1.0	0.0	0.0	0.0	0.0	0.0	
52/273	NW_038d	0.375	0.0	0.0	1.0	0.375															



TUB materiale: code=rha4ta

Input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
Output: 3D-linearizzazione a *rgb_{dd}**

grafico TUB-PI91; codice di tinte: H^{*}_d=R00Y_d

PI910-7N 15/20-F

4 1031430 F0

http://farbe.li.tu-berlin.de/PI91/PI91L0FA.TXT /PS; linearizzazione 3D F: linearizzazione 3D PI91/PI91LI30FA.DAT nel file (F) pagine 15/29

-vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n/j	HIC ¹⁰⁰ _{Mid}	rgp ¹⁰⁰ _{Fold}	lci ¹⁰⁰ _{Fold}	hs ¹⁰⁰ _{Fold}	rgp ¹⁰⁰ _{Fold}	LabCh ¹⁰⁰ _{Fold}	LabCh ¹⁰⁰ _{Mid}	DE ¹⁰⁰ _{Mid}	rgp ¹⁰⁰ _{Mid}	LabCh ¹⁰⁰ _{Mid}				
0/648	R05Y_100_100Mid	1.0	0.5	390	1.0	50.4	76.9	64.5	100.4	50.4	76.9	64.5	100.4	40.4
1/776	R25Y_100_100Mid	1.0	0.25	60	1.0	0.233	0.0	53.7	67.6	65.8	94.4	53.7	67.6	65.8
2/684	R35Y_100_100Mid	1.0	0.5	60	1.0	0.5	0.0	63.6	41.3	71.0	82.1	63.6	41.3	71.0
3/768	R75Y_100_100Mid	1.0	0.75	76	1.0	0.766	0.0	80.6	81.0	84.4	81.0	80.6	81.0	84.4
4/720	R00G_100_100Mid	1.0	0.5	90	1.0	0.0	0.0	92.6	-20.7	93.0	102.8	92.6	-20.7	93.0
5/720	R25R_100_100Mid	0.5	1.0	105	1.0	0.766	0.0	88.7	-40.3	86.2	96.5	88.7	-40.3	86.2
6/696	R50R_100_100Mid	0.5	1.0	120	0.5	0.0	0.0	85.7	-65.2	82.4	105.1	85.7	-65.2	82.4
7/724	R75G_100_100Mid	0.25	1.0	136	0.25	0.0	0.0	84.0	-78.7	80.4	112.5	84.0	-78.7	80.4
8/772	G00B_100_100Mid	0.0	1.0	150	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	83.6	-82.7	79.8
9/772	G00B_100_100Mid	0.0	1.0	150	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	83.6	-82.7	79.8
10/776	G25B_100_100Mid	0.0	1.0	180	0.0	1.0	0.0	84.3	-73.6	79.8	116.6	84.3	-73.6	79.8
11/800	G50B_100_100Mid	0.0	1.0	210	0.0	1.0	0.5	86.8	-46.1	-13.5	48.1	86.8	-46.1	-13.5
12/840	G75B_100_100Mid	0.0	1.0	240	0.0	0.5	1.0	51.7	18.3	-68.3	70.4	51.7	18.3	-68.3
13/38	B00M_100_100Mid	0.0	0.0	270	0.0	0.0	0.0	30.3	76.0	-103.5	128.5	30.3	76.0	-103.5
14/332	B25R_100_100Mid	0.5	1.0	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	38.5	79.8	-89.7
15/656	B50R_100_100Mid	1.0	0.0	330	1.0	0.0	0.0	57.2	94.3	-58.4	110.9	57.2	94.3	-58.4
16/652	B75R_100_100Mid	1.0	0.0	330	1.0	0.0	0.5	57.2	94.3	-58.4	110.9	57.2	94.3	-58.4
17/648	R00Y_100_100Mid	1.0	0.0	390	1.0	0.0	0.0	50.4	76.9	64.5	100.4	50.4	76.9	64.5
18/688	R00Y_100_050Mid	1.0	0.5	390	1.0	0.5	0.5	72.9	38.4	32.2	50.2	72.9	38.4	32.2
19/706	R50Y_100_050Mid	1.0	0.75	60	1.0	0.75	0.5	94.0	-10.3	45.3	46.5	94.0	-10.3	45.3
20/724	R75Y_100_050Mid	1.0	1.0	90	1.0	1.0	0.5	90.5	-32.6	41.2	52.5	90.5	-32.6	41.2
21/562	Y50G_100_050Mid	0.75	1.0	120	0.75	1.0	0.5	89.5	-41.3	39.9	57.5	89.5	-41.3	39.9
22/400	G00B_100_050Mid	0.5	1.0	150	0.5	1.0	0.5	91.1	-23.0	-6.7	24.0	91.1	-23.0	-6.7
23/404	G00B_100_050Mid	0.5	1.0	150	0.5	1.0	0.5	91.1	-23.0	-6.7	24.0	91.1	-23.0	-6.7
24/368	B00R_100_050Mid	0.5	0.5	270	0.5	0.5	0.5	62.8	38.0	-51.7	64.2	62.8	38.0	-51.7
25/692	B50R_100_050Mid	0.5	1.0	330	0.5	1.0	0.5	76.3	47.1	-29.2	55.4	76.3	47.1	-29.2
26/688	R00Y_100_050Mid	1.0	0.5	390	1.0	0.5	0.5	72.9	38.4	32.2	50.2	72.9	38.4	32.2
27/506	R00Y_075_050Mid	0.75	0.25	390	0.75	0.25	0.25	49.0	38.4	32.2	50.2	49.0	38.4	32.2
28/524	R50Y_075_050Mid	0.75	0.25	60	0.75	0.25	0.25	55.6	20.6	35.5	41.1	55.6	20.6	35.5
29/540	R75Y_075_050Mid	0.75	0.25	120	0.75	0.25	0.25	70.1	-10.3	45.3	46.5	70.1	-10.3	45.3
30/360	Y50G_075_050Mid	0.25	0.75	120	0.25	0.75	0.25	68.1	-32.6	41.2	52.5	68.1	-32.6	41.2
31/218	G00B_075_050Mid	0.25	0.75	150	0.25	0.75	0.25	66.6	-41.3	39.9	57.5	66.6	-41.3	39.9
32/222	G50B_075_050Mid	0.25	0.75	150	0.25	0.75	0.25	67.2	-23.0	-6.7	24.0	67.2	-23.0	-6.7
33/186	B00R_075_050Mid	0.25	0.75	270	0.25	0.75	0.25	57.5	39.0	38.0	-51.7	57.5	39.0	38.0
34/510	B50R_075_050Mid	0.25	0.75	330	0.25	0.75	0.25	52.5	47.1	-29.2	55.4	52.5	47.1	-29.2
35/506	R00Y_075_050Mid	0.75	0.25	390	0.75	0.25	0.25	49.0	38.4	32.2	50.2	49.0	38.4	32.2
36/324	R00Y_050_050Mid	0.5	0.5	390	0.5	0.5	0.5	25.2	38.4	32.2	50.2	25.2	38.4	32.2
37/342	R50Y_050_050Mid	0.5	0.25	60	0.5	0.25	0.0	31.8	20.6	35.5	41.1	31.8	20.6	35.5
38/360	Y50G_050_050Mid	0.25	0.5	90	0.25	0.5	0.0	46.3	-10.3	45.3	46.5	46.3	-10.3	45.3
39/198	G00B_050_050Mid	0.25	0.5	120	0.25	0.5	0.0	42.8	-32.6	41.2	52.5	42.8	-32.6	41.2
40/36	G00B_050_050Mid	0.0	0.5	150	0.0	0.5	0.0	41.8	-41.3	39.9	57.5	41.8	-41.3	39.9
41/40	B00R_050_050Mid	0.0	0.5	210	0.0	0.5	0.5	43.4	-23.0	-6.7	24.0	43.4	-23.0	-6.7
42/4	B00R_050_050Mid	0.0	0.5	270	0.0	0.5	0.5	15.1	38.0	-51.7	64.2	15.1	38.0	-51.7
43/328	B50R_050_050Mid	0.5	0.0	330	0.5	0.0	0.5	28.6	47.1	-29.2	55.4	28.6	47.1	-29.2
44/324	R00Y_050_050Mid	0.5	0.0	390	0.5	0.0	0.5	25.2	38.4	32.2	50.2	25.2	38.4	32.2
45/0	NW_000Mid	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013Mid	0.125	0.125	360	0.125	0.125	0.125	11.9	0.0	0.0	0.0	11.9	0.0	0.0
47/182	NW_025Mid	0.25	0.25	360	0.25	0.25	0.25	23.8	0.0	0.0	0.0	23.8	0.0	0.0
48/273	NW_038Mid	0.375	0.375	360	0.375	0.375	0.375	35.7	0.0	0.0	0.0	35.7	0.0	0.0
49/364	NW_050Mid	0.5	0.5	360	0.5	0.5	0.5	47.7	0.0	0.0	0.0	47.7	0.0	0.0
50/455	NW_063Mid	0.625	0.625	360	0.625	0.625	0.625	59.6	0.0	0.0	0.0	59.6	0.0	0.0
51/546	NW_075Mid	0.75	0.75	360	0.75	0.75	0.75	71.5	0.0	0.0	0.0	71.5	0.0	0.0
52/637	NW_088Mid	0.875	0.875	360	0.875	0.875	0.875	83.4	0.0	0.0	0.0	83.4	0.0	0.0
53/728	NW_100Mid	1.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	95.4	0.0	0.0

<http://farbe.li.tu-berlin.de/PI91/PI91L0FA.TXT> /PS; linearizzazione 3D F: linearizzazione 3D PI91/PI91LI30FA.DAT nel file (F), pagine 16/29

-vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n-j	HIC* _{rad}	rgb* _{rad}	icd* _{rad}	h _{sa} _rad	rgb* _{rad}	LabCh* _{rad}	LabCh* _{rad}	rgb* _{rad}	DE* _{rad}	h _{sa} _rad	rgb* _{rad}	LabCh* _{rad}	LabCh* _{rad}
0	NW_000ad	00	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	B00R_012_012ad	00	0.125	0.062	270	0.0	0.125	3.7	9.5	-12.9	16.0	306.2	95.4
2	B00R_025_025ad	00	0.25	0.125	270	0.0	0.25	7.5	19.0	-25.8	32.1	306.2	30.3
3	B00R_037_037ad	00	0.375	0.187	270	0.0	0.375	11.3	28.5	-38.8	48.1	306.2	76.0
4	B00R_050_050ad	00	0.5	0.5	270	0.0	0.5	15.1	38.0	-51.7	64.2	306.2	76.0
5	B00R_062_062ad	00	0.625	0.312	270	0.0	0.625	18.9	47.5	-64.2	80.3	306.2	76.0
6	B00R_075_075ad	00	0.75	0.75	270	0.0	0.75	22.7	57.0	-77.6	96.3	306.2	76.0
7	B00R_087_087ad	00	0.875	0.875	270	0.0	0.875	26.5	66.5	-90.9	112.4	306.2	76.0
8	B00R_100_100ad	00	1.0	1.0	270	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	76.0
9	G00B_012_012ad	00	0.125	0.062	150	0.0	0.125	10.4	-10.3	9.9	-10.3	136.0	-82.7
10	G00B_025_025ad	00	0.25	0.125	150	0.0	0.25	20.8	-20.6	19.9	-20.6	136.0	-46.1
11	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.8
12	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	18.8
13	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	30.7
14	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
15	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
16	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
17	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
18	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
19	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
20	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
21	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
22	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
23	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
24	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
25	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
26	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
27	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
28	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
29	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
30	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
31	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
32	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
33	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
34	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
35	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
36	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
37	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
38	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
39	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
40	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
41	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
42	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
43	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
44	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
45	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
46	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
47	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
48	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
49	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
50	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
51	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
52	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
53	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
54	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
55	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
56	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
57	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
58	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
59	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
60	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
61	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
62	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
63	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
64	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
65	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
66	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
67	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
68	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
69	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
70	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
71	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
72	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
73	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
74	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
75	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
76	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
77	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
78	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
79	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
80	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
81	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
82	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
83	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
84	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
85	G00B_062_062ad	00	0.625	0.312	150	0.0	0.625	51.9	-51.7	50.8	-51.7	136.0	86.7
86	G00B_075_075ad	00	0.75	0.75	150	0.0	0.75	62.2	-61.9	61.0	-61.9	136.0	86.7
87	G00B_087_087ad	00	0.875	0.875	150	0.0	0.875	72.5	-72.2	71.6	-72.2	136.0	86.7
88	G00B_100_100ad	00	1.0	1.0	150	0.0	1.0	82.6	-82.3	81.4	-82.3	136.0	86.7
89	G00B_037_037ad	00	0.375	0.187	150	0.0	0.375	31.2	-31.0	30.1	-31.0	136.0	86.7
90	G00B_050_050ad	00	0.5	0.5	150	0.0	0.5	41.6	-41.3	40.3	-41.3	136.0	86.7
91	G00B_062_062ad	00	0.625	0.312	150	0.0							

iscrizione TUB: 20160501-PI91/PI91L0FA.TXT /.PS
Application per la misura dell'output su display, nessuna separazione

TUB materiale: code=rha4ta

vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

<http://farbe.li.tu-berlin.de/PI91/PI91L0FA.TXT /.PS; linearizzazione 3D>
F: linearizzazione 3D PI91/PI91L0FA.DAT nel file (F), pagine 17/29

grafico TUB-PI91; codice di tinte: H*d=R00Yd
colori e la differenza, ΔE^*

4-1031630-F0

PI910-7N, 17/29-F

n	H1C*Fid	rgb_Fid	icr_Fid	h3a_Fid	rgb*Fid	LabCH*Fid	rgb*Fid	LabCH*Fid	rgb*Fid	LabCH*Fid	DE*Fid	h3a*Fid	rgb*Fid	LabCH*Fid
81	B00Y.012.012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	6.3 9.6	8.0 12.5	40.0	0.151 0.041 0.011	5.3 11.8	6.5 13.5	29.0 3.0	389 1.0	50.4 76.9
82	B00R.012.012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	11.7 11.7	7.3 13.8	328.2	0.137 0.052 0.133	14.1 14.1	-8.9 16.7	327.7 3.0	330 1.0	57.2 74.2
83	B25R.025.025ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	9.6 19.9	-22.4 30.0	311.6	0.159 0.064 0.24	8.8 21.3	-33.0 31.1	2.2 300 0.5	0.0 1.0	38.5 79.8
84	B15R.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	12.7 28.9	-36.5 46.7	308.4	0.171 0.062 0.474	15.2 39.6	-51.4 64.9	307.2 1.9	288 0.0	33.9 77.4
85	B11R.050.050ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	16.1 38.3	-50.0 63.1	307.0	0.171 0.062 0.474	15.2 39.6	-51.4 64.9	307.2 1.9	288 0.0	33.9 77.4
86	B09R.062.062ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	18.8 47.8	-63.2 79.3	307.0	0.171 0.062 0.474	15.2 39.6	-51.4 64.9	307.2 1.9	288 0.0	33.9 77.4
87	B07R.075.075ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	23.5 57.2	-76.4 95.5	306.8	0.171 0.062 0.474	15.2 39.6	-51.4 64.9	307.2 1.9	288 0.0	33.9 77.4
88	B05R.100.100ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	30.9 76.7	-89.5 111.6	306.6	0.171 0.062 0.474	15.2 39.6	-51.4 64.9	307.2 1.9	288 0.0	33.9 77.4
89	Y00C.012.012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	11.5 -2.5	11.3 11.6	102.8	0.137 0.131 0.043	11.4 -3.1	12.9 13.2	103.7 1.6	89 1.0	30.6 76.2
90	NW.012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	11.5 -2.5	11.3 11.6	102.8	0.137 0.131 0.043	11.4 -3.1	12.9 13.2	103.7 1.6	89 1.0	30.6 76.2
91	B00R.025.012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	15.7 9.5	-12.9 16.0	306.2	0.173 0.147 0.124	15.4 9.0	-13.5 16.2	303.6 0.8	270 0.0	30.3 76.0
92	B00R.037.025ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	19.0 25.8	-38.1 48.1	306.2	0.216 0.116 0.356	19.1 18.8	-26.7 32.7	305.2 0.9	270 0.0	30.3 76.0
93	B00R.050.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	23.3 28.5	-48.1 57.2	306.2	0.257 0.17 0.477	23.0 29.0	-39.6 49.1	306.2 0.9	270 0.0	30.3 76.0
94	B00R.062.050ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	31.1 38.0	-51.7 64.2	306.2	0.285 0.184 0.67	26.6 38.4	-52.4 65.0	306.2 0.8	270 0.0	30.3 76.0
95	B00R.075.062ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	37.5 47.5	-64.7 77.6	306.2	0.31 0.184 0.73	30.4 48.0	-65.3 81.0	306.2 0.8	270 0.0	30.3 76.0
96	B00R.087.075ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	47.5 57.0	-77.6 96.3	306.2	0.346 0.188 0.865	34.3 57.5	-78.3 97.1	306.2 0.9	270 0.0	30.3 76.0
97	B00R.100.087ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	57.0 76.7	-96.3 112.4	306.2	0.346 0.188 0.865	34.3 57.5	-78.3 97.1	306.2 0.9	270 0.0	30.3 76.0
98	Y00C.025.025ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	21.4 -16.3	20.6 26.2	306.2	0.145 0.238 0.072	21.3 -17.3	21.8 27.2	128.3 1.6	119 0.0	85.7 82.7
99	G00B.025.012ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	22.3 22.3	9.9 14.3	136.0	0.171 0.232 0.337	22.6 4.0	-17.5 18.0	282.8 0.7	240 0.0	86.8 -46.1
100	G00B.037.025ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	22.7 -5.7	-1.6 6.0	196.5	0.203 0.242 0.353	24.7 4.0	-17.5 18.0	282.8 0.7	240 0.0	86.8 -46.1
101	G00B.050.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	24.8 4.5	17.1 32.5	36.7	0.246 0.24 0.476	27.1 17.2	-32.9 34.9	301.4 0.2	257 0.0	45.8 -86.7
102	G00B.062.050ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	31.1 38.0	-51.7 64.2	306.2	0.285 0.184 0.67	26.6 38.4	-52.4 65.0	306.2 0.8	270 0.0	30.3 76.0
103	G00B.075.062ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	37.5 47.5	-64.7 77.6	306.2	0.31 0.184 0.73	30.4 48.0	-65.3 81.0	306.2 0.8	270 0.0	30.3 76.0
104	G00B.087.075ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	47.5 57.0	-77.6 96.3	306.2	0.346 0.188 0.865	34.3 57.5	-78.3 97.1	306.2 0.9	270 0.0	30.3 76.0
105	G00B.100.087ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	57.0 76.7	-96.3 112.4	306.2	0.346 0.188 0.865	34.3 57.5	-78.3 97.1	306.2 0.9	270 0.0	30.3 76.0
106	Y00C.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	31.6 -28.2	30.3 41.4	132.9	0.212 0.355 0.086	31.6 -29.3	31.3 42.9	133.1 1.4	131 0.0	84.4 -75.3
107	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
108	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
109	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
110	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
111	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
112	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
113	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
114	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
115	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
116	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
117	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
118	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
119	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
120	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
121	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
122	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
123	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
124	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
125	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
126	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
127	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
128	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6	0.212 0.355 0.086	32.8 -21.8	20.2 29.8	137.1 1.2	149 0.0	83.6 -72.7
129	G00B.037.037ad	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	32.8 -20.0	28.7 39.0	148.6</						

<http://farbe.li.tu-berlin.de/PI91/PI91L0FA.TXT> /PS; linearizzazione 3D F: linearizzazione 3D PI91/PI91LI30FA.DAT nel file (F), pagine 22/29

-vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

[illegible]

<http://farbe.li.tu-berlin.de/PI91/PI91L0FA.TXT> /PS; linearizzazione 3D F: linearizzazione 3D PI91/PI91LI30FA.DAT nel file (F) pagine 23/29

Input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*

odice di tinte: H^{*}_d=R00Y_d

graphic

[illegible]

iscrizione TUB: 20160501-PI91/PI91L0FA.TXT /.PS

Application per la misura dell'output su display, nessuna separazione

TUB materiale: code=rha4ta

vedi file simili: <http://farbe.li.tu-berlin.de/PI91/PI91.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

<http://farbe.li.tu-berlin.de/PI91/PI91L0FA.TXT /.PS; linearizzazione 3D>
F: linearizzazione 3D PI91/PI91L0FA.DAT nel file (F), pagine 25/29

grafico TUB-PI91; codice di tinte: H*d=R00Yd
colori e la differenza, ΔE^*

PI910-7N, 25/29-F

4-1032430-F0

Input: *rgb/cmyk* -> *rgbad*
Output: 3D-linearizzazione a *rgb*dd*

n	HVC-Fid	rgb-Fid	lcr-Fid	hsa-Fid	rgb*Fid	LabCH*Fid	LabCH*Fid	rgb*Fid	DF*Fid	hax*Fid	rgb*Fid	LabCH*Fid	LabCH*Fid
729	NW_1000ad	0.875	1.0	1.0	0.0	0.0	95.4	1.0	325.2	0.0	360	1.0	95.4
730	G50B_100.012ad	0.875	1.0	1.0	0.0	0.0	94.3	1.0	199.1	0.3	210	1.0	86.8
731	G50B_100.037ad	0.875	1.0	1.0	0.0	0.0	93.2	1.0	199.1	0.3	210	1.0	86.8
732	G50B_100.052ad	0.875	1.0	1.0	0.0	0.0	92.2	1.0	199.1	0.3	210	1.0	86.8
733	G50B_100.067ad	0.875	1.0	1.0	0.0	0.0	91.1	1.0	199.1	0.3	210	1.0	86.8
734	G50B_100.082ad	0.875	1.0	1.0	0.0	0.0	90.0	1.0	199.1	0.3	210	1.0	86.8
735	G50B_100.097ad	0.875	1.0	1.0	0.0	0.0	88.9	1.0	199.1	0.3	210	1.0	86.8
736	G50B_100.112ad	0.875	1.0	1.0	0.0	0.0	87.8	1.0	199.1	0.3	210	1.0	86.8
737	G50B_100.127ad	0.875	1.0	1.0	0.0	0.0	86.8	1.0	199.1	0.3	210	1.0	86.8
738	ROY_100.012ad	0.875	1.0	1.0	0.0	0.0	85.7	1.0	199.1	0.3	210	1.0	85.7
739	NW_087ad	0.875	1.0	1.0	0.0	0.0	84.6	1.0	199.1	0.3	210	1.0	84.6
740	G50B_087.012ad	0.875	1.0	1.0	0.0	0.0	83.5	1.0	199.1	0.3	210	1.0	83.5
741	G50B_087.027ad	0.875	1.0	1.0	0.0	0.0	82.4	1.0	199.1	0.3	210	1.0	82.4
742	G50B_087.042ad	0.875	1.0	1.0	0.0	0.0	81.3	1.0	199.1	0.3	210	1.0	81.3
743	G50B_087.057ad	0.875	1.0	1.0	0.0	0.0	80.2	1.0	199.1	0.3	210	1.0	80.2
744	G50B_087.072ad	0.875	1.0	1.0	0.0	0.0	79.1	1.0	199.1	0.3	210	1.0	79.1
745	G50B_087.087ad	0.875	1.0	1.0	0.0	0.0	78.0	1.0	199.1	0.3	210	1.0	78.0
746	G50B_087.102ad	0.875	1.0	1.0	0.0	0.0	76.9	1.0	199.1	0.3	210	1.0	76.9
747	ROY_100.012ad	0.875	1.0	1.0	0.0	0.0	75.8	1.0	199.1	0.3	210	1.0	75.8
748	ROY_100.027ad	0.875	1.0	1.0	0.0	0.0	74.7	1.0	199.1	0.3	210	1.0	74.7
749	NW_075ad	0.875	1.0	1.0	0.0	0.0	73.6	1.0	199.1	0.3	210	1.0	73.6
750	G50B_075.012ad	0.875	1.0	1.0	0.0	0.0	72.5	1.0	199.1	0.3	210	1.0	72.5
751	G50B_075.027ad	0.875	1.0	1.0	0.0	0.0	71.4	1.0	199.1	0.3	210	1.0	71.4
752	G50B_075.042ad	0.875	1.0	1.0	0.0	0.0	70.3	1.0	199.1	0.3	210	1.0	70.3
753	G50B_075.057ad	0.875	1.0	1.0	0.0	0.0	69.2	1.0	199.1	0.3	210	1.0	69.2
754	G50B_075.072ad	0.875	1.0	1.0	0.0	0.0	68.1	1.0	199.1	0.3	210	1.0	68.1
755	G50B_075.087ad	0.875	1.0	1.0	0.0	0.0	67.0	1.0	199.1	0.3	210	1.0	67.0
756	ROY_100.012ad	0.875	1.0	1.0	0.0	0.0	65.9	1.0	199.1	0.3	210	1.0	65.9
757	ROY_100.027ad	0.875	1.0	1.0	0.0	0.0	64.8	1.0	199.1	0.3	210	1.0	64.8
758	ROY_100.042ad	0.875	1.0	1.0	0.0	0.0	63.7	1.0	199.1	0.3	210	1.0	63.7
759	G50B_062.012ad	0.875	1.0	1.0	0.0	0.0	62.6	1.0	199.1	0.3	210	1.0	62.6
760	G50B_062.027ad	0.875	1.0	1.0	0.0	0.0	61.5	1.0	199.1	0.3	210	1.0	61.5
761	G50B_062.042ad	0.875	1.0	1.0	0.0	0.0	60.4	1.0	199.1	0.3	210	1.0	60.4
762	G50B_062.057ad	0.875	1.0	1.0	0.0	0.0	59.3	1.0	199.1	0.3	210	1.0	59.3
763	G50B_062.072ad	0.875	1.0	1.0	0.0	0.0	58.2	1.0	199.1	0.3	210	1.0	58.2
764	G50B_062.087ad	0.875	1.0	1.0	0.0	0.0	57.1	1.0	199.1	0.3	210	1.0	57.1
765	ROY_100.050ad	0.875	1.0	1.0	0.0	0.0	56.0	1.0	199.1	0.3	210	1.0	56.0
766	ROY_087.037ad	0.875	1.0	1.0	0.0	0.0	54.9	1.0	199.1	0.3	210	1.0	54.9
767	ROY_075.025ad	0.875	1.0	1.0	0.0	0.0	53.8	1.0	199.1	0.3	210	1.0	53.8
768	ROY_062.012ad	0.875	1.0	1.0	0.0	0.0	52.7	1.0	199.1	0.3	210	1.0	52.7
769	NW_050ad	0.875	1.0	1.0	0.0	0.0	51.6	1.0	199.1	0.3	210	1.0	51.6
770	G50B_050.012ad	0.875	1.0	1.0	0.0	0.0	50.5	1.0	199.1	0.3	210	1.0	50.5
771	G50B_050.025ad	0.875	1.0	1.0	0.0	0.0	49.4	1.0	199.1	0.3	210	1.0	49.4
772	G50B_050.037ad	0.875	1.0	1.0	0.0	0.0	48.3	1.0	199.1	0.3	210	1.0	48.3
773	G50B_050.050ad	0.875	1.0	1.0	0.0	0.0	47.2	1.0	199.1	0.3	210	1.0	47.2
774	ROY_100.062ad	0.875	1.0	1.0	0.0	0.0	46.1	1.0	199.1	0.3	210	1.0	46.1
775	ROY_087.050ad	0.875	1.0	1.0	0.0	0.0	45.0	1.0	199.1	0.3	210	1.0	45.0
776	ROY_075.037ad	0.875	1.0	1.0	0.0	0.0	43.9	1.0	199.1	0.3	210	1.0	43.9
777	ROY_062.025ad	0.875	1.0	1.0	0.0	0.0	42.8	1.0	199.1	0.3	210	1.0	42.8
778	ROY_050.012ad	0.875	1.0	1.0	0.0	0.0	41.7	1.0	199.1	0.3	210	1.0	41.7
779	NW_037ad	0.875	1.0	1.0	0.0	0.0	40.6	1.0	199.1	0.3	210	1.0	40.6
780	G50B_037.012ad	0.875	1.0	1.0	0.0	0.0	39.5	1.0	199.1	0.3	210	1.0	39.5
781	G50B_037.025ad	0.875	1.0	1.0	0.0	0.0	38.4	1.0	199.1	0.3	210	1.0	38.4
782	G50B_037.037ad	0.875	1.0	1.0	0.0	0.0	37.3	1.0	199.1	0.3	210	1.0	37.3
783	ROY_100.050ad	0.875	1.0	1.0	0.0	0.0	36.2	1.0	199.1	0.3	210	1.0	36.2
784	ROY_087.037ad	0.875	1.0	1.0	0.0	0.0	35.1	1.0	199.1	0.3	210	1.0	35.1
785	ROY_075.025ad	0.875	1.0	1.0	0.0	0.0	34.0	1.0	199.1	0.3	210	1.0	34.0
786	ROY_062.012ad	0.875	1.0	1.0	0.0	0.0	32.9	1.0	199.1	0.3	210	1.0	32.9
787	ROY_050.012ad	0.875	1.0	1.0	0.0	0.0	31.8	1.0	199.1	0.3	210	1.0	31.8
788	ROY_037.012ad	0.875	1.0	1.0	0.0	0.0	30.7	1.0	199.1	0.3	210	1.0	30.7
789	NW_025ad	0.875	1.0	1.0	0.0	0.0	29.6	1.0	199.1	0.3	210	1.0	29.6
790	G50B_025.012ad	0.875	1.0	1.0	0.0	0.0	28.5	1.0	199.1	0.3	210	1.0	28.5
791	G50B_025.025ad	0.875	1.0	1.0	0.0	0.0	27.4	1.0	199.1	0.3	210	1.0	27.4
792	ROY_100.087ad	0.875	1.0	1.0	0.0	0.0	26.3	1.0	199.1	0.3	210	1.0	26.3
793	ROY_087.050ad	0.875	1.0	1.0	0.0	0.0	25.2	1.0	199.1	0.3	210	1.0	25.2
794	ROY_075.037ad	0.875	1.0	1.0	0.0	0.0	24.1	1.0	199.1	0.3	210	1.0	24.1
795	ROY_062.025ad	0.875	1.0	1.0	0.0	0.0	23.0	1.0	199.1	0.3	210	1.0	23.0
796	ROY_050.012ad	0.875	1.0	1.0	0.0	0.0	21.9	1.0	199.1	0.3	210	1.0	21.9
797	ROY_037.025ad	0.875	1.0	1.0	0.0	0.0	20.8	1.0	199.1	0.3	210	1.0	20.8
798	ROY_025.012ad	0.875	1.0	1.0	0.0	0.0	19.7	1.0	199.1	0.3	210	1.0	19.7
799	NW_012ad	0.875	1.0	1.0	0.0	0.0	18.6	1.0	199.1	0.3	210	1.0	18.6
800	G50B_012.012ad	0.875	1.0	1.0	0.0	0.0	17.5	1.0	199.1	0.3	210	1.0	17.5
801	ROY_100.100ad	0.875	1.0	1.0	0.0	0.0	16.4	1.0	199.1	0.3	210	1.0	16.4
802	ROY_087.087ad	0.875	1.0	1.0	0.0	0.0	15.3	1.0	199.1	0.3	210	1.0	15.3
803	ROY_075.075ad	0.875	1.0	1.0	0.0	0.0	14.2	1.0	199.1	0.3	210	1.0	14.2
804	ROY_062.062ad	0.875	1.0	1.0	0.0	0.0	13.1	1.0	199.1	0.3	210	1.0	13.1
805	ROY_050.050ad	0.875	1.0	1.0	0.0	0.0	12.0	1.0	199.1	0.3	210	1.0	12.0
806	ROY_037.037ad	0.875	1.0	1.0	0.0	0.0	10.9	1.0	199.1	0.3	210	1.0	10.9
807	ROY_025.025ad	0.875	1.0	1.0	0.0	0.0	9.8	1.0	199.1	0.3	210	1.0	9.8
808	ROY_012.012ad	0.875	1.0	1.0	0.0	0.0	8.7	1.0	199.1	0.3	210	1.0	8.7
809	NW_000ad	0.875	1.0	1.0	0.0	0.0	7.6	1.0	199.1	0.3	210	1.0	7.6

delta E**= 0.8

TUB materiale: code=rha4ta

TUB materiale: code=rha4ta

Input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
Output: 3D-linearizzazione a *rgb_{dd}**

৯৮

৯৮

