

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 46/360 = 0.12$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = R25Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 56 48 50 69 46

$HIC^*_{-,Ma}$: R25Y_100_100

$rgbic^*_{-,Ma}$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100	48.4	66.1	40.2	77.3	31
R25Y_100_100	56.8	48.0	50.5	69.6	46
R50Y_100_100	68.6	25.0	63.9	68.6	68
R75Y_100_100	80.6	4.8	77.2	77.3	86
Y00G_100_100	90.2	-9.6	88.2	88.7	96
Y25G_100_100	83.2	-18.4	79.9	81.9	102
Y50G_100_100	73.3	-31.7	62.7	70.2	116
Y75G_100_100	62.0	-49.7	43.2	65.8	139
G00B_100_100	55.8	-65.2	33.8	73.4	152
G25B_100_100	59.3	-50.3	-9.0	51.0	190
G50B_100_100	63.0	-30.5	-42.0	51.9	234
G75B_100_100	45.7	-5.7	-44.6	44.9	262
B00R_100_100	27.5	25.9	-47.3	53.9	298
B25R_100_100	38.3	52.6	-28.5	59.8	331
B50R_100_100	49.5	73.5	-9.0	74.0	353
B75R_100_100	48.9	69.3	12.9	70.4	10



TUB-test chart QE07; hue code: $H^*_- = R25Y_-$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	45.4	70.9	44.8	83.9	32
Y _d ,Ma	87.8	-10.2	95.4	96.0	96
G _d ,Ma	50.0	-65.0	29.6	71.4	155
C _d ,Ma	56.8	-25.5	-41.5	48.7	238
B _d ,Ma	25.0	29.5	-40.4	50.0	306
M _d ,Ma	46.1	79.3	-0.2	79.3	359
N _d ,Ma	24.3	0.0	0.0	0.0	0
W _d ,Ma	95.6	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 53 53 54 76 45

HIC^*_d, Ma : R25Y_100_100_d

$rgbic^*_d, Ma$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 53 53 54 76 45

$HIC^*_{d,Ma}$: R25Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 53 53 54 76 45

$HIC^*_{d,Ma}$: R25Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100d}$	45.4	70.9	44.8	83.9	32
$R25Y_{100_100d}$	53.0	53.4	54.8	76.5	45
$R50Y_{100_100d}$	64.9	28.9	68.6	74.5	67
$R75Y_{100_100d}$	78.6	4.3	84.7	84.8	87
$Y00G_{100_100d}$	87.8	-10.2	95.4	96.0	96
$Y25G_{100_100d}$	81.2	-17.0	84.3	86.0	101
$Y50G_{100_100d}$	70.6	-29.7	66.5	72.8	114
$Y75G_{100_100d}$	57.9	-48.3	45.8	66.5	136
$G00B_{100_100d}$	50.0	-65.0	29.6	71.4	155
$G25B_{100_100d}$	52.9	-48.6	-8.0	49.3	189
$G50B_{100_100d}$	56.8	-25.5	-41.5	48.7	238
$G75B_{100_100d}$	41.7	-1.2	-40.6	40.6	268
$B00R_{100_100d}$	25.0	29.5	-40.4	50.0	306
$B25R_{100_100d}$	35.6	58.6	-20.7	62.1	340
$B50R_{100_100d}$	46.1	79.3	-0.2	79.3	359
$B75R_{100_100d}$	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	45.4	70.9	44.8	83.9	32
Y _d ,Ma	87.8	-10.2	95.4	96.0	96
G _d ,Ma	50.0	-65.0	29.6	71.4	155
C _d ,Ma	56.8	-25.5	-41.5	48.7	238
B _d ,Ma	25.0	29.5	-40.4	50.0	306
M _d ,Ma	46.1	79.3	-0.2	79.3	359
N _d ,Ma	24.3	0.0	0.0	0.0	0
W _d ,Ma	95.6	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 53 53 54 76 45

HIC^*_d, Ma : R25Y_100_100_d

$rgbic^*_d, Ma$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d = R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-103531-L0 QE070-72
TUB-test chart QE07; hue code: $H_d^* = R25Y_d$
Test chart according to DIN 33872, 3D=1, $de=0$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103531-E0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow elementary CIELAB (a^*_e, b^*_e) chroma diagram

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow standard CIELAB (a^*_s, b^*_s) chroma diagram

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_e produce the output of the device-independent elementary hues

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}					LAB^*_{ddx64M} (x=LabCh)					$rgb^*_{ddx361M}$					$LAB^*_{ddx361M}$ (x=LabCh)					$rgb^*_{dsx361M}$					$LAB^*_{dsx361M}$ (x=LabCh)					$rgb^*_{dex361M}$					$LAB^*_{dex361M}$				
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25								
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33								
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42								
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49								
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58								
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66								
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75								
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83								
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92								
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100								
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109								
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117								
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127								
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135								
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144								
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152								
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162								
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168								
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175								
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182								
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189								
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195								
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203								
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209								
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216								
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223								
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230								
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237								
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244								
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250								
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258								
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264								
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.4										

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	32.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25			
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	38.1	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33			
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	46.8	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42			
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	56.9	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49			
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	67.1	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58			
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	78.6	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66			
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	86.2	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75			
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	92.1	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83			
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	96.1	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92			
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	98.8	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100			
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	101.8	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109			
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	107.6	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117			
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	114.0	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127			
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	121.4	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135			
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	135.3	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144			
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	144.4	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152			
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	155.5	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162			
160.7	157.5	169.0	0.0 1.0 0.125 50.5	-62.8 21.9 66.5 160.7	160.7	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168			
167.7	165.0	175.9	0.0 1.0 0.25 51.2	-58.9 12.7 60.3 167.7	167.7	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175			
176.7	172.5	182.7	0.0 1.0 0.375 52.0	-54.5 3.1 54.6 176.7	176.7	0.0 1.0 0.43 52.5 -52.2 -2.0 52.3 182			
189.3	180.0	189.6	0.0 1.0 0.5 52.9	-48.6 -8.0 49.3 189.3	189.3	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189			
203.2	187.5	196.4	0.0 1.0 0.625 54.0	-42.3 -18.1 46.1 203.2	203.2	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195			
217.2	195.0	203.2	0.0 1.0 0.75 55.0	-36.0 -27.4 45.3 217.2	217.2	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203			
228.3	202.5	210.1	0.0 1.0 0.875 55.8	-30.7 -34.5 46.2 228.3	228.3	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209			
238.4	210.0	216.9	0.0 1.0 1.0 56.8	-25.5 -41.5 48.7 238.4	238.4	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216			
242.9	217.5	223.8	0.0 0.875 1.0 54.1	-21.1 -41.3 46.4 242.9	242.9	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223			
249.3	225.0	230.6	0.0 0.75 1.0 50.4	-15.5 -41.1 43.9 249.3	249.3	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230			
256.9	232.5	237.5	0.0 0.625 1.0 46.5	-9.4 -40.8 41.9 256.9	256.9	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237			
268.2	240.0	244.3	0.0 0.5 1.0 41.7	-1.2 -40.6 40.6 268.2	268.2	0.0 0.847 1.0 53.3 -19.8 -41.3 45.9 244			
278.6	247.5	251.2	0.0 0.375 1.0 37.3	6.1 -40.2 40.7 278.6	278.6	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250			
289.6	255.0	258.0	0.0 0.25 1.0 32.8	14.3 -40.2 42.7 289.6	289.6	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258			
299.0	262.5	264.8	0.0 0.125 1.0 28.6	22.4 -40.2 46.1 299.0	299.0	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264			
306.2	270.0	271.7	0.0 0.0 1.0 25.0	29.5 -40.4 50.0 306.2	306.2	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271			
314.7	277.5	278.8	0.125 0.0 1.0 27.9	36.0 -36.4 51.2 314.7	314.7	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278			
322.1	285.0	285.9	0.25 0.0 1.0 28.8	41.9 -32.5 53.1 322.1	322.1	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285			
333.3	292.5	293.0	0.375 0.0 1.0 32.7	51.8 -26.0 58.0 333.3	333.3	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292			
340.5	300.0	300.1	0.5 0.0 1.0 35.6	58.6 -20.7 62.1 340.5	340.5	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300			
347.9	307.5	307.2	0.625 0.0 1.0 38.1	65.4 -14.0 66.9 347.9	347.9	0.0 0.009 0.0 1.0 25.3 30.1 -40.1 50.2 306			
352.5	315.0	314.3	0.75 0.0 1.0 41.8	71.0 -9.2 71.6 352.5	352.5	0.0 0.12 0.0 1.0 27.8 35.8 -36.5 51.2 314			
356.1	322.5	321.4	0.875 0.0 1.0 44.2	75.2 -5.0 75.3 356.1	356.1	0.0 0.231 0.0 1.0 28.7 41.1 -33.2 52.9 321			
359.8	330.0	328.6	1.0 0.0 1.0 46.1	79.3 -0.2 79.3 359.8	359.8	0.0 0.322 0.0 1.0 31.1 47.8 -29.1 56.0 328			
363.0	337.5	335.7	1.0 0.0 0.875 45.9	78.2 4.1 78.3 363.0	363.0	0.0 0.408 0.0 1.0 33.5 53.7 -24.7 59.1 335			
366.4	345.0	342.8	1.0 0.0 0.75 45.9	77.1 8.6 77.6 366.4	366.4	0.0 0.539 0.0 1.0 36.4 60.8 -18.7 63.7 342			
371.1	352.5	349.9	1.0 0.0 0.625 46.0	75.6 14.8 77.0 371.1	371.1	0.0 0.667 0.0 1.0 39.3 67.4 -12.4 68.5 349			
375.9	360.0	357.0	1.0 0.0 0.5 45.9	74.2 21.1 77.1 375.9	375.9	0.0 0.736 0.0 1.0 41.4 70.5 -9.7 71.1 352			
381.2	367.5	364.1	1.0 0.0 0.375 45.8	72.9 28.3 78.3 381.2	381.2	0.0 0.81 0.0 1.0 46.1 79.3 -0.1 79.3 359			
385.6	375.0	371.2	1.0 0.0 0.25 45.6	72.1 34.6 80.0 385.6	385.6	0.0 0.687 0.0 1.0 46.1 79.3 -0.1 79.3 359			
389.3	382.5	378.3	1.0 0.0 0.125 45.5	71.4 40.1 81.9 389.3	389.3	0.0 0.485 0.0 1.0 39.3 67.4 -12.4 68.5 349			
392.3	390.0	385.4	1.0 0.0 0.0 45.4	70.9 44.8 83.9 392.3	392.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385			

1-103831-L0

QE070-72

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 9/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM*_s; $h_{ab,ds}$ = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi}$ (x=LabCh)	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	R_s	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	R_e	$rgb^*_{dd361Mi}$	rgb^*_{ad}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.096 45.5 71.4 41.2 82.4 30			1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5 71.2 42.8 83.1 31			1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0				
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5 71.0 44.4 83.7 32			1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0 45.9 70.0 45.5 83.5 33			1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0 46.5 68.6 46.3 82.8 34			1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0 47.1 67.3 47.1 82.1 35			1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0				
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0 47.6 65.9 47.9 81.4 36			1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0 48.2 64.5 48.6 80.7 37			1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0 48.8 63.1 49.3 80.1 38			1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0 49.4 61.8 50.1 79.6 39			1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0				
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0 49.9 60.6 50.9 79.1 40			1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0 50.5 59.4 51.6 78.7 41			1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0 51.0 58.1 52.3 78.2 42			1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0 51.6 56.9 53.0 77.8 43			1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0 52.1 55.6 53.7 77.3 44			1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0 52.7 54.4 54.4 76.9 45			1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0				
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0 53.2 53.1 55.0 76.4 46			1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0 53.7 51.8 55.6 76.0 47			1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0 54.3 50.7 56.3 75.8 48			1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0 54.8 49.6 57.1 75.6 49			1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0 55.4 48.5 57.8 75.4 50			1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47		1.0 0.333 0.0				
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0 55.9 47.3 58.5 75.2 51			1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48		1.0 0.35 0.0				
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0 56.5 46.2 59.1 75.0 52			1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49		1.0 0.367 0.0				
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0 57.0 45.0 59.8 74.8 53			1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51		1.0 0.383 0.0				
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0 57.6 43.9 60.4 74.6 54			1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52		1.0 0.4 0.0				
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0 58.1 42.7 61.0 74.4 55			1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53		1.0 0.417 0.0				
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0 58.6 41.5 61.5 74.2 56			1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54		1.0 0.433 0.0				
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0 59.2 40.3 62.1 74.0 57			1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55		1.0 0.45 0.0				
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0 59.8 39.3 62.8 74.1 58			1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56		1.0 0.467 0.0				
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0 60.3 38.2 63.5 74.1 59			1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57		1.0 0.483 0.0				
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0 60.9 37.1 64.2 74.2 60			1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58		1.0 0.5 0.0				
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0 61.4 36.0 64.9 74.2 61			1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.517 0.0				
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0 62.0 34.9 65.6 74.3 62			1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61		1.0 0.533 0.0				
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0 62.6 33.7 66.2 74.3 63			1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62		1.0 0.55 0.0				
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0 63.1 32.6 66.9 74.4 64			1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63		1.0 0.567 0.0				
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0 63.7 31.5 67.5 74.4 65			1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64		1.0 0.583 0.0				
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0 64.2 30.3 68.0 74.5 66			1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65		1.0 0.6 0.0				
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0 64.8 29.1 68.6 74.5 67			1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66		1.0 0.617 0.0				
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0 65.4 28.0 69.4 74.8 68			1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67		1.0 0.633 0.0				
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0 66.1 26.9 70.2 75.2 69			1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68		1.0 0.65 0.0				
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0 66.7 25.8 71.0 75.6 70			1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0				
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0 67.3 24.7 71.8 75.9 71			1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71		1.0 0.683 0.0				
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0 67.9 23.6 72.6 76.3 72			1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72		1.0 0.7 0.0				
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0 68.6 22.4 73.3 76.6 73			1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73		1.0 0.717 0.0				
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0 69.2 21.2 74.0 77.0 74			1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74		1.0 0.733 0.0				
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0 69.8 20.0 74.7 77.4 75			1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75		1.0 0.75 0.0				

1-103931-L0

QE070-72	LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0
----------	---

Output: Offset standard print; separation cmy0*, D65, page 10/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rqb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103931-F0

C M Y O L V

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{d361Mi} (x=LabCh)$					$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi} (x=LabCh)$					$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi} (x=LabCh)$					$rgb^*_{dd361Mi}$			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}			
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0			
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.596	0.0	70.5	18.8	75.4	77.7	76	1.0	0.767	0.0	1.0	0.604	0.0	70.9	17.9	75.9	78.0	76	1.0	0.767	0.0			
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.607	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	1.0	0.616	0.0	71.6	16.5	76.6	78.4	77	1.0	0.783	0.0			
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.618	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	1.0	0.63	0.0	72.4	15.1	77.4	78.9	78	1.0	0.8	0.0			
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.631	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	1.0	0.648	0.0	73.2	13.8	78.5	79.7	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.647	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	1.0	0.667	0.0	74.1	12.3	79.5	80.5	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.664	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	1.0	0.685	0.0	74.9	10.9	80.5	81.3	82	1.0	0.85	0.0			
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	1.0	0.867	0.0			
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.697	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84	1.0	0.883	0.0			
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.713	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	1.0	0.74	0.0	77.5	6.4	83.4	83.6	85	1.0	0.9	0.0			
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.729	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	1.0	0.76	0.0	78.4	4.8	84.4	84.6	86	1.0	0.917	0.0			
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.746	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	1.0	0.784	0.0	79.4	3.2	85.7	85.7	87	1.0	0.933	0.0			
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.766	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	1.0	0.807	0.0	80.5	1.6	86.9	86.9	88	1.0	0.95	0.0			
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.787	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0	1.0	0.831	0.0	81.5	0.0	88.1	88.1	90	1.0	0.967	0.0			
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.808	0.0	80.5	1.5	86.9	86.9	89	1.0	0.983	0.0	1.0	0.854	0.0	82.6	-1.8	89.2	89.3	91	1.0	0.983	0.0			
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	Y_d 1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	Y_s 1.0	1.0	0.0	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	Y_e 1.0	1.0	0.0			
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.85	0.0	82.4	-1.5	89.0	89.0	91	0.983	1.0	0.0	1.0	0.916	0.0	84.9	-5.5	92.0	92.2	93	0.983	1.0	0.0			
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.871	0.0	83.3	-3.0	90.0	90.1	92	0.967	1.0	0.0	1.0	0.953	0.0	86.2	-7.5	93.6	93.9	94	0.967	1.0	0.0			
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.901	0.0	84.4	-4.7	91.4	91.5	93	0.95	1.0	0.0	1.0	0.99	0.0	87.5	-9.6	95.1	95.6	95	0.95	1.0	0.0			
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	0.0	85.5	-6.4	92.7	93.0	94	0.933	1.0	0.0	0.961	1.0	0.0	86.7	-11.3	93.6	94.3	96	0.933	1.0	0.0			
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.965	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	0.907	1.0	0.0	85.3	-12.9	90.9	91.8	98	0.917	1.0	0.0			
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.997	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	0.856	1.0	0.0	83.8	-14.4	88.4	89.6	99	0.9	1.0	0.0			
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	0.883	1.0	0.0			
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	0.914	1.0	0.0	85.4	-12.7	91.2	92.1	98	0.867	1.0	0.0	0.759	1.0	0.0	81.0	-17.2	84.0	85.7	101	0.867	1.0	0.0			
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	0.869	1.0	0.0	84.2	-14.0	89.0	90.1	99	0.85	1.0	0.0	0.729	1.0	0.0	79.9	-18.6	82.3	84.4	102	0.85	1.0	0.0			
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	0.827	1.0	0.0	83.0	-15.3	87.1	88.5	100	0.833	1.0	0.0	0.704	1.0	0.0	78.8	-20.0	80.8	83.2	103	0.833	1.0	0.0			
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	0.785	1.0	0.0	81.8	-16.5	85.2	86.8	101	0.817	1.0	0.0	0.679	1.0	0.0	77.7	-21.3	79.2	82.0	105	0.817	1.0	0.0			
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	0.747	1.0	0.0	80.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	0.654	1.0	0.0	76.6	-22.6	77.6	80.8	106	0.8	1.0	0.0			
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	0.725	1.0	0.0	79.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	0.628	1.0	0.0	75.5	-23.8	76.0	79.6	107	0.783	1.0	0.0			
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	0.703	1.0	0.0	78.7	-20.0	80.7	83.2	104	0.767	1.0	0.0	0.605	1.0	0.0	74.6	-25.0	74.3	78.4	108	0.767	1.0	0.0			
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	0.75	1.0	0.0			
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	0.66	1.0	0.0	76.8	-22.3	78.0	81.1	106	0.733	1.0	0.0	0.56	1.0	0.0	72.9	-27.1	71.0	76.1	110	0.733	1.0	0.0			
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	0.638	1.0	0.0	75.9	-23.3	76.6	80.1	107	0.717	1.0	0.0	0.538	1.0	0.0	72.0	-28.1	69.3	74.9	112	0.717	1.0	0.0			
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	0.617	1.0	0.0	75.0	-24.3	75.2	79.1	108	0.7	1.0	0.0	0.515	1.0	0.0	71.2	-29.0	67.7	73.7	113	0.7	1.0	0.0			
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	0.598	1.0	0.0	74.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	0.494	1.0	0.0	70.4	-30.0	66.1	72.6	114	0.683	1.0	0.0			
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	0.579	1.0	0.0	73.6	-26.2	72.4	77.0	110	0.667	1.0	0.0	0.474	1.0	0.0	69.6	-31.0	64.8	71.9	115	0.667	1.0	0.0			
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	0.559	1.0	0.0	72.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	0.454	1.0	0.0	68.8	-32.0	63.5	71.2	116	0.65	1.0	0.0			
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.633	1.0	0.0	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	0.633	1.0	0.0			
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	0.521	1.0	0.0	71.4	-28.8	68.1	74.0	113	0.617	1.0	0.0	0.414	1.0	0.0	67.3	-33.8	60.9	69.7	119	0.617	1.0	0.0			
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	0.501	1.0	0.0	70.7	-29.6	66.6	72.9	114	0.6	1.0	0.0	0.394	1.0	0.0	66.5	-34.7	59.6	69.0	120	0.6	1.0	0.0			
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	0.484	1.0	0.0	70.0	-30.4	65.5	72.3	115	0.583	1.0	0.0	0.375	1.0	0.0	65.7	-35.5	58.3	68.3	121	0.583	1.0	0.0			

1-1031031-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 11/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

	$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{dd361Mi}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}					
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0			
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0			
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.467	1.0	0.0			
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0			
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0			
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.417	1.0	0.0			
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0			
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0			
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.367	1.0	0.0			
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0			
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0			
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.317	1.0	0.0			
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0			
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.267	1.0	0.0			
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0			
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0			
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.217	1.0	0.0			
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0			
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0			
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.167	1.0	0.0			
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0			
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0			
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.117	1.0	0.0			
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0			
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0			
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.067	1.0	0.0			
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.05	1.0	0.0			
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0			
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.017	1.0	0.0			
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G_d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G_s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G_e 0.0	1.0	0.0			
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017			
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033			
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69																										

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9 12.7	60.3	167	0.0	1.0	0.25	51.2	-58.9 12.7
168	166	176	0.0	1.0	0.266	51.3	-58.4 11.3	59.5	168	0.0	1.0	0.267	51.3	-58.4 11.3
170	167	177	0.0	1.0	0.283	51.4	-57.9 10.0	58.8	170	0.0	1.0	0.283	51.4	-57.9 10.0
171	168	178	0.0	1.0	0.3	51.5	-57.3 8.7	58.0	171	0.0	1.0	0.3	51.5	-57.3 8.7
172	169	179	0.0	1.0	0.316	51.6	-56.8 7.4	57.3	172	0.0	1.0	0.317	51.6	-56.8 7.4
173	170	180	0.0	1.0	0.333	51.7	-56.2 6.1	56.5	173	0.0	1.0	0.333	51.7	-56.2 6.1
174	171	181	0.0	1.0	0.35	51.8	-55.5 4.9	55.8	174	0.0	1.0	0.35	51.8	-55.5 4.9
176	172	182	0.0	1.0	0.366	51.9	-54.9 3.7	55.0	176	0.0	1.0	0.367	51.9	-54.9 3.7
177	173	183	0.0	1.0	0.383	52.0	-54.2 2.3	54.3	177	0.0	1.0	0.383	52.0	-54.2 2.3
179	174	184	0.0	1.0	0.4	52.2	-53.6 0.7	53.6	179	0.0	1.0	0.4	52.2	-53.6 0.7
180	175	185	0.0	1.0	0.416	52.3	-52.8 -0.8	52.9	180	0.0	1.0	0.417	52.3	-52.8 -0.8
182	176	185	0.0	1.0	0.433	52.4	-52.1 -2.3	52.1	182	0.0	1.0	0.433	52.4	-52.1 -2.3
184	177	186	0.0	1.0	0.45	52.6	-51.3 -3.8	51.4	184	0.0	1.0	0.45	52.6	-51.3 -3.8
185	178	187	0.0	1.0	0.466	52.7	-50.4 -5.3	50.7	185	0.0	1.0	0.467	52.7	-50.4 -5.3
187	179	188	0.0	1.0	0.483	52.8	-49.6 -6.6	50.0	187	0.0	1.0	0.483	52.8	-49.6 -6.6
189	180	189	0.0	1.0	0.5	52.9	-48.6 -8.0	49.3	189	0.0	1.0	0.5	52.9	-48.6 -8.0
191	181	190	0.0	1.0	0.516	53.1	-47.9 -9.5	48.9	191	0.0	1.0	0.517	53.1	-47.9 -9.5
193	182	191	0.0	1.0	0.533	53.2	-47.2 -10.9	48.4	193	0.0	1.0	0.533	53.2	-47.2 -10.9
194	183	192	0.0	1.0	0.55	53.4	-46.4 -12.3	48.0	194	0.0	1.0	0.55	53.4	-46.4 -12.3
196	184	193	0.0	1.0	0.566	53.5	-45.6 -13.7	47.6	196	0.0	1.0	0.567	53.5	-45.6 -13.7
198	185	194	0.0	1.0	0.583	53.6	-44.7 -15.0	47.1	198	0.0	1.0	0.583	53.6	-44.7 -15.0
200	186	195	0.0	1.0	0.6	53.8	-43.8 -16.3	46.7	200	0.0	1.0	0.6	53.8	-43.8 -16.3
202	187	195	0.0	1.0	0.616	53.9	-42.8 -17.5	46.3	202	0.0	1.0	0.617	53.9	-42.8 -17.5
204	188	196	0.0	1.0	0.633	54.1	-42.0 -18.8	46.0	204	0.0	1.0	0.633	54.1	-42.0 -18.8
206	189	197	0.0	1.0	0.65	54.2	-41.2 -20.1	45.9	206	0.0	1.0	0.65	54.2	-41.2 -20.1
207	190	198	0.0	1.0	0.666	54.3	-40.5 -21.4	45.8	207	0.0	1.0	0.667	54.3	-40.5 -21.4
209	191	199	0.0	1.0	0.683	54.5	-39.7 -22.7	45.7	209	0.0	1.0	0.683	54.5	-39.7 -22.7
211	192	200	0.0	1.0	0.7	54.6	-38.8 -23.9	45.6	211	0.0	1.0	0.7	54.6	-38.8 -23.9
213	193	201	0.0	1.0	0.716	54.7	-37.9 -25.1	45.5	213	0.0	1.0	0.717	54.7	-37.9 -25.1
215	194	202	0.0	1.0	0.733	54.9	-37.0 -26.3	45.4	215	0.0	1.0	0.733	54.9	-37.0 -26.3
217	195	203	0.0	1.0	0.75	55.0	-36.0 -27.4	45.3	217	0.0	1.0	0.75	55.0	-36.0 -27.4
218	196	204	0.0	1.0	0.766	55.1	-35.4 -28.4	45.4	218	0.0	1.0	0.767	55.1	-35.4 -28.4
220	197	205	0.0	1.0	0.783	55.2	-34.7 -29.4	45.5	220	0.0	1.0	0.783	55.2	-34.7 -29.4
221	198	206	0.0	1.0	0.8	55.3	-34.0 -30.3	45.6	221	0.0	1.0	0.8	55.3	-34.0 -30.3
223	199	206	0.0	1.0	0.816	55.4	-33.3 -31.3	45.7	223	0.0	1.0	0.817	55.4	-33.3 -31.3
224	200	207	0.0	1.0	0.833	55.6	-32.6 -32.2	45.9	224	0.0	1.0	0.833	55.6	-32.6 -32.2
226	201	208	0.0	1.0	0.85	55.7	-31.8 -33.1	46.0	226	0.0	1.0	0.85	55.7	-31.8 -33.1
227	202	209	0.0	1.0	0.866	55.8	-31.1 -34.0	46.1	227	0.0	1.0	0.867	55.8	-31.1 -34.0
229	203	210	0.0	1.0	0.883	55.9	-30.4 -35.0	46.3	229	0.0	1.0	0.883	55.9	-30.4 -35.0
230	204	211	0.0	1.0	0.9	56.0	-29.7 -35.9	46.7	230	0.0	1.0	0.9	56.0	-29.7 -35.9
231	205	212	0.0	1.0	0.916	56.1	-29.1 -36.9	47.0	231	0.0	1.0	0.917	56.1	-29.1 -36.9
233	206	213	0.0	1.0	0.933	56.3	-28.4 -37.8	47.3	233	0.0	1.0	0.933	56.3	-28.4 -37.8
234	207	214	0.0	1.0	0.95	56.4	-27.7 -38.8	47.7	234	0.0	1.0	0.95	56.4	-27.7 -38.8
235	208	215	0.0	1.0	0.966	56.5	-27.0 -39.7	48.0	235	0.0	1.0	0.967	56.5	-27.0 -39.7
237	209	216	0.0	1.0	0.983	56.6	-26.2 -40.6	48.3	237	0.0	1.0	0.983	56.6	-26.2 -40.6
238	210	216	0.0	1.0	1.0	56.8	-25.5 -41.5	48.7	238	0.0	1.0	1.0	56.8	-25.5 -41.5

1-1031231-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 13/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Colorimetric data of the three colours (C _d , C _s , C _e) and the elementary colorimetric data (C _d , C _s , C _e)										Colorimetric data of the three colours (C _d , C _s , C _e) and the elementary colorimetric data (C _d , C _s , C _e)										Colorimetric data of the three colours (C _d , C _s , C _e) and the elementary colorimetric data (C _d , C _s , C _e)										Colorimetric data of the three colours (C _d , C _s , C _e) and the elementary colorimetric data (C _d , C _s , C _e)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Lab _d	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	C _s	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	C _e	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	C _d	rgb* _{ds}

1-1031331-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 14/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours <i>RYGCBM</i> _d : <i>h</i> _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours <i>RYGCBM</i> _e : <i>h</i> _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																												
<i>h</i> _{ab,d}	<i>h</i> _{ab,s}	<i>h</i> _{ab,e}	<i>rgb</i> [*] _{dd361M}	<i>LAB</i> [*] _{ddx361Mi} (x=LabCh)	<i>rgb</i> [*] _{ds361Mi}	<i>LAB</i> [*] _{dsx361Mi} (x=LabCh)	<i>rgb</i> [*] _{dd361Mi}	<i>rgb</i> [*] _{de361Mi}	<i>LAB</i> [*] _{dex361Mi} (x=LabCh)	<i>rgb</i> [*] _{dd361Mi}	<i>rgb</i> [*] _{da}	<i>rgb</i> [*] _{ds}	<i>rgb</i> [*] _{de}															
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2 42.7	289	0.0	0.657 1.0	47.5	-10.9	-40.9 42.5	255	0.0	0.25 1.0	0.0	0.613 1.0	46.1	-8.6	-40.8 41.9	258	0.0	0.25 1.0				
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3 43.1	290	0.0	0.641 1.0	47.0	-10.1	-40.9 42.2	256	0.0	0.233 1.0	0.0	0.603 1.0	45.7	-7.9	-40.9 41.7	258	0.0	0.233 1.0				
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3 43.6	292	0.0	0.624 1.0	46.5	-9.3	-40.8 42.0	257	0.0	0.217 1.0	0.0	0.593 1.0	45.3	-7.2	-40.9 41.6	259	0.0	0.217 1.0				
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4 44.0	293	0.0	0.613 1.0	46.1	-8.6	-40.8 41.9	258	0.0	0.2 1.0	0.0	0.583 1.0	44.9	-6.6	-40.9 41.5	260	0.0	0.2 1.0				
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4 44.5	294	0.0	0.602 1.0	45.7	-7.9	-40.9 41.7	259	0.0	0.183 1.0	0.0	0.573 1.0	44.5	-5.9	-40.9 41.4	261	0.0	0.183 1.0				
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4 44.9	295	0.0	0.591 1.0	45.3	-7.1	-40.9 41.6	260	0.0	0.167 1.0	0.0	0.562 1.0	44.1	-5.2	-40.9 41.3	262	0.0	0.167 1.0				
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4 45.4	297	0.0	0.58 1.0	44.8	-6.4	-40.9 41.5	261	0.0	0.15 1.0	0.0	0.552 1.0	43.7	-4.5	-40.9 41.2	263	0.0	0.15 1.0				
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3 45.8	298	0.0	0.569 1.0	44.4	-5.7	-40.9 41.4	262	0.0	0.133 1.0	0.0	0.542 1.0	43.4	-3.9	-40.8 41.1	264	0.0	0.133 1.0				
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3 46.3	299	0.0	0.558 1.0	44.0	-4.9	-40.9 41.3	263	0.0	0.117 1.0	0.0	0.532 1.0	43.0	-3.2	-40.8 41.0	265	0.0	0.117 1.0				
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4 46.9	300	0.0	0.547 1.0	43.5	-4.2	-40.8 41.2	264	0.0	0.1 1.0	0.0	0.522 1.0	42.6	-2.6	-40.7 40.9	266	0.0	0.1 1.0				
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4 47.4	301	0.0	0.536 1.0	43.1	-3.5	-40.8 41.1	265	0.0	0.083 1.0	0.0	0.512 1.0	42.2	-1.9	-40.7 40.8	267	0.0	0.083 1.0				
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4 47.9	302	0.0	0.525 1.0	42.7	-2.8	-40.7 40.9	266	0.0	0.067 1.0	0.0	0.502 1.0	41.8	-1.3	-40.6 40.7	268	0.0	0.067 1.0				
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5 48.4	303	0.0	0.514 1.0	42.3	-2.0	-40.7 40.8	267	0.0	0.05 1.0	0.0	0.491 1.0	41.4	-0.6	-40.6 40.7	269	0.0	0.05 1.0				
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4 49.0	304	0.0	0.503 1.0	41.8	-1.3	-40.6 40.7	268	0.0	0.033 1.0	0.0	0.48 1.0	41.0	0.0	-40.6 40.7	269	0.0	0.033 1.0				
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4 49.5	305	0.0	0.491 1.0	41.4	-0.6	-40.6 40.7	269	0.0	0.017 1.0	0.0	0.469 1.0	40.6	0.6	-40.6 40.7	270	0.0	0.017 1.0				
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4 50.0	306	<i>B_d</i>	0.0	0.479 1.0	41.0	0.0	-40.6 40.7	270 <i>B_s</i>	0.0	0.0 1.0	0.0	0.458 1.0	40.3	1.2	-40.6 40.7	271 <i>B_e</i>	0.0	0.0 1.0			
307	271	272	0.016 0.0	1.0	25.4	30.4	-39.9 50.2	307	0.0	0.467 1.0	40.6	0.7	-40.6 40.7	271	0.017 0.0	1.0	0.0	0.447 1.0	39.9	1.9	-40.5 40.7	272	0.017 0.0	1.0				
308	272	273	0.033 0.0	1.0	25.8	31.3	-39.4 50.4	308	0.0	0.455 1.0	40.2	1.4	-40.6 40.7	272	0.033 0.0	1.0	0.0	0.435 1.0	39.5	2.6	-40.5 40.7	273	0.033 0.0	1.0				
309	273	274	0.05 0.0	1.0	26.2	32.2	-38.9 50.5	309	0.0	0.443 1.0	39.7	2.1	-40.5 40.7	273	0.05 0.0	1.0	0.0	0.424 1.0	39.1	3.3	-40.5 40.7	274	0.05 0.0	1.0				
310	274	275	0.066 0.0	1.0	26.5	33.1	-38.4 50.7	310	0.0	0.431 1.0	39.3	2.8	-40.5 40.7	274	0.067 0.0	1.0	0.0	0.413 1.0	38.7	3.9	-40.4 40.7	275	0.067 0.0	1.0				
311	275	276	0.083 0.0	1.0	26.9	33.9	-37.8 50.8	311	0.0	0.419 1.0	38.9	3.5	-40.4 40.7	275	0.083 0.0	1.0	0.0	0.401 1.0	38.3	4.6	-40.3 40.7	276	0.083 0.0	1.0				
313	276	277	0.1 0.0	1.0	27.3	34.8	-37.3 51.0	313	0.0	0.407 1.0	38.5	4.3	-40.4 40.7	276	0.1 0.0	1.0	0.0	0.39 1.0	37.9	5.3	-40.3 40.7	277	0.1 0.0	1.0				
314	277	278	0.116 0.0	1.0	27.7	35.6	-36.7 51.1	314	0.0	0.395 1.0	38.1	5.0	-40.3 40.7	277	0.117 0.0	1.0	0.0	0.378 1.0	37.5	5.9	-40.2 40.7	278	0.117 0.0	1.0				
315	278	279	0.133 0.0	1.0	27.9	36.4	-36.2 51.3	315	0.0	0.383 1.0	37.6	5.7	-40.2 40.7	278	0.133 0.0	1.0	0.0	0.367 1.0	37.1	6.6	-40.2 40.8	279	0.133 0.0	1.0				
316	279	280	0.15 0.0	1.0	28.1	37.2	-35.7 51.6	316	0.0	0.371 1.0	37.2	6.4	-40.2 40.8	279	0.15 0.0	1.0	0.0	0.357 1.0	36.7	7.3	-40.2 41.0	280	0.15 0.0	1.0				
317	280	281	0.166 0.0	1.0	28.2	38.0	-35.2 51.9	317	0.0	0.36 1.0	36.8	7.1	-40.2 41.0	280	0.167 0.0	1.0	0.0	0.346 1.0	36.3	8.0	-40.3 41.2	281	0.167 0.0	1.0				
318	281	282	0.183 0.0	1.0	28.3	38.8	-34.7 52.1	318	0.0	0.348 1.0	36.4	7.8	-40.3 41.1	281	0.183 0.0	1.0	0.0	0.335 1.0	35.9	8.7	-40.3 41.3	282	0.183 0.0	1.0				
319	282	283	0.2 0.0	1.0	28.5	39.6	-34.2 52.4	319	0.0	0.337 1.0	36.0	8.6	-40.3 41.3	282	0.2 0.0	1.0	0.0	0.324 1.0	35.5	9.4	-40.3 41.5	283	0.2 0.0	1.0				
320	283	284	0.216 0.0	1.0	28.6	40.4	-33.7 52.6	320	0.0	0.326 1.0	35.6	9.3	-40.3 41.5	283	0.217 0.0	1.0	0.0	0.313 1.0	35.1	10.1	-40.3 41.7	284	0.217 0.0	1.0				
321	284	285	0.233 0.0	1.0	28.7	41.2	-33.1 52.9	321	0.0	0.314 1.0	35.2	10.1	-40.3 41.7	284	0.233 0.0	1.0	0.0	0.303 1.0	34.8	10.8	-40.3 41.9	285	0.233 0.0	1.0				
322	285	285	0.25 0.0	1.0	28.8	41.9	-32.5 53.1	322	0.0	0.303 1.0	34.8	10.8	-40.3 41.9	285	0.25 0.0	1.0	0.0	0.292 1.0	34.4	11.6	-40.3 42.0	285	0.25 0.0	1.0				
323	286	286	0.266 0.0	1.0	29.4	43.3	-31.8 53.8	323	0.0	0.291 1.0	34.3	11.6	-40.3 42.0	286	0.267 0.0	1.0	0.0	0.281 1.0	34.0	12.3	-40.3 42.2	286	0.267 0.0	1.0				
325	287	287	0.283 0.0	1.0	29.9	44.7	-31.1 54.4	325	0.0	0.28 1.0	33.9	12.3	-40.3 42.2	287	0.283 0.0	1.0	0.0	0.27 1.0	33.6	13.0	-40.2 42.4	287	0.283 0.0	1.0				
326	288	288	0.3 0.0	1.0	30.4	46.0	-30.3 55.1	326	0.0	0.269 1.0	33.5	13.1	-40.2 42.4	288	0.3 0.0	1.0	0.0	0.26 1.0	33.2	13.7	-40.2 42.5	288	0.3 0.0	1.0				
328	289	289	0.316 0.0	1.0	30.9	47.3	-29.4 55.7	328	0.0	0.257 1.0	33.1	13.9	-40.2 42.6	289	0.317 0.0	1.0	0.0	0.249 1.0	32.8	14.4	-40.1 42.7	289	0.317 0.0	1.0				
329	290	290	0.333 0.0	1.0	31.4	48.6	-28.5 56.4	329	0.0	0.245 1.0	32.7	14.6	-40.1 42.8	290	0.333 0.0	1.0	0.0	0.236 1.0	32.4	15.2	-40.2 43.1	290	0.333 0.0	1.0				
331	291	291	0.35 0.0	1.0	32.																							

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}							LAB^*_{d361Mi} (x=LabCh)							$rgb^*_{ds361Mi}$							$LAB^*_{dsx361Mi}$ (x=LabCh)							$rgb^*_{dd361Mi}$							$rgb^*_{de361Mi}$							$LAB^*_{dex361Mi}$ (x=LabCh)							$rgb^*_{dd361Mi}$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

1-1031531-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 16/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$








TUB registration: 20130201-QE07/QE07L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

Output: Offset standard print; separation cmy0*, D65, page 17/33

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0* (CMY0)



see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgbbd*
output: 3D-linearization to *cmy0**dd

TUB-test chart QE07; hue code: H*d=R25Yd
colors and differences, ΔE*

n/f		H* _{CC} -Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb_Fid	LabCH*-Fid	cmy0*_sep_Fid	hax*_id	rgbb*_id	LabCH*-Mid	delta	
0/648	R00Y_100_100dd	1.0	0.0	1.0	0.5	370	45.4	70.9	83.9	44.8	83.9	32.3	32.3
1/657	R13Y_100_100dd	0.125	0.0	1.0	0.5	390	48.6	63.3	49.1	80.2	37.7	37.7	37.7
2/666	R25Y_100_100dd	0.25	0.0	1.0	0.5	44	53.0	53.4	54.8	76.5	45.7	45.7	45.7
3/675	R38Y_100_100dd	0.375	0.0	1.0	0.5	52	58.8	41.1	61.7	74.1	56.3	56.3	56.3
4/684	R50Y_100_100dd	0.5	0.0	1.0	0.5	68	64.9	28.9	68.6	74.5	67.1	67.1	67.1
5/693	R63Y_100_100dd	0.625	0.0	1.0	0.5	68	72.5	14.8	77.6	79.0	79.1	79.1	79.1
6/702	R75Y_100_100dd	0.75	0.0	1.0	0.5	76	78.6	4.3	84.7	84.8	87.0	87.0	87.0
7/711	R88Y_100_100dd	1.0	0.875	0.0	1.0	83	83.7	-3.8	90.5	92.4	90.5	90.5	90.5
8/720	Y00C_100_100dd	1.0	1.0	0.0	0.5	90	87.8	-10.2	95.4	96.0	96.1	96.1	96.1
9/659	Y13C_100_100dd	0.875	1.0	0.0	0.5	97	88.3	1.0	84.5	89.7	90.7	90.7	90.7
10/638	Y25C_100_100dd	0.75	1.0	0.0	0.5	104	81.2	-17.0	84.3	86.0	101.4	101.4	101.4
11/477	Y38C_100_100dd	0.625	1.0	0.0	0.5	112	75.6	-23.6	76.2	79.8	117.0	117.0	117.0
12/396	Y50C_100_100dd	0.5	1.0	0.0	0.5	120	70.6	-29.7	66.5	72.8	114.0	114.0	114.0
13/315	Y63C_100_100dd	0.375	1.0	0.0	0.5	138	65.2	-36.4	57.6	68.2	122.3	122.3	122.3
14/234	Y75C_100_100dd	0.25	1.0	0.0	0.5	136	62.3	-48.3	45.8	66.5	136.5	136.5	136.5
15/153	Y88C_100_100dd	0.125	1.0	0.0	0.5	143	54.4	-54.7	38.0	66.6	145.1	145.1	145.1
16/72	G00C_100_100dd	0.0	1.0	0.0	0.5	150	50.0	-65.0	29.6	71.4	155.5	155.5	155.5
17/73	G13C_100_100dd	0.125	1.0	0.0	0.5	157	50.5	-62.9	22.4	66.8	160.4	160.4	160.4
18/74	G25C_100_100dd	0.25	1.0	0.0	0.5	164	51.1	-59.5	13.9	61.1	166.8	166.8	166.8
19/75	G38C_100_100dd	0.375	1.0	0.0	0.5	172	51.9	-54.9	3.7	55.0	176.1	176.1	176.1
20/76	G50C_100_100dd	0.5	1.0	0.0	0.5	180	52.9	-48.6	-8.0	49.3	189.3	189.3	189.3
21/77	G63C_100_100dd	0.625	1.0	0.0	0.5	188	54.1	-42.0	-18.8	46.0	204.1	204.1	204.1
22/78	G75C_100_100dd	0.75	1.0	0.0	0.5	196	55.1	-35.4	-28.4	45.4	216.7	216.7	216.7
23/79	G88C_100_100dd	1.0	1.0	0.0	0.5	203	55.9	-35.0	-35.0	46.3	225.0	225.0	225.0
24/80	C00B_100_100dd	0.0	1.0	1.0	0.5	210	56.8	-25.5	-41.5	48.7	238.4	238.4	238.4
25/81	C13B_100_100dd	0.125	1.0	1.0	0.5	217	54.3	-21.4	-41.4	46.6	242.6	242.6	242.6
26/62	C25B_100_100dd	0.25	1.0	1.0	0.5	224	50.9	-16.2	-41.2	44.2	248.4	248.4	248.4
27/63	C38B_100_100dd	0.375	1.0	1.0	0.5	232	46.8	-9.8	-40.9	42.1	256.4	256.4	256.4
28/44	C50B_100_100dd	0.5	1.0	1.0	0.5	240	41.7	-1.2	-40.6	40.6	268.2	268.2	268.2
29/35	C63B_100_100dd	0.625	1.0	1.0	0.5	248	37.0	6.6	-40.2	40.8	279.3	279.3	279.3
30/26	C75B_100_100dd	0.75	1.0	1.0	0.5	256	32.2	15.3	-40.3	43.1	290.8	290.8	290.8
31/17	C88B_100_100dd	0.875	1.0	1.0	0.5	263	28.4	22.8	-40.3	46.3	299.5	299.5	299.5
32/8	B00M_100_100dd	0.0	1.0	0.0	0.5	270	25.0	29.5	-40.4	50.0	306.2	306.2	306.2
33/89	B13M_100_100dd	0.125	1.0	0.0	0.5	277	27.7	35.6	-36.7	51.1	314.1	314.1	314.1
34/170	B25M_100_100dd	0.25	1.0	0.0	0.5	284	28.7	41.2	-33.1	52.9	321.1	321.1	321.1
35/251	B38M_100_100dd	0.375	1.0	0.0	0.5	292	32.5	51.2	-26.5	57.7	332.6	332.6	332.6
36/332	B50M_100_100dd	0.5	1.0	0.0	0.5	300	35.6	58.6	-20.7	62.1	340.5	340.5	340.5
37/413	B63M_100_100dd	0.625	1.0	0.0	0.5	308	38.3	65.8	-13.7	67.2	348.2	348.2	348.2
38/494	B75M_100_100dd	0.75	1.0	0.0	0.5	316	42.1	71.6	-8.7	72.1	353.0	353.0	353.0
39/575	B88M_100_100dd	0.875	1.0	0.0	0.5	323	44.3	75.4	-4.7	75.6	356.3	356.3	356.3
40/656	M00R_100_100dd	1.0	0.0	1.0	0.5	330	46.1	79.3	-0.2	79.3	359.8	359.8	359.8
41/655	M13R_100_100dd	1.0	0.0	0.875	1.0	337	45.9	78.3	3.8	78.4	2.8	2.8	2.8
42/654	M25R_100_100dd	1.0	0.0	0.75	1.0	344	45.9	77.3	8.0	77.7	5.9	5.9	5.9
43/653	M38R_100_100dd	1.0	0.0	0.625	1.0	352	46.0	75.7	14.4	77.1	10.8	10.8	10.8
44/652	M50R_100_100dd	1.0	0.0	0.5	1.0	360	45.9	74.2	21.1	77.1	15.9	15.9	15.9
45/651	M63R_100_100dd	1.0	0.0	0.375	1.0	368	45.8	72.9	28.7	78.4	21.5	21.5	21.5
46/650	M75R_100_100dd	1.0	0.0	0.25	1.0	376	45.6	72.1	35.3	80.3	26.1	26.1	26.1
47/649	M88R_100_100dd	1.0	0.0	0.125	1.0	383	45.5	71.4	40.4	82.1	29.5	29.5	29.5
48/648	R00Y_100_100dd	1.0	0.0	0.0	1.0	390	45.4	70.9	44.8	83.9	32.3	32.3	32.3
49/0	NW_000dd	0.0	0.0	0.0	0.0	360	34.3	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NW_013dd	0.125	0.0	0.0	0.125	360	32.2	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NW_025dd	0.25	0.0	0.0	0.25	360	28.4	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NW_038dd	0.375	0.0	0.0	0.375	360	24.2	0.0	0.0	0.0	0.0	0.0	0.0
53/364	NW_050dd	0.5	0.0	0.0	0.5	360	20.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NW_063dd	0.625	0.0	0.0	0.625	360	15.8	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NW_075dd	0.75	0.0	0.0	0.75	360	11.6	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NW_088dd	0.875	0.0	0.0	0.875	360	7.4	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NW_100dd	1.0	1.0	1.0	1.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)

n/f	HfC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmy0*_sep_Fid	delta	rgb*Mid	hsa_Mid	LabCH*Mid	32.3	44.8	83.9	32.3
0/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	45.4	70.9	44.8	83.9
1/666	R25Y_100_100ad	0.25	0.0	0.0	1.0	0.233	0.0	0.0	0.0	0.233	0.0	53.0	53.4	54.8	76.5
2/684	R50Y_100_100ad	0.5	0.0	0.0	1.0	0.466	0.0	0.0	0.0	0.466	0.0	64.9	28.9	68.6	74.5
3/702	R75Y_100_100ad	0.75	0.0	0.0	1.0	0.700	0.0	0.0	0.0	0.700	0.0	78.6	4.3	84.7	87.0
4/720	Y00C_100_100ad	1.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	87.8	-10.2	95.4	96.0
5/738	Y25C_100_100ad	0.75	0.0	0.0	1.0	0.766	0.0	0.0	0.0	0.766	0.0	81.2	-17.0	84.3	86.0
6/756	Y50C_100_100ad	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.5	0.0	70.6	-29.7	66.5	72.8
7/774	Y75C_100_100ad	0.25	0.0	0.0	1.0	0.233	0.0	0.0	0.0	0.233	0.0	57.9	-48.3	45.8	66.5
8/792	G00B_100_100ad	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	50.0	-65.0	29.6	71.4
9/774	G25B_100_100ad	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	-65.0	29.6	71.4
10/766	G50B_100_100ad	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.9	-48.6	-8.0	49.3
11/804	G75B_100_100ad	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.8	-25.5	-41.5	48.7
12/844	G90B_100_100ad	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.7	-1.2	-40.6	40.6
13/8	B00M_100_100ad	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	29.5	-40.4	50.0
14/332	B25R_100_100ad	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.6	58.6	-20.7	62.1
15/652	B50R_100_100ad	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.1	79.3	-0.2	79.3
16/652	B75R_100_100ad	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.9	74.2	21.1	77.1
17/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
18/668	R00Y_100_050ad	1.0	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
19/676	R25Y_100_050ad	0.75	0.5	0.5	0.0	0.75	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
20/724	Y00C_100_050ad	1.0	0.5	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
21/664	Y25C_100_050ad	0.75	0.5	0.5	0.0	0.75	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
22/400	G00B_100_050ad	0.0	1.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
23/400	G25B_100_050ad	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
24/368	B00M_100_050ad	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
25/692	B50R_100_050ad	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
26/688	R00Y_100_050ad	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
27/506	R00Y_075_050ad	0.75	0.25	0.25	0.75	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
28/524	R50Y_075_050ad	0.75	0.25	0.25	0.75	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
29/542	Y00C_075_050ad	1.0	0.25	0.25	0.75	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
30/380	Y50C_075_050ad	0.5	0.25	0.25	0.75	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
31/218	G00B_075_050ad	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
32/222	G50B_075_050ad	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
33/186	B00R_075_050ad	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
34/510	B50R_075_050ad	1.0	0.25	0.25	0.75	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
35/506	R00Y_075_050ad	0.75	0.25	0.25	0.75	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
36/324	R00Y_050_050ad	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
37/342	R50Y_050_050ad	0.5	0.25	0.25	0.5	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
38/360	Y00C_050_050ad	1.0	0.25	0.25	0.5	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
39/198	Y50C_050_050ad	0.5	0.25	0.25	0.5	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
40/36	G00B_050_050ad	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
41/40	G50B_050_050ad	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
42/4	B00R_050_050ad	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
43/328	B50R_050_050ad	1.0	0.25	0.25	0.5	0.25	0.25	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
44/324	R00Y_050_050ad	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
45/0	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
46/91	NW_013ad	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
47/182	NW_025ad	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
48/273	NW_038ad	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
49/364	NW_050ad	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
50/455	NW_065ad	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
51/66	NW_080ad	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
52/66	NW_095ad	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
53/728	NW_100ad	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmy0*dd

TUB-test chart QE07; hue code: H*d=R25Yd
colors and differences, ΔE*



TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



V L O Y M
http://130.149.60.45/~farbmetrik/QE07/QE07L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE07/QE07LE30FA.DAT in file (F), page 20/33

[illegible]

1-1031931-F0

QE070-7N, Page 20/33-F



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$



see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



V L O Y M
http://130.149.60.45/~farbmatrik/QE07/QE07L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE07/QE07LE30FA.DAT in file (F), page 22/33

[illegible]

e: delta


input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmy0**_{dd}

CE070-7N Page 22/33-E

TUB-test chart QE07; hue code: H_d^{*}=R25Y_d
colors and differences, ΔE^*

-1032131-E0

-see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



V L O Y M
http://130.149.60.45/~farbmatrik/QE07/QE07L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE07/QE07LE30FA.DAT in file (F), page 24/33

[illegible]

Mean color difference of this page:

input: *rgb/cmyk* $\rightarrow$ *rgbdd*.


output: 3D-linearization to $cmy0^*$ d

JEF070-7N Page 24/33-E

TUB-test chart QE07; hue code: H_d^{*}=R25Y_d


see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



~farbmetrik/QE07/QE07L0FA.TXT /PS; 3D-linearization
E07/QE07LE30FA.DAT in file (F), page 25/33

<i>n</i>	HIC _{Full}	rgb _{Full}	lcr _{Full}	h _g _{Full}	rgb _{Full}	LabCh _{Full}	cmv _{exp} Full	h _{ax} Δd	rgb _{Δd}	LabCh _{Δd}
405	R00Y_062_062Δd	0.625 0.0	0.625 0.625 0.312	390	0.625 0.0	37.5	0.444	389	1.0	0.0
406	R31Y_062_062Δd	0.625 0.0	0.625 0.625 0.312	379	0.625 0.0	44.3	0.936	389	1.0	0.0
407	R11Y_062_062Δd	0.625 0.0	0.625 0.625 0.312	367	0.625 0.0	37.6	0.445	389	1.0	0.0
408	B69R_062_062Δd	0.625 0.0	0.625 0.625 0.312	353	0.625 0.0	37.8	0.937	367	1.0	0.0
409	B59R_062_062Δd	0.625 0.0	0.625 0.625 0.312	341	0.625 0.0	37.8	0.937	352	1.0	0.0
410	B59R_062_062Δd	0.625 0.0	0.625 0.625 0.312	330	0.625 0.0	37.8	0.937	339	1.0	0.0
411	B42R_075_075Δd	0.625 0.0	0.625 0.625 0.312	321	0.625 0.0	37.8	0.937	330	1.0	0.0
412	B36R_087_087Δd	0.625 0.0	0.625 0.625 0.312	314	0.625 0.0	37.8	0.937	325	1.0	0.0
413	B31R_100_100Δd	0.625 0.0	0.625 0.625 0.312	308	0.625 0.0	37.8	0.937	308	1.0	0.0
414	R18Y_062_062Δd	0.625 0.125	0.625 0.625 0.312	41	0.625 0.114	40.0	0.936	39	1.0	0.0
415	R00Y_062_050Δd	0.625 0.125	0.625 0.625 0.312	375	0.625 0.125	43.8	0.936	389	1.0	0.0
416	R26Y_062_050Δd	0.625 0.125	0.625 0.625 0.312	376	0.625 0.125	43.8	0.936	377	1.0	0.0
417	R00Y_062_050Δd	0.625 0.125	0.625 0.625 0.312	360	0.625 0.125	43.8	0.936	360	1.0	0.0
418	B61R_062_050Δd	0.625 0.125	0.625 0.625 0.312	344	0.625 0.125	43.8	0.936	342	1.0	0.0
419	B50R_062_050Δd	0.625 0.125	0.625 0.625 0.312	330	0.625 0.125	43.8	0.936	330	1.0	0.0
420	B40R_075_062Δd	0.625 0.125	0.625 0.625 0.312	319	0.625 0.125	43.8	0.936	320	1.0	0.0
421	B34R_087_075Δd	0.625 0.125	0.625 0.625 0.312	311	0.625 0.125	43.8	0.936	311	1.0	0.0
422	R24R_100_075Δd	0.625 0.125	0.625 0.625 0.312	305	0.625 0.125	43.8	0.936	305	1.0	0.0
423	R23Y_062_062Δd	0.625 0.25	0.625 0.625 0.312	53	0.625 0.231	46.3	0.936	52	1.0	0.0
424	R23Y_062_062Δd	0.625 0.25	0.625 0.625 0.312	424	0.625 0.231	46.3	0.936	389	1.0	0.0
425	R18Y_062_037Δd	0.625 0.25	0.625 0.625 0.312	390	0.625 0.231	46.3	0.936	389	1.0	0.0
426	R18Y_062_037Δd	0.625 0.25	0.625 0.625 0.312	371	0.625 0.231	46.3	0.936	371	1.0	0.0
427	B69R_062_037Δd	0.625 0.25	0.625 0.625 0.312	349	0.625 0.231	46.3	0.936	348	1.0	0.0
428	B69R_062_037Δd	0.625 0.25	0.625 0.625 0.312	340	0.625 0.231	46.3	0.936	340	1.0	0.0
429	B38R_075_050Δd	0.625 0.25	0.625 0.625 0.312	316	0.625 0.231	46.3	0.936	317	1.0	0.0
430	B38R_075_050Δd	0.625 0.25	0.625 0.625 0.312	306	0.625 0.231	46.3	0.936	307	1.0	0.0
431	R36Y_062_062Δd	0.625 0.375	0.625 0.625 0.312	60	0.625 0.385	50.1	0.936	59	1.0	0.0
432	R61Y_062_062Δd	0.625 0.375	0.625 0.625 0.312	67	0.625 0.385	50.1	0.936	66	1.0	0.0
433	R00Y_062_050Δd	0.625 0.375	0.625 0.625 0.312	60	0.625 0.375	50.1	0.936	59	1.0	0.0
434	R00Y_062_050Δd	0.625 0.375	0.625 0.625 0.312	390	0.625 0.375	50.1	0.936	389	1.0	0.0
435	R31Y_062_037Δd	0.625 0.375	0.625 0.625 0.312	367	0.625 0.375	50.1	0.936	360	1.0	0.0
436	R00Y_062_025Δd	0.625 0.375	0.625 0.625 0.312	330	0.625 0.375	50.1	0.936	330	1.0	0.0
437	B34R_075_037Δd	0.625 0.375	0.625 0.625 0.312	311	0.625 0.375	50.1	0.936	311	1.0	0.0
438	R25R_087_050Δd	0.625 0.375	0.625 0.625 0.312	308	0.625 0.375	50.1	0.936	308	1.0	0.0
439	B19R_100_062Δd	0.625 0.375	0.625 0.625 0.312	293	0.625 0.375	50.1	0.936	292	1.0	0.0
440	R81Y_062_062Δd	0.625 0.5	0.625 0.625 0.312	71	0.625 0.51	54.6	0.981	80	1.0	0.0
441	R67Y_062_037Δd	0.625 0.5	0.625 0.625 0.312	76	0.625 0.508	54.6	0.981	77	1.0	0.0
442	R68Y_062_037Δd	0.625 0.5	0.625 0.625 0.312	69	0.625 0.508	54.6	0.981	71	1.0	0.0
443	R50Y_062_025Δd	0.625 0.5	0.625 0.625 0.312	60	0.625 0.5	54.6	0.981	59	1.0	0.0
444	R00Y_062_012Δd	0.625 0.5	0.625 0.625 0.312	390	0.625 0.5	54.6	0.981	389	1.0	0.0
445	B50R_062_012Δd	0.625 0.5	0.625 0.625 0.312	360	0.625 0.5	54.6	0.981	359	1.0	0.0
446	B25R_075_025Δd	0.625 0.5	0.625 0.625 0.312	330	0.625 0.5	54.6	0.981	330	1.0	0.0
447	B15R_087_037Δd	0.625 0.5	0.625 0.625 0.312	284	0.618 0.5	54.6	0.981	288	1.0	0.0
448	B11R_100_050Δd	0.625 0.5	0.625 0.625 0.312	289	0.618 0.5	54.6	0.981	289	1.0	0.0
449	Y00G_062_062Δd	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	60.0	0.981	89	1.0	0.0
450	Y00G_062_050Δd	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	60.0	0.981	89	1.0	0.0
451	Y00G_062_050Δd	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	60.0	0.981	89	1.0	0.0
452	Y00G_062_037Δd	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	60.0	0.981	89	1.0	0.0
453	Y00G_062_025Δd	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	60.0	0.981	89	1.0	0.0
454	Y00G_062_012Δd	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	60.0	0.981	89	1.0	0.0
455	NW_062Δd	0.625 0.625	0.625 0.625 0.312	360	0.625 0.625	60.0	0.981	360	1.0	0.0
456	B00R_075_012Δd	0.625 0.625	0.625 0.625 0.312	270	0.625 0.625	60.0	0.981	270	1.0	0.0
457	B00R_087_025Δd	0.625 0.625	0.625 0.625 0.312	270	0.625 0.625	60.0	0.981	270	1.0	0.0
458	B00R_100_037Δd	0.625 0.625	0.625 0.625 0.312	270	0.625 0.625	60.0	0.981	270	1.0	0.0
459	Y15G_075_075Δd	0.625 0.75	0.625 0.625 0.312	99	0.635 0.75	61.0	0.981	97	1.0	0.0
460	Y18G_075_062Δd	0.625 0.75	0.625 0.625 0.312	101	0.635 0.75	61.0	0.981	99	1.0	0.0
461	Y23G_075_050Δd	0.625 0.75	0.625 0.625 0.312	104	0.635 0.75	61.0	0.981	102	1.0	0.0
462	Y31G_075_037Δd	0.625 0.75	0.625 0.625 0.312	109	0.635 0.75	61.0	0.981	108	1.0	0.0
463	Y31G_075_025Δd	0.625 0.75	0.625 0.625 0.312	120	0.635 0.75	61.0	0.981	119	1.0	0.0
464	G00R_075_025Δd	0.625 0.75	0.625 0.625 0.312	150	0.625 0.75	61.0	0.981	149	1.0	0.0
465	G00R_075_012Δd	0.625 0.75	0.625 0.625 0.312	210	0.625 0.75	61.0	0.981	210	1.0	0.0
466	G75R_067_025Δd	0.625 0.75	0.625 0.625 0.312	240	0.625 0.75	61.0	0.981	240	1.0	0.0
467	G48R_100_037Δd	0.625 0.75	0.625 0.625 0.312	231	0.625 0.75	61.0	0.981	231	1.0	0.0
468	G48R_100_037Δd	0.625 0.75	0.625 0.625 0.312	106	0.625 0.75	61.0	0.981	107	1.0	0.0
469	Y38R_087_075Δd	0.625 0.875	0.625 0.625 0.312	106	0.635 0.875	62.0	0.981	107	1.0	0.0
470	Y38R_087_075Δd	0.625 0.875	0.625 0.625 0.312	113	0.635 0.875	62.0	0.981	112	1.0	0.0
471	Y50G_087_050Δd	0.625 0.875	0.625 0.625 0.312	131	0.635 0.875	62.0	0.981	131	1.0	0.0
472	Y68R_087_037Δd	0.625 0.875	0.625 0.625 0.312	137	0.635 0.875	62.0	0.981	137	1.0	0.0
473	G00R_087_025Δd	0.625 0.875	0.625 0.625 0.312	150	0.625 0.875	62.0	0.981	149	1.0	0.0
474	G25R_087_025Δd	0.625 0.875	0.625 0.625 0.312	180	0.625 0.875	62.0	0.981	180	1.0	0.0
475	G58R_100_037Δd	0.625 0.875	0.625 0.625 0.312	210	0.625 0.875	62.0	0.981	210	1.0	0.0
476	G58R_100_037Δd	0.625 0.875	0.625 0.625 0.312	229	0.625 0.875	62.0	0.981	228	1.0	0.0
477	Y36G_100_087Δd	0.625 1.0	0.625 0.625 0.312	112	0.635 1.0	63.0	0.981	111	1.0	0.0
478	Y41G_100_087Δd	0.625 1.0	0.625 0.625 0.312	115	0.635 1.0	63.0	0.981	114	1.0	0.0
479	Y50G_100_075Δd	0.625 1.0	0.625 0.625 0.312	127	0.635 1.0	63.0	0.981	127	1.0	0.0
480	Y61G_100_062Δd	0.625 1.0	0.625 0.625 0.312	140	0.635 1.0	63.0	0.981	139	1.0	0.0
481	Y76G_100_050Δd	0.625 1.0	0.625 0.625 0.312	136	0.635 1.0	63.0	0.981	137	1.0	0.0
482	G00R_100_037Δd	0.625 1.0	0.625 0.625 0.312	150	0.625 1.0	63.0	0.981	149	1.0	0.0
483	G13R_100_037Δd	0.625 1.0	0.625 0.625 0.312	169	0.625 1.0	63.0	0.981	168	1.0	0.0
484	G34B_100_037Δd	0.625 1.0	0.625 0.625 0.312	191	0.625 1.0	63.0	0.981	191	1.0	0.0
485	G50B_100_037Δd	0.625 1.0	0.625 0.625 0.312	210	0.625 1.0	63.0	0.981	210	1.0	0.0

Mean color difference of this page: 18.2

delta

Mean color difference of this page:	delta
42.3	0.0
42.5	0.0

input: *rgb/cmyk* $\rightarrow$ *rgb*_{dd}
output: 3D-linearization to *cmy0**_{dd}

TUB-test chart QE07; hue code: H^{*}_d=R25Y d
colors and differences, ΔE^*

1-1032431-F0

1-1037431-F0

QE070-7N, Page 25/33-F

M

1

1


1

--	--	--

5

10


7




TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)

http://130.149.60.45/~farbmatrik/QE07/QE07L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE07/QE07L30FA.DAT in file (F), page 26/33


see similar files: http://130.149.60.45/~farbmatrik/QE07/QE07L0FA.TXT /.PS; 3D-linearization
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik




n	HVC* _{Fid}	rgb* _{Fid}	lcr* _{Fid}	hsa* _{Fid}	rgb* _{Mid}	LabCH* _{Fid}	cmyn* _{sep,Fid}	hsa* _{Mid}	rgb* _{Mid}	LabCH* _{Mid}	delta
486	R00Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.0	0.75, 0.75, 0.375	390, 0.75, 0.0	0.75, 0.0, 0.0	40.2, 53.2	32.3, 0.951	389, 0.951	0.0, 0.0	45.4, 70.9	44.8
487	R35Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	381, 0.75, 0.0	0.75, 0.0, 0.112	40.2, 53.2	31.1, 0.956	382, 0.956	0.0, 0.15	45.5, 71.6	31.5
488	R10Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.237	0.75, 0.75, 0.375	371, 0.75, 0.0	0.75, 0.0, 0.237	40.4, 54.5	31.7, 0.953	371, 0.953	0.0, 0.316	45.7, 72.6	21.1
489	R0Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.375	0.75, 0.75, 0.375	361, 0.75, 0.0	0.75, 0.0, 0.375	40.4, 55.6	31.7, 0.953	360, 0.953	0.0, 0.459	45.9, 74.2	11.9
490	B65R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.5	0.75, 0.75, 0.375	351, 0.75, 0.0	0.75, 0.0, 0.512	40.5, 57.3	31.7, 0.953	348, 0.953	0.0, 0.683	45.9, 76.8	7.7
491	B57R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.625	0.75, 0.75, 0.375	349, 0.75, 0.0	0.75, 0.0, 0.637	40.5, 58.5	31.7, 0.953	337, 0.953	0.0, 0.845	45.9, 78.0	3.7
492	B50R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.75	0.75, 0.75, 0.375	339, 0.75, 0.0	0.75, 0.0, 0.75	40.6, 59.4	31.7, 0.953	330, 0.866	0.0, 1.0	46.1, 79.3	-0.2
493	B43R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.875	0.75, 0.75, 0.375	332, 0.75, 0.0	0.75, 0.0, 0.875	41.0, 61.5	31.7, 0.953	322, 0.866	0.0, 1.0	46.1, 79.3	-0.2
494	B38R, 1.00, 1.00 _{Mid}	0.75, 0.0, 1.0	0.75, 0.75, 0.375	316, 0.75, 0.0	0.75, 0.0, 1.0	42.1, 71.6	31.7, 0.953	317, 0.766	0.0, 1.0	44.0, 74.9	-5.3
495	R15Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	316, 0.75, 0.0	0.75, 0.0, 0.112	42.1, 71.6	31.7, 0.953	317, 0.766	0.0, 0.0	42.1, 71.6	-8.7
496	R10Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.237	0.75, 0.75, 0.375	309, 0.75, 0.0	0.75, 0.0, 0.237	42.1, 71.6	31.7, 0.953	309, 0.766	0.0, 0.0	42.1, 71.6	-8.7
497	R0Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.375	0.75, 0.75, 0.375	299, 0.75, 0.0	0.75, 0.0, 0.375	42.1, 71.6	31.7, 0.953	299, 0.766	0.0, 0.0	42.1, 71.6	-8.7
498	B65R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.5	0.75, 0.75, 0.375	289, 0.75, 0.0	0.75, 0.0, 0.512	42.1, 71.6	31.7, 0.953	289, 0.766	0.0, 0.0	42.1, 71.6	-8.7
499	B57R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.625	0.75, 0.75, 0.375	279, 0.75, 0.0	0.75, 0.0, 0.637	42.1, 71.6	31.7, 0.953	279, 0.766	0.0, 0.0	42.1, 71.6	-8.7
500	B50R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.75	0.75, 0.75, 0.375	269, 0.75, 0.0	0.75, 0.0, 0.75	42.1, 71.6	31.7, 0.953	269, 0.766	0.0, 0.0	42.1, 71.6	-8.7
501	B43R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.875	0.75, 0.75, 0.375	259, 0.75, 0.0	0.75, 0.0, 0.875	42.1, 71.6	31.7, 0.953	259, 0.766	0.0, 0.0	42.1, 71.6	-8.7
502	B38R, 1.00, 1.00 _{Mid}	0.75, 0.0, 1.0	0.75, 0.75, 0.375	249, 0.75, 0.0	0.75, 0.0, 1.0	42.1, 71.6	31.7, 0.953	249, 0.766	0.0, 0.0	42.1, 71.6	-8.7
503	R15Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	239, 0.75, 0.0	0.75, 0.0, 0.112	42.1, 71.6	31.7, 0.953	239, 0.766	0.0, 0.0	42.1, 71.6	-8.7
504	R10Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.237	0.75, 0.75, 0.375	229, 0.75, 0.0	0.75, 0.0, 0.237	42.1, 71.6	31.7, 0.953	229, 0.766	0.0, 0.0	42.1, 71.6	-8.7
505	R0Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.375	0.75, 0.75, 0.375	219, 0.75, 0.0	0.75, 0.0, 0.375	42.1, 71.6	31.7, 0.953	219, 0.766	0.0, 0.0	42.1, 71.6	-8.7
506	B65R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.5	0.75, 0.75, 0.375	209, 0.75, 0.0	0.75, 0.0, 0.512	42.1, 71.6	31.7, 0.953	209, 0.766	0.0, 0.0	42.1, 71.6	-8.7
507	B57R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.625	0.75, 0.75, 0.375	199, 0.75, 0.0	0.75, 0.0, 0.637	42.1, 71.6	31.7, 0.953	199, 0.766	0.0, 0.0	42.1, 71.6	-8.7
508	B50R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.75	0.75, 0.75, 0.375	189, 0.75, 0.0	0.75, 0.0, 0.75	42.1, 71.6	31.7, 0.953	189, 0.766	0.0, 0.0	42.1, 71.6	-8.7
509	B43R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.875	0.75, 0.75, 0.375	179, 0.75, 0.0	0.75, 0.0, 0.875	42.1, 71.6	31.7, 0.953	179, 0.766	0.0, 0.0	42.1, 71.6	-8.7
510	B38R, 1.00, 1.00 _{Mid}	0.75, 0.0, 1.0	0.75, 0.75, 0.375	169, 0.75, 0.0	0.75, 0.0, 1.0	42.1, 71.6	31.7, 0.953	169, 0.766	0.0, 0.0	42.1, 71.6	-8.7
511	R15Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	159, 0.75, 0.0	0.75, 0.0, 0.112	42.1, 71.6	31.7, 0.953	159, 0.766	0.0, 0.0	42.1, 71.6	-8.7
512	R10Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.237	0.75, 0.75, 0.375	149, 0.75, 0.0	0.75, 0.0, 0.237	42.1, 71.6	31.7, 0.953	149, 0.766	0.0, 0.0	42.1, 71.6	-8.7
513	R0Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.375	0.75, 0.75, 0.375	139, 0.75, 0.0	0.75, 0.0, 0.375	42.1, 71.6	31.7, 0.953	139, 0.766	0.0, 0.0	42.1, 71.6	-8.7
514	B65R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.5	0.75, 0.75, 0.375	129, 0.75, 0.0	0.75, 0.0, 0.512	42.1, 71.6	31.7, 0.953	129, 0.766	0.0, 0.0	42.1, 71.6	-8.7
515	B57R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.625	0.75, 0.75, 0.375	119, 0.75, 0.0	0.75, 0.0, 0.637	42.1, 71.6	31.7, 0.953	119, 0.766	0.0, 0.0	42.1, 71.6	-8.7
516	B50R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.75	0.75, 0.75, 0.375	109, 0.75, 0.0	0.75, 0.0, 0.75	42.1, 71.6	31.7, 0.953	109, 0.766	0.0, 0.0	42.1, 71.6	-8.7
517	B43R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.875	0.75, 0.75, 0.375	99, 0.75, 0.0	0.75, 0.0, 0.875	42.1, 71.6	31.7, 0.953	99, 0.766	0.0, 0.0	42.1, 71.6	-8.7
518	B38R, 1.00, 1.00 _{Mid}	0.75, 0.0, 1.0	0.75, 0.75, 0.375	89, 0.75, 0.0	0.75, 0.0, 1.0	42.1, 71.6	31.7, 0.953	89, 0.766	0.0, 0.0	42.1, 71.6	-8.7
519	R15Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	79, 0.75, 0.0	0.75, 0.0, 0.112	42.1, 71.6	31.7, 0.953	79, 0.766	0.0, 0.0	42.1, 71.6	-8.7
520	R10Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.237	0.75, 0.75, 0.375	69, 0.75, 0.0	0.75, 0.0, 0.237	42.1, 71.6	31.7, 0.953	69, 0.766	0.0, 0.0	42.1, 71.6	-8.7
521	R0Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.375	0.75, 0.75, 0.375	59, 0.75, 0.0	0.75, 0.0, 0.375	42.1, 71.6	31.7, 0.953	59, 0.766	0.0, 0.0	42.1, 71.6	-8.7
522	B65R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.5	0.75, 0.75, 0.375	49, 0.75, 0.0	0.75, 0.0, 0.512	42.1, 71.6	31.7, 0.953	49, 0.766	0.0, 0.0	42.1, 71.6	-8.7
523	B57R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.625	0.75, 0.75, 0.375	39, 0.75, 0.0	0.75, 0.0, 0.637	42.1, 71.6	31.7, 0.953	39, 0.766	0.0, 0.0	42.1, 71.6	-8.7
524	B50R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.75	0.75, 0.75, 0.375	29, 0.75, 0.0	0.75, 0.0, 0.75	42.1, 71.6	31.7, 0.953	29, 0.766	0.0, 0.0	42.1, 71.6	-8.7
525	B43R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.875	0.75, 0.75, 0.375	19, 0.75, 0.0	0.75, 0.0, 0.875	42.1, 71.6	31.7, 0.953	19, 0.766	0.0, 0.0	42.1, 71.6	-8.7
526	B38R, 1.00, 1.00 _{Mid}	0.75, 0.0, 1.0	0.75, 0.75, 0.375	9, 0.75, 0.0	0.75, 0.0, 1.0	42.1, 71.6	31.7, 0.953	9, 0.766	0.0, 0.0	42.1, 71.6	-8.7
527	R15Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	-1, 0.75, 0.0	0.75, 0.0, 0.112	42.1, 71.6	31.7, 0.953	-1, 0.766	0.0, 0.0	42.1, 71.6	-8.7
528	R10Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.237	0.75, 0.75, 0.375	-11, 0.75, 0.0	0.75, 0.0, 0.237	42.1, 71.6	31.7, 0.953	-11, 0.766	0.0, 0.0	42.1, 71.6	-8.7
529	R0Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.375	0.75, 0.75, 0.375	-21, 0.75, 0.0	0.75, 0.0, 0.375	42.1, 71.6	31.7, 0.953	-21, 0.766	0.0, 0.0	42.1, 71.6	-8.7
530	B65R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.5	0.75, 0.75, 0.375	-31, 0.75, 0.0	0.75, 0.0, 0.512	42.1, 71.6	31.7, 0.953	-31, 0.766	0.0, 0.0	42.1, 71.6	-8.7
531	B57R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.625	0.75, 0.75, 0.375	-41, 0.75, 0.0	0.75, 0.0, 0.637	42.1, 71.6	31.7, 0.953	-41, 0.766	0.0, 0.0	42.1, 71.6	-8.7
532	B50R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.75	0.75, 0.75, 0.375	-51, 0.75, 0.0	0.75, 0.0, 0.75	42.1, 71.6	31.7, 0.953	-51, 0.766	0.0, 0.0	42.1, 71.6	-8.7
533	B43R, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.875	0.75, 0.75, 0.375	-61, 0.75, 0.0	0.75, 0.0, 0.875	42.1, 71.6	31.7, 0.953	-61, 0.766	0.0, 0.0	42.1, 71.6	-8.7
534	B38R, 1.00, 1.00 _{Mid}	0.75, 0.0, 1.0	0.75, 0.75, 0.375	-71, 0.75, 0.0	0.75, 0.0, 1.0	42.1, 71.6	31.7, 0.953	-71, 0.766	0.0, 0.0	42.1, 71.6	-8.7
535	R15Y, 0.75, 0.75 _{Mid}	0.75, 0.0, 0.125	0.75, 0.75, 0.375	-81, 0.75, 0.0	0.75, 0.0, 0.112	42.1, 71.6	31.7, 0.953	-81, 0.766	0.0, 0.0	42.1, 71.6	-8.



TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)



see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)


http://130.149.60.45/~farbmatrik/QE07/QE07L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE07/QE07L30FA.DAT in file (F), page 29/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmyk*sep_Fid	hax_id	rgb*id	LabCH*id	delta
729	NW_1000ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	95.6 -3.1 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
730	G50B_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	90.7 -3.1 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
731	G50B_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	85.9 -6.3 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
732	G50B_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	81.0 -9.5 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
733	G50B_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	76.2 -12.7 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
734	G50B_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	71.3 -15.9 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
735	G50B_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	66.5 -19.1 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
736	G50B_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	61.6 -22.3 0.0	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
737	G50B_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	56.8 -25.5 -41.5	0.0 0.0 0.0	210	1.0 1.0 1.0	95.6 -25.5 -41.5	48.7
738	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	89.3 8.8 0.0	0.158 0.088 0.0	389	1.0 0.0 0.0	45.4 70.9 44.8	83.9
739	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	84.5 11.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
740	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	79.7 14.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
741	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	75.0 18.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
742	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	70.2 21.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
743	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	65.4 24.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
744	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	60.6 28.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
745	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	55.8 31.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
746	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	51.0 35.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
747	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	46.2 38.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
748	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	41.4 41.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
749	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	36.6 45.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
750	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	31.8 48.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
751	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	27.0 52.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
752	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	22.2 55.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
753	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	17.4 58.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
754	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	12.6 62.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
755	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	7.8 65.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
756	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	3.0 69.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
757	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-1.8 72.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
758	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-6.6 75.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
759	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-11.4 79.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
760	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-16.2 82.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
761	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-21.0 86.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
762	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-25.8 89.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
763	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-30.6 92.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
764	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-35.4 96.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
765	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-40.2 99.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
766	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-45.0 103.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
767	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-49.8 106.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
768	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-54.6 109.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
769	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-59.4 113.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
770	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-64.2 116.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
771	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-69.0 120.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
772	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-73.8 123.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
773	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-78.6 126.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
774	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-83.4 130.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
775	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-88.2 133.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
776	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-93.0 137.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
777	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-97.8 140.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
778	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-102.6 143.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
779	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-107.4 147.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
780	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-112.2 150.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
781	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-117.0 154.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
782	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-121.8 157.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
783	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-126.6 160.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
784	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-131.4 164.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
785	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-136.2 167.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
786	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-141.0 171.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
787	ROY_100.025ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-145.8 174.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
788	ROY_100.037ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-150.6 177.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
789	ROY_100.050ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-155.4 181.2 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
790	ROY_100.062ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-160.2 184.6 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
791	ROY_100.075ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-165.0 188.0 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
792	ROY_100.087ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-169.8 191.4 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
793	ROY_100.100ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-174.6 194.8 0.0	0.162 0.101 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
794	ROY_100.012ad	0.875 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	0.875 1.0 1.0	-179.4 198.2 0.0	0.				



TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



5~farbmatrik/QE07/QE07L0FA.TXT /PS; 3D-linearization
QE07/QE07LE30FA.DAT in file (F), page 30/33

n	HFC*Fid	rgb_Fid		lcr_Fid	hsa_Fid		rgb*Fid		LabCh*Fid	cmv*_sepFid		hsa_Xid	rgb_Xid		LabCh*Xid				
		1.0	0.0		1.0	0.0	1.0	0.0		1.0	0.0		1.0	0.0	1.0	0.0	1.0	0.0	
810	B00R_100,012ad	0.875	0.875	1.0	0.0	0.0	360	0.875	0.875	1.0	95.6	0.0	360	1.0	1.0	956	0.0		
811	B00R_100,012ad	0.875	0.875	1.0	0.125	0.937	270	0.875	0.875	1.0	86.8	3.6	270	0.0	1.0	250	29.5		
812	B00R_100,025ad	0.75	0.75	1.0	0.25	0.875	270	0.75	0.75	1.0	77.9	7.3	270	0.0	0.0	250	29.5		
813	B00R_100,037ad	0.625	0.625	1.0	0.375	0.812	270	0.625	0.625	1.0	69.1	11.0	270	0.0	0.0	250	29.5		
814	B00R_100,050ad	0.5	0.5	1.0	0.5	0.75	270	0.5	0.5	1.0	60.3	14.7	270	0.0	0.0	250	29.5		
815	B00R_100,062ad	0.375	0.375	1.0	0.625	0.687	270	0.375	0.375	1.0	51.5	18.4	270	0.0	0.0	250	29.5		
816	B00R_100,075ad	0.25	0.25	1.0	0.75	0.625	270	0.25	0.25	1.0	42.7	22.1	270	0.0	0.0	250	29.5		
817	B00R_100,087ad	0.125	0.125	1.0	0.875	0.562	270	0.125	0.125	1.0	33.9	25.8	270	0.0	0.0	250	29.5		
818	B00R_100,100ad	0.0	0.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.0	29.5	270	0.0	0.0	250	29.5		
819	B00R_100,112ad	0.0	0.0	1.0	0.125	0.937	89	1.0	0.875	94.6	-1.2	11.9	12.0	89	1.0	0.0	78.8	-10.2	
820	B00R_087,012ad	0.875	0.875	0.0	0.875	0.360	360	0.875	0.875	0.875	86.7	0.0	360	1.0	1.0	956	0.0		
821	B00R_087,012ad	0.75	0.75	0.875	0.875	0.812	270	0.75	0.75	0.875	77.9	3.6	270	0.0	0.0	250	29.5		
822	B00R_087,025ad	0.625	0.625	0.875	0.875	0.70	270	0.625	0.625	0.875	69.0	7.3	270	0.0	0.0	250	29.5		
823	B00R_087,037ad	0.5	0.5	0.875	0.875	0.687	270	0.5	0.5	0.875	60.2	11.0	270	0.0	0.0	250	29.5		
824	B00R_087,050ad	0.375	0.375	0.875	0.875	0.625	270	0.375	0.375	0.875	51.4	14.7	270	0.0	0.0	250	29.5		
825	B00R_087,062ad	0.25	0.25	0.875	0.875	0.562	270	0.25	0.25	0.875	42.6	18.4	270	0.0	0.0	250	29.5		
826	B00R_087,075ad	0.125	0.125	0.875	0.875	0.5	270	0.125	0.125	0.875	33.8	22.1	270	0.0	0.0	250	29.5		
827	B00R_087,087ad	0.0	0.0	0.875	0.875	0.437	270	0.0	0.0	0.875	24.9	25.8	270	0.0	0.0	250	29.5		
828	B00R_087,100ad	0.875	0.875	0.0	0.875	0.812	90	1.0	1.0	0.875	93.6	1.0	90	1.0	1.0	956	0.0		
829	B00R_087,112ad	0.75	0.75	0.875	0.875	0.75	270	0.75	0.75	0.875	85.7	-1.2	11.9	12.0	89	1.0	0.0	78.8	-10.2
830	B00R_087,125ad	0.625	0.625	0.75	0.75	0.687	360	0.625	0.625	0.75	77.8	0.0	360	1.0	1.0	956	0.0		
831	B00R_075,012ad	0.625	0.625	0.75	0.75	0.562	270	0.625	0.625	0.75	68.9	3.6	270	0.0	0.0	250	29.5		
832	B00R_075,025ad	0.5	0.5	0.75	0.75	0.5	270	0.5	0.5	0.75	60.1	7.3	270	0.0	0.0	250	29.5		
833	B00R_075,037ad	0.375	0.375	0.75	0.75	0.625	270	0.375	0.375	0.75	51.3	11.0	270	0.0	0.0	250	29.5		
834	B00R_075,050ad	0.25	0.25	0.75	0.75	0.5	270	0.25	0.25	0.75	42.5	14.7	270	0.0	0.0	250	29.5		
835	B00R_075,062ad	0.125	0.125	0.75	0.75	0.437	270	0.125	0.125	0.75	33.7	18.4	270	0.0	0.0	250	29.5		
836	B00R_075,075ad	0.0	0.0	0.75	0.75	0.375	270	0.0	0.0	0.75	24.9	22.1	270	0.0	0.0	250	29.5		
837	B00R_075,087ad	0.0	0.0	0.625	0.625	0.312	90	1.0	0.875	93.6	1.0	0.0	90	1.0	1.0	956	0.0		
838	B00R_075,100ad	0.875	0.875	0.0	0.875	0.812	360	0.875	0.875	0.875	86.7	0.0	360	1.0	1.0	956	0.0		
839	B00R_075,112ad	0.75	0.75	0.875	0.875	0.75	270	0.75	0.75	0.875	77.8	0.0	270	0.0	0.0	250	29.5		
840	B00R_075,125ad	0.625	0.625	0.75	0.75	0.687	360	0.625	0.625	0.75	68.9	3.6	360	1.0	1.0	956	0.0		
841	B00R_062,012ad	0.625	0.625	0.625	0.625	0.562	270	0.625	0.625	0.625	60.0	3.6	270	0.0	0.0	250	29.5		
842	B00R_062,012ad	0.375	0.375	0.625	0.625	0.5	270	0.375	0.375	0.625	51.2	7.3	270	0.0	0.0	250	29.5		
843	B00R_062,037ad	0.25	0.25	0.625	0.625	0.375	270	0.25	0.25	0.625	42.4	11.0	270	0.0	0.0	250	29.5		
844	B00R_062,050ad	0.125	0.125	0.625	0.625	0.375	270	0.125	0.125	0.625	33.6	14.7	270	0.0	0.0	250	29.5		
845	B00R_062,062ad	0.0	0.0	0.625	0.625	0.312	270	0.0	0.0	0.625	24.8	18.4	270	0.0	0.0	250	29.5		
846	B00R_100,050ad	1.0	1.0	0.5	0.5	0.75	90	1.0	1.0	0.5	91.7	-5.1	47.7	89	1.0	0.0	78.8	-10.2	
847	B00R_087,037ad	0.875	0.875	0.5	0.875	0.375	90	0.875	0.875	0.5	83.7	-3.8	35.8	89	1.0	0.0	78.8	-10.2	
848	B00R_075,025ad	0.75	0.75	0.5	0.75	0.25	90	0.75	0.75	0.5	75.8	-2.5	33.8	89	1.0	0.0	78.8	-10.2	
849	B00R_062,012ad	0.625	0.625	0.5	0.625	0.125	90	0.625	0.625	0.5	67.0	-1.2	11.9	12.0	89	1.0	0.0	78.8	-10.2
850	B00R_050,012ad	0.5	0.5	0.5	0.5	0.0	360	0.5	0.5	0.5	60.0	0.0	360	1.0	1.0	956	0.0		
851	B00R_050,012ad	0.375	0.375	0.5	0.375	0.437	270	0.375	0.375	0.5	51.1	3.6	270	0.0	0.0	250	29.5		
852	B00R_050,025ad	0.25	0.25	0.5	0.25	0.375	270	0.25	0.25	0.5	42.3	7.3	270	0.0	0.0	250	29.5		
853	B00R_050,037ad	0.125	0.125	0.5	0.375	0.312	270	0.125	0.125	0.5	33.5	11.0	270	0.0	0.0	250	29.5		
854	B00R_050,050ad	0.0	0.0	0.5	0.5	0.25	270	0.0	0.0	0.5	24.7	14.7	270	0.0	0.0	250	29.5		
855	B00R_100,062ad	1.0	1.0	0.375	0.375	0.687	90	1.0	1.0	0.375	90.7	-6.3	59.6	89	1.0	0.0	78.8	-10.2	
856	B00R_087,050ad	0.875	0.875	0.375	0.875	0.5	90	0.875	0.875	0.375	82.8	-5.1	47.7	89	1.0	0.0	78.8	-10.2	
857	B00R_075,037ad	0.75	0.75	0.375	0.75	0.375	90	0.75	0.75	0.375	74.8	-3.8	35.8	89	1.0	0.0	78.8	-10.2	
858	B00R_062,025ad	0.625	0.625	0.375	0.625	0.25	90	0.625	0.625	0.375	66.9	-2.5	33.8	89	1.0	0.0	78.8	-10.2	
859	B00R_050,012ad	0.5	0.5	0.375	0.5	0.125	437	0.5	0.5	0.375	59.0	-1.2	11.9	12.0	89	1.0	0.0	78.8	-10.2
860	B00R_037ad	0.375	0.375	0.375	0.375	0.0	360	0.375	0.375	0.375	51.0	0.0	360	1.0	1.0	956	0.0		
861	B00R_037,012ad	0.25	0.25	0.375	0.375	0.125	360	0.25	0.25	0.375	42.2	3.6	270	0.0	0.0	250	29.5		
862	B00R_037,025ad	0.125	0.125	0.375	0.375	0.0	270	0.125	0.125	0.375	33.4	7.3	270	0.0	0.0	250	29.5		
863	B00R_037,037ad	0.0	0.0	0.375	0.375	0.187	270	0.0	0.0	0.375	24.6	11.0	270	0.0	0.0	250	29.5		
864	B00R_100,075ad	1.0	1.0	0.25	1.0	0.75	90	1.0	1.0	0.25	89.7	-7.6	71.6	89	1.0	0.0	78.8	-10.2	
865	B00R_087,062ad	0.875	0.875	0.25	0.875	0.625	90	0.875	0.875	0.25	81.8	-6.3	59.6	89	1.0	0.0	78.8	-10.2	
866	B00R_075,050ad	0.75	0.75	0.25	0.75	0.5	90	0.75	0.75	0.25	73.9	-5.1	47.7	89	1.0	0.0	78.8	-10.2	
867	B00R_062,037ad	0.625	0.625	0.25	0.625	0.375	90	0.625	0.625	0.25	65.9	-3.8	35.8	89	1.0	0.0	78.8	-10.2	
868	B00R_050,025ad	0.5	0.5	0.25	0.5	0.375	90	0.5	0.5	0.25	58.0	-2.5	33.8	89	1.0	0.0	78.8	-10.2	
869	B00R_037,012ad	0.375	0.375	0.25	0.375	0.125	90	0.375	0.375	0.25	50.1	-1.2	11.9	12.0	89	1.0	0.0	78.8	-10.2
870	B00R_025ad	0.25	0.25	0.25	0.25	0.0	360	0.25	0.25	0.25	42.1	0.0	360	1.0	1.0	956	0.0		
871	B00R_025,012ad	0.125	0.125	0.25	0.125	0.187	270	0.125	0.125	0.25	33.3	3.6	270	0.0	0.0	250	29.5		
872	B00R_025,012ad	0.0	0.0	0.25	0.25	0.125	270	0.0	0.0	0.25	24.5	7.3	270	0.0	0.0	250	29.5		
873	B00R_100,087ad	1.0	1.0	0.125	1.0	0.875	360	1.0	1.0	0.125	88.8	-8.9	83.5	89	1.0	0.0	78.8	-10.2	
874	B00R_100,087ad	0.875	0.875	0.125	0.875	0.5	90	0.875	0.875	0.125	80.8	-7.6	71.6	89	1.0	0.0	78.8	-10.2	
875	B00R_075,062ad	0.75	0.75	0.125	0.75	0.625	437	0.75	0.75	0.125	72.9	-6.3	59.6	89	1.0	0.0	78.8	-10.2	
876	B00R_062,050ad	0.625	0.625	0.125	0.625	0.5	360	0.625	0.625	0.125	65.0	-5.1	47.7	89	1.0	0.0	78.8	-10.2	
877	B00R_050,037ad	0.5	0.5	0.125	0.5	0.375	312	0.5	0.5	0.125	57.0	-3.8	35.8	89	1.0	0.0	78.8	-10.2	
878	B00R_037,025ad	0.375	0.375	0.125	0.375	0.0	270	0.375	0.375	0.125	49.1	-2.5	33.8	89	1.0	0.0	78.8	-10.2	
879	B00R_025,012ad	0.25	0.25	0.125	0.25	0.125	360	0.25	0.25	0.125	33.2	0.0	360	1.0	1.0	956	0.0		
880	B00R_025,012ad	0.0	0.0	0.125	0.125	0.125	3												

	1.0	1.0	0.0	delta
Mean color difference of this page:				


input: *rgb/cmyk* $\rightarrow$ *rgb*_{dd}
output: 3D-linearization to *cmy0**_{dd}

QE070-7N, Page 30/33-F

TUB-test chart QE07; hue code: H^{*}_d=R25Y_d
colors and differences, ΔE^{*}

1-1032931-F0


see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



5/~farbmatrik/QE07/QE07L0FA.TXT /PS; 3D-linearization
QE07/QE07LE30FA.DAT in file (F), page 31/33

n	HIC ^o Fold	rgb ^o Fold	ict ^o Fold	hs ^o Fold	rgb ^{axid} Fold	LabCh ^o Fold	cmv1 ^{sep} Fold		hs ^{axid}	rgb ^{axid}	LabCh ^{axid}	n		
							0.0	0.0						
891	NW_1000d	1.0	1.0	1.0	1.0	95.6	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
892	B50R_100	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
893	B50R_100_0124d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
894	B50R_100_0254d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
895	B50R_100_0374d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
896	B50R_100_0504d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
897	B50R_100_0624d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
898	B50R_100_0754d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
899	B50R_100_0874d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
900	B50R_100_1004d	1.0	0.875	1.0	0.875	1.0	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
901	NW_0874d	0.875	1.0	0.875	1.0	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
902	B50R_087_0124d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
903	B50R_087_0254d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
904	B50R_087_0374d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
905	B50R_087_0504d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
906	B50R_087_0624d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
907	B50R_087_0754d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
908	B50R_087_0874d	0.875	0.875	0.875	0.875	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
909	G00R_100_0254d	0.75	1.0	0.875	1.0	0.875	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
910	G00R_087_0124d	0.75	0.875	0.875	1.0	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
911	NW_0754d	0.75	0.75	0.75	0.75	0.75	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
912	B50R_075_0124d	0.75	0.625	0.75	0.75	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
913	B50R_075_0254d	0.75	0.625	0.75	0.75	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
914	B50R_075_0374d	0.75	0.625	0.75	0.75	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
915	B50R_075_0504d	0.75	0.625	0.75	0.75	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
916	B50R_075_0624d	0.75	0.625	0.75	0.75	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
917	B50R_075_0754d	0.75	0.625	0.75	0.75	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
918	G00R_087_0374d	0.625	1.0	0.875	1.0	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
919	G00R_087_0504d	0.625	0.75	0.875	1.0	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
920	NW_0624d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
921	B50R_062_0124d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
922	B50R_062_0254d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
923	B50R_062_0374d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
924	B50R_062_0504d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
925	B50R_062_0624d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
926	B50R_062_0874d	0.625	0.625	0.625	0.625	0.625	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
927	G00R_100_0504d	0.5	1.0	0.5	1.0	0.5	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
928	G00R_087_0374d	0.5	0.875	0.875	0.875	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
929	G00R_087_0504d	0.5	0.75	0.75	0.75	0.75	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
930	NW_0504d	0.5	0.5	0.5	0.5	0.5	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
931	B50R_050_0124d	0.5	0.375	0.5	0.375	0.5	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
932	B50R_050_0254d	0.5	0.375	0.5	0.375	0.5	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
933	B50R_050_0374d	0.5	0.375	0.5	0.375	0.5	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
934	B50R_050_0504d	0.5	0.375	0.5	0.375	0.5	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
935	B50R_050_0624d	0.5	0.375	0.5	0.375	0.5	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
936	B50R_050_0874d	0.375	1.0	0.375	1.0	0.375	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
937	G00R_087_0504d	0.375	0.875	0.875	0.875	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
938	G00R_075_0374d	0.375	0.75	0.75	0.75	0.75	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
939	G00R_062_0254d	0.375	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
940	G00R_050_0124d	0.375	0.5	0.375	0.5	0.375	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
941	NW_0374d	0.375	0.375	0.375	0.375	0.375	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
942	B50R_037_0124d	0.375	0.25	0.375	0.375	0.25	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
943	B50R_037_0254d	0.375	0.125	0.375	0.375	0.125	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
944	B50R_037_0374d	0.375	0.375	0.375	0.375	0.375	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
945	G00R_100_0754d	0.25	1.0	0.25	1.0	0.25	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
946	G00R_087_0624d	0.25	0.875	0.875	0.875	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
947	G00R_062_0374d	0.25	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
948	G00R_050_0504d	0.25	0.75	0.75	0.75	0.75	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
949	G00R_062_0374d	0.25	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
950	G00R_037_0124d	0.25	0.375	0.375	0.375	0.375	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
951	NW_0254d	0.25	0.25	0.25	0.25	0.25	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
952	B50R_025_0124d	0.25	0.125	0.25	0.25	0.125	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
953	B50R_025_0254d	0.25	0.125	0.25	0.25	0.125	0.0	0.0	330	1.0	1.0	96.1	79.3	-0.2
954	G00R_100_0874d	0.125	1.0	0.125	1.0	0.125	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
955	G00R_087_0754d	0.125	0.875	0.875	0.875	0.875	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
956	G00R_062_0624d	0.125	0.75	0.75	0.75	0.75	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
957	G00R_050_0624d	0.125	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
958	G00R_050_0374d	0.125	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
959	G00R_050_0254d	0.125	0.375	0.375	0.375	0.375	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
960	NW_025_0124d	0.125	0.25	0.25	0.25	0.25	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
961	B50R_025_0124d	0.125	0.125	0.125	0.125	0.125	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
962	G00R_100_0124d	0.125	0.125	0.125	0.125	0.125	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
963	G00R_100_0124d	0.125	0.125	0.125	0.125	0.125	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
964	G00R_100_0874d	0.125	0.125	0.125	0.125	0.125	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
965	G00R_075_0754d	0.0	0.75	0.75	0.75	0.75	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
966	G00R_062_0624d	0.0	0.625	0.625	0.625	0.625	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
967	G00R_050_0504d	0.0	0.5	0.5	0.5	0.5	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
968	G00R_037_0374d	0.0	0.375	0.375	0.375	0.375	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
969	G00R_025_0254d	0.0	0.25	0.25	0.25	0.25	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
970	G00R_012_0124d	0.0	0.125	0.125	0.125	0.125	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0
971	NW_0004d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.6	0.0	0.0


Mean color difference of this page: 1.0 1


Mean color difference of this page:

TUB-test chart QE07; hue code: H_d^{*}=R25Y_d
colors and differences, ΔE^{*}

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmy0**_{dd}


-see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
my0* (CMY0)




n	HC ^o -Fid	rgb ^o -Fid	ict _o -Fid	hs _o -Fid	rgb ^o -Fid	LabCh ^o -Fid	cmv ^o _{sep} -Fid	hs _{ax} -Fid	rgb ^{ax} -Fid	LabCh ^{ax} -Fid
972	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
973	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
974	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
975	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
976	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
977	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
978	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
979	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
980	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
981	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
982	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
983	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
984	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
985	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
986	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
987	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
988	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
989	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
990	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
991	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
992	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
993	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
994	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
995	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
996	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
997	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
998	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
999	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1000	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1001	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1002	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1003	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1004	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1005	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1006	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1007	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1008	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1009	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1010	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1011	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1012	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1013	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1014	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1015	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1016	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1017	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1018	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1019	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1020	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1021	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1022	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1023	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1024	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1025	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1026	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1027	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1028	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1029	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1030	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1031	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1032	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1033	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1034	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1035	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1036	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1037	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1038	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1039	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1040	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1041	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1042	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1043	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1044	NW_000a	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1045	NW_012a	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1046	NW_025a	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1047	NW_037a	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1048	NW_050a	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1049	NW_062a	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1050	NW_075a	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1051	NW_087a	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1052	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956

-1033131-E0

QE070-7N, Page 32/33--F

TUB-test chart QE07; hue code: H_d^{*}=R25Y_d
colors and differences. ΔE^*

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmv0**_{dd}



-see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB registration: 20130201-QE07/QE07L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)

n	HC*Fid	rgb_Fid	lcr_Fid	hsa_Fid	rgb*Fid	LabCh*Fid	cmy0*_sep_Fid	cmyn*_sep_Fid	hsa_dld	rgb*_dld	LabCh*_dld	delta
1053	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.6 86.6 86.6	0.099 0.099 0.099	0.173 0.173 0.173	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1054	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 90.8 90.8	0.05 0.05 0.05	0.09 0.09 0.09	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1055	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1056	NW_100dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	24.3 24.3 24.3	1.0 1.0 1.0	1.0 1.0 1.0	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1057	NW_006dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	29.0 29.0 29.0	0.935 0.935 0.935	0.825 0.825 0.825	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1058	NW_013dd	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	33.8 33.8 33.8	0.879 0.879 0.879	0.763 0.763 0.763	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1059	NW_020dd	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	38.6 38.6 38.6	0.799 0.799 0.799	0.661 0.661 0.661	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1060	NW_026dd	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	43.3 43.3 43.3	0.731 0.731 0.731	0.571 0.571 0.571	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1061	NW_033dd	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	48.1 48.1 48.1	0.682 0.682 0.682	0.507 0.507 0.507	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1062	NW_040dd	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	52.8 52.8 52.8	0.636 0.636 0.636	0.454 0.454 0.454	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1063	NW_046dd	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	57.5 57.5 57.5	0.574 0.574 0.574	0.404 0.404 0.404	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1064	NW_053dd	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	62.3 62.3 62.3	0.509 0.509 0.509	0.354 0.354 0.354	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1065	NW_060dd	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	67.1 67.1 67.1	0.442 0.442 0.442	0.278 0.278 0.278	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1066	NW_066dd	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	71.8 71.8 71.8	0.377 0.377 0.377	0.228 0.228 0.228	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1067	NW_073dd	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	76.6 76.6 76.6	0.314 0.314 0.314	0.186 0.186 0.186	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1068	NW_080dd	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	81.3 81.3 81.3	0.252 0.252 0.252	0.153 0.153 0.153	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1069	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.0 86.0 86.0	0.173 0.173 0.173	0.108 0.108 0.108	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1070	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 90.8 90.8	0.09 0.09 0.09	0.054 0.054 0.054	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1071	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1072	NW_100dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	24.3 24.3 24.3	1.0 1.0 1.0	1.0 1.0 1.0	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1073	ROY_100_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0
1074	G50B_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	45.4 45.4 44.8	0.0 0.0 0.0	0.0 0.0 0.0	389 389 389	1.0 0.0 0.0	45.4 45.4 44.8	83.9 32.3 238.4
1075	Y06B_100_100dd	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	56.8 56.8 56.8	0.0 0.0 0.0	0.0 0.0 0.0	210 210 210	0.0 1.0 0.0	56.8 56.8 56.8	96.1 96.1 96.1
1076	B06B_100_100dd	0.0 1.0 0.0	0.0 1.0 0.0	0.0 1.0 0.0	0.0 1.0 0.0	25.0 25.0 25.0	0.999 0.999 0.999	0.0 0.0 0.0	69 69 69	0.0 0.0 0.0	25.0 25.0 25.0	306.2 306.2 306.2
1077	B06B_100_100dd	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	50.0 50.0 50.0	0.0 0.0 0.0	0.0 0.0 0.0	270 270 270	0.0 0.0 0.0	50.0 50.0 50.0	355.3 355.3 355.3
1078	B50B_100_100dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	71.4 71.4 71.4	0.0 0.0 0.0	0.0 0.0 0.0	330 330 330	1.0 0.0 0.0	71.4 71.4 71.4	79.3 79.3 79.3
1079	B50B_100_100dd	1.0 0.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	46.1 46.1 46.1	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 0.0 0.0	46.1 46.1 46.1	79.3 79.3 79.3

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd

TUB-test chart QE07; hue code: H*_d=R25Y_d
colors and differences, ΔE**