

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 46/360 = 0.12$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = R25Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 56 48 50 69 46

$HIC^*_{-,Ma}$: R25Y_100_100

$rgbic^*_{-,Ma}$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100	48.4	66.1	40.2	77.3	31
R25Y_100_100	56.8	48.0	50.5	69.6	46
R50Y_100_100	68.6	25.0	63.9	68.6	68
R75Y_100_100	80.6	4.8	77.2	77.3	86
Y00G_100_100	90.2	-9.6	88.2	88.7	96
Y25G_100_100	83.2	-18.4	79.9	81.9	102
Y50G_100_100	73.3	-31.7	62.7	70.2	116
Y75G_100_100	62.0	-49.7	43.2	65.8	139
G00B_100_100	55.8	-65.2	33.8	73.4	152
G25B_100_100	59.3	-50.3	-9.0	51.0	190
G50B_100_100	63.0	-30.5	-42.0	51.9	234
G75B_100_100	45.7	-5.7	-44.6	44.9	262
B00R_100_100	27.5	25.9	-47.3	53.9	298
B25R_100_100	38.3	52.6	-28.5	59.8	331
B50R_100_100	49.5	73.5	-9.0	74.0	353
B75R_100_100	48.9	69.3	12.9	70.4	10



TUB-test chart QE07; hue code: $H^*_- = R25Y_-$
Test chart according to DIN 33872, 3D=1, de=0, $cm y0^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	45.4	70.9	44.8	83.9	32
Y _d ,Ma	87.8	-10.2	95.4	96.0	96
G _d ,Ma	50.0	-65.0	29.6	71.4	155
C _d ,Ma	56.8	-25.5	-41.5	48.7	238
B _d ,Ma	25.0	29.5	-40.4	50.0	306
M _d ,Ma	46.1	79.3	-0.2	79.3	359
N _d ,Ma	24.3	0.0	0.0	0.0	0
W _d ,Ma	95.6	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 53 53 54 76 45

HIC^*_d, Ma : R25Y_100_100_d

$rgbic^*_d, Ma$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 53 53 54 76 45

$HIC^*_{d,Ma}$: R25Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 53 53 54 76 45

$HIC^*_{d,Ma}$: R25Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100d}$	45.4	70.9	44.8	83.9	32
$R25Y_{100_100d}$	53.0	53.4	54.8	76.5	45
$R50Y_{100_100d}$	64.9	28.9	68.6	74.5	67
$R75Y_{100_100d}$	78.6	4.3	84.7	84.8	87
$Y00G_{100_100d}$	87.8	-10.2	95.4	96.0	96
$Y25G_{100_100d}$	81.2	-17.0	84.3	86.0	101
$Y50G_{100_100d}$	70.6	-29.7	66.5	72.8	114
$Y75G_{100_100d}$	57.9	-48.3	45.8	66.5	136
$G00B_{100_100d}$	50.0	-65.0	29.6	71.4	155
$G25B_{100_100d}$	52.9	-48.6	-8.0	49.3	189
$G50B_{100_100d}$	56.8	-25.5	-41.5	48.7	238
$G75B_{100_100d}$	41.7	-1.2	-40.6	40.6	268
$B00R_{100_100d}$	25.0	29.5	-40.4	50.0	306
$B25R_{100_100d}$	35.6	58.6	-20.7	62.1	340
$B50R_{100_100d}$	46.1	79.3	-0.2	79.3	359
$B75R_{100_100d}$	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 45/360 = 0.12$

$H^*_d = R25Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R25Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	45.4	70.9	44.8	83.9	32
Y _d ,Ma	87.8	-10.2	95.4	96.0	96
G _d ,Ma	50.0	-65.0	29.6	71.4	155
C _d ,Ma	56.8	-25.5	-41.5	48.7	238
B _d ,Ma	25.0	29.5	-40.4	50.0	306
M _d ,Ma	46.1	79.3	-0.2	79.3	359
N _d ,Ma	24.3	0.0	0.0	0.0	0
W _d ,Ma	95.6	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 53 53 54 76 45

HIC^*_d, Ma : R25Y_100_100_d

$rgbic^*_d, Ma$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation $cmy0^*$ (CMY0)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-103531-L0 QE070-72
TUB-test chart QE07; hue code: $H_d^* = R25Y_d$
Test chart according to DIN 33872, 3D=1, $de=0$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^* -input values the CIELAB data LCH^* and LAB^* have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^* the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

1-103631-L0 QE070-72 LAB*La0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh^*$ -tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

Output: Offset standard print; separation cmy0*, D65, page 7/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$																								
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.0	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M} (x=LabCh)$					$rgb^*_{dex361M}$			$LAB^*_{dex361M}$					rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}		
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	32.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25				
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	38.1	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33				
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	46.8	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42				
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	56.9	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49				
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	67.1	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58				
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	78.6	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66				
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	86.2	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75				
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	92.1	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83				
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	96.1	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92				
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	98.8	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100				
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	101.8	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109				
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	107.6	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117				
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	114.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127				
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	121.4	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135				
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	135.3	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144				
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	144.4	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152				
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	155.5	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162				
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	160.7	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168				
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	167.7	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175				
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	176.7	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182				
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	189.3	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189				
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	203.2	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195				
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	217.2	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203				
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	228.3	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209				
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	238.4	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216				
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	242.9	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223				
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	249.3	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230				
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	256.9	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237				
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	268.2	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244				
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	278.6	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250				
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	289.6	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258				
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	299.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264				
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	306.2	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271				
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	314.7	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278				
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	322.1	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285				
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	333.3	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292				
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	340.5	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300				
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	347.9	0.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306			
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	352.5	0.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314			
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	356.1	0.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321			
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	359.8	0.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328			
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	363.0	0.0	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335			
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	366.4	0.0	0.539	0.0	1.0	36.4	60.8	-18.7	63.7	342			
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	371.1	0.0	0.667	0.0	1.0	39.3	67.4	-12.4	68.5	349			
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	375.9	0.0	0.736	0.0	1.0	41.4	70.5	-9.7	71.1	352			
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	381.2	0.0	0.81	0.0	1.0	46.1	79.3	-0.1	79.3	359			
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	385.6	0.0	0.687	0.0	1.0	46.0	76.5	11.8	77.4	368			
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	389.3	0.0	0.485	0.0	1.0	45.9	74.1	22.0	77.3	376			
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	392.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	385				

1-103831-L0

QE070-72

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 9/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361M}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25		1.0 0.0 0.0					
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5 71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0					
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5 71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0					
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0 45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0					
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0 46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0					
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0 47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0					
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0 47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0					
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0 48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0					
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0 48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0					
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0 49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0					
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0 49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0					
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0 50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0					
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0 51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0					
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0 51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0					
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0 52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0					
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0 52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0					
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0 53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0					
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0 53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0					
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0 54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0					
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0 54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0					
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0 55.4 48.5 57.8 75.4 50		1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47		1.0 0.333 0.0					
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0 55.9 47.3 58.5 75.2 51		1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48		1.0 0.35 0.0					
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0 56.5 46.2 59.1 75.0 52		1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49		1.0 0.367 0.0					
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0 57.0 45.0 59.8 74.8 53		1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51		1.0 0.383 0.0					
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0 57.6 43.9 60.4 74.6 54		1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52		1.0 0.4 0.0					
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0 58.1 42.7 61.0 74.4 55		1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53		1.0 0.417 0.0					
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0 58.6 41.5 61.5 74.2 56		1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54		1.0 0.433 0.0					
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0 59.2 40.3 62.1 74.0 57		1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55		1.0 0.45 0.0					
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0 59.8 39.3 62.8 74.1 58		1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56		1.0 0.467 0.0					
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0 60.3 38.2 63.5 74.1 59		1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57		1.0 0.483 0.0					
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58		1.0 0.5 0.0					
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0 61.4 36.0 64.9 74.2 61		1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.517 0.0					
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0 62.0 34.9 65.6 74.3 62		1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61		1.0 0.533 0.0					
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0 62.6 33.7 66.2 74.3 63		1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62		1.0 0.55 0.0					
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0 63.1 32.6 66.9 74.4 64		1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63		1.0 0.567 0.0					
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0 63.7 31.5 67.5 74.4 65		1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64		1.0 0.583 0.0					
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0 64.2 30.3 68.0 74.5 66		1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65		1.0 0.6 0.0					
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0 64.8 29.1 68.6 74.5 67		1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66		1.0 0.617 0.0					
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0 65.4 28.0 69.4 74.8 68		1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67		1.0 0.633 0.0					
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0 66.1 26.9 70.2 75.2 69		1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68		1.0 0.65 0.0					
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0					
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0 67.3 24.7 71.8 75.9 71		1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71		1.0 0.683 0.0					
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0 67.9 23.6 72.6 76.3 72		1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72		1.0 0.7 0.0					
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0 68.6 22.4 73.3 76.6 73		1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73		1.0 0.717 0.0					
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0 69.2 21.2 74.0 77.0 74		1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74		1.0 0.733 0.0					
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0 69.8 20.0 74.7 77.4 75		1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75		1.0 0.75 0.0					

1-103931-L0

QE070-72

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 10/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103931-F0

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}																				
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0			
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.596	0.0	70.5	18.8	75.4	77.7	76	1.0	0.767	0.0	1.0	0.604	0.0	70.9	17.9	75.9	78.0	76	1.0	0.767	0.0			
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.607	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	1.0	0.616	0.0	71.6	16.5	76.6	78.4	77	1.0	0.783	0.0			
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.618	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	1.0	0.63	0.0	72.4	15.1	77.4	78.9	78	1.0	0.8	0.0			
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.631	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	1.0	0.648	0.0	73.2	13.8	78.5	79.7	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.647	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	1.0	0.667	0.0	74.1	12.3	79.5	80.5	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.664	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	1.0	0.685	0.0	74.9	10.9	80.5	81.3	82	1.0	0.85	0.0			
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	1.0	0.867	0.0			
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.697	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84	1.0	0.883	0.0			
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.713	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	1.0	0.74	0.0	77.5	6.4	83.4	83.6	85	1.0	0.9	0.0			
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.729	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	1.0	0.76	0.0	78.4	4.8	84.4	84.6	86	1.0	0.917	0.0			
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.746	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	1.0	0.784	0.0	79.4	3.2	85.7	85.7	87	1.0	0.933	0.0			
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.766	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	1.0	0.807	0.0	80.5	1.6	86.9	86.9	88	1.0	0.95	0.0			
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.787	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0	1.0	0.831	0.0	81.5	0.0	88.1	88.1	90	1.0	0.967	0.0			
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.808	0.0	80.5	1.5	86.9	86.9	89	1.0	0.983	0.0	1.0	0.854	0.0	82.6	-1.8	89.2	89.3	91	1.0	0.983	0.0			
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	Y _d	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	Y _s	1.0	1.0	0.0	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	Y _e	1.0	1.0	0.0
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.85	0.0	82.4	-1.5	89.0	89.0	91	0.983	1.0	0.0	1.0	0.916	0.0	84.9	-5.5	92.0	92.2	93	0.983	1.0	0.0			
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.871	0.0	83.3	-3.0	90.0	90.1	92	0.967	1.0	0.0	1.0	0.953	0.0	86.2	-7.5	93.6	93.9	94	0.967	1.0	0.0			
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.901	0.0	84.4	-4.7	91.4	91.5	93	0.95	1.0	0.0	1.0	0.99	0.0	87.5	-9.6	95.1	95.6	95	0.95	1.0	0.0			
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	0.0	85.5	-6.4	92.7	93.0	94	0.933	1.0	0.0	0.961	1.0	0.0	86.7	-11.3	93.6	94.3	96	0.933	1.0	0.0			
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.965	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	0.907	1.0	0.0	85.3	-12.9	90.9	91.8	98	0.917	1.0	0.0			
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.997	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	0.856	1.0	0.0	83.8	-14.4	88.4	89.6	99	0.9	1.0	0.0			
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	0.883	1.0	0.0			
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	0.914	1.0	0.0	85.4	-12.7	91.2	92.1	98	0.867	1.0	0.0	0.759	1.0	0.0	81.0	-17.2	84.0	85.7	101	0.867	1.0	0.0			
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	0.869	1.0	0.0	84.2	-14.0	89.0	90.1	99	0.85	1.0	0.0	0.729	1.0	0.0	79.9	-18.6	82.3	84.4	102	0.85	1.0	0.0			
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	0.827	1.0	0.0	83.0	-15.3	87.1	88.5	100	0.833	1.0	0.0	0.704	1.0	0.0	78.8	-20.0	80.8	83.2	103	0.833	1.0	0.0			
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	0.785	1.0	0.0	81.8	-16.5	85.2	86.8	101	0.817	1.0	0.0	0.679	1.0	0.0	77.7	-21.3	79.2	82.0	105	0.817	1.0	0.0			
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	0.747	1.0	0.0	80.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	0.654	1.0	0.0	76.6	-22.6	77.6	80.8	106	0.8	1.0	0.0			
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	0.725	1.0	0.0	79.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	0.628	1.0	0.0	75.5	-23.8	76.0	79.6	107	0.783	1.0	0.0			
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	0.703	1.0	0.0	78.7	-20.0	80.7	83.2	104	0.767	1.0	0.0	0.605	1.0	0.0	74.6	-25.0	74.3	78.4	108	0.767	1.0	0.0			
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	0.75	1.0	0.0			
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	0.66	1.0	0.0	76.8	-22.3	78.0	81.1	106	0.733	1.0	0.0	0.56	1.0	0.0	72.9	-27.1	71.0	76.1	110	0.733	1.0	0.0			
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	0.638	1.0	0.0	75.9	-23.3	76.6	80.1	107	0.717	1.0	0.0	0.538	1.0	0.0	72.0	-28.1	69.3	74.9	112	0.717	1.0	0.0			
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	0.617	1.0	0.0	75.0	-24.3	75.2	79.1	108	0.7	1.0	0.0	0.515	1.0	0.0	71.2	-29.0	67.7	73.7	113	0.7	1.0	0.0			
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	0.598	1.0	0.0	74.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	0.494	1.0	0.0	70.4	-30.0	66.1	72.6	114	0.683	1.0	0.0			
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	0.579	1.0	0.0	73.6	-26.2	72.4	77.0	110	0.667	1.0	0.0	0.474	1.0	0.0	69.6	-31.0	64.8	71.9	115	0.667	1.0	0.0			
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	0.559	1.0	0.0	72.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	0.454	1.0	0.0	68.8	-32.0	63.5	71.2	116	0.65	1.0	0.0			
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.633	1.0	0.0	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	0.633	1.0	0.0			
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	0.521	1.0	0.0	71.4	-28.8	68.1	74.0	113	0.617	1.0	0.0	0.414	1.0	0.0	67.3	-33.8	60.9	69.7	119	0.617	1.0	0.0			
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	0.501	1.0	0.0	70.7	-29.6	66.6	72.9	114	0.6	1.0	0.0	0.394	1.0	0.0	66.5	-34.7	59.6	69.0	120	0.6	1.0	0.0			
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	0.484	1.0	0.0	70.0	-30.4	65.5	72.3	115	0.583	1.0	0.0	0.375	1.0	0.0	65.7	-35.5	58.3	68.3	121	0.583	1.0	0.0			
110	116</																																		

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{de361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$																				
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.467	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.417	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.267	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.117	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.067	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.05	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G_d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G_s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G_e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7	9.7	58.6	170	0.0	1.0	0.15
163	160	171	0.0	1.0	0.166	50.7	-61.6	18.7	64.4	163	0.0	1.0	0.107	50.5	-63.1	23.0	67.2															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi}	$LAB^*_{ds361Mi}$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9 12.7	60.3	167	0.0	1.0	0.25	51.2	-58.9 12.7	60.3
168	166	176	0.0	1.0	0.266	51.3	-58.4 11.3	59.5	168	0.0	1.0	0.267	51.3	-58.4 11.3	59.5
170	167	177	0.0	1.0	0.283	51.4	-57.9 10.0	58.8	170	0.0	1.0	0.283	51.4	-57.9 10.0	58.8
171	168	178	0.0	1.0	0.3	51.5	-57.3 8.7	58.0	171	0.0	1.0	0.3	51.5	-57.3 8.7	58.0
172	169	179	0.0	1.0	0.316	51.6	-56.8 7.4	57.3	172	0.0	1.0	0.317	51.6	-56.8 7.4	57.3
173	170	180	0.0	1.0	0.333	51.7	-56.2 6.1	56.5	173	0.0	1.0	0.333	51.7	-56.2 6.1	56.5
174	171	181	0.0	1.0	0.35	51.8	-55.5 4.9	55.8	174	0.0	1.0	0.35	51.8	-55.5 4.9	55.8
176	172	182	0.0	1.0	0.366	51.9	-54.9 3.7	55.0	176	0.0	1.0	0.367	51.9	-54.9 3.7	55.0
177	173	183	0.0	1.0	0.383	52.0	-54.2 2.3	54.3	177	0.0	1.0	0.383	52.0	-54.2 2.3	54.3
179	174	184	0.0	1.0	0.4	52.2	-53.6 0.7	53.6	179	0.0	1.0	0.4	52.2	-53.6 0.7	53.6
180	175	185	0.0	1.0	0.416	52.3	-52.8 -0.8	52.9	180	0.0	1.0	0.417	52.3	-52.8 -0.8	52.9
182	176	185	0.0	1.0	0.433	52.4	-52.1 -2.3	52.1	182	0.0	1.0	0.433	52.4	-52.1 -2.3	52.1
184	177	186	0.0	1.0	0.45	52.6	-51.3 -3.8	51.4	184	0.0	1.0	0.45	52.6	-51.3 -3.8	51.4
185	178	187	0.0	1.0	0.466	52.7	-50.4 -5.3	50.7	185	0.0	1.0	0.467	52.7	-50.4 -5.3	50.7
187	179	188	0.0	1.0	0.483	52.8	-49.6 -6.6	50.0	187	0.0	1.0	0.483	52.8	-49.6 -6.6	50.0
189	180	189	0.0	1.0	0.5	52.9	-48.6 -8.0	49.3	189	0.0	1.0	0.5	52.9	-48.6 -8.0	49.3
191	181	190	0.0	1.0	0.516	53.1	-47.9 -9.5	48.9	191	0.0	1.0	0.517	53.1	-47.9 -9.5	48.9
193	182	191	0.0	1.0	0.533	53.2	-47.2 -10.9	48.4	193	0.0	1.0	0.533	53.2	-47.2 -10.9	48.4
194	183	192	0.0	1.0	0.55	53.4	-46.4 -12.3	48.0	194	0.0	1.0	0.55	53.4	-46.4 -12.3	48.0
196	184	193	0.0	1.0	0.566	53.5	-45.6 -13.7	47.6	196	0.0	1.0	0.567	53.5	-45.6 -13.7	47.6
198	185	194	0.0	1.0	0.583	53.6	-44.7 -15.0	47.1	198	0.0	1.0	0.583	53.6	-44.7 -15.0	47.1
200	186	195	0.0	1.0	0.6	53.8	-43.8 -16.3	46.7	200	0.0	1.0	0.6	53.8	-43.8 -16.3	46.7
202	187	195	0.0	1.0	0.616	53.9	-42.8 -17.5	46.3	202	0.0	1.0	0.617	53.9	-42.8 -17.5	46.3
204	188	196	0.0	1.0	0.633	54.1	-42.0 -18.8	46.0	204	0.0	1.0	0.633	54.1	-42.0 -18.8	46.0
206	189	197	0.0	1.0	0.65	54.2	-41.2 -20.1	45.9	206	0.0	1.0	0.65	54.2	-41.2 -20.1	45.9
207	190	198	0.0	1.0	0.666	54.3	-40.5 -21.4	45.8	207	0.0	1.0	0.667	54.3	-40.5 -21.4	45.8
209	191	199	0.0	1.0	0.683	54.5	-39.7 -22.7	45.7	209	0.0	1.0	0.683	54.5	-39.7 -22.7	45.7
211	192	200	0.0	1.0	0.7	54.6	-38.8 -23.9	45.6	211	0.0	1.0	0.7	54.6	-38.8 -23.9	45.6
213	193	201	0.0	1.0	0.716	54.7	-37.9 -25.1	45.5	213	0.0	1.0	0.717	54.7	-37.9 -25.1	45.5
215	194	202	0.0	1.0	0.733	54.9	-37.0 -26.3	45.4	215	0.0	1.0	0.733	54.9	-37.0 -26.3	45.4
217	195	203	0.0	1.0	0.75	55.0	-36.0 -27.4	45.3	217	0.0	1.0	0.75	55.0	-36.0 -27.4	45.3
218	196	204	0.0	1.0	0.766	55.1	-35.4 -28.4	45.4	218	0.0	1.0	0.767	55.1	-35.4 -28.4	45.4
220	197	205	0.0	1.0	0.783	55.2	-34.7 -29.4	45.5	220	0.0	1.0	0.783	55.2	-34.7 -29.4	45.5
221	198	206	0.0	1.0	0.8	55.3	-34.0 -30.3	45.6	221	0.0	1.0	0.8	55.3	-34.0 -30.3	45.6
223	199	206	0.0	1.0	0.816	55.4	-33.3 -31.3	45.7	223	0.0	1.0	0.817	55.4	-33.3 -31.3	45.7
224	200	207	0.0	1.0	0.833	55.6	-32.6 -32.2	45.9	224	0.0	1.0	0.833	55.6	-32.6 -32.2	45.9
226	201	208	0.0	1.0	0.85	55.7	-31.8 -33.1	46.0	226	0.0	1.0	0.85	55.7	-31.8 -33.1	46.0
227	202	209	0.0	1.0	0.866	55.8	-31.1 -34.0	46.1	227	0.0	1.0	0.867	55.8	-31.1 -34.0	46.1
229	203	210	0.0	1.0	0.883	55.9	-30.4 -35.0	46.3	229	0.0	1.0	0.883	55.9	-30.4 -35.0	46.3
230	204	211	0.0	1.0	0.9	56.0	-29.7 -35.9	46.7	230	0.0	1.0	0.9	56.0	-29.7 -35.9	46.7
231	205	212	0.0	1.0	0.916	56.1	-29.1 -36.9	47.0	231	0.0	1.0	0.917	56.1	-29.1 -36.9	47.0
233	206	213	0.0	1.0	0.933	56.3	-28.4 -37.8	47.3	233	0.0	1.0	0.933	56.3	-28.4 -37.8	47.3
234	207	214	0.0	1.0	0.95	56.4	-27.7 -38.8	47.7	234	0.0	1.0	0.95	56.4	-27.7 -38.8	47.7
235	208	215	0.0	1.0	0.966	56.5	-27.0 -39.7	48.0	235	0.0	1.0	0.967	56.5	-27.0 -39.7	48.0
237	209	216	0.0	1.0	0.983	56.6	-26.2 -40.6	48.3	237	0.0	1.0	0.983	56.6	-26.2 -40.6	48.3
238	210	216	0.0	1.0	1.0	56.8	-25.5 -41.5	48.7	238	0.0	1.0	1.0	56.8	-25.5 -41.5	48.7

1-1031231-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 13/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	C_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$210C_s$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$216C_e$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
238	210	216	0.0	1.0	1.0	56.8	-25.5 -41.5 48.7	238	0.0	1.0	0.685 54.5	-39.5 -22.8 45.7	210	0.0	1.0	1.0
239	211	217	0.0	0.983 1.0	56.4	-24.9 -41.5 48.4	239	0.0	0.983 1.0	0.0	1.0	0.757 55.1	-35.7 -27.8 45.4	217	0.0	0.983 1.0
239	212	218	0.0	0.966 1.0	56.1	-24.3 -41.5 48.1	239	0.0	0.967 1.0	0.0	1.0	0.767 55.2	-35.3 -28.4 45.4	218	0.0	0.967 1.0
240	213	219	0.0	0.95 1.0	55.7	-23.7 -41.5 47.8	240	0.0	0.95 1.0	0.0	1.0	0.778 55.2	-34.9 -29.0 45.5	219	0.0	0.95 1.0
240	214	220	0.0	0.933 1.0	55.4	-23.1 -41.5 47.5	240	0.0	0.933 1.0	0.0	1.0	0.788 55.3	-34.5 -29.6 45.6	220	0.0	0.933 1.0
241	215	221	0.0	0.916 1.0	55.0	-22.5 -41.4 47.2	241	0.0	0.917 1.0	0.0	1.0	0.798 55.4	-34.1 -30.2 45.7	221	0.0	0.917 1.0
242	216	222	0.0	0.9 1.0	54.6	-22.0 -41.4 46.9	242	0.0	0.9 1.0	0.0	1.0	0.808 55.4	-33.6 -30.8 45.7	222	0.0	0.9 1.0
242	217	223	0.0	0.883 1.0	54.3	-21.4 -41.4 46.6	242	0.0	0.883 1.0	0.0	1.0	0.819 55.5	-33.2 -31.3 45.8	223	0.0	0.883 1.0
243	218	224	0.0	0.866 1.0	53.9	-20.7 -41.3 46.3	243	0.0	0.867 1.0	0.0	1.0	0.829 55.6	-32.7 -31.9 45.9	224	0.0	0.867 1.0
244	219	225	0.0	0.85 1.0	53.4	-20.0 -41.3 45.9	244	0.0	0.85 1.0	0.0	1.0	0.839 55.6	-32.3 -32.5 45.9	225	0.0	0.85 1.0
245	220	226	0.0	0.833 1.0	52.9	-19.2 -41.3 45.6	245	0.0	0.833 1.0	0.0	1.0	0.85 55.7	-31.8 -33.1 46.0	226	0.0	0.833 1.0
245	221	227	0.0	0.816 1.0	52.4	-18.5 -41.3 45.3	245	0.0	0.817 1.0	0.0	1.0	0.86 55.8	-31.3 -33.6 46.1	227	0.0	0.817 1.0
246	222	227	0.0	0.8 1.0	51.9	-17.7 -41.3 44.9	246	0.0	0.8 1.0	0.0	1.0	0.87 55.8	-30.8 -34.2 46.2	227	0.0	0.8 1.0
247	223	228	0.0	0.783 1.0	51.4	-17.0 -41.2 44.6	247	0.0	0.783 1.0	0.0	1.0	0.881 55.9	-30.4 -34.8 46.3	228	0.0	0.783 1.0
248	224	229	0.0	0.766 1.0	50.9	-16.2 -41.2 44.2	248	0.0	0.767 1.0	0.0	1.0	0.893 56.0	-30.0 -35.4 46.6	229	0.0	0.767 1.0
249	225	230	0.0	0.75 1.0	50.4	-15.5 -41.1 43.9	249	0.0	0.75 1.0	0.0	1.0	0.904 56.1	-29.6 -36.1 46.8	230	0.0	0.75 1.0
250	226	231	0.0	0.733 1.0	49.9	-14.7 -41.1 43.6	250	0.0	0.733 1.0	0.0	1.0	0.915 56.2	-29.1 -36.7 47.0	231	0.0	0.733 1.0
251	227	232	0.0	0.716 1.0	49.4	-13.8 -41.1 43.4	251	0.0	0.717 1.0	0.0	1.0	0.926 56.3	-28.7 -37.4 47.2	232	0.0	0.717 1.0
252	228	233	0.0	0.7 1.0	48.8	-13.0 -41.1 43.1	252	0.0	0.7 1.0	0.0	1.0	0.938 56.3	-28.2 -38.0 47.5	233	0.0	0.7 1.0
253	229	234	0.0	0.683 1.0	48.3	-12.2 -41.1 42.9	253	0.0	0.683 1.0	0.0	1.0	0.949 56.4	-27.7 -38.6 47.7	234	0.0	0.683 1.0
254	230	235	0.0	0.666 1.0	47.8	-11.4 -41.0 42.6	254	0.0	0.667 1.0	0.0	1.0	0.96 56.5	-27.2 -39.3 47.9	235	0.0	0.667 1.0
255	231	236	0.0	0.65 1.0	47.3	-10.6 -41.0 42.3	255	0.0	0.65 1.0	0.0	1.0	0.972 56.6	-26.7 -39.9 48.2	236	0.0	0.65 1.0
256	232	237	0.0	0.633 1.0	46.8	-9.8 -40.9 42.1	256	0.0	0.633 1.0	0.0	1.0	0.983 56.7	-26.2 -40.5 48.4	237	0.0	0.633 1.0
257	233	237	0.0	0.616 1.0	46.2	-8.9 -40.9 41.8	257	0.0	0.617 1.0	0.0	1.0	0.994 56.8	-25.7 -41.1 48.6	237	0.0	0.617 1.0
259	234	238	0.0	0.6 1.0	45.5	-7.8 -40.9 41.7	259	0.0	0.6 1.0	0.0	0.988 1.0	56.6	-25.0 -41.4 48.5	238	0.0	0.6 1.0
260	235	239	0.0	0.583 1.0	44.9	-6.6 -41.0 41.5	260	0.0	0.583 1.0	0.0	0.962 1.0	56.0	-24.1 -41.4 48.1	239	0.0	0.583 1.0
262	236	240	0.0	0.566 1.0	44.2	-5.5 -40.9 41.3	262	0.0	0.567 1.0	0.0	0.937 1.0	55.5	-23.2 -41.4 47.6	240	0.0	0.567 1.0
263	237	241	0.0	0.55 1.0	43.6	-4.4 -40.9 41.1	263	0.0	0.55 1.0	0.0	0.911 1.0	54.9	-22.3 -41.4 47.1	241	0.0	0.55 1.0
265	238	242	0.0	0.533 1.0	43.0	-3.3 -40.8 41.0	265	0.0	0.533 1.0	0.0	0.885 1.0	54.4	-21.4 -41.3 46.7	242	0.0	0.533 1.0
266	239	243	0.0	0.516 1.0	42.3	-2.3 -40.7 40.8	266	0.0	0.517 1.0	0.0	0.864 1.0	53.9	-20.6 -41.3 46.3	243	0.0	0.517 1.0
268	240	244	0.0	0.5 1.0	41.7	-1.2 -40.6 40.6	268	0.0	0.5 1.0	0.0	0.847 1.0	53.3	-19.8 -41.3 45.9	244	0.0	0.5 1.0
269	241	245	0.0	0.483 1.0	41.1	-0.2 -40.6 40.6	269	0.0	0.483 1.0	0.0	0.829 1.0	52.8	-19.0 -41.3 45.6	245	0.0	0.483 1.0
271	242	246	0.0	0.466 1.0	40.5	0.7 -40.6 40.6	271	0.0	0.467 1.0	0.0	0.811 1.0	52.3	-18.1 -41.2 45.2	246	0.0	0.467 1.0
272	243	247	0.0	0.45 1.0	39.9	1.7 -40.6 40.6	272	0.0	0.45 1.0	0.0	0.793 1.0	51.7	-17.3 -41.2 44.8	247	0.0	0.45 1.0
273	244	248	0.0	0.433 1.0	39.3	2.7 -40.6 40.6	273	0.0	0.433 1.0	0.0	0.775 1.0	51.2	-16.6 -41.1 44.5	248	0.0	0.433 1.0
275	245	248	0.0	0.416 1.0	38.8	3.6 -40.5 40.6	275	0.0	0.417 1.0	0.0	0.757 1.0	50.7	-15.8 -41.1 44.1	248	0.0	0.417 1.0
276	246	249	0.0	0.4 1.0	38.2	4.6 -40.4 40.7	276	0.0	0.4 1.0	0.0	0.741 1.0	50.2	-15.0 -41.0 43.8	249	0.0	0.4 1.0
277	247	250	0.0	0.383 1.0	37.6	5.6 -40.3 40.7	277	0.0	0.383 1.0	0.0	0.726 1.0	49.7	-14.3 -41.1 43.6	250	0.0	0.383 1.0
279	248	251	0.0	0.366 1.0	37.0	6.6 -40.2 40.8	279	0.0	0.367 1.0	0.0	0.711 1.0	49.2	-13.5 -41.0 43.4	251	0.0	0.367 1.0
280	249	252	0.0	0.35 1.0	36.4	7.7 -40.3 41.1	280	0.0	0.35 1.0	0.0	0.697 1.0	48.8	-12.8 -41.0 43.1	252	0.0	0.35 1.0
282	250	253	0.0	0.333 1.0	35.8	8.8 -40.4 41.3	282	0.0	0.333 1.0	0.0	0.682 1.0	48.3	-12.1 -41.0 42.9	253	0.0	0.333 1.0
283	251	254	0.0	0.316 1.0	35.2	9.9 -40.4 41.6	283	0.0	0.317 1.0	0.0	0.667 1.0	47.9	-11.4 -41.0 42.6	254	0.0	0.317 1.0
285	252	255	0.0	0.3 1.0	34.6	11.0 -40.4 41.9	285	0.0	0.3 1.0	0.0	0.652 1.0	47.4	-10.7 -40.9 42.4	255	0.0	0.3 1.0
286	253	256	0.0	0.283 1.0	34.0	12.1 -40.3 42.1	286	0.0	0.283 1.0	0.0	0.637 1.0	46.9	-9.9 -40.9 42.2	256	0.0	0.283 1.0
288	254	257	0.0	0.266 1.0	33.4	13.2 -40.3 42.4	288	0.0	0.267 1.0	0.0	0.623 1.0	46.5	-9.2 -40.8 42.0	257	0.0	0.267 1.0
289	255	258	0.0	0.25 1.0	32.8	14.3 -40.2 42.7	289	0.0	0.25 1.0	0.0	0.613 1.0	46.1	-8.6 -40.8 41.9	258	0.0	0.25 1.0

1-1031331-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 14/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2 42.7	289	0.0	0.25 1.0	0.0	0.25 1.0	0.0
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3 43.1	290	0.0	0.233 1.0	0.0	0.233 1.0	0.0
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3 43.6	292	0.0	0.217 1.0	0.0	0.217 1.0	0.0
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4 44.0	293	0.0	0.2 1.0	0.0	0.2 1.0	0.0
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4 44.5	294	0.0	0.183 1.0	0.0	0.183 1.0	0.0
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4 44.9	295	0.0	0.167 1.0	0.0	0.167 1.0	0.0
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4 45.4	297	0.0	0.15 1.0	0.0	0.15 1.0	0.0
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3 45.8	298	0.0	0.133 1.0	0.0	0.133 1.0	0.0
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3 46.3	299	0.0	0.117 1.0	0.0	0.117 1.0	0.0
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4 46.9	300	0.0	0.1 1.0	0.0	0.1 1.0	0.0
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4 47.4	301	0.0	0.083 1.0	0.0	0.083 1.0	0.0
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4 47.9	302	0.0	0.067 1.0	0.0	0.067 1.0	0.0
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5 48.4	303	0.0	0.05 1.0	0.0	0.05 1.0	0.0
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4 49.0	304	0.0	0.033 1.0	0.0	0.033 1.0	0.0
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4 49.5	305	0.0	0.017 1.0	0.0	0.017 1.0	0.0
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4 50.0	306	0.0	0.0 1.0	0.0	0.0 1.0	0.0
307	271	272	0.016 0.0	1.0	25.4	30.4	-39.9 50.2	307	0.0	0.017 0.0	1.0	0.017 0.0	1.0
308	272	273	0.033 0.0	1.0	25.8	31.3	-39.4 50.4	308	0.0	0.033 0.0	1.0	0.033 0.0	1.0
309	273	274	0.05 0.0	1.0	26.2	32.2	-38.9 50.5	309	0.0	0.05 0.0	1.0	0.05 0.0	1.0
310	274	275	0.066 0.0	1.0	26.5	33.1	-38.4 50.7	310	0.0	0.067 0.0	1.0	0.067 0.0	1.0
311	275	276	0.083 0.0	1.0	26.9	33.9	-37.8 50.8	311	0.0	0.083 0.0	1.0	0.083 0.0	1.0
313	276	277	0.1 0.0	1.0	27.3	34.8	-37.3 51.0	313	0.0	0.1 0.0	1.0	0.1 0.0	1.0
314	277	278	0.116 0.0	1.0	27.7	35.6	-36.7 51.1	314	0.0	0.117 0.0	1.0	0.117 0.0	1.0
315	278	279	0.133 0.0	1.0	27.9	36.4	-36.2 51.3	315	0.0	0.133 0.0	1.0	0.133 0.0	1.0
316	279	280	0.15 0.0	1.0	28.1	37.2	-35.7 51.6	316	0.0	0.15 0.0	1.0	0.15 0.0	1.0
317	280	281	0.166 0.0	1.0	28.2	38.0	-35.2 51.9	317	0.0	0.167 0.0	1.0	0.167 0.0	1.0
318	281	282	0.183 0.0	1.0	28.3	38.8	-34.7 52.1	318	0.0	0.183 0.0	1.0	0.183 0.0	1.0
319	282	283	0.2 0.0	1.0	28.5	39.6	-34.2 52.4	319	0.0	0.2 0.0	1.0	0.2 0.0	1.0
320	283	284	0.216 0.0	1.0	28.6	40.4	-33.7 52.6	320	0.0	0.217 0.0	1.0	0.217 0.0	1.0
321	284	285	0.233 0.0	1.0	28.7	41.2	-33.1 52.9	321	0.0	0.233 0.0	1.0	0.233 0.0	1.0
322	285	286	0.25 0.0	1.0	28.8	41.9	-32.5 53.1	322	0.0	0.25 0.0	1.0	0.25 0.0	1.0
323	286	287	0.266 0.0	1.0	29.4	43.3	-31.8 53.8	323	0.0	0.267 0.0	1.0	0.267 0.0	1.0
325	287	287	0.283 0.0	1.0	29.9	44.7	-31.1 54.4	325	0.0	0.283 0.0	1.0	0.283 0.0	1.0
326	288	288	0.3 0.0	1.0	30.4	46.0	-30.3 55.1	326	0.0	0.3 0.0	1.0	0.3 0.0	1.0
328	289	289	0.316 0.0	1.0	30.9	47.3	-29.4 55.7	328	0.0	0.317 0.0	1.0	0.317 0.0	1.0
329	290	290	0.333 0.0	1.0	31.4	48.6	-28.5 56.4	329	0.0	0.333 0.0	1.0	0.333 0.0	1.0
331	291	291	0.35 0.0	1.0	32.0	49.9	-27.5 57.0	331	0.0	0.35 0.0	1.0	0.35 0.0	1.0
332	292	292	0.366 0.0	1.0	32.5	51.2	-26.5 57.7	332	0.0	0.367 0.0	1.0	0.367 0.0	1.0
333	293	293	0.383 0.0	1.0	32.9	52.3	-25.7 58.3	333	0.0	0.383 0.0	1.0	0.383 0.0	1.0
334	294	294	0.4 0.0	1.0	33.3	53.2	-25.0 58.8	334	0.0	0.4 0.0	1.0	0.4 0.0	1.0
335	295	295	0.416 0.0	1.0	33.7	54.1	-24.4 59.4	335	0.0	0.417 0.0	1.0	0.417 0.0	1.0
336	296	296	0.433 0.0	1.0	34.0	55.0	-23.7 59.9	336	0.0	0.433 0.0	1.0	0.433 0.0	1.0
337	297	297	0.45 0.0	1.0	34.4	55.9	-23.0 60.5	337	0.0	0.45 0.0	1.0	0.45 0.0	1.0
338	298	298	0.466 0.0	1.0	34.8	56.8	-22.2 61.0	338	0.0	0.467 0.0	1.0	0.467 0.0	1.0
339	299	299	0.483 0.0	1.0	35.2	57.7	-21.5 61.6	339	0.0	0.483 0.0	1.0	0.483 0.0	1.0
340	300	300	0.5 0.0	1.0	35.6	58.6	-20.7 62.1	340	0.0	0.5 0.0	1.0	0.5 0.0	1.0

1-1031431-L0 QE070-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 15/33

TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$


TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

Output: Offset standard print; separation cmy0*, D65, page 16/33



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																	
366	345	342	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366	0.576	0.0	1.0	37.1	62.9	-16.7	65.1	345	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366						
367	346	343	1.0	0.0	0.733	45.9	77.0	9.4	77.5	367	0.593	0.0	1.0	37.5	63.8	-15.8	65.7	346	1.0	0.0	0.733	45.9	77.0	9.4	77.5	367						
367	347	344	1.0	0.0	0.716	45.9	76.8	10.3	77.5	367	0.61	0.0	1.0	37.8	64.7	-14.8	66.4	347	1.0	0.0	0.717	0.571	0.0	1.0	37.0	62.6	-17.0	64.9	344	1.0	0.0	0.717
368	348	345	1.0	0.0	0.7	45.9	76.6	11.1	77.4	368	0.627	0.0	1.0	38.2	65.6	-13.8	67.1	348	1.0	0.0	0.7	0.587	0.0	1.0	37.3	63.5	-16.1	65.5	345	1.0	0.0	0.7
368	349	346	1.0	0.0	0.683	45.9	76.4	11.9	77.3	368	0.654	0.0	1.0	39.0	66.8	-12.9	68.1	349	1.0	0.0	0.683	0.603	0.0	1.0	37.7	64.3	-15.2	66.1	346	1.0	0.0	0.683
369	350	347	1.0	0.0	0.666	45.9	76.2	12.8	77.2	369	0.681	0.0	1.0	39.8	68.0	-11.9	69.1	350	1.0	0.0	0.667	0.619	0.0	1.0	38.0	65.2	-14.3	66.7	347	1.0	0.0	0.667
370	351	348	1.0	0.0	0.65	46.0	75.9	13.6	77.2	370	0.708	0.0	1.0	40.6	69.2	-10.9	70.1	351	1.0	0.0	0.65	0.641	0.0	1.0	38.6	66.2	-13.4	67.6	348	1.0	0.0	0.65
370	352	349	1.0	0.0	0.633	46.0	75.7	14.4	77.1	370	0.735	0.0	1.0	41.4	70.4	-9.8	71.1	352	1.0	0.0	0.633	0.667	0.0	1.0	39.3	67.4	-12.4	68.5	349	1.0	0.0	0.633
371	353	350	1.0	0.0	0.616	46.0	75.5	15.2	77.1	371	0.765	0.0	1.0	42.1	71.6	-8.7	72.1	353	1.0	0.0	0.617	0.692	0.0	1.0	40.1	68.5	-11.5	69.5	350	1.0	0.0	0.617
372	354	351	1.0	0.0	0.6	45.9	75.4	16.1	77.1	372	0.8	0.0	1.0	42.8	72.7	-7.5	73.1	354	1.0	0.0	0.6	0.717	0.0	1.0	40.9	69.6	-10.5	70.4	351	1.0	0.0	0.6
372	355	352	1.0	0.0	0.583	45.9	75.2	16.9	77.1	372	0.835	0.0	1.0	43.5	73.9	-6.4	74.2	355	1.0	0.0	0.583	0.743	0.0	1.0	41.6	70.7	-9.5	71.4	352	1.0	0.0	0.583
373	356	353	1.0	0.0	0.566	45.9	75.0	17.8	77.1	373	0.87	0.0	1.0	44.2	75.0	-5.1	75.2	356	1.0	0.0	0.567	0.774	0.0	1.0	42.3	71.9	-8.4	72.4	353	1.0	0.0	0.567
374	357	354	1.0	0.0	0.55	45.9	74.8	18.6	77.1	374	0.904	0.0	1.0	44.7	76.2	-3.9	76.3	357	1.0	0.0	0.55	0.807	0.0	1.0	42.9	73.0	-7.3	73.3	354	1.0	0.0	0.55
374	358	355	1.0	0.0	0.533	45.9	74.6	19.5	77.1	374	0.938	0.0	1.0	45.2	77.3	-2.6	77.3	358	1.0	0.0	0.533	0.84	0.0	1.0	43.6	74.1	-6.2	74.3	355	1.0	0.0	0.533
375	359	356	1.0	0.0	0.516	45.9	74.4	20.3	77.1	375	0.971	0.0	1.0	45.7	78.4	-1.3	78.4	359	1.0	0.0	0.517	0.873	0.0	1.0	44.2	75.1	-5.0	75.3	356	1.0	0.0	0.517
375	360	352	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375	1.0	0.0	0.994	46.1	79.3	0.0	79.3	360	1.0	0.0	0.5	0.736	0.0	1.0	41.4	70.5	-9.7	71.1	352	1.0	0.0	0.5
376	361	353	1.0	0.0	0.483	45.8	74.1	22.1	77.3	376	1.0	0.0	0.955	46.1	79.0	1.4	79.0	361	1.0	0.0	0.483	0.771	0.0	1.0	42.2	71.8	-8.5	72.3	353	1.0	0.0	0.483
377	362	354	1.0	0.0	0.466	45.8	73.9	23.1	77.4	377	1.0	0.0	0.916	46.0	78.6	2.7	78.7	362	1.0	0.0	0.467	0.81	0.0	1.0	43.0	73.1	-7.2	73.4	354	1.0	0.0	0.467
378	363	355	1.0	0.0	0.45	45.8	73.8	24.0	77.6	378	1.0	0.0	0.876	46.0	78.3	4.1	78.4	363	1.0	0.0	0.45	0.849	0.0	1.0	43.8	74.4	-5.9	74.6	355	1.0	0.0	0.45
378	364	356	1.0	0.0	0.433	45.8	73.6	25.0	77.7	378	1.0	0.0	0.839	46.0	78.0	5.5	78.2	364	1.0	0.0	0.433	0.887	0.0	1.0	44.4	75.6	-4.5	75.8	356	1.0	0.0	0.433
379	365	357	1.0	0.0	0.416	45.8	73.4	25.9	77.9	379	1.0	0.0	0.802	46.0	77.7	6.8	78.0	365	1.0	0.0	0.417	0.925	0.0	1.0	45.0	76.9	-3.1	77.0	357	1.0	0.0	0.417
380	366	358	1.0	0.0	0.4	45.8	73.2	26.9	78.0	380	1.0	0.0	0.765	46.0	77.3	8.1	77.8	366	1.0	0.0	0.4	0.963	0.0	1.0	45.6	78.1	-1.6	78.1	358	1.0	0.0	0.4
380	367	359	1.0	0.0	0.383	45.8	73.0	27.8	78.2	380	1.0	0.0	0.734	46.0	77.0	9.5	77.6	367	1.0	0.0	0.383	1.0	0.0	1.0	46.1	79.3	-0.1	79.3	359	1.0	0.0	0.383
381	368	360	1.0	0.0	0.366	45.8	72.9	28.7	78.4	381	1.0	0.0	0.708	46.0	76.7	10.8	77.5	368	1.0	0.0	0.367	1.0	0.0	0.956	46.1	79.0	1.3	79.0	360	1.0	0.0	0.367
382	369	362	1.0	0.0	0.35	45.8	72.8	29.6	78.6	382	1.0	0.0	0.681	46.0	76.4	12.1	77.4	369	1.0	0.0	0.35	1.0	0.0	0.912	46.0	78.6	2.9	78.7	362	1.0	0.0	0.35
382	370	363	1.0	0.0	0.333	45.7	72.7	30.4	78.8	382	1.0	0.0	0.655	46.0	76.1	13.4	77.2	370	1.0	0.0	0.333	1.0	0.0	0.869	46.0	78.2	4.4	78.3	363	1.0	0.0	0.333
383	371	364	1.0	0.0	0.316	45.7	72.6	31.2	79.1	383	1.0	0.0	0.628	46.0	75.7	14.7	77.1	371	1.0	0.0	0.317	1.0	0.0	0.828	46.0	77.9	5.9	78.1	364	1.0	0.0	0.317
383	372	365	1.0	0.0	0.3	45.7	72.5	32.1	79.3	383	1.0	0.0	0.602	46.0	75.4	16.0	77.1	372	1.0	0.0	0.3	1.0	0.0	0.786	46.0	77.5	7.4	77.9	365	1.0	0.0	0.3
384	373	366	1.0	0.0	0.283	45.6	72.4	32.9	79.6	384	1.0	0.0	0.576	46.0	75.2	17.4	77.1	373	1.0	0.0	0.283	1.0	0.0	0.746	46.0	77.1	8.8	77.7	366	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	45.6	72.3	33.8	79.8	385	1.0	0.0	0.55	45.9	74.9	18.7	77.2	374	1.0	0.0	0.267	1.0	0.0	0.717	46.0	76.8	10.3	77.5	367	1.0	0.0	0.267
385	375	368	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385	1.0	0.0	0.524	45.9	74.5	20.0	77.2	375	1.0	0.0	0.25	1.0	0.0	0.687	46.0	76.5	11.8	77.4	368	1.0	0.0	0.25
386	376	369	1.0	0.0	0.233	45.6	72.1	35.3	80.3	386	1.0	0.0	0.498	45.9	74.2	21.3	77.2	376	1.0	0.0	0.233	1.0	0.0	0.658	46.0	76.1	13.3	77.2	369	1.0	0.0	0.233
386	377	370	1.0	0.0	0.216	45.6	72.0	36.1	80.5	386	1.0	0.0	0.475	45.9	74.0	22.6	77.4	377	1.0	0.0	0.217	1.0	0.0	0.628	46.0	75.7	14.7	77.1	370	1.0	0.0	0.217
387	378	372	1.0	0.0	0.2	45.6	71.9	36.8	80.8	387	1.0	0.0	0.451	45.9	73.8	24.0	77.6	378	1.0	0.0	0.2	1.0	0.0	0.599	46.0	75.4	16.2	77.1	372	1.0	0.0	0.2
387	379	373	1.0	0.0	0.183	45.5	71.8	37.5	81.0	387	1.0	0.0	0.428	45.9	73.6	25.3	77.8	379	1.0	0.0	0.183	1.0	0.0	0.57	46.0	75.1	17.6	77.1	373	1.0	0.0	0.183
388	380	374	1.0	0.0	0.166	45.5	71.7	38.2	81.3	388	1.0	0.0	0.404	45.9	73.3	26.7	78.0	380	1.0	0.0	0.167	1.0	0.0	0.541	45.9	74.8	19.1	77.2	374	1.0	0.0	0.167
388	381	375	1.0	0.0	0.15	45.5	71.6	39.0	81.5	388	1.0	0.0	0.38	45.8	73.1	28.0	78.3	381	1.0	0.0	0.15	1.0	0.0	0.512	45.9	74.4	20.6	77.2	375	1.0	0.0	0.15
389	382	376	1.0	0.0	0.133	45.5	71.5	39.7	81.8	389	1.0	0.0	0.353	45.8	72.9	29.4	78.6	382	1.0	0.0	0.133	1.0	0.0	0.485	45.9	74.1	22.0	77.3	376	1.0	0.0	0.133
389	383	377	1.0	0.0	0.116	45.5	71.4	40.4	82.1	389	1.0	0.0	0.325	45.8	72.7	30.9	79.0	383	1.0	0.0	0.117	1.0	0.0	0.459	45.9	73.9	23.6	77.6	377	1.0	0.0	0.117
389	384	378	1.0	0.0	0.1	45.5	71.3	41.0	82.3	389	1.0	0.0	0.297	45.7	72.5	32.3	79.4	384	1.0	0.0	0.1	1.0	0.0	0.433	45.9	73.6	25.1	77.8	378	1.0	0.0	0.1
390	385	379	1.0	0.0	0.083	45.5	71.3	41.6	82.6	390	1.0	0.0	0.268	45.7	72.3	33.7	79.8	385	1.0	0.0	0.083	1.0	0.0	0.406	45.9	73.4	26.6	78.0	379	1.0	0.0	



TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
- application for measurement of offset print output, separations

TUB material: code=rha4ta
my0* (CMY0)



input: *rgb/cmyk* $\rightarrow$ *rgb*_{dd}
output: 3D-linearization to *cmy0**_{dd}

TUB-test chart QE07; hue code: H_d^{*}=R25Y_d
colors and differences, ΔE^*

DE070-7N, Page 18/33-F

-1031731-F0




http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF /PS; 3D-linearization F: 3D-linearization QE07QE07LE30FP.DAT in file (F), page 18/33


id	name	type	parent	children	value	category										region										time									
						sub1	sub2	sub3	sub4	sub5	sub6	sub7	sub8	sub9	sub10	sub11	sub12	sub13	sub14	sub15	sub16	sub17	sub18	sub19	sub20	sub21	sub22	sub23	sub24	sub25	sub26	sub27	sub28	sub29	sub30
1	Root	Root			100	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
2	Node A	Leaf	Root		10	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
3	Node B	Leaf	Root		20	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
4	Node C	Leaf	Root		30	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
5	Node D	Leaf	Root		40	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
6	Node E	Leaf	Root		50	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
7	Node F	Leaf	Root		60	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
8	Node G	Leaf	Root		70	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
9	Node H	Leaf	Root		80	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
10	Node I	Leaf	Root		90	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
11	Node J	Leaf	Root		100	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
12	Node K	Leaf	Root		110	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
13	Node L	Leaf	Root		120	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
14	Node M	Leaf	Root		130	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
15	Node N	Leaf	Root		140	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
16	Node O	Leaf	Root		150	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
17	Node P	Leaf	Root		160	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
18	Node Q	Leaf	Root		170	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
19	Node R	Leaf	Root		180	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
20	Node S	Leaf	Root		190	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
21	Node T	Leaf	Root		200	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
22	Node U	Leaf	Root		210	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
23	Node V	Leaf	Root		220	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
24	Node W	Leaf	Root		230	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
25	Node X	Leaf	Root		240	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
26	Node Y	Leaf	Root		250	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
27	Node Z	Leaf	Root		260	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
28	Node AA	Leaf	Root		270	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
29	Node AB	Leaf	Root		280	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
30	Node AC	Leaf	Root		290	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
31	Node AD	Leaf	Root		300	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
32	Node AE	Leaf	Root		310	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
33	Node AF	Leaf	Root		320	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
34	Node AG	Leaf	Root		330	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
35	Node AH	Leaf	Root		340	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
36	Node AI	Leaf	Root		350	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
37	Node AJ	Leaf	Root		360	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
38	Node AK	Leaf	Root		370	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
39	Node AL	Leaf	Root		380	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
40	Node AM	Leaf	Root		390	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
41	Node AN	Leaf	Root		400	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
42	Node AO	Leaf	Root		410	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
43	Node AP	Leaf	Root		420	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
44	Node AQ	Leaf	Root		430	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300
45	Node AR	Leaf	Root		440	10	20	30	40																										

Mean color difference of this page:

delta

-see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>







see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF> /PS; 3D-linearization F: 3D-linearization QE07/QE07LE30FP.DAT in file (F), page 19/33

n/i	HIC ^o _{Fold}	rgb ^o _{Fold}	tcr ^o _{Fold}	hsa ^o _{Fold}	LabCh ^o _{Fold}	cmym ^o _{expFold}	hsa ^o _{Ad}	rgb ^o _{Ad}	LabCh ^o _{Ad}	delta
1/666	R00Y_100_100Ad	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.0
1/648	R25Y_100_100Ad	1.0	0.25	0.0	0.0	0.765	42	1.0	0.233	0.0
2/682	R50Y_100_100Ad	1.0	0.5	0.0	0.0	0.999	59	1.0	0.5	0.0
3/702	R75Y_100_100Ad	1.0	0.75	0.0	0.0	0.234	77	1.0	0.766	0.0
4/720	Y00G_100_100Ad	1.0	1.0	0.0	0.0	0.0	89	1.0	1.0	0.0
5/558	Y25G_100_100Ad	0.75	1.0	0.0	0.0	0.0	102	1.0	0.766	0.0
6/596	Y50G_100_100Ad	0.5	1.0	0.0	0.0	0.498	119	0.5	1.0	0.0
7/234	Y75G_100_100Ad	0.25	1.0	0.0	0.0	0.766	137	0.233	1.0	0.0
8/72	G00B_100_100Ad	0.0	1.0	0.5	0.0	0.0	149	0.0	1.0	0.0
9/72	G00B_100_100Ad	0.0	1.0	0.5	0.0	1.0	149	0.0	1.0	0.0
10/76	G25B_100_100Ad	0.0	1.0	0.5	0.0	0.498	180	0.0	1.0	0.0
11/180	G50B_100_100Ad	0.0	1.0	1.0	0.0	1.0	210	0.0	1.0	0.0
12/144	G75B_100_100Ad	0.0	0.5	1.0	0.0	1.0	240	0.0	0.5	1.0
13/18	B00M_100_100Ad	0.0	1.0	0.5	0.0	0.999	270	0.0	1.0	0.0
14/332	B25R_100_100Ad	0.5	0.0	1.0	0.0	0.5	300	0.5	1.0	0.0
15/656	B50R_100_100Ad	1.0	0.0	1.0	0.0	1.0	330	1.0	0.0	0.0
16/582	B75R_100_100Ad	1.0	0.0	0.5	0.0	1.0	360	1.0	0.5	0.0
17/648	R00Y_100_100Ad	1.0	0.0	1.0	0.0	1.0	389	1.0	1.0	0.0
18/688	R00Y_100_050Ad	1.0	0.5	0.5	0.0	0.375	389	1.0	0.0	0.0
19/706	R00Y_075_050Ad	0.75	0.25	0.25	0.0	0.699	389	1.0	0.0	0.0
20/524	R50Y_075_050Ad	0.75	0.5	0.5	0.0	0.286	59	1.0	0.5	0.0
21/542	Y00G_075_050Ad	0.75	0.75	0.5	0.0	0.004	89	1.0	1.0	0.0
30/380	Y50G_075_050Ad	0.5	0.75	0.25	0.0	0.625	119	0.5	1.0	0.0
31/218	G00B_075_050Ad	0.5	0.75	0.25	0.0	0.596	149	0.0	1.0	0.0
32/222	G50B_075_050Ad	0.25	0.75	0.75	0.0	0.447	210	0.0	1.0	0.0
33/186	B00R_075_050Ad	0.25	0.75	0.75	0.0	0.493	270	0.0	1.0	0.0
34/510	B50R_075_050Ad	0.25	0.75	0.75	0.0	0.517	330	1.0	0.0	1.0
35/506	R00Y_075_050Ad	0.75	0.25	0.25	0.0	0.5	389	1.0	0.0	0.0
36/324	R00Y_050_050Ad	0.5	0.0	0.5	0.0	0.592	389	1.0	0.0	0.0
37/342	R50Y_050_050Ad	0.5	0.25	0.0	0.0	0.674	59	1.0	0.5	0.0
38/360	Y00G_050_050Ad	0.5	0.5	0.0	0.0	0.405	89	1.0	1.0	0.0
39/198	Y50G_050_050Ad	0.25	0.5	0.0	0.0	0.976	119	0.5	1.0	0.0
40/36	G00B_050_050Ad	0.0	0.5	0.0	0.0	0.985	149	0.0	1.0	0.0
41/40	G50B_050_050Ad	0.0	0.5	0.25	0.0	0.525	210	0.0	1.0	0.0
42/4	B00R_050_050Ad	0.0	0.5	0.5	0.0	0.979	270	0.0	1.0	0.0

Mean color difference of this page: ΔE^*_{ab}

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>



http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE07/QE07L30FP.DAT in file (F), page 25/33

n	HVC-Fid	rgb-Fid	lcr-Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmyn*sep-Fid	rgb*Mid	hsaMid	LabCH*Mid	delta
405	R00Y.062.062ad	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.0	37.5 44.3	0.444 0.936 1.0	1.0 0.0 0.0	389	45.4 70.9	83.9
406	R31Y.062.062ad	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.114	37.6 44.9	0.445 0.94 0.9	0.0 0.0 0.183	380	45.5 71.0	32.3
407	R11Y.062.062ad	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.239	37.7 45.6	0.448 0.937 0.755	0.0 0.0 0.361	367	45.8 72.0	20.8
408	B69R.062.062ad	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.385	37.8 47.2	0.448 0.937 0.606	0.0 0.0 0.616	352	46.0 72.5	15.2
409	B59R.062.062ad	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.51	37.8 48.6	0.451 0.942 0.507	0.0 0.0 0.816	339	46.1 72.7	6.2
410	B50R.062.062ad	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	37.9 49.5	0.456 0.941 0.425	0.0 0.0 1.0	330	46.1 72.7	0.2
411	B42R.075.075ad	0.625 0.0 0.75	0.625 0.625 0.312	321	0.637 0.0 0.75	38.9 55.7	0.459 0.955 0.283	0.0 0.0 1.0	322	46.1 72.7	0.2
412	B36R.087.087ad	0.625 0.0 0.875	0.625 0.625 0.312	314	0.641 0.0 0.875	39.2 61.5	0.478 0.972 0.144	0.0 0.0 1.0	315	47.0 73.3	0.2
413	B31R.100.100ad	0.625 0.0 1.0	0.625 0.625 0.312	308	0.633 0.0 1.0	38.3 65.8	0.468 0.999 0.0	0.0 0.0 1.0	308	38.3 65.8	-13.7
414	R18Y.062.062ad	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.114 0.0	41.1 36.1	0.441 0.827 1.0	0.0 0.0 0.183	39	51.1 57.8	42.2
415	R00Y.062.062ad	0.625 0.125 0.125	0.625 0.625 0.312	390	0.625 0.125 0.125	43.8 35.4	0.413 0.79 0.739	0.0 0.0 0.233	389	45.4 70.9	83.9
416	R26Y.062.050ad	0.625 0.125 0.25	0.625 0.625 0.312	376	0.625 0.125 0.241	43.9 36.0	0.418 0.79 0.659	0.0 0.0 0.5	377	45.6 72.1	35.3
417	R06Y.062.050ad	0.625 0.125 0.375	0.625 0.625 0.312	360	0.625 0.125 0.375	44.0 37.1	0.424 0.792 0.551	0.0 0.0 1.0	360	45.5 74.2	21.1
418	B61R.062.050ad	0.625 0.125 0.5	0.625 0.625 0.312	344	0.625 0.125 0.508	44.0 38.6	0.433 0.798 0.448	0.0 0.0 0.766	342	46.1 72.7	81.0
419	B50R.062.050ad	0.625 0.125 0.625	0.625 0.625 0.312	330	0.625 0.125 0.625	44.1 39.6	0.433 0.801 0.376	0.0 0.0 1.0	330	46.1 72.7	81.0
420	B40R.075.062ad	0.625 0.125 0.75	0.625 0.625 0.312	319	0.635 0.125 0.75	44.9 45.8	0.439 0.819 0.255	0.0 0.0 1.0	320	46.1 72.7	81.0
421	B34R.087.075ad	0.625 0.125 0.875	0.625 0.625 0.312	305	0.637 0.125 0.875	44.8 51.0	0.439 0.819 0.188	0.0 0.0 1.0	311	46.1 72.7	81.0
422	B29R.100.087ad	0.625 0.125 1.0	0.625 0.625 0.312	53	0.633 0.125 1.0	44.5 55.3	0.433 0.808 0.0	0.0 0.0 1.0	52	46.1 72.7	81.0
423	R38Y.062.062ad	0.625 0.25 0.0	0.625 0.625 0.312	424	0.625 0.239 0.0	46.3 24.7	0.414 0.691 0.772	0.0 0.0 0.383	42	37.2 63.2	16.4
424	R23Y.062.062ad	0.625 0.25 0.125	0.625 0.625 0.312	404	0.625 0.241 0.125	47.6 26.7	0.414 0.691 0.709	0.0 0.0 0.643	40	53.0 55.4	54.8
425	R00Y.062.037ad	0.625 0.25 0.25	0.625 0.625 0.312	390	0.625 0.25 0.25	50.1 26.6	0.414 0.691 0.639	0.0 0.0 1.0	389	45.4 70.9	83.9
426	B69R.062.037ad	0.625 0.25 0.375	0.625 0.625 0.312	371	0.625 0.25 0.375	50.2 27.2	0.414 0.691 0.569	0.0 0.0 1.0	368	46.1 72.7	81.0
427	B59R.062.037ad	0.625 0.25 0.5	0.625 0.625 0.312	349	0.625 0.25 0.506	50.2 28.6	0.414 0.691 0.499	0.0 0.0 1.0	348	46.1 72.7	81.0
428	B50R.062.037ad	0.625 0.25 0.625	0.625 0.625 0.312	330	0.635 0.25 0.625	50.3 29.7	0.418 0.691 0.429	0.0 0.0 1.0	330	46.1 72.7	81.0
429	B34R.075.050ad	0.625 0.25 0.75	0.625 0.625 0.312	316	0.635 0.25 0.75	51.0 35.8	0.418 0.691 0.359	0.0 0.0 1.0	317	46.1 72.7	81.0
430	B30R.087.062ad	0.625 0.25 0.875	0.625 0.625 0.312	307	0.635 0.25 0.875	50.6 40.6	0.418 0.691 0.289	0.0 0.0 1.0	307	46.1 72.7	81.0
431	B25R.100.075ad	0.625 0.25 1.0	0.625 0.625 0.312	67	0.625 0.25 1.0	50.6 43.9	0.418 0.691 0.219	0.0 0.0 1.0	67	46.1 72.7	81.0
432	R50Y.062.062ad	0.625 0.375 0.0	0.625 0.625 0.312	60	0.625 0.385 0.0	53.9 10.2	0.418 0.691 0.149	0.0 0.0 0.616	59	35.6 58.6	-20.7
433	R00Y.062.062ad	0.625 0.375 0.125	0.625 0.625 0.312	60	0.625 0.375 0.125	53.5 14.4	0.418 0.691 0.079	0.0 0.0 1.0	59	35.6 58.6	-20.7
434	R18Y.062.037ad	0.625 0.375 0.25	0.625 0.625 0.312	49	0.625 0.385 0.25	54.2 17.1	0.418 0.691 0.009	0.0 0.0 1.0	48	35.6 58.6	-20.7
435	R06Y.062.050ad	0.625 0.375 0.375	0.625 0.625 0.312	390	0.625 0.375 0.375	56.3 17.7	0.418 0.691 0.009	0.0 0.0 1.0	389	45.4 70.9	83.9
436	B69R.062.050ad	0.625 0.375 0.5	0.625 0.625 0.312	360	0.625 0.375 0.5	56.4 18.5	0.418 0.691 0.009	0.0 0.0 1.0	360	45.4 70.9	83.9
437	B59R.062.050ad	0.625 0.375 0.625	0.625 0.625 0.312	330	0.625 0.375 0.625	56.5 19.8	0.418 0.691 0.009	0.0 0.0 1.0	330	45.4 70.9	83.9
438	B50R.062.050ad	0.625 0.375 0.75	0.625 0.625 0.312	311	0.631 0.375 0.75	56.8 25.5	0.418 0.691 0.009	0.0 0.0 1.0	311	45.4 70.9	83.9
439	B42R.075.037ad	0.625 0.375 0.875	0.625 0.625 0.312	293	0.631 0.375 0.875	56.7 29.3	0.418 0.691 0.009	0.0 0.0 1.0	292	45.4 70.9	83.9
440	B19R.100.062ad	0.625 0.375 1.0	0.625 0.625 0.312	79	0.614 0.375 1.0	56.4 32.7	0.418 0.691 0.009	0.0 0.0 1.0	80	45.4 70.9	83.9
441	R81Y.062.062ad	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.51 0.0	59.7 0.5	0.418 0.691 0.009	0.0 0.0 0.816	80	45.4 70.9	83.9
442	R61Y.062.062ad	0.625 0.5 0.125	0.625 0.625 0.312	76	0.625 0.508 0.125	60.4 2.1	0.418 0.691 0.009	0.0 0.0 1.0	77	45.4 70.9	83.9
443	R69Y.062.037ad	0.625 0.5 0.25	0.625 0.625 0.312	64	0.625 0.508 0.25	61.1 4.1	0.418 0.691 0.009	0.0 0.0 1.0	64	45.4 70.9	83.9
444	R50Y.062.025ad	0.625 0.5 0.375	0.625 0.625 0.312	60	0.625 0.5 0.375	61.2 7.2	0.418 0.691 0.009	0.0 0.0 1.0	59	45.4 70.9	83.9
445	R00Y.062.025ad	0.625 0.5 0.5	0.625 0.625 0.312	390	0.625 0.5 0.5	62.6 8.8	0.418 0.691 0.009	0.0 0.0 1.0	389	45.4 70.9	83.9
446	B69R.062.025ad	0.625 0.5 0.625	0.625 0.625 0.312	330	0.625 0.5 0.625	62.7 9.9	0.418 0.691 0.009	0.0 0.0 1.0	330	45.4 70.9	83.9
447	B59R.062.025ad	0.625 0.5 0.75	0.625 0.625 0.312	300	0.625 0.5 0.75	62.8 14.6	0.418 0.691 0.009	0.0 0.0 1.0	288	45.4 70.9	83.9
448	B50R.075.012ad	0.625 0.5 0.875	0.625 0.625 0.312	289	0.618 0.5 0.875	62.8 17.7	0.418 0.691 0.009	0.0 0.0 1.0	288	45.4 70.9	83.9
449	B15R.087.037ad	0.625 0.5 1.0	0.625 0.625 0.312	284	0.616 0.5 1.0	62.1 20.6	0.418 0.691 0.009	0.0 0.0 1.0	282	45.4 70.9	83.9
450	B11R.100.050ad	0.625 0.5 1.0	0.625 0.625 0.312	90	0.616 0.5 1.0	62.1 20.6	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
451	Y00G.062.062ad	0.625 0.625 0.0	0.625 0.625 0.312	90	0.625 0.625 0.0	64.0 -6.3	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
452	Y00G.062.037ad	0.625 0.625 0.125	0.625 0.625 0.312	90	0.625 0.625 0.125	65.0 -5.1	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
453	Y00G.062.025ad	0.625 0.625 0.25	0.625 0.625 0.312	90	0.625 0.625 0.25	65.9 -3.8	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
454	Y00G.062.012ad	0.625 0.625 0.375	0.625 0.625 0.312	90	0.625 0.625 0.375	66.9 -2.5	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
455	NW.062ad	0.625 0.625 0.5	0.625 0.625 0.312	90	0.625 0.625 0.5	67.9 -1.2	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
456	B00R.075.012ad	0.625 0.625 0.625	0.625 0.625 0.312	90	0.625 0.625 0.625	68.9 0.0	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
457	B00R.075.012ad	0.625 0.625 0.75	0.625 0.625 0.312	90	0.625 0.625 0.75	68.9 3.6	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
458	B00R.075.012ad	0.625 0.625 0.875	0.625 0.625 0.312	90	0.625 0.625 0.875	69.0 7.3	0.418 0.691 0.009	0.0 0.0 1.0	89	45.4 70.9	83.9
459	B00R.100.037ad	0.625 0.625 1.0	0.625 0.625 0.312	90	0.625 0.625 18						







http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF /PS; 3D-linearization
F: 3D-linearization QE07/QE07LE30FP.DAT in file (F), page 26/33

n	HIC ¹ rad	rgb ¹ rad	ic ¹ rad	h _{sc} rad	rgb ² rad	LaCh ¹ rad	LaCh ² rad	cmym ¹ sepRad	h _{sc} rad	rgb ² rad	LaCh ² rad	delta		
486	R00Y_075_075rad	0.75	0.0	0.75	0.75	0.0	40.2	32.3	389	1.0	0.0	44.8	83.9	32.3
487	R35Y_075_075rad	0.75	0.125	0.75	0.75	0.0	40.2	62.9	389	1.0	0.0	45.4	70.9	44.8
488	R18Y_075_075rad	0.75	0.0	0.75	0.75	0.0	40.2	29.2	382	1.0	0.0	45.4	71.6	39.0
489	R00Y_075_075rad	0.75	0.0	0.75	0.75	0.0	40.2	59.3	371	1.0	0.0	45.4	72.6	39.1
490	R00Y_075_075rad	0.75	0.0	0.75	0.75	0.0	40.2	59.3	360	1.0	0.0	45.4	74.2	21.1
491	B57R_075_075rad	0.75	0.0	0.75	0.75	0.0	40.2	57.8	348	1.0	0.0	45.4	76.4	11.9
492	B57R_075_075rad	0.75	0.0	0.75	0.75	0.0	40.2	58.6	337	1.0	0.0	45.4	78.0	5.0
493	B34R_087_087rad	0.75	0.0	0.75	0.75	0.0	40.2	65.7	359	1.0	0.0	46.1	79.3	-0.2
494	B34R_087_087rad	0.75	0.0	0.75	0.75	0.0	40.2	65.7	359	1.0	0.0	46.1	79.3	-0.2
495	R15Y_075_075rad	0.75	0.125	0.75	0.75	0.112	40.2	72.1	353	1.0	0.0	47.1	71.6	-3.3
496	R00Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	59.3	389	1.0	0.0	49.8	60.7	50.7
497	R31Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	52.4	380	1.0	0.0	45.4	70.9	44.8
498	R11Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	50.6	380	1.0	0.0	45.4	71.8	37.5
499	B69R_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	48.8	367	1.0	0.0	45.4	73.0	27.8
500	B59R_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	48.1	352	1.0	0.0	46.1	75.5	15.2
501	B59R_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	48.1	339	1.0	0.0	46.1	77.7	6.2
502	B42R_087_075rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	322	1.0	0.0	46.1	79.3	-0.2
503	B36R_100_087rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	322	1.0	0.0	46.1	79.3	-0.2
504	R31Y_075_075rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
505	R18Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
506	R00Y_075_050rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
507	R00Y_075_050rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
508	R00Y_075_050rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
509	B61R_075_050rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
510	B59R_075_050rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
511	B40R_087_062rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
512	B34R_100_075rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
513	R50Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
514	R38Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
515	R23Y_075_062rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
516	R00Y_075_050rad	0.75	0.125	0.75	0.75	0.125	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
517	R18Y_075_037rad	0.75	0.375	0.75	0.75	0.375	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
518	B69R_075_037rad	0.75	0.375	0.75	0.75	0.375	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
519	B59R_075_037rad	0.75	0.375	0.75	0.75	0.375	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
520	B38R_087_050rad	0.75	0.375	0.75	0.75	0.375	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
521	B38R_087_050rad	0.75	0.375	0.75	0.75	0.375	40.2	55.7	315	1.0	0.0	43.7	74.3	-5.9
522	B68Y_075_062rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
523	R61Y_075_062rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
524	R50Y_075_062rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
525	R31Y_075_037rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
526	R00Y_075_025rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
527	R00Y_075_025rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
528	B59R_075_025rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
529	B34R_087_037rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
530	B25R_100_050rad	0.75	0.5	0.75	0.75	0.512	40.2	60.8	317	1.0	0.0	46.1	79.3	-0.2
531	R81Y_075_062rad	0.75	0.75	0.75	0.75	0.637	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
532	R81Y_075_062rad	0.75	0.75	0.75	0.75	0.637	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
533	R68Y_075_037rad	0.75	0.625	0.75	0.75	0.637	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
534	R68Y_075_037rad	0.75	0.625	0.75	0.75	0.637	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
535	R50Y_075_025rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
536	R00Y_075_012rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
537	B59R_075_012rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
538	B25R_087_025rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
539	B15R_100_037rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
540	Y00G_075_037rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
541	Y00G_075_062rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
542	Y00G_075_062rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
543	Y00G_075_037rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
544	Y00G_075_025rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
545	Y00G_075_012rad	0.75	0.625	0.75	0.75	0.625	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
546	NV_075R_075_012rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
547	B00R_087_012rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
548	B00R_100_025rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
549	Y13G_087_087rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
550	Y15G_087_062rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
551	Y18G_087_062rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
552	Y23G_087_037rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
553	Y31G_087_037rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
554	Y50G_087_025rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
555	Y50G_087_012rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
556	G50B_087_012rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
557	G50B_100_025rad	0.75	0.75	0.75	0.75	0.75	40.2	66.7	81	1.0	0.0	80.8	87.3	89.4
558	Y23G_100_087rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
559	Y26G_100_087rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
560	Y31G_100_075rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
561	Y38G_100_062rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
562	Y50G_100_050rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
563	Y68G_100_037rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
564	G00B_100_025rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
565	G25B_100_025rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0
566	G50B_100_025rad	0.75	1.0	0.0	1.0	0.0	84.3	86.0	101.4	0.0	0.0	-17.0	84.3	86.0

input: $rgb/cmyk -> rgb_{dd}$
output: $3D\text{-linearization to } cmy0^{*}_{dd}$








TUB-test chart QE07; hue code: $H_d^* = R25Y_d$
colors and differences, ΔE^*

-see similar files: <http://130.149.60.45/~farbmetrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta








http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE07/QE07L0FP.DAT in file (F), page 28/33

n	HVC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmyn*sep_Fid	rgb*Fid	hsa*Fid	LabCH*Fid	Mean color difference of this page:	delta
648	R00Y_100_100ad	1.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0	0.0
649	R38Y_100_100ad	1.0	0.0	0.0	0.0	45.5	71.4	40.4	82.1	29.5	0.0	0.0
650	R26Y_100_100ad	1.0	0.0	0.0	0.0	45.6	72.1	35.3	80.3	26.1	0.0	0.0
651	R13Y_100_100ad	1.0	0.0	0.0	0.0	45.8	72.9	28.7	78.4	21.5	0.0	0.0
652	R00Y_100_100ad	1.0	0.0	0.0	0.0	45.9	74.2	21.1	77.1	15.9	0.0	0.0
653	B68R_100_100ad	1.0	0.0	0.0	0.0	46.0	75.7	14.4	77.1	10.8	0.0	0.0
654	B61R_100_100ad	1.0	0.0	0.0	0.0	46.1	77.3	8.0	77.7	5.9	0.0	0.0
655	B55R_100_100ad	1.0	0.0	0.0	0.0	46.2	79.3	3.8	78.4	2.8	0.0	0.0
656	B50R_100_100ad	1.0	0.0	0.0	0.0	46.3	81.8	0.0	80.2	0.0	0.0	0.0
657	R11Y_100_100ad	1.0	0.0	0.0	0.0	46.4	84.3	-0.2	83.9	35.8	0.0	0.0
658	R00Y_100_097ad	1.0	0.0	0.0	0.0	46.5	86.8	-0.2	83.9	32.3	0.0	0.0
659	R38Y_100_097ad	1.0	0.0	0.0	0.0	46.6	89.3	-0.2	83.9	29.5	0.0	0.0
660	R26Y_100_097ad	1.0	0.0	0.0	0.0	46.7	91.8	-0.2	83.9	26.1	0.0	0.0
661	R13Y_100_097ad	1.0	0.0	0.0	0.0	46.8	94.3	-0.2	83.9	21.5	0.0	0.0
662	B68R_100_097ad	1.0	0.0	0.0	0.0	46.9	96.8	-0.2	83.9	15.9	0.0	0.0
663	B61R_100_097ad	1.0	0.0	0.0	0.0	47.0	99.3	-0.2	83.9	10.8	0.0	0.0
664	B55R_100_097ad	1.0	0.0	0.0	0.0	47.1	101.8	-0.2	83.9	5.9	0.0	0.0
665	B50R_100_097ad	1.0	0.0	0.0	0.0	47.2	104.3	-0.2	83.9	2.8	0.0	0.0
666	R23Y_100_100ad	1.0	0.0	0.0	0.0	47.3	106.8	-0.2	83.9	0.0	0.0	0.0
667	R13Y_100_097ad	1.0	0.0	0.0	0.0	47.4	109.3	-0.2	83.9	35.8	0.0	0.0
668	R00Y_100_097ad	1.0	0.0	0.0	0.0	47.5	111.8	-0.2	83.9	32.3	0.0	0.0
669	R38Y_100_097ad	1.0	0.0	0.0	0.0	47.6	114.3	-0.2	83.9	29.5	0.0	0.0
670	R26Y_100_097ad	1.0	0.0	0.0	0.0	47.7	116.8	-0.2	83.9	26.1	0.0	0.0
671	R13Y_100_097ad	1.0	0.0	0.0	0.0	47.8	119.3	-0.2	83.9	21.5	0.0	0.0
672	B68R_100_097ad	1.0	0.0	0.0	0.0	47.9	121.8	-0.2	83.9	15.9	0.0	0.0
673	B61R_100_097ad	1.0	0.0	0.0	0.0	48.0	124.3	-0.2	83.9	10.8	0.0	0.0
674	B55R_100_097ad	1.0	0.0	0.0	0.0	48.1	126.8	-0.2	83.9	5.9	0.0	0.0
675	B50R_100_097ad	1.0	0.0	0.0	0.0	48.2	129.3	-0.2	83.9	2.8	0.0	0.0
676	R26Y_100_097ad	1.0	0.0	0.0	0.0	48.3	131.8	-0.2	83.9	0.0	0.0	0.0
677	R13Y_100_097ad	1.0	0.0	0.0	0.0	48.4	134.3	-0.2	83.9	35.8	0.0	0.0
678	R00Y_100_097ad	1.0	0.0	0.0	0.0	48.5	136.8	-0.2	83.9	32.3	0.0	0.0
679	R38Y_100_097ad	1.0	0.0	0.0	0.0	48.6	139.3	-0.2	83.9	29.5	0.0	0.0
680	R26Y_100_097ad	1.0	0.0	0.0	0.0	48.7	141.8	-0.2	83.9	26.1	0.0	0.0
681	B68R_100_097ad	1.0	0.0	0.0	0.0	48.8	144.3	-0.2	83.9	21.5	0.0	0.0
682	B61R_100_097ad	1.0	0.0	0.0	0.0	48.9	146.8	-0.2	83.9	15.9	0.0	0.0
683	B55R_100_097ad	1.0	0.0	0.0	0.0	49.0	149.3	-0.2	83.9	10.8	0.0	0.0
684	B50R_100_097ad	1.0	0.0	0.0	0.0	49.1	151.8	-0.2	83.9	5.9	0.0	0.0
685	R41Y_100_097ad	1.0	0.0	0.0	0.0	49.2	154.3	-0.2	83.9	2.8	0.0	0.0
686	R31Y_100_097ad	1.0	0.0	0.0	0.0	49.3	156.8	-0.2	83.9	0.0	0.0	0.0
687	R18Y_100_097ad	1.0	0.0	0.0	0.0	49.4	159.3	-0.2	83.9	35.8	0.0	0.0
688	R00Y_100_097ad	1.0	0.0	0.0	0.0	49.5	161.8	-0.2	83.9	32.3	0.0	0.0
689	R26Y_100_097ad	1.0	0.0	0.0	0.0	49.6	164.3	-0.2	83.9	29.5	0.0	0.0
690	R13Y_100_097ad	1.0	0.0	0.0	0.0	49.7	166.8	-0.2	83.9	26.1	0.0	0.0
691	B61R_100_097ad	1.0	0.0	0.0	0.0	49.8	169.3	-0.2	83.9	21.5	0.0	0.0
692	B55R_100_097ad	1.0	0.0	0.0	0.0	49.9	171.8	-0.2	83.9	15.9	0.0	0.0
693	B50R_100_097ad	1.0	0.0	0.0	0.0	50.0	174.3	-0.2	83.9	10.8	0.0	0.0
694	R38Y_100_097ad	1.0	0.0	0.0	0.0	50.1	176.8	-0.2	83.9	5.9	0.0	0.0
695	R26Y_100_097ad	1.0	0.0	0.0	0.0	50.2	179.3	-0.2	83.9	2.8	0.0	0.0
696	R13Y_100_097ad	1.0	0.0	0.0	0.0	50.3	181.8	-0.2	83.9	0.0	0.0	0.0
697	R00Y_100_097ad	1.0	0.0	0.0	0.0	50.4	184.3	-0.2	83.9	35.8	0.0	0.0
698	R38Y_100_097ad	1.0	0.0	0.0	0.0	50.5	186.8	-0.2	83.9	32.3	0.0	0.0
699	R26Y_100_097ad	1.0	0.0	0.0	0.0	50.6	189.3	-0.2	83.9	29.5	0.0	0.0
700	B68R_100_097ad	1.0	0.0	0.0	0.0	50.7	191.8	-0.2	83.9	26.1	0.0	0.0
701	B61R_100_097ad	1.0	0.0	0.0	0.0	50.8	194.3	-0.2	83.9	21.5	0.0	0.0
702	R76Y_100_097ad	1.0	0.0	0.0	0.0	50.9	196.8	-0.2	83.9	15.9	0.0	0.0
703	R31Y_100_097ad	1.0	0.0	0.0	0.0	51.0	199.3	-0.2	83.9	10.8	0.0	0.0
704	R18Y_100_097ad	1.0	0.0	0.0	0.0	51.1	201.8	-0.2	83.9	5.9	0.0	0.0
705	R00Y_100_097ad	1.0	0.0	0.0	0.0	51.2	204.3	-0.2	83.9	2.8	0.0	0.0
706	B50Y_100_097ad	1.0	0.0	0.0	0.0	51.3	206.8	-0.2	83.9	0.0	0.0	0.0
707	R31Y_100_097ad	1.0	0.0	0.0	0.0	51.4	209.3	-0.2	83.9	35.8	0.0	0.0
708	R00Y_100_097ad	1.0	0.0	0.0	0.0	51.5	211.8	-0.2	83.9	32.3	0.0	0.0
709	R38Y_100_097ad	1.0	0.0	0.0	0.0	51.6	214.3	-0.2	83.9	29.5	0.0	0.0
710	B50R_100_097ad	1.0	0.0	0.0	0.0	51.7	216.8	-0.2	83.9	26.1	0.0	0.0
711	B88Y_100_097ad	1.0	0.0	0.0	0.0	51.8	219.3	-0.2	83.9	21.5	0.0	0.0
712	R85Y_100_097ad	1.0	0.0	0.0	0.0	51.9	221.8	-0.2	83.9	15.9	0.0	0.0
713	R85Y_100_097ad	1.0	0.0	0.0	0.0	52.0	224.3	-0.2	83.9	10.8	0.0	0.0
714	R81Y_100_097ad	1.0	0.0	0.0	0.0	52.1	226.8	-0.2	83.9	5.9	0.0	0.0
715	R76Y_100_097ad	1.0	0.0	0.0	0.0	52.2	229.3	-0.2	83.9	2.8	0.0	0.0
716	R68Y_100_097ad	1.0	0.0	0.0	0.0	52.3	231.8	-0.2	83.9	0.0	0.0	0.0
717	R50Y_100_097ad	1.0	0.0	0.0	0.0	52.4	234.3	-0.2	83.9	35.8	0.0	0.0
718	R00Y_100_097ad	1.0	0.0	0.0	0.0	52.5	236.8	-0.2	83.9	32.3	0.0	0.0
719	B50R_100_097ad	1.0	0.0	0.0	0.0	52.6	239.3	-0.2	83.9	29.5	0.0	0.0
720	Y00C_100_097ad	1.0	0.0	0.0	0.0	52.7	241.8	-0.2	83.9	26.1	0.0	0.0
721	Y00C_100_097ad	1.0	0.0	0.0	0.0	52.8	244.3	-0.2	83.9	21.5	0.0	0.0
722	Y00C_100_097ad	1.0	0.0	0.0	0.0	52.9	246.8	-0.2	83.9	15.9	0.0	0.0
723	Y00C_100_097ad	1.0	0.0	0.0	0.0	53.0	249.3	-0.2	83.9	10.8	0.0	0.0
724	Y00C_100_097ad	1.0	0.0	0.0	0.0	53.1	251.8	-0.2	83.9	5.9	0.0	0.0
725	Y00C_100_097ad	1.0	0.0	0.0	0.0	53.2	254.3	-0.2	83.9	2.8	0.0	0.0
726	Y00C_100_097ad	1.0	0.0	0.0	0.0	53.3	256.8	-0.2	83.9	0.0	0.0	0.0
727	Y00C_100_097ad	1.0	0.0	0.0	0.0	53.4	259.3	-0.2	83.9	35.8	0.0	0.0
728	NW_100ad	1.0	0.0	0.0	0.0	53.5	261.8	-0.2	83.9	32.3	0.0	0.0

QE070-7N; Page 28/33-F

TUB-test chart QE07; hue code: H*d=R25Yd
colors and differences, ΔE*

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd



http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE07/QE07L0FP.DAT in file (F), page 29/33

see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb_Fid	LabCH*Fid	cmyn*sep_Fid	hax_id	rgb_id	LabCH*Mid	0.0	0.0	0.0
729	NW_100,00	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
730	G50B_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
731	G50B_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
732	G50B_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
733	G50B_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
734	G50B_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
735	G50B_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
736	G50B_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
737	G50B_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	210	1.0	956	0.0	0.0	0.0
738	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
739	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
740	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
741	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
742	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
743	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
744	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
745	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
746	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
747	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
748	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
749	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
750	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
751	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
752	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
753	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
754	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
755	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
756	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
757	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
758	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
759	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
760	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
761	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
762	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
763	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
764	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
765	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
766	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
767	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
768	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
769	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
770	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
771	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
772	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
773	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
774	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
775	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
776	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
777	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
778	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
779	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
780	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
781	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
782	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
783	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
784	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
785	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
786	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
787	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
788	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
789	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
790	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
791	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
792	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
793	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
794	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
795	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
796	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
797	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
798	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
799	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
800	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
801	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
802	ROY_100,012ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
803	ROY_100,025ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
804	ROY_100,037ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
805	ROY_100,050ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
806	ROY_100,062ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
807	ROY_100,075ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
808	ROY_100,087ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0
809	ROY_100,100ad	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0	0.0	0.0


Mean color difference of this page:

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd

QE070-7N; Page 29/33-F


TUB-test chart QE07; hue code: H*d=R25Yd
colors and differences, ΔE*

I-1032831-F0



TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
- application for measurement of offset print output, separ

TUB material: code=rha4ta
ny0* (CMY0)



5/~farbmietrik/QE07/QE07L0FP.PDF /S; 3D-linearization
QE07/QE07LE30FP.DAT in file (F), page 30/33

[illegible]

Mean color difference of this page:

input: *rgb/cmyk* $\rightarrow$ *rgb*_{dd}
output: 3D-linearization to *cmy0**_{dd}

QE070-7N, Page 30/33-F



TUB-test chart QE07; hue code: $H^*_d=R25Y_d$
colors and differences, ΔE^*

-1032931-F0



see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





http://130.149.60.45/~farbmatrik/QE07/QE07L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE07/QE07L30FP.DAT in file (F), page 31/33

TUB-test chart QE07; hue code: H*d=R25Yd
colors and differences, ΔE*_{ab}

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmy0*_{dd}

n	HVC-Fid	rgb-Fid	hsv-Fid	hsl-Fid	lch-Fid	rgb-Mid	hsv-Mid	hsl-Mid	lch-Mid	cmyn* _{sep} -Fid	delta
891	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
892	B50R_100.012ad	0.875	1.0	0.125	0.937	330	1.0	0.875	1.0	0.0	0.0
893	B50R_100.025ad	0.75	1.0	0.25	0.812	330	1.0	0.75	1.0	0.0	0.0
894	B50R_100.037ad	0.625	1.0	0.375	0.687	330	1.0	0.625	1.0	0.0	0.0
895	B50R_100.050ad	0.5	1.0	0.5	0.5	330	1.0	0.5	1.0	0.0	0.0
896	B50R_100.062ad	0.375	1.0	0.625	0.687	330	1.0	0.375	1.0	0.0	0.0
897	B50R_100.075ad	0.25	1.0	0.75	0.625	330	1.0	0.25	1.0	0.0	0.0
898	B50R_100.087ad	0.125	1.0	0.875	0.562	330	1.0	0.125	1.0	0.0	0.0
899	B50R_100.100ad	0.0	1.0	1.0	0.5	330	1.0	0.0	1.0	0.0	0.0
900	COB_100.012ad	0.875	1.0	0.125	0.937	330	1.0	0.875	1.0	0.0	0.0
901	NW_087ad	0.875	0.875	0.875	0.875	360	1.0	0.875	0.875	0.0	0.0
902	B50R_087.012ad	0.875	0.75	0.875	0.875	360	1.0	0.875	0.75	0.0	0.0
903	B50R_087.025ad	0.875	0.625	0.875	0.875	360	1.0	0.875	0.625	0.0	0.0
904	B50R_087.037ad	0.875	0.5	0.875	0.875	360	1.0	0.875	0.5	0.0	0.0
905	B50R_087.050ad	0.875	0.375	0.875	0.875	360	1.0	0.875	0.375	0.0	0.0
906	B50R_087.062ad	0.875	0.25	0.875	0.875	360	1.0	0.875	0.25	0.0	0.0
907	B50R_087.075ad	0.875	0.125	0.875	0.875	360	1.0	0.875	0.125	0.0	0.0
908	B50R_087.087ad	0.875	0.0	0.875	0.875	360	1.0	0.875	0.0	0.0	0.0
909	COB_100.025ad	0.75	1.0	0.25	0.812	330	1.0	0.75	1.0	0.0	0.0
910	COB_100.037ad	0.625	1.0	0.375	0.687	330	1.0	0.625	1.0	0.0	0.0
911	NW_075ad	0.75	0.75	0.75	0.75	360	1.0	0.75	0.75	0.0	0.0
912	B50R_075.012ad	0.75	0.625	0.75	0.75	360	1.0	0.75	0.625	0.0	0.0
913	B50R_075.025ad	0.75	0.5	0.75	0.625	360	1.0	0.75	0.5	0.0	0.0
914	B50R_075.037ad	0.75	0.375	0.75	0.625	360	1.0	0.75	0.375	0.0	0.0
915	B50R_075.050ad	0.75	0.25	0.75	0.625	360	1.0	0.75	0.25	0.0	0.0
916	B50R_075.062ad	0.75	0.125	0.75	0.625	360	1.0	0.75	0.125	0.0	0.0
917	B50R_075.075ad	0.75	0.0	0.75	0.625	360	1.0	0.75	0.0	0.0	0.0
918	COB_100.037ad	0.625	1.0	0.375	0.687	330	1.0	0.625	1.0	0.0	0.0
919	COB_100.050ad	0.5	1.0	0.5	0.5	330	1.0	0.5	1.0	0.0	0.0
920	COB_100.062ad	0.375	1.0	0.625	0.687	330	1.0	0.375	1.0	0.0	0.0
921	COB_100.075ad	0.25	1.0	0.75	0.625	330	1.0	0.25	1.0	0.0	0.0
922	B50R_062.012ad	0.625	0.625	0.625	0.625	360	1.0	0.625	0.625	0.0	0.0
923	B50R_062.025ad	0.625	0.5	0.625	0.625	360	1.0	0.625	0.5	0.0	0.0
924	B50R_062.037ad	0.625	0.375	0.625	0.625	360	1.0	0.625	0.375	0.0	0.0
925	B50R_062.050ad	0.625	0.25	0.625	0.625	360	1.0	0.625	0.25	0.0	0.0
926	B50R_062.062ad	0.625	0.125	0.625	0.625	360	1.0	0.625	0.125	0.0	0.0
927	COB_100.050ad	0.5	1.0	0.5	0.5	330	1.0	0.5	1.0	0.0	0.0
928	COB_087.037ad	0.5	0.875	0.5	0.875	330	1.0	0.5	0.875	0.0	0.0
929	B50R_075.025ad	0.5	0.75	0.5	0.75	330	1.0	0.5	0.75	0.0	0.0
930	COB_062.012ad	0.5	0.625	0.5	0.625	330	1.0	0.5	0.625	0.0	0.0
931	NW_050ad	0.5	0.5	0.5	0.5	360	1.0	0.5	0.5	0.0	0.0
932	B50R_050.012ad	0.5	0.375	0.5	0.5	330	1.0	0.5	0.375	0.0	0.0
933	B50R_050.025ad	0.5	0.25	0.5	0.5	330	1.0	0.5	0.25	0.0	0.0
934	B50R_050.037ad	0.5	0.125	0.5	0.5	330	1.0	0.5	0.125	0.0	0.0
935	B50R_050.050ad	0.5	0.0	0.5	0.5	330	1.0	0.5	0.0	0.0	0.0
936	COB_100.062ad	0.375	1.0	0.625	0.687	330	1.0	0.375	1.0	0.0	0.0
937	COB_087.050ad	0.375	0.875	0.375	0.875	330	1.0	0.375	0.875	0.0	0.0
938	COB_087.037ad	0.375	0.75	0.375	0.875	330	1.0	0.375	0.75	0.0	0.0
939	COB_062.025ad	0.375	0.625	0.375	0.875	330	1.0	0.375	0.625	0.0	0.0
940	NW_037ad	0.375	0.5	0.375	0.875	330	1.0	0.375	0.5	0.0	0.0
941	B50R_037.012ad	0.375	0.375	0.375	0.875	330	1.0	0.375	0.375	0.0	0.0
942	B50R_037.025ad	0.375	0.25	0.375	0.875	330	1.0	0.375	0.25	0.0	0.0
943	B50R_037.037ad	0.375	0.125	0.375	0.875	330	1.0	0.375	0.125	0.0	0.0
944	B50R_037.050ad	0.375	0.0	0.375	0.875	330	1.0	0.375	0.0	0.0	0.0
945	COB_100.075ad	0.25	1.0	0.25	0.812	330	1.0	0.25	1.0	0.0	0.0
946	COB_062.062ad	0.25	0.875	0.25	0.875	330	1.0	0.25	0.875	0.0	0.0
947	COB_062.050ad	0.25	0.75	0.25	0.875	330	1.0	0.25	0.75	0.0	0.0
948	COB_062.037ad	0.25	0.625	0.25	0.875	330	1.0	0.25	0.625	0.0	0.0
949	COB_050.025ad	0.25	0.5	0.25	0.875	330	1.0	0.25	0.5	0.0	0.0
950	COB_037.012ad	0.25	0.375	0.25	0.875	330	1.0	0.25	0.375	0.0	0.0
951	NW_025ad	0.25	0.25	0.25	0.875	330	1.0	0.25	0.25	0.0	0.0
952	B50R_025.012ad	0.25	0.125	0.25	0.875	330	1.0	0.25	0.125	0.0	0.0
953	B50R_025.025ad	0.25	0.0	0.25	0.875	330	1.0	0.25	0.0	0.0	0.0
954	COB_100.087ad	0.125	1.0	0.125	0.875	330	1.0	0.125	1.0	0.0	0.0
955	COB_087.075ad	0.125	0.875	0.125	0.875	330	1.0	0.125	0.875	0.0	0.0
956	COB_075.062ad	0.125	0.75	0.125	0.875	330	1.0	0.125	0.75	0.0	0.0
957	COB_062.050ad	0.125	0.625	0.125	0.875	330	1.0	0.125	0.625	0.0	0.0
958	COB_050.037ad	0.125	0.5	0.125	0.875	330	1.0	0.125	0.5	0.0	0.0
959	COB_037.025ad	0.125	0.375	0.125	0.875	330	1.0	0.125	0.375	0.0	0.0
960	COB_025.012ad	0.125	0.25	0.125	0.875	330	1.0	0.125	0.25	0.0	0.0
961	NW_012ad	0.125	0.125	0.125	0.875	330	1.0	0.125	0.125	0.0	0.0
962	B50R_012.012ad	0.125	0.0	0.125	0.875	330	1.0	0.125	0.0	0.0	0.0
963	COB_100.100ad	0.0	1.0	0.0	0.5	330	1.0	0.0	1.0	0.0	0.0
964	COB_087.087ad	0.0	0.875	0.0	0.875	360	1.0	0.0	0.875	0.0	0.0
965	COB_075.075ad	0.0	0.75	0.0	0.875	360	1.0	0.0	0.75	0.0	0.0
966	COB_062.062ad	0.0	0.625	0.0	0.875	360	1.0	0.0	0.625	0.0	0.0
967	COB_050.050ad	0.0	0.5	0.0	0.875	360	1.0	0.0	0.5	0.0	0.0
968	COB_037.037ad	0.0	0.375	0.0	0.875	360	1.0	0.0	0.375	0.0	0.0
969	COB_025.025ad	0.0	0.25	0.0	0.875	360	1.0	0.0	0.25	0.0	0.0
970	COB_012.012ad	0.0	0.125	0.0	0.875	360	1.0	0.0	0.125	0.0	0.0
971	NW_000ad	0.0	0.0	0.0	0.0	360	1.0	0.0	0.0	0.0	0.0



TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS
- application for measurement of offset print output, separations

TUB material: code=rha4ta
ny0* (CMY0)



<http://130.149.60.45/~farbmeterik/QE07/QE07L0FP.PDF> /PS; 3D-linearization F: 3D-linearization QE07/QE07LE30FP.DAT in file (F), page 32/33

n	HC ⁺ Fid	rgb_Fid	ict_Fid	hs_Fid	rgb ⁺ Fid	LabCh ⁺ Fid	cmv ⁺ sep_Fid	hs _{mid}	rgb _{mid}	LabCh _{mid}
972	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
973	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
974	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
975	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
976	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
977	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
978	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
979	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
980	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
981	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
982	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
983	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
984	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
985	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
986	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
987	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
988	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
989	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
990	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
991	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
992	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
993	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
994	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
995	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
996	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
997	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
998	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
999	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1000	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1001	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1002	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1003	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1004	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1005	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1006	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1007	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1008	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1009	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1010	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1011	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1012	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1013	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1014	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1015	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1016	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1017	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1018	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1019	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1020	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1021	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1022	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1023	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1024	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1025	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1026	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1027	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1028	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1029	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1030	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1031	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1032	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1033	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1034	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1035	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1036	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1037	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1038	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1039	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1040	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1041	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1042	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1043	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956
1044	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956
1045	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956
1046	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956
1047	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956
1048	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956
1049	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956
1050	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956
1051	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956
1052	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956

Mean color difference of this cover

data

1-1033131-E0

QE070-7N, Page 32/33-F

TUB-test chart QE07; hue code: H_d^{*}=R25Y_d
colors and differences. ΔE^{*}

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmv0**_{dd}



-see similar files: <http://130.149.60.45/~farbmatrik/QE07/QE07.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





http://130.149.60.45/~farbmetrik/QE07/QE07L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE07/QE07LE30FP.DAT in file (F), page 33/33

TUB registration: 20130201-QE07/QE07L0FP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)



n	HC*Fid	rgb_Fid	lcr_Fid	hsa_Fid	rgb*Fid	LabCh*Fid	cmy0*_sep_Fid	hsv*_dd	rgb*_dd	LabCh*_dd	delta
1053	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.0 0.0 0.0	0.173 0.108 0.099	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1054	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 0.0 0.0	0.09 0.054 0.05	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1055	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1056	NW_006dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	29.0 0.0 0.0	1.0 1.0 1.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1057	NW_006dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	29.0 0.0 0.0	0.935 0.855 0.825	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1058	NW_013dd	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	33.8 0.0 0.0	0.879 0.763 0.725	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1059	NW_020dd	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	38.6 0.0 0.0	0.799 0.661 0.614	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1060	NW_026dd	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	43.3 0.0 0.0	0.731 0.571 0.537	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1061	NW_033dd	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	48.1 0.0 0.0	0.682 0.507 0.485	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1062	NW_040dd	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	52.8 0.0 0.0	0.636 0.454 0.433	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1063	NW_046dd	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	57.5 0.0 0.0	0.574 0.404 0.381	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1064	NW_053dd	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	62.3 0.0 0.0	0.509 0.354 0.33	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1065	NW_060dd	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	67.1 0.0 0.0	0.442 0.285 0.278	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1066	NW_066dd	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	71.8 0.0 0.0	0.377 0.228 0.228	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1067	NW_073dd	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	76.6 0.0 0.0	0.314 0.191 0.186	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1068	NW_080dd	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	81.3 0.0 0.0	0.252 0.153 0.146	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1069	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.0 0.0 0.0	0.173 0.108 0.099	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1070	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 0.0 0.0	0.09 0.054 0.05	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1071	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1072	NW_000dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1073	ROY_100_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1074	G50B_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	45.4 70.9 44.8	0.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	45.4 70.9 44.8	83.9
1075	Y06C_100_100dd	1.0 1.0 0.0	1.0 1.0 0.0	1.0 1.0 0.0	1.0 1.0 0.0	56.8 -25.5 -41.5	0.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	56.8 -25.5 -41.5	32.3
1076	B06C_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	29.0 95.4 96.1	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 0.0	29.0 95.4 96.1	48.7
1077	B06C_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	29.0 95.4 96.1	0.999 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	29.0 95.4 96.1	32.3
1078	B06C_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	29.0 95.4 96.1	0.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	29.0 95.4 96.1	48.7
1079	B50R_100_100dd	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	50.0 29.5 71.4	0.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	50.0 29.5 71.4	355.8

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd

TUB-test chart QE07; hue code: H*_d=R25Y_d
colors and differences, ΔE*_*