

http://130.149.60.45/~farbmeterik/QE20/QE20L0FA.TXT /PS; start output
F: 3D-linearization QE20/QE20LE30FA.DAT in file (F), page 1/2

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours
of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$

% Regularity



$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

$H^*_- = R75Y_-$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100	48.4	66.1	40.2	77.3	31
R25Y_100_100	56.8	48.0	50.5	69.6	46
R50Y_100_100	68.6	25.0	63.9	68.6	68
R75Y_100_100	80.6	4.8	77.2	77.3	86
Y00G_100_100	90.2	-9.6	88.2	88.7	96
Y25G_100_100	83.2	-18.4	79.9	81.9	102
Y50G_100_100	73.3	-31.7	62.7	70.2	116
Y75G_100_100	62.0	-49.7	43.2	65.8	139
G00B_100_100	55.8	-65.2	33.8	73.4	152
G25B_100_100	59.3	-50.3	-9.0	51.0	190
G50B_100_100	63.0	-30.5	-42.0	51.9	234
G75B_100_100	45.7	-5.7	-44.6	44.9	262
B00R_100_100	27.5	25.9	-47.3	53.9	298
B25R_100_100	38.3	52.6	-28.5	59.8	331
B50R_100_100	49.5	73.5	-9.0	74.0	353
B75R_100_100	48.9	69.3	12.9	70.4	10



TUB-test chart QE20; hue code: $H^*_- = R75Y_-$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 84/360 = 0.23$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours
of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	50.4	76.9	64.5	100.4	40
$Y_{d,Ma}$	92.6	-20.7	90.7	93.0	102
$G_{d,Ma}$	83.6	-82.7	79.8	115.0	136
$C_{d,Ma}$	86.8	-46.1	-13.5	48.1	196
$B_{d,Ma}$	30.3	76.0	-103.5	128.5	306
$M_{d,Ma}$	57.2	94.3	-58.4	110.9	328
$N_{d,Ma}$	0.0	0.0	0.0	0.0	0
$W_{d,Ma}$	95.4	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 7 80 81 84

$HIC^*_{d,Ma}$: R75Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 158$

% Regularity



$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

$H^*_d = R75Y_d$

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	50.4	76.9	64.5	100.4	40
$R25Y_100_100_d$	53.7	67.6	65.8	94.4	44
$R50Y_100_100_d$	63.6	41.3	71.0	82.2	59
$R75Y_100_100_d$	78.2	7.8	80.6	81.0	84
$Y00G_100_100_d$	92.6	-20.7	90.7	93.0	102
$Y25G_100_100_d$	88.7	-43.3	86.2	96.5	116
$Y50G_100_100_d$	85.7	-65.2	82.4	105.1	128
$Y75G_100_100_d$	84.0	-78.7	80.4	112.5	134
$G00B_100_100_d$	83.6	-82.7	79.8	115.0	136
$G25B_100_100_d$	84.3	-73.7	44.9	86.4	148
$G50B_100_100_d$	86.8	-46.1	-13.5	48.1	196
$G75B_100_100_d$	51.7	18.3	-68.3	70.7	285
$B00R_100_100_d$	30.3	76.0	-103.5	128.5	306
$B25R_100_100_d$	38.5	79.8	-89.7	120.0	311
$B50R_100_100_d$	57.2	94.3	-58.4	110.9	328
$B75R_100_100_d$	52.0	81.1	4.1	81.2	2



TUB-test chart QE20; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

http://130.149.60.45/~farbmeterik/QE20/QE20L0FA.TXT /PS; start output
F: 3D-linearization QE20/QE20LE30FA.DAT in file (F), page 1/2

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours
of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$

% Regularity



$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

$H^*_- = R75Y_-$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart QE20; hue code: $H^*_- = R75Y_-$
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

TUB registration: 20130201-QE20/QE20L0FA.TXT /PS
application for measurement of display output

TUB material: code=rha4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = R75Y_e$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	50.9	78.3	37.3	86.7	25
$Y_{e,Ma}$	83.7	-3.4	84.5	84.5	92
$G_{e,Ma}$	85.1	-64.6	20.7	67.9	162
$C_{e,Ma}$	79.0	-34.2	-25.7	42.8	216
$B_{e,Ma}$	59.2	1.7	-56.6	56.6	271
$M_{e,Ma}$	57.1	94.1	-57.4	110.3	328
$N_{e,Ma}$	0.0	0.0	0.0	0.0	0
$W_{e,Ma}$	95.4	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 73 \ 18 \ 77 \ 79 \ 76$

$HIC_e^*, Ma: R75Y_{100} \ 100_e$

$rgbic_e^*, Ma:$

1.0 0.68 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u_{rel}^* = 158$



% Regularity

$g_{H,rel}^* = 19$

$g_{C,rel}^* = 37$

TLS00a; adapted (a) CIELAB data

H_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_{100} \ 100_e$	50.9	78.3	37.3	86.7	25
$R25Y_{100} \ 100_e$	51.3	74.4	64.8	98.7	41
$R50Y_{100} \ 100_e$	63.1	42.7	70.8	82.7	58
$R75Y_{100} \ 100_e$	73.5	18.3	77.7	79.8	76
$Y00G_{100} \ 100_e$	83.7	-3.4	84.5	84.5	92
$Y25G_{100} \ 100_e$	91.0	-29.9	88.9	93.8	108
$Y50G_{100} \ 100_e$	85.9	-63.0	82.8	104.1	127
$Y75G_{100} \ 100_e$	84.1	-76.0	51.4	91.8	145
$G00B_{100} \ 100_e$	85.1	-64.6	20.7	67.9	162
$G25B_{100} \ 100_e$	86.5	-49.9	-8.4	50.6	189
$G50B_{100} \ 100_e$	79.0	-34.2	-25.7	42.8	216
$G75B_{100} \ 100_e$	70.0	-19.0	-39.6	43.9	244
$B00R_{100} \ 100_e$	59.2	1.7	-56.6	56.6	271
$B25R_{100} \ 100_e$	38.2	52.7	-90.7	104.9	300
$B50R_{100} \ 100_e$	57.1	94.1	-57.4	110.3	328
$B75R_{100} \ 100_e$	52.9	83.6	-11.6	84.4	352



TUB-test chart QE20; hue code: $H_e^* = R75Y_e$
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb_{de}^*