

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$

% Regularity



$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

$H^*_- = R75Y_-$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart QE27; hue code: $H^*_- = R75Y_-$
Test chart according to DIN 33872, 3D=1, de=0, cm_y0^*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 4 84 84 87

$HIC^*_{d,Ma}$: R75Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



brilliance I^*

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$

output: 3D-linearization to $cmY0^*_{dd}$

TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 4 84 84 87

$HIC^*_{d,Ma}$: R75Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



1-103231-L0 QE270-72

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$

Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$

output: 3D-linearization to $cmY0^*_{dd}$

TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 4 84 84 87

$HIC^*_{d,Ma}$: R75Y_100_100d

$rgbic^*_{d,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-103531-L0 QE270-72
TUB-test chart QE27; hue code: $H_d^* = R75Y_d$
Test chart according to DIN 33872, 3D=1, $de=0$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_e produce the output of the device-independent elementary hues

1-103631-L0 QE270-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
48 step hue circles; $rgb-LabCh^*$ -tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

Output: Offset standard print; separation cmy0*, D65, page 7/33

1-103631-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}		LAB^*_{ddx64M} (x=LabCh)					$rgb^*_{ddx361M}$		$LAB^*_{ddx361M}$ (x=LabCh)					$rgb^*_{dsx361M}$		$LAB^*_{dsx361M}$ (x=LabCh)					$rgb^*_{dex361M}$		$LAB^*_{dex361M}$								
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.4		

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{dd64M}	$x=LabCh$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3

1-103831-L0

QE270-72

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 9/33

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103831-F0

TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32	R_d	1.0 0.0 0.096 45.5 71.4 41.2 82.4 30	R_s	1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	R_e	1.0 0.0 0.0	1.0 0.0 0.0	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5 71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0				
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5 71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0 45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0 46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0 47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0				
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0 47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0 48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0 48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0 49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0				
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0 49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0 50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0 51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0 51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0 52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0 52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0				
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0 53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0 53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0 54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0 54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53	1.0 0.288 0.0 55.4 48.5 57.8 75.4 50	1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47	1.0 0.333 0.0							
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54	1.0 0.301 0.0 55.9 47.3 58.5 75.2 51	1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48	1.0 0.35 0.0							
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56	1.0 0.313 0.0 56.5 46.2 59.1 75.0 52	1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	1.0 0.367 0.0							
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57	1.0 0.326 0.0 57.0 45.0 59.8 74.8 53	1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51	1.0 0.383 0.0							
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59	1.0 0.338 0.0 57.6 43.9 60.4 74.6 54	1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52	1.0 0.4 0.0							
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60	1.0 0.35 0.0 58.1 42.7 61.0 74.4 55	1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53	1.0 0.417 0.0							
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61	1.0 0.363 0.0 58.6 41.5 61.5 74.2 56	1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54	1.0 0.433 0.0							
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63	1.0 0.375 0.0 59.2 40.3 62.1 74.0 57	1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55	1.0 0.45 0.0							
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64	1.0 0.387 0.0 59.8 39.3 62.8 74.1 58	1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56	1.0 0.467 0.0							
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65	1.0 0.4 0.0 60.3 38.2 63.5 74.1 59	1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57	1.0 0.483 0.0							
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60	1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	1.0 0.5 0.0							
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68	1.0 0.424 0.0 61.4 36.0 64.9 74.2 61	1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60	1.0 0.517 0.0							
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70	1.0 0.436 0.0 62.0 34.9 65.6 74.3 62	1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61	1.0 0.533 0.0							
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71	1.0 0.449 0.0 62.6 33.7 66.2 74.3 63	1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62	1.0 0.55 0.0							
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73	1.0 0.461 0.0 63.1 32.6 66.9 74.4 64	1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63	1.0 0.567 0.0							
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74	1.0 0.473 0.0 63.7 31.5 67.5 74.4 65	1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64	1.0 0.583 0.0							
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76	1.0 0.486 0.0 64.2 30.3 68.0 74.5 66	1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65	1.0 0.6 0.0							
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77	1.0 0.498 0.0 64.8 29.1 68.6 74.5 67	1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	1.0 0.617 0.0							
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79	1.0 0.509 0.0 65.4 28.0 69.4 74.8 68	1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67	1.0 0.633 0.0							
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80	1.0 0.52 0.0 66.1 26.9 70.2 75.2 69	1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68	1.0 0.65 0.0							
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70	1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70	1.0 0.667 0.0							
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82	1.0 0.542 0.0 67.3 24.7 71.8 75.9 71	1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71	1.0 0.683 0.0							
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83	1.0 0.553 0.0 67.9 23.6 72.6 76.3 72	1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72	1.0 0.7 0.0							
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84	1.0 0.564 0.0 68.6 22.4 73.3 76.6 73	1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73	1.0 0.717 0.0							
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85	1.0 0.574 0.0 69.2 21.2 74.0 77.0 74	1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74	1.0 0.733 0.0							
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0 0.585 0.0 69.8 20.0 74.7 77.4 75	1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	1.0 0.75 0.0							

1-103931-L0

QE270-72

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 10/33

TUB-test chart QE27; hue code: H*d=R75Yd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{dd}
output: 3D-linearization to cmy0*_{dd}

1-103931-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.75	0.0	
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.767	0.0	
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.783	0.0	
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.8	0.0	
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.817	0.0	
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833	0.0	
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85	0.0	
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867	0.0	
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883	0.0	
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9	0.0	
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917	0.0	
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933	0.0	
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95	0.0	
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967	0.0	
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983	0.0	
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	1.0	1.0	0.0	
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983	1.0	0.0
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.967	1.0	0.0
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95	1.0	0.0
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	1.0	0.0
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.917	1.0	0.0
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9	1.0	0.0
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883	1.0	0.0
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	1.0	0.867	1.0	0.0
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85	1.0	0.0
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833	1.0	0.0
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	1.0	0.817	1.0	0.0
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8	1.0	0.0
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783	1.0	0.0
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	1.0	0.767	1.0	0.0
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75	1.0	0.0
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733	1.0	0.0
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	1.0	0.717	1.0	0.0
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7	1.0	0.0
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683	1.0	0.0
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	1.0	0.667	1.0	0.0
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65	1.0	0.0
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633	1.0	0.0
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	1.0	0.617	1.0	0.0
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6	1.0	0.0
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583	1.0	0.0
110	116	122	0.566	1.0	0.0	73.1	-26.9	71.4	76.3	110	1.0	0.567	1.0	0.0
111	117	123	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55	1.0	0.0
112	118	124	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533	1.0	0.0
113	119	126	0.516	1.0	0.0	71.2	-29.0	67.7	73.7	113	1.0	0.517	1.0	0.0
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5	1.0	0.0

1-1031031-L0 QE270-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 11/33

TUB-test chart QE27; hue code: H*d=R75Yd
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{dd361Mi}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}						
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0			
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0			
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.467	1.0	0.0			
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0			
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0			
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.417	1.0	0.0			
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0			
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0			
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.367	1.0	0.0			
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0			
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0			
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.317	1.0	0.0			
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0			
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.267	1.0	0.0			
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0			
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0			
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.217	1.0	0.0			
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0			
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0			
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.167	1.0	0.0			
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0			
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0			
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.117	1.0	0.0			
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0			
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0			
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.067	1.0	0.0			
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.05	1.0	0.0			
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0			
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.017	1.0	0.0			
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G_d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G_s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G_e 0.0	1.0	0.0			
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017			
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033			
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.																										

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{dsx361Mi} (x=LabCh)$				$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi} (x=LabCh)$				$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi} (x=LabCh)$				$rgb^*_{dd361Mi}$			rgb^*_{ds}	rgb^*_{de}				
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.25	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	0.0	1.0	0.25			
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.218	51.1	-60.0	15.0	61.9	166	0.0	1.0	0.267	0.0	1.0	0.376	52.0	-54.5	3.0	54.6	176	0.0	1.0	0.267			
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.236	51.2	-59.3	13.7	61.0	167	0.0	1.0	0.283	0.0	1.0	0.385	52.1	-54.1	2.1	54.3	177	0.0	1.0	0.283			
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.253	51.2	-58.8	12.5	60.2	168	0.0	1.0	0.3	0.0	1.0	0.394	52.2	-53.8	1.3	53.9	178	0.0	1.0	0.3			
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.267	51.3	-58.4	11.4	59.5	169	0.0	1.0	0.317	0.0	1.0	0.403	52.2	-53.4	0.4	53.5	179	0.0	1.0	0.317			
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.281	51.4	-57.9	10.2	58.9	170	0.0	1.0	0.333	0.0	1.0	0.412	52.3	-53.0	-0.3	53.1	180	0.0	1.0	0.333			
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.295	51.5	-57.5	9.1	58.3	171	0.0	1.0	0.35	0.0	1.0	0.421	52.4	-52.6	-1.2	52.7	181	0.0	1.0	0.35			
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.367	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	0.0	1.0	0.367			
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.323	51.7	-56.5	6.9	57.0	173	0.0	1.0	0.383	0.0	1.0	0.439	52.5	-51.8	-2.8	51.9	183	0.0	1.0	0.383			
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.337	51.8	-56.0	5.9	56.4	174	0.0	1.0	0.4	0.0	1.0	0.448	52.6	-51.3	-3.6	51.6	184	0.0	1.0	0.4			
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.351	51.9	-55.5	4.9	55.8	175	0.0	1.0	0.417	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.417			
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.365	52.0	-54.9	3.8	55.1	176	0.0	1.0	0.433	0.0	1.0	0.466	52.7	-50.4	-5.2	50.8	185	0.0	1.0	0.433			
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.378	52.0	-54.4	2.9	54.6	177	0.0	1.0	0.45	0.0	1.0	0.475	52.8	-49.9	-5.9	50.4	186	0.0	1.0	0.45			
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.388	52.1	-54.0	1.9	54.1	178	0.0	1.0	0.467	0.0	1.0	0.484	52.9	-49.5	-6.7	50.0	187	0.0	1.0	0.467			
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.398	52.2	-53.6	0.9	53.7	179	0.0	1.0	0.483	0.0	1.0	0.493	52.9	-49.0	-7.4	49.6	188	0.0	1.0	0.483			
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.5	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	0.0	1.0	0.5			
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.417	52.4	-52.8	-0.8	52.9	181	0.0	1.0	0.517	0.0	1.0	0.51	53.1	-48.2	-8.9	49.1	190	0.0	1.0	0.517			
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.427	52.4	-52.3	-1.7	52.5	182	0.0	1.0	0.533	0.0	1.0	0.519	53.1	-47.8	-9.6	48.9	191	0.0	1.0	0.533			
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.437	52.5	-51.9	-2.6	52.0	183	0.0	1.0	0.55	0.0	1.0	0.527	53.2	-47.4	-10.3	48.7	192	0.0	1.0	0.55			
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.447	52.6	-51.4	-3.5	51.6	184	0.0	1.0	0.567	0.0	1.0	0.535	53.3	-47.1	-11.0	48.4	193	0.0	1.0	0.567			
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.583	0.0	1.0	0.543	53.4	-46.7	-11.7	48.2	194	0.0	1.0	0.583			
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.467	52.7	-50.4	-5.2	50.8	186	0.0	1.0	0.6	0.0	1.0	0.552	53.4	-46.3	-12.4	48.0	195	0.0	1.0	0.6			
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.617	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	0.0	1.0	0.617			
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.486	52.9	-49.3	-6.8	49.9	188	0.0	1.0	0.633	0.0	1.0	0.568	53.6	-45.4	-13.7	47.6	196	0.0	1.0	0.633			
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.496	53.0	-48.8	-7.6	49.5	189	0.0	1.0	0.65	0.0	1.0	0.576	53.6	-45.0	-14.4	47.4	197	0.0	1.0	0.65			
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.506	53.0	-48.4	-8.4	49.2	190	0.0	1.0	0.667	0.0	1.0	0.585	53.7	-44.6	-15.0	47.2	198	0.0	1.0	0.667			
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.515	53.1	-48.0	-9.2	49.0	191	0.0	1.0	0.683	0.0	1.0	0.593	53.8	-44.1	-15.7	47.0	199	0.0	1.0	0.683			
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.524	53.2	-47.6	-10.0	48.7	192	0.0	1.0	0.7	0.0	1.0	0.601	53.8	-43.7	-16.3	46.7	200	0.0	1.0	0.7			
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.533	53.3	-47.2	-10.8	48.5	193	0.0	1.0	0.717	0.0	1.0	0.609	53.9	-43.2	-16.9	46.5	201	0.0	1.0	0.717			
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.542	53.3	-46.7	-11.6	48.3	194	0.0	1.0	0.733	0.0	1.0	0.618	54.0	-42.7	-17.5	46.3	202	0.0	1.0	0.733			
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.75	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	0.0	1.0	0.75			
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	196	0.0	1.0	0.767	0.0	1.0	0.634	54.1	-41.9	-18.8	46.1	204	0.0	1.0	0.767			
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.569	53.6	-45.4	-13.8	47.6	197	0.0	1.0	0.783	0.0	1.0	0.642	54.2	-41.6	-19.4	46.0	205	0.0	1.0	0.783			
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.578	53.6	-44.9	-14.5	47.3	198	0.0	1.0	0.8	0.0	1.0	0.65	54.2	-41.2	-20.1	46.0	206	0.0	1.0	0.8			
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.587	53.7	-44.4	-15.2	47.1	199	0.0	1.0	0.817	0.0	1.0	0.658	54.3	-40.8	-20.7	45.9	206	0.0	1.0	0.817			
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.596	53.8	-43.9	-15.9	46.9	200	0.0	1.0	0.833	0.0	1.0	0.666	54.4	-40.4	-21.3	45.9	207	0.0	1.0	0.833			
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.605	53.9	-43.4	-16.6	46.6	201	0.0	1.0	0.85	0.0	1.0	0.674	54.4	-40.0	-21.9	45.8	208	0.0	1.0	0.85			
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.867	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	0.0	1.0	0.867			
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.623	54.0	-42.4	-17.9	46.2	203	0.0	1.0	0.883	0.0	1.0	0.691	54.6	-39.2	-23.2	45.7	210	0.0	1.0	0.883			
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.632	54.1	-42.0	-18.6	46.1	204	0.0	1.0	0.9	0.0	1.0	0.699	54.6	-38.8	-23.8	45.6	211	0.0	1.0	0.9			
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.641	54.2	-41.6	-19.3	46.0	205																	

1-1031231-L0 QE270-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 13/33

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{dd361Mi}(x=LabCh)$				C_d	$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi}(x=LabCh)$				C_s	$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$				$LAB^*_{dex361Mi}(x=LabCh)$				C_e	$rgb^*_{dd361Mi}$			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	0.0	1.0	1.0				
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239	0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211	0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0				
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239	0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212	0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0				
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240	0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213	0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0				
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240	0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214	0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0				
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241	0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215	0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0				
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242	0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216	0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0				
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0				
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243	0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218	0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0				
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244	0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219	0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0				
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245	0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220	0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0				
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245	0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221	0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0				
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246	0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222	0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0				
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247	0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223	0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0				
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248	0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224	0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0				
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0				
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250	0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226	0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0				
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0				
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252	0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228	0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0				
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253	0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229	0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0				
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254	0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230	0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0				
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255	0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231	0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0				
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0				
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257	0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233	0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0				
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259	0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234	0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0			
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260	0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235	0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0			
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262	0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236	0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0			
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263	0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237	0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0			
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238	0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0			
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266	0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239	0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0			
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	0.0	0.5	1.0			
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269	0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241	0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	0.0	0.483	1.0			
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271	0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242	0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	0.0	0.467	1.0			
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272	0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243	0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247	0.0	0.45	1.0			
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273	0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244	0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.433	1.0			
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275	0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245	0.0	0.417	1.0	0.0	1.0	0.757	1.0	50.7	-15.8	-41.1	44.1	248	0.0	0.417	1.0			
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276	0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246	0.0	0.4	1.0	0.0	1.0	0.741	1.0	50.2	-15.0	-41.0	43.8	249	0.0	0.4	1.0			
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.383	1.0	0.0	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	0.0	0.383	1.0			
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40.8	279	0.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.367	1.0	0.0	1.0	0.711	1.0	49.2	-13.5	-41.0	43.4	251	0.0	0.367	1.0			
280	249	252	0.0	0.35	1.0	36.4	7.7	-40.3	41.1	280	0.0	0.756	1.0	50.6	-15.7	-41.1	44.1	249	0.0	0.35	1.0	0.0	1.0	0.697	1.0	48.8	-12.8	-41.0	43.1	252	0.0					

1-1031331-L0 QE270-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 14/33

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
48 step hue circles; $rgb-LabCh$ *tables


input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$








































































TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

TUB registration: 20130201-QE27/QE27L0FA.TXT/.PS
application for measurement of offset print output, separate

Output: Offset standard print; separation cmy0*, D65, page 15/33

TUB registration: 20130201-QE27/QE27L0FA.TXT/.PS
application for measurement of offset print output, separate







TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



V L O Y M
http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE27/QE27LE30FA.DAT in file (F), page 20/33


[illegible]

1-1031931-F0

OE270-7N Page 20/33-E

TUB-test chart QE27; hue code: H^{*}_d=R75Y_d
colors and differences, ΔE^{*}

input: *rgb/cmyk* $\rightarrow$ *rgb*_{dd}
output: 3D-linearization to *cmy0**_{dd}



see similar files: <http://130.149.60.45/~farbmatrik/QE27/QE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



V L O Y M
http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE27/QE27LE30FA.DAT in file (F), page 22/33

[illegible]
$$\Delta$$

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmy0**_{dd}


DE270-7N. Page 22/33-F

TUB-test chart QE27; hue code: H^{*}_d=R75Y_d
colors and differences, ΔE^*

1-10321



see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>





TUB registration: 20130201-QE27/QE27L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta



n	HiC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyn*Sep_Fid	cmyn*Sep_Fid	delta
324	R050_050_050ad	0.5	0.5	0.5	0.5	34.9	35.4	41.9	32.3
325	R050_050_050ad	0.5	0.5	0.5	0.5	35.0	35.0	41.9	32.3
326	R050_050_050ad	0.5	0.5	0.5	0.5	35.1	37.1	41.9	32.3
327	B050_050_050ad	0.5	0.5	0.5	0.5	35.1	37.1	41.9	32.3
328	B050_050_050ad	0.5	0.5	0.5	0.5	35.2	39.6	41.9	32.3
329	B050_050_050ad	0.5	0.5	0.5	0.5	35.2	39.6	41.9	32.3
330	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
331	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
332	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
333	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
334	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
335	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
336	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
337	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
338	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
339	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
340	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
341	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
342	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
343	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
344	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
345	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
346	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
347	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
348	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
349	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
350	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
351	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
352	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
353	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
354	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
355	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
356	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
357	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
358	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
359	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
360	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
361	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
362	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
363	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
364	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
365	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
366	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
367	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
368	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
369	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
370	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
371	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
372	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
373	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
374	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
375	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
376	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
377	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
378	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
379	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
380	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
381	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
382	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
383	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
384	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
385	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
386	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
387	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
388	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
389	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
390	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
391	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
392	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
393	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
394	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
395	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
396	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
397	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
398	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
399	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
400	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
401	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
402	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
403	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3
404	B050_050_050ad	0.5	0.5	0.5	0.5	35.3	39.6	41.9	32.3


see similar files: <http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT> /PS; 3D-linearization
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

input: *rgb/cmyk* -> *rgbd*
output: 3D-linearization to *cmy0**dd

mean color difference of this page: 0.007

mean color difference of this page: 0.007


mean color difference of this page: 0.007



TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)



http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE27/QE27LE30FA.DAT in file (F), page 25/33

n	HVC*Fid	rgb_Fid	lcr_Fid	hsa_Fid	rgb*Fid	LabCh*Fid	cmyn*sep-Fid	rgb*Mid	hsa*Mid	LabCh*Mid	delta	
405	R00Y.062.062ad	0.625 0.0	0.625 0.625 0.312	390	0.625 0.0	37.5	0.444	1.0	389	45.4	70.9	32.3
406	R01Y.062.062ad	0.625 0.0	0.625 0.625 0.312	379	0.625 0.0	37.6	0.445	1.0	389	45.5	71.0	32.3
407	R10Y.062.062ad	0.625 0.0	0.625 0.625 0.312	367	0.625 0.0	37.7	0.445	1.0	367	45.5	71.1	32.3
408	B69R.062.062ad	0.625 0.0	0.625 0.625 0.312	353	0.625 0.0	37.8	0.448	0.997	352	45.5	71.2	32.3
409	B59R.062.062ad	0.625 0.0	0.625 0.625 0.312	341	0.625 0.0	37.8	0.451	0.942	339	45.6	71.3	32.3
410	B50R.062.062ad	0.625 0.0	0.625 0.625 0.312	330	0.625 0.0	37.9	0.451	0.941	330	45.6	71.4	32.3
411	B42R.075.075ad	0.625 0.0	0.625 0.625 0.312	321	0.637 0.0	37.9	0.459	0.955	322	46.1	71.9	32.3
412	B36R.087.087ad	0.625 0.0	0.625 0.625 0.312	314	0.641 0.0	38.0	0.461	0.972	315	46.2	72.0	32.3
413	B31R.100.100ad	0.625 0.0	1.0 1.0 1.0	308	0.633 0.0	38.1	0.468	0.999	308	46.3	72.1	32.3
414	R10Y.062.062ad	0.625 0.125	0.625 0.625 0.312	390	0.625 0.125	37.5	0.444	0.827	39	45.4	70.9	32.3
415	R00Y.062.050ad	0.625 0.125	0.625 0.625 0.312	379	0.625 0.125	37.6	0.443	0.79	389	45.5	71.0	32.3
416	R26Y.062.050ad	0.625 0.125	0.625 0.625 0.312	376	0.625 0.125	37.7	0.418	0.79	377	45.6	71.1	32.3
417	R00Y.062.050ad	0.625 0.125	0.625 0.625 0.312	360	0.625 0.125	37.8	0.424	0.792	360	45.7	71.2	32.3
418	B61R.062.050ad	0.625 0.125	0.625 0.625 0.312	344	0.625 0.125	37.9	0.43	0.798	342	45.8	71.3	32.3
419	B50R.062.050ad	0.625 0.125	0.625 0.625 0.312	339	0.625 0.125	38.0	0.439	0.801	330	45.9	71.4	32.3
420	B40R.075.062ad	0.625 0.125	0.625 0.625 0.312	319	0.635 0.125	38.1	0.454	0.839	320	46.0	71.5	32.3
421	B34R.087.075ad	0.625 0.125	0.625 0.625 0.312	311	0.635 0.125	38.2	0.464	0.838	311	46.1	71.6	32.3
422	B29R.100.087ad	0.625 0.125	1.0 1.0 0.875	305	0.635 0.125	38.3	0.464	0.838	305	46.2	71.7	32.3
423	R38Y.062.062ad	0.625 0.25	0.625 0.625 0.312	53	0.625 0.25	38.4	0.47	1.0	52	46.3	71.8	32.3
424	R23Y.062.062ad	0.625 0.25	0.625 0.625 0.312	44	0.625 0.25	38.5	0.47	0.972	42	46.4	71.9	32.3
425	R00Y.062.037ad	0.625 0.25	0.625 0.625 0.312	390	0.625 0.25	38.6	0.396	0.655	389	46.5	72.0	32.3
426	R18Y.062.037ad	0.625 0.25	0.625 0.625 0.312	371	0.625 0.25	38.7	0.402	0.657	371	46.6	72.1	32.3
427	B65R.062.037ad	0.625 0.25	0.625 0.625 0.312	349	0.625 0.25	38.8	0.411	0.663	348	46.7	72.2	32.3
428	B50R.062.037ad	0.625 0.25	0.625 0.625 0.312	330	0.625 0.25	38.9	0.418	0.671	330	46.8	72.3	32.3
429	B38R.075.062ad	0.625 0.25	0.625 0.625 0.312	316	0.635 0.25	39.0	0.437	0.726	317	46.9	72.4	32.3
430	B30R.087.062ad	0.625 0.25	0.625 0.625 0.312	307	0.635 0.25	39.1	0.438	0.726	307	47.0	72.5	32.3
431	B25R.100.075ad	0.625 0.25	1.0 1.0 0.75	266	0.625 0.25	39.2	0.448	0.738	267	47.1	72.6	32.3
432	R61Y.062.050ad	0.625 0.375	0.625 0.625 0.312	67	0.625 0.375	39.3	0.411	0.546	60	47.2	72.7	32.3
433	R50Y.062.050ad	0.625 0.375	0.625 0.625 0.312	60	0.625 0.375	39.4	0.411	0.546	59	47.3	72.8	32.3
434	R31Y.062.037ad	0.625 0.375	0.625 0.625 0.312	49	0.625 0.375	39.5	0.411	0.546	48	47.4	72.9	32.3
435	R00Y.062.025ad	0.625 0.375	0.625 0.625 0.312	390	0.625 0.375	39.6	0.393	0.522	389	47.5	73.0	32.3
436	R00Y.062.025ad	0.625 0.375	0.625 0.625 0.312	390	0.625 0.375	39.6	0.404	0.532	389	47.6	73.1	32.3
437	B50R.062.025ad	0.625 0.375	0.625 0.625 0.312	330	0.625 0.375	39.7	0.393	0.532	330	47.7	73.2	32.3
438	B40R.075.037ad	0.625 0.375	0.625 0.625 0.312	316	0.635 0.375	39.8	0.411	0.559	311	47.8	73.3	32.3
439	B25R.087.037ad	0.625 0.375	0.625 0.625 0.312	302	0.635 0.375	39.9	0.411	0.559	301	47.9	73.4	32.3
440	R18Y.062.062ad	0.625 0.375	0.625 0.625 0.312	79	0.625 0.375	40.0	0.367	0.583	78	48.0	73.5	32.3
441	R00Y.062.062ad	0.625 0.375	0.625 0.625 0.312	79	0.625 0.375	40.0	0.367	0.583	78	48.0	73.5	32.3
442	R69Y.062.037ad	0.625 0.5	0.625 0.625 0.312	71	0.625 0.5	40.1	0.394	0.604	70	48.1	73.6	32.3
443	R60Y.062.037ad	0.625 0.5	0.625 0.625 0.312	61	0.625 0.5	40.2	0.394	0.604	60	48.2	73.7	32.3
444	R50Y.062.025ad	0.625 0.5	0.625 0.625 0.312	60	0.625 0.5	40.3	0.392	0.604	59	48.3	73.8	32.3
445	R00Y.062.012ad	0.625 0.5	0.625 0.625 0.312	390	0.625 0.5	40.4	0.395	0.604	389	48.4	73.9	32.3
446	B50R.062.012ad	0.625 0.5	0.625 0.625 0.312	330	0.625 0.5	40.5	0.399	0.604	330	48.5	74.0	32.3
447	B25R.075.025ad	0.625 0.5	0.625 0.625 0.312	307	0.625 0.5	40.6	0.409	0.604	306	48.6	74.1	32.3
448	B15R.087.037ad	0.625 0.5	0.625 0.625 0.312	289	0.618 0.5	40.7	0.429	0.604	288	48.7	74.2	32.3
449	B11R.100.050ad	0.625 0.5	1.0 1.0 0.5	284	0.616 0.5	40.8	0.445	0.604	283	48.8	74.3	32.3
450	Y00G.062.050ad	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	40.9	0.383	0.456	89	48.9	74.4	32.3
451	Y00G.062.050ad	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	41.0	0.383	0.456	89	49.0	74.5	32.3
452	Y00G.062.037ad	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	41.1	0.391	0.456	89	49.1	74.6	32.3
453	Y00G.062.037ad	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	41.2	0.385	0.456	89	49.2	74.7	32.3
454	Y00G.062.025ad	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	41.3	0.386	0.456	89	49.3	74.8	32.3
455	Y00G.062.012ad	0.625 0.625	0.625 0.625 0.312	90	0.625 0.625	41.4	0.397	0.456	89	49.4	74.9	32.3
456	NW.062ad	0.625 0.625	0.625 0.625 0.312	360	0.625 0.625	41.5	0.417	0.456	360	49.5	75.0	32.3
457	B00R.075.012ad	0.625 0.625	0.625 0.625 0.312	270	0.625 0.625	41.6	0.402	0.456	270	49.6	75.1	32.3
458	B00R.075.012ad	0.625 0.625	0.625 0.625 0.312	270	0.625 0.625	41.7	0.387	0.456	270	49.7	75.2	32.3
459	Y15C.075.075ad	0.625 0.75	0.625 0.625 0.312	99	0.637 0.75	41.8	0.369	0.456	97	49.8	75.3	32.3
460	Y18C.075.062ad	0.625 0.75	0.625 0.625 0.312	101	0.635 0.75	41.9	0.359	0.456	99	49.9	75.4	32.3
461	Y23C.075.062ad	0.625 0.75	0.625 0.625 0.312	104	0.633 0.75	42.0	0.353	0.456	102	50.0	75.5	32.3
462	Y31C.075.025ad	0.625 0.75	0.625 0.625 0.312	109	0.631 0.75	42.1	0.353	0.456	108	50.1	75.6	32.3
463	Y50C.075.025ad	0.625 0.75	0.625 0.625 0.312	120	0.625 0.75	42.2	0.353	0.456	119	50.2	75.7	32.3
464	G00B.075.012ad	0.625 0.75	0.625 0.625 0.312	150	0.625 0.75	42.3	0.353	0.456	149	50.3	75.8	32.3
465	G50B.075.012ad	0.625 0.75	0.625 0.625 0.312	210	0.625 0.75	42.4	0.353	0.456	210	50.4	75.9	32.3
466	G75B.087.025ad	0.625 0.75	0.625 0.625 0.312	240	0.625 0.75	42.5	0.353	0.456	240	50.5	76.0	32.3
467	G48B.100.037ad	0.625 0.75	0.625 0.625 0.312	106	0.625 0.75	42.6	0.353	0.456	105	50.6	76.1	32.3
468	Y36C.087.087ad	0.625 0.75	0.625 0.625 0.312	106	0.625 0.75	42.7	0.353	0.456	108	50.7	76.2	32.3
469	Y36C.087.087ad	0.625 0.75	0.625 0.625 0.312	106	0.625 0.75	42.8	0.353	0.456	108	50.8	76.3	32.3
470	Y38C.087.062ad	0										



TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta



http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE27/QE27LE30FA.DAT in file (F), page 29/33

input: *rgb/cmyk* -> *rgbbd*
output: 3D-linearization to *cmy0**dd

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb_Fid	LabCH*Fid	cmyk*sep_Fid	delta	hax_id	rgb_id	LabCH*Mid
729	NW_1000ad	0.875	1.0	1.0	1.0	95.6	0.0	0.0	360	1.0	95.6
730	G50B_100.012ad	0.875	1.0	1.0	1.0	90.7	0.001	0.0	210	1.0	56.8
731	G50B_100.025ad	0.875	1.0	1.0	1.0	85.9	0.007	0.0	210	1.0	56.8
732	G50B_100.037ad	0.875	1.0	1.0	1.0	81.1	0.013	0.0	210	1.0	56.8
733	G50B_100.050ad	0.875	1.0	1.0	1.0	76.2	0.019	0.0	210	1.0	56.8
734	G50B_100.062ad	0.875	1.0	1.0	1.0	71.3	0.025	0.0	210	1.0	56.8
735	G50B_100.075ad	0.875	1.0	1.0	1.0	66.5	0.031	0.0	210	1.0	56.8
736	G50B_100.087ad	0.875	1.0	1.0	1.0	61.6	0.037	0.0	210	1.0	56.8
737	G50B_100.100ad	0.875	1.0	1.0	1.0	56.8	0.043	0.0	210	1.0	56.8
738	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
739	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
740	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
741	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
742	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
743	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
744	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
745	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
746	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
747	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
748	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
749	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
750	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
751	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
752	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
753	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
754	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
755	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
756	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
757	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
758	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
759	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
760	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
761	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
762	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
763	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
764	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
765	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
766	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
767	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
768	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
769	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
770	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
771	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
772	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
773	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
774	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
775	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
776	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
777	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
778	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
779	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
780	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
781	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
782	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
783	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
784	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
785	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
786	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
787	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
788	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
789	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
790	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
791	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
792	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
793	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
794	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
795	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
796	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
797	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
798	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
799	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
800	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
801	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4
802	ROY_100.012ad	0.875	1.0	1.0	1.0	89.3	0.158	0.008	389	1.0	45.4
803	ROY_100.025ad	0.875	1.0	1.0	1.0	84.4	0.164	0.008	389	1.0	45.4
804	ROY_100.037ad	0.875	1.0	1.0	1.0	79.5	0.170	0.008	389	1.0	45.4
805	ROY_100.050ad	0.875	1.0	1.0	1.0	74.6	0.176	0.008	389	1.0	45.4
806	ROY_100.062ad	0.875	1.0	1.0	1.0	69.7	0.182	0.008	389	1.0	45.4
807	ROY_100.075ad	0.875	1.0	1.0	1.0	64.8	0.188	0.008	389	1.0	45.4
808	ROY_100.087ad	0.875	1.0	1.0	1.0	59.9	0.194	0.008	389	1.0	45.4
809	ROY_100.100ad	0.875	1.0	1.0	1.0	55.0	0.200	0.008	389	1.0	45.4

see similar files: <http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

QE270-7N; Page 29/33-F


TUB-test chart QE27; hue code: H*d=R75Yd
colors and differences, ΔE*

I-1032831-F0



TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



5/5-farbmatrik/QE27/QE27L0FA.TXT /PS; 3D-linearization
QE27/QE27LE30FA.DAT in file (F), page 30/33

[illegible]

Mean color difference of this page: delta

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmy0**_{dd}

QE270-7N, Page 30/33-F

TUB-test chart QE27; hue code: H_d^{*}=R75Y_d
colors and differences, ΔE^*

1032931-F0



-see similar files: <http://130.149.60.45/~farbmatrik/QE27/QE27.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE27/QE27LE30FA.DAT in file (F), page 31/33

n	HVC-Fid	rgb-Fid	hsv-Fid	hsl-Fid	lch-Fid	rgb-Mid	hsv-Mid	hsl-Mid	lch-Mid	cmyn*sep-Fid	delta
891	NW_1000ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
892	B50R_100.012ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
893	B50R_100.025ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
894	B50R_100.037ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
895	B50R_100.050ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
896	B50R_100.062ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
897	B50R_100.075ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
898	B50R_100.087ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
899	B50R_100.100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
900	COB_100.012ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
901	NW_087ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
902	B50R_087.012ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
903	B50R_087.025ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
904	B50R_087.037ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
905	B50R_087.050ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
906	B50R_087.062ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
907	B50R_087.075ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
908	B50R_087.087ad	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0
909	COB_100.025ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
910	COB_100.037ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
911	NW_075ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
912	B50R_075.012ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
913	B50R_075.025ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
914	B50R_075.037ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
915	B50R_075.050ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
916	B50R_075.062ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
917	B50R_075.075ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
918	COB_100.037ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
919	COB_100.050ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
920	COB_075.012ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
921	COB_075.025ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
922	B50R_062.012ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
923	B50R_062.025ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
924	B50R_062.037ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
925	B50R_062.050ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
926	B50R_062.062ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
927	COB_100.050ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
928	COB_087.037ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
929	B50R_075.025ad	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0
930	COB_062.012ad	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0
931	NW_050ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
932	B50R_050.012ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
933	B50R_050.025ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
934	B50R_050.037ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
935	B50R_050.050ad	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
936	B50R_050.062ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
937	COB_087.050ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
938	COB_087.037ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
939	COB_062.025ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
940	COB_050.012ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
941	NW_037ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
942	B50R_037.012ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
943	B50R_037.025ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
944	B50R_037.037ad	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0
945	COB_100.075ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
946	COB_067.062ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
947	COB_062.050ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
948	COB_050.037ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
949	COB_050.025ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
950	COB_037.012ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
951	NW_025ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
952	B50R_025.012ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
953	B50R_025.025ad	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0
954	COB_100.087ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
955	COB_087.075ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
956	COB_075.062ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
957	COB_062.050ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
958	COB_050.037ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
959	COB_037.025ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
960	COB_025.012ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
961	NW_012ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
962	B50R_012.012ad	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0
963	COB_100.100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
964	COB_087.087ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
965	COB_075.075ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
966	COB_062.062ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
967	COB_050.050ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
968	COB_037.037ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
969	COB_025.025ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
970	COB_012.012ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
971	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd

TUB-test chart QE27; hue code: H*d=R75Yd
colors and differences, ΔE*

QE270-7N; Page 31/33-F

I-1033031-F0

see similar files: <http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0* (CMY0)



V L O Y M
http://130.149.60.45/~farbmatrik/QE27/QE27L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE27/QE27LE30FA.DAT in file (F), page 32/33

n	HIC ^o -Fid	rgb ^o -Fid	ict ^o -Fid	hs ^o -Fid	rgb ^o -Fid	LabCh ^o -Fid	cmry ^o -sep-Fid	hs ^o -dId	rgb ^o -dId	LabCh ^o -dId	delta
972	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
973	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956	0.0
974	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956	0.0
975	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956	0.0
976	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956	0.0
977	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956	0.0
978	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956	0.0
979	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956	0.0
980	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956	0.0
981	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
982	NW_0124ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956	0.0
983	NW_0256ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956	0.0
984	NW_0374ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956	0.0
985	NW_0500ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956	0.0
986	NW_0624ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956	0.0
987	NW_0756ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956	0.0
988	NW_0874ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956	0.0
989	NW_1000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
990	NW_0000ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956	0.0
991	NW_0124ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956	0.0
992	NW_0256ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956	0.0
993	NW_0374ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956	0.0
994	NW_0500ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956	0.0
995	NW_0624ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956	0.0
996	NW_0756ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956	0.0
997	NW_0874ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956	0.0
998	NW_1000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
999	NW_0000ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956	0.0
1000	NW_0124ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956	0.0
1001	NW_0256ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956	0.0
1002	NW_0374ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956	0.0
1003	NW_0500ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956	0.0
1004	NW_0624ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956	0.0
1005	NW_0756ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956	0.0
1006	NW_0874ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956	0.0
1007	NW_1000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
1008	NW_0000ad	0.125	0.125	0.125	0.125	0.0	0.885	360	1.0	956	0.0
1009	NW_0124ad	0.25	0.25	0.25	0.25	0.0	0.743	360	1.0	956	0.0
1010	NW_0256ad	0.375	0.375	0.375	0.375	0.0	0.653	360	1.0	956	0.0
1011	NW_0374ad	0.5	0.5	0.5	0.5	0.0	0.54	360	1.0	956	0.0
1012	NW_0500ad	0.625	0.625	0.625	0.625	0.0	0.417	360	1.0	956	0.0
1013	NW_0624ad	0.75	0.75	0.75	0.75	0.0	0.299	360	1.0	956	0.0
1014	NW_0756ad	0.875	0.875	0.875	0.875	0.0	0.162	360	1.0	956	0.0
1015	NW_0874ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956	0.0
1016	NW_0980ad	0.866	0.866	0.866	0.866	0.0	0.09	360	1.0	956	0.0
1017	NW_0600ad	0.6	0.6	0.6	0.6	0.0	0.0	360	1.0	956	0.0
1018	NW_0660ad	0.666	0.666	0.666	0.666	0.0	0.0	360	1.0	956	0.0
1019	NW_0734ad	0.734	0.734	0.734	0.734	0.0	0.0	360	1.0	956	0.0
1020	NW_0800ad	0.8	0.8	0.8	0.8	0.0	0.0	360	1.0	956	0.0
1021	NW_0860ad	0.866	0.866	0.866	0.866	0.0	0.0	360	1.0	956	0.0
1022	NW_0934ad	0.933	0.933	0.933	0.933	0.0	0.0	360	1.0	956	0.0
1023	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956	0.0
1024	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
1025	NW_0060ad	0.066	0.066	0.066	0.066	0.0	0.935	360	1.0	956	0.0
1026	NW_0134ad	0.133	0.133	0.133	0.133	0.0	0.879	360	1.0	956	0.0
1027	NW_0200ad	0.2	0.2	0.2	0.2	0.0	0.799	360	1.0	956	0.0
1028	NW_0260ad	0.266	0.266	0.266	0.266	0.0	0.731	360	1.0	956	0.0
1029	NW_0334ad	0.333	0.333	0.333	0.333	0.0	0.682	360	1.0	956	0.0
1030	NW_0400ad	0.4	0.4	0.4	0.4	0.0	0.636	360	1.0	956	0.0
1031	NW_0460ad	0.466	0.466	0.466	0.466	0.0	0.574	360	1.0	956	0.0
1032	NW_0534ad	0.533	0.533	0.533	0.533	0.0	0.509	360	1.0	956	0.0
1033	NW_0600ad	0.6	0.6	0.6	0.6	0.0	0.442	360	1.0	956	0.0
1034	NW_0660ad	0.666	0.666	0.666	0.666	0.0	0.377	360	1.0	956	0.0
1035	NW_0734ad	0.734	0.734	0.734	0.734	0.0	0.314	360	1.0	956	0.0
1036	NW_0800ad	0.8	0.8	0.8	0.8	0.0	0.252	360	1.0	956	0.0
1037	NW_0860ad	0.866	0.866	0.866	0.866	0.0	0.173	360	1.0	956	0.0
1038	NW_0934ad	0.933	0.933	0.933	0.933	0.0	0.09	360	1.0	956	0.0
1039	NW_1000ad	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	956	0.0
1040	NW_0000ad	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	956	0.0
1041	NW_0060ad	0.066	0.066	0.066	0.066	0.0	0.935	360	1.0	956	0.0
1042	NW_0134ad	0.133	0.133	0.133	0.133	0.0	0.879	360	1.0	956	0.0
1043	NW_0200ad	0.2	0.2	0.2	0.2	0.0	0.799	360	1.0	956	0.0
1044	NW_0260ad	0.266	0.266	0.266	0.266	0.0	0.731	360	1.0	956	0.0
1045	NW_0334ad	0.333	0.333	0.333	0.333	0.0	0.682	360	1.0	956	0.0
1046	NW_0400ad	0.4	0.4	0.4	0.4	0.0	0.636	360	1.0	956	0.0
1047	NW_0460ad	0.466	0.466	0.466	0.466	0.0	0.574	360	1.0	956	0.0
1048	NW_0534ad	0.533	0.533	0.533	0.533	0.0	0.509	360	1.0	956	0.0
1049	NW_0600ad	0.6	0.6	0.6	0.6	0.0	0.442	360	1.0	956	0.0
1050	NW_0660ad	0.666	0.666	0.666	0.666	0.0	0.377	360	1.0	956	0.0
1051	NW_0734ad	0.734	0.734	0.734	0.734	0.0	0.314	360	1.0	956	0.0
1052	NW_0800ad	0.8	0.8	0.8	0.8	0.0	0.252	360	1.0	956	0.0

-1033131-F0

QE270-7N, Page 32/33-F

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
colors and differences. $\Delta E^*,*$

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmv0**_{dd}



-see similar files: <http://130.149.60.45/~farbmatrik/QE27/QE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB registration: 20130201-QE27/QE27L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)

n	HVC*_Fid	rgb*_Fid	lcr*_Fid	hsa*_Fid	rgb*_Fid	LabCH*_Fid	cmyn*_sep_Fid	hsv*_Fid	rgb*_Fid	LabCH*_Fid	delta
1053	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.6 86.6 86.6	0.173 0.108 0.099	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1054	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 90.8 90.8	0.09 0.054 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1055	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1056	NW_006dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	29.0 29.0 29.0	1.0 1.0 1.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1057	NW_006dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	29.0 29.0 29.0	0.935 0.825 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1058	NW_013dd	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	33.8 33.8 33.8	0.879 0.763 0.725	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1059	NW_026dd	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	43.3 43.3 43.3	0.799 0.661 0.614	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1060	NW_026dd	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	43.3 43.3 43.3	0.731 0.571 0.537	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1061	NW_033dd	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	48.1 48.1 48.1	0.682 0.507 0.485	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1062	NW_040dd	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	52.8 52.8 52.8	0.636 0.454 0.433	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1063	NW_046dd	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	57.5 57.5 57.5	0.574 0.404 0.381	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1064	NW_053dd	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	62.3 62.3 62.3	0.509 0.354 0.33	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1065	NW_060dd	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	67.1 67.1 67.1	0.442 0.285 0.278	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1066	NW_066dd	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	71.8 71.8 71.8	0.377 0.228 0.228	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1067	NW_073dd	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	76.6 76.6 76.6	0.314 0.191 0.186	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1068	NW_080dd	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	81.3 81.3 81.3	0.252 0.153 0.146	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1069	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.0 86.0 86.0	0.173 0.108 0.099	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1070	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 90.8 90.8	0.09 0.054 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1071	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1072	NW_000dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1073	ROY_100_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1074	ROY_100_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.6 95.6 95.6	0.0
1075	G50B_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	45.4 70.9 44.8	1.0 1.0 1.0	0.0 0.0 0.0	1.0 0.0 0.0	45.4 70.9 44.8	83.9
1076	G50B_100_100dd	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	45.4 70.9 44.8	1.0 1.0 1.0	0.0 0.0 0.0	1.0 0.0 0.0	45.4 70.9 44.8	83.9
1077	Y06C_100_100dd	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	96.1 96.1 96.1	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.1 96.1 96.1	32.3
1078	B06C_100_100dd	0.0 1.0 0.0	0.0 1.0 0.0	0.0 1.0 0.0	0.0 1.0 0.0	50.0 50.0 50.0	0.999 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	50.0 50.0 50.0	238.4
1079	B50R_100_100dd	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	29.5 29.5 29.5	0.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	29.5 29.5 29.5	96.1
1079	B50R_100_100dd	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	29.5 29.5 29.5	0.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	29.5 29.5 29.5	96.1

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmy0*dd

TUB-test chart QE27; hue code: H*_d=R75Y_d
colors and differences, ΔE*_*