

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100	48.4	66.1	40.2	77.3	31
R25Y_100_100	56.8	48.0	50.5	69.6	46
R50Y_100_100	68.6	25.0	63.9	68.6	68
R75Y_100_100	80.6	4.8	77.2	77.3	86
Y00G_100_100	90.2	-9.6	88.2	88.7	96
Y25G_100_100	83.2	-18.4	79.9	81.9	102
Y50G_100_100	73.3	-31.7	62.7	70.2	116
Y75G_100_100	62.0	-49.7	43.2	65.8	139
G00B_100_100	55.8	-65.2	33.8	73.4	152
G25B_100_100	59.3	-50.3	-9.0	51.0	190
G50B_100_100	63.0	-30.5	-42.0	51.9	234
G75B_100_100	45.7	-5.7	-44.6	44.9	262
B00R_100_100	27.5	25.9	-47.3	53.9	298
B25R_100_100	38.3	52.6	-28.5	59.8	331
B50R_100_100	49.5	73.5	-9.0	74.0	353
B75R_100_100	48.9	69.3	12.9	70.4	10



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R75Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 70 17 75 77 76

$HIC^*_{e,Ma}$: R75Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.6 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



TUB-test chart QE28; hue code: $H^*_e = R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R75Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 70 \ 17 \ 75 \ 77 \ 76$

$HIC^*_e, Ma: R75Y_100_100_e$

$rgbic^*_e, Ma:$

1.0 0.6 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



TUB-test chart QE28; hue code: $H^*_e = R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 76/360 = 0.21$

$H^*_e = R75Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R75Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 70 17 75 77 76

$HIC^*_{e,Ma}$: R75Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.6 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



TUB-test chart QE28; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

http://130.149.60.45/~farbmetrik/QE28/QE28L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/33

TUB-test chart QE28; hue code: $H^*_e=R75Y_e$
Test chart according to DIN 33872, 3D=0, de=1, $cmy0$

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$




1-013531-L0 QE280-71

1-013531-E0

see similar files: <http://130.149.60.45/~farbmetrik/QE28/QE28.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
2. For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{1 + \frac{r^*_d \sin(30) + g^*_d \sin(150)}{b^*_d \sin(270)}} \right] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours e : $h_{ab,e} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j \frac{h_{ab,si+1} - h_{ab,si}}{1/8} \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
$$h_{360ab,sij} = h_{ab,si} + j \frac{h_{ab,si+1} - h_{ab,si}}{1/60} \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j \frac{h_{ab,ei+1} - h_{ab,ei}}{1/8} \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
$$h_{360ab,eij} = h_{ab,ei} + j \frac{h_{ab,ei+1} - h_{ab,ei}}{1/60} \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
6. The values rgb^*_e produce the output of the device-independent elementary hues

LAB*_{la0}, YN=0%, XY Z_{mnw}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{mnw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0
TUB-test chart QE28; hue code: H*_e=R75Y_e
48 step hue circles; $rgb-LabCh$ -tables

Output: Offset standard print; separation cmy0*, D65, page 7/33

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$



TUB registration: 20130201-QE28/QE28L0NP.PDF /.PS
- application for measurement of offset print output, separ


TUB material: code=rha4ta
ny0 (CMY0)

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYCBM; c, h _{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYCBM; c, h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYCBM; c, h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																		
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb**d64M	LAB**d4M (x=LabCh)	rgb**d361M	LAB**d361M (x=LabCh)	rgb**d361M	LAB**d361M (x=LabCh)	rgb**dex361M	LAB**dex361M																								
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	81.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25								
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	41.6	48.6	37	1.0	0.1	0.0	0.021	0.0	46.0	69.6	45.7	83.3	33						
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.3	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6</																				

Output: Offset standard print; separation cmy0*, D65, page 8/33

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0e*

TUB-test chart QE28; hue code: $H^*_e=R75Y_e$
48 step hue circles; *rgb-LabCh** tables



http://130.149.60.45/~farbmatrik/QE28/QE28L0NP.PDF /PS; transfer output										N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33									
Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																			
LAB* ddx64M (x=LabCh)										LAB* dex361M									
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33	
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49	
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58	
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66	
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.875	1.0	0.0	82.4	-15.8	86.2	87.7	100	
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.003	1.0	0.0	51.2	-62.4	32.0	70.2	152	
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	
306.2	270.0	271.7	0.0	0.0	1.0	25.9	29.5	-40.4	50.0	306.2	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.0	1.0	27.8	35.8	-36.5	51.2	314		
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.0	1.0	28.7	41.1	-33.2	52.9	321		
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	0.0	1.0	31.1	47.8	-29.1	56.0	328		
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	0.0	1.0	33.5	53.7	-24.7	59.1	335		
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	0.0	1.0	36.4	60.8	-18.7	63.7	342		
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	0.0	1.0	39.3	67.4	-12.4	68.5	349		
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	0.0	1.0	41.4	70.5	-9.7	71.1	352		
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	0.0	1.0	46.1	79.3	-0.1	79.3	359		
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	0.0	1.0	0.687	46.0	76.5	11.8	77.4	368	
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	0.0	1.0	0.485	45.9	74.1	22.0	77.3	376	
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	385	

Output: Offset standard print; separation cmy0*, D65, page 9/33

input: rgb/cmyk -> rgbe
output: transfer to cmy0e



Six hue angles of the device colours RYGBCM _d ; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM _e ; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	rgb^*_{ds}	LAB^*_{ds}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
32	30	25	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32	R_d	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	R_s	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h _{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																																																																																																																																																																																																																																																																		
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{d361M}	LAB* _{d361M} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)	rgb* _{d361Mi}	LAB* _{d361Mi} (x=LabCh)</

Output: Offset standard print; separation cmy0*, D65, page 11/33


input: *rgb/cmyk* $\rightarrow$ *rgbe*
output: transfer to *cmy0e*



Six hue angles of the device colours RYGBM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																							
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	Lab* _{dd361M} (x=LabCh)	rgb* _{ds361M}	Lab* _{ds361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)	rgb* _{de361M}	Lab* _{de361M} (x=LabCh)			
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0		
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0		
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0		
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0		
118	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	118	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0		
119	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	119	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0		
120	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0		
121	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0		
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0		
123	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	123	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0		
124	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	124	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0		
125	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	125	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0		
126	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	126	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0		
127	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	127	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0		
128	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	128	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0		
129	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	129	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0		
130	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	130	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0		
131	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	131	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0		
132	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	132	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0		
133	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	133	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0		
134	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	134	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0		
135	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	135	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0		
136	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	136	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0		
137	143	153	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	137	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0		
138	144	154	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	138	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0		
139	145	155	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	139	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0		
140	146	156	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	140	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0		
141	147	157	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	141	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0		
142	148	158	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	142	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0		
143	149	159	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	143	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0		
144	150	160	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	144	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.0		
145	151	161	0.0	1.0	0.0	0.016	50.1	-64.7	28.5	70.7	145	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.0	
146	152	162	0.0	1.0	0.0	0.033	50.1	-64.5	27.4	70.1	146	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.0	
147	153	163	0.0	1.0	0.0	0.05	50.2	-64.2	26.4	69.4	147	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.0	
148	154	164	0.0	1.0	0.0	0.066	50.3	-63.9	25.4	68.8	148	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.0	
149	155	165	0.0	1.0	0.0	0.083	50.3	-63.6	24.4	68.1	149	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.0	
150	156	166	0.0	1.0	0.0	0.1	50.4	-63.3	23.4	67.5	150	0.0	1.0	0.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.0
151	157	167	0.0	1.0	0.0	0.116	50.5	-62.9	22.4	66.8	151	0.0	1.0	0.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.0
152	158	168	0.0	1.0	0.0	0.133	50.5	-62.5	21.2	66.1	152	0.0	1.0	0.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.0
153	159	169	0.0	1.0	0.0	0.15	50.6	-62.1	19.9	65.2	153	0.0	1.0	0.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.0
154	160	170	0.0	1.0	0.0	0.166	50.7	-61.6	18.7	64.4	154	0.0	1.0	0.0	0.107	50.5	-63.1	23.0	67.2	160	0.0	1.0	0.0
155	161	171	0.0	1.0	0.0	0.183	50.8	-61.1	17.4	63.6	155	0.0	1.0	0.0	0.129	50.6	-62.6	21.6	66.3	161	0.0	1.0	0.0
156	162	172	0.0	1.0	0.0	0.2	50.9	-60.6	16.2	62.7	156	0.0	1.0	0.0	0.147	50.7	-62.1	20.2	65.4	162	0.0	1.0	0.0
157	163	173	0.0	1.0	0.0	0.216	51.0	-60.1	15.0	61.9	157	0.0	1.0	0.0	0.165	50.8	-61.6	18.9	64.5	163	0.0	1.0	0.0
158	164	174	0.0	1.0	0.0	0.233	51.1	-59.5	13.9	61.1	158	0.0	1.0	0.0	0.183	50.9	-61.1	17.5	63.7	164	0.0	1.0	0.0
159	165	175	0.0	1.0	0.0	0.25	51.2	-58.9	12.7	60.3	159	0.0	1.0	0.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.0
160	166	176	0.0	1.0	0.0	0.25	51.2	-58.9	12.7	60.3	160	0.0	1.0	0.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.0
161	167	177	0.0	1.0	0.0	0.25	51.2	-58.9	12.7	60.3	161	0.0	1.0	0.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.0
162	168	178	0.0	1.0	0.0	0.25	51.2	-58.9	12.7	60.3	162	0.0	1.0	0.0	0.2	51.5							



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;										Output: Offset standard print; separation cmy0*, D65, page 13/33									
Six hue angles of the device colours RYGBCM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*	dx361MI	LAB*	dx361MI	rgb*	dx361MI	LAB*	dx361MI	rgb*	dx361MI	LAB*	dx361MI	rgb*	dx361MI	LAB*	dx361MI	rgb*
167	165	175	0.0	1.0	0.25	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.25	51.0	-60.5	16.2	62.8	165	0.0
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267	51.1	-60.0	15.0	61.9	166	0.0
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283	51.2	-59.3	13.7	61.0	167	0.0
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3	51.0	-58.8	12.5	60.2	168	0.0
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317	51.2	-58.4	11.4	59.5	169	0.0
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333	51.4	-57.9	10.2	58.9	170	0.0
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35	51.5	-57.5	9.1	58.3	171	0.0
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367	51.6	-57.0	8.0	57.7	172	0.0
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383	51.7	-56.5	6.9	57.0	173	0.0
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4	51.8	-56.0	5.9	56.4	174	0.0
180	175	185	0.0	1.0	0.416	52.3	-52.8	0.8	52.9	180	0.0	1.0	0.417	52.1	-55.5	4.9	55.8	175	0.0
182	176	186	0.0	1.0	0.433	52.4	-52.1	2.3	52.1	182	0.0	1.0	0.433	52.0	-54.9	3.8	55.1	176	0.0
184	177	187	0.0	1.0	0.45	52.6	-51.3	3.8	51.4	184	0.0	1.0	0.45	52.2	-54.4	2.9	54.6	177	0.0
185	178	188	0.0	1.0	0.466	52.7	-50.4	5.3	50.7	185	0.0	1.0	0.467	52.1	-54.0	1.9	54.1	178	0.0
187	179	189	0.0	1.0	0.483	52.8	-49.6	6.6	50.0	187	0.0	1.0	0.483	52.2	-53.6	0.9	53.7	179	0.0
189	180	189	0.0	1.0	0.5	52.9	-48.6	8.0	49.3	189	0.0	1.0	0.5	52.3	-53.2	0.0	53.3	180	0.0
191	181	190	0.0	1.0	0.516	53.1	-47.9	9.5	48.9	191	0.0	1.0	0.517	52.4	-52.8	0.8	52.9	181	0.0
193	182	191	0.0	1.0	0.533	53.2	-47.2	10.9	48.4	193	0.0	1.0	0.533	52.4	-52.3	1.7	52.5	182	0.0
194	183	192	0.0	1.0	0.55	53.4	-46.4	12.3	48.0	194	0.0	1.0	0.55	52.5	-51.9	2.6	52.0	183	0.0
196	184	193	0.0	1.0	0.566	53.5	-45.6	13.7	47.6	196	0.0	1.0	0.567	52.6	-51.4	3.5	51.6	184	0.0
198	185	194	0.0	1.0	0.583	53.6	-44.7	15.0	47.1	198	0.0	1.0	0.583	52.7	-50.9	4.4	51.2	185	0.0
200	186	195	0.0	1.0	0.6	53.8	-43.8	16.3	46.7	200	0.0	1.0	0.6	52.7	-50.4	5.2	50.8	186	0.0
202	187	195	0.0	1.0	0.616	53.9	-42.8	17.5	46.3	202	0.0	1.0	0.617	52.8	-49.9	6.0	50.3	187	0.0
204	188	196	0.0	1.0	0.633	54.1	-42.0	18.8	46.0	204	0.0	1.0	0.633	52.9	-49.3	6.8	49.9	188	0.0
206	189	197	0.0	1.0	0.65	54.2	-41.2	20.1	45.9	206	0.0	1.0	0.65	53.0	-48.8	7.6	49.5	189	0.0
207	190	198	0.0	1.0	0.666	54.3	-40.5	21.4	45.8	207	0.0	1.0	0.667	53.1	-48.4	8.4	49.2	190	0.0
209	191	199	0.0	1.0	0.683	54.5	-39.7	22.7	45.7	209	0.0	1.0	0.683	53.0	-48.0	9.2	49.0	191	0.0
211	192	200	0.0	1.0	0.7	54.6	-38.8	23.9	45.6	211	0.0	1.0	0.7	53.2	-47.6	10.0	48.7	192	0.0
213	193	201	0.0	1.0	0.716	54.7	-37.9	25.1	45.5	213	0.0	1.0	0.717	53.3	-47.2	10.8	48.5	193	0.0
215	194	202	0.0	1.0	0.733	54.9	-37.0	26.3	45.4	215	0.0	1.0	0.733	53.3	-46.7	11.6	48.3	194	0.0
217	195	203	0.0	1.0	0.75	55.0	-36.0	27.4	45.3	217	0.0	1.0	0.75	53.4	-46.3	12.3	48.0	195	0.0
218	196	204	0.0	1.0	0.766	55.1	-35.4	28.4	45.4	218	0.0	1.0	0.767	53.5	-45.9	13.1	47.8	196	0.0
220	197	205	0.0	1.0	0.783	55.2	-34.7	29.4	45.5	220	0.0	1.0	0.783	53.6	-45.4	13.8	47.6	197	0.0
221	198	206	0.0	1.0	0.8	55.3	-34.0	30.3	45.6	221	0.0	1.0	0.8	53.6	-44.9	14.5	47.3	198	0.0
223	199	206	0.0	1.0	0.816	55.4	-33.3	31.3	45.7	223	0.0	1.0	0.817	53.7	-44.4	15.2	47.1	199	0.0
224	200	207	0.0	1.0	0.833	55.6	-32.6	32.2	45.9	224	0.0	1.0	0.833	53.8	-43.9	15.9	46.9	200	0.0
226	201	208	0.0	1.0	0.85	55.7	-31.8	33.1	46.0	226	0.0	1.0	0.85	53.9	-43.4	16.6	46.6	201	0.0
227	202	209	0.0	1.0	0.866	55.8	-31.1	34.0	46.1	227	0.0	1.0	0.867	54.0	-42.9	17.3	46.4	202	0.0
229	203	210	0.0	1.0	0.883	55.9	-30.4	35.0	46.3	229	0.0	1.0	0.883	54.0	-42.4	17.9	46.2	203	0.0
230	204	211	0.0	1.0	0.9	56.0	-29.7	35.9	46.7	230	0.0	1.0	0.9	54.1	-42.0	18.6	46.1	204	0.0
231	205	212	0.0	1.0	0.916	56.1	-29.1	36.9	47.0	231	0.0	1.0	0.917	54.2	-41.6	19.3	46.0	205	0.0
233	206	213	0.0	1.0	0.933	56.3	-28.4	37.8	47.3	233	0.0	1.0	0.933	54.2	-41.2	20.0	46.0	206	0.0
234	207	214	0.0	1.0	0.95	56.4	-27.7	38.8	47.7	234	0.0	1.0	0.95	54.3	-40.8	20.7	45.9	207	0.0
235	208	215	0.0	1.0	0.966	56.5	-27.0	39.7	48.0	235	0.0	1.0	0.967	54.4	-40.4	21.4	45.8	208	0.0
237	209	216	0.0	1.0	0.983	56.6	-26.2	40.6	48.3	237	0.0	1.0	0.983	54.5	-39.9	22.1	45.8	209	0.0
238	210	216	0.0	1.0	1.0	56.8	-25.5	41.5	48.7	238	0.0	1.0	1.0	54.5	-39.5	22.8	45.7	210	0.0
C ₀										C ₀									
1-0131231-L0 QE280-71 LAB*lab, YN=0%, XY Zmw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 95.6, 0.0, 0.0																			
TUB-test chart QE28; hue code: H* _e =R75Y _e										input: rgb/cmyk -> rgbe									
48 step hue circles; rgb-LabCh*tables										output: transfer to cmy0 _e									





Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;																			
Six hue angles of the device colours RYGBCM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C _d	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239		0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240		0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240		0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241		0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242		0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242		0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243		0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244		0.0	1.0	0.769	55.2	-35.2	-28.5	45.5	219
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245		0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245		0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246		0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247		0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248		0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249		0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250		0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251		0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252		0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253		0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254		0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255		0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256		0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257		0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259		0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234
260	235	239	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260		0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262		0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263		0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265		0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266		0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268		0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269		0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271		0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272		0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273		0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275		0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276		0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277		0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40.8	279		0.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248
280	249	252	0.0	0.35	1.0	36.4	7.7	-40.3	41.1	280		0.0	0.756	1.0	50.6	-15.7	-41.1	44.1	249
282	250	253	0.0	0.333	1.0	35.8	8.8	-40.4	41.3	282		0.0	0.739	1.0	50.1	-14.9	-41.0	43.8	250
283	251	254	0.0	0.316	1.0	35.2	9.9	-40.4	41.6	283		0.0	0.722	1.0	49.6	-14.1	-41.1	43.5	251
285	252	255	0.0	0.3	1.0	34.6	11.0	-40.4	41.9	285		0.0	0.706	1.0	49.1	-13.3	-41.0	43.3	252
286	253	256	0.0	0.283	1.0	34.0	12.1	-40.3	42.1	286		0.0	0.69	1.0	48.6	-12.5	-41.0	43.0	253
288	254	257	0.0	0.266	1.0	33.4	13.2	-40.3	42.4	288		0.0	0.673	1.0	48.1	-11.7	-41.0	42.7	254
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289		0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255



input: *rgb/cmyk* -> *rgb*
output: transfer to *cmy0_e*

TUB-test chart QE28; hue code: H*_e=R75Y_e
48 step hue circles; *rgb-LabCh**tables

1-0131331-10 QE280-71 LAB*_{ds}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{tw}=24.0, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 14/33



Six hue angles of the device colours RYGBCM _d ; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM _e ; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																		
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	rgb* _{ds}	rgb* _{ds}	rgb* _{ds}	LAB* _{ds}	LAB* _{ds}	LAB* _{ds}	rgb* _{de}	rgb* _{de}	rgb* _{de}	LAB* _{de}
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.641	1.0	47.0	-10.1	-40.9	42.2	256
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.602	1.0	45.7	-7.9	-40.9	41.7	259
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.591	1.0	45.3	-7.1	-40.9	41.6	260
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.58	1.0	44.8	-6.4	-40.9	41.5	261
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.558	1.0	44.0	-4.9	-40.9	41.3	263
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.547	1.0	43.5	-4.2	-40.8	41.2	264
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.536	1.0	43.1	-3.5	-40.8	41.1	265
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.525	1.0	42.7	-2.8	-40.7	40.9	266
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.514	1.0	42.3	-2.0	-40.7	40.8	267
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.503	1.0	41.8	-1.3	-40.6	40.7	268
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.455	1.0	40.2	1.4	-40.6	40.7	272
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.443	1.0	39.7	2.1	-40.5	40.7	273
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.431	1.0	39.3	2.8	-40.5	40.7	274
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.419	1.0	38.9	3.5	-40.4	40.7	275
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.407	1.0	38.5	4.3	-40.4	40.7	276
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.383	1.0	37.6	5.7	-40.2	40.7	278
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.371	1.0	37.2	6.4	-40.2	40.8	279
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.36	1.0	36.8	7.1	-40.2	41.0	280
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.348	1.0	36.4	7.8	-40.3	41.1	281
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.337	1.0	36.0	8.6	-40.3	41.3	282
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.326	1.0	35.6	9.3	-40.3	41.5	283
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.314	1.0	35.2	10.1	-40.3	41.7	284
322	285	286	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.291	1.0	34.3	11.6	-40.3	42.0	286
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.28	1.0	33.9	12.3	-40.3	42.2	287
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.269	1.0	33.5	13.1	-40.2	42.4	288
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.257	1.0	33.1	13.9	-40.2	42.6	289
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.0	0.245	1.0	32.7	14.6	-40.1	42.8	290
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0	331	0.0	0.232	1.0	32.2	15.5	-40.2	43.2	291
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3	333	0.0	0.205	1.0	31.4	17.2	-40.3	43.9	293
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8	334	0.0	0.192	1.0	30.9	18.0	-40.3	44.3	294
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4	335	0.0	0.179	1.0	30.5	18.9	-40.4	44.6	295
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9	336	0.0	0.166	1.0	30.0	19.7	-40.3	45.0	296
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5	337	0.0	0.152	1.0	29.6	20.6	-40.3	45.4	297
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0	338	0.0	0.139	1.0	29.1	21.5	-40.3	45.7	298
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6	339	0.0	0.126	1.0	28.7	22.3	-40.2	46.1	299
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300

1-0131431-L0

QE280-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0


TUB-test chart QE28; hue code: H*_e=R75Y_e

48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbe

output: transfer to cmy0_e

Output: Offset standard print; separation cmy0*, D65, 15/33













Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{361M}	rgb^*_{361M}	rgb^*_{361M}	rgb^*_{361M}	rgb^*_{361M}	rgb^*_{361M}	rgb^*_{361M}
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0
344	304	304	0.566	0.0	1.0	36.9	62.3	-17.3	64.7
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6	78.1
364	341	339	1.0	0.0	0.816	45.9	77.7	6.2	78.0
365	342	339	1.0	0.0	0.8	45.9	77.6	6.8	77.9
365	343	340	1.0	0.0	0.783	45.9	77.4	7.4	77.8
365	344	341	1.0	0.0	0.766	45.9	77.3	8.0	77.7
366	345	342	1.0	0.0	0.75	45.9	77.1	8.6	77.6

Input: $rgb/cmyk \rightarrow rgb_e$
Output: transfer to $cmy0_e$

Output: Offset standard print; separation $cmy0^*$, D65, page 16/33

1-0131531-L0 QE280-71 LAB* $l^*a^*b^*$, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* $nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0$

TUB-test chart QE28; hue code: H* e =R75Y e
48 step hue circles; $rgb-LabCh$ *tables



TUB registration: 20130201-QE28/QE28L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

http://130.149.60.45/~farbmatrik/QE28/QE28L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

nf	HC*Fe	rgb_Fe	ic_Fe	hs_Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hs_Me	rgb*Me	LabCH*Me	25.4	34.4	80.0	25.4
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	456	72.2	34.4	80.0
1/657	R13Y_100_100e	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	460	69.6	45.6	83.2
2/666	R25Y_100_100e	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	466	66.6	45.6	83.2
3/675	R38Y_100_100e	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	472	63.6	45.6	83.2
4/684	R50Y_100_100e	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	478	60.6	45.6	83.2
5/693	R63Y_100_100e	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	484	57.6	45.6	83.2
6/702	R75Y_100_100e	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	490	54.6	45.6	83.2
7/711	R88Y_100_100e	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	496	51.6	45.6	83.2
8/720	Y00C_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	502	48.6	45.6	83.2
9/639	Y13C_100_100e	0.875	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	508	45.6	45.6	83.2
10/558	Y25C_100_100e	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	514	42.6	45.6	83.2
11/477	Y38C_100_100e	0.625	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	520	39.6	45.6	83.2
12/396	Y50C_100_100e	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	526	36.6	45.6	83.2
13/315	Y63C_100_100e	0.375	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	532	33.6	45.6	83.2
14/234	Y75C_100_100e	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	538	30.6	45.6	83.2
15/153	Y88C_100_100e	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	544	27.6	45.6	83.2
16/72	G00C_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	550	24.6	45.6	83.2
17/73	G13C_100_100e	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	556	21.6	45.6	83.2
18/74	G25C_100_100e	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	562	18.6	45.6	83.2
19/75	G38C_100_100e	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	568	15.6	45.6	83.2
20/76	G50C_100_100e	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	574	12.6	45.6	83.2
21/77	G63C_100_100e	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	580	9.6	45.6	83.2
22/78	G75C_100_100e	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	586	6.6	45.6	83.2
23/79	G88C_100_100e	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	592	3.6	45.6	83.2
24/80	C00B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	598	0.6	45.6	83.2
25/81	C13B_100_100e	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	604	-3.4	45.6	83.2
26/62	C25B_100_100e	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	610	-6.4	45.6	83.2
27/63	C38B_100_100e	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	616	-9.4	45.6	83.2
28/44	C50B_100_100e	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	622	-12.4	45.6	83.2
29/35	C63B_100_100e	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	628	-15.4	45.6	83.2
30/26	C75B_100_100e	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	634	-18.4	45.6	83.2
31/17	C88B_100_100e	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	640	-21.4	45.6	83.2
32/8	B00M_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	646	-24.4	45.6	83.2
33/89	B13M_100_100e	0.125	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	652	-27.4	45.6	83.2
34/170	B25M_100_100e	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	658	-30.4	45.6	83.2
35/251	B38M_100_100e	0.375	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	664	-33.4	45.6	83.2
36/332	B50M_100_100e	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	670	-36.4	45.6	83.2
37/413	B63M_100_100e	0.625	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	676	-39.4	45.6	83.2
38/494	B75M_100_100e	0.75	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	682	-42.4	45.6	83.2
39/575	B88M_100_100e	0.875	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	688	-45.4	45.6	83.2
40/656	M00R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	694	-48.4	45.6	83.2
41/655	M13R_100_100e	1.0	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	700	-51.4	45.6	83.2
42/654	M25R_100_100e	1.0	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	706	-54.4	45.6	83.2
43/653	M38R_100_100e	1.0	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	712	-57.4	45.6	83.2
44/652	M50R_100_100e	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	718	-60.4	45.6	83.2
45/651	M63R_100_100e	1.0	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	724	-63.4	45.6	83.2
46/650	M75R_100_100e	1.0	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	730	-66.4	45.6	83.2
47/649	M88R_100_100e	1.0	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	736	-69.4	45.6	83.2
48/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	742	-72.4	45.6	83.2
49/0	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	748	-75.4	45.6	83.2
50/91	NW_012e	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	754	-78.4	45.6	83.2
51/182	NW_025e	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	760	-81.4	45.6	83.2
52/273	NW_038e	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	766	-84.4	45.6	83.2
53/364	NW_050e	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	772	-87.4	45.6	83.2
54/455	NW_063e	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	778	-90.4	45.6	83.2
55/546	NW_075e	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	784	-93.4	45.6	83.2
56/637	NW_088e	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	790	-96.4	45.6	83.2
57/728	NW_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	796	-99.4	45.6	83.2

Mean color difference of this page:

delta E* = 20.9

TUB-test chart QE28; hue code: H*_e=R75Y_e
colors and differences, ΔE*

input: rgb/cmyk -> rgb
output: transfer to cmy0_e







<http://130.149.60.45/~farbmatrik/QE28/QE28L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

n/f	HC*Fe	rgb_Fe	ic*_Fe	hs*_Fe	rgb*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hs*Me	rgb*Me	LabCH*Me	25.4
0/648	R00Y_100_100e	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0
1/666	R25Y_100_100e	1.0	0.25	0.0	1.0	0.166	0.0	0.166	0.0	0.166	0.0	0.166	80.0
2/684	R50Y_100_100e	1.0	0.5	0.0	1.0	0.332	0.0	0.332	0.0	0.332	0.0	0.332	80.0
3/702	R75Y_100_100e	1.0	0.75	0.0	1.0	0.500	0.0	0.500	0.0	0.500	0.0	0.500	80.0
4/720	Y00C_100_100e	1.0	1.0	0.0	1.0	0.878	0.0	0.878	0.0	0.878	0.0	0.878	80.0
5/558	Y25C_100_100e	0.75	1.0	0.0	1.0	0.605	0.0	0.605	0.0	0.605	0.0	0.605	80.0
6/396	Y50C_100_100e	0.5	1.0	0.0	1.0	0.322	0.0	0.322	0.0	0.322	0.0	0.322	80.0
7/234	Y75C_100_100e	0.25	1.0	0.0	1.0	0.108	0.0	0.108	0.0	0.108	0.0	0.108	80.0
8/72	G00B_100_100e	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
9/72	G25B_100_100e	0.0	1.0	0.0	1.0	0.151	0.0	0.151	0.0	0.151	0.0	0.151	80.0
10/76	G50B_100_100e	0.0	1.0	0.0	1.0	0.502	0.0	0.502	0.0	0.502	0.0	0.502	80.0
11/80	G75B_100_100e	0.0	1.0	0.0	1.0	0.846	0.0	0.846	0.0	0.846	0.0	0.846	80.0
12/44	G90B_100_100e	0.0	1.0	0.0	1.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	80.0
13/8	B00M_100_100e	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
14/332	B25R_100_100e	0.5	0.0	1.0	1.0	0.105	1.0	0.105	1.0	0.105	1.0	0.105	80.0
15/656	B50R_100_100e	0.25	0.0	1.0	1.0	0.032	1.0	0.032	1.0	0.032	1.0	0.032	80.0
16/52	B75R_100_100e	0.0	0.0	1.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
17/648	R00Y_100_100e	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0
18/608	R25Y_100_100e	1.0	0.25	0.0	1.0	0.166	0.0	0.166	0.0	0.166	0.0	0.166	80.0
19/706	R50Y_100_100e	1.0	0.5	0.0	1.0	0.332	0.0	0.332	0.0	0.332	0.0	0.332	80.0
20/724	R75Y_100_100e	1.0	0.75	0.0	1.0	0.500	0.0	0.500	0.0	0.500	0.0	0.500	80.0
21/560	Y00C_100_100e	1.0	1.0	0.0	1.0	0.878	0.0	0.878	0.0	0.878	0.0	0.878	80.0
22/400	Y25C_100_100e	0.75	1.0	0.0	1.0	0.605	0.0	0.605	0.0	0.605	0.0	0.605	80.0
23/240	Y50C_100_100e	0.5	1.0	0.0	1.0	0.322	0.0	0.322	0.0	0.322	0.0	0.322	80.0
24/96	Y75C_100_100e	0.25	1.0	0.0	1.0	0.108	0.0	0.108	0.0	0.108	0.0	0.108	80.0
25/692	B00M_100_100e	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
26/688	B25R_100_100e	0.5	0.0	1.0	1.0	0.105	1.0	0.105	1.0	0.105	1.0	0.105	80.0
27/506	B50R_100_100e	0.25	0.0	1.0	1.0	0.032	1.0	0.032	1.0	0.032	1.0	0.032	80.0
28/524	B75R_100_100e	0.0	0.0	1.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
29/542	Y00C_100_100e	1.0	1.0	0.0	1.0	0.878	0.0	0.878	0.0	0.878	0.0	0.878	80.0
30/318	Y25C_100_100e	0.75	1.0	0.0	1.0	0.605	0.0	0.605	0.0	0.605	0.0	0.605	80.0
31/210	Y50C_100_100e	0.5	1.0	0.0	1.0	0.322	0.0	0.322	0.0	0.322	0.0	0.322	80.0
32/222	Y75C_100_100e	0.25	1.0	0.0	1.0	0.108	0.0	0.108	0.0	0.108	0.0	0.108	80.0
33/186	B00M_100_100e	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
34/610	B25R_100_100e	0.5	0.0	1.0	1.0	0.105	1.0	0.105	1.0	0.105	1.0	0.105	80.0
35/506	B50R_100_100e	0.25	0.0	1.0	1.0	0.032	1.0	0.032	1.0	0.032	1.0	0.032	80.0
36/324	R00Y_100_100e	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0
37/342	R25Y_100_100e	1.0	0.25	0.0	1.0	0.166	0.0	0.166	0.0	0.166	0.0	0.166	80.0
38/360	R50Y_100_100e	1.0	0.5	0.0	1.0	0.332	0.0	0.332	0.0	0.332	0.0	0.332	80.0
39/198	Y00C_100_100e	1.0	1.0	0.0	1.0	0.878	0.0	0.878	0.0	0.878	0.0	0.878	80.0
40/36	Y25C_100_100e	0.75	1.0	0.0	1.0	0.605	0.0	0.605	0.0	0.605	0.0	0.605	80.0
41/40	Y50C_100_100e	0.5	1.0	0.0	1.0	0.322	0.0	0.322	0.0	0.322	0.0	0.322	80.0
42/4	B00M_100_100e	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	80.0
43/328	B25R_100_100e	0.5	0.0	1.0	1.0	0.105	1.0	0.105	1.0	0.105	1.0	0.105	80.0
44/324	B50R_100_100e	0.25	0.0	1.0	1.0	0.032	1.0	0.032	1.0	0.032	1.0	0.032	80.0
45/0	NW_000e	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0
46/91	NW_013e	0.125	0.125	0.125	1.0	0.125	0.125	0.125	0.125	0.125	0.125	0.125	80.0
47/182	NW_025e	0.25	0.25	0.25	1.0	0.25	0.25	0.25	0.25	0.25	0.25	0.25	80.0
48/273	NW_038e	0.375	0.375	0.375	1.0	0.375	0.375	0.375	0.375	0.375	0.375	0.375	80.0
49/364	NW_050e	0.5	0.5	0.5	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	80.0
50/455	NW_062e	0.625	0.625	0.625	1.0	0.625	0.625	0.625	0.625	0.625	0.625	0.625	80.0
51/546	NW_075e	0.75	0.75	0.75	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	80.0
52/637	NW_088e	0.875	0.875	0.875	1.0	0.875	0.875	0.875	0.875	0.875	0.875	0.875	80.0
53/728	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	80.0

Mean color difference of this page: $\Delta E^* = 13.3$

input: *rgb/cmyk* - > *rgbe*
output: transfer to *cmy0e*

TUB-test chart QE28; hue code: H*_e=R75Y_e
colors and differences, ΔE^*



<http://130.149.60.45/~farbmatrik/QE28/QE28L0NP.PDF> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

n=j	HIC*Fe	rgb*Fe	LabCh*Fe	hsc*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	hsc*Fe	rgb*Fe	LabCh*Fe
0	NW_000a	0.0	0.0	0.0	0.0	0.0	24.3	0.0	24.3	0.0	0.0	0.0	24.3
1	B00R.012.012a	0.0	0.125	0.125	0.062	270	28.3	0.1	28.3	3.6	24.3	0.0	24.3
2	B00R.025.025a	0.0	0.25	0.25	0.125	270	56.6	0.1	56.6	7.2	48.6	0.0	48.6
3	B00R.037.037a	0.0	0.375	0.375	0.187	270	84.9	0.1	84.9	10.8	72.9	0.0	72.9
4	B00R.050.050a	0.0	0.5	0.5	0.25	270	113.2	0.1	113.2	14.4	97.2	0.0	97.2
5	B00R.062.062a	0.0	0.625	0.625	0.312	270	141.5	0.1	141.5	18.0	115.5	0.0	115.5
6	B00R.075.075a	0.0	0.75	0.75	0.375	270	169.8	0.1	169.8	21.6	139.8	0.0	139.8
7	B00R.087.087a	0.0	0.875	0.875	0.437	270	198.1	0.1	198.1	25.2	164.1	0.0	164.1
8	B00R.100.100a	0.0	1.0	1.0	0.5	270	226.4	0.1	226.4	28.8	188.4	0.0	188.4
9	G00B.012.012a	0.0	0.125	0.125	0.062	150	25.5	0.0	25.5	3.6	24.3	0.0	24.3
10	G00B.025.025a	0.0	0.25	0.25	0.125	150	51.0	0.0	51.0	7.2	48.6	0.0	48.6
11	G00B.037.037a	0.0	0.375	0.375	0.187	150	76.5	0.0	76.5	10.8	72.9	0.0	72.9
12	G00B.050.050a	0.0	0.5	0.5	0.25	150	102.0	0.0	102.0	14.4	97.2	0.0	97.2
13	G00B.062.062a	0.0	0.625	0.625	0.312	150	127.5	0.0	127.5	18.0	115.5	0.0	115.5
14	G00B.075.075a	0.0	0.75	0.75	0.375	150	153.0	0.0	153.0	21.6	139.8	0.0	139.8
15	G00B.087.087a	0.0	0.875	0.875	0.437	150	178.5	0.0	178.5	25.2	164.1	0.0	164.1
16	G00B.100.100a	0.0	1.0	1.0	0.5	150	204.0	0.0	204.0	28.8	188.4	0.0	188.4
17	G00B.012.012a	0.0	0.125	0.125	0.062	150	21.0	0.0	21.0	3.6	24.3	0.0	24.3
18	G00B.025.025a	0.0	0.25	0.25	0.125	150	42.0	0.0	42.0	7.2	48.6	0.0	48.6
19	G00B.037.037a	0.0	0.375	0.375	0.187	150	63.0	0.0	63.0	10.8	72.9	0.0	72.9
20	G00B.050.050a	0.0	0.5	0.5	0.25	150	84.0	0.0	84.0	14.4	97.2	0.0	97.2
21	G00B.062.062a	0.0	0.625	0.625	0.312	150	105.0	0.0	105.0	18.0	115.5	0.0	115.5
22	G00B.075.075a	0.0	0.75	0.75	0.375	150	126.0	0.0	126.0	21.6	139.8	0.0	139.8
23	G00B.087.087a	0.0	0.875	0.875	0.437	150	147.0	0.0	147.0	25.2	164.1	0.0	164.1
24	G00B.100.100a	0.0	1.0	1.0	0.5	150	168.0	0.0	168.0	28.8	188.4	0.0	188.4
25	G00B.012.012a	0.0	0.125	0.125	0.062	150	17.5	0.0	17.5	3.6	24.3	0.0	24.3
26	G00B.025.025a	0.0	0.25	0.25	0.125	150	35.0	0.0	35.0	7.2	48.6	0.0	48.6
27	G00B.037.037a	0.0	0.375	0.375	0.187	150	52.5	0.0	52.5	10.8	72.9	0.0	72.9
28	G00B.050.050a	0.0	0.5	0.5	0.25	150	70.0	0.0	70.0	14.4	97.2	0.0	97.2
29	G00B.062.062a	0.0	0.625	0.625	0.312	150	87.5	0.0	87.5	18.0	115.5	0.0	115.5
30	G00B.075.075a	0.0	0.75	0.75	0.375	150	105.0	0.0	105.0	21.6	139.8	0.0	139.8
31	G00B.087.087a	0.0	0.875	0.875	0.437	150	122.5	0.0	122.5	25.2	164.1	0.0	164.1
32	G00B.100.100a	0.0	1.0	1.0	0.5	150	140.0	0.0	140.0	28.8	188.4	0.0	188.4
33	G00B.012.012a	0.0	0.125	0.125	0.062	150	18.0	0.0	18.0	3.6	24.3	0.0	24.3
34	G00B.025.025a	0.0	0.25	0.25	0.125	150	36.0	0.0	36.0	7.2	48.6	0.0	48.6
35	G00B.037.037a	0.0	0.375	0.375	0.187	150	54.0	0.0	54.0	10.8	72.9	0.0	72.9
36	G00B.050.050a	0.0	0.5	0.5	0.25	150	72.0	0.0	72.0	14.4	97.2	0.0	97.2
37	G00B.062.062a	0.0	0.625	0.625	0.312	150	90.0	0.0	90.0	18.0	115.5	0.0	115.5
38	G00B.075.075a	0.0	0.75	0.75	0.375	150	108.0	0.0	108.0	21.6	139.8	0.0	139.8
39	G00B.087.087a	0.0	0.875	0.875	0.437	150	126.0	0.0	126.0	25.2	164.1	0.0	164.1
40	G00B.100.100a	0.0	1.0	1.0	0.5	150	144.0	0.0	144.0	28.8	188.4	0.0	188.4
41	G00B.012.012a	0.0	0.125	0.125	0.062	150	19.0	0.0	19.0	3.6	24.3	0.0	24.3
42	G00B.025.025a	0.0	0.25	0.25	0.125	150	38.0	0.0	38.0	7.2	48.6	0.0	48.6
43	G00B.037.037a	0.0	0.375	0.375	0.187	150	57.0	0.0	57.0	10.8	72.9	0.0	72.9
44	G00B.050.050a	0.0	0.5	0.5	0.25	150	76.0	0.0	76.0	14.4	97.2	0.0	97.2
45	G00B.062.062a	0.0	0.625	0.625	0.312	150	95.0	0.0	95.0	18.0	115.5	0.0	115.5
46	G00B.075.075a	0.0	0.75	0.75	0.375	150	114.0	0.0	114.0	21.6	139.8	0.0	139.8
47	G00B.087.087a	0.0	0.875	0.875	0.437	150	133.0	0.0	133.0	25.2	164.1	0.0	164.1
48	G00B.100.100a	0.0	1.0	1.0	0.5	150	152.0	0.0	152.0	28.8	188.4	0.0	188.4
49	G00B.012.012a	0.0	0.125	0.125	0.062	150	20.0	0.0	20.0	3.6	24.3	0.0	24.3
50	G00B.025.025a	0.0	0.25	0.25	0.125	150	40.0	0.0	40.0	7.2	48.6	0.0	48.6
51	G00B.037.037a	0.0	0.375	0.375	0.187	150	60.0	0.0	60.0	10.8	72.9	0.0	72.9
52	G00B.050.050a	0.0	0.5	0.5	0.25	150	80.0	0.0	80.0	14.4	97.2	0.0	97.2
53	G00B.062.062a	0.0	0.625	0.625	0.312	150	100.0	0.0	100.0	18.0	115.5	0.0	115.5
54	G00B.075.075a	0.0	0.75	0.75	0.375	150	120.0	0.0	120.0	21.6	139.8	0.0	139.8
55	G00B.087.087a	0.0	0.875	0.875	0.437	150	140.0	0.0	140.0	25.2	164.1	0.0	164.1
56	G00B.100.100a	0.0	1.0	1.0	0.5	150	160.0	0.0	160.0	28.8	188.4	0.0	188.4
57	G00B.012.012a	0.0	0.125	0.125	0.062	150	21.0	0.0	21.0	3.6	24.3	0.0	24.3
58	G00B.025.025a	0.0	0.25	0.25	0.125	150	42.0	0.0	42.0	7.2	48.6	0.0	48.6
59	G00B.037.037a	0.0	0.375	0.375	0.187	150	63.0	0.0	63.0	10.8	72.9	0.0	72.9
60	G00B.050.050a	0.0	0.5	0.5	0.25	150	84.0	0.0	84.0	14.4	97.2	0.0	97.2
61	G00B.062.062a	0.0	0.625	0.625	0.312	150	105.0	0.0	105.0	18.0	115.5	0.0	115.5
62	G00B.075.075a	0.0	0.75	0.75	0.375	150	126.0	0.0	126.0	21.6	139.8	0.0	139.8
63	G00B.087.087a	0.0	0.875	0.875	0.437	150	147.0	0.0	147.0	25.2	164.1	0.0	164.1
64	G00B.100.100a	0.0	1.0	1.0	0.5	150	168.0	0.0	168.0	28.8	188.4	0.0	188.4
65	G00B.012.012a	0.0	0.125	0.125	0.062	150	22.0	0.0	22.0	3.6	24.3	0.0	24.3
66	G00B.025.025a	0.0	0.25	0.25	0.125	150	44.0	0.0	44.0	7.2	48.6	0.0	48.6
67	G00B.037.037a	0.0	0.375	0.375	0.187	150	66.0	0.0	66.0	10.8	72.9	0.0	72.9
68	G00B.050.050a	0.0	0.5	0.5	0.25	150	88.0	0.0	88.0	14.4	97.2	0.0	97.2
69	G00B.062.062a	0.0	0.625	0.625	0.312	150	110.0	0.0	110.0	18.0	115.5	0.0	115.5
70	G00B.075.075a	0.0	0.75	0.75	0.375	150	132.0	0.0	132.0	21.6	139.8	0.0	139.8
71	G00B.087.087a	0.0	0.875	0.875	0.437	150	154.0	0.0	154.0	25.2	164.1	0.0	164.1
72	G00B.100.100a	0.0	1.0	1.0	0.5	150	176.0	0.0	176.0	28.8	188.4	0.0	188.4
73	G00B.012.012a	0.0	0.125	0.125	0.062	150	23.0	0.0	23.0	3.6	24.3	0.0	24.3
74	G00B.025.025a	0.0	0.25	0.25	0.125	150	46.0	0.0	46.0	7.2	48.6	0.0	48.6
75	G00B.037.037a	0.0	0.375	0.375	0.187	150	69.0	0.0	69.0	10.8	72.9	0.0	72.9
76	G00B.050.050a	0.0	0.5	0.5	0.25	150	92.0	0.0	92.0	14.4			

http://130.149.60.45/~farbmatrik/QE28/QE28L0NP.PDF /.PS; transfer output									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33									
n	H*Ch*Fe	rgb-Fe	icL-Fe	hsa-Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	hsmFe
486	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
487	R35Y.075.075*	0.75	0.125	0.0	0.75	0.0	0.0	31.5	375
488	R10Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
489	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
490	R65R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
491	R57R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
492	R30R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
493	R43R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
494	R38R.100.100*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
495	R15Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
496	R30Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
497	R30Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
498	R11Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
499	R69R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
500	B59R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
501	B59R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
502	B42R.087.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
503	B36R.100.087*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
504	R15Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
505	R15Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
506	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
507	R26Y.075.090*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
508	R00Y.075.090*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
509	R01R.075.090*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
510	B30R.075.090*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
511	B30R.075.090*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
512	B34R.100.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
513	B50Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
514	R8Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
515	R23Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
516	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
517	R18Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
518	R65R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
519	B59R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
520	B38R.087.050*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
521	B30R.100.062*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
522	R68Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
523	R61Y.075.062*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
524	R50Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
525	R31Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
526	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
527	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
528	B50R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
529	B34R.087.037*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
530	B23R.100.050*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
531	R85Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
532	R18Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
533	R76Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
534	R68Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
535	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
536	R00Y.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
537	B50R.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
538	B15R.100.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
539	B15R.100.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
540	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
541	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
542	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
543	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
544	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
545	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
546	Y00G.075.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
547	B00R.087.012*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
548	B00R.100.025*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
549	Y13C.087.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
550	Y18C.087.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
551	Y18C.087.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
552	Y23C.087.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
553	Y31G.087.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
554	Y50C.087.025*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
555	G00B.087.012*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
556	G50B.087.012*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
557	G73B.100.025*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
558	Y23C.100.100*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
559	Y26C.100.087*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
560	Y38C.100.075*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
561	Y38C.100.062*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
562	Y68C.100.050*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
563	Y68C.100.037*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
564	G00B.100.025*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
565	G25B.100.025*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375
566	G50B.100.025*	0.75	0.0	0.0	0.75	0.0	0.0	31.5	375

see similar files: <http://130.149.60.45/~farbmetrik/QE28/QE28.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmatrik/QE28/QE28L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

TUB-test chart QE28; hue code: $H_e^* = R75Y_e$
 colors and differences, ΔE^* ,
 input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to $cmyO_e$

n	HIC _{Fe}	rgb _{Fe}	ic _{Fe}	h _α _{Fe}	rgb _{Fe}	LaCh _{Fe}	LaCh _{Fe}	rgb _{Fe}	DE ⁺ _{Fe}	h _α _{Fe}	rgb _{Fe}	LaCh _{Fe}															
567	R00Y_087_087 _{Fe}	0.875	0.0	0.875	0.0222	4.29	63.1	30.1	70.0	25.4	0.875	0.0	43.2	65.4	40.5	76.9	31.8	0.0	0.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4	
568	R36Y_087_087 _{Fe}	0.875	0.0	0.875	0.0424	4.3	64.8	19.2	67.6	16.5	0.875	0.0	43.3	66.0	35.3	74.9	28.1	16.1	360	1.0	0.0	0.485	45.6	74.1	22.0	77.3	16.5
569	R23Y_087_087 _{Fe}	0.875	0.0	0.875	0.0627	4.32	67.2	6.7	67.8	7.6	0.875	0.0	43.6	66.5	29.6	72.8	23.9	20.5	345	1.0	0.0	0.716	45.6	76.8	10.3	76.9	7.6
570	R08Y_087_087 _{Fe}	0.875	0.0	0.875	0.0875	4.37	67.2	-2.7	67.3	357.6	0.875	0.0	43.7	67.7	23.1	71.6	19.0	26.1	326	1.0	0.0	0.925	0.0	1.0	45.0	76.8	30.1
571	B70R_087_087 _{Fe}	0.875	0.0	0.875	0.394	61.8	-68.3	62.4	63.3	352.3	0.875	0.0	43.7	69.3	16.0	71.2	13.0	25.5	315	1.0	0.0	0.742	0.0	1.0	41.6	70.7	-9.5
572	B30R_087_087 _{Fe}	0.875	0.0	0.875	0.351	54.0	-15.7	56.2	34.2	336.1	0.875	0.0	43.8	70.8	9.3	71.4	7.5	31.4	303	1.0	0.0	0.554	0.0	1.0	36.6	61.7	-17.9
573	B56R_087_087 _{Fe}	0.875	0.0	0.875	0.437	346	32.7	47.7	-21.0	52.2	336.1	0.875	0.0	43.8	72.3	-0.8	73.5	359.3	42.4	288	1.0	0.0	0.338	54.5	-29.1	55.9	336.1
574	B50R_087_087 _{Fe}	0.875	0.0	0.875	0.302	41.8	-25.5	48.9	328.6	0.875	0.0	0.875	0.0	44.0	73.5	-0.8	73.5	359.3	42.4	288	1.0	0.0	0.311	47.7	-29.1	55.9	336.1
575	B44R_100_100 _{Fe}	0.875	0.0	0.875	0.418	-32.7	53.1	321.9	0.875	0.0	0.875	0.0	44.2	75.2	-5.0	75.3	356.1	45.9	283	1.0	0.0	0.246	0.0	1.0	28.8	41.8	-32.7
576	R13Y_087_087 _{Fe}	0.875	0.0	0.875	0.038	0.0	43.9	59.5	40.7	72.2	34.3	0.875	0.0	44.3	75.6	44.0	71.5	386.0	5.7	32	1.0	0.044	0.0	0.466	68.0	46.6	82.5
577	R00Y_087_075 _{Fe}	0.875	0.125	0.125	0.316	49.2	54.1	25.8	60.0	25.4	0.875	0.125	0.125	47.6	56.0	38.5	67.9	34.5	12.9	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0
578	R35Y_087_075 _{Fe}	0.875	0.125	0.125	0.509	49.4	55.7	15.4	57.8	15.4	0.875	0.125	0.125	47.9	56.7	32.8	65.4	29.8	17.2	359	1.0	0.0	0.512	45.6	74.3	30.5	77.1
579	R18Y_087_075 _{Fe}	0.875	0.125	0.125	0.745	49.4	58.4	-4.3	58.5	4.3	0.875	0.125	0.125	48.2	57.5	25.3	62.8	23.7	20.9	339	1.0	0.0	0.827	45.6	77.8	5.8	78.1
580	R00Y_087_075 _{Fe}	0.875	0.125	0.125	0.975	49.4	58.4	-7.3	53.3	352.0	0.875	0.125	0.125	48.5	59.1	16.9	61.5	15.9	25.2	315	1.0	0.0	0.736	0.0	1.0	41.4	70.4
581	B65R_087_075 _{Fe}	0.875	0.125	0.125	0.460	52.8	-4.8	-11.4	49.5	346.6	0.875	0.125	0.125	48.8	60.3	9.											

OE280-7N. Page 27/33-F

TUB material: code=rha4ta
ny0 (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE28/QE28.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

V L O Y
http://130.149.60.45/~farbmatrik/QE28/QE28LONP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

TUB-test chart QE28; hue code: $H_e^* = R75Y_e$
 colors and differences, ΔE^*

[illegible]

E280-7N. Page 28/33-F

E280-7N, Page 28/33-F

TUB-test chart QE28; hue code: $H_e^*=R75Y_e$
 colors and differences, ΔE^* ,

http://130.149.60.45/~farbmetrik/QE28/QE28L0NP.PDF /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

TUB registration: 20130201-QE28/QE28L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE28/QE28L0NP.PDF>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



n	HC*Fe	rgb_Fe	ic*_Fe	hs*_Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	haM_e	rgb*Me	LabCh*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.7	69.9
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.5	71.6
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	114.3
1056	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	6.7	308.5	6.7	308.5
1057	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	5.5	6.7	5.5	6.7
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	3.4	9.0	3.4	9.0
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	11.6	30.4	11.6	30.4
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	13.3	40.4	13.3	40.4
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	14.0	44.7	14.0	44.7
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	13.3	48.4	13.3	48.4
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	11.0	56.7	11.0	56.7
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	8.3	57.5	8.3	57.5
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	6.5	62.0	6.5	62.0
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	5.9	69.4	5.9	69.4
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	3.6	71.7	3.6	71.7
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	2.8	299.2	2.8	299.2
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.0	187.7	0.0	187.7
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.0	187.7	0.0	187.7
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.0	187.7	0.0	187.7
1072	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7
1073	ROY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.0	187.7	0.0	187.7
1074	G50B_100_100e	0.0	1.0	1.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7
1075	Y06C_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7
1076	B06C_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7
1077	R06C_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7
1078	B50R_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7
1079	B50R_100_100e	1.0	0.0	1.0	0.0	0.0	0.0	0.0	187.7	0.0	187.7

Mean color difference of this page: $\Delta E^* = 10.3$

TUB-test chart QE28; hue code: H*_e=R75Y_e
colors and differences, ΔE^*
input: rgb/cmyk -> rgb_e
output: transfer to cmy0_e