

$$H^*_e = Y50G_e$$

Data for maximum colour (Ma):

LabCh*_{e, Ma}: 85 -63 82 104 127

HIC*_e M₂: Y50G 100 100_e

*rabic**, *M₂*:

0.52 1.0 0

0.52 1.0 0.0 1.0 1.0

triangle lightness T^*

▲ %

% Gamut

u*_{rel} = 158

%Regularity

$$g^*_{H,rel} = 19$$
$$g^*_{C,rel} = 37$$

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

Age Group	Percentage
18-24	100%
25-34	~85%
35-44	~75%
45-54	~65%
55-64	~55%
65-74	~45%
75-84	~35%
85+	~25%


$$I^* =$$

100

100

 $^*=020$

20 040



TLS00a; adapted (a) CIELAB data					
name	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _e ,Ma	50.9	78.3	37.3	86.7	25
Y _e ,Ma	83.7	-3.4	84.5	84.5	92
G _e ,Ma	85.1	-64.6	20.7	67.9	162
C _e ,Ma	79.0	-34.2	-25.7	42.8	216
B _e ,Ma	59.2	1.7	-56.6	56.6	271
M _e ,Ma	57.1	94.1	-57.4	110.3	328
N _e ,Ma	0.0	0.0	0.0	0.0	0
W _e ,Ma	95.4	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271

7 TLS00a; adapted (a) CIELAB data						
H_e^*	$L^*=L_a^*a^*$	b_a^*	$C_{ab,a}$	$h_{ab,a}^*$		
R00Y_100_100 _e	50.9	78.3	37.3	86.7	25	
R25Y_100_100 _e	51.3	74.4	64.8	98.7	41	
R50Y_100_100 _e	63.1	42.7	70.8	82.7	58	
R75Y_100_100 _e	73.5	18.3	77.7	79.8	76	
Y00G_100_100 _e	83.7	-3.4	84.5	84.5	92	
Y25G_100_100 _e	91.0	-29.9	88.9	93.8	108	
Y50G_100_100 _e	85.9	-63.0	82.8	104.1	127	
Y75G_100_100 _e	84.1	-76.0	51.4	91.8	145	
G00B_100_100 _e	85.1	-64.6	20.7	67.9	162	
G25B_100_100 _e	86.5	-49.9	-8.4	50.6	189	
G50B_100_100 _e	79.0	-34.2	-25.7	42.8	216	
G75B_100_100 _e	70.0	-19.0	-39.6	43.9	244	
B00R_100_100 _e	59.2	1.7	-56.6	56.6	271	
B25R_100_100 _e	38.2	52.7	-90.7	104.9	300	
B50R_100_100 _e	57.1	94.1	-57.4	110.3	328	
B75R_100_100 _e	52.9	83.6	-11.6	84.4	352	

