

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$

$H^*_- = Y50G_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = Y50G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}: 73 \ -31 \ 62 \ 70 \ 116$



$HIC^*_{-,Ma}: Y50G_100_100_-$

$rgbic^*_{-,Ma}: 0.5 \ 1.0 \ 0.0 \ 1.0 \ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE51/QE51L0FA.TXT /PS
 application for measurement of display output


TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 128/360 = 0.35$

$H^*_d = Y50G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y50G_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4	40
Y _{d,Ma}	92.6	-20.7	90.7	93.0	102
G _{d,Ma}	83.6	-82.7	79.8	115.0	136
C _{d,Ma}	86.8	-46.1	-13.5	48.1	196
B _{d,Ma}	30.3	76.0	-103.5	128.5	306
M _{d,Ma}	57.2	94.3	-58.4	110.9	328
N _{d,Ma}	0.0	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 85 -65 82 105 128$

$HIC^*_d, Ma: Y50G_100_100_d$

$rgbic^*_d, Ma:$



0.5 1.0 0.0 1.0 1.0

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$






see similar files: <http://130.149.60.45/~farbmetrik/QE51/QE51.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE51/QE51L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \ cos(30) + g^*_d \ cos(150)] / [r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE51/QE51LE30FA.DAT in file (F), page 4/29

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd64M, LAB^{*}ddx64M (x=LabCh), r_{gb}^{*}ddx361M, LAB^{*}ddx361M (x=LabCh), r_{gb}^{*}dsx361M, LAB^{*}dsx361M (x=LabCh), r_{gb}^{*}dex361M, LAB^{*}dex361M. Rows list 48 color patches with their respective colorimetric values.



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE51/QE51L0FA.TXT /PS
application for measurement of display output, no separation



TUB material: code=rh4ta

1-103330-L0 QE510-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 4/29


TUB-test chart QE51; hue code: H_d=Y50G_d
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}dd
output: 3D-linearization to r_{gb}^{*}dd



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	0.0 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	0.0 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	0.0 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	0.0 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	0.0 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	0.0 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 385




see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE51/QE51L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 18 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}de361Mi, LAB^{*}dex361Mi (x=LabCh), r_{gb}^{*}dd361Mi, r_{gb}^{*}dd361Mi, r_{gb}^{*}ds361Mi, r_{gb}^{*}ds361Mi, r_{gb}^{*}de361Mi, r_{gb}^{*}de361Mi, Y_d, Y_s, Y_e. Rows 82-128.




see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rh4t4



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{dd361Mi}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4t4



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 31 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_ddx361Mi (x=LabCh), C_d, r_{gb}*_ds361Mi, LAB*_sdsx361Mi (x=LabCh), C_s, r_{gb}*_dd361Mi, LAB*_ede361Mi, LAB*_edex361Mi (x=LabCh), C_e, r_{gb}*_dd361Mi, r_{gb}*_dd, r_{gb}*_ds, r_{gb}*_de. Rows 196-301.

1-103930-L0 QE510-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0



Output: sRGB standard device; no separation, D65, page 10/29

TUB-test chart QE51; hue code: H*_d=Y50G_d
48 step hue circles; r_{gb}-LabCh*tables

input: r_{gb}/cmyk -> r_{gb}dd
output: 3D-linearization to r_{gb}*dd

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 33 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_{dd}361M, LAB*_{dd}x361Mi (x=LabCh), r_{gb}*_{ds}361Mi, LAB*_{ds}x361Mi (x=LabCh), r_{gb}*_{dd}361Mi, r_{gb}*_{de}361Mi, LAB*_{de}x361Mi (x=LabCh), r_{gb}*_{dd}361Mi, r_{gb}*_{ds}361Mi, r_{gb}*_{de}361Mi, r_{gb}*_{ds}361Mi, r_{gb}*_{de}361Mi. Rows 301-311.



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /PS application for measurement of display output, no separation

TUB registration: 20130201-QE51/QE51L0FA.TXT /PS application for measurement of display output, no separation TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.666
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.616
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.566
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.516
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.466
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.416
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.366
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.316
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.266
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.216
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.166
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.116
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.066
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.049
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.016
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4t4

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta






Table with 10 columns: r/g/b, i/c/y, h/s, l, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad. Contains numerical data for various color patches.



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51L30FA.DAT in file (F), page 14/29

Table with 10 columns: r/g/b, i/c/y, h/s, l, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad. Contains numerical data for various color patches.



Main data table with 10 columns: r/g/b, i/c/y, h/s, l, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad. Contains numerical data for various color patches.

Table with 10 columns: r/g/b, i/c/y, h/s, l, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad, LabCH*Fad. Contains numerical data for various color patches.



input: rgb/cmyk -> rgbdd output: 3D-linearization to rgb*dd

TUB-test chart QE51; hue code: H*_d=Y50G_d colors and differences, ΔE*_*

Mean color difference of this page: delta E*_* = 0.1

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n/f, H/C/F, r/g/b, i/c/r, h/s, r/g/b, LabCH*, DP*, r/g/b, LabCH*, DP*, r/g/b, LabCH*, DP*, r/g/b. The table contains 45 rows of color calibration data.

input: rgb/cmyk -> rgbdd output: 3D-linearization to r/g/b*dd

Mean color difference of this page: delta E* = 0.8

TUB-test chart QE51; hue code: H*_d=Y50G_d colors and differences, ΔE*_*

TUB registration: 20130201-QE51/QE51L0FA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 80 columns (n#) and 80 rows (m#) containing color calibration data. Columns include: n#, m#, HH*Fad, rpb*Fad, iet*Fad, hsa*Fad, rpb*Fad, LabC*Fad, LabCH*Fad, DP*Fad, hax*Fad, rpb*Fad, LabCH*Fad, LabC*Fad. Each cell contains numerical values for color calibration.

Mean color difference of this page: delta E*ab = 0.5

TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, AE*²

input: rgb/cmyk -> rbgdd output: 3D-linearization to rbg*^{dd}

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE51/QE51LOFA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta







Table with columns: n, HHC*Fid, rpb*Fid, iet*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, DE*Fid, hsa*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid. Rows 81-161.



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, AE*F

L-1031630-F0

QE510-7N; Page 17/29-F

Mean color difference of this page: delta E** = 0.6


http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51L30FA.DAT in file (F), page 18/29

Table with 24 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, DE*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid. Rows 162-242.

delta E*% = 0.6


Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd



TUB registration: 20130201-QE51/QE51LOFA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmtrik/QE51/QE51LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51LE30FA.DAT in file (F), page 20/29




see similar files: http://130.149.60.45/~farbmtrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmtrik

Main data table with columns: n, HVC*F0ad, rpb*F0ad, icr*F0ad, ins*F0ad, rpb*F0ad, LabC*F0ad, LabCH*F0ad, DF*F0ad, rpb*F0ad, rpb*F0ad, LabCH*F0ad, LabCH*F0ad, rpb*F0ad, rpb*F0ad, LabCH*F0ad. Includes footer: Mean color difference of this page: delta E**= 0.5


input: rgb/cmlyk -> rgbd output: 3D-linearization to rgb*dd





TUB registration: 20130201-QE51/QE51LOFA.TXT /.PS application for measurement of display output, no separation



TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE51/QE51LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51LE30FA.DAT in file (F), page 21/29

Table with 4 columns: n, HHC*Fid, rpb*Fid, iet*Fid. Rows include color names like R00Y, R00G, R00B, etc.

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Main data table with 14 columns: rpb*Fid, iet*Fid, HHC*Fid, rpb*Fid, iet*Fid, HHC*Fid, rpb*Fid, iet*Fid, HHC*Fid, rpb*Fid, iet*Fid, HHC*Fid, rpb*Fid, iet*Fid, HHC*Fid.

Mean color difference of this page: delta E** = 0.4

input: rgb/cmkyk -> rgbd output: 3D-linearization to rgb*dd

QE510-7N; Page 21/29-F

TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, AE**

L-1032030-F0

L-1032030-F0

TUB registration: 20130201-QE51/QE51LOFA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, H#C*F0d, rpb*F0d, iet*F0d, H#s*F0d, rpb*F0d, LabCh*F0d, LabCh*F0d, rpb*F0d, DP*F0d, LabCh*F0d, rpb*F0d, LabCh*F0d. Rows include color codes like ROXY, RXY, B6K, etc.

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, AE* *

Mean color difference of this page: delta E** = 0.4

QE510-7N; Page 22/29-F

L-1032130-F0

TUB registration: 20130201-QE51/QE51LOFA.TXT / .PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, H#C*F0d, rgb*F0d, iet*F0d, H#s*F0d, rgb*F0d, LabC*F0d, LabCH*F0d, rgb*F0d, DP*F0d, LabCH*F0d, rgb*F0d, LabCH*F0d. Rows 567-647.

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51LOFA.TXT / .PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, AE*F

QE510-7N; Page:23/29-F



L-1032230-F0

L-1032230-F0

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 728 columns (n) and 200+ rows. Columns include color codes (e.g., R00Y, R00G, B06R), numerical values (e.g., 390, 1.0, 0.0), and a final column for 'delta E** = 2.5'. The table represents color calibration data for a specific display output.



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Input: rgb/cmyk -> rgbd output: 3D-linearization to rgb**dd

Mean color difference of this page: delta E** = 2.5

QE510-7N; Page 24/29-F

TUB registration: 20130201-QE51/QE51LOFA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Main data table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, DP*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, and numerical values for each row.

QE510-TN; Page 26/29-F

TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, ΔE*

input: rgb/cmlyk -> rgbd output: 3D-linearization to rgb*dd

Mean color difference of this page: delta E** = 0.7

application for measurement of display output, no separation

http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51L30FA.DAT in file (F), page 27/29

Table with 10 columns: n, H#C*Fad, rpb*Fad, iet*Fad, hsa*Fad, rpb*Fad, LabC*Fad, rpb*Fad, LabCH*Fad, DP*Fad, rpb*Fad, LabCH*Fad, rpb*Fad. Rows 891-971.

Mean color difference of this page: delta E* = 0.6

TUB-test chart QE51; hue code: H#d=Y50Gd colors and differences, ΔE*

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

QE510-7N; Page 27/29-F

L-1032630-F0

see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 15 columns: n, HC*Fid, rgb*Fid, iet*Fid, ihs*Fid, rgb*Fid, LabCH*Fid, LabCH*Yid, DP*Fid, rga*Fid, rgb*Fid, LabCH*Yid, DP*Fid, rga*Fid, rgb*Fid. Rows include color patches like NW_0000ad, NW_0010ad, NW_0020ad, etc.

Mean color difference of this page: delta E** = 0.3



TUB-test chart QE51; hue code: H*d=Y50Gd colors and differences, AE**

input: rgb/cmyk -> rbgdd output: 3D-linearization to rbg**dd



http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51L30FA.DAT in file (F), page 28/29

TUB registration: 20130201-QE51/QE51L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE51/QE51L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE51/QE51L30FA.DAT in file (F), page 29/29



see similar files: http://130.149.60.45/~farbmetrik/QE51/QE51.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbdd output: 3D-linearization to rgb*dd

n	HC*Fad	rgb*Fad	icT*Fad	hsa*Fad	rgb*Fad	LabCH*Fad	LabCH*Fad	DF*Fad	rgb*Fad	DF*Fad	LabCH*Fad	LabCH*Fad
1053	NW_086ad	0.866	0.866	0.866	0.866	82.6	82.6	0.2	0.1	209.2	0.1	209.2
1054	NW_093ad	0.933	0.933	0.933	0.933	89.0	89.0	0.2	0.2	207.0	0.2	207.0
1055	NW_100ad	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	325.2	0.0	325.2
1056	NW_006ad	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006ad	0.066	0.066	0.066	0.066	6.2	6.2	0.0	0.1	215.3	0.1	215.3
1058	NW_013ad	0.133	0.133	0.133	0.133	12.6	12.6	0.0	0.1	198.8	0.1	198.8
1059	NW_020ad	0.2	0.2	0.2	0.2	19.0	19.0	0.0	0.0	198.2	0.0	198.2
1060	NW_026ad	0.266	0.266	0.266	0.266	25.3	25.3	0.0	0.0	203.1	0.0	203.1
1061	NW_033ad	0.333	0.333	0.333	0.333	31.7	31.7	0.0	0.0	217.7	0.0	217.7
1062	NW_040ad	0.4	0.4	0.4	0.4	38.1	38.1	0.0	0.0	203.8	0.0	203.8
1063	NW_046ad	0.466	0.466	0.466	0.466	44.4	44.4	0.0	0.5	203.8	0.5	203.8
1064	NW_053ad	0.533	0.533	0.533	0.533	50.8	50.8	0.0	0.0	222.6	0.0	222.6
1065	NW_060ad	0.6	0.6	0.6	0.6	57.2	57.2	0.0	0.4	204.7	0.4	204.7
1066	NW_066ad	0.666	0.666	0.666	0.666	63.5	63.5	0.0	0.1	207.4	0.1	207.4
1067	NW_073ad	0.734	0.734	0.734	0.734	70.0	70.0	0.0	0.3	205.7	0.3	205.7
1068	NW_080ad	0.8	0.8	0.8	0.8	76.3	76.3	0.0	0.2	206.4	0.2	206.4
1069	NW_086ad	0.866	0.866	0.866	0.866	82.6	82.6	0.0	0.1	209.2	0.1	209.2
1070	NW_093ad	0.933	0.933	0.933	0.933	89.0	89.0	0.0	0.2	207.0	0.2	207.0
1071	NW_100ad	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	325.2	0.0	325.2
1072	NW_006ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100ad	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	325.2	0.0	325.2
1074	ROY_100_100ad	1.0	1.0	1.0	1.0	50.4	50.4	0.0	0.0	389	0.0	389
1075	GS0B_100_100ad	1.0	1.0	1.0	1.0	86.8	86.8	0.0	100.4	39.9	100.4	39.9
1076	Y06C_100_100ad	1.0	1.0	1.0	1.0	90.7	90.7	0.0	100.4	48.1	100.4	48.1
1077	B08C_100_100ad	1.0	1.0	1.0	1.0	92.6	92.6	0.0	90.7	102.8	90.7	102.8
1078	B08C_100_100ad	1.0	1.0	1.0	1.0	92.6	92.6	0.0	90.7	102.8	90.7	102.8
1079	B50R_100_100ad	1.0	1.0	1.0	1.0	85.6	85.6	0.0	90.7	102.8	90.7	102.8
1079	B50R_100_100ad	1.0	1.0	1.0	1.0	85.6	85.6	0.0	90.7	102.8	90.7	102.8

Mean color difference of this page: delta E* = 0.2

TUB-test chart QE51; hue code: H*_d=Y50G_d colors and differences, ΔE*_*