

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 139/360 = 0.38$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = Y75G_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 62 -49 43 65 139

$HIC^*_{-,Ma}$: Y75G_100_100-

$rgbic^*_{-,Ma}$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100-	48.4	66.1	40.2	77.3	31
R25Y_100_100-	56.8	48.0	50.5	69.6	46
R50Y_100_100-	68.6	25.0	63.9	68.6	68
R75Y_100_100-	80.6	4.8	77.2	77.3	86
Y00G_100_100-	90.2	-9.6	88.2	88.7	96
Y25G_100_100-	83.2	-18.4	79.9	81.9	102
Y50G_100_100-	73.3	-31.7	62.7	70.2	116
Y75G_100_100-	62.0	-49.7	43.2	65.8	139
G00B_100_100-	55.8	-65.2	33.8	73.4	152
G25B_100_100-	59.3	-50.3	-9.0	51.0	190
G50B_100_100-	63.0	-30.5	-42.0	51.9	234
G75B_100_100-	45.7	-5.7	-44.6	44.9	262
B00R_100_100-	27.5	25.9	-47.3	53.9	298
B25R_100_100-	38.3	52.6	-28.5	59.8	331
B50R_100_100-	49.5	73.5	-9.0	74.0	353
B75R_100_100-	48.9	69.3	12.9	70.4	10



TUB-test chart QE67; hue code: $H^*_- = Y75G_-$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 136/360 = 0.37$

$H^*_d = Y75G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y75G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 57 -48 45 66 136

$HIC^*_{d,Ma}$: Y75G_100_100d

$rgbic^*_{d,Ma}$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



TUB-test chart QE67; hue code: $H^*_d=Y75G_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 136/360 = 0.37$

$H^*_d = Y75G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y75G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 57 -48 45 66 136

$HIC^*_{d,Ma}$: Y75G_100_100d

$rgbic^*_{d,Ma}$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



TUB-test chart QE67; hue code: $H^*_d=Y75G_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 136/360 = 0.37$

$H^*_d = Y75G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y75G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 57 -48 45 66 136

$HIC^*_{d,Ma}$: Y75G_100_100d

$rgbic^*_{d,Ma}$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



1-003331-L0 QE670-70

TUB-test chart QE67; hue code: $H^*_d=Y75G_d$

Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$

output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 136/360 = 0.37$

$H^*_d = Y75G_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = Y75G_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	45.4	70.9	44.8	83.9	32
Y _d ,Ma	87.8	-10.2	95.4	96.0	96
G _d ,Ma	50.0	-65.0	29.6	71.4	155
C _d ,Ma	56.8	-25.5	-41.5	48.7	238
B _d ,Ma	25.0	29.5	-40.4	50.0	306
M _d ,Ma	46.1	79.3	-0.2	79.3	359
N _d ,Ma	24.3	0.0	0.0	0.0	0
W _d ,Ma	95.6	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 57 -48 45 66 136

HIC^*_d, Ma : Y75G_100_100d

$rgbic^*_d, Ma$:

0.23 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$



$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



TUB-test chart QE67; hue code: $H^*_d = Y75G_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$




see similar files: <http://130.149.60.45/~farbmetrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




1-003531-L0 QE670-70

TUB-test chart QE67; hue code: $H^*_d=Y75G_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$




Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
2. For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{1 / r^*_d \sin(30) + g^*_d \sin(150)} + b^*_d \sin(270) \right] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours e : $h_{ab,e} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,si,j} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
6. The values rgb^*_e produce the output of the device-independent elementary hues




TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$			Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$		
$h_{ab,d}$	$h_{ab,e}$	h_{ab}	$h_{ab,d}$	$h_{ab,e}$	h_{ab}
32.3	30.0	25.4	1.0	0.0	0.0
38.1	37.5	33.8	1.0	0.021	0.0
46.8	45.0	42.1	1.0	0.183	0.0
56.9	52.5	50.5	1.0	0.288	0.0
67.1	60.0	58.8	1.0	0.398	0.0
78.6	67.5	67.2	1.0	0.494	0.0
86.2	75.0	75.6	1.0	0.592	0.0
92.1	82.5	83.9	1.0	0.703	0.0
96.1	90.0	92.3	1.0	0.879	0.0
98.8	97.5	101.0	1.0	0.807	1.0
101.8	105.0	109.7	1.0	0.583	1.0
107.6	112.5	118.5	1.0	0.434	1.0
114.0	120.0	127.2	1.0	0.322	1.0
121.4	127.5	136.0	1.0	0.249	1.0
135.3	135.0	144.7	1.0	0.125	1.0
144.4	142.5	153.4	1.0	0.050	1.0
155.5	150.0	162.2	1.0	0.025	1.0
167.7	165.0	175.9	1.0	0.0	1.0
176.7	172.5	182.7	1.0	0.037	52.0
189.3	180.0	189.6	1.0	0.05	52.9
203.2	187.5	196.4	1.0	0.062	54.0
217.2	195.0	203.2	1.0	0.075	55.0
228.3	202.5	210.1	1.0	0.087	55.8
238.4	210.0	216.9	1.0	0.1	56.8
242.9	215.0	223.8	1.0	0.087	51.0
249.3	220.0	230.6	1.0	0.075	50.4
256.9	232.5	237.5	1.0	0.062	51.0
268.2	240.0	244.3	1.0	0.05	51.0
278.6	247.5	251.2	1.0	0.037	51.0
289.6	255.0	258.0	1.0	0.025	51.0
299.0	262.5	264.8	1.0	0.012	51.0
306.2	270.0	271.7	1.0	0.0	51.0
314.7	277.5	278.8	1.0	0.012	51.0
322.1	285.0	285.9	1.0	0.025	51.0
333.3	292.5	293.0	1.0	0.037	51.0
340.5	300.0	300.1	1.0	0.05	51.0
347.9	307.5	307.2	1.0	0.062	51.0
352.5	315.0	314.3	1.0	0.075	51.0
356.1	322.5	321.4	1.0	0.087	51.0
359.8	330.0	328.6	1.0	0.1	51.0
363.0	337.5	335.7	1.0	0.087	45.9
366.4	345.0	342.8	1.0	0.075	45.9
371.1	352.5	349.9	1.0	0.062	45.9
381.2	367.5	364.1	1.0	0.05	45.9
385.6	375.0	371.2	1.0	0.025	45.9
389.3	382.5	378.3	1.0	0.012	45.9
392.3	390.0	385.4	1.0	0.0	45.9

see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



Output: Offset standard print; separation cmy0*, D65, page 9/33

input: $rgb/cmyk \rightarrow rgb$
output: transfer to $cmy0_d$




Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																										
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	R_d	rgb^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	$LAB^*_{ds}</$

1-003931-10 QE6700L LAB*a0, YN=0%, XY Zmw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.0, 0.0, 95.6, 0.0, 0.0

input: $rgb/cmyk \rightarrow rgb$
output: transfer to $cmy0_d$

Output: Offset standard print; separation cmy0*, D65, page 10/33



see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																			
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 86.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}
86	75	75	1.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.766	0.0	70.5	18.8	75.4	77.7	76	1.0
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.783	0.0	71.1	17.6	76.1	78.1	77	1.0
88	78	78	1.0	0.80	0.0	80.1	2.0	86.5	86.5	88	1.0	0.80	0.0	71.7	16.3	76.7	78.5	78	1.0
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.816	0.0	72.4	15.1	77.4	78.9	79	1.0
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833	0.0	73.2	13.8	78.4	79.6	80	1.0
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85	0.0	73.9	12.6	79.4	80.4	81	1.0
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.866	0.0	74.7	11.3	80.3	81.1	82	1.0
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883	0.0	75.5	10.0	81.2	81.8	83	1.0
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9	0.0	76.2	8.6	82.0	82.5	84	1.0
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.916	0.0	77.0	7.2	82.9	83.2	85	1.0
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933	0.0	77.7	5.9	83.7	83.9	86	1.0
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95	0.0	78.6	4.4	84.7	84.8	87	1.0
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.966	0.0	79.6	3.0	85.8	85.9	88	1.0
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983	0.0	80.4	1.5	86.9	86.9	89	1.0
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	1.0	1.0	0.0	81.5	0.0	88.1	88.1	90	1.0
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983	1.0	82.6	-1.8	89.2	89.3	91	1.0
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.966	1.0	83.6	-3.6	90.4	90.5	92	1.0
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95	1.0	84.9	-5.5	92.0	92.2	93	1.0
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	1.0	86.2	-7.5	93.6	93.9	94	1.0
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.916	1.0	87.5	-9.6	95.1	95.6	95	1.0
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9	1.0	88.7	-11.3	93.6	94.3	96	1.0
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883	1.0	89.9	-12.9	90.9	91.8	98	1.0
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	1.0	0.866	1.0	90.7	-14.4	88.4	89.6	99	1.0
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85	1.0	92.4	-15.8	86.2	87.7	100	1.0
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833	1.0	93.9	-17.2	84.0	85.7	101	1.0
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	1.0	0.816	1.0	95.1	-18.6	82.3	84.4	102	1.0
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8	1.0	97.9	-20.0	80.8	83.2	103	1.0
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783	1.0	99.1	-21.3	79.2	82.0	105	1.0
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	1.0	0.766	1.0	100.7	-22.6	77.6	80.8	106	1.0
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75	1.0	102.4	-23.8	76.0	79.6	107	1.0
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733	1.0	104.1	-25.0	74.3	78.4	108	1.0
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	1.0	0.716	1.0	105.8	-26.1	72.7	77.3	109	1.0
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7	1.0	107.5	-27.1	71.0	76.1	110	1.0
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683	1.0	109.2	-28.1	69.3	74.9	112	1.0
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	1.0	0.666	1.0	110.9	-29.0	67.7	73.7	113	1.0
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65	1.0	112.6	-30.0	66.1	72.6	114	1.0
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633	1.0	114.3	-31.0	64.8	71.9	115	1.0
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	1.0	0.616	1.0	116.0	-32.0	63.5	71.2	116	1.0
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6	1.0	117.7	-32.9	62.2	70.5	117	1.0
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583	1.0	119.4	-33.8	60.9	69.7	119	1.0
110	116	122	0.566	1.0	0.0	73.1	-26.9	71.4	76.3	110	1.0	0.566	1.0	121.1	-34.7	59.6	69.0	120	1.0
111	117	123	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55	1.0	122.8	-35.5	58.3	68.3	121	1.0
112	118	124	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533	1.0	124.5	-36.6	57.4	68.2	122	1.0
113	119	126	0.516	1.0	0.0	71.2	-29.0	67.7	73.7	113	1.0	0.516	1.0	126.2	-37.7	56.6	68.0	123	1.0
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5	1.0	127.9	-38.8	55.7	67.9	124	1.0

1-0031031-L0 QE670-70 LAB* a^*_0 , b^*_0 , Y^*_0 = 0%, XY Z $_{mn}$ = 3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* m^*_{w} = 24.0, 0.0, 95.6, 0.0, 0.0

LAB* a^*_0 , b^*_0 , Y^*_0 = 0%, XY Z $_{mn}$ = 3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* m^*_{w} = 24.0, 0.0, 95.6, 0.0, 0.0

LAB* a^*_0 , b^*_0 , Y^*_0 = 0%, XY Z $_{mn}$ = 3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* m^*_{w} = 24.0, 0.0, 95.6, 0.0, 0.0

input: $rgb/cmyk$ -> $rgbd$
output: transfer to $cmy0d$

TUB-test chart QE67; hue code: H*_d=Y75Gd
48 step hue circles; $rgb-LabCh$ *tables

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM; $h_{ab,ds} = 30.0; 90.0; 150.0; 210.0; 270.0; 330.0;$

-see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

[illegible] $Z_{nw}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB^*_{nw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0$

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0*

Output: Offset standard print; separation cmv0*, D65, page 12/33

http://130.149.60.45/~farbmatrik/QE67/QE67LONP.PDF /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

QE670-70	LAB* _a 0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* _{nw} =24.4, 0.0, 0.0, 95.6, 0.0, 0.0	input: <i>rgb/cmyk</i> -> <i>rgb</i> output: transfer to <i>cmy0a</i>
----------	---	--

5.6, 0.0, 0.0

=24.4, 0.0, 0.0, 0.0, 5

04.8, LAB*_{nw}

6.1, 85.4, 89.1, 1

 $Y_{ZnW}=3.6, 4.2,$ $\alpha_0, YN=0\%, XY$

-70 LAB*1

31-L0 OE670-

1-00313

L

[illegible]



Six hue angles of the device colours RYGBCM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6									
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{361MI}	Lab* _{361MI} (x=LabCh)	rgb* _{361MI}	Lab* _{361MI} (x=LabCh)	rgb* _{361MI}	Lab* _{361MI} (x=LabCh)	rgb* _{361MI}
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0
344	304	304	0.566	0.0	1.0	36.9	62.3	-17.3	64.7
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2
349	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6
352	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2
364	340	338	1.0	0.0	0.833	45.9	77.9	5.6	78.1
364	341	339	1.0	0.0	0.816	45.9	77.7	6.2	78.0
365	342	339	1.0	0.0	0.8	45.9	77.6	6.8	77.9
365	343	340	1.0	0.0	0.783	45.9	77.4	7.4	77.8
365	344	341	1.0	0.0	0.766	45.9	77.3	8.0	77.7
366	345	342	1.0	0.0	0.75	45.9	77.1	8.6	77.6

<http://130.149.60.45/~farbmatrik/QE67/QE67LONP.PDF> /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

-see similar files: <http://130.149.60.45/~farbmetrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart QE67; hue code: H_d=Y75Gd
48 step hue circles; *rgb-LabCh**tables
input: *rgb/cmyk* - > *rgb*
output: transfer to *cmy0d*

0.8, LAB*_{nw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0


05.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 17/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$.


Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$														
rgb^* , $h_{ab,e}$	rgb^* , $d361MI$	LAB^* , $d361MI$	LAB^* , $dsx361MI$ (x=LabCh)	rgb^* , $d361MI$	LAB^* , $dsx361MI$ (x=LabCh)	rgb^* , $d361MI$	LAB^* , $dsx361MI$ (x=LabCh)	rgb^* , $de361MI$	LAB^* , $de361MI$ (x=LabCh)	rgb^* , $dd361MI$	LAB^* , $dd361MI$ (x=LabCh)	rgb^* , rgb^*_s	rgb^* , rgb^*_s	rgb^* , rgb^*_s
1.0 0.0 0.75	0.576 0.0 1.0	37.1 62.9 -16.7 65.1	345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7 63.7	342	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7 63.7	342	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7 63.7
1.0 0.0 0.733	0.593 0.0 1.0	37.5 63.8 -15.8 65.7	346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7 -17.9 64.3	343	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7 -17.9 64.3	343	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7 -17.9 64.3
1.0 0.0 0.717	0.61 0.0 1.0	37.8 64.7 -14.8 66.4	347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6 -17.0 64.9	344	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6 -17.0 64.9	344	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6 -17.0 64.9
1.0 0.0 0.7	0.627 0.0 1.0	38.2 65.6 -13.8 67.1	348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5 -16.1 65.5	345	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5 -16.1 65.5	345	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5 -16.1 65.5
1.0 0.0 0.683	0.654 0.0 1.0	39.0 66.8 -12.9 68.1	349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3 -15.2 66.1	346	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3 -15.2 66.1	346	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3 -15.2 66.1
1.0 0.0 0.667	0.681 0.0 1.0	39.8 68.0 -11.9 69.1	350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2 -14.3 66.7	347	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2 -14.3 66.7	347	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2 -14.3 66.7
1.0 0.0 0.65	0.708 0.0 1.0	40.6 69.2 -10.9 70.1	351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2 -13.4 67.6	348	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2 -13.4 67.6	348	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2 -13.4 67.6
1.0 0.0 0.633	0.735 0.0 1.0	41.4 70.4 -9.8 71.1	352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4 -12.4 68.5	349	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4 -12.4 68.5	349	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4 -12.4 68.5
1.0 0.0 0.617	0.765 0.0 1.0	42.1 71.6 -8.7 72.1	353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5 -11.5 69.5	350	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5 -11.5 69.5	350	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5 -11.5 69.5
1.0 0.0 0.6	0.8 0.0 1.0	42.8 72.7 -7.5 73.1	354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6 -10.5 70.4	351	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6 -10.5 70.4	351	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6 -10.5 70.4
1.0 0.0 0.583	0.835 0.0 1.0	43.5 73.9 -6.4 74.2	355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7 -9.5 71.4	352	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7 -9.5 71.4	352	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7 -9.5 71.4
1.0 0.0 0.567	0.87 0.0 1.0	44.2 75.0 -5.1 75.2	356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9 -8.4 72.4	353	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9 -8.4 72.4	353	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9 -8.4 72.4
1.0 0.0 0.55	0.904 0.0 1.0	44.7 76.2 -3.9 76.3	357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0 -7.3 73.3	354	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0 -7.3 73.3	354	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0 -7.3 73.3
1.0 0.0 0.533	0.938 0.0 1.0	45.2 77.3 -2.6 77.3	358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1 -6.2 74.3	355	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1 -6.2 74.3	355	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1 -6.2 74.3
1.0 0.0 0.517	0.971 0.0 1.0	45.7 78.4 -1.3 78.4	359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1 -5.0 75.3	356	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1 -5.0 75.3	356	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1 -5.0 75.3
1.0 0.0 0.5	1.0 0.0 0.994 46.1	79.3 0.0 79.3	360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5 -9.7 71.1	352	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5 -9.7 71.1	352	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5 -9.7 71.1
1.0 0.0 0.483	1.0 0.0 0.955 46.1	79.0 1.4 79.0	361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8 -8.5 72.3	353	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8 -8.5 72.3	353	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8 -8.5 72.3
1.0 0.0 0.466	1.0 0.0 0.916 46.0	78.6 2.7 78.7	362	1.0 0.0 0.466	0.81 0.0 1.0	43.0 73.1 -7.2 73.4	354	1.0 0.0 0.466	0.81 0.0 1.0	43.0 73.1 -7.2 73.4	354	1.0 0.0 0.466	0.81 0.0 1.0	43.0 73.1 -7.2 73.4
1.0 0.0 0.45	1.0 0.0 0.876 46.0	78.3 4.1 78.4	363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4 -5.9 74.6	355	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4 -5.9 74.6	355	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4 -5.9 74.6
1.0 0.0 0.433	1.0 0.0 0.839 46.0	78.0 5.5 78.2	364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6 -4.5 75.8	356	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6 -4.5 75.8	356	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6 -4.5 75.8
1.0 0.0 0.416	1.0 0.0 0.802 46.0	77.7 6.8 78.0	365	1.0 0.0 0.416	0.925 0.0 1.0	45.0 76.9 -3.1 77.0	357	1.0 0.0 0.416	0.925 0.0 1.0	45.0 76.9 -3.1 77.0	357	1.0 0.0 0.416	0.925 0.0 1.0	45.0 76.9 -3.1 77.0
1.0 0.0 0.4	1.0 0.0 0.765 46.0	77.3 8.1 77.8	366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1 -1.6 78.1	358	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1 -1.6 78.1	358	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1 -1.6 78.1
1.0 0.0 0.383	1.0 0.0 0.734 46.0	77.0 9.5 77.6	367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3 -0.1 79.3	359	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3 -0.1 79.3	359	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3 -0.1 79.3
1.0 0.0 0.366	1.0 0.0 0.708 46.0	76.7 10.8 77.5	368	1.0 0.0 0.366	1.0 0.0 0.956 46.1	79.0 1.3 79.0	360	1.0 0.0 0.366	1.0 0.0 0.956 46.1	79.0 1.3 79.0	360	1.0 0.0 0.366	1.0 0.0 0.956 46.1	79.0 1.3 79.0
1.0 0.0 0.35	1.0 0.0 0.681 46.0	76.4 12.1 77.2	369	1.0 0.0 0.35	1.0 0.0 0.912 46.0	78.6 2.9 78.7	362	1.0 0.0 0.35	1.0 0.0 0.912 46.0	78.6 2.9 78.7	362	1.0 0.0 0.35	1.0 0.0 0.912 46.0	78.6 2.9 78.7
1.0 0.0 0.333	1.0 0.0 0.655 46.0	76.1 13.4 77.2	370	1.0 0.0 0.333	1.0 0.0 0.869 46.0	78.2 4.4 78.3	363	1.0 0.0 0.333	1.0 0.0 0.869 46.0	78.2 4.4 78.3	363	1.0 0.0 0.333	1.0 0.0 0.869 46.0	78.2 4.4 78.3
1.0 0.0 0.316	1.0 0.0 0.628 46.0	75.7 14.7 77.1	371	1.0 0.0 0.316	1.0 0.0 0.828 46.0	77.9 5.9 78.1	364	1.0 0.0 0.316	1.0 0.0 0.828 46.0	77.9 5.9 78.1	364	1.0 0.0 0.316	1.0 0.0 0.828 46.0	77.9 5.9 78.1
1.0 0.0 0.3	1.0 0.0 0.602 46.0	75.4 16.0 77.1	372	1.0 0.0 0.3	1.0 0.0 0.786 46.0	77.5 7.4 77.9	365	1.0 0.0 0.3	1.0 0.0 0.786 46.0	77.5 7.4 77.9	365	1.0 0.0 0.3	1.0 0.0 0.786 46.0	77.5 7.4 77.9
1.0 0.0 0.283	1.0 0.0 0.576 46.0	75.2 17.4 77.1	373	1.0 0.0 0.283	1.0 0.0 0.746 46.0	77.1 8.8 77.7	366	1.0 0.0 0.283	1.0 0.0 0.746 46.0	77.1 8.8 77.7	366	1.0 0.0 0.283	1.0 0.0 0.746 46.0	77.1 8.8 77.7
1.0 0.0 0.266	1.0 0.0 0.55 45.9	74.9 18.7 77.2	374	1.0 0.0 0.266	1.0 0.0 0.717 46.0	76.8 10.3 77.5	367	1.0 0.0 0.266	1.0 0.0 0.717 46.0	76.8 10.3 77.5	367	1.0 0.0 0.266	1.0 0.0 0.717 46.0	76.8 10.3 77.5
1.0 0.0 0.25	1.0 0.0 0.524 45.9	74.5 20.0 77.2	375	1.0 0.0 0.25	1.0 0.0 0.687 46.0	76.5 11.8 77.4	368	1.0 0.0 0.25	1.0 0.0 0.687 46.0	76.5 11.8 77.4	368	1.0 0.0 0.25	1.0 0.0 0.687 46.0	76.5 11.8 77.4
1.0 0.0 0.233	1.0 0.0 0.498 45.9	74.2 21.3 77.2	376	1.0 0.0 0.233	1.0 0.0 0.658 46.0	76.1 13.3 77.2	369	1.0 0.0 0.233	1.0 0.0 0.658 46.0	76.1 13.3 77.2	369	1.0 0.0 0.233	1.0 0.0 0.658 46.0	76.1 13.3 77.2
1.0 0.0 0.216	1.0 0.0 0.475 45.9	74.0 22.6 77.4	377	1.0 0.0 0.216	1.0 0.0 0.628 46.0	75.7 14.7 77.1	370	1.0 0.0 0.216	1.0 0.0 0.628 46.0	75.7 14.7 77.1	370	1.0 0.0 0.216	1.0 0.0 0.628 46.0	75.7 14.7 77.1
1.0 0.0 0.2	1.0 0.0 0.451 45.9	73.8 24.0 77.6	378	1.0 0.0 0.2	1.0 0.0 0.599 46.0	75.4 16.2 77.1	372	1.0 0.0 0.2	1.0 0.0 0.599 46.0	75.4 16.2 77.1	372	1.0 0.0 0.2	1.0 0.0 0.599 46.0	75.4 16.2 77.1
1.0 0.0 0.183	1.0 0.0 0.428 45.9	73.6 25.3 77.8	379	1.0 0.0 0.183	1.0 0.0 0.571 46.0	75.1 17.6 77.1	373	1.0 0.0 0.183	1.0 0.0 0.571 46.0	75.1 17.6 77.1	373	1.0 0.0 0.183	1.0 0.0 0.571 46.0	75.1 17.6 77.1
1.0 0.0 0.166	1.0 0.0 0.404 45.9	73.3 26.7 78.0	380	1.0 0.0 0.166	1.0 0.0 0.541 45.9	74.8 19.1 77.2	374	1.0 0.0 0.166	1.0 0.0 0.541 45.9	74.8 19.1 77.2	374	1.0 0.0 0.166	1.0 0.0 0.541 45.9	74.8 19.1 77.2
1.0 0.0 0.15	1.0 0.0 0.38 45.8	73.1 28.0 78.3	381	1.0 0.0 0.15	1.0 0.0 0.512 45.9	74.4 20.6 77.2	375	1.0 0.0 0.15	1.0 0.0 0.512 45.9	74.4 20.6 77.2	375	1.0 0.0 0.15	1.0 0.0 0.512 45.9	74.4 20.6 77.2
1.0 0.0 0.133	1.0 0.0 0.353 45.8	72.9 29.4 78.6	382	1.0 0.0 0.133	1.0 0.0 0.485 45.9	74.1 22.0 77.3	376	1.0 0.0 0.133	1.0 0.0 0.485 45.9	74.1 22.0 77.3	376	1.0 0.0 0.133	1.0 0.0 0.485 45.9	74.1 22.0 77.3
1.0 0.0 0.116	1.0 0.0 0.325 45.8	72.7 30.9 79.0	383	1.0 0.0 0.116	1.0 0.0 0.459 45.9	73.9 23.6 77.6	377	1.0 0.0 0.116	1.0 0.0 0.459 45.9	73.9 23.6 77.6	377	1.0 0.0 0.116	1.0 0.0 0.459 45.9	73.9 23.6 77.6
1.0 0.0 0.1	1.0 0.0 0.297 45.7	72.5 32.3 79.4	384	1.0 0.0 0.1	1.0 0.0 0.433 45.9	73.6 25.1 77.8	378	1.0 0.0 0.1	1.0 0.0 0.433 45.9	73.6 25.1 77.8	378	1.0 0.0 0.1	1.0 0.0 0.433 45.9	73.6 25.1 77.8
1.0 0.0 0.083	1.0 0.0 0.268 45.7	72.3 33.7 79.8	385	1.0 0.0 0.083	1.0 0.0 0.406 45.9	73.4 26.6 78.0	379	1.0 0.0 0.083	1.0 0.0 0.406 45.9	73.4 26.6 78.0	379	1.0 0.0 0.083	1.0 0.0 0.406 45.9	73.4 26.6 78.0
1.0 0.0 0.066	1.0 0.0 0.238 45.6	72.1 35.2 80.3	386	1.0 0.0 0.066	1.0 0.0 0.38 45.8	73.1 28.1 78.3	381	1.0 0.0 0.066	1.0 0.0 0.38 45.8	73.1 28.1 78.3	381	1.0 0.0 0.066	1.0 0.0 0.38 45.8	73.1 28.1 78.3
1.0 0.0 0.049	1.0 0.0 0.204 45.6	72.0 36.7 80.8	387	1.0 0.0 0.049	1.0 0.0 0.349 45.8	72.9 29.6 78.7	382	1.0 0.0 0.049	1.0 0.0 0.349 45.8	72.9 29.6 78.7	382	1.0 0.0 0.049	1.0 0.0 0.349 45.8	72.9 29.6 78.7
1.0 0.0 0.033	1.0 0.0 0.17 45.6	71.8 38.2 81.3	388	1.0 0.0 0.033	1.0 0.0 0.318 45.8	72.7 31.2 79.1	383	1.0 0.0 0.033	1.0 0.0 0.318 45.8	72.7 31.2 79.1	383	1.0 0.0 0.033	1.0 0.0 0.318 45.8	72.7 31.2 79.1
1.0 0.0 0.016	1.0 0.0 0.135 45.6	71.6 39.7 81.8	389	1.0 0.0 0.016	1.0 0.0 0.286 45.7	72.5 32.8 79.6	384	1.0 0.0 0.016	1.0 0.0 0.286 45.7	72.5 32.8 79.6	384	1.0 0.0 0.016	1.0 0.0 0.286 45.7	72.5 32.8 7

Output: Offset standard print; separation cmy0*, D65, page 17/33



TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS
- application for measurement of offset print output, separate

TUB material: code=rha4ta
ny0 (CMY0)



http://130.149.60.45/~farbmeterik/QE67/QE67LONP.PDF /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

[illegible]

Mean color difference of this page:

input: *rgb/cmyk* -> *rgb*
output: transfer to *cmy* θ_d



see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy* θ_d

TUB-test chart QE67; hue code: $H^*_d=Y75G_d$
colors and differences, ΔE^* ,

QE670-7N, Page 22/33-F


-0032131-F0

n	HIC* τ_d	rgb_{τ_d}	icr_{τ_d}	h_{α,τ_d}	$rgb^*_{\tau_d}$	$LabCh^*_{\tau_d}$	$LabCh^*_{\tau_d}$	$h_{\alpha,n\Delta}$	$DE^*_{\tau_d}$	$rgb^*_{\tau_d}$	$LabCh^*_{\tau_d}$	$rgb^*_{\tau_d}$	$LabCh^*_{\tau_d}$																				
162	R00Y_025_025 Δ	0.25	0.0	0.125	0.25	0.0	29.6	17.7	11.2	20.9	32.3	0.25	0.0	0.0	28.1	25.5	4.4	25.9	18.0	7.3	389	1.0	0.0	45.4	70.9	44.8	83.9	32.3					
163	R00Y_025_025 Δ	0.25	0.0	0.125	0.25	0.0	0.125	29.7	17.5	19.2	15.9	0.25	0.0	0.0	0.125	28.1	25.5	4.4	25.9	18.0	7.3	389	1.0	0.0	45.4	70.9	44.8	83.9	32.3				
164	R00Y_025_025 Δ	0.25	0.0	0.125	0.25	0.0	0.125	29.7	17.5	19.2	15.9	0.25	0.0	0.0	0.125	28.1	25.5	4.4	25.9	18.0	7.3	389	1.0	0.0	45.4	70.9	44.8	83.9	32.3				
165	B34R_037_037 Δ	0.25	0.0	0.375	0.375	0.187	31.1	25.5	-4.4	25.9	359.8	0.25	0.0	0.375	28.5	28.3	27.3	-0.1	27.3	359.7	7.6	330	1.0	0.0	46.1	79.3	-0.2	79.3	359.8				
166	B25R_050_050 Δ	0.25	0.0	0.5	0.5	0.25	29.9	29.3	-10.3	34.0	340.5	0.25	0.0	0.5	28.5	30.6	-1.0	34.0	341.1	1.9	300	0.5	0.0	35.6	58.6	-1.1	58.6	340.5					
167	B19R_062_062 Δ	0.25	0.0	0.625	0.625	0.312	29.3	32.7	-16.0	36.4	333.8	0.25	0.0	0.625	28.5	32.6	-17.0	36.8	332.3	1.5	292	0.383	0.0	32.9	52.3	-2.7	52.3	333.8					
168	B13R_075_075 Δ	0.25	0.0	0.75	0.75	0.375	28.9	35.5	-22.9	41.8	328.1	0.25	0.0	0.75	28.7	36.0	-23.1	42.8	327.3	1.3	288	0.316	0.0	30.9	47.3	-3.4	47.3	328.1					
169	B13R_087_087 Δ	0.25	0.0	0.875	0.875	0.437	28.6	37.9	-27.8	47.0	323.6	0.25	0.0	0.875	28.6	39.2	-28.1	48.2	324.3	1.3	284	0.266	0.0	29.4	43.3	-31.8	43.3	323.6					
170	B11R_100_100 Δ	0.25	0.0	1.0	1.0	0.5	28.4	41.2	-33.1	52.9	321.1	0.25	0.0	1.0	28.8	41.0	-32.5	53.1	322.1	0.9	282	0.233	0.0	28.7	41.2	-33.1	41.2	321.1					
171	R50Y_025_025 Δ	0.25	0.0	0.25	0.25	0.125	60	34.5	7.2	17.1	18.6	67.1	0.25	0.0	0.1	16.0	11.8	19.9	36.4	10.8	59	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1				
172	R00Y_025_012 Δ	0.25	0.125	0.25	0.125	0.187	390	0.25	0.124	0.124	35.9	8.8	5.6	10.4	32.3	0.25	0.125	0.25	0.125	31.5	18.6	3.2	18.9	9.7	10.3	330	0.0	0.0	45.4	70.9	44.8	83.9	32.3
173	B50R_025_012 Δ	0.25	0.125	0.25	0.125	0.187	330	0.25	0.124	0.187	35.9	8.8	5.6	10.4	32.3	0.25	0.125	0.25	0.125	31.5	18.6	3.2	18.9	9.7	10.3	330	0.0	0.0	45.4	70.9	44.8	83.9	32.3
174	B25R_037_037 Δ	0.25	0.125	0.375	0.375	0.25	300	0.25	0.124	0.375	36.0	14.6	-5.1	15.5	359.8	0.25	0.125	0.375	0.375	31.7	20.5	-2.2	20.6	353.7	7.9	300	0.5	0.0	35.6	58.6	-20.7	62.1	340.5
175	B15R_050_037 Δ	0.25	0.125	0.5	0.5	0.375	0.312	28.9	-16.5	26.4	321.1	0.25	0.125	0.5	31.9	22.3	-9.9	24.4	335.9	6.0	288	0.316	0.0	30.9	47.3	-3.4	47.3	328.1					
176	B19R_062_050 Δ	0.25	0.125	0.625	0.625	0.375	28.4	35.7	-17.7	41.1	320.9	0.25	0.125	0.625	32.1	24.7	-16.1	29.5	326.9	5.3	282	0.233	0.0	28.7	41.2	-33.1	41.2	321.1					
177	B09R_075_062 Δ	0.25	0.125	0.75	0.75	0.625	0.437	28.1	20.2	32.5	318.2	0.25	0.125	0.75	32.4	28.2	-22.2	35.9	321.8	5.1	279	0.183	0.0	28.3	38.8	-34.7	32.1	318.2					
178	B09R_087_050 Δ	0.25	0.125	0.875	0.875	0.75	27.9	36.9	-27.9	46.8	316.2	0.25	0.125	0.875	32.8	30.9	-27.8	41.6	318.0	4.5	278	0.15	0.0	28.1	37.2	-35.7	31.6	316.2					
179	B06R_100_087 Δ	0.25	0.125	1.0	1.0	0.875	0.562	27.8	31.9	-31.6	44.9	315.2	0.25	0.125	1.0	33.1	33.9	-32.5	47.0	316.2	3.9	277	0.133	0.0	27.9	36.4	-36.2	31.3	315.2				
180	Y00G_025_012 Δ	0.25	0.25	0.25	0.125	0.187	90	40.2	-2.5	21.8	24.0	96.1	0.25	0.25	0.0	35.1	5.0	17.5	18.2	74.0	11.1	89	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1			
181	Y00G_025_012 Δ	0.25	0.25	0.25	0.125	0.187	90	40.2	-2.5	21.8	24.0	96.1	0.25	0.25	0.0	35.1	5.0	17.5	18.2	74.0	11.1	89	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1			
182	NW_025 Δ	0.25	0.25	0.25	0.0	0.25	360	0.25	0.25	0.25	42.1	0.0	0.0	0.0	0.25	0.25	0.25	35.7	7.5	7.1	10.4	43.4	12.2	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
183	B00R_037_012 Δ	0.25	0.25	0.375	0.375	0.125	0.312	27.0	0.249	0.249	0.375	45.2	3.6	-5.0	4.0	30.2	0.25	0.375	36.3	9.3	7.7	9.4	4.5	10.0	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
184	B00R_062_037 Δ	0.25	0.25	0.5	0.5	0.375	0.437	27.0	0.249	0.249	0.5	42.3	7.3	-1.1	12.5	306.2	0.25	0.5	36.4	12.3	-6.8	14.1	330.9	8.3	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
185	B00R_075_050 Δ	0.25	0.25	0.625	0.625	0.375	0.437	27.0	0.249	0.249	0.625	42.3	7.3	-1.1	12.5	306.2	0.25	0.625	36.4	12.3	-6.8	14.1	330.9	8.3	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
186	B00R_075_050 Δ	0.25	0.25	0.625	0.625	0.375	0.437	27.0	0.249	0.249	0.625	42.3	7.3	-1.1	12.5	306.2	0.25	0.625	36.4	12.3	-6.8	14.1	330.9	8.3	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
187	B00R_100_075 Δ	0.25	0.25	0.875	0.875	0.75	27.0	36.9	-27.9	46.8	316.2	0.25	0.25	0.875	32.8	30.9	-27.8	41.6	318.0	4.5	278	0.15	0.0	28.1	37.2	-35.7	31.6	316.2					
188	B00R_100_075 Δ	0.25	0.25	0.875	0.875	0.75	27.0	36.9	-27.9	46.8	316.2	0.25	0.25	0.875	32.8	30.9	-27.8	41.6	318.0	4.5	278	0.15	0.0	28.1	37.2	-35.7	31.6	316.2					
189	Y31G_037_037 Δ	0.25	0.375	0.375	0.125	0.187	109	44.4	-7.9	29.9	30.8	104.9	0.25	0.375	0.0	39.4	-4.2	23.2	23.6	100.4	9.9	108	0.683	0.0	77.8	-31.1	79.4	82.2	104.9	108			
190	Y00G_037_037 Δ	0.25	0.375	0.375	0.125	0.187	109	44.4	-7.9	29.9	30.8	104.9	0.25	0.375	0.0	39.4	-4.2	23.2	23.6	100.4	9.9	108	0.683	0.0	77.8	-31.1	79.4	82.2	104.9	108			
191	Y00G_037_037 Δ	0.25	0.375	0.375	0.125	0.187	109	44.4	-7.9	29.9	30.8	104.9	0.25	0.375	0.0	39.4	-4.2	23.2	23.6	100.4	9.9	108	0.683	0.0	77.8	-31.1	79.4	82.2	104.9	108			
192	G50B_037_012 Δ	0.25	0.375	0.375	0.125	0.312	210	45.4	-8.1	31.7	8.9	155.5	0.25	0.375	0.0	40.2	-1.6	40.0	11.0	98.5	11.0	149	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
193	G50B_037_012 Δ	0.25	0.375	0.375	0.125	0.312	210	45.4	-8.1	31.7	8.9	155.5	0.25	0.375	0.0	40.2	-1.6	40.0	11.0	98.5	11.0	149	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
194	G84B_062_037 Δ	0.25	0.375	0.625	0.375	0.437	251	46.0	-9.5	30.8	8.8	160.8	0.25	0.375	0.0	42.1	-0.5	42.1	11.0	100.0	11.0	150	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
195	G88B_075_062 Δ	0.25	0.375	0.75	0.75	0.5	256	46.1	-10.1	31.5	290.8	0.25	0.375	0.0	42.1	-0.5	42.1	11.0	100.0	11.0	150	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149				
196	G88B_087_062 Δ	0.25	0.375	0.875	0.875	0.625	0.562	259	46.2	-10.1	31.5	290.8	0.25	0.375	0.0	42.1	-0.5	42.1	11.0	100.0	11.0	150	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
197	G92B_100_075 Δ	0.25	0.375	1.0	1.0	0.75	0.625	261	46.4	-10.1	31.5	290.8	0.25	0.375	0.0	42.1	-0.5	42.1	11.0	100.0	11.0	150	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
198	Y00G_050_050 Δ	0.25	0.5	0.5	0.25	0.375	210	46.4	-10.1	31.5	290.8	0.25	0.5	0.25	0.375	44.9	-8.5	6.8	10.9	140.5	9.3	210	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
199	G60B_050_037 Δ	0.25	0.5	0.375	0.312	0.31	243	0.5	0.124	0.47	127.8	155.5	0.25	0.5	0.25	0.375	44.9	-8.5	6.8	10.9	140.5	9.3	210	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149		
200	G50B_050_025 Δ	0.25	0.5	0.375	0.25	0.375	210	46.4	-10.1	31.5	290.8	0.25	0.5	0.25	0.375	44.9	-8.5	6.8	10.9	140.5	9.3	210	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
201	G50B_050_025 Δ	0.25	0.5	0.375	0.25	0.375	210	46.4	-10.1	31.5	290.8	0.25	0.5	0.25	0.375	44.9	-8.5	6.8	10.9	140.5	9.3	210	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
202	G50B_050_025 Δ	0.25	0.5	0.375	0.25	0.375	210	46.4	-10.1	31.5	290.8	0.25	0.5	0.25	0.375	44.9	-8.5	6.8	10.9	140.5	9.3	210	0.0	1.0	50.0	-65.0	29.6	71.4	155.5	149			
203	G50B_050_025 Δ	0.25	0.5	0.375	0.25	0.375	210	46.4	-10.1	31.5	290.8	0.25	0.5	0.25	0.375	44.9	-8.5	6.8	10.9	140.5	9.3	210	0.0	1.0	50.0	-65.0							

TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

http://130.149.60.45/~farbmatrik/QE67/QE67L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

n	H1C*Fd	rgb*Fd	icL*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Nd	LabCH*Nd
243	R00Y.037.037a	0.375 0.0 0.0	0.375 0.375 0.187	390	31.4	26.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
244	R18Y.037.037a	0.375 0.0 0.125	0.375 0.375 0.187	371	29.6	23.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
245	B65R.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	349	28.6	4.4	32.2	0.0	31.7	36.2	17.7	40.3	26.1
246	B65R.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	349	29.0	8.1	32.2	0.0	31.7	36.2	17.7	40.3	26.1
247	B30R.060.050a	0.375 0.0 0.5	0.375 0.375 0.187	316	32.2	35.8	32.2	0.0	31.7	36.2	17.7	40.3	26.1
248	B30R.060.050a	0.375 0.0 0.625	0.375 0.375 0.187	307	36.0	40.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
249	B25R.087.075a	0.375 0.0 0.75	0.375 0.375 0.187	295	41.6	46.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
250	B25R.087.075a	0.375 0.0 0.75	0.375 0.375 0.187	295	41.6	46.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
251	B18R.100.100a	0.375 0.0 1.0	0.375 0.375 0.187	292	46.6	51.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
252	R31Y.037.037a	0.375 0.125 0.0	0.375 0.375 0.187	49	11.2	22.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
253	R00Y.037.025a	0.375 0.125 0.125	0.375 0.375 0.187	49	11.2	22.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
254	R00Y.037.025a	0.375 0.125 0.125	0.375 0.375 0.187	49	11.2	22.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
255	B30R.060.050a	0.375 0.125 0.25	0.375 0.375 0.187	330	36.0	40.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
256	B30R.060.050a	0.375 0.125 0.25	0.375 0.375 0.187	330	36.0	40.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
257	B18R.100.100a	0.375 0.125 0.5	0.375 0.375 0.187	311	46.6	51.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
258	B18R.100.100a	0.375 0.125 0.5	0.375 0.375 0.187	311	46.6	51.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
259	B25R.087.075a	0.375 0.125 0.625	0.375 0.375 0.187	293	51.2	56.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
260	B25R.087.075a	0.375 0.125 0.625	0.375 0.375 0.187	293	51.2	56.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
261	B18R.100.100a	0.375 0.125 1.0	0.375 0.375 0.187	286	56.2	61.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
262	R31Y.037.037a	0.375 0.25 0.0	0.375 0.375 0.187	71	22.2	37.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
263	R00Y.037.025a	0.375 0.25 0.125	0.375 0.375 0.187	71	22.2	37.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
264	R00Y.037.025a	0.375 0.25 0.125	0.375 0.375 0.187	71	22.2	37.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
265	B30R.060.050a	0.375 0.25 0.25	0.375 0.375 0.187	330	36.0	40.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
266	B30R.060.050a	0.375 0.25 0.25	0.375 0.375 0.187	330	36.0	40.6	32.2	0.0	31.7	36.2	17.7	40.3	26.1
267	B18R.100.100a	0.375 0.25 0.5	0.375 0.375 0.187	311	46.6	51.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
268	B18R.100.100a	0.375 0.25 0.5	0.375 0.375 0.187	311	46.6	51.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
269	B25R.087.075a	0.375 0.25 0.625	0.375 0.375 0.187	293	51.2	56.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
270	B25R.087.075a	0.375 0.25 0.625	0.375 0.375 0.187	293	51.2	56.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
271	B18R.100.100a	0.375 0.25 1.0	0.375 0.375 0.187	286	56.2	61.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
272	R31Y.037.037a	0.375 0.375 0.0	0.375 0.375 0.187	90	32.2	47.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
273	R00Y.037.025a	0.375 0.375 0.125	0.375 0.375 0.187	90	32.2	47.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
274	R00Y.037.025a	0.375 0.375 0.125	0.375 0.375 0.187	90	32.2	47.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
275	B30R.060.050a	0.375 0.375 0.25	0.375 0.375 0.187	360	47.2	52.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
276	B30R.060.050a	0.375 0.375 0.25	0.375 0.375 0.187	360	47.2	52.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
277	B18R.100.100a	0.375 0.375 0.5	0.375 0.375 0.187	340	52.2	57.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
278	B18R.100.100a	0.375 0.375 0.5	0.375 0.375 0.187	340	52.2	57.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
279	B25R.087.075a	0.375 0.375 0.625	0.375 0.375 0.187	310	57.2	62.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
280	B25R.087.075a	0.375 0.375 0.625	0.375 0.375 0.187	310	57.2	62.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
281	B18R.100.100a	0.375 0.375 1.0	0.375 0.375 0.187	300	62.2	67.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
282	B18R.100.100a	0.375 0.375 1.0	0.375 0.375 0.187	300	62.2	67.2	32.2	0.0	31.7	36.2	17.7	40.3	26.1
283	G50B.100.024a	0.375 0.5 0.0	0.375 0.375 0.187	150	15.0	18.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
284	G50B.100.024a	0.375 0.5 0.0	0.375 0.375 0.187	150	15.0	18.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
285	G38B.062.050a	0.375 0.5 0.125	0.375 0.375 0.187	120	12.0	15.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
286	G38B.062.050a	0.375 0.5 0.125	0.375 0.375 0.187	120	12.0	15.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
287	G38B.062.050a	0.375 0.5 0.25	0.375 0.375 0.187	110	11.0	14.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
288	G38B.062.050a	0.375 0.5 0.25	0.375 0.375 0.187	110	11.0	14.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
289	G38B.062.050a	0.375 0.5 0.5	0.375 0.375 0.187	100	10.0	13.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
290	G38B.062.050a	0.375 0.5 0.5	0.375 0.375 0.187	100	10.0	13.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
291	G38B.062.050a	0.375 0.5 0.625	0.375 0.375 0.187	90	9.0	12.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
292	G38B.062.050a	0.375 0.5 0.625	0.375 0.375 0.187	90	9.0	12.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
293	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
294	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
295	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
296	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
297	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
298	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
299	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
300	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
301	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
302	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
303	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
304	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
305	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
306	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
307	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
308	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
309	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
310	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
311	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
312	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
313	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
314	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
315	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
316	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
317	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
318	G38B.062.050a	0.375 0.5 1.0	0.375 0.375 0.187	80	8.0	11.0	32.2	0.0	31.7	36.2	17.7	40.3	26.1
319</													




TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/QE67/QE67L0NP.PDF> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

n	H1C*Fid	rgb*Fid	icL*Fid	hsa*Fid	rgb*Fid	LabCh*Fid	LabCh*Fid	rgb*Fid	LabCh*Fid	DF*Fid	hsa*Fid	rgb*Fid	LabCh*Fid
486	R00Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
487	R35Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
488	R10Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
489	R00Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
490	B65R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
491	B57R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
492	B40R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
493	B40R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
494	B38R, 100, 100a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
495	R15Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
496	R00Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
497	R31Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
498	R11Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
499	B69R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
500	B59R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
501	B50R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
502	B42R, 087, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
503	B36R, 100, 087a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
504	R31Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
505	R00Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
506	R26Y, 075, 090a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
507	R26Y, 075, 090a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
508	R00Y, 075, 090a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
509	B61R, 075, 090a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
510	B30R, 100, 090a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
511	B34R, 100, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
512	B50Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
513	R38Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
514	R23Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
515	R00Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
516	R18Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
517	B65R, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
518	R00Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
519	B38R, 087, 050a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
520	B30R, 100, 062a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
521	R68Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
522	R61Y, 075, 062a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
523	R50Y, 075, 050a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
524	R31Y, 075, 037a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
525	R00Y, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
526	R00Y, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
527	R00Y, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
528	B50R, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
529	B34R, 087, 037a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
530	B23R, 100, 050a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
531	R85Y, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
532	R81Y, 075, 062a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
533	R76Y, 075, 050a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
534	R68Y, 075, 037a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
535	R00Y, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
536	R00Y, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
537	B50R, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
538	B25R, 087, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
539	B15R, 100, 037a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
540	Y00G, 075, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
541	Y00G, 075, 062a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
542	Y00G, 075, 050a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
543	Y00G, 075, 037a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
544	Y00G, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
545	Y00G, 075, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
546	NW, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
547	B00R, 087, 012a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
548	B00R, 100, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
549	Y13G, 087, 087a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
550	Y15G, 087, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
551	Y18G, 087, 062a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
552	Y23G, 087, 050a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
553	Y31G, 087, 037a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
554	Y50G, 087, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
555	G00B, 087, 012a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
556	G00B, 087, 012a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
557	Y23G, 100, 025a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
558	Y26G, 100, 087a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
559	Y31G, 100, 075a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	62.9	32.3	0.0	59.2	36.3
560	Y36G, 100, 062a	0.75	0.0	0.0	0.0	40.2	53.2	33.6	6				



C M Y

0 1 2 3 4 5 6 7 8 9

100 90 80 70 60 50 40 30 20 10

0.04 0.09 0.15 0.22 0.36 0.51 0.75 0.98 1.24 1.67

31.41 32.99 34.41 35.69 36.88 37.99 39.01 40.04 41.01 42.02

43.06 44.01 44.97 45.94 46.92 47.91 48.91 49.92 50.93 51.95

52.97 54.00 55.04 56.09 57.15 58.22 59.30 60.39 61.48 62.58

63.69 64.80 65.92 67.05 68.18 69.32 70.47 71.62 72.78 73.94

75.09 76.25 77.42 78.59 79.76 80.93 82.11 83.28 84.46 85.64

86.81 87.98 89.16 90.34 91.52 92.70 93.88 95.06 96.24 97.42

98.60 99.78 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00



100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta



C M Y

0 1 2 3 4 5 6 7 8 9

100 90 80 70 60 50 40 30 20 10

0.04 0.09 0.15 0.22 0.36 0.51 0.75 0.98 1.24 1.67

31.41 32.99 34.41 35.69 36.88 37.99 39.01 40.04 41.01 42.02

43.06 44.01 44.97 45.94 46.92 47.91 48.91 49.92 50.93 51.95

52.97 54.00 55.04 56.09 57.15 58.22 59.30 60.39 61.48 62.58

63.69 64.80 65.92 67.05 68.18 69.32 70.47 71.62 72.78 73.94

75.09 76.25 77.42 78.59 79.76 80.93 82.11 83.28 84.46 85.64

86.81 87.98 89.16 90.34 91.52 92.70 93.88 95.06 96.24 97.42

98.60 99.78 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00 100.00

see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB-test chart QE67; hue code: H*d=Y75Gd
colors and differences, ΔE*

input: rgb/cmyk -> rgba
output: transfer to cmy0d

Mean color difference of this page: ΔE* = 7.8

TUB registration: 20130201-QE67/QE67L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

n	HVC*Fd	rgb*Fd	icL*Fd	hsL*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsL*Fd	rgb*Nd	LabCH*Nd	0.0
891	NW_100d	1.0	1.0	1.0	95.6	1.0	95.6	0.0	1.0	1.0	95.6	0.0
892	B50R_100.012d	1.0	0.125	0.937	360	1.0	0.875	1.0	0.875	1.0	0.875	0.0
893	B50R_100.025d	1.0	0.25	0.812	330	1.0	0.75	1.0	0.75	1.0	0.75	0.0
894	B50R_100.037d	1.0	0.375	0.687	300	1.0	0.625	1.0	0.625	1.0	0.625	0.0
895	B50R_100.050d	1.0	0.5	0.562	270	1.0	0.5	1.0	0.5	1.0	0.5	0.0
896	B50R_100.062d	1.0	0.625	0.437	240	1.0	0.375	1.0	0.375	1.0	0.375	0.0
897	B50R_100.075d	1.0	0.75	0.312	210	1.0	0.25	1.0	0.25	1.0	0.25	0.0
898	B50R_100.087d	1.0	0.875	0.187	180	1.0	0.125	1.0	0.125	1.0	0.125	0.0
899	B50R_100.100d	1.0	1.0	0.062	150	1.0	0.0	1.0	0.0	1.0	0.0	0.0
900	COB_100.012d	0.875	1.0	0.125	937	150	0.875	1.0	0.875	1.0	0.875	0.0
901	NW_087d	0.875	0.875	0.875	360	0.875	0.875	0.875	0.875	0.875	0.875	0.0
902	B50R_087.012d	0.875	0.75	0.875	330	0.875	0.75	0.875	0.875	0.875	0.875	0.0
903	B50R_087.025d	0.875	0.625	0.875	300	0.875	0.625	0.875	0.875	0.875	0.875	0.0
904	B50R_087.037d	0.875	0.5	0.875	270	0.875	0.5	0.875	0.875	0.875	0.875	0.0
905	B50R_087.050d	0.875	0.375	0.875	240	0.875	0.375	0.875	0.875	0.875	0.875	0.0
906	B50R_087.062d	0.875	0.25	0.875	210	0.875	0.25	0.875	0.875	0.875	0.875	0.0
907	B50R_087.075d	0.875	0.125	0.875	180	0.875	0.125	0.875	0.875	0.875	0.875	0.0
908	B50R_087.087d	0.875	0.062	0.875	150	0.875	0.062	0.875	0.875	0.875	0.875	0.0
909	COB_100.025d	0.75	1.0	0.25	937	150	0.75	1.0	0.25	0.75	1.0	0.0
910	COB_100.037d	0.75	0.875	0.125	937	150	0.75	0.875	0.125	0.75	0.875	0.0
911	NW_075d	0.75	0.75	0.75	360	0.75	0.75	0.75	0.75	0.75	0.75	0.0
912	B50R_075.012d	0.75	0.625	0.75	330	0.75	0.625	0.75	0.75	0.625	0.75	0.0
913	B50R_075.025d	0.75	0.5	0.75	300	0.75	0.5	0.75	0.75	0.5	0.75	0.0
914	B50R_075.037d	0.75	0.375	0.75	270	0.75	0.375	0.75	0.75	0.375	0.75	0.0
915	B50R_075.050d	0.75	0.25	0.75	240	0.75	0.25	0.75	0.75	0.25	0.75	0.0
916	B50R_075.062d	0.75	0.125	0.75	210	0.75	0.125	0.75	0.75	0.125	0.75	0.0
917	B50R_075.075d	0.75	0.062	0.75	180	0.75	0.062	0.75	0.75	0.062	0.75	0.0
918	COB_100.037d	0.625	1.0	0.375	937	150	0.625	1.0	0.375	0.625	1.0	0.0
919	COB_100.050d	0.625	0.875	0.625	937	150	0.625	0.875	0.625	0.625	0.875	0.0
920	COB_075.012d	0.625	0.75	0.625	360	0.625	0.75	0.625	0.625	0.75	0.625	0.0
921	NW_062d	0.625	0.625	0.625	330	0.625	0.625	0.625	0.625	0.625	0.625	0.0
922	B50R_062.012d	0.625	0.5	0.625	300	0.625	0.5	0.625	0.625	0.5	0.625	0.0
923	B50R_062.025d	0.625	0.375	0.625	270	0.625	0.375	0.625	0.625	0.375	0.625	0.0
924	B50R_062.037d	0.625	0.25	0.625	240	0.625	0.25	0.625	0.625	0.25	0.625	0.0
925	B50R_062.050d	0.625	0.125	0.625	210	0.625	0.125	0.625	0.625	0.125	0.625	0.0
926	B50R_062.062d	0.625	0.062	0.625	180	0.625	0.062	0.625	0.625	0.062	0.625	0.0
927	COB_100.050d	0.5	1.0	0.5	937	150	0.5	1.0	0.5	0.5	1.0	0.0
928	COB_087.037d	0.5	0.875	0.375	937	150	0.5	0.875	0.375	0.5	0.875	0.0
929	COB_087.050d	0.5	0.75	0.25	937	150	0.5	0.75	0.25	0.5	0.75	0.0
930	COB_062.012d	0.5	0.625	0.125	937	150	0.5	0.625	0.125	0.5	0.625	0.0
931	NW_050d	0.5	0.5	0.5	360	0.5	0.5	0.5	0.5	0.5	0.5	0.0
932	B50R_050.012d	0.5	0.437	0.330	330	0.5	0.437	0.330	0.5	0.437	0.330	0.0
933	B50R_050.025d	0.5	0.375	0.270	300	0.5	0.375	0.270	0.5	0.375	0.270	0.0
934	B50R_050.037d	0.5	0.25	0.230	270	0.5	0.25	0.230	0.5	0.25	0.230	0.0
935	B50R_050.050d	0.5	0.125	0.190	240	0.5	0.125	0.190	0.5	0.125	0.190	0.0
936	B50R_050.062d	0.375	1.0	0.625	937	150	0.375	1.0	0.625	0.375	1.0	0.0
937	COB_087.050d	0.375	0.875	0.375	937	150	0.375	0.875	0.375	0.375	0.875	0.0
938	COB_087.062d	0.375	0.75	0.375	937	150	0.375	0.75	0.375	0.375	0.75	0.0
939	COB_062.025d	0.375	0.625	0.375	937	150	0.375	0.625	0.375	0.375	0.625	0.0
940	NW_037d	0.375	0.5	0.375	937	150	0.375	0.5	0.375	0.375	0.5	0.0
941	B50R_037.012d	0.375	0.375	0.375	937	150	0.375	0.375	0.375	0.375	0.375	0.0
942	B50R_037.025d	0.375	0.25	0.375	937	150	0.375	0.25	0.375	0.375	0.25	0.0
943	B50R_037.037d	0.375	0.125	0.375	937	150	0.375	0.125	0.375	0.375	0.125	0.0
944	B50R_037.050d	0.25	1.0	0.25	937	150	0.25	1.0	0.25	0.25	1.0	0.0
945	COB_100.075d	0.25	0.875	0.25	937	150	0.25	0.875	0.25	0.25	0.875	0.0
946	COB_087.062d	0.25	0.75	0.25	937	150	0.25	0.75	0.25	0.25	0.75	0.0
947	COB_062.037d	0.25	0.625	0.25	937	150	0.25	0.625	0.25	0.25	0.625	0.0
948	COB_050.012d	0.25	0.5	0.25	937	150	0.25	0.5	0.25	0.25	0.5	0.0
949	COB_037.012d	0.25	0.375	0.25	937	150	0.25	0.375	0.25	0.25	0.375	0.0
950	NW_025d	0.25	0.25	0.25	937	150	0.25	0.25	0.25	0.25	0.25	0.0
951	B50R_025.012d	0.25	0.25	0.25	937	150	0.25	0.25	0.25	0.25	0.25	0.0
952	B50R_025.025d	0.25	0.125	0.25	937	150	0.25	0.125	0.25	0.25	0.125	0.0
953	B50R_025.037d	0.125	1.0	0.125	937	150	0.125	1.0	0.125	0.125	1.0	0.0
954	COB_087.075d	0.125	0.875	0.125	937	150	0.125	0.875	0.125	0.125	0.875	0.0
955	COB_087.087d	0.125	0.75	0.125	937	150	0.125	0.75	0.125	0.125	0.75	0.0
956	COB_062.050d	0.125	0.625	0.125	937	150	0.125	0.625	0.125	0.125	0.625	0.0
957	COB_050.037d	0.125	0.5	0.125	937	150	0.125	0.5	0.125	0.125	0.5	0.0
958	COB_037.037d	0.125	0.375	0.125	937	150	0.125	0.375	0.125	0.125	0.375	0.0
959	COB_025.012d	0.125	0.25	0.125	937	150	0.125	0.25	0.125	0.125	0.25	0.0
960	NW_012d	0.125	0.125	0.125	937	150	0.125	0.125	0.125	0.125	0.125	0.0
961	B50R_012.012d	0.125	0.125	0.125	937	150	0.125	0.125	0.125	0.125	0.125	0.0
962	COB_100.100d	0.0	1.0	0.0	937	150	0.0	1.0	0.0	0.0	1.0	0.0
963	COB_087.087d	0.0	0.875	0.0	937	150	0.0	0.875	0.0	0.0	0.875	0.0
964	COB_087.075d	0.0	0.75	0.0	937	150	0.0	0.75	0.0	0.0	0.75	0.0
965	COB_075.050d	0.0	0.625	0.0	937	150	0.0	0.625	0.0	0.0	0.625	0.0
966	COB_062.062d	0.0	0.5	0.0	937	150	0.0	0.5	0.0	0.0	0.5	0.0
967	COB_050.050d	0.0	0.375	0.0	937	150	0.0	0.375	0.0	0.0	0.375	0.0
968	COB_037.037d	0.0	0.25	0.0	937	150	0.0	0.25	0.0	0.0	0.25	0.0
969	COB_025.025d	0.0	0.125	0.0	937	150	0.0	0.125	0.0	0.0	0.125	0.0
970	COB_012.012d	0.0	0.062	0.0	937	150	0.0	0.062	0.0	0.0	0.062	0.0
971	NW_000d	0.0	0.0	0.0	937	150	0.0	0.0	0.0	0.0	0.0	0.0

see similar files: <http://130.149.60.45/~farbmatrik/QE67/QE67.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

input: *rgb/cmyk* -> *rgbd*
output: transfer to *cmy0d*

TUB-test chart QE67; hue code: H*d=Y75Gd
colors and differences, ΔE*

