

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_ = G00B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152

$HIC^*_{-,Ma}$: G00B_100_100-

$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100-	48.4	66.1	40.2	77.3	31
R25Y_100_100-	56.8	48.0	50.5	69.6	46
R50Y_100_100-	68.6	25.0	63.9	68.6	68
R75Y_100_100-	80.6	4.8	77.2	77.3	86
Y00G_100_100-	90.2	-9.6	88.2	88.7	96
Y25G_100_100-	83.2	-18.4	79.9	81.9	102
Y50G_100_100-	73.3	-31.7	62.7	70.2	116
Y75G_100_100-	62.0	-49.7	43.2	65.8	139
G00B_100_100-	55.8	-65.2	33.8	73.4	152
G25B_100_100-	59.3	-50.3	-9.0	51.0	190
G50B_100_100-	63.0	-30.5	-42.0	51.9	234
G75B_100_100-	45.7	-5.7	-44.6	44.9	262
B00R_100_100-	27.5	25.9	-47.3	53.9	298
B25R_100_100-	38.3	52.6	-28.5	59.8	331
B50R_100_100-	49.5	73.5	-9.0	74.0	353
B75R_100_100-	48.9	69.3	12.9	70.4	10



TUB-test chart QE77; hue code: $H^*_ = G00B_-$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 50 -65 29 71 155

$HIC^*_{d,Ma}$: G00B_100_100d

$rgbic^*_{d,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



TUB-test chart QE77; hue code: $H^*_d = G00B_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	45.4	70.9	44.8	83.9	32
Y _d ,Ma	87.8	-10.2	95.4	96.0	96
G _d ,Ma	50.0	-65.0	29.6	71.4	155
C _d ,Ma	56.8	-25.5	-41.5	48.7	238
B _d ,Ma	25.0	29.5	-40.4	50.0	306
M _d ,Ma	46.1	79.3	-0.2	79.3	359
N _d ,Ma	24.3	0.0	0.0	0.0	0
W _d ,Ma	95.6	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 50 -65 29 71 155

HIC^*_d, Ma : G00B_100_100d

$rgbic^*_d, Ma$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



1-003231-L0 QE770-70

TUB-test chart QE77; hue code: $H^*_d = G00B_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 50 -65 29 71 155

$HIC^*_{d,Ma}$: G00B_100_100d

$rgbic^*_{d,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100d}$	45.4	70.9	44.8	83.9	32
$R25Y_{100_100d}$	53.0	53.4	54.8	76.5	45
$R50Y_{100_100d}$	64.9	28.9	68.6	74.5	67
$R75Y_{100_100d}$	78.6	4.3	84.7	84.8	87
$Y00G_{100_100d}$	87.8	-10.2	95.4	96.0	96
$Y25G_{100_100d}$	81.2	-17.0	84.3	86.0	101
$Y50G_{100_100d}$	70.6	-29.7	66.5	72.8	114
$Y75G_{100_100d}$	57.9	-48.3	45.8	66.5	136
$G00B_{100_100d}$	50.0	-65.0	29.6	71.4	155
$G25B_{100_100d}$	52.9	-48.6	-8.0	49.3	189
$G50B_{100_100d}$	56.8	-25.5	-41.5	48.7	238
$G75B_{100_100d}$	41.7	-1.2	-40.6	40.6	268
$B00R_{100_100d}$	25.0	29.5	-40.4	50.0	306
$B25R_{100_100d}$	35.6	58.6	-20.7	62.1	340
$B50R_{100_100d}$	46.1	79.3	-0.2	79.3	359
$B75R_{100_100d}$	45.9	74.2	21.1	77.1	15



TUB-test chart QE77; hue code: $H^*_d = G00B_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$

$H^*_d = G00B_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = G00B_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 50 -65 29 71 155

$HIC^*_{d,Ma}$: G00B_100_100_d

$rgbic^*_{d,Ma}$:

0.0 1.0 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



TUB-test chart QE77; hue code: $H^*_d = G00B_d$
Test chart according to DIN 33872, 3D=0, de=0, cmy0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$

TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
application for measurement of offset print output, separation $cmy0$ (CMY0)

TUB material: code=rh4ta

http://130.149.60.45/~farbmetrik/QE77/QE77L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/33


see similar files: <http://130.149.60.45/~farbmetrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-003531-L0 QE770-70

TUB-test chart QE77; hue code: $H^*_d = G00B_d$
Test chart according to DIN 33872, $3D=0$, $de=0$, $cmy0$


input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmy0_d$


1-003531-E0



http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$										Input: Offset standard print; separation cmy0*, D65, page 8/33									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{d64M}	rgb^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}	LAB^*_{d64M}
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	92.1	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.883
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	77.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.5	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7	347	0.0
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.0
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.867	0.0	1.0	44.1	74.9	-5.3	75.1	355	0.0
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	1.0	0.0	1.0	46.1	79.3	-0.1	79.3	359	0.0
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	1.0	0.0	0.883	46.0	78.3	3.9	78.4	362	0.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	1.0	0.0	0.75	46.0	77.2	8.7	77.7	366	0.0
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	1.0	0.0	0.633	46.0	75.8	14.5	77.1	370	0.0
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	1.0	0.0	0.5	45.9	74.2	21.2	77.2	375	0.0
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	1.0	0.0	0.383	45.8	73.1	27.9	78.2	380	0.0
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	1.0	0.0	0.25	45.6	72.2	34.7	80.1	385	0.0
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	1.0	0.0	0.133	45.6	71.5	39.8	81.8	389	0.0
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	392	1.0





TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/33

Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$										Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$											
LAB* $dx64M$ (x=LabCh)										LAB* $dx361M$											
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*	rgb^*		
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25			
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33			
46.8	45.0	42.1	1.0	0.25	0.0	51.9	55.5	55.5	76.0	46.8	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42			
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49			
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58			
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66			
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75			
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83			
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92			
98.8	97.5	101.0	1.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	1.0	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	1.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109		
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	1.0	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117		
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	1.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127		
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	1.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135		
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	1.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144		
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	1.0	0.003	1.0	0.0	51.2	-62.4	32.0	70.2	152		
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	1.0	0.0	0.151	50.7	-62.0	19.9	65.2	162			
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	1.0	0.261	51.3	-58.5	11.8	59.8	168				
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	1.0	0.364	52.0	-55.0	3.9	55.2	175				
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	1.0	0.43	52.5	-52.2	-2.0	52.3	182				
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	1.0	0.502	53.0	-48.5	-8.1	49.3	189				
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	1.0	0.56	53.5	-45.9	-13.1	47.8	195				
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	1.0	0.626	54.1	-42.3	-18.1	46.1	203				
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	1.0	0.682	54.5	-39.6	-22.6	45.7	209				
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	1.0	0.747	55.0	-36.1	-27.2	45.3	216				
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	1.0	0.819	55.5	-33.2	-31.3	45.8	223				
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	1.0	0.904	56.1	-29.6	-36.1	46.8	230				
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	1.0	0.983	56.7	-26.2	-40.5	48.4	237				
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244			
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250			
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	1.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258			
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	1.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264			
306.2	270.0	271.7	0.0	0.0	1.0	25.9	29.5	-40.4	50.0	306.2	1.0	0.458	1.0	40.3	1.2	-40.6	40.7	271			
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	1.0	0.378	1.0	37.5	5.9	-40.2	40.7	278			
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	1.0	0.292	1.0	34.4	11.6	-40.3	42.0	285			
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	1.0	0.211	1.0	31.5	16.8	-40.3	43.8	292			
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	1.0	0.106	1.0	28.1	23.5	-40.3	46.7	300			
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306		
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	1.0	0.0	0.0	1.0	27.8	35.8	-36.5	51.2	314		
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	1.0	0.0	0.0	1.0	28.7	41.1	-33.2	52.9	321		
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	1.0	0.0	0.0	1.0	31.1	47.8	-29.1	56.0	328		
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	1.0	0.0	0.0	1.0	33.5	53.7	-24.7	59.1	335		
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	1.0	0.0	0.0	1.0	36.4	60.8	-18.7	63.7	342		
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	1.0	0.0	0.0	1.0	39.3	67.4	-12.4	68.5	349		
381.2	367.5	364.1	1.0	0.0	0.5	45.9	74.2	21.1	77.1	381.2	1.0	0.0	0.0	1.0	41.4	70.5	-9.7	71.1	352		
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	1.0	0.0	0.0	1.0	46.1	79.3	-0.1	79.3	359		
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	1.0	0.0	0.0	0.687	46.0	76.5	11.8	77.4	368		
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	1.0	0.0	0.0	0.485	45.9	74.1	22.0	77.3	376		
											1.0	0.0	0.255	45.7	72.2	34.4	80.0	385			

see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>




Output: Offset standard print; separation cmy0*, D65, page 9/33

input: $rgb/cmyk \rightarrow rgb$
output: transfer to $cmy0_d$

TUB-test chart QE77; hue code: $H^*_d = G00B_d$
48 step hue circles; $rgb-LabCh$ *tables

1-003831-L0

1-003831-F0




TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																																																																																										
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	R_d	rgb^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	R_d	rgb^*_{ds}	rgb^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	LAB^*_{ds}	$LAB^$

1-003931-10 QE7700L LAB*a0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.0, 0.0, 95.6, 0.0, 0.0

input: $rgb/cmyk \rightarrow rgb$
output: transfer to $cmy0_d$

Output: Offset standard print; separation cmy0*, D65, page 10/33




TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM; h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6										Output: Offset standard print; separation cmy0*, D65, page 11/33									
h _{ab,d} h _{ab,s}		h _{ab,e} h _{ab,s}		h _{ab,d} h _{ab,s}		h _{ab,e} h _{ab,s}		h _{ab,d} h _{ab,s}		h _{ab,e} h _{ab,s}		h _{ab,d} h _{ab,s}		h _{ab,e} h _{ab,s}		h _{ab,d} h _{ab,s}		h _{ab,e} h _{ab,s}	
86 75		75 75		75 75		75 75		75 75		75 75		75 75		75 75		75 75		75 75	
1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	0.0
1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.596	0.0	70.5	18.8	75.4	77.7	76	1.0	0.767	0.0	0.0
1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.607	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	0.0
1.0	0.80	0.0	80.1	2.0	86.5	86.5	88	1.0	0.618	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	0.0
1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.631	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	0.0
1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.647	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	0.0
1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.664	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	0.0
1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	0.0
1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.697	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	0.0
1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.713	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	0.0
1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.729	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	0.0
1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.746	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	0.0
1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.766	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	0.0
1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.787	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0	0.0
1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.808	0.0	80.4	1.5	86.9	86.9	89	1.0	0.983	0.0	0.0
1.0	0.0	0.0	87.8	-10.2	95.4	96.0	96	1.0	0.829	0.0	81.5	0.0	88.0	89.0	90	1.0	0.0	0.0	0.0
0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.85	0.0	82.4	-1.5	89.0	89.0	91	0.983	1.0	0.0	0.0
0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.871	0.0	83.3	-3.0	90.0	90.1	92	0.967	1.0	0.0	0.0
0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.901	0.0	84.4	-4.7	91.4	91.5	93	0.95	1.0	0.0	0.0
0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	0.0	85.5	-6.4	92.7	93.0	94	0.933	1.0	0.0	0.0
0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.965	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	0.0
0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.997	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	0.0
0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	0.0
0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	0.914	1.0	0.0	85.4	-12.7	91.2	92.1	98	0.867	1.0	0.0	0.0
0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	0.869	1.0	0.0	84.2	-14.0	89.0	90.1	99	0.85	1.0	0.0	0.0
0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	0.827	1.0	0.0	83.0	-15.3	87.1	88.5	100	0.833	1.0	0.0	0.0
0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	0.785	1.0	0.0	81.8	-16.5	85.2	86.8	101	0.817	1.0	0.0	0.0
0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	0.747	1.0	0.0	80.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	0.0
0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	0.725	1.0	0.0	79.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	0.0
0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	0.703	1.0	0.0	78.7	-20.0	80.7	83.2	104	0.767	1.0	0.0	0.0
0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	0.0
0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	0.66	1.0	0.0	76.8	-22.3	78.0	81.1	106	0.733	1.0	0.0	0.0
0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	0.638	1.0	0.0	75.9	-23.3	76.6	80.1	107	0.717	1.0	0.0	0.0
0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	0.617	1.0	0.0	75.0	-24.3	75.2	79.1	108	0.7	1.0	0.0	0.0
0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	0.598	1.0	0.0	74.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	0.0
0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	0.579	1.0	0.0	73.6	-26.2	72.4	77.0	110	0.667	1.0	0.0	0.0
0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	0.559	1.0	0.0	72.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	0.0
0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.633	1.0	0.0	0.0
0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	0.521	1.0	0.0	71.4	-28.8	68.1	74.0	113	0.617	1.0	0.0	0.0
0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	0.501	1.0	0.0	70.7	-29.6	66.6	72.9	114	0.6	1.0	0.0	0.0
0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	0.484	1.0	0.0	70.0	-30.4	65.5	72.3	115	0.583	1.0	0.0	0.0
0.566	1.0	0.0	73.1	-26.9	71.4	76.3	110	0.467	1.0	0.0	69.3	-31.3	64.4	71.7	116	0.567	1.0	0.0	0.0
0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	0.45	1.0	0.0	68.7	-32.2	63.3	71.0	117	0.55	1.0	0.0	0.0
0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	0.433	1.0	0.0	68.0	-33.0	62.2	70.4	118	0.533	1.0	0.0	0.0
0.516	1.0	0.0	71.2	-29.0	67.7	73.7	113	0.416	1.0	0.0	67.3	-33.7	61.1	69.8	119	0.517	1.0	0.0	0.0
0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.0

1-0031031-L0 QE770-70 LAB*a0, YN=0%, XY Zmw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.0, 0.0, 95.6, 0.0, 0.0
input: rgb/cmyk -> rgba
output: transfer to cmy0d
TUB-test chart QE77; hue code: H*d=G00Bd
48 step hue circles; rgb-LabCh*tables



TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																							
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																							
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}	LAB^*_{d361M}	LAB^*_{ds361M}			
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0		
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0		
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0		
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0		
118	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	118	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0		
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0		
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0		
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0		
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0		
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0		
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0		
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0		
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0		
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0		
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0		
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0		
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0		
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0		
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0		
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0		
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0		
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0		
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0		
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0		
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0		
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0		
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0		
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0		
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0		
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.0		
156	151	163	0.0	1.0	0.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.0	
156	152	164	0.0	1.0	0.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.0	
157	153	164	0.0	1.0	0.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.0	
158	154	165	0.0	1.0	0.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.0	
159	155	166	0.0	1.0	0.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.0	
159	156	167	0.0	1.0	0.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.0	0.012	50.1	-64.7	28.9	70.1	156	0.0	1.0	0.0
160	157	168	0.0	1.0	0.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.0
161	158	169	0.0	1.0	0.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.0
162	159	170	0.0	1.0	0.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.0
163	160	171	0.0	1.0	0.0	0.166	50.7	-61.6	18.7	64.4	163	0.0	1.0	0.0	0.107	50.5	-63.1	23.0	67.2	160	0.0	1.0	0.0
164	161	172	0.0	1.0	0.0	0.183	50.8	-61.1	17.4	63.6	164	0.0	1.0	0.0	0.129	50.6	-62.6	21.6	66.3	161	0.0	1.0	0.0
164	162	173	0.0	1.0	0.0	0.2	50.9	-60.6	16.2	62.7	164	0.0	1.0	0.0	0.147	50.7	-62.1	20.2	65.4	162	0.0	1.0	0.0
165	163	174	0.0	1.0	0.0	0.216	51.0	-60.1	15.0	61.9	165	0.0	1.0	0.0	0.165	50.8	-61.6	18.9	64.5	163	0.0	1.0	0.0
166	164	175	0.0	1.0	0.0	0.233	51.1	-59.5	13.9	61.1	166	0.0	1.0	0.0	0.183	50.9	-61.1	17.5	63.7	164	0.0	1.0	0.0
167	165	175	0.0	1.0	0.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.0

see similar files: <http://130.149.60.45/~farbmetrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmy0d*

TUB-test chart QE77; hue code: H*_d=G00Bd
48 step hue circles; *rgb-LabCh**tables

Output: Offset standard print; separation cmy0*, D65, page 12/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;


[illegible]

	α	β
1-0031231-I0 OE770-70	LAB* a0. YN=0%. XYZ _{11W} =3.6.4.2.6.1.85.4.89.1.104.8. LAB* _{11W} =24.4.0.0.0.95.6.0.0.0.0	

input: *rgb/cmyk* -> *rgb*

48 step hue circles: *rab-LabCh*tables*

output: transfer to $cmv\theta_d$




http://130.149.60.45/~farbmetrik/QE77/QE77L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{d361M}	rgb^*_{d361M}	rgb^*_{d361M}	rgb^*_{d361M}	rgb^*_{d361M}	rgb^*_{d361M}	rgb^*_{d361M}
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40.8
280	249	252	0.0	0.35	1.0	36.4	7.7	-40.3	41.1
282	250	253	0.0	0.333	1.0	35.8	8.8	-40.4	41.3
283	251	254	0.0	0.316	1.0	35.2	9.9	-40.4	41.6
285	252	255	0.0	0.3	1.0	34.6	11.0	-40.4	41.9
286	253	256	0.0	0.283	1.0	34.0	12.1	-40.3	42.1
288	254	257	0.0	0.266	1.0	33.4	13.2	-40.3	42.4
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7

Input: $rgb/cmyk \rightarrow rgb$
Output: transfer to $cmy0_d$


Output: Offset standard print; separation $cmy0^*$, D65, page 14/33




<http://130.149.60.45/~farbmetrik/QE77/QE77L0NA.TXT /.PS>; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 86.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1

1-0031431-L0 QE770-70 LAB* h_{ab} , YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* nw =24.0, 0.0, 95.6, 0.0, 0.0
TUB-test chart QE77; hue code: H*_d=G00Bd
48 step hue circles; $rgb-LabCh$ *tables
input: $rgb/cmyk -> rgb$
output: transfer to $cmy0_d$
Output: Offset standard print; separation cmy0*, D65, page 15/33



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4
343	303	303	0.550	0.0	1.0	36.6	61.4	-18.2	64.0
344	304	304	0.566	0.0	1.0	36.9	62.3	-17.3	64.7
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2
349	309	308	0.650	0.0	1.0	38.8	66.6	-13.1	67.9
350	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5
351	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1
352	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7
353	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4
354	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0
355	315	314	0.750	0.0	1.0	41.8	71.0	-9.2	71.6
356	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1
357	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6
358	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1
359	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6
360	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1
361	321	320	0.850	0.0	1.0	43.7	74.3	-5.9	74.6
362	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1
363	323	322	0.883	0.0	1.0	44.3	75.4	-4.7	75.6
364	324	323	0.9	0.0	1.0	44.6	76.0	-4.1	76.1
365	325	324	0.916	0.0	1.0	44.8	76.6	-3.5	76.6
366	326	325	0.933	0.0	1.0	45.1	77.1	-2.8	77.2
367	327	326	0.950	0.0	1.0	45.3	77.7	-2.2	77.7
368	328	327	0.966	0.0	1.0	45.6	78.2	-1.5	78.2
369	329	328	0.983	0.0	1.0	45.8	78.7	-0.8	78.7
370	330	329	1.0	0.0	1.0	46.1	79.3	-0.2	79.3
371	331	330	0.983	46.1	79.1	0.3	79.1	360	
372	332	331	0.966	46.0	79.0	0.9	79.0	360	
373	333	332	0.95	46.0	78.9	1.5	78.9	361	
374	334	333	0.933	46.0	78.7	2.1	78.8	361	
375	335	334	0.916	46.0	78.6	2.7	78.6	361	
376	336	335	0.9	46.0	78.4	3.2	78.5	362	
377	337	336	0.883	45.9	78.3	3.8	78.4	362	
378	338	337	0.866	45.9	78.1	4.4	78.3	363	
379	339	338	0.85	45.9	78.0	5.0	78.2	363	
380	340	339	0.833	45.9	77.9	5.6	78.1	364	
381	341	340	0.816	45.9	77.7	6.2	78.0	364	
382	342	341	0.8	45.9	77.6	6.8	77.9	365	
383	343	342	0.783	45.9	77.4	7.4	77.8	365	
384	344	343	0.766	45.9	77.3	8.0	77.7	365	
385	345	344	0.75	45.9	77.1	8.6	77.6	366	
386	346	345	0.733	45.9	76.9	9.2	77.4	366	



input: $rgb/cmyk \rightarrow rgb$
output: transfer to $cmy0_d$

1-0031531-10 QE770-70 LAB* ab_0 , YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* nw =24.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 16/33

TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
- application for measurement of offset print output, separa

TUB material: code=rha4ta
ny0 (CMY0)

Six hue angles of the device colours *RYGCBM*_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours *RYGCBM*_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

	u	v
1-0031631-I-0	LAB*1a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0	


input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0d*

Output: Offset standard print; separation cmv0*, D65, page 17/33



TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
- application for measurement of offset print output, separate


TUB material: code=rha4ta
my0 (CMY0)



QE770-7N, Page 18/33--F

QE770-7N, Page 18/33-F

```
input: rgb/cmyk -> rgbd
output: transfer to cmy0a
```





http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

[illegible]

Mean color difference of this page: $\Delta E^* = 4.0$

see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
n/f	H*Ch*Fd	rgb_Fd	ic_Fd	hs_Fd	rgb_Fd	LabCh*Fd	rgb_Fd	LabCh*Fd	DF*Fd	rgb_Md	LabCh*Md	DF*Md	hs_Md	rgb_Md	LabCh*Md	DF*Md	hs_Md	rgb_Md	LabCh*Md
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/666	R25Y_100_100a	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100a	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00G_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25G_100_100a	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50G_100_100a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75G_100_100a	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	G00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	G25B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G50B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/80	G75B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/44	G90B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00M_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_050a	1.0	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
19/706	R50Y_100_050a	0.75	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
20/724	Y00G_100_050a	0.75	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
21/262	Y50G_100_050a	0.5	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
22/400	G00B_100_050a	0.5	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
23/468	B00R_100_050a	0.5	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
25/692	B50R_100_050a	0.0	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
26/688	R00Y_100_050a	1.0	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
27/506	R00Y_075_050a	0.75	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
28/524	R50Y_075_050a	0.75	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
29/542	Y00G_075_050a	0.75	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
30/380	Y50G_075_050a	0.25	0.75	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
31/218	G00B_075_050a	0.25	0.75	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
32/222	G50B_075_050a	0.25	0.75	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
33/186	B00R_075_050a	0.25	0.75	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
34/510	B50R_075_050a	0.75	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
35/506	R00Y_075_050a	0.75	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
36/324	R00Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/342	R50Y_050_050a	0.5	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
38/360	Y00G_050_050a	0.5	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
39/198	Y50G_050_050a	0.25	0.5	0.5	0.5	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
40/36	G00B_050_050a	0.0	0.5	0.5	0.5	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
42/4	B00R_050_050a	0.0	0.5	0.5	0.5	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
44/324	R00Y_050_050a	0.5	0.0	0.5	0.5	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.0	0.125	0.0	0.125	0.0	0.125	0.0	0.125	0.0	0.125	0.0	0.125	0.0	0.125
47/182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25	0.0	0.25
48/273	NW_038a	0.375	0.375	0.375	0.375	0.0	0.375	0.0	0.375	0.0	0.375	0.0	0.375	0.0	0.375	0.0	0.375	0.0	0.375
49/364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.5
50/455	NW_063a	0.625	0.625	0.625	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625	0.0	0.625
51/66	NW_075a	0.75	0.75	0.75	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75	0.0	0.75
52/166	NW_088a	0.875	0.875	0.875	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.875
53/728	NW_100a	1.0	1.0	1.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0

Mean color difference of this page: delta E* = 5.0



TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
application for measurement of offset print output, separate

TUB material: code=rha4ta
my0 (CMY0)



http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to cmy0d									
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33										input: rgb/cmyk -> rgba output: transfer to c									

-0031931-F0

0F770-7N Page 20/23-F

TUB-test chart QE77; hue code: H_d^{*}=G00B_d

input: *rgb/cmyk* → *rgb*_d
output: transfer to *cmy*_{0d}



see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0 (CMY0)

http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

n	H1C*Fd	rgb*Fd	icL*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Nd	LabCH*Nd
243	ROYC.037.037a	0.375 0.0 0.0	0.375 0.375 0.187	390	32.2 26.6	16.8	31.7	36.2	17.7	40.3	26.1	9.6	389
244	ROYC.037.037a	0.375 0.0 0.125	0.375 0.375 0.187	371	32.3 27.2	11.7	31.7	36.2	17.7	40.3	26.1	9.6	389
245	ROYC.037.037a	0.375 0.0 0.25	0.375 0.375 0.187	349	32.4 28.6	4.4	29.0	37.1	38.5	41.3	10.5	330	348
246	ROYC.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	330	32.5 29.7	0.0	29.7	359.8	3.0	39.9	4.3	10.5	330
247	ROYC.037.037a	0.375 0.0 0.5	0.375 0.375 0.187	316	32.6 30.8	-4.3	36.0	347.4	-3.3	42.9	-3.3	347.4	316
248	ROYC.037.037a	0.375 0.0 0.625	0.375 0.375 0.187	306	32.7 31.9	-9.0	41.6	340.5	-8.0	45.1	-8.0	340.5	306
249	ROYC.037.037a	0.375 0.0 0.75	0.375 0.375 0.187	295	32.8 32.9	-15.5	46.6	340.5	-15.5	48.1	-15.5	340.5	295
250	ROYC.037.037a	0.375 0.0 0.875	0.375 0.375 0.187	285	32.9 33.9	-21.3	51.9	338.5	-21.3	50.8	-21.3	338.5	285
251	ROYC.037.037a	0.375 0.0 1.0	0.375 0.375 0.187	272	33.0 34.9	-26.5	57.2	336.6	-26.5	55.8	-26.5	336.6	272
252	ROYC.037.037a	0.375 0.125 0.0	0.375 0.375 0.187	259	33.1 35.9	-31.7	62.5	334.7	-31.7	60.8	-31.7	334.7	259
253	ROYC.037.037a	0.375 0.125 0.125	0.375 0.375 0.187	246	33.2 36.9	-36.8	67.4	332.8	-36.8	65.9	-36.8	332.8	246
254	ROYC.037.037a	0.375 0.125 0.25	0.375 0.375 0.187	233	33.3 37.9	-41.9	72.3	330.9	-41.9	70.4	-41.9	330.9	233
255	ROYC.037.037a	0.375 0.125 0.375	0.375 0.375 0.187	220	33.4 38.9	-47.0	77.2	329.0	-47.0	75.5	-47.0	329.0	220
256	ROYC.037.037a	0.375 0.125 0.5	0.375 0.375 0.187	207	33.5 39.9	-52.1	82.1	327.1	-52.1	80.4	-52.1	327.1	207
257	ROYC.037.037a	0.375 0.125 0.625	0.375 0.375 0.187	194	33.6 40.9	-57.2	87.0	325.2	-57.2	85.5	-57.2	325.2	194
258	ROYC.037.037a	0.375 0.125 0.75	0.375 0.375 0.187	181	33.7 41.9	-62.3	91.9	323.3	-62.3	89.6	-62.3	323.3	181
259	ROYC.037.037a	0.375 0.125 0.875	0.375 0.375 0.187	168	33.8 42.9	-67.4	96.8	321.4	-67.4	94.7	-67.4	321.4	168
260	ROYC.037.037a	0.375 0.125 1.0	0.375 0.375 0.187	155	33.9 43.9	-72.5	101.7	319.5	-72.5	99.8	-72.5	319.5	155
261	ROYC.037.037a	0.375 0.25 0.0	0.375 0.375 0.187	142	34.0 44.9	-77.6	106.6	317.6	-77.6	103.9	-77.6	317.6	142
262	ROYC.037.037a	0.375 0.25 0.125	0.375 0.375 0.187	129	34.1 45.9	-82.7	111.5	315.7	-82.7	109.0	-82.7	315.7	129
263	ROYC.037.037a	0.375 0.25 0.25	0.375 0.375 0.187	116	34.2 46.9	-87.8	116.4	313.8	-87.8	114.1	-87.8	313.8	116
264	ROYC.037.037a	0.375 0.25 0.375	0.375 0.375 0.187	103	34.3 47.9	-92.9	121.3	311.9	-92.9	119.2	-92.9	311.9	103
265	ROYC.037.037a	0.375 0.25 0.5	0.375 0.375 0.187	90	34.4 48.9	-98.0	126.2	309.9	-98.0	124.3	-98.0	309.9	90
266	ROYC.037.037a	0.375 0.25 0.625	0.375 0.375 0.187	77	34.5 49.9	-103.1	131.1	308.0	-103.1	129.4	-103.1	308.0	77
267	ROYC.037.037a	0.375 0.25 0.75	0.375 0.375 0.187	64	34.6 50.9	-108.2	136.0	306.1	-108.2	134.5	-108.2	306.1	64
268	ROYC.037.037a	0.375 0.25 0.875	0.375 0.375 0.187	51	34.7 51.9	-113.3	140.9	304.2	-113.3	139.6	-113.3	304.2	51
269	ROYC.037.037a	0.375 0.25 1.0	0.375 0.375 0.187	38	34.8 52.9	-118.4	145.8	302.3	-118.4	144.7	-118.4	302.3	38
270	ROYC.037.037a	0.375 0.375 0.0	0.375 0.375 0.187	25	34.9 53.9	-123.5	150.7	300.4	-123.5	149.8	-123.5	300.4	25
271	ROYC.037.037a	0.375 0.375 0.125	0.375 0.375 0.187	12	35.0 54.9	-128.6	155.6	298.5	-128.6	154.9	-128.6	298.5	12
272	ROYC.037.037a	0.375 0.375 0.25	0.375 0.375 0.187	0	35.1 55.9	-133.7	160.5	296.6	-133.7	160.0	-133.7	296.6	0
273	ROYC.037.037a	0.375 0.375 0.375	0.375 0.375 0.187	0	35.2 56.9	-138.8	165.4	294.7	-138.8	165.1	-138.8	294.7	0
274	ROYC.037.037a	0.375 0.375 0.5	0.375 0.375 0.187	0	35.3 57.9	-143.9	170.3	292.8	-143.9	170.2	-143.9	292.8	0
275	ROYC.037.037a	0.375 0.375 0.625	0.375 0.375 0.187	0	35.4 58.9	-149.0	175.2	290.9	-149.0	175.1	-149.0	290.9	0
276	ROYC.037.037a	0.375 0.375 0.75	0.375 0.375 0.187	0	35.5 59.9	-154.1	180.1	289.0	-154.1	180.0	-154.1	289.0	0
277	ROYC.037.037a	0.375 0.375 0.875	0.375 0.375 0.187	0	35.6 60.9	-159.2	185.0	287.1	-159.2	185.0	-159.2	287.1	0
278	ROYC.037.037a	0.375 0.375 1.0	0.375 0.375 0.187	0	35.7 61.9	-164.3	189.9	285.2	-164.3	189.9	-164.3	285.2	0
279	ROYC.037.037a	0.375 0.5 0.0	0.375 0.375 0.187	0	35.8 62.9	-169.4	194.8	283.3	-169.4	194.8	-169.4	283.3	0
280	ROYC.037.037a	0.375 0.5 0.125	0.375 0.375 0.187	0	35.9 63.9	-174.5	199.7	281.4	-174.5	199.7	-174.5	281.4	0
281	ROYC.037.037a	0.375 0.5 0.25	0.375 0.375 0.187	0	36.0 64.9	-179.6	204.6	279.5	-179.6	204.6	-179.6	279.5	0
282	ROYC.037.037a	0.375 0.5 0.375	0.375 0.375 0.187	0	36.1 65.9	-184.7	209.5	277.6	-184.7	209.5	-184.7	277.6	0
283	ROYC.037.037a	0.375 0.5 0.5	0.375 0.375 0.187	0	36.2 66.9	-189.8	214.4	275.7	-189.8	214.4	-189.8	275.7	0
284	ROYC.037.037a	0.375 0.5 0.625	0.375 0.375 0.187	0	36.3 67.9	-194.9	219.3	273.8	-194.9	219.3	-194.9	273.8	0
285	ROYC.037.037a	0.375 0.5 0.75	0.375 0.375 0.187	0	36.4 68.9	-200.0	224.2	271.9	-200.0	224.2	-200.0	271.9	0
286	ROYC.037.037a	0.375 0.5 0.875	0.375 0.375 0.187	0	36.5 69.9	-205.1	229.1	270.0	-205.1	229.1	-205.1	270.0	0
287	ROYC.037.037a	0.375 0.5 1.0	0.375 0.375 0.187	0	36.6 70.9	-210.2	234.0	268.1	-210.2	234.0	-210.2	268.1	0
288	ROYC.037.037a	0.375 0.625 0.0	0.375 0.375 0.187	0	36.7 71.9	-215.3	238.9	266.2	-215.3	238.9	-215.3	266.2	0
289	ROYC.037.037a	0.375 0.625 0.125	0.375 0.375 0.187	0	36.8 72.9	-220.4	243.8	264.3	-220.4	243.8	-220.4	264.3	0
290	ROYC.037.037a	0.375 0.625 0.25	0.375 0.375 0.187	0	36.9 73.9	-225.5	248.7	262.4	-225.5	248.7	-225.5	262.4	0
291	ROYC.037.037a	0.375 0.625 0.375	0.375 0.375 0.187	0	37.0 74.9	-230.6	253.6	260.5	-230.6	253.6	-230.6	260.5	0
292	ROYC.037.037a	0.375 0.625 0.5	0.375 0.375 0.187	0	37.1 75.9	-235.7	258.5	258.6	-235.7	258.5	-235.7	258.6	0
293	ROYC.037.037a	0.375 0.625 0.625	0.375 0.375 0.187	0	37.2 76.9	-240.8	263.4	256.7	-240.8	263.4	-240.8	256.7	0
294	ROYC.037.037a	0.375 0.625 0.75	0.375 0.375 0.187	0	37.3 77.9	-245.9	268.3	254.8	-245.9	268.3	-245.9	254.8	0
295	ROYC.037.037a	0.375 0.625 0.875	0.375 0.375 0.187	0	37.4 78.9	-251.0	273.2	252.9	-251.0	273.2	-251.0	252.9	0
296	ROYC.037.037a	0.375 0.625 1.0	0.375 0.375 0.187	0	37.5 79.9	-256.1	278.1	251.0	-256.1	278.1	-256.1	251.0	0
297	ROYC.037.037a	0.375 0.75 0.0	0.375 0.375 0.187	0	37.6 80.9	-261.2	283.0	249.1	-261.2	283.0	-261.2	249.1	0
298	ROYC.037.037a	0.375 0.75 0.125	0.375 0.375 0.187	0	37.7 81.9	-266.3	287.9	247.2	-266.3	287.9	-266.3	247.2	0
299	ROYC.037.037a	0.375 0.75 0.25	0.375 0.375 0.187	0	37.8 82.9	-271.4	292.8	245.3	-271.4	292.8	-271.4	245.3	0
300	ROYC.037.037a	0.375 0.75 0.375	0.375 0.375 0.187	0	37.9 83.9	-276.5	297.7	243.4	-276.5	297.7	-276.5	243.4	0
301	ROYC.037.037a	0.375 0.75 0.5	0.375 0.375 0.187	0	38.0 84.9	-281.6	302.6	241.5	-281.6	302.6	-281.6	241.5	0
302	ROYC.037.037a	0.375 0.75 0.625	0.375 0.375 0.187	0	38.1 85.9	-286.7	307.5	239.6	-286.7	307.5	-286.7	239.6	0
303	ROYC.037.037a	0.375 0.75 0.75	0.375 0.375 0.187	0	38.2 86.9	-291.8	312.4	237.7	-291.8	312.4	-291.8	237.7	0
304	ROYC.037.037a	0.375 0.75 0.875	0.375 0.375 0.187	0	38.3 87.9	-296.9	317.3	235.8	-296.9	317.3	-296.9	235.8	0
305	ROYC.037.037a	0.375 0.75 1.0	0.375 0.375 0.187	0	38.4 88.9	-302.0	322.2	233.9	-302.0	322.2	-302.0	233.9	0
306	ROYC.037.037a	0.375 0.875 0.0	0.375 0.375 0.187	0	38.5 89.9	-307.1	327.1	232.0	-307.1	327.1	-307.1	232.0	0
307	ROYC.037.037a	0.375 0.875 0.125	0.375 0.375 0.187	0	38.6 90.9	-312.2	332.0	230.1	-312.2	332.0	-312.2	230.1	0
308	ROYC.037.037a	0.375 0.875 0.25	0.375 0.375 0.187	0	38.7 91.9	-317.3	336.9	228.2	-317.3	336.9	-317.3	228.2	0
309	ROYC.037.037a	0.375 0.875 0.375	0.375 0.375 0.187	0	38.8 92.9	-322.4	341.8	226.3	-322.4	341.8	-322.4	226.3	0
310	ROYC.037.037a	0.375 0.875 0.5	0.375 0.375 0.187	0	38.9 93.9	-327.5	346.7	224.4	-327.5	346.7	-327.5	224.4	0
311	ROYC.037.037a	0.375 0.875 0.625	0.375 0.375 0.187	0	39.0 94.9	-332.6	351.6	222.5	-332.6	351.6	-332.6	222.5	0
312	ROYC.037.037a	0.375 0.875 0.75	0.375 0.375 0.187	0	39.1 95.9	-337.7	356.5	220.6	-337.7	356.5	-337.7	220.6	0
313	ROYC.037.037a	0.375 0.875 0.875	0.375 0.375 0.187	0	39.2 96.9	-342.8	361.4	218.7	-342.8	361.4	-342.8	218.7	0
314	ROYC.037.037a	0.375 0.875 1.0	0.375 0.375 0.187	0	39.3 97.9	-347.9	366.3	216.8	-347.9	366.3	-347.9	216.8	0
315	ROYC.037.037a												

TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

n	H1C*	h1a*	h1b*	h1c*	h1d*	LabCh*	rgb*	LabCh*	rgb*	DF*	h1a*	h1b*	h1c*	h1d*	LabCh*	rgb*	LabCh*	rgb*
324	R050.050.050a	0.5	0.5	0.5	0.5	34.9	35.4	0.0	0.0	34.9	35.4	0.0	0.0	34.9	35.4	0.0	0.0	
325	R050.050.050a	0.5	0.5	0.5	0.5	35.0	35.0	0.0	0.0	35.0	35.0	0.0	0.0	35.0	35.0	0.0	0.0	
326	R050.050.050a	0.5	0.5	0.5	0.5	35.1	35.1	0.0	0.0	35.1	35.1	0.0	0.0	35.1	35.1	0.0	0.0	
327	B050.050.050a	0.5	0.5	0.5	0.5	35.2	35.2	0.0	0.0	35.2	35.2	0.0	0.0	35.2	35.2	0.0	0.0	
328	B050.050.050a	0.5	0.5	0.5	0.5	35.3	35.3	0.0	0.0	35.3	35.3	0.0	0.0	35.3	35.3	0.0	0.0	
329	B050.050.050a	0.5	0.5	0.5	0.5	35.4	35.4	0.0	0.0	35.4	35.4	0.0	0.0	35.4	35.4	0.0	0.0	
330	B050.050.050a	0.5	0.5	0.5	0.5	35.5	35.5	0.0	0.0	35.5	35.5	0.0	0.0	35.5	35.5	0.0	0.0	
331	B050.050.050a	0.5	0.5	0.5	0.5	35.6	35.6	0.0	0.0	35.6	35.6	0.0	0.0	35.6	35.6	0.0	0.0	
332	B050.050.050a	0.5	0.5	0.5	0.5	35.7	35.7	0.0	0.0	35.7	35.7	0.0	0.0	35.7	35.7	0.0	0.0	
333	B050.050.050a	0.5	0.5	0.5	0.5	35.8	35.8	0.0	0.0	35.8	35.8	0.0	0.0	35.8	35.8	0.0	0.0	
334	B050.050.050a	0.5	0.5	0.5	0.5	35.9	35.9	0.0	0.0	35.9	35.9	0.0	0.0	35.9	35.9	0.0	0.0	
335	B050.050.050a	0.5	0.5	0.5	0.5	36.0	36.0	0.0	0.0	36.0	36.0	0.0	0.0	36.0	36.0	0.0	0.0	
336	B050.050.050a	0.5	0.5	0.5	0.5	36.1	36.1	0.0	0.0	36.1	36.1	0.0	0.0	36.1	36.1	0.0	0.0	
337	B050.050.050a	0.5	0.5	0.5	0.5	36.2	36.2	0.0	0.0	36.2	36.2	0.0	0.0	36.2	36.2	0.0	0.0	
338	B050.050.050a	0.5	0.5	0.5	0.5	36.3	36.3	0.0	0.0	36.3	36.3	0.0	0.0	36.3	36.3	0.0	0.0	
339	B050.050.050a	0.5	0.5	0.5	0.5	36.4	36.4	0.0	0.0	36.4	36.4	0.0	0.0	36.4	36.4	0.0	0.0	
340	B050.050.050a	0.5	0.5	0.5	0.5	36.5	36.5	0.0	0.0	36.5	36.5	0.0	0.0	36.5	36.5	0.0	0.0	
341	B050.050.050a	0.5	0.5	0.5	0.5	36.6	36.6	0.0	0.0	36.6	36.6	0.0	0.0	36.6	36.6	0.0	0.0	
342	B050.050.050a	0.5	0.5	0.5	0.5	36.7	36.7	0.0	0.0	36.7	36.7	0.0	0.0	36.7	36.7	0.0	0.0	
343	B050.050.050a	0.5	0.5	0.5	0.5	36.8	36.8	0.0	0.0	36.8	36.8	0.0	0.0	36.8	36.8	0.0	0.0	
344	B050.050.050a	0.5	0.5	0.5	0.5	36.9	36.9	0.0	0.0	36.9	36.9	0.0	0.0	36.9	36.9	0.0	0.0	
345	B050.050.050a	0.5	0.5	0.5	0.5	37.0	37.0	0.0	0.0	37.0	37.0	0.0	0.0	37.0	37.0	0.0	0.0	
346	B050.050.050a	0.5	0.5	0.5	0.5	37.1	37.1	0.0	0.0	37.1	37.1	0.0	0.0	37.1	37.1	0.0	0.0	
347	B050.050.050a	0.5	0.5	0.5	0.5	37.2	37.2	0.0	0.0	37.2	37.2	0.0	0.0	37.2	37.2	0.0	0.0	
348	B050.050.050a	0.5	0.5	0.5	0.5	37.3	37.3	0.0	0.0	37.3	37.3	0.0	0.0	37.3	37.3	0.0	0.0	
349	B050.050.050a	0.5	0.5	0.5	0.5	37.4	37.4	0.0	0.0	37.4	37.4	0.0	0.0	37.4	37.4	0.0	0.0	
350	B050.050.050a	0.5	0.5	0.5	0.5	37.5	37.5	0.0	0.0	37.5	37.5	0.0	0.0	37.5	37.5	0.0	0.0	
351	B050.050.050a	0.5	0.5	0.5	0.5	37.6	37.6	0.0	0.0	37.6	37.6	0.0	0.0	37.6	37.6	0.0	0.0	
352	B050.050.050a	0.5	0.5	0.5	0.5	37.7	37.7	0.0	0.0	37.7	37.7	0.0	0.0	37.7	37.7	0.0	0.0	
353	B050.050.050a	0.5	0.5	0.5	0.5	37.8	37.8	0.0	0.0	37.8	37.8	0.0	0.0	37.8	37.8	0.0	0.0	
354	B050.050.050a	0.5	0.5	0.5	0.5	37.9	37.9	0.0	0.0	37.9	37.9	0.0	0.0	37.9	37.9	0.0	0.0	
355	B050.050.050a	0.5	0.5	0.5	0.5	38.0	38.0	0.0	0.0	38.0	38.0	0.0	0.0	38.0	38.0	0.0	0.0	
356	B050.050.050a	0.5	0.5	0.5	0.5	38.1	38.1	0.0	0.0	38.1	38.1	0.0	0.0	38.1	38.1	0.0	0.0	
357	B050.050.050a	0.5	0.5	0.5	0.5	38.2	38.2	0.0	0.0	38.2	38.2	0.0	0.0	38.2	38.2	0.0	0.0	
358	B050.050.050a	0.5	0.5	0.5	0.5	38.3	38.3	0.0	0.0	38.3	38.3	0.0	0.0	38.3	38.3	0.0	0.0	
359	B050.050.050a	0.5	0.5	0.5	0.5	38.4	38.4	0.0	0.0	38.4	38.4	0.0	0.0	38.4	38.4	0.0	0.0	
360	B050.050.050a	0.5	0.5	0.5	0.5	38.5	38.5	0.0	0.0	38.5	38.5	0.0	0.0	38.5	38.5	0.0	0.0	
361	B050.050.050a	0.5	0.5	0.5	0.5	38.6	38.6	0.0	0.0	38.6	38.6	0.0	0.0	38.6	38.6	0.0	0.0	
362	B050.050.050a	0.5	0.5	0.5	0.5	38.7	38.7	0.0	0.0	38.7	38.7	0.0	0.0	38.7	38.7	0.0	0.0	
363	B050.050.050a	0.5	0.5	0.5	0.5	38.8	38.8	0.0	0.0	38.8	38.8	0.0	0.0	38.8	38.8	0.0	0.0	
364	B050.050.050a	0.5	0.5	0.5	0.5	38.9	38.9	0.0	0.0	38.9	38.9	0.0	0.0	38.9	38.9	0.0	0.0	
365	B050.050.050a	0.5	0.5	0.5	0.5	39.0	39.0	0.0	0.0	39.0	39.0	0.0	0.0	39.0	39.0	0.0	0.0	
366	B050.050.050a	0.5	0.5	0.5	0.5	39.1	39.1	0.0	0.0	39.1	39.1	0.0	0.0	39.1	39.1	0.0	0.0	
367	B050.050.050a	0.5	0.5	0.5	0.5	39.2	39.2	0.0	0.0	39.2	39.2	0.0	0.0	39.2	39.2	0.0	0.0	
368	B050.050.050a	0.5	0.5	0.5	0.5	39.3	39.3	0.0	0.0	39.3	39.3	0.0	0.0	39.3	39.3	0.0	0.0	
369	B050.050.050a	0.5	0.5	0.5	0.5	39.4	39.4	0.0	0.0	39.4	39.4	0.0	0.0	39.4	39.4	0.0	0.0	
370	B050.050.050a	0.5	0.5	0.5	0.5	39.5	39.5	0.0	0.0	39.5	39.5	0.0	0.0	39.5	39.5	0.0	0.0	
371	B050.050.050a	0.5	0.5	0.5	0.5	39.6	39.6	0.0	0.0	39.6	39.6	0.0	0.0	39.6	39.6	0.0	0.0	
372	B050.050.050a	0.5	0.5	0.5	0.5	39.7	39.7	0.0	0.0	39.7	39.7	0.0	0.0	39.7	39.7	0.0	0.0	
373	B050.050.050a	0.5	0.5	0.5	0.5	39.8	39.8	0.0	0.0	39.8	39.8	0.0	0.0	39.8	39.8	0.0	0.0	
374	B050.050.050a	0.5	0.5	0.5	0.5	39.9	39.9	0.0	0.0	39.9	39.9	0.0	0.0	39.9	39.9	0.0	0.0	
375	B050.050.050a	0.5	0.5	0.5	0.5	40.0	40.0	0.0	0.0	40.0	40.0	0.0	0.0	40.0	40.0	0.0	0.0	
376	B050.050.050a	0.5	0.5	0.5	0.5	40.1	40.1	0.0	0.0	40.1	40.1	0.0	0.0	40.1	40.1	0.0	0.0	
377	B050.050.050a	0.5	0.5	0.5	0.5	40.2	40.2	0.0	0.0	40.2	40.2	0.0	0.0	40.2	40.2	0.0	0.0	
378	B050.050.050a	0.5	0.5	0.5	0.5	40.3	40.3	0.0	0.0	40.3	40.3	0.0	0.0	40.3	40.3	0.0	0.0	
379	B050.050.050a	0.5	0.5	0.5	0.5	40.4	40.4	0.0	0.0	40.4	40.4	0.0	0.0	40.4	40.4	0.0	0.0	
380	B050.050.050a	0.5	0.5	0.5	0.5	40.5	40.5	0.0	0.0	40.5	40.5	0.0	0.0	40.5	40.5	0.0	0.0	
381	B050.050.050a	0.5	0.5	0.5	0.5	40.6	40.6	0.0	0.0	40.6	40.6	0.0	0.0	40.6	40.6	0.0	0.0	
382	B050.050.050a	0.5	0.5	0.5	0.5	40.7	40.7	0.0	0.0	40.7	40.7	0.0	0.0	40.7	40.7	0.0	0.0	
383	B050.050.050a	0.5	0.5	0.5	0.5	40.8	40.8	0.0	0.0	40.8	40.8	0.0	0.0	40.8	40.8	0.0	0.0	
384	B050.050.050a	0.5	0.5	0.5	0.5	40.9	40.9	0.0	0.0	40.9	40.9	0.0	0.0	40.9	40.9	0.0	0.0	
385	B050.050.050a	0.5	0.5	0.5	0.5	41.0	41.0	0.0	0.0	41.0	41.0	0.0	0.0	41.0	41.0	0.0	0.0	
386	B050.050.050a	0.5	0.5	0.5	0.5	41.1	41.1	0.0	0.0	41.1	41.1	0.0	0.0	41.1	41.1	0.0	0.0	
387	B050.050.050a	0.5	0.5	0.5	0.5	41.2	41.2	0.0	0.0	41.2	41.2	0.0	0.0	41.2	41.2	0.0	0.0	
388	B050.050.050a	0.5	0.5	0.5	0.5	41.3	41.3	0.0	0.0	41.3	41.3	0.0	0.0	41.3	41.3	0.0	0.0	
389	B050.050.050a	0.5	0.5	0.5	0.5	41.4	41.4	0.0	0.0	41.4	41.4	0.0	0.0	41.4	41.4	0.0	0.0	
390	B050.050.050a	0.5	0.5	0.5	0.5	41.5	41.5	0.0	0.0	41.5	41.5	0.0	0.0	41.5	41.5	0.0	0.0	
391	B050.050.050a	0.5	0.5	0.5	0.5	41.6	41.6	0.0	0.0	41.6	41.6	0.0	0.0	41.6	41.6	0.0	0.0	
392	B050.050.050a	0.5	0.5	0.5	0.5	41.7	41.7	0.0	0.0	41.7	41.7	0.0	0.0	41.7	41.7	0.0	0.0	
393	B050.050.050a	0.5	0.5	0.5	0.5	41.8	41.8	0.0	0.0	41.8	41.8	0.0	0.0	41.8	41.8	0.0	0.0	
394	B050.050.050a	0.5	0.5	0.5	0.5	41.9	41.9	0.0	0.0	41.9	41.9	0.0	0.0	41.9	41.9	0.0	0.0	
395	B050.050.050a	0.5	0.5	0.5	0.5	42.0	42.0	0.0	0.0	42.0	42.0	0.0	0.0	42.0	42.0	0.0	0.0	
396	B050.050.050a	0.5	0.5	0.5	0.5	42.1	42.1	0.0	0.0	42.1	42.1	0.0	0.0	42.1	42.1	0.0	0.0	
397	B050.050.050a	0.5	0.5	0.5	0.5													

TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
- application for measurement of offset print output, separa

TUB material: code=rha4ta
ny0 (CMY0)

see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0d*

TUB-test chart QE77; hue code: H_d^{*}=G00B_dcolors and differences, ΔE^* ,

1-0032531-F0

JF770-7N Page 26/33-F

1-0032531-F0

1-0032531-F0



TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
application for measurement of offset print output, separa

TUB material: code=rha4ta
ny0 (CMY0)



http://130.149.60.45/~farbmatrik/QE77/QE77LONA.TXT /PS; transfer output										N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33									




see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
- application for measurement of offset print output, separa

TUB material: code=rha4ta
ny0 (CMY0)



[illegible]

QE770-7N, Page 29/33-F

1-0032831-F0

TUB-test chart QE77; hue code: H_d^{*}=G00B_d

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0d*




see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
application for measurement of offset print output, separa

TUB material: code=rha4ta
ny0 (CMY0)



3

C

V L O Y M
http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /PS; transfer output
N; no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

87

1

L

[illegible]

Mean color difference of this page:

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy0*

W

1

©

1

1

2


1

3-9




TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS
- application for measurement of offset print output, separa

TUB material: code=rha4ta
my0 (CMY0)



see similar files: <http://130.149.60.45/~farbmatrik/QE77/QE77.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



http://130.149.60.45/~farbmatrik/QE77/QE77L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

n	HIC ^o Fid	rgb ^o Fid	icL ^o Fid	hs ^o Fid	rgb ^o Fid	LabCh ^o Fid	LabCh ^o Fid	rgb ^o Fid	LabCh ^o Fid	DF ^o Fid	hs ^o Fid	rgb ^o Fid	LabCh ^o Fid
972	NW_0004	0.0	0.125	0.125	0.0	0.0	0.0	0.0	0.0	2.2	360	1.0	1.0
973	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	26.4	10.1	360	1.0
974	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	42.5	13.9	360	1.0
975	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	14.8	47.1	15.9	360
976	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	10.0	13.3	48.4	14.2
977	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	58.3	10.9	360	1.0
978	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	7.5	57.9	7.6	360
979	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	3.6	70.5	3.6	360
980	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.1	126.7	0.1	360
981	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	332.7	2.0	360
982	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	9.4	27.2	10.5	360
983	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	13.3	43.2	14.7	360
984	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	14.9	47.9	15.8	360
985	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	13.1	49.1	14.0	360
986	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	58.2	11.1	360	1.0
987	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	7.4	56.9	7.6	360
988	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	3.6	70.8	3.6	360
989	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.1	133.9	0.1	360
990	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	307.9	1.6	360
991	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	9.2	30.9	10.6	360
992	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	13.0	45.2	14.3	360
993	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	11.2	48.2	16.3	360
994	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	9.9	13.3	48.3	14.3
995	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	58.3	10.9	59.0	11.2
996	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	7.5	56.9	7.8	360
997	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	3.4	71.6	3.6	360
998	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.1	120.9	0.2	360
999	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	317.5	1.7	360
1000	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	9.1	28.8	10.5	360
1001	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	13.5	44.3	14.5	360
1002	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	15.2	46.8	15.4	360
1003	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	11.4	48.7	14.1	360
1004	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	59.3	11.4	360	1.0
1005	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	6.4	71.6	3.6	360
1006	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	3.7	71.9	3.6	360
1007	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.1	133.6	0.1	360
1008	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	306.9	2.7	360
1009	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	5.8	24.4	6.6	360
1010	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	9.0	19.7	10.3	360
1011	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	11.4	30.8	13.0	360
1012	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	12.3	42.4	13.8	360
1013	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	14.0	42.7	14.3	360
1014	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	13.4	47.7	14.3	360
1015	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	14.5	36.0	1.0	1.0
1016	NW_0534	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	53.3	10.3	53.3	10.3
1017	NW_0604	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	6.2	57.1	10.7	360
1018	NW_0664	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	8.2	9.7	57.4	10.7
1019	NW_0734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	6.6	8.2	53.8	8.4
1020	NW_0804	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	4.9	5.6	60.2	5.7
1021	NW_0864	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	3.3	6.7	3.6	360
1022	NW_0934	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	1.5	70.7	1.5	360
1023	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.1	99.5	0.1	360
1024	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	318.9	2.6	360
1025	NW_0064	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	6.1	6.9	360	1.0
1026	NW_0134	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	9.2	21.0	10.6	360
1027	NW_0204	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	5.8	11.4	30.5	13.1
1028	NW_0264	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	4.0	14.5	36.0	1.0
1029	NW_0334	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0	14.2	49.7	15.7	360
1030	NW_0404	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	13.1	49.7	14.1	360
1031	NW_0464	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	9.4	12.8	47.5	13.9
1032	NW_0534	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	50.9	12.9	36.0	1.0
1033	NW_0604	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	54.8	11.1	360	1.0
1034	NW_0664	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	55.1	10.1	360	1.0
1035	NW_0734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	8.2	36.0	1.0	1.0
1036	NW_0804	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	6.7	5.7	36.0	1.0
1037	NW_0864	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	70.1	3.6	360	1.0
1038	NW_0934	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	1.5	72.5	1.5	360
1039	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	224.9	0.0	360
1040	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	206.3	2.0	360
1041	NW_0064	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	8.2	6.6	360	1.0
1042	NW_0134	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	9.3	21.8	13.0	360
1043	NW_0204	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	11.3	32.8	13.7	360
1044	NW_0264	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	9.1	13.0	44.8	14.6
1045	NW_0334	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0	14.3	41.1	16.0	360
1046	NW_0404	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	13.2	50.2	14.3	360
1047	NW_0464	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	13.0	47.9	14.3	360
1048	NW_0534	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	11.6	51.4	12.5	360
1049	NW_0604	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	9.1	10.8	57.3	11.0
1050	NW_0664	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	9.9	56.7	10.2	360
1051	NW_0734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	8.3	53.6	8.5	360
1052	NW_0804	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	5.1	61.5	5.8	360

Mean color difference of this page:

delta E** = 9.2

1999-0033131-E0

TUB-test chart QE77; hue code: H_d^{*}=G00B_d^{*}
colors and differences. ΔE^* ,

input: *rgb/cmyk* -> *rgb*
output: transfer to *cmv0d*

delta E^*

http://130.149.60.45/~farbmetrik/QE77/QE77L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

TUB registration: 20130201-QE77/QE77L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: http://130.149.60.45/~farbmetrik/QE77/QE77.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

QE770-7N, Page 33/33-F

TUB-test chart QE77; hue code: H*d=G00Bd
colors and differences, ΔE^*

input: rgb/cmyk -> rgbd
output: transfer to cmy0d

n	HIC*Fd	rgb_Fd	ic*_Fd	h*_Fd	rgb*_Fd	LabCh*_Fd	LabCh*_Fd	DE*Fd	DE*Fd	rgb*_Md	LabCh*_Md	
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	1.0	95.6	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.0	95.6	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	1.0	95.6	0.0
1056	NW_006d	0.0	0.0	0.0	0.0	0.0	0.0	6.7	308.5	1.0	95.6	0.0
1057	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	5.5	6.7	1.0	95.6	0.0
1058	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	1.0	95.6	0.0
1059	NW_026d	0.2	0.2	0.2	0.2	0.2	0.2	11.6	30.4	1.0	95.6	0.0
1060	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	13.3	40.4	1.0	95.6	0.0
1061	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	14.0	44.7	1.0	95.6	0.0
1062	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	13.3	40.4	1.0	95.6	0.0
1063	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	14.5	48.4	1.0	95.6	0.0
1064	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	11.0	56.7	1.0	95.6	0.0
1065	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	8.3	9.8	1.0	95.6	0.0
1066	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	5.9	62.0	1.0	95.6	0.0
1067	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	3.6	69.4	1.0	95.6	0.0
1068	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	1.5	71.7	1.0	95.6	0.0
1069	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.1	118.4	1.0	95.6	0.0
1070	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.0	138.7	1.0	95.6	0.0
1071	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	0.0	299.2	1.0	95.6	0.0
1072	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	2.8	299.2	1.0	95.6	0.0
1073	ROY_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	1.0	95.6	0.0
1074	G00B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	45.5	83.9	1.0	45.4	83.9
1075	Y00G_100_100d	0.0	1.0	1.0	1.0	0.0	0.0	-41.8	238.4	1.0	56.8	-25.5
1076	B00R_100_100d	1.0	0.0	0.0	0.0	1.0	1.0	-10.0	95.1	1.0	97.8	-10.2
1077	B00R_100_100d	0.0	1.0	1.0	1.0	0.0	0.0	29.5	29.5	1.0	29.5	29.5
1078	B00R_100_100d	0.0	1.0	1.0	1.0	0.0	0.0	13.3	13.3	1.0	50.0	13.3
1079	B50R_100_100d	1.0	0.0	0.0	0.0	1.0	1.0	359.8	359.8	1.0	46.1	359.8

Mean color difference of this page: $\Delta E^* = 5.8$