

http://130.149.60.45/~farbmetrik/QN76/QN76L0NA.TXT /.PS; start output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 1/2

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$


Data for ethvert apparat (d) eller
elementærfarge (e):

HIC^*

fargetonetekst for fargene
på denne siden:

$H^*_- = G00B_-$

trekantslyshet T^*



ORS18a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152

$HIC^*_{-,Ma}$: G00B_100_100-

$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang



$u^*_{rel} = 92$

%Regularitet

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-prøveplansje QN76; farbetoneplan: $H^*_- = G00B_-$
prøveplansje infølge DIN 33872, 3D=0, de=0, cm_y0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: ingen ending

TUB registrering: 20150701-QN76/QN76L0NA.TXT /.PS
anvendelse for måling av offsettrykk output

TUB-material: code=th4ta

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 155/360 = 0.43$


Data for ethvert apparat (d) eller
elementærfarge (e):

HIC^*_d

fargetonetekst for fargene
på denne siden:

$H^*_d = G00B_d$

trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	45.4	70.9	44.8	83.9	32
$Y_{d,Ma}$	87.8	-10.2	95.4	96.0	96
$G_{d,Ma}$	50.0	-65.0	29.6	71.4	155
$C_{d,Ma}$	56.8	-25.5	-41.5	48.7	238
$B_{d,Ma}$	25.0	29.5	-40.4	50.0	306
$M_{d,Ma}$	46.1	79.3	-0.2	79.3	359
$N_{d,Ma}$	24.3	0.0	0.0	0.0	0
$W_{d,Ma}$	95.6	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{d,Ma}$: 50 -65 29 71 155

$HIC^*_{d,Ma}$: G00B_100_100d

$rgbic^*_{d,Ma}$:

0.0 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang



$u^*_{rel} = 92$

%Regularitet

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	45.4	70.9	44.8	83.9	32
$R25Y_100_100_d$	53.0	53.4	54.8	76.5	45
$R50Y_100_100_d$	64.9	28.9	68.6	74.5	67
$R75Y_100_100_d$	78.6	4.3	84.7	84.8	87
$Y00G_100_100_d$	87.8	-10.2	95.4	96.0	96
$Y25G_100_100_d$	81.2	-17.0	84.3	86.0	101
$Y50G_100_100_d$	70.6	-29.7	66.5	72.8	114
$Y75G_100_100_d$	57.9	-48.3	45.8	66.5	136
$G00B_100_100_d$	50.0	-65.0	29.6	71.4	155
$G25B_100_100_d$	52.9	-48.6	-8.0	49.3	189
$G50B_100_100_d$	56.8	-25.5	-41.5	48.7	238
$G75B_100_100_d$	41.7	-1.2	-40.6	40.6	268
$B00R_100_100_d$	25.0	29.5	-40.4	50.0	306
$B25R_100_100_d$	35.6	58.6	-20.7	62.1	340
$B50R_100_100_d$	46.1	79.3	-0.2	79.3	359
$B75R_100_100_d$	45.9	74.2	21.1	77.1	15



5-003131-L0 QN760-70

TUB-prøveplansje QN76; farbetoneplan: $H^*_d=G00B_d$
prøveplansje infølge DIN 33872, 3D=0, de=0, $cmY0$

input: $rgb/cmyk \rightarrow rgb_d$
output: overføring til $cmY0_d$

http://130.149.60.45/~farbmetrik/QN76/QN76L0NA.TXT /.PS; start output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 1/2

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$


Data for ethvert apparat (d) eller
elementærfarge (e):

HIC^*

fargetonetekst for fargene
på denne siden:

$H^*_- = G00B_-$

trekantslyshet T^*



ORS18a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$: 55 -65 33 73 152

$HIC^*_{-,Ma}$: G00B_100_100-

$rgbic^*_{-,Ma}$:

0.0 1.0 0.0 1.0 1.0

trekantslyshet T^*

%Omfang



$u^*_{rel} = 92$

%Regularitet

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-prøveplansje QN76; farbetoneplan: $H^*_-=G00B_-$
prøveplansje infølge DIN 33872, 3D=0, de=1, cm_y0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: ingen ending

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 162/360 = 0.45$

$H^*_e = G00B_e$


Data for ethvert apparat (d) eller
elementærfarge (e):

HIC^*_e

fargetonetekst for fargene
på denne siden:

$H^*_e = G00B_e$

trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{e,Ma}$: 50 -62 19 65 162

$HIC^*_{e,Ma}$: G00B_100_100_e

$rgbic^*_{e,Ma}$:

0.0 1.0 0.15 1.0 1.0

trekantslyshet T^*

%Omfang



$u^*_{rel} = 92$

%Regularitet

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapterte (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100_100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100_100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100_100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100_100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100_100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100_100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100_100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100_100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100_100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100_100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100_100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100_100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100_100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100_100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100_100_e}$	41.4	70.4	-9.8	71.1	352



TUB-prøveplansje QN76; farbetoneplan: $H^*_e = G00B_e$
prøveplansje infølge DIN 33872, 3D=0, de=1, $cmY0$

input: $rgb/cmyk \rightarrow rgb_e$
output: overføring til $cmY0_e$

TUB registrering: 20150701-QN76/QN76L0NA.TXT /.PS
anvendelse for måling av offsettrykk output, separasjon $cmY0$ (CMY0)

TUB-material: code=th4ta