

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$

$H^*_- = B00R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B00R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 27 25 -47 53 298

$HIC^*_{-,Ma}$: B00R_100_100_

$rgbic^*_{-,Ma}$:



0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE14/RE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB registration: 20150701-RE14/RE14LONP.PDF /.PS
application for measurement of offset print output

TUB material: code=rh4ta

1-003030-L0 RE140-7N

TUB-test chart RE14; hue code: $H^*_- = B00R_-$
Test chart according to DIN 33872, 3D=0, de=0, *cm*y*k*

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = B00R_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0
Y _{d, Ma}	88.3	-11.9	95.1	95.8
G _{d, Ma}	51.9	-68.8	28.1	74.3
C _{d, Ma}	58.3	-29.2	-43.7	52.6
B _{d, Ma}	25.3	23.5	-47.3	52.8
M _{d, Ma}	48.2	72.8	-8.5	73.3
N _{d, Ma}	17.7	0.0	0.0	0.0
W _{d, Ma}	95.4	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 25\ 23\ -47\ 52\ 296$



$HIC^*_{d, Ma}: B00R_100_100_d$

$rgbic^*_{d, Ma}: 0.0\ 0.0\ 1.0\ 1.0\ 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data







H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0
R25Y_100_100 _d	55.3	45.8	52.2	69.5
R50Y_100_100 _d	67.2	22.6	67.6	71.2
R75Y_100_100 _d	79.9	1.0	83.9	83.9
Y00G_100_100 _d	88.3	-11.9	95.1	95.8
Y25G_100_100 _d	83.3	-19.2	83.7	85.9
Y50G_100_100 _d	72.7	-31.3	66.0	73.1
Y75G_100_100 _d	60.4	-48.8	46.7	67.6
G00B_100_100 _d	51.9	-68.8	28.1	74.3
G25B_100_100 _d	54.8	-51.0	-12.3	52.5
G50B_100_100 _d	58.3	-29.2	-43.7	52.6
G75B_100_100 _d	42.7	-6.0	-45.0	45.4
B00R_100_100 _d	25.3	23.5	-47.3	52.8
B25R_100_100 _d	37.8	53.8	-26.3	59.9
B50R_100_100 _d	48.2	72.8	-8.5	73.3
B75R_100_100 _d	47.7	67.7	14.0	69.1



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H, rel} = 57$
 $g^*_{C, rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/RE14/RE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE14/RE14L0NP.PDF /.PS
application for measurement of offset print output, separation cmykn6 (CMYK)
TUB material: code=rh4ta







1-003230-L0 RE140-70

TUB-test chart RE14; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*

1-003230-E0





Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B00R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 25\ 23\ -47\ 52\ 296$

$HIC^*_d, Ma: B00R_100_100_d$

$rgbic^*_d, Ma:$

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H, rel} = 57$

$g^*_{C, rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11




see similar files: <http://130.149.60.45/~farbmetrik/RE14/RE14.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE14/RE14LONP.PDF /.PS
 application for measurement of offset print output, separation cmyk6 (CMYK)
 TUB material: code=rh4ta


http://130.149.60.45/~farbmetrik/RE14/RE14L0NP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
O=R_d orange-red
L=G_d leaf-green
C=C_d cyan-blue
M=M_d magenta-red
V=B_d violet-blue



Y_e yellow
G_e green
C_e blue-green
B_e blue
M_e blue-red
R_e red



Y_s yellow
G_s green
C_s blue-green
B_s blue
M_s blue-red
R_s red



Notes to the CIELAB chroma diagrams (a*s, b*s), (a*d, b*d), (a*e, b*e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle h_{max} use for any device values rgb^*_s the equation:
 $h_{abs} = \arctan \left[\frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270)$ (1)
- For the 48 or 360 equally spaced standard hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48abs,sj} = h_{abs,s} + j [h_{abs,s+1} - h_{abs,s}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (2)
 $h_{360abs,sj} = h_{abs,s} + j [h_{abs,s+1} - h_{abs,s}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (3)
- For the 48 or 360 elementary hue angles h_{max} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (4)
 $h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (5)
- For any elementary hue angle h_{max} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

LAB*_{at0}, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE14; hue code: H*_d=B00Rd
 48 step hue circles; rgb^*_d -LabCh*tables

input: $rgb^*_d/cmyk$ -> rgb^*_d
 output: transfer to $cmyk^*_d$

Output: Offset standard print; separation cmyk6*, D65, page 7/33

http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF / PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 14 columns: h_ab,d, h_ab,s, h_ab,e, Lab* ddx361M, Lab* ddx44M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M, Lab* ddx361M. Rows represent color data for various hues and angles.

TUB-test chart RE14; hue code: H*d=B00Rd 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbd output: transfer to cmykd

Output: Offset standard print; separation cmyk6; D65, page 8/33

http://130.149.60.45/~farbmetrik/RE14/RE14L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM; h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

	R_d	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{dxx361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{dxx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{dxx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{dxx361MI}(x=LabCh)$	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{dxx361MI}(x=LabCh)$	
32	30	0.0	0.0	47.3	63.8	41.2	76.0	32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
33	31	0.0	0.0	47.8	62.7	42.0	75.4	33	1.0	0.0	0.054	47.4	64.2	38.6	74.9	31	1.0	0.017	0.0	0.0	0.0	0.0
34	32	0.0	0.0	48.3	61.5	42.8	74.9	34	1.0	0.0	0.025	47.4	64.0	40.0	75.5	32	1.0	0.033	0.0	0.0	0.0	0.0
35	33	0.0	0.0	48.9	60.3	43.6	74.4	35	1.0	0.003	0.0	47.5	63.7	41.3	75.9	33	1.0	0.05	0.0	0.0	0.0	0.0
36	34	0.0	0.0	49.4	59.1	44.3	73.9	36	1.0	0.019	0.0	48.0	62.5	42.2	74.9	34	1.0	0.067	0.0	0.0	0.0	0.0
37	35	0.0	0.0	49.9	57.9	45.1	73.4	37	1.0	0.036	0.0	48.5	61.4	43.0	74.9	35	1.0	0.083	0.0	0.0	0.0	0.0
38	36	0.0	0.1	50.4	56.7	45.7	72.9	38	1.0	0.052	0.0	49.0	60.2	43.7	74.4	36	1.0	0.1	0.0	0.0	0.0	0.0
39	37	0.0	0.116	50.9	55.5	46.4	72.3	39	1.0	0.069	0.0	49.5	59.0	44.5	73.9	37	1.0	0.117	0.0	0.0	0.0	0.0
40	38	0.0	0.133	51.5	54.2	47.2	71.9	40	1.0	0.085	0.0	50.0	57.8	45.2	73.4	38	1.0	0.133	0.0	0.0	0.0	0.0
41	39	0.0	0.15	52.1	52.8	48.1	71.5	41	1.0	0.101	0.0	50.5	56.6	45.9	72.9	39	1.0	0.15	0.0	0.0	0.0	0.0
42	40	0.0	0.166	52.8	51.4	49.0	71.1	42	1.0	0.118	0.0	51.0	55.4	46.5	72.4	40	1.0	0.167	0.0	0.0	0.0	0.0
43	41	0.0	0.183	53.4	50.1	49.9	70.7	43	1.0	0.132	0.0	51.5	54.3	47.2	72.0	41	1.0	0.183	0.0	0.0	0.0	0.0
44	42	0.0	0.2	54.1	48.7	50.7	70.3	44	1.0	0.145	0.0	52.0	53.2	47.9	71.7	42	1.0	0.2	0.0	0.0	0.0	0.0
45	43	0.0	0.216	54.7	47.3	51.5	69.9	45	1.0	0.158	0.0	52.5	52.2	48.7	71.3	43	1.0	0.217	0.0	0.0	0.0	0.0
46	44	0.0	0.233	55.3	45.8	52.2	69.5	46	1.0	0.172	0.0	53.0	51.1	49.3	71.0	44	1.0	0.233	0.0	0.0	0.0	0.0
47	45	0.0	0.25	56.0	44.4	53.0	69.1	47	1.0	0.185	0.0	53.5	50.0	50.0	70.7	45	1.0	0.25	0.0	0.0	0.0	0.0
48	46	0.0	0.266	56.7	43.0	54.1	69.1	48	1.0	0.198	0.0	54.0	48.9	50.7	70.4	46	1.0	0.267	0.0	0.0	0.0	0.0
49	47	0.0	0.3	57.4	41.5	55.1	69.1	49	1.0	0.211	0.0	54.5	47.8	51.3	70.1	47	1.0	0.283	0.0	0.0	0.0	0.0
50	48	0.0	0.316	58.1	40.1	56.2	69.0	50	1.0	0.224	0.0	55.0	46.7	51.9	69.8	48	1.0	0.3	0.0	0.0	0.0	0.0
51	49	0.0	0.333	58.9	38.6	57.1	69.0	51	1.0	0.237	0.0	55.5	45.6	52.4	69.5	49	1.0	0.317	0.0	0.0	0.0	0.0
52	50	0.0	0.35	59.6	37.1	58.1	68.9	52	1.0	0.25	0.0	56.0	44.5	53.0	69.2	50	1.0	0.333	0.0	0.0	0.0	0.0
53	51	0.0	0.333	60.3	35.5	59.0	68.9	53	1.0	0.261	0.0	56.5	43.5	53.7	69.2	51	1.0	0.35	0.0	0.0	0.0	0.0
54	52	0.0	0.366	61.0	34.0	59.9	68.9	54	1.0	0.272	0.0	57.0	42.6	54.5	69.1	52	1.0	0.367	0.0	0.0	0.0	0.0
55	53	0.0	0.383	61.8	32.5	60.8	69.0	55	1.0	0.283	0.0	57.5	41.6	55.2	69.1	53	1.0	0.383	0.0	0.0	0.0	0.0
56	54	0.0	0.4	62.5	31.2	61.9	69.3	56	1.0	0.295	0.0	58.0	40.6	55.9	69.1	54	1.0	0.4	0.0	0.0	0.0	0.0
57	55	0.0	0.416	63.3	29.8	62.9	69.6	57	1.0	0.306	0.0	58.5	39.6	56.6	69.1	55	1.0	0.417	0.0	0.0	0.0	0.0
58	56	0.0	0.433	64.1	28.4	63.9	70.0	58	1.0	0.317	0.0	58.9	38.6	57.2	69.0	56	1.0	0.433	0.0	0.0	0.0	0.0
59	57	0.0	0.45	64.9	27.0	64.9	70.3	59	1.0	0.328	0.0	59.4	37.6	57.9	69.0	57	1.0	0.45	0.0	0.0	0.0	0.0
60	58	0.0	0.466	65.6	25.6	65.8	70.6	60	1.0	0.34	0.0	59.9	36.6	58.5	69.0	58	1.0	0.467	0.0	0.0	0.0	0.0
61	59	0.0	0.483	66.4	24.1	66.7	70.9	61	1.0	0.351	0.0	60.4	35.5	59.1	69.0	59	1.0	0.483	0.0	0.0	0.0	0.0
62	60	0.0	0.5	67.2	22.6	67.6	71.2	62	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.5	0.0	0.0	0.0	0.0
63	61	0.0	0.516	68.0	21.2	68.8	72.0	63	1.0	0.373	0.0	61.4	33.4	60.3	68.9	61	1.0	0.517	0.0	0.0	0.0	0.0
64	62	0.0	0.533	68.9	19.7	70.0	72.8	64	1.0	0.385	0.0	61.9	32.4	61.0	69.1	62	1.0	0.533	0.0	0.0	0.0	0.0
65	63	0.0	0.55	69.7	18.2	71.2	73.5	65	1.0	0.397	0.0	62.5	31.5	61.8	69.3	63	1.0	0.55	0.0	0.0	0.0	0.0
66	64	0.0	0.566	70.6	16.7	72.4	74.3	66	1.0	0.409	0.0	63.0	30.5	62.5	69.6	64	1.0	0.567	0.0	0.0	0.0	0.0
67	65	0.0	0.583	71.5	15.1	73.5	75.0	67	1.0	0.421	0.0	63.6	29.5	63.2	69.8	65	1.0	0.583	0.0	0.0	0.0	0.0
68	66	0.0	0.6	72.3	13.5	74.6	75.8	68	1.0	0.434	0.0	64.2	28.5	64.0	70.0	66	1.0	0.6	0.0	0.0	0.0	0.0
69	67	0.0	0.616	73.2	11.8	75.6	76.6	69	1.0	0.446	0.0	64.7	27.4	64.7	70.3	67	1.0	0.617	0.0	0.0	0.0	0.0
70	68	0.0	0.633	74.0	10.4	76.6	77.3	70	1.0	0.458	0.0	65.3	26.4	65.4	70.5	68	1.0	0.633	0.0	0.0	0.0	0.0
71	69	0.0	0.65	74.7	9.3	77.6	78.2	71	1.0	0.47	0.0	65.8	25.3	66.0	70.7	69	1.0	0.65	0.0	0.0	0.0	0.0
72	70	0.0	0.666	75.5	8.2	78.6	79.0	72	1.0	0.482	0.0	66.4	24.3	66.7	70.9	70	1.0	0.667	0.0	0.0	0.0	0.0
73	71	0.0	0.683	76.2	7.0	79.5	79.8	73	1.0	0.494	0.0	66.9	23.2	67.3	71.2	71	1.0	0.683	0.0	0.0	0.0	0.0
74	72	0.0	0.7	77.0	5.8	80.4	80.6	74	1.0	0.506	0.0	67.5	22.1	68.1	71.6	72	1.0	0.7	0.0	0.0	0.0	0.0
75	73	0.0	0.716	77.7	4.5	81.3	81.4	75	1.0	0.518	0.0	68.2	21.1	69.0	72.1	73	1.0	0.717	0.0	0.0	0.0	0.0
76	74	0.0	0.733	78.5	3.3	82.2	82.3	76	1.0	0.531	0.0	68.8	20.0	69.9	72.7	74	1.0	0.733	0.0	0.0	0.0	0.0
77	75	0.0	0.75	79.2	2.0	83.0	83.1	77	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.75	0.0	0.0	0.0	0.0

I-003930-I0 RE14-70 LAB*lab, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE14; hue code: H*_d=B00Rd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd
output: transfer to cmykd

Output: Offset standard print; separation cmyk6*: D65, page 10/33

http://130.149.60.45/~farbmetrik/RE14/RE14L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	$rgb^*_{ds361MI}$	$LAB^*_{dsx361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	$LAB^*_{ddx361MI}(x=LabCh)$	$rgb^*_{de361MI}$	$LAB^*_{dex361MI}(x=LabCh)$	$rgb^*_{dd361MI}$	rgb^*_{ds}	rgb^*_{de}
170	165	175	0.0	1.0	0.147 52.7	-65.7	17.6	68.1	165	0.0	1.0	0.25
172	166	176	0.0	1.0	0.164 52.8	-65.1	16.3	67.2	166	0.0	1.0	0.267
173	167	177	0.0	1.0	0.181 52.9	-64.5	14.9	66.3	167	0.0	1.0	0.283
175	168	178	0.0	1.0	0.198 53.0	-63.9	13.6	65.4	168	0.0	1.0	0.3
176	169	179	0.0	1.0	0.216 53.1	-63.2	12.3	64.5	169	0.0	1.0	0.317
177	170	180	0.0	1.0	0.233 53.2	-62.6	11.1	63.6	170	0.0	1.0	0.333
179	171	181	0.0	1.0	0.25 53.3	-61.9	9.8	62.8	171	0.0	1.0	0.35
180	172	182	0.0	1.0	0.263 53.4	-61.5	8.7	62.2	172	0.0	1.0	0.367
181	173	183	0.0	1.0	0.275 53.5	-61.1	7.5	61.6	173	0.0	1.0	0.383
183	174	184	0.0	1.0	0.287 53.5	-60.6	6.4	61.0	174	0.0	1.0	0.4
185	175	185	0.0	1.0	0.3 53.6	-60.1	5.3	60.5	175	0.0	1.0	0.417
186	176	186	0.0	1.0	0.312 53.7	-59.6	4.2	59.9	176	0.0	1.0	0.433
188	177	186	0.0	1.0	0.324 53.8	-59.1	3.1	59.3	177	0.0	1.0	0.45
190	178	187	0.0	1.0	0.337 53.9	-58.6	2.1	58.7	178	0.0	1.0	0.467
191	179	188	0.0	1.0	0.349 53.9	-58.1	1.0	58.2	179	0.0	1.0	0.483
193	180	189	0.0	1.0	0.362 54.0	-57.5	0.0	57.6	180	0.0	1.0	0.5
195	181	190	0.0	1.0	0.374 54.1	-56.9	-0.9	57.0	181	0.0	1.0	0.517
196	182	191	0.0	1.0	0.384 54.2	-56.5	-1.9	56.7	182	0.0	1.0	0.533
198	183	192	0.0	1.0	0.394 54.2	-56.1	-2.8	56.3	183	0.0	1.0	0.55
200	184	193	0.0	1.0	0.404 54.3	-55.7	-3.8	55.9	184	0.0	1.0	0.567
201	185	194	0.0	1.0	0.414 54.3	-55.3	-4.7	55.6	185	0.0	1.0	0.583
203	186	195	0.0	1.0	0.424 54.4	-54.8	-5.7	55.2	186	0.0	1.0	0.6
205	187	195	0.0	1.0	0.434 54.5	-54.4	-6.6	54.9	187	0.0	1.0	0.617
206	188	196	0.0	1.0	0.444 54.5	-53.9	-7.5	54.5	188	0.0	1.0	0.633
208	189	197	0.0	1.0	0.454 54.6	-53.4	-8.4	54.2	189	0.0	1.0	0.65
210	190	198	0.0	1.0	0.464 54.6	-52.9	-9.2	53.8	190	0.0	1.0	0.667
211	191	199	0.0	1.0	0.474 54.7	-52.4	-10.1	53.5	191	0.0	1.0	0.683
213	192	200	0.0	1.0	0.484 54.8	-51.9	-10.9	53.1	192	0.0	1.0	0.7
215	193	201	0.0	1.0	0.494 54.8	-51.3	-11.8	52.8	193	0.0	1.0	0.717
216	194	202	0.0	1.0	0.504 54.9	-50.8	-12.6	52.5	194	0.0	1.0	0.733
218	195	203	0.0	1.0	0.514 55.0	-50.4	-13.4	52.3	195	0.0	1.0	0.75
219	196	204	0.0	1.0	0.525 55.0	-50.0	-14.3	52.1	196	0.0	1.0	0.767
220	197	205	0.0	1.0	0.535 55.1	-49.5	-15.1	51.9	197	0.0	1.0	0.783
221	198	206	0.0	1.0	0.545 55.2	-49.1	-15.9	51.7	198	0.0	1.0	0.8
223	199	206	0.0	1.0	0.555 55.3	-48.6	-16.7	51.5	199	0.0	1.0	0.817
224	200	207	0.0	1.0	0.565 55.4	-48.1	-17.5	51.3	200	0.0	1.0	0.833
225	201	208	0.0	1.0	0.575 55.4	-47.6	-18.2	51.1	201	0.0	1.0	0.85
226	202	209	0.0	1.0	0.585 55.5	-47.1	-19.0	50.9	202	0.0	1.0	0.867
227	203	210	0.0	1.0	0.595 55.6	-46.6	-19.7	50.8	203	0.0	1.0	0.883
229	204	211	0.0	1.0	0.605 55.7	-46.1	-20.5	50.6	204	0.0	1.0	0.9
230	205	212	0.0	1.0	0.615 55.8	-45.6	-21.2	50.4	205	0.0	1.0	0.917
231	206	213	0.0	1.0	0.626 55.8	-45.0	-21.9	50.2	206	0.0	1.0	0.933
232	207	214	0.0	1.0	0.636 55.9	-44.4	-22.7	50.2	207	0.0	1.0	0.95
233	208	215	0.0	1.0	0.646 56.0	-44.2	-23.4	50.1	208	0.0	1.0	0.967
235	209	216	0.0	1.0	0.656 56.1	-43.7	-24.2	50.1	209	0.0	1.0	0.983
236	210	216	0.0	1.0	0.666 56.1	-43.2	-24.9	50.0	210	0.0	1.0	1.0





I-0031230-L0 RE14-70 LAB* h_{ab} , YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB* nw =17.7, 0.0, 0.0, 95.5, 0.0, 0.0
Output: Offset standard print; separation cmyk6*; D65, page 13/36

TUB-test chart RE14; hue code: H*_d=B00Rd
48 step hue circles; rgb-LabCh*tables
input: rgb/cmyk -> rgbd
output: transfer to cmykd

http://130.149.60.45/~farbmetrik/RE14/RE14L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds361M}	$LAB^*_{ds361MI}$ (x=LabCh)	$rgb^*_{ds361MI}$	$LAB^*_{ds361MI}$ (x=LabCh)	$rgb^*_{ds361MI}$	$LAB^*_{dex361MI}$ (x=LabCh)	$rgb^*_{dd361MI}$	$LAB^*_{dex361MI}$ (x=LabCh)	$rgb^*_{dd361MI}$	rgb^*_{ds}	$rgb^*_{ds361MI}$	$rgb^*_{dd361MI}$	rgb^*_{ds}	$rgb^*_{ds361MI}$	$rgb^*_{dd361MI}$																
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0		
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233	1.0	0.0	0.543	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0		
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0	0.0	0.532	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0		
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0	0.0	0.52	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0		
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0	0.0	0.508	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0		
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.531	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0	0.0	0.497	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0		
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0	0.0	0.484	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0		
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0		
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0	0.0	0.46	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0		
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0	0.0	0.448	1.0	40.8	-2.9	-45.3	45.4	266	0.0	0.1	1.0		
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0	0.0	0.436	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0		
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0	0.0	0.423	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0		
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05	1.0		
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0	0.0	0.399	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0		
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0	0.0	0.387	1.0	38.4	0.7	-45.3	45.4	270	0.0	0.017	1.0		
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271	0.0	0.0	1.0		
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.0	0.017	0.0	0.0	0.363	1.0	37.5	2.1	-45.5	45.6	272	0.0	0.017	0.0	1.0	
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.0	0.033	0.0	1.0	0.0	0.351	1.0	37.1	2.9	-45.6	45.8	273	0.0	0.033	0.0	1.0
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.0	0.05	0.0	1.0	0.0	0.339	1.0	36.6	3.7	-45.7	45.9	274	0.0	0.05	0.0	1.0
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.0	0.067	0.0	1.0	0.0	0.327	1.0	36.2	4.4	-45.7	46.0	275	0.0	0.067	0.0	1.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.0	0.083	0.0	1.0	0.0	0.315	1.0	35.7	5.2	-45.8	46.2	276	0.0	0.083	0.0	1.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.0	0.1	0.0	1.0	0.0	0.303	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0	1.0
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.0	0.117	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278	0.0	0.117	0.0	1.0
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.0	0.133	0.0	1.0	0.0	0.279	1.0	34.4	7.6	-45.9	46.6	279	0.0	0.133	0.0	1.0
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.0	0.15	0.0	1.0	0.0	0.267	1.0	34.0	8.3	-45.9	46.8	280	0.0	0.15	0.0	1.0
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.0	0.167	0.0	1.0	0.0	0.256	1.0	33.5	9.1	-45.9	46.9	281	0.0	0.167	0.0	1.0
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.0	0.183	0.0	1.0	0.0	0.243	1.0	33.1	9.9	-46.0	47.2	282	0.0	0.183	0.0	1.0
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0	1.0	0.0	0.229	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0	1.0	
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0	1.0	0.0	0.215	1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0	1.0	1.0	
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0	1.0	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0	1.0	1.0	
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0	1.0	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0	1.0	
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0	1.0	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0	1.0	
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0	1.0	0.0	0.161	1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0	1.0	1.0	
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0	1.0	0.0	0.147	1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0	1.0	1.0	
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.5	55.3	320	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0	1.0	0.0	0.134	1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0	1.0	1.0	
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0	1.0	0.0	0.118	1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0	1.0	1.0	
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0	1.0	0.0	0.098	1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0	1.0	1.0	
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0	1.0	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0	1.0	1.0	
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0	1.0	0.0	0.059	1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0	1.0	1.0	
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.																					



http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

Table with columns: nrf, HHC*Fd, rpb_Fd, icr_Fd, hsa_Fd, LabCh*Fd, rpb*Fd, LabCh*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCh*Fd, LabCh*Fd. Rows include various color patches like 0/688 R00Y_100_100a, 1/688 R25Y_100_100a, etc.

Mean color difference of this page:

delta E* = 3.8

TUB-test chart RE14; hue code: H*_d=B00Rd colors and differences, ΔE*'

input: rgb/cmyk -> rgbd output: transfer to cmykd

http://130.149.60.45/~farbmatrik/RE14/RE14LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 80 columns (numbered 1-80) and 10 rows of color data. Columns include color names (e.g., NV, BK, CY, MG, YL, CR, WH, etc.) and numerical values for various colorimetric parameters like L*a*b*, D50, etc.

RE140-TN, Page 20/33-F

TUB-test chart RE14; hue code: H*d=B00Rd colors and differences, ΔE*

input: rgb/cmyk -> rgbd output: transfer to cmykd

Mean color difference of this page:

delta E* = 3.7

http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

Table with 16 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd. Rows 81-161.

Mean color difference of this page: delta E* = 4.9

input: rgb/cmyk -> rgbd output: transfer to cmykd

RE140-TN; Page 21/33-F

TUB-test chart RE14; hue code: H*d=B00Rd colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33





Table with 15 columns: n, HHC*Fd, Rgb*Fd, iet*Fd, Hs*Fd, Rgb*Fd, LabCH*Fd, LabCH*Fd, Rgb*Fd, Rgb*Fd, DF*Fd, Hs*Fd, LabCH*Fd, LabCH*Fd, Rgb*Fd. It contains a large grid of numerical data for color calibration.

Mean color difference of this page: delta E* = 5.3

input: rgb/cmyk -> rgbd output: transfer to cmykd

RE140-TN; Page 24/33-F

TUB-test chart RE14; hue code: H*d=B00Rd colors and differences, AE*



http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, DF*Fd, hsa*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, rpb*Fd. Rows 486-566.

Mean color difference of this page: delta E* = 4.6
input: rgb/cmyk -> rgbd
output: transfer to cmykd

http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 27/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, LabCH*Fd, rpb*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, DF*Fd, Hsa*Fd, rpb*Fd, LabCH*Fd. Rows contain numerical data for various color patches.

Mean color difference of this page: delta E* = 4.8

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE14; hue code: H*d=B00Rd colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

Table with 15 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, LabC*Fd, LabCH*Fd, rpb*Fd, LabCH*Fd, DF*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Fd, delta E* = 3.9. Rows include color names like R001, R002, etc.

input: rgb/cmyk -> rgbd output: transfer to cmykd

TUB-test chart RE14; hue code: H*d=B00Rd colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE14/RE14LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

Table with 10 columns: n, HHC*Fd, rpb*Fd, icr*Fd, hsa*Fd, rpb*Fd, LabCH*Fd, LabCH*Pd, rpb*Pd, LabCH*Pd, DF*Pd, hsa*Pd, rpb*Pd, LabCH*Pd, LabCH*Pd, delta E* = 6.4. Rows include color names like NW_100a, B50R_001, etc.



Mean color difference of this page:

input: rgb/cmyk -> rgbd output: transfer to cmykd

RE140-TN; Page 31/33-F

TUB-test chart RE14; hue code: H*d=B00Rd colors and differences, ΔE*

I-003300-F0





http://130.149.60.45/~farbmetrik/RE14/RE14L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

Table with 15 columns: n, H#C*Fd, rgb*Fd, iet*Fd, hsa*Fd, rgb*Fd, LabC*Fd, LabC*Fd, rgb*Fd, LabC*Fd, LabC*Fd, rgb*Fd, LabC*Fd, LabC*Fd, rgb*Fd. Rows 972-1052.

Mean color difference of this page: delta E* = 5.5


input: rgb/cmyk -> rgbd output: transfer to cmykd



RE140-TN, Page 32/33-F

TUB-test chart RE14; hue code: H*_d=B00Rd colors and differences, AE*'

I-0033130-F0



http://130.149.60.45/~farbmetrik/RE14/RE14L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fd	rgb*Fd	icr*Fd	rgb*Fd	LabCH*Fd	hs*_Fd	rgb*Fd	LabCH*Fd	hs*_Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsM*Fd	rgb*Fd	LabCH*Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	4.4	360	1.0	95.4
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	1.9	360	1.0	95.4
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	177.8	360	1.0	95.4
1056	NW_0066d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61.5	360	1.0	95.4
1057	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	360	1.0	95.4
1058	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.5	360	1.0	95.4
1059	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	2.4	360	1.0	95.4
1060	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	5.7	360	1.0	95.4
1061	NW_0333d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	7.2	360	1.0	95.4
1062	NW_0466d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	8.4	360	1.0	95.4
1063	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	8.6	360	1.0	95.4
1064	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	7.7	360	1.0	95.4
1065	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	6.1	360	1.0	95.4
1066	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	7.3	360	1.0	95.4
1067	NW_0734d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	4.9	360	1.0	95.4
1068	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	2.0	360	1.0	95.4
1069	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	2.0	360	1.0	95.4
1070	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	4.3	360	1.0	95.4
1071	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	125.8	360	1.0	95.4
1072	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	92.4	360	1.0	95.4
1073	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	78.4	360	1.0	95.4
1074	ROY_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	2.3	360	1.0	95.4
1075	GY00_100_100d	0.0	1.0	1.0	0.0	0.0	1.0	1.0	0.0	0.0	1.0	2.1	360	1.0	95.4
1076	Y000_100_100d	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	360	1.0	95.4
1077	B000_100_100d	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	58.3	360	1.0	95.4
1078	B000_100_100d	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	29.2	360	1.0	95.4
1079	B50R_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	28.1	360	1.0	95.4
1079	B50R_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	48.2	360	1.0	95.4

Mean color difference of this page: delta E** = 4.2

input: rgb/cmyk -> rgbd output: transfer to cmykd

