

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_- = B50R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B50R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 49 73 -9 74 353

$HIC^*_{-,Ma}$: B50R_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart RE35; hue code: $H^*_- = B50R_-$
Test chart according to DIN 33872, 3D=1, de=1, cmk^*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	47.6	64.9	30.9	71.9	25
Y_e, Ma	82.9	-3.5	87.8	87.9	92
G_e, Ma	52.4	-67.1	21.5	70.5	162
C_e, Ma	56.6	-39.7	-29.9	49.8	216
B_e, Ma	37.9	1.3	-45.4	45.4	271
M_e, Ma	34.8	49.2	-30.0	57.7	328
N_e, Ma	17.7	0.0	0.0	0.0	0
W_e, Ma	95.4	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 34 49 -30 57 328

HIC^*_e, Ma : B50R_100_100_e

$rgbic^*_e, Ma$:

0.4 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	47.6	64.9	30.9	71.9	25
$R25Y_100_100_e$	51.5	54.2	47.2	71.9	41
$R50Y_100_100_e$	60.3	35.6	59.0	68.9	58
$R75Y_100_100_e$	70.4	17.0	72.2	74.1	76
$Y00G_100_100_e$	82.9	-3.5	87.8	87.9	92
$Y25G_100_100_e$	76.9	-25.5	75.9	80.1	108
$Y50G_100_100_e$	65.8	-41.4	54.4	68.3	127
$Y75G_100_100_e$	56.9	-56.3	38.1	68.0	145
$G00B_100_100_e$	52.4	-67.1	21.5	70.5	162
$G25B_100_100_e$	54.6	-53.2	-9.0	53.9	189
$G50B_100_100_e$	56.6	-39.7	-29.9	49.8	216
$G75B_100_100_e$	52.7	-21.1	-44.1	48.9	244
$B00R_100_100_e$	37.9	1.3	-45.4	45.4	271
$B25R_100_100_e$	26.7	26.6	-45.8	52.9	300
$B50R_100_100_e$	34.8	49.2	-30.0	57.7	328
$B75R_100_100_e$	47.3	71.5	-9.9	72.1	352



TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cm\dot{y}k^*_{de}$

Input and Output: Offset Reflective System ORS18a for relative CIE LAB hue $h_{ab,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$

Data for any device (d) or
elementary (e) colour:

HIC^*_e

hue text for the colours
of this page:

$H^*_e = B50R_e$

triangle lightness T^*

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 34 49 -30 57 328

HIC^*_e, Ma : B50R_100_100_e

$rgbic^*_e, Ma$:

0.4 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE35/RE35L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyk* (CMYK)







1-113230-L0 RE350-73

TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

see similar files: <http://130.149.60.45/~farbmetrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>





1-113430-L0 RE350-73

TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113430-E0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours
of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	47.6	64.9	30.9	71.9	25
Y_e, Ma	82.9	-3.5	87.8	87.9	92
G_e, Ma	52.4	-67.1	21.5	70.5	162
C_e, Ma	56.6	-39.7	-29.9	49.8	216
B_e, Ma	37.9	1.3	-45.4	45.4	271
M_e, Ma	34.8	49.2	-30.0	57.7	328
N_e, Ma	17.7	0.0	0.0	0.0	0
W_e, Ma	95.4	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 34 49 -30 57 328

HIC^*_e, Ma : B50R_100_100_e

$rgbic^*_e, Ma$:

0.4 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	47.6	64.9	30.9	71.9	25
$R25Y_100_100_e$	51.5	54.2	47.2	71.9	41
$R50Y_100_100_e$	60.3	35.6	59.0	68.9	58
$R75Y_100_100_e$	70.4	17.0	72.2	74.1	76
$Y00G_100_100_e$	82.9	-3.5	87.8	87.9	92
$Y25G_100_100_e$	76.9	-25.5	75.9	80.1	108
$Y50G_100_100_e$	65.8	-41.4	54.4	68.3	127
$Y75G_100_100_e$	56.9	-56.3	38.1	68.0	145
$G00B_100_100_e$	52.4	-67.1	21.5	70.5	162
$G25B_100_100_e$	54.6	-53.2	-9.0	53.9	189
$G50B_100_100_e$	56.6	-39.7	-29.9	49.8	216
$G75B_100_100_e$	52.7	-21.1	-44.1	48.9	244
$B00R_100_100_e$	37.9	1.3	-45.4	45.4	271
$B25R_100_100_e$	26.7	26.6	-45.8	52.9	300
$B50R_100_100_e$	34.8	49.2	-30.0	57.7	328
$B75R_100_100_e$	47.3	71.5	-9.9	72.1	352




TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, $de=1$, cmk^*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to cmk^*_{de}

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{1 + \frac{r^*_d \sin(30) + g^*_d \sin(150)}{b^*_d}} \right] \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,s,j} = h_{ab,s,i} + j \frac{h_{ab,s,i+1} - h_{ab,s,i}}{1/8} \quad (i=0,1,...,5; j=0,1,...,7) \quad (2)$$

$$h_{360ab,s,j} = h_{ab,s,i} + j \frac{h_{ab,s,i+1} - h_{ab,s,i}}{1/60} \quad (i=0,1,...,5; j=0,1,...,59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,e,j} = h_{ab,e,i} + j \frac{h_{ab,e,i+1} - h_{ab,e,i}}{1/8} \quad (i=0,1,...,5; j=0,1,...,7) \quad (4)$$

$$h_{360ab,e,j} = h_{ab,e,i} + j \frac{h_{ab,e,i+1} - h_{ab,e,i}}{1/60} \quad (i=0,1,...,5; j=0,1,...,59) \quad (5)$$
- For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

LAB*_{la0}, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE35; hue code: H*_e=B50R_e
48 step hue circles; $rgb-LabCh$ -tables

input: $rgb/cmyk \rightarrow rgbde$
output: 3D-linearization to $cmyk^*de$

Output: Offset standard print; separation cmyk*, D65, page 7/33

<http://130.149.60.45/~farbmatrik/RE35/RE35LOFA.TXT> /PS; 3D-linearization
F: 3D-linearization RE35/RE35LE30FA.DAT in file (F), page 8/33

see similar files: <http://130.149.60.45/~farbmetrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* - $\rightarrow$ *rgb*_{de}
output: 3D-linearization to *cmyk**_{de}

[illegible]

Output: Offset standard print; separation cmyn6*, D65, page 8/33

TUB registration: 20150701-RE35/RE35L0FA.TXT /PS
application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta

Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

LAB* _{64M} (x=LabCh)										LAB* _{361M}										LAB* _{ds}									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*	$d64M$	rgb^*	$d361M$	rgb^*	$d361M$	rgb^*	ds	rgb^*	$d361M$	rgb^*	ds	rgb^*	$d361M$	rgb^*	ds	rgb^*	$d361M$	rgb^*	ds							
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8	1.0	0.0	0.0209	47.6	64.9	30.9	71.9	25										
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	40.4	1.0	0.0007	0.0	47.6	63.4	41.6	75.8	33										
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	50.0	1.0	0.0148	0.0	52.1	53.0	48.1	71.6	42										
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	61.1	1.0	0.025	0.0	56.0	44.5	53.0	69.2	49										
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	71.4	1.0	0.035	0.0	60.3	35.6	59.0	69.0	58										
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	81.7	1.0	0.0442	0.0	64.5	27.8	64.5	70.2	66										
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	88.5	1.0	0.055	0.0	69.8	18.3	71.3	73.6	75										
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	93.6	1.0	0.0655	0.0	75.0	9.0	77.9	78.5	83										
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1	1.0	0.0842	0.0	83.0	-3.4	87.8	87.9	92										
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	100.3	0.875	1.0	0.0	85.8	-16.2	88.4	89.9	100										
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	0.75	1.0	0.0	76.2	-26.6	74.3	78.9	109										
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	0.625	1.0	0.0	71.4	-33.4	63.2	71.6	117										
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	0.5	1.0	0.0	65.8	-41.3	54.4	68.4	127										
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4	0.375	1.0	0.0	60.7	-48.1	47.5	67.6	135										
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9	0.25	1.0	0.0	57.4	-54.9	38.9	67.4	144										
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6	0.125	1.0	0.0	54.0	-63.8	32.7	71.7	152										
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0	1.0	0.0093	52.4	-67.0	21.5	70.5	162										
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	163.7	0.0	1.0	0.0209	53.1	-63.5	12.8	64.9	168										
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	170.9	0.0	1.0	0.0311	53.7	-59.7	4.3	59.9	175										
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	181.0	0.0	1.0	0.0387	54.2	-56.4	-2.2	56.5	182										
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	193.5	0.0	1.0	0.046	54.6	-53.1	-8.9	54.0	189										
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	205.9	0.0	1.0	0.0524	55.0	-50.0	-14.3	52.1	195										
218.4	190.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	218.4	0.0	1.0	0.0598	55.6	-46.5	-19.9	50.7	203										
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	227.3	0.0	1.0	0.0662	56.1	-43.4	-24.7	50.1	209										
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	236.1	0.0	1.0	0.0736	56.7	-39.7	-29.9	49.8	216										
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	240.3	0.0	1.0	0.0819	57.2	-36.4	-34.4	50.3	223										
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	245.8	0.0	1.0	0.0922	57.9	-32.5	-39.7	51.4	230										
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	252.5	0.0	0.625	1.0	0.0	0.974	1.0	57.7	-28.3	43.7	237								
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	262.3	0.0	0.5	1.0	0.0	0.785	1.0	52.7	-21.1	44.1	244								
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	271.7	0.0	0.375	1.0	0.0	0.659	1.0	48.9	-15.4	44.3	250								
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	281.6	0.0	0.25	1.0	0.0	0.555	1.0	45.0	-9.4	-44.8	258								
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	290.3	0.0	0.125	1.0	0.0	0.472	1.0	41.7	-4.3	-45.1	264								
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4	0.0	0.0	1.0	0.0	0.375	1.0	37.9	1.4	-45.3	271								
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	306.7	0.125	0.0	1.0	0.0	0.291	1.0	34.9	6.8	-45.9	278								
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	312.7	0.25	0.0	1.0	0.0	0.188	1.0	31.0	13.3	-46.6	285								
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	326.7	0.375	0.0	1.0	0.0	0.079	1.0	27.4	19.6	-47.1	292								
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	333.9	0.5	0.0	1.0	0.0	0.046	0.0	1.0	26.8	26.6	-45.7	300							
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	339.6	0.625	0.0	1.0	0.0	0.0	0.0	1.0	29.4	31.9	-42.5	306							
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	347.2	0.75	0.0	1.0	0.0	0.0	0.0	1.0	31.8	37.7	-38.4	314							
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	350.2	0.875	0.0	1.0	0.0	0.0	0.0	1.0	32.9	43.2	-34.8	321							
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3	1.0	0.0	1.0	0.0	0.0	0.0	1.0	34.9	49.3	-30.0	328							
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	356.5	0.875	1.0	0.0	0.0	0.0	0.0	1.0	38.6	55.0	-25.3	335							
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	360.3	0.75	1.0	0.0	0.0	0.0	0.0	1.0	41.9	61.9	-19.0	342							
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	365.8	0.625	1.0	0.0	0.0	0.0	0.0	1.0	45.2	68.6	-12.7	349							
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	371.6	0.5	1.0	0.0	0.0	0.0	0.0	1.0	47.3	71.5	-9.9	352							
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	378.2	0.375	1.0	0.0	0.0	0.0	0.0	1.0	0.765	48.2	70.6	-0.1	359						
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	383.9	0.25	1.0	0.0	0.0	0.0	0.0	1.0	0.563	47.9	68.4	10.6	368						
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	388.6	0.125	1.0	0.0	0.0	0.0	0.0	1.0	0.408	47.8	66.7	19.8	376						
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	392.8	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.209	47.6	64.9	30.9	385						

1-113830-L0 RE350-73 LAB* l^* 95.0, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB* a^* 17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE35; hue code: H* $_{ab}$ =B50R $_{ab}$
48 step hue circles; rgb^* -LabCh*tables

input: $rgb^*/cmyk^* \rightarrow rgb^*$
output: 3D-linearization to $cmyk^*$

Output: Offset standard print; separation cmyk6*, D65, page 9/33

LAB* $h_{ab,d}$ $h_{ab,s}$ $h_{ab,e}$ rgb^* $$									
--	--	--	--	--	--	--	--	--	--

see similar files: <http://130.149.60.45/~farbmatrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM^s; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$

1-1131230-1.0	RE350-73	LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0
---------------	----------	---

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

Output: Offset standard print; separation cmyn6*, D65, page 13/33

Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$										Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$												
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	C_d	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}$	$LAB^*_{ds361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$							
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	0.0	1.0	1.0	
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0	
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0	
237	213	219	0.0	0.95	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.95	1.0	
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0	
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.794	57.1	-37.4	-33.1	50.1	221	0.0	0.917	1.0	
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0	
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0	
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0	
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0	
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0	
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0	
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0	
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0	
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0	
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0	
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0	
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0	
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0	
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.683	1.0
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.683	1.0
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0	
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0	
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243	0.0	0.517	1.0
262	240	244	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262	0.0	1.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244	0.0	0.5	1.0
263	241	245	0.0	0.483	1.0	42.1	-5.0	-45.1	45.4	263	0.0	1.0	0.764	1.0	52.2	-20.2	-44.1	48.6	245	0.0	0.483	1.0
264	242	246	0.0	0.466	1.0	41.4	-4.0	-45.2	45.4	264	0.0	1.0	0.745	1.0	51.6	-19.4	-44.1	48.3	246	0.0	0.467	1.0
266	243	247	0.0	0.45	1.0	40.8	-3.0	-45.3	45.4	266	0.0	1.0	0.727	1.0	51.1	-18.6	-44.2	48.1	247	0.0	0.45	1.0
267	244	248	0.0	0.433	1.0	40.2	-2.1	-45.3	45.4	267	0.0	1.0	0.71	1.0	50.5	-17.8	-44.2	47.8	248	0.0	0.433	1.0
268	245	248	0.0	0.416	1.0	39.5	-1.1	-45.4	45.4	268	0.0	1.0	0.693	1.0	50.0	-17.0	-44.3	47.6	248	0.0	0.417	1.0
269	246	249	0.0	0.4	1.0	38.9	-0.1	-45.4	45.4	269	0.0	1.0	0.676	1.0	49.4	-16.2	-44.3	47.3	249	0.0	0.4	1.0
271	247	250	0.0	0.383	1.0	38.2	0.8	-45.4	45.4	271	0.0	1.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250	0.0	0.383	1.0
272	248	251	0.0	0.366	1.0	37.6	1.8	-45.5	45.5	272	0.0	1.0	0.642	1.0	48.3	-14.6	-44.3	46.8	251	0.0	0.367	1.0
273	249	252	0.0	0.35	1.0	37.0	2.9	-45.6	45.7	273	0.0	1.0	0.625	1.0	47.8	-13.8	-44.3	46.6	252	0.0	0.35	1.0
275	250	253	0.0	0.333	1.0	36.4	4.0	-45.7	45.9	275	0.0	1.0	0.613	1.0	47.3	-13.1	-44.4	46.5	253	0.0	0.333	1.0
276	251	254	0.0	0.316	1.0	35.7	5.1	-45.8	46.1	276	0.0	1.0	0.602	1.0	46.8	-12.4	-44.6	46.4	254	0.0	0.317	1.0
277	252	255	0.0	0.3	1.0	35.1	6.1	-45.9	46.3	277	0.0	1.0	0.59	1.0	46.4	-11.6	-44.6	46.3	255	0.0	0.3	1.0
279	253	256	0.0	0.283	1.0	34.5	7.2	-46.0	46.5	279	0.0	1.0	0.578	1.0	45.9	-10.9	-44.7	46.1	256	0.0	0.283	1.0
280	254	257	0.0	0.266	1.0	33.9	8.3	-46.0	46.7	280	0.0	1.0	0.567	1.0	45.5	-10.2	-44.8	46.0	257	0.0	0.267	1.0
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	1.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0

1-1131330-L0

RE350-73

LAB*a0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*mnw=17.7, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE35; hue code: H*_e=B50R_e

48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd

output: 3D-linearization to cmyk*de

Output: Offset standard print: separation cmykn6*, D65

1-1131330-L0 RE350-73 LAB* h_{ab} , YN=0%, XY Z $_{wv}$ =2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB* rw =17.7, 0.0, 95.5, 0.0, 0.0
TUB-test chart RE35; hue code: H* $_{e}$ =B50R $_{e}$
48 step hue circles; $rgb-LabCh$ *tables
input: $rgb/cmyk -> rgbde$
output: 3D-linearization to $cmyk^*de$

TUB registration: 20150701-RE35/RE35L0FA.TXT /PS
application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,de} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{d361M}	rgb^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}	LAB^*_{d361M}
333	300	300	0.5	0.0	1.0	26.7	26.5	-45.8	53.0
333	300	300	0.5	0.0	1.0	26.7	26.5	-45.8	53.0
334	301	301	0.516	0.0	1.0	27.1	27.3	-45.3	53.0
334	301	301	0.516	0.0	1.0	27.1	27.3	-45.3	53.0
335	302	302	0.533	0.0	1.0	27.5	28.1	-44.9	53.0
335	302	302	0.533	0.0	1.0	27.5	28.1	-44.9	53.0
336	303	303	0.55	0.0	1.0	27.9	28.9	-44.4	53.1
336	303	303	0.55	0.0	1.0	27.9	28.9	-44.4	53.1
336	304	304	0.566	0.0	1.0	28.3	29.7	-43.9	53.1
336	304	304	0.566	0.0	1.0	28.3	29.7	-43.9	53.1
337	305	305	0.583	0.0	1.0	28.7	30.5	-43.4	53.1
337	305	305	0.583	0.0	1.0	28.7	30.5	-43.4	53.1
338	306	306	0.6	0.0	1.0	29.0	31.2	-42.9	53.1
338	306	306	0.6	0.0	1.0	29.0	31.2	-42.9	53.1
339	307	307	0.616	0.0	1.0	29.4	32.0	-42.4	53.2
339	307	307	0.616	0.0	1.0	29.4	32.0	-42.4	53.2
340	308	308	0.633	0.0	1.0	29.8	32.8	-41.8	53.2
340	308	308	0.633	0.0	1.0	29.8	32.8	-41.8	53.2
341	309	309	0.65	0.0	1.0	30.2	33.5	-41.3	53.3
341	309	309	0.65	0.0	1.0	30.2	33.5	-41.3	53.3
342	310	309	0.666	0.0	1.0	30.6	34.3	-40.7	53.3
342	310	309	0.666	0.0	1.0	30.6	34.3	-40.7	53.3
343	311	310	0.683	0.0	1.0	30.9	35.0	-40.2	53.3
343	311	310	0.683	0.0	1.0	30.9	35.0	-40.2	53.3
344	312	311	0.7	0.0	1.0	31.3	35.7	-39.6	53.4
344	312	311	0.7	0.0	1.0	31.3	35.7	-39.6	53.4
345	313	312	0.716	0.0	1.0	31.6	36.5	-39.0	53.5
345	313	312	0.716	0.0	1.0	31.6	36.5	-39.0	53.5
346	314	313	0.733	0.0	1.0	31.8	37.3	-38.5	53.7
346	314	313	0.733	0.0	1.0	31.8	37.3	-38.5	53.7
347	315	314	0.75	0.0	1.0	31.9	38.2	-38.1	54.0
347	315	314	0.75	0.0	1.0	31.9	38.2	-38.1	54.0
347	316	315	0.766	0.0	1.0	32.1	39.0	-37.6	54.2
347	316	315	0.766	0.0	1.0	32.1	39.0	-37.6	54.2
348	317	316	0.783	0.0	1.0	32.3	39.8	-37.1	54.5
348	317	316	0.783	0.0	1.0	32.3	39.8	-37.1	54.5
348	318	317	0.8	0.0	1.0	32.4	40.7	-36.5	54.7
348	318	317	0.8	0.0	1.0	32.4	40.7	-36.5	54.7
348	319	318	0.816	0.0	1.0	32.6	41.5	-36.0	55.0
348	319	318	0.816	0.0	1.0	32.6	41.5	-36.0	55.0
349	320	319	0.833	0.0	1.0	32.7	42.3	-35.4	55.2
349	320	319	0.833	0.0	1.0	32.7	42.3	-35.4	55.2
349	321	320	0.85	0.0	1.0	32.9	43.1	-34.8	55.5
349	321	320	0.85	0.0	1.0	32.9	43.1	-34.8	55.5
350	322	321	0.866	0.0	1.0	33.1	43.9	-34.2	55.8
350	322	321	0.866	0.0	1.0	33.1	43.9	-34.2	55.8
350	323	322	0.883	0.0	1.0	33.2	44.7	-33.6	56.0
350	323	322	0.883	0.0	1.0	33.2	44.7	-33.6	56.0
350	324	323	0.9	0.0	1.0	33.4	45.5	-33.0	56.3
350	324	323	0.9	0.0	1.0	33.4	45.5	-33.0	56.3
351	325	324	0.916	0.0	1.0	33.5	46.3	-32.3	56.5
351	325	324	0.916	0.0	1.0	33.5	46.3	-32.3	56.5
351	326	325	0.933	0.0	1.0	33.7	47.1	-31.6	56.8
351	326	325	0.933	0.0	1.0	33.7	47.1	-31.6	56.8
352	327	326	0.95	0.0	1.0	34.0	47.9	-31.0	57.1
352	327	326	0.95	0.0	1.0	34.0	47.9	-31.0	57.1
352	328	327	0.966	0.0	1.0	34.5	48.7	-30.4	57.5
352	328	327	0.966	0.0	1.0	34.5	48.7	-30.4	57.5
352	329	328	0.983	0.0	1.0	35.1	49.6	-29.7	57.9
352	329	328	0.983	0.0	1.0	35.1	49.6	-29.7	57.9
353	330	329	1.0	0.0	1.0	35.7	50.5	-29.1	58.3
353	330	329	1.0	0.0	1.0	35.7	50.5	-29.1	58.3
353	331	330	1.0	0.0	0.983	36.2	51.4	-28.4	58.7
353	331	330	1.0	0.0	0.983	36.2	51.4	-28.4	58.7
354	332	331	1.0	0.0	0.966	36.8	52.2	-27.7	59.1
354	332	331	1.0	0.0	0.966	36.8	52.2	-27.7	59.1
354	333	332	1.0	0.0	0.95	37.4	53.1	-26.9	59.6
354	333	332	1.0	0.0	0.95	37.4	53.1	-26.9	59.6
355	334	333	1.0	0.0	0.933	37.9	53.9	-26.2	60.0
355	334	333	1.0	0.0	0.933	37.9	53.9	-26.2	60.0
355	335	334	1.0	0.0	0.916	38.5	54.8	-25.5	60.5
355	335	334	1.0	0.0	0.916	38.5	54.8	-25.5	60.5
355	336	335	1.0	0.0	0.9	39.0	55.7	-24.7	61.0
355	336	335	1.0	0.0	0.9	39.0	55.7	-24.7	61.0
356	337	336	1.0	0.0	0.883	40.1	56.6	-23.9	61.5
356	337	336	1.0	0.0	0.883	40.1	56.6	-23.9	61.5
356	338	337	1.0	0.0	0.866	40.7	57.5	-23.1	62.0
356	338	337	1.0	0.0	0.866	40.7	57.5	-23.1	62.0
357	339	338	1.0	0.0	0.85	40.7	58.3	-22.3	62.5
357	339	338	1.0	0.0	0.85	40.7	58.3	-22.3	62.5
357	340	339	1.0	0.0	0.833	41.1	59.2	-21.5	63.0
357	340	339	1.0	0.0	0.833	41.1	59.2	-21.5	63.0
358	341	340	1.0	0.0	0.816	41.4	60.2	-20.6	63.7
358	341	340	1.0	0.0	0.816	41.4	60.2	-20.6	63.7
358	342	341	1.0	0.0	0.8	41.7	61.1	-19.8	64.3
358	342	341	1.0	0.0	0.8	41.7	61.1	-19.8	64.3
359	343	342	1.0	0.0	0.783	41.9	62.1	-18.9	64.9
359	343	342	1.0	0.0	0.783	41.9	62.1	-18.9	64.9
359	344	343	1.0	0.0	0.766	42.2	63.0	-18.0	65.6
359	344	343	1.0	0.0	0.766	42.2	63.0	-18.0	65.6
360	345	344	1.0	0.0	0.75	42.5	64.0	-17.0	66.2
360	345	344	1.0	0.0	0.75	42.5	64.0	-17.0	66.2

see similar files: <http://130.149.60.45/~farbmatrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

input: $rgb/cmyk \rightarrow rgbde$
output: 3D-linearization to $cmyk^*de$

TUB-test chart RE35; hue code: $H^*_e=B50R_e$
48 step hue circles; $rgb-LabCh$ *tables

1-1131530-L0 RE350-73
LAB* h_{ab} , $Y_N=0\%$, $XY_{Znw}=2.4, 2.5, 2.6, 85.1, 88.8, 104.3$, $LAB^*nw=17.7, 0.0, 95.5, 0.0, 0.0$

Output: Offset standard print; separation cmyk6*, D65, page 16/38




TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB-test chart RE35; hue code: $H_e^* = B50R_e$
colors and differences, ΔE^*

<i>n/j</i>	<i>HIC^{sp}_{ide}</i>	<i>icL^{sp}_{ide}</i>	<i>h_{sa}_{ide}</i>	<i>rgb^{sp}_{ide}</i>	<i>LabCh^{sp}_{ide}</i>	<i>cmv^{sp}_{sp,ide}</i>	<i>h_{ax}_{ide}</i>	<i>rgb^{sp}_{ide}</i>	<i>LabCh^{sp}_{ide}</i>	<i>h_{ax}_{ide}</i>	<i>delta</i>
1/6648	R00Y_100_100de	1.0	0.0	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
1/6648	R25Y_100_100de	1.0	0.25	1.0	0.133	0.0	51.5	54.2	47.2	71.9	41.0
1/6648	R50Y_100_100de	1.0	0.5	1.0	0.349	0.0	60.3	35.6	59.0	68.9	58.8
3/702	R75Y_100_100de	1.0	0.75	1.0	0.563	0.0	70.4	17.0	72.2	74.1	76.7
4/720	Y00G_100_100de	1.0	1.0	0.5	1.0	0.841	0.0	82.9	-3.5	87.8	87.9
5/558	Y25G_100_100de	0.75	1.0	0.0	0.619	1.0	0.0	0.0	76.9	-25.5	80.1
6/396	Y50G_100_100de	0.5	1.0	0.0	0.326	1.0	0.0	65.8	-41.4	54.4	68.3
7/234	Y75G_100_100de	0.25	1.0	0.5	0.113	1.0	0.0	0.0	56.9	-56.3	38.1
8/72	G00B_100_100de	0.0	1.0	1.0	0.0	0.093	52.4	52.4	-67.1	21.5	70.5
9/72	G00B_100_100de	0.0	1.0	1.0	0.0	0.093	52.4	52.4	-67.1	21.5	70.5
10/76	G25B_100_100de	0.0	1.0	0.5	1.0	0.0	0.46	54.6	-53.2	-9.0	53.9
11/80	G50B_100_100de	0.0	1.0	1.0	0.0	0.735	56.6	-39.7	-29.9	49.8	216.9
12/44	G75B_100_100de	0.0	0.5	1.0	0.784	1.0	0.0	0.216	-21.1	-44.1	48.9
13/38	B00M_100_100de	0.0	1.0	1.0	0.374	1.0	0.0	0.999	0.623	0.0	200.1
14/332	B25R_100_100de	0.5	0.0	1.0	0.67	26.6	-45.8	52.9	300.1	95.4	1
15/656	B50R_100_100de	1.0	0.0	1.0	0.045	0.0	34.8	49.2	-30.0	57.7	328.6
16/652	B75R_100_100de	1.0	0.0	0.5	0.360	0.947	0.0	1.0	0.0	0.0	0.0
17/648	R00Y_100_100de	1.0	0.0	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25.4
18/688	R00Y_100_050de	1.0	0.5	1.0	0.5	0.604	71.5	32.4	15.4	35.9	25.4
19/706	R50Y_100_050de	1.0	0.75	1.0	0.674	0.5	77.9	17.8	29.5	34.4	58.8
20/524	Y00G_100_050de	1.0	1.0	0.5	1.0	0.92	0.5	89.2	-1.7	43.9	92.3
21/762	Y50G_100_050de	0.75	1.0	0.5	1.0	0.867	73.9	-33.5	10.7	35.2	162.2
22/400	G00B_100_050de	0.5	1.0	0.5	0.5	1.0	0.0	0.618	0.0	0.136	0.0
23/404	G50B_100_050de	0.5	1.0	0.5	0.5	0.687	1.0	0.67	22.7	271.7	271.7
24/368	B00R_100_050de	0.5	1.0	0.5	0.730	0.5	1.0	0.63	28.8	328.6	328.6
25/682	B50R_100_050de	1.0	0.5	1.0	0.0	0.51	65.1	24.6	-15.0	28.8	328.6
26/688	R00Y_100_050de	1.0	0.5	1.0	0.5	0.604	71.5	32.4	15.4	35.9	25.4
27/506	R00Y_075_050de	0.75	0.25	0.5	0.75	0.25	354	52.1	32.4	35.9	25.4
28/524	R50Y_075_050de	0.75	0.5	0.5	0.75	0.424	25	58.4	17.8	29.5	34.4
29/542	Y00G_075_050de	0.75	0.75	0.5	0.9	0.75	69.7	-1.7	43.9	43.9	92.3
30/380	Y50G_075_050de	0.5	0.5	0.5	1.0	0.413	0.25	61.2	-20.7	27.2	34.1
31/218	G00B_075_050de	0.25	0.75	0.25	0.5	0.296	54.5	-33.5	10.7	35.2	162.2
32/222	G50B_075_050de	0.25	0.75	0.25	0.5	0.75	66.7	-19.8	-14.9	24.9	216.9
33/186	B00R_075_050de	0.25	0.75	0.25	0.5	0.25	437	0.6	-22.7	22.7	271.7
34/510	B50R_075_050de	0.25	0.75	0.25	0.5	0.25	437	0.6	-22.7	22.7	271.7
35/506	R00Y_075_050de	0.75	0.25	0.5	0.75	0.25	354	52.1	32.4	35.9	25.4
36/324	R00Y_050_050de	0.5	0.0	0.5	0.5	0.104	32.6	32.4	15.4	35.9	25.4
37/342	R50Y_050_050de	0.5	0.25	0.5	0.5	0.174	0.0	39.0	17.8	29.5	34.4
38/360	Y00G_050_050de	0.5	0.5	0.5	0.5	0.42	0.0	50.3	-1.7	43.9	92.3
39/198	Y50G_050_050de	0.25	0.5	0.5	1.0	0.163	0.5	41.7	-20.7	27.2	34.1
40/36	G00B_050_050de	0.0	0.5	0.5	0.25	0.046	35.0	-33.5	10.7	35.2	162.2
41/40	G50B_050_050de	0.0	0.5	0.5	0.25	0.367	37.1	-19.8	-14.9	24.9	216.9
42/4	B00R_050_050de	0.0	0.5	0.5	0.25	0.187	0.5	27.8	0.6	-22.7	22.7
43/328	B50R_050_050de	0.5	0.0	0.5	0.25	0.203	0.0	26.2	24.6	-15.0	28.8
44/324	R00Y_050_050de	0.5	0.0	0.5	0.25	0.104	32.6	32.4	15.4	35.9	25.4
45/0	NW_000de	0.0	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0
46/91	NW_013de	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025de	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_038de	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_050de	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/455	NW_063de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_075de	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/637	NW_088de	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0


Mean color difference of this page:



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$


[illegible]



TUB material: code=rha4ta
myn6* (CMYK)

input: *rgb/cmyk* $\rightarrow$ *rgb*_{de}
output: *3D-linearization to cmyk*_{de}

<i>n</i>	HIC ^{Frde}	<i>rgb^{Frde}</i>	<i>lcr^{Frde}</i>	<i>h_{g^{Frde}}</i>	<i>rgb^{Frde}</i>	<i>LabCh^{Frde}</i>	<i>cmyp^{supFrde}</i>	<i>h_{snFrde}</i>	<i>rgb^{Mid}</i>	<i>LabCh^{Mid}</i>	<i>delta</i>
162	R00Y_025_025de	0.25	0.0	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0
163	R00Y_025_025de	0.25	0.0	0.125	0.25	0.0	0.0	0.0	0.0	0.0	0.0
164	B50R_025_025de	0.25	0.0	0.125	0.25	0.0	0.0	0.0	0.0	0.0	0.0
165	B34R_037_037de	0.25	0.0	0.375	0.187	311	0.071	0.0	0.0	0.0	0.0
166	B25R_050_050de	0.25	0.0	0.5	0.25	300	0.022	0.0	0.0	0.0	0.0
167	B19R_062_062de	0.25	0.0	0.625	0.625	0.312	293	0.0	0.0	0.0	0.0
168	B15R_075_075de	0.25	0.0	0.75	0.75	0.375	289	0.0	0.0	0.0	0.0
169	B13R_087_087de	0.25	0.0	0.875	0.875	0.437	286	0.0	0.0	0.0	0.0
170	B11R_100_100de	0.25	0.0	1.0	1.0	0.5	284	0.0	0.0	0.0	0.0
171	R50Y_025_025de	0.25	0.125	0.0	0.25	0.087	147	0.0	0.0	0.0	0.0
172	R00Y_025_012de	0.25	0.125	0.25	0.125	0.151	311	0.0	0.0	0.0	0.0
173	B50R_025_012de	0.25	0.125	0.25	0.125	0.187	330	0.0	0.0	0.0	0.0
174	B25R_037_025de	0.25	0.125	0.375	0.25	0.25	300	0.0	0.0	0.0	0.0
175	B15R_050_037de	0.25	0.125	0.5	0.375	0.312	289	0.0	0.0	0.0	0.0
176	B11R_062_050de	0.25	0.125	0.625	0.625	0.375	284	0.0	0.0	0.0	0.0
177	B09R_075_062de	0.25	0.125	0.75	0.75	0.437	281	0.0	0.0	0.0	0.0
178	B07R_087_075de	0.25	0.125	0.875	0.875	0.5	279	0.0	0.0	0.0	0.0
179	B06R_100_087de	0.25	0.125	1.0	1.0	0.875	278	0.0	0.0	0.0	0.0
180	Y00G_025_012de	0.25	0.125	0.0	0.25	0.125	90	0.0	0.0	0.0	0.0
181	Y00G_025_012de	0.25	0.125	0.125	0.187	300	0.0	0.0	0.0	0.0	0.0
182	Y00G_025_012de	0.25	0.125	0.25	0.312	300	0.0	0.0	0.0	0.0	0.0
183	B00R_050_025de	0.25	0.375	0.0	0.25	0.25	270	0.0	0.0	0.0	0.0
184	B00R_050_025de	0.25	0.375	0.0	0.375	0.312	270	0.0	0.0	0.0	0.0
185	B00R_062_037de	0.25	0.625	0.625	0.375	0.437	270	0.0	0.0	0.0	0.0
186	B00R_075_050de	0.25	0.75	0.5	0.5	0.5	270	0.0	0.0	0.0	0.0
187	B00R_087_062de	0.25	0.875	0.875	0.625	0.562	270	0.0	0.0	0.0	0.0
188	B00R_100_075de	0.25	1.0	1.0	0.75	0.625	270	0.0	0.0	0.0	0.0
189	Y31G_037_037de	0.25	0.375	0.25	0.187	109	0.193	0.375	0.0	0.0	0.0
190	Y50G_037_025de	0.25	0.375	0.25	0.125	120	0.206	0.375	0.0	0.0	0.0
191	G00B_037_012de	0.25	0.375	0.125	0.312	210	0.249	0.375	0.0	0.0	0.0
192	G50B_037_012de	0.25	0.375	0.375	0.25	240	0.249	0.446	0.5	0.0	0.0
193	G84B_062_037de	0.25	0.375	0.625	0.375	0.437	251	0.249	0.446	0.5	0.0
194	G84B_062_037de	0.25	0.375	0.75	0.5	0.5	256	0.25	0.521	0.75	0.0
195	G80B_075_050de	0.25	0.375	0.875	0.875	0.625	259	0.25	0.567	0.875	0.0
196	G80B_087_062de	0.25	0.375	1.0	1.0	0.75	261	0.25	0.613	1.0	0.0
197	G92B_100_075de	0.25	0.375	1.0	0.75	0.625	261	0.25	0.613	1.0	0.0
198	Y50G_050_050de	0.25	0.5	0.5	0.25	120	0.163	0.5	0.0	0.0	0.0
199	Y60G_050_037de	0.25	0.5	0.375	0.312	131	0.194	0.5	0.124	0.429	0.0
200	G00B_050_025de	0.25	0.5	0.25	0.375	150	0.249	0.5	0.365	0.463	0.0
201	G25B_050_025de	0.25	0.375	0.5	0.375	180	0.249	0.5	0.375	0.468	0.0
202	G50B_050_025de	0.25	0.5	0.25	0.375	229	0.249	0.5	0.615	0.523	0.0
203	G65B_062_037de	0.25	0.5	0.625	0.375	0.437	229	0.25	0.642	0.75	0.0
204	G75B_075_062de	0.25	0.5	0.75	0.5	0.5	240	0.25	0.642	0.75	0.0
205	G80B_087_062de	0.25	0.5	0.875	0.875	0.625	247	0.25	0.661	0.875	0.0
206	G84B_100_075de	0.25	0.5	1.0	0.75	0.625	251	0.25	0.701	1.0	0.0
207	Y61G_062_050de	0.25	0.625	0.625	0.312	127	0.152	0.625	0.0	0.0	0.0
208	Y66G_062_050de	0.25	0.625	0.625	0.375	136	0.181	0.625	0.125	0.445	0.0
209	G00B_062_037de	0.25	0.625	0.375	0.437	150	0.25	0.625	0.284	0.501	0.0
210	G15B_062_037de	0.25	0.625	0.375	0.437	169	0.25	0.625	0.383	0.501	0.0
211	G34B_062_037de	0.25	0.625	0.625	0.375	191	0.25	0.625	0.468	0.571	0.0
212	G40B_062_037de	0.25	0.625	0.625	0.375	211	0.25	0.625	0.525	0.614	0.0
213	G60B_075_050de	0.25	0.625	0.625	0.375	224	0.25	0.625	0.571	0.656	0.0
214	G60B_087_062de	0.25	0.625	0.875	0.875	0.625	224	0.25	0.641	0.875	0.0
215	G75B_100_075de	0.25	0.625	1.0	0.75	0.625	240	0.25	0.688	1.0	0.0
216	Y68G_075_075de	0.25	0.75	0.75	0.375	131	0.138	0.75	0.0	0.0	0.0
217	Y81G_075_075de	0.25	0.75	0.125	0.25	139	0.174	0.75	0.125	0.487	0.0
218	G11B_075_050de	0.25	0.75	0.25	0.5	150	0.25	0.75	0.299	0.541	0.0
219	G11B_075_050de	0.25	0.75	0.375	0.5	164	0.25	0.75	0.396	0.551	0.0
220	G25B_075_050de	0.25	0.75	0.625	0.5	180	0.25	0.75	0.48	0.566	0.0
221	G38B_075_050de	0.25	0.75	0.75	0.5	196	0.25	0.75	0.553	0.61	0.0
222	G50B_075_050de	0.25	0.75	0.875	0.875	0.625	210	0.25	0.75	0.61	0.0
223	G59B_087_062de	0.25	0.75	1.0	0.75	0.625	229	0.25	0.875	0.794	0.0
224	G65B_100_075de	0.25	0.75	1.0	0.75	0.625	229	0.25	1.0	0.98	0.0
225	Y73G_087_075de	0.25	0.875	0.875	0.437	134	0.121	0.875	0.0	0.0	0.0
226	Y85G_087_075de	0.25	0.875	0.75	0.5	141	0.168	0.875	0.125	0.508	0.0
227	G00B_087_062de	0.25	0.875	0.625	0.562	150	0.25	0.875	0.308	0.588	0.0
228	G09B_087_062de	0.25	0.875	0.375	0.562	161	0.25	0.875	0.416	0.594	0.0
229	G19B_087_062de	0.25	0.875	0.625	0.562	173	0.25	0.875	0.497	0.599	0.0
230	G30B_087_062de	0.25	0.875	0.625	0.562	187	0.25	0.875	0.577	0.604	0.0
231	G40B_087_062de	0.25	0.875	0.75	0.625	199	0.25	0.875	0.646	0.61	0.0
232	G50B_087_062de	0.25	0.875	0.875	0.625	219	0.25	0.875	0.709	0.619	0.0
233	G57B_100_075de	0.25	0.875	1.0	0.75	0.625	219	0.25	1.0	0.883	0.0
234	Y76G_100_087de	0.25	1.0	1.0	0.5	136	0.113	1.0	0.0	0.0	0.0
235	Y86G_100_087de	0.25	1.0	0.125	1.0	142	0.165	1.0	0.125	0.591	0.0
236	G00B_100_075de	0.25	1.0	0.25	1.0	150	0.25	1.0	0.319	0.61	0.0
237	G07B_100_075de	0.25	1.0	0.375	1.0	159	0.25	1.0	0.437	0.638	0.0
238	G15B_100_075de	0.25	1.0	0.5	1.0	169	0.25	1.0	0.517	0.643	0.0
239	G25B_100_075de	0.25	1.0	0.625	1.0	180	0.25	1.0	0.595	0.648	0.0
240	G42B_100_075de	0.25	1.0	0.75	1.0	191	0.25	1.0	0.671	0.653	0.0
241	G42B_100_075de	0.25	1.0	0.875	1.0	201	0.25	1.0	0.739	0.653	0.0
242	G50B_100_075de	0.25	1.0	1.0	0.75	0.625	210	0.25	1.0	0.801	0.0



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB-test chart RE35; hue code: $H^*_e=B50R_e$

colors and differences, ΔE^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$


RE350-7N, Page 23/33-F

n	H* _{CC} -File	rgb-File	Lab-File	rgb-File	Lab-File	cmyn* _{sep} -File	Lab-File	rgb-File	Lab-File	delta
324	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.843	0.0	0.0	0.0
325	R050_050_050de	0.5	0.0	0.125	0.5	0.0	0.84	0.0	0.0	0.0
326	R050_050_050de	0.5	0.0	0.25	0.5	0.0	0.84	0.0	0.0	0.0
327	R050_050_050de	0.5	0.0	0.375	0.5	0.0	0.84	0.0	0.0	0.0
328	R050_050_050de	0.5	0.0	0.5	0.5	0.0	0.84	0.0	0.0	0.0
329	R050_050_050de	0.5	0.0	0.625	0.5	0.0	0.84	0.0	0.0	0.0
330	R050_050_050de	0.5	0.0	0.75	0.5	0.0	0.84	0.0	0.0	0.0
331	R050_050_050de	0.5	0.0	0.875	0.5	0.0	0.84	0.0	0.0	0.0
332	R050_050_050de	0.5	0.0	1.0	0.5	0.0	0.84	0.0	0.0	0.0
333	R050_050_050de	0.5	0.125	0.125	0.5	0.0	0.84	0.0	0.0	0.0
334	R050_050_050de	0.5	0.125	0.25	0.5	0.0	0.84	0.0	0.0	0.0
335	R050_050_050de	0.5	0.125	0.375	0.5	0.0	0.84	0.0	0.0	0.0
336	R050_050_050de	0.5	0.125	0.5	0.5	0.0	0.84	0.0	0.0	0.0
337	R050_050_050de	0.5	0.125	0.625	0.5	0.0	0.84	0.0	0.0	0.0
338	R050_050_050de	0.5	0.125	0.75	0.5	0.0	0.84	0.0	0.0	0.0
339	R050_050_050de	0.5	0.125	0.875	0.5	0.0	0.84	0.0	0.0	0.0
340	R050_050_050de	0.5	0.125	1.0	0.5	0.0	0.84	0.0	0.0	0.0
341	R050_050_050de	0.5	0.25	0.125	0.5	0.0	0.84	0.0	0.0	0.0
342	R050_050_050de	0.5	0.25	0.25	0.5	0.0	0.84	0.0	0.0	0.0
343	R050_050_050de	0.5	0.25	0.375	0.5	0.0	0.84	0.0	0.0	0.0
344	R050_050_050de	0.5	0.25	0.5	0.5	0.0	0.84	0.0	0.0	0.0
345	R050_050_050de	0.5	0.25	0.625	0.5	0.0	0.84	0.0	0.0	0.0
346	R050_050_050de	0.5	0.25	0.75	0.5	0.0	0.84	0.0	0.0	0.0
347	R050_050_050de	0.5	0.25	0.875	0.5	0.0	0.84	0.0	0.0	0.0
348	R050_050_050de	0.5	0.25	1.0	0.5	0.0	0.84	0.0	0.0	0.0
349	R050_050_050de	0.5	0.375	0.125	0.5	0.0	0.84	0.0	0.0	0.0
350	R050_050_050de	0.5	0.375	0.25	0.5	0.0	0.84	0.0	0.0	0.0
351	R050_050_050de	0.5	0.375	0.375	0.5	0.0	0.84	0.0	0.0	0.0
352	R050_050_050de	0.5	0.375	0.5	0.5	0.0	0.84	0.0	0.0	0.0
353	R050_050_050de	0.5	0.375	0.625	0.5	0.0	0.84	0.0	0.0	0.0
354	R050_050_050de	0.5	0.375	0.75	0.5	0.0	0.84	0.0	0.0	0.0
355	R050_050_050de	0.5	0.375	0.875	0.5	0.0	0.84	0.0	0.0	0.0
356	R050_050_050de	0.5	0.375	1.0	0.5	0.0	0.84	0.0	0.0	0.0
357	R050_050_050de	0.5	0.5	0.125	0.5	0.0	0.84	0.0	0.0	0.0
358	R050_050_050de	0.5	0.5	0.25	0.5	0.0	0.84	0.0	0.0	0.0
359	R050_050_050de	0.5	0.5	0.375	0.5	0.0	0.84	0.0	0.0	0.0
360	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.84	0.0	0.0	0.0
361	R050_050_050de	0.5	0.5	0.625	0.5	0.0	0.84	0.0	0.0	0.0
362	R050_050_050de	0.5	0.5	0.75	0.5	0.0	0.84	0.0	0.0	0.0
363	R050_050_050de	0.5	0.5	0.875	0.5	0.0	0.84	0.0	0.0	0.0
364	R050_050_050de	0.5	0.5	1.0	0.5	0.0	0.84	0.0	0.0	0.0
365	R050_050_050de	0.5	0.625	0.125	0.5	0.0	0.84	0.0	0.0	0.0
366	R050_050_050de	0.5	0.625	0.25	0.5	0.0	0.84	0.0	0.0	0.0
367	R050_050_050de	0.5	0.625	0.375	0.5	0.0	0.84	0.0	0.0	0.0
368	R050_050_050de	0.5	0.625	0.5	0.5	0.0	0.84	0.0	0.0	0.0
369	R050_050_050de	0.5	0.625	0.625	0.5	0.0	0.84	0.0	0.0	0.0
370	R050_050_050de	0.5	0.625	0.75	0.5	0.0	0.84	0.0	0.0	0.0
371	R050_050_050de	0.5	0.625	0.875	0.5	0.0	0.84	0.0	0.0	0.0
372	R050_050_050de	0.5	0.625	1.0	0.5	0.0	0.84	0.0	0.0	0.0
373	R050_050_050de	0.5	0.75	0.125	0.5	0.0	0.84	0.0	0.0	0.0
374	R050_050_050de	0.5	0.75	0.25	0.5	0.0	0.84	0.0	0.0	0.0
375	R050_050_050de	0.5	0.75	0.375	0.5	0.0	0.84	0.0	0.0	0.0
376	R050_050_050de	0.5	0.75	0.5	0.5	0.0	0.84	0.0	0.0	0.0
377	R050_050_050de	0.5	0.75	0.625	0.5	0.0	0.84	0.0	0.0	0.0
378	R050_050_050de	0.5	0.75	0.75	0.5	0.0	0.84	0.0	0.0	0.0
379	R050_050_050de	0.5	0.75	0.875	0.5	0.0	0.84	0.0	0.0	0.0
380	R050_050_050de	0.5	0.75	1.0	0.5	0.0	0.84	0.0	0.0	0.0
381	R050_050_050de	0.5	0.875	0.125	0.5	0.0	0.84	0.0	0.0	0.0
382	R050_050_050de	0.5	0.875	0.25	0.5	0.0	0.84	0.0	0.0	0.0
383	R050_050_050de	0.5	0.875	0.375	0.5	0.0	0.84	0.0	0.0	0.0
384	R050_050_050de	0.5	0.875	0.5	0.5	0.0	0.84	0.0	0.0	0.0
385	R050_050_050de	0.5	0.875	0.625	0.5	0.0	0.84	0.0	0.0	0.0
386	R050_050_050de	0.5	0.875	0.75	0.5	0.0	0.84	0.0	0.0	0.0
387	R050_050_050de	0.5	0.875	0.875	0.5	0.0	0.84	0.0	0.0	0.0
388	R050_050_050de	0.5	0.875	1.0	0.5	0.0	0.84	0.0	0.0	0.0
389	R050_050_050de	0.5	0.875	0.125	0.5	0.0	0.84	0.0	0.0	0.0
390	R050_050_050de	0.5	0.875	0.25	0.5	0.0	0.84	0.0	0.0	0.0
391	R050_050_050de	0.5	0.875	0.375	0.5	0.0	0.84	0.0	0.0	0.0
392	R050_050_050de	0.5	0.875	0.5	0.5	0.0	0.84	0.0	0.0	0.0
393	R050_050_050de	0.5	0.875	0.625	0.5	0.0	0.84	0.0	0.0	0.0
394	R050_050_050de	0.5	0.875	0.75	0.5	0.0	0.84	0.0	0.0	0.0
395	R050_050_050de	0.5	0.875	0.875	0.5	0.0	0.84	0.0	0.0	0.0
396	R050_050_050de	0.5	0.875	1.0	0.5	0.0	0.84	0.0	0.0	0.0
397	R050_050_050de	0.5	1.0	0.125	0.5	0.0	0.84	0.0	0.0	0.0
398	R050_050_050de	0.5	1.0	0.25	0.5	0.0	0.84	0.0	0.0	0.0
399	R050_050_050de	0.5	1.0	0.375	0.5	0.0	0.84	0.0	0.0	0.0
400	R050_050_050de	0.5	1.0	0.5	0.5	0.0	0.84	0.0	0.0	0.0
401	R050_050_050de	0.5	1.0	0.625	0.5	0.0	0.84	0.0	0.0	0.0
402	R050_050_050de	0.5	1.0	0.75	0.5	0.0	0.84	0.0	0.0	0.0
403	R050_050_050de	0.5	1.0	0.875	0.5	0.0	0.84	0.0	0.0	0.0
404	R050_050_050de	0.5	1.0	1.0	0.5	0.0	0.84	0.0	0.0	0.0

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmyk**de

Mean color difference of this page:

delta




TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: $3D\text{-linearization to } cmyk^*_{de}$

The figure consists of two parts. On the left is a vertical bar chart with five segments of increasing height from bottom to top. On the right is a circular diagram with concentric circles, with a horizontal line passing through the center and a vertical line passing through the center, and a small circle at the center.

n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCh*File	cmyn*sepFile	cmyn*sepFile	hsa*File	rgb*File	LabCh*File	delta
648	R00Y_100_100de	1.0	0.0	0.0	0.0	47.6	0.0	0.0	0.0	0.0	47.6	25.4
649	R38Y_100_100de	1.0	0.0	0.0	0.0	38.3	0.0	0.0	0.0	0.0	38.3	69.6
650	R26Y_100_100de	1.0	0.0	0.0	0.0	37.6	0.0	0.0	0.0	0.0	37.6	17.6
651	R13Y_100_100de	1.0	0.0	0.0	0.0	36.8	0.0	0.0	0.0	0.0	36.8	9.8
652	R00Y_100_100de	1.0	0.0	0.0	0.0	36.0	0.0	0.0	0.0	0.0	36.0	0.0
653	R68R_100_100de	1.0	0.0	0.0	0.0	35.2	0.0	0.0	0.0	0.0	35.2	352.0
654	B61R_100_100de	1.0	0.0	0.0	0.0	34.7	0.0	0.0	0.0	0.0	34.7	349.4
655	B55R_100_100de	1.0	0.0	0.0	0.0	34.4	0.0	0.0	0.0	0.0	34.4	341.8
656	B50R_100_100de	1.0	0.0	0.0	0.0	34.0	0.0	0.0	0.0	0.0	34.0	335.2
657	R11Y_100_100de	1.0	0.0	0.0	0.0	33.7	0.0	0.0	0.0	0.0	33.7	328.6
658	R00Y_100_097de	1.0	0.0	0.0	0.0	33.0	0.0	0.0	0.0	0.0	33.0	33.2
659	R38Y_100_097de	1.0	0.0	0.0	0.0	32.3	0.0	0.0	0.0	0.0	32.3	64.9
660	R26Y_100_097de	1.0	0.0	0.0	0.0	31.6	0.0	0.0	0.0	0.0	31.6	25.4
661	R13Y_100_097de	1.0	0.0	0.0	0.0	30.9	0.0	0.0	0.0	0.0	30.9	19.8
662	B70R_100_097de	1.0	0.0	0.0	0.0	30.2	0.0	0.0	0.0	0.0	30.2	66.6
663	B63R_100_097de	1.0	0.0	0.0	0.0	29.5	0.0	0.0	0.0	0.0	29.5	92.3
664	B56R_100_097de	1.0	0.0	0.0	0.0	28.8	0.0	0.0	0.0	0.0	28.8	16.5
665	B50R_100_097de	1.0	0.0	0.0	0.0	28.1	0.0	0.0	0.0	0.0	28.1	9.2
666	R23Y_100_100de	1.0	0.0	0.0	0.0	27.4	0.0	0.0	0.0	0.0	27.4	0.0
667	R13Y_100_097de	1.0	0.0	0.0	0.0	26.7	0.0	0.0	0.0	0.0	26.7	64.9
668	R00Y_100_075de	1.0	0.0	0.0	0.0	26.0	0.0	0.0	0.0	0.0	26.0	25.4
669	R38Y_100_075de	1.0	0.0	0.0	0.0	25.3	0.0	0.0	0.0	0.0	25.3	19.8
670	R26Y_100_075de	1.0	0.0	0.0	0.0	24.6	0.0	0.0	0.0	0.0	24.6	9.2
671	R13Y_100_075de	1.0	0.0	0.0	0.0	23.9	0.0	0.0	0.0	0.0	23.9	0.0
672	B63R_100_075de	1.0	0.0	0.0	0.0	23.2	0.0	0.0	0.0	0.0	23.2	352.0
673	B56R_100_075de	1.0	0.0	0.0	0.0	22.5	0.0	0.0	0.0	0.0	22.5	346.6
674	B50R_100_075de	1.0	0.0	0.0	0.0	21.8	0.0	0.0	0.0	0.0	21.8	341.8
675	R26Y_100_100de	1.0	0.0	0.0	0.0	21.1	0.0	0.0	0.0	0.0	21.1	335.2
676	R13Y_100_097de	1.0	0.0	0.0	0.0	20.4	0.0	0.0	0.0	0.0	20.4	328.6
677	R00Y_100_097de	1.0	0.0	0.0	0.0	19.7	0.0	0.0	0.0	0.0	19.7	33.2
678	R38Y_100_097de	1.0	0.0	0.0	0.0	19.0	0.0	0.0	0.0	0.0	19.0	64.9
679	R26Y_100_097de	1.0	0.0	0.0	0.0	18.3	0.0	0.0	0.0	0.0	18.3	25.4
680	R13Y_100_097de	1.0	0.0	0.0	0.0	17.6	0.0	0.0	0.0	0.0	17.6	19.8
681	B69R_100_062de	1.0	0.0	0.0	0.0	16.9	0.0	0.0	0.0	0.0	16.9	66.6
682	B59R_100_062de	1.0	0.0	0.0	0.0	16.2	0.0	0.0	0.0	0.0	16.2	92.3
683	B50Y_100_062de	1.0	0.0	0.0	0.0	15.5	0.0	0.0	0.0	0.0	15.5	16.5
684	R50Y_100_100de	1.0	0.0	0.0	0.0	14.8	0.0	0.0	0.0	0.0	14.8	9.2
685	R41Y_100_097de	1.0	0.0	0.0	0.0	14.1	0.0	0.0	0.0	0.0	14.1	0.0
686	R31Y_100_075de	1.0	0.0	0.0	0.0	13.4	0.0	0.0	0.0	0.0	13.4	352.0
687	R18Y_100_062de	1.0	0.0	0.0	0.0	12.7	0.0	0.0	0.0	0.0	12.7	346.6
688	R00Y_100_050de	1.0	0.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0	12.0	341.8
689	R26Y_100_050de	1.0	0.0	0.0	0.0	11.3	0.0	0.0	0.0	0.0	11.3	335.2
690	R00Y_100_050de	1.0	0.0	0.0	0.0	10.6	0.0	0.0	0.0	0.0	10.6	328.6
691	B61R_100_050de	1.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.0	9.9	33.2
692	B50R_100_050de	1.0	0.0	0.0	0.0	9.2	0.0	0.0	0.0	0.0	9.2	64.9
693	R63Y_100_100de	1.0	0.0	0.0	0.0	8.5	0.0	0.0	0.0	0.0	8.5	25.4
694	R38Y_100_097de	1.0	0.0	0.0	0.0	7.8	0.0	0.0	0.0	0.0	7.8	19.8
695	R38Y_100_075de	1.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	7.1	9.2
696	R38Y_100_062de	1.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	6.4	0.0
697	R23Y_100_050de	1.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	5.7	352.0
698	R00Y_100_037de	1.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	5.0	346.6
699	R18Y_100_037de	1.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	4.3	341.8
700	B63R_100_037de	1.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	3.6	328.6
701	B50R_100_037de	1.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	2.9	32.0
702	R76Y_100_075de	1.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	2.2	74.4
703	R31Y_100_075de	1.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	1.5	71.2
704	R00Y_100_062de	1.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.8	67.8
705	B50Y_100_062de	1.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	64.4
706	R00Y_100_050de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.8
707	R31Y_100_037de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.6
708	R00Y_100_025de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.4
709	R00Y_100_025de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.9
710	B50R_100_025de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	352.0
711	R88Y_100_100de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	328.6
712	R85Y_100_075de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.5
713	R85Y_100_062de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.4
714	R81Y_100_062de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.2
715	R76Y_100_050de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.0
716	R68Y_100_037de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.7
717	R50Y_100_025de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.1
718	R00Y_100_012de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64.4
719	B50R_100_012de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.3
720	Y00C_100_100de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57.7
721	Y00C_100_087de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.4
722	Y00C_100_075de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.2
723	Y00C_100_062de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.6
724	Y00C_100_050de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.9
725	Y00C_100_037de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.4
726	Y00C_100_025de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8
727	Y00C_100_012de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2
728	NW_100de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0




TUB material: code=rha4ta
nyn6* (CMYK)

input: *rgb/cmyk* $\rightarrow$ *rgb*_{de}
output: 3D-linearization to *cmyk*_{de}

TUB-test chart RE35; hue code: $H^*_e=B50R_e$
 colors and differences, ΔE^*

[illegible]



TUB material: code=rha4ta
myn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB-test chart RE35; hue code: $H_e^* = B50R_e$
colors and differences, ΔE^*

[illegible]