

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_- = B50R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B50R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 49 73 -9 74 353

$HIC^*_{-,Ma}$: B50R_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart RE35; hue code: $H^*_- = B50R_-$
Test chart according to DIN 33872, 3D=1, de=1, cm^*_{yk}

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	47.6	64.9	30.9	71.9	25
Y_e, Ma	82.9	-3.5	87.8	87.9	92
G_e, Ma	52.4	-67.1	21.5	70.5	162
C_e, Ma	56.6	-39.7	-29.9	49.8	216
B_e, Ma	37.9	1.3	-45.4	45.4	271
M_e, Ma	34.8	49.2	-30.0	57.7	328
N_e, Ma	17.7	0.0	0.0	0.0	0
W_e, Ma	95.4	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 34 49 -30 57 328

HIC^*_e, Ma : B50R_100_100_e

$rgbic^*_e, Ma$:

0.4 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut


$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	47.6	64.9	30.9	71.9	25
$R25Y_100_100_e$	51.5	54.2	47.2	71.9	41
$R50Y_100_100_e$	60.3	35.6	59.0	68.9	58
$R75Y_100_100_e$	70.4	17.0	72.2	74.1	76
$Y00G_100_100_e$	82.9	-3.5	87.8	87.9	92
$Y25G_100_100_e$	76.9	-25.5	75.9	80.1	108
$Y50G_100_100_e$	65.8	-41.4	54.4	68.3	127
$Y75G_100_100_e$	56.9	-56.3	38.1	68.0	145
$G00B_100_100_e$	52.4	-67.1	21.5	70.5	162
$G25B_100_100_e$	54.6	-53.2	-9.0	53.9	189
$G50B_100_100_e$	56.6	-39.7	-29.9	49.8	216
$G75B_100_100_e$	52.7	-21.1	-44.1	48.9	244
$B00R_100_100_e$	37.9	1.3	-45.4	45.4	271
$B25R_100_100_e$	26.7	26.6	-45.8	52.9	300
$B50R_100_100_e$	34.8	49.2	-30.0	57.7	328
$B75R_100_100_e$	47.3	71.5	-9.9	72.1	352



TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cm yk^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cm yk^*_{de}$

Input and Output: Offset Reflective System ORS18a for relative CIE LAB hue $h_{ab,rel} = h_{ab}/360 = 328/360 = 0.91$

$H^*_e = B50R_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 34 49 -30 57 328

HIC^*_e, Ma : B50R_100_100_e

$rgbic^*_e, Ma$:

0.4 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE35/RE35L0FP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyk* (CMYK)






1-113230-L0 RE350-73

TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

see similar files: <http://130.149.60.45/~farbmetrik/RE35/RE35.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>







input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB-test chart RE35; hue code: $H^*_e=B50R_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmyk^*$

1-113430-L0 RE350-73



<http://130.149.60.45/~farbmetrik/RE35/RE35L0FP.PDF> /.PS; 3D-linearization
F: 3D-linearization RE35/RE35LE30FP.DAT in file (F), page 5/33



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 328/360 = 0.91$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B50R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	47.6	64.9	30.9	71.9	25
Y_e, Ma	82.9	-3.5	87.8	87.9	92
G_e, Ma	52.4	-67.1	21.5	70.5	162
C_e, Ma	56.6	-39.7	-29.9	49.8	216
B_e, Ma	37.9	1.3	-45.4	45.4	271
M_e, Ma	34.8	49.2	-30.0	57.7	328
N_e, Ma	17.7	0.0	0.0	0.0	0
W_e, Ma	95.4	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 34 49 -30 57 328

HIC^*_e, Ma : B50R_100_100_e

$rgbic^*_e, Ma$:

0.4 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	47.6	64.9	30.9	71.9	25
$R25Y_100_100_e$	51.5	54.2	47.2	71.9	41
$R50Y_100_100_e$	60.3	35.6	59.0	68.9	58
$R75Y_100_100_e$	70.4	17.0	72.2	74.1	76
$Y00G_100_100_e$	82.9	-3.5	87.8	87.9	92
$Y25G_100_100_e$	76.9	-25.5	75.9	80.1	108
$Y50G_100_100_e$	65.8	-41.4	54.4	68.3	127
$Y75G_100_100_e$	56.9	-56.3	38.1	68.0	145
$G00B_100_100_e$	52.4	-67.1	21.5	70.5	162
$G25B_100_100_e$	54.6	-53.2	-9.0	53.9	189
$G50B_100_100_e$	56.6	-39.7	-29.9	49.8	216
$G75B_100_100_e$	52.7	-21.1	-44.1	48.9	244
$B00R_100_100_e$	37.9	1.3	-45.4	45.4	271
$B25R_100_100_e$	26.7	26.6	-45.8	52.9	300
$B50R_100_100_e$	34.8	49.2	-30.0	57.7	328
$B75R_100_100_e$	47.3	71.5	-9.9	72.1	352





TUB-test chart RE35; hue code: $H^*_e = B50R_e$
Test chart according to DIN 33872, 3D=1, $de=1$, cmk^*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to cmk^*_{de}


TUB registration: 20150701-RE35/RE35L0FP.PDF /.PS
application for measurement of offset print output, separation $cmkn6^*$ (CMYK)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{1 / r^*_d \sin(30) + g^*_d \sin(150)} + b^*_d \sin(270) \right] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,si} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

LAB*_{la0}, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nw}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE35; hue code: H*_e=B50R_e
48 step hue circles; $rgb-LabCh$ -tables

input: $rgb/cmyk \rightarrow rgbde$
output: 3D-linearization to $cmyk^*de$

Output: Offset standard print; separation cmyk*, D65, page 7/33

Six hue angles of the device colours RYGBM; h _{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6										Output: Offset standard print; separation cmyk6*, D65									
LAB* d64M (x=LabCh)										input: rgb/cmyk -> rgbde output: 3D-linearization to cmyk*de									
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}	rgb* _{d64M}
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.009	47.6	64.9	30.9	71.9	25	
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33	
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42	
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49	
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58	
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66	
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75	
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83	
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	1.0	0.871	0.0	83.0	-3.4	87.8	87.9	92	
100.3	97.5	101.0	0.0	0.875	1.0	85.8	-16.2	88.6	90.0	100.3	0.0	0.599	1.0	85.8	-16.2	88.4	89.9	100	
103.3	105.0	109.7	0.0	0.75	1.0	82.9	-19.7	83.0	85.3	103.3	0.0	0.455	1.0	82.9	-19.7	83.0	85.3	109	
108.3	112.5	118.5	0.0	0.625	1.0	77.0	-25.2	76.3	80.4	108.3	0.0	0.327	1.0	77.0	-25.2	76.3	80.4	117	
115.3	120.0	127.2	0.0	0.5	1.0	72.7	-31.3	66.0	73.1	115.3	0.0	0.209	1.0	72.7	-31.3	66.0	73.1	127	
122.4	127.5	136.0	0.0	0.375	1.0	68.9	-36.9	58.1	68.8	122.4	0.0	0.148	1.0	68.9	-36.9	58.1	68.8	135	
134.9	135.0	144.7	0.0	0.25	1.0	60.8	-47.8	47.8	67.6	134.9	0.0	0.047	1.0	60.8	-47.8	47.8	67.6	144	
144.6	142.5	153.4	0.0	0.125	1.0	57.4	-54.9	38.9	67.3	144.6	0.0	0.009	1.0	57.4	-54.9	38.9	67.3	152	
157.7	150.0	162.2	0.0	0.0	1.0	51.9	-68.8	28.1	74.3	157.7	0.0	0.009	1.0	51.9	-68.8	28.1	74.3	162	
163.7	157.5	169.0	0.0	0.1	0.0	42.7	-60.0	45.0	45.4	163.7	0.0	0.031	1.0	42.7	-60.0	45.0	45.4	175	
170.9	165.0	175.9	0.0	0.2	0.0	37.9	-45.0	45.4	45.4	170.9	0.0	0.046	1.0	37.9	-45.0	45.0	45.4	182	
181.0	172.5	182.7	0.0	0.3	0.0	33.3	-46.0	47.0	47.0	181.0	0.0	0.059	1.0	33.3	-46.0	47.0	47.0	189	
193.5	180.0	189.6	0.0	0.4	0.0	28.6	-47.3	52.8	296.4	193.5	0.0	0.079	1.0	28.6	-47.3	52.8	296.4	196	
205.9	187.5	196.4	0.0	0.5	0.0	25.3	-48.2	72.8	-8.5	205.9	0.0	0.097	1.0	25.3	-48.2	72.8	-8.5	209	
218.4	195.0	203.2	0.0	0.625	0.0	21.9	-49.4	46.5	252.5	218.4	0.0	0.148	1.0	21.9	-49.4	46.5	252.5	216	
227.3	202.5	210.1	0.0	0.75	0.0	19.7	-44.1	48.3	245.8	227.3	0.0	0.209	1.0	19.7	-44.1	48.3	245.8	223	
236.1	210.0	216.9	0.0	0.875	0.0	17.4	-46.9	50.1	290.3	236.1	0.0	0.271	1.0	17.4	-46.9	50.1	290.3	230	
240.3	217.5	223.8	0.0	1.0	0.0	15.7	-44.1	48.3	245.8	240.3	0.0	0.327	1.0	15.7	-44.1	48.3	245.8	227	
245.8	225.0	230.6	0.0	0.75	1.0	13.9	-44.4	46.5	252.5	245.8	0.0	0.379	1.0	13.9	-44.4	46.5	252.5	234	
252.5	232.5	237.5	0.0	0.625	1.0	12.7	-45.0	45.4	262.3	252.5	0.0	0.442	1.0	12.7	-45.0	45.4	262.3	231	
262.3	240.0	244.3	0.0	0.5	1.0	11.0	-47.8	47.8	67.6	262.3	0.0	0.500	1.0	11.0	-47.8	47.8	67.6	228	
271.7	247.5	251.2	0.0	0.375	1.0	9.0	-54.9	38.9	67.3	271.7	0.0	0.555	1.0	9.0	-54.9	38.9	67.3	225	
281.6	255.0	258.0	0.0	0.25	1.0	8.3	-56.0	47.0	281.6	281.6	0.0	0.607	1.0	8.3	-56.0	47.0	281.6	222	
290.3	262.5	264.8	0.0	0.125	1.0	7.6	-57.3	52.8	296.4	290.3	0.0	0.659	1.0	7.6	-57.3	52.8	296.4	219	
296.4	270.0	271.7	0.0	0.0	1.0	6.9	-58.1	68.8	122.4	296.4	0.0	0.711	1.0	6.9	-58.1	68.8	122.4	216	
306.7	277.5	278.8	0.0	0.125	0.0	6.2	-58.8	71.6	-4.3	306.7	0.0	0.763	1.0	6.2	-58.8	71.6	-4.3	213	
312.7	285.0	285.9	0.0	0.25	0.0	5.5	-59.7	83.0	85.3	312.7	0.0	0.815	1.0	5.5	-59.7	83.0	85.3	210	
326.7	292.5	293.0	0.0	0.375	0.0	4.8	-60.3	84.2	108.3	326.7	0.0	0.867	1.0	4.8	-60.3	84.2	108.3	207	
333.9	300.0	300.1	0.0	0.5	0.0	4.1	-60.8	84.2	108.3	333.9	0.0	0.919	1.0	4.1	-60.8	84.2	108.3	204	
339.6	307.5	307.2	0.0	0.625	0.0	3.4	-61.4	84.2	108.3	339.6	0.0	0.971	1.0	3.4	-61.4	84.2	108.3	201	
347.2	315.0	314.3	0.0	0.75	0.0	2.7	-61.9	84.2	108.3	347.2	0.0	1.023	1.0	2.7	-61.9	84.2	108.3	198	
350.2	322.5	321.4	0.0	0.875	0.0	2.0	-62.5	84.2	108.3	350.2	0.0	1.075	1.0	2.0	-62.5	84.2	108.3	195	
353.3	330.0	328.6	0.0	1.0	0.0	1.3	-63.0	84.2	108.3	353.3	0.0	1.127	1.0	1.3	-63.0	84.2	108.3	192	
356.5	337.5	335.7	0.0	0.0	1.0	0.6	-63.5	84.2	108.3	356.5	0.0	1.179	1.0	0.6	-63.5	84.2	108.3	189	
360.3	345.0	342.8	0.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	0.0	1.231	1.0	48.1	70.4	0.3	70.4	186	
365.8	352.5	349.9	0.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	0.0	1.283	1.0	48.0	68.9	7.1	69.3	183	
371.6	360.0	357.0	0.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	0.0	1.335	1.0	47.7	67.7	14.0	69.1	180	
378.2	367.5	364.1	0.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	0.0	1.387	1.0	47.7	66.1	21.8	69.6	177	
383.9	375.0	371.2	0.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	0.0	1.439	1.0	47.7	65.0	28.9	71.2	174	
388.6	382.5	378.3	0.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	0.0	1.491	1.0	47.4	64.4	35.1	73.4	171	
392.8	390.0	385.4	0.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	0.0	1.543	1.0	47.3	63.8	41.2	76.0	168	

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,de} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																					
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	Lab^*_{d361M}	Lab^*_{s361M}	Lab^*_{e361M}	Lab^*_{d361M}	Lab^*_{s361M}	Lab^*_{e361M}	Lab^*_{d361M}	Lab^*_{s361M}	Lab^*_{e361M}	Lab^*_{d361M}	Lab^*_{s361M}	Lab^*_{e361M}	Lab^*_{d361M}	Lab^*_{s361M}	Lab^*_{e361M}	Lab^*_{d361M}	Lab^*_{s361M}	Lab^*_{e361M}	
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	0.0	1.0	0.0
158	151	163	0.0	1.0	0.0	51.0	-69.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.0
159	152	164	0.0	1.0	0.0	50.3	-70.1	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.0
160	153	164	0.0	1.0	0.0	50.5	-70.2	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.0
160	154	165	0.0	1.0	0.0	50.6	-70.2	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.0
161	155	166	0.0	1.0	0.0	50.8	-70.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.0
162	156	167	0.0	1.0	0.0	51.2	-70.4	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.0
163	157	168	0.0	1.0	0.0	51.6	-70.5	20.0	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.0
164	158	169	0.0	1.0	0.0	52.0	-70.6	18.6	68.7	164	0.0	1.0	0.0	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.0
165	159	170	0.0	1.0	0.0	52.4	-70.7	17.3	67.9	165	0.0	1.0	0.0	52.4	-68.8	26.7	74.3	159	0.0	1.0	0.0
166	160	171	0.0	1.0	0.0	52.8	-70.8	16.0	67.0	166	0.0	1.0	0.0	52.8	-68.9	25.6	74.4	160	0.0	1.0	0.0
167	161	172	0.0	1.0	0.0	53.2	-70.9	14.7	66.1	167	0.0	1.0	0.0	53.2	-69.0	24.5	74.5	161	0.0	1.0	0.0
168	162	173	0.0	1.0	0.0	53.6	-71.0	13.4	65.3	168	0.0	1.0	0.0	53.6	-69.1	23.4	74.6	162	0.0	1.0	0.0
169	163	174	0.0	1.0	0.0	54.0	-71.1	12.2	64.4	169	0.0	1.0	0.0	54.0	-69.2	22.3	74.7	163	0.0	1.0	0.0
170	164	175	0.0	1.0	0.0	54.4	-71.2	11.0	63.6	170	0.0	1.0	0.0	54.4	-69.3	21.2	74.8	164	0.0	1.0	0.0
170	165	175	0.0	1.0	0.0	54.8	-71.3	9.8	62.7	170	0.0	1.0	0.0	54.8	-69.4	20.1	74.9	165	0.0	1.0	0.0

LAB*a0, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.3, 104.3, LAB*rw=17.7, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE35; hue code: H_e=B50R_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmyk*de

Output: Offset standard print; separation cmyk6*, D65, page 12/38

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,de} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{361MI}	rgb^*_{361MI}	rgb^*_{361MI}	rgb^*_{361MI}	rgb^*_{361MI}	rgb^*_{361MI}	rgb^*_{361MI}
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9
334	301	301	0.516	0.0	1.0	38.3	54.5	-25.7	60.3
335	302	302	0.533	0.0	1.0	38.7	55.2	-25.2	60.6
336	303	303	0.55	0.0	1.0	39.1	55.8	-24.6	61.0
336	304	304	0.566	0.0	1.0	39.5	56.5	-24.0	61.4
337	305	305	0.583	0.0	1.0	39.9	57.2	-23.4	61.8
338	306	306	0.6	0.0	1.0	40.3	57.8	-22.8	62.2
339	307	307	0.616	0.0	1.0	40.7	58.5	-22.1	62.5
340	308	308	0.633	0.0	1.0	41.1	59.3	-21.4	63.0
341	309	309	0.65	0.0	1.0	41.4	60.3	-20.5	63.7
342	310	310	0.666	0.0	1.0	41.7	61.3	-19.7	64.3
343	311	311	0.683	0.0	1.0	41.9	62.2	-18.8	65.0
344	312	312	0.7	0.0	1.0	42.2	63.2	-17.8	65.6
345	313	313	0.716	0.0	1.0	42.5	64.1	-16.9	66.3
346	314	314	0.733	0.0	1.0	42.8	65.0	-15.9	66.9
347	315	315	0.75	0.0	1.0	43.1	65.9	-14.9	67.6
347	316	316	0.766	0.0	1.0	43.5	66.4	-14.5	68.0
348	317	317	0.783	0.0	1.0	43.8	66.9	-14.1	68.4
348	318	318	0.8	0.0	1.0	44.2	67.3	-13.7	68.7
348	319	319	0.816	0.0	1.0	44.6	67.8	-13.3	69.1
349	320	320	0.833	0.0	1.0	45.0	68.3	-12.9	69.5
349	321	321	0.85	0.0	1.0	45.3	68.8	-12.5	69.9
350	322	322	0.866	0.0	1.0	45.7	69.2	-12.1	70.3
350	323	323	0.883	0.0	1.0	46.1	69.7	-11.7	70.7
350	324	324	0.9	0.0	1.0	46.4	70.1	-11.2	71.0
351	325	325	0.916	0.0	1.0	46.7	70.6	-10.8	71.4
351	326	326	0.933	0.0	1.0	47.0	71.0	-10.3	71.8
352	327	327	0.95	0.0	1.0	47.3	71.5	-9.9	72.2
352	328	328	0.966	0.0	1.0	47.6	71.9	-9.4	72.5
352	329	329	0.983	0.0	1.0	47.9	72.4	-9.0	72.9
353	330	330	1.0	0.0	1.0	48.2	72.8	-8.5	73.3
353	331	331	1.0	0.0	0.983	48.2	72.7	-7.9	73.1
354	332	332	1.0	0.0	0.966	48.2	72.5	-7.4	72.9
354	333	333	1.0	0.0	0.95	48.2	72.4	-6.8	72.7
355	334	334	1.0	0.0	0.933	48.2	72.2	-6.2	72.5
355	335	335	1.0	0.0	0.916	48.2	72.0	-5.7	72.3
355	336	336	1.0	0.0	0.9	48.2	71.9	-5.1	72.1
356	337	337	1.0	0.0	0.883	48.2	71.7	-4.6	71.8
356	338	338	1.0	0.0	0.866	48.2	71.5	-4.0	71.7
357	339	339	1.0	0.0	0.85	48.2	71.4	-3.3	71.5
357	340	340	1.0	0.0	0.833	48.2	71.3	-2.7	71.3
358	341	341	1.0	0.0	0.816	48.2	71.1	-2.1	71.1
358	342	342	1.0	0.0	0.8	48.2	70.9	-1.4	71.0
359	343	343	1.0	0.0	0.783	48.1	70.8	-0.8	70.8
359	344	344	1.0	0.0	0.766	48.1	70.6	-0.2	70.6
360	345	345	1.0	0.0	0.75	48.1	70.4	0.3	70.4




TUB material: code=rha4ta
myn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB-test chart RE35; hue code: $H_e^* = B50R_e$
colors and differences, ΔE^*

[illegible]




TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TTUB-test chart RE35; hue code: $H_e^* = B50R_e$
colors and differences, ΔE^*

$n=j$	HIC*Fde
0	NW_0000
1	B00R_01

[illegible]



TUB material: code=rha4ta
nyn6* (CMYK)

```
input: rgb/cmyk -> rgbde
output: 3D-linearization to cmyk*de
```

1-132030-F0

RE350-7N, Page 21/33-F


TUB-test chart RE35; hue code: $H^*_e=B50R_e$

colors and differences, ΔE^*

input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to $cmyk^*_{de}$






TUB material: code=rha4ta
myn6* (CMYK)

TU8-test chart RE35; hue code: $H_e^* = B50R_e$
colors and differences, ΔE^*

[illegible]



TUB material: code=rha4ta
nyn6* (CMYK)


input: *rgb/cmyk* $\rightarrow$ *rgb*_{de}
output: 3D-linearization to *cmyk*^{*de}

TUB-test chart RE35; hue code: $H^*_e = B50R_e$
 colors and differences, ΔE^*

input: $rgb/cmyk \rightarrow rgbd_e$
 output: 3D-linearization to $cmyk^*_{de}$

input: *rgb/cmyk* $\rightarrow$ *rgb*_{de}
output: 3D-linearization to *cmyk*^{*de}


n	HC*File	rgb-File	Lab-File	rgb*File	LabCh*File	cmyn*sep-File	LabCh*File	rgb*File	LabCh*File	delta
324	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	25.4
325	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
326	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
327	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
328	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
329	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
330	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
331	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
332	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
333	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
334	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
335	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
336	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
337	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
338	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
339	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
340	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
341	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
342	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
343	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
344	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
345	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
346	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
347	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
348	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
349	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
350	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
351	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
352	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
353	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
354	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
355	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
356	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
357	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
358	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
359	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
360	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
361	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
362	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
363	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
364	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
365	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
366	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
367	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
368	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
369	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
370	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
371	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
372	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
373	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
374	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
375	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
376	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
377	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
378	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
379	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
380	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
381	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
382	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
383	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
384	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
385	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
386	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
387	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
388	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
389	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
390	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
391	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
392	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
393	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
394	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
395	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
396	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
397	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
398	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
399	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6
400	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	35.9
401	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	15.4
402	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	32.4
403	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	5.9
404	R050_050_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	34.6



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: $3D\text{-linearization to } cmyk^*_{de}$

1-1132430-E0



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: $3D\text{-linearization to } cmyk^*_{de}$

[illegible]

RE350-7N, Page 27/33-F


1-1132630-F0



TUB material: code=rha4ta
myn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

n	HVC-File	rgb-File	icr-File	hsa-File	rgb*File	LabCH*File	cmyn*sep-File	hsa-File	rgb*File	LabCH*File	delta
891	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
892	B50R_100.012de	0.875 1.0 1.0	1.0 0.125 0.937	330 330 330	0.925 0.875 1.0	87.9 6.1 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
893	B50R_100.025de	0.75 1.0 1.0	0.25 0.875 1.0	330 330 330	0.851 0.75 1.0	80.3 12.3 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
894	B50R_100.037de	0.625 1.0 1.0	0.375 0.812 1.0	330 330 330	0.777 0.625 1.0	72.7 18.4 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
895	B50R_100.050de	0.5 1.0 1.0	0.5 0.75 1.0	330 330 330	0.673 0.5 1.0	65.1 24.6 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
896	B50R_100.062de	0.375 1.0 1.0	0.625 0.687 1.0	330 330 330	0.709 0.375 1.0	57.5 30.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
897	B50R_100.075de	0.25 1.0 1.0	0.75 0.625 1.0	330 330 330	0.555 0.25 1.0	50.0 36.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
898	B50R_100.087de	0.125 1.0 1.0	0.875 0.562 1.0	330 330 330	0.481 0.125 1.0	42.4 43.1 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
899	B50R_100.100de	0.0 1.0 1.0	0.937 0.5 1.0	330 330 330	0.407 0.0 1.0	34.8 49.2 -30.0	0.0 0.0 0.0	293 293 293	0.407 0.0 0.0	34.8 49.2 -30.0	57.7 328.6 328.6
900	GOB_100.012de	0.875 1.0 1.0	0.125 0.937 1.0	360 360 360	0.875 1.0 1.0	88.6 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
901	NW_087de	0.875 0.875 1.0	0.875 0.875 1.0	360 360 360	0.875 0.875 1.0	88.6 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
902	B50R_087.012de	0.875 0.75 1.0	0.875 0.875 1.0	330 330 330	0.8 0.75 0.875	78.1 6.1 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
903	B50R_087.025de	0.875 0.625 1.0	0.875 0.875 1.0	330 330 330	0.726 0.625 0.875	70.6 12.3 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
904	B50R_087.037de	0.875 0.5 1.0	0.875 0.875 1.0	330 330 330	0.652 0.5 0.875	63.0 18.4 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
905	B50R_087.050de	0.875 0.375 1.0	0.875 0.875 1.0	330 330 330	0.578 0.375 0.875	55.4 24.6 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
906	B50R_087.062de	0.875 0.25 1.0	0.875 0.875 1.0	330 330 330	0.504 0.25 0.875	47.8 30.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
907	B50R_087.075de	0.875 0.125 1.0	0.875 0.875 1.0	330 330 330	0.43 0.125 0.875	40.2 36.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
908	B50R_087.087de	0.875 0.0 1.0	0.875 0.875 1.0	330 330 330	0.356 0.0 1.0	32.7 43.1 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
909	GOB_100.025de	0.75 1.0 1.0	0.25 0.875 1.0	360 360 360	0.75 1.0 1.0	77.3 17.6 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
910	GOB_100.037de	0.75 0.875 1.0	0.875 0.125 0.812 1.0	360 360 360	0.75 0.875 1.0	78.0 6.1 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
911	NW_075de	0.75 0.75 1.0	0.75 0.75 1.0	360 360 360	0.75 0.75 1.0	78.0 6.1 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
912	B50R_075.012de	0.75 0.625 1.0	0.75 0.875 1.0	330 330 330	0.687 0.625 1.0	68.4 12.3 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
913	B50R_075.025de	0.75 0.5 1.0	0.75 0.875 1.0	330 330 330	0.613 0.5 0.875	61.3 17.6 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
914	B50R_075.037de	0.75 0.375 1.0	0.75 0.875 1.0	330 330 330	0.527 0.375 0.875	53.9 24.6 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
915	B50R_075.050de	0.75 0.25 1.0	0.75 0.875 1.0	330 330 330	0.453 0.25 0.875	45.7 30.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
916	B50R_075.062de	0.75 0.125 1.0	0.75 0.875 1.0	330 330 330	0.379 0.125 0.875	38.1 30.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
917	B50R_075.075de	0.75 0.0 1.0	0.75 0.875 1.0	330 330 330	0.305 0.0 1.0	30.8 36.9 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
918	GOB_100.037de	0.625 1.0 1.0	0.625 0.875 1.0	360 360 360	0.625 1.0 1.0	62.5 18.8 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
919	GOB_100.050de	0.625 0.875 1.0	0.625 0.875 1.0	360 360 360	0.625 0.875 1.0	62.5 18.8 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
920	GOB_100.062de	0.625 0.75 1.0	0.625 0.875 1.0	360 360 360	0.625 0.75 1.0	62.5 18.8 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
921	B50R_062.012de	0.625 0.625 1.0	0.625 0.625 1.0	360 360 360	0.625 0.625 1.0	62.5 18.8 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
922	B50R_062.025de	0.625 0.5 1.0	0.625 0.625 1.0	360 360 360	0.55 0.5 0.625	58.1 12.3 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
923	B50R_062.037de	0.625 0.375 1.0	0.625 0.625 1.0	360 360 360	0.476 0.375 0.625	51.1 14.4 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
924	B50R_062.050de	0.625 0.25 1.0	0.625 0.625 1.0	360 360 360	0.402 0.25 0.625	43.5 18.4 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
925	B50R_062.062de	0.625 0.125 1.0	0.625 0.625 1.0	360 360 360	0.328 0.125 0.625	36.0 24.6 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
926	B50R_062.075de	0.625 0.0 1.0	0.625 0.625 1.0	360 360 360	0.254 0.0 1.0	28.8 30.8 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
927	GOB_100.050de	0.5 1.0 1.0	0.5 1.0 1.0	360 360 360	0.5 1.0 1.0	50.0 24.6 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
928	GOB_087.037de	0.5 0.875 1.0	0.875 0.375 0.687 1.0	360 360 360	0.5 0.875 1.0	53.4 69.6 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
929	GOB_087.050de	0.5 0.75 1.0	0.875 0.375 0.625 1.0	360 360 360	0.5 0.75 0.875	46.2 64.2 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
930	GOB_087.062de	0.5 0.625 1.0	0.875 0.375 0.562 1.0	360 360 360	0.5 0.625 1.0	40.9 55.8 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
931	NW_050de	0.5 0.5 1.0	0.5 0.5 1.0	360 360 360	0.5 0.5 1.0	50.0 24.6 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
932	B50R_050.012de	0.5 0.375 1.0	0.5 0.5 1.0	360 360 360	0.425 0.375 0.5	49.0 6.1 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
933	B50R_050.025de	0.5 0.25 1.0	0.5 0.5 1.0	360 360 360	0.351 0.25 0.5	41.4 12.3 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
934	B50R_050.037de	0.5 0.125 1.0	0.5 0.5 1.0	360 360 360	0.277 0.125 0.5	33.8 18.4 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
935	B50R_050.050de	0.5 0.0 1.0	0.5 0.5 1.0	360 360 360	0.203 0.0 1.0	26.2 24.6 1.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6
936	GOB_100.062de	0.375 1.0 1.0	0.375 1.0 1.0	360 360 360	0.375 1.0 1.0	37.5 30.9 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
937	GOB_087.050de	0.375 0.875 1.0	0.875 0.5 0.625 1.0	360 360 360	0.375 0.875 1.0	44.3 64.2 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
938	GOB_087.062de	0.375 0.75 1.0	0.875 0.5 0.562 1.0	360 360 360	0.375 0.75 1.0	44.3 64.2 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
939	GOB_087.075de	0.375 0.625 1.0	0.875 0.5 0.5 1.0	360 360 360	0.375 0.625 1.0	40.9 55.8 1.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
940	NW_037de	0.375 0.5 1.0									



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
 output: 3D-linearization to $cmyk^*_{de}$



n	HIC ^o File	rgb ^o File	lcr ^o File	hsa ^o File	rgb ^o File	LabCh ^o File	cmys ^o expFile	hsa ^o File	rgb ^o File	LabCh ^o File	delta
972	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
973	NW_0124e	0.125	0.125	0.125	0.125	0.0	0.0	360	1.0	1.0	0.0
974	NW_0250e	0.25	0.25	0.25	0.25	0.0	0.031	360	1.0	1.0	0.0
975	NW_0374e	0.375	0.375	0.375	0.375	0.0	0.031	360	1.0	1.0	0.0
976	NW_0500e	0.5	0.5	0.5	0.5	0.0	0.026	360	1.0	1.0	0.0
977	NW_0624e	0.625	0.625	0.625	0.625	0.0	0.02	360	1.0	1.0	0.0
978	NW_0750e	0.75	0.75	0.75	0.75	0.0	0.018	360	1.0	1.0	0.0
979	NW_0874e	0.875	0.875	0.875	0.875	0.0	0.023	360	1.0	1.0	0.0
980	NW_1000e	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
981	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
982	NW_0124e	0.125	0.125	0.125	0.125	0.0	0.037	360	1.0	1.0	0.0
983	NW_0250e	0.25	0.25	0.25	0.25	0.0	0.031	360	1.0	1.0	0.0
984	NW_0374e	0.375	0.375	0.375	0.375	0.0	0.034	360	1.0	1.0	0.0
985	NW_0500e	0.5	0.5	0.5	0.5	0.0	0.026	360	1.0	1.0	0.0
986	NW_0624e	0.625	0.625	0.625	0.625	0.0	0.02	360	1.0	1.0	0.0
987	NW_0750e	0.75	0.75	0.75	0.75	0.0	0.018	360	1.0	1.0	0.0
988	NW_0874e	0.875	0.875	0.875	0.875	0.0	0.023	360	1.0	1.0	0.0
989	NW_1000e	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
990	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
991	NW_0124e	0.125	0.125	0.125	0.125	0.0	0.037	360	1.0	1.0	0.0
992	NW_0250e	0.25	0.25	0.25	0.25	0.0	0.031	360	1.0	1.0	0.0
993	NW_0374e	0.375	0.375	0.375	0.375	0.0	0.034	360	1.0	1.0	0.0
994	NW_0500e	0.5	0.5	0.5	0.5	0.0	0.026	360	1.0	1.0	0.0
995	NW_0624e	0.625	0.625	0.625	0.625	0.0	0.02	360	1.0	1.0	0.0
996	NW_0750e	0.75	0.75	0.75	0.75	0.0	0.018	360	1.0	1.0	0.0
997	NW_0874e	0.875	0.875	0.875	0.875	0.0	0.023	360	1.0	1.0	0.0
998	NW_1000e	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
999	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
1000	NW_0124e	0.125	0.125	0.125	0.125	0.0	0.037	360	1.0	1.0	0.0
1001	NW_0250e	0.25	0.25	0.25	0.25	0.0	0.031	360	1.0	1.0	0.0
1002	NW_0374e	0.375	0.375	0.375	0.375	0.0	0.034	360	1.0	1.0	0.0
1003	NW_0500e	0.5	0.5	0.5	0.5	0.0	0.026	360	1.0	1.0	0.0
1004	NW_0624e	0.625	0.625	0.625	0.625	0.0	0.02	360	1.0	1.0	0.0
1005	NW_0750e	0.75	0.75	0.75	0.75	0.0	0.018	360	1.0	1.0	0.0
1006	NW_0874e	0.875	0.875	0.875	0.875	0.0	0.023	360	1.0	1.0	0.0
1007	NW_1000e	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
1008	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
1009	NW_0060e	0.066	0.066	0.066	0.066	0.0	0.139	360	1.0	1.0	0.0
1010	NW_0130e	0.133	0.133	0.133	0.133	0.0	0.043	360	1.0	1.0	0.0
1011	NW_0200e	0.2	0.2	0.2	0.2	0.0	0.057	360	1.0	1.0	0.0
1012	NW_0260e	0.266	0.266	0.266	0.266	0.0	0.013	360	1.0	1.0	0.0
1013	NW_0330e	0.333	0.333	0.333	0.333	0.0	0.016	360	1.0	1.0	0.0
1014	NW_0400e	0.4	0.4	0.4	0.4	0.0	0.027	360	1.0	1.0	0.0
1015	NW_0460e	0.466	0.466	0.466	0.466	0.0	0.019	360	1.0	1.0	0.0
1016	NW_0530e	0.533	0.533	0.533	0.533	0.0	0.021	360	1.0	1.0	0.0
1017	NW_0600e	0.6	0.6	0.6	0.6	0.0	0.006	360	1.0	1.0	0.0
1018	NW_0660e	0.666	0.666	0.666	0.666	0.0	0.005	360	1.0	1.0	0.0
1019	NW_0730e	0.734	0.734	0.734	0.734	0.0	0.021	360	1.0	1.0	0.0
1020	NW_0800e	0.8	0.8	0.8	0.8	0.0	0.007	360	1.0	1.0	0.0
1021	NW_0860e	0.866	0.866	0.866	0.866	0.0	0.024	360	1.0	1.0	0.0
1022	NW_0930e	0.933	0.933	0.933	0.933	0.0	0.005	360	1.0	1.0	0.0
1023	NW_1000e	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
1024	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
1025	NW_0060e	0.066	0.066	0.066	0.066	0.0	0.139	360	1.0	1.0	0.0
1026	NW_0130e	0.133	0.133	0.133	0.133	0.0	0.043	360	1.0	1.0	0.0
1027	NW_0200e	0.2	0.2	0.2	0.2	0.0	0.057	360	1.0	1.0	0.0
1028	NW_0260e	0.266	0.266	0.266	0.266	0.0	0.013	360	1.0	1.0	0.0
1029	NW_0330e	0.333	0.333	0.333	0.333	0.0	0.016	360	1.0	1.0	0.0
1030	NW_0400e	0.4	0.4	0.4	0.4	0.0	0.027	360	1.0	1.0	0.0
1031	NW_0460e	0.466	0.466	0.466	0.466	0.0	0.021	360	1.0	1.0	0.0
1032	NW_0530e	0.533	0.533	0.533	0.533	0.0	0.006	360	1.0	1.0	0.0
1033	NW_0600e	0.6	0.6	0.6	0.6	0.0	0.005	360	1.0	1.0	0.0
1034	NW_0660e	0.666	0.666	0.666	0.666	0.0	0.005	360	1.0	1.0	0.0
1035	NW_0730e	0.734	0.734	0.734	0.734	0.0	0.021	360	1.0	1.0	0.0
1036	NW_0800e	0.8	0.8	0.8	0.8	0.0	0.007	360	1.0	1.0	0.0
1037	NW_0860e	0.866	0.866	0.866	0.866	0.0	0.024	360	1.0	1.0	0.0
1038	NW_0930e	0.933	0.933	0.933	0.933	0.0	0.005	360	1.0	1.0	0.0
1039	NW_1000e	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	0.0
1040	NW_0000e	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
1041	NW_0060e	0.066	0.066	0.066	0.066	0.0	0.139	360	1.0	1.0	0.0
1042	NW_0130e	0.133	0.133	0.133	0.133	0.0	0.043	360	1.0	1.0	0.0
1043	NW_0200e	0.2	0.2	0.2	0.2	0.0	0.057	360	1.0	1.0	0.0
1044	NW_0260e	0.266	0.266	0.266	0.266	0.0	0.013	360	1.0	1.0	0.0
1045	NW_0330e	0.333	0.333	0.333	0.333	0.0	0.016	360	1.0	1.0	0.0
1046	NW_0400e	0.4	0.4	0.4	0.4	0.0	0.027	360	1.0	1.0	0.0
1047	NW_0460e	0.466	0.466	0.466	0.466	0.0	0.021	360	1.0	1.0	0.0
1048	NW_0530e	0.533	0.533	0.533	0.533	0.0	0.006	360	1.0	1.0	0.0
1049	NW_0600e	0.6	0.6	0.6	0.6	0.0	0.005	360	1.0	1.0	0.0
1050	NW_0660e	0.666	0.666	0.666	0.666	0.0	0.005	360	1.0	1.0	0.0
1051	NW_0730e	0.734	0.734	0.734	0.734	0.0	0.021	360	1.0	1.0	0.0
1052	NW_0800e	0.8	0.8	0.8	0.8	0.0	0.007	360	1.0	1.0	0.0



TUB material: code=rha4ta
myn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TTUB-test chart RE35; hue code: $H_e^* = B50R_e$
colors and differences, ΔE^*

[illegible]