

http://130.149.60.45/~farbmetrik/RE53/RE53L0FA.TXT /.PS; start output
F: 3D-linearization RE53/RE53LE30FA.DAT in file (F), page 1/2

RE53sol

TUB registration: 20150701-RE53/RE53L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

1-103030-L0 RE530-7N
TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, *cm*yk*


input: *rgb*/*cm*yk -> *rgb*/*cm*yk
output: no change

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* + *cm*y0 (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyk* (CMYK)



1-103130-L0 RE530-72

TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}*

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb(A_n)*, 3D = 1

1-103130-F0

http://130.149.60.45/~farbmetrik/RE53/RE53L0FA.TXT /.PS; start output
F: 3D-linearization RE53/RE53LE30FA.DAT in file (F), page 1/2

RE53sol

TUB registration: 20150701-RE53/RE53L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

1-113030-L0 RE530-7N
TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, cmyk*


input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb + cmy0* (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyk* (CMYK)



1-113130-L0 RE530-73

TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, cmyk*

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A-n), 3D = 1

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *cmyk*_{de}*

1-113130-F0

C

M

Y

O

L

V

C