


http://130.149.60.45/~farbmetrik/RE53/RE53L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

RE53SOL

TUB registration: 20150701-RE53/RE53L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-003030-L0 RE530-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb + cmy0** (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0



TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0NP.PDF /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rha4ta



1-003130-L0 RE530-70

TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n), 3D=0$

1-003130-F0

C M Y O L V



http://130.149.60.45/~farbmetrik/RE53/RE53L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

RE53SOL

TUB registration: 20150701-RE53/RE53L0NP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta

1-013030-L0 RE530-7N
TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb + cmy0* (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/RE53/RE53L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0NP.PDF /.PS
application for measurement of offset print output, separation cmyk6 (CMYK)
TUB material: code=rha4ta



1-013130-L0 RE530-71

TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb_e*
output: transfer to *cmyk_e*

1-013130-F0