


see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



RE690-7N_RGB 1-003034-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS
application for measurement of display output

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta



RE690-70 1-003134-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, 3D=0, $de=0$, rgb


input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-003134-F0

V
L
O
Y
M
C

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of display output, no separation rgb (RGB)



RE690-70 1-003234-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872


Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-003234-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta



RE690-70 1-003334-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872


Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-003334-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of display output, no separation rgb (RGB)



RE690-70

1-003434-L0

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-003434-F0

C

M

Y

O


L

V

C

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of display output, no separation rgb (RGB)



RE690-70 1-003534-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872




Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n); 3D = 0

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-003534-F0

C M Y O L V

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

RE690-70 1-003634-L0

LAB*la0, YN=0%, XYZznw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 7/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
 48 step hue circles; rgb -LabCh*tables

input: $rgb/cmyk \rightarrow rgb_d$
 output: transfer to rgb_d

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* ddx361M	LAB* ddx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.0	50.5 76.9 64.6 100.4 40	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25		
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.117 0.0	51.5 74.1 64.9 98.5 41	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33		
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.25 0.0	54.1 66.7 66.0 93.8 44	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42		
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.367 0.0	57.9 56.2 67.9 88.2 50	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49		
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.5 0.0	63.7 41.4 71.0 82.2 59	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58		
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.617 0.0	69.7 26.8 74.9 79.6 70	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66		
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.75 0.0	77.2 9.8 79.8 80.4 82	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75		
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.867 0.0	84.3 -4.6 84.8 85.0 93	1.0 0.74 0.0 76.7 11.2 79.5 80.3 82	1.0 0.755 0.0 77.5 9.3 80.1 80.6 83		
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 1.0 0.0	92.7 -20.6 90.8 93.1 102	1.0 0.831 0.0 82.1 0.0 83.5 83.5 90	1.0 0.857 0.0 83.7 -3.3 84.5 84.6 92		
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	0.883 1.0 0.0	90.6 -32.2 88.4 94.1 110	1.0 0.918 0.0 87.5 -10.6 87.3 88.0 97	1.0 0.967 0.0 90.6 -16.4 89.5 91.0 100		
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.75 1.0 0.0	88.5 -44.8 85.8 96.9 117	0.965 1.0 0.0 92.0 -24.1 90.2 93.4 105	0.888 1.0 0.0 90.7 -31.7 88.5 94.0 109		
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.633 1.0 0.0	87.1 -55.0 84.1 100.5 123	0.85 1.0 0.0 90.1 -35.4 87.8 94.7 112	0.743 1.0 0.0 88.5 -45.4 85.8 97.1 117		
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.5 1.0 0.0	85.7 -65.1 82.4 105.1 128	0.7 1.0 0.0 87.9 -49.1 85.3 98.4 120	0.529 1.0 0.0 86.0 -62.9 82.9 104.1 127		
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.383 1.0 0.0	84.8 -72.2 81.4 108.9 131	0.536 1.0 0.0 86.1 -62.4 83.0 103.9 127	0.132 1.0 0.0 83.8 -81.2 80.1 114.1 135		
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.25 1.0 0.0	84.1 -78.2 80.5 112.3 134	0.173 1.0 0.0 83.9 -80.2 80.3 113.5 135	0.0 1.0 0.41 84.1 -76.8 54.3 94.1 144		
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.133 1.0 0.0	83.8 -81.2 80.1 114.1 135	0.0 1.0 0.335 83.9 -78.7 61.6 100.0 142	0.0 1.0 0.573 84.6 -70.9 36.3 79.8 152		
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.0	83.6 -82.7 79.9 115.0 136	0.0 1.0 0.523 84.4 -72.9 42.1 84.3 150	0.0 1.0 0.706 85.2 -64.6 20.7 67.9 162		
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	0.0 1.0 0.117 83.7	-82.1 76.8 112.5 136	0.0 1.0 0.639 84.9 -67.8 28.8 73.8 157	0.0 1.0 0.778 85.5 -60.6 12.2 61.9 168		
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	0.0 1.0 0.25 83.8	-80.5 69.1 106.2 139	0.0 1.0 0.742 85.3 -62.5 16.8 64.8 165	0.0 1.0 0.847 85.9 -56.4 4.0 56.7 175		
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	0.0 1.0 0.367 84.0	-77.9 58.9 97.7 142	0.0 1.0 0.81 85.7 -58.8 8.3 59.5 172	0.0 1.0 0.9 86.2 -53.2 -2.0 53.3 182		
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	0.0 1.0 0.5 84.3	-73.7 45.0 86.4 148	0.0 1.0 0.883 86.1 -54.1 0.0 54.2 180	0.0 1.0 0.952 86.6 -49.8 -8.3 50.6 189		
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	0.0 1.0 0.617 84.8	-68.8 31.5 75.8 155	0.0 1.0 0.933 86.4 -51.1 -6.2 51.6 187	0.0 1.0 0.997 86.9 -46.3 -13.2 48.3 195		
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	0.0 1.0 0.75 85.4	-62.0 15.9 64.1 165	0.0 1.0 0.99 86.8 -46.9 -12.5 48.6 195	0.0 0.963 1.0 84.3 -42.5 -18.2 46.4 203		
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	0.0 1.0 0.867 86.0	-55.1 2.0 55.2 177	0.0 0.97 1.0 84.7 -43.2 -17.4 46.7 202	0.0 0.929 1.0 81.8 -38.8 -22.1 44.7 209		
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	0.0 1.0 1.0 86.9	-46.1 -13.5 48.1 196	0.0 0.927 1.0 81.7 -38.6 -22.2 44.7 210	0.0 0.89 1.0 79.1 -34.2 -25.7 42.9 216		
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	0.0 0.883 1.0 78.6	-33.3 -26.3 42.6 218	0.0 0.89 1.0 79.1 -34.1 -25.7 42.9 217	0.0 0.859 1.0 76.9 -30.7 -29.0 42.4 223		
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	0.0 0.75 1.0 69.1	-17.0 -40.6 44.2 247	0.0 0.851 1.0 76.3 -30.0 -30.0 42.5 225	0.0 0.826 1.0 74.5 -27.1 -33.1 43.0 230		
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	0.0 0.633 1.0 60.9	-1.5 -53.8 53.9 268	0.0 0.82 1.0 74.1 -26.4 -33.8 43.1 232	0.0 0.797 1.0 72.4 -23.5 -36.3 43.4 237		
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	0.0 0.5 1.0 51.8	18.3 -68.2 70.7 285	0.0 0.783 1.0 71.5 -21.7 -37.7 43.6 240	0.0 0.763 1.0 70.1 -18.9 -39.5 44.0 244		
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	0.0 0.383 1.0 44.4	36.2 -80.4 88.3 294	0.0 0.751 1.0 69.2 -17.2 -40.6 44.2 247	0.0 0.731 1.0 67.8 -15.0 -43.1 45.8 250		
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	0.0 0.25 1.0 37.2	55.9 -92.2 107.9 301	0.0 0.707 1.0 66.1 -12.3 -46.0 47.8 255	0.0 0.69 1.0 64.9 -10.1 -48.0 49.2 258		
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	0.0 0.133 1.0 32.8	68.6 -99.5 121.0 304	0.0 0.668 1.0 63.4 -7.0 -50.4 51.0 262	0.0 0.655 1.0 62.4 -5.0 -51.8 52.1 264		
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	0.0 0.0 1.0 30.4	76.1 -103.5 128.5 306	0.0 0.624 1.0 60.2 0.0 -54.7 54.8 270	0.0 0.609 1.0 59.3 1.7 -56.5 56.6 271		
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	0.117 0.0 1.0 31.0	76.3 -102.5 127.8 306	0.0 0.566 1.0 56.3 7.6 -61.7 62.2 277	0.0 0.555 1.0 55.5 9.3 -62.9 63.7 278		
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	0.25 0.0 1.0 32.6	76.8 -99.7 126.0 307	0.0 0.5 1.0 51.8 18.3 -68.2 70.7 285	0.0 0.488 1.0 51.0 19.9 -69.6 72.5 285		
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	0.367 0.0 1.0 35.0	77.9 -95.7 123.5 309	0.0 0.412 1.0 46.2 31.5 -77.8 84.1 292	0.0 0.404 1.0 45.7 32.7 -78.5 85.2 292		
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	0.5 0.0 1.0 38.6	79.9 -89.6 120.1 311	0.0 0.274 1.0 38.4 52.2 -90.4 104.5 300	0.0 0.27 1.0 38.2 52.8 -90.6 105.0 300		
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.8 314.8	0.617 0.0 1.0 42.4	82.3 -83.2 117.1 314	0.172 0.0 1.0 31.6 76.5 -101.4 127.1 307	0.146 0.0 1.0 31.3 76.4 -102.0 127.5 306		
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	0.75 0.0 1.0 47.3	85.9 -75.0 114.1 318	0.628 0.0 1.0 42.8 82.6 -82.5 116.8 315	0.605 0.0 1.0 42.1 82.1 -83.8 117.4 314		
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	0.867 0.0 1.0 51.9	89.6 -67.4 112.2 323	0.838 0.0 1.0 50.7 88.8 -69.3 112.7 322	0.811 0.0 1.0 49.7 87.9 -71.0 113.1 321		
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	1.0 0.0 1.0 57.3	94.4 -58.3 111.0 328	1.0 0.0 0.962 56.8 93.4 -53.8 107.8 330	1.0 0.0 0.992 57.2 94.2 -57.4 110.3 328		
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	1.0 0.0 0.883 55.8	90.7 -44.8 101.1 333	1.0 0.0 0.827 55.1 89.2 -37.8 96.9 337	1.0 0.0 0.856 55.4 89.9 -41.4 99.0 335		
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	1.0 0.0 0.75 54.2	86.7 -28.6 91.4 341	1.0 0.0 0.707 53.8 86.0 -23.0 89.1 345	1.0 0.0 0.735 54.1 86.5 -26.6 90.6 342		
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	1.0 0.0 0.633 53.1	84.0 -13.6 85.1 350	1.0 0.0 0.619 53.0 83.6 -11.7 84.4 352	1.0 0.0 0.65 53.3 84.5 -15.6 86.0 349		
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	1.0 0.0 0.5 52.1	81.2 4.2 81.3 362	1.0 0.0 0.532 52.3 82.1 0.0 82.1 360	1.0 0.0 0.618 53.0 83.6 -11.6 84.4 352		
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	1.0 0.0 0.383 51.4	79.5 20.5 82.1 374	1.0 0.0 0.459 51.8 81.0 9.9 81.6 367	1.0 0.0 0.533 52.3 82.2 -0.1 82.2 359		
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.3 386.7	1.0 0.0 0.25 50.9	78.0 39.2 87.3 386	1.0 0.0 0.378 51.4 79.4 21.3 82.2 375	1.0 0.0 0.441 51.7 80.7 12.5 81.7 368		
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	1.0 0.0 0.133 50.6	77.4 53.9 94.3 394	1.0 0.0 0.301 51.1 79.0 31.9 85.2 382	1.0 0.0 0.361 51.3 79.3 23.6 82.8 376		
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	1.0 0.0 0.0 50.5	76.9 64.6 100.4 400	1.0 0.0 0.203 50.8 78.0 45.1 90.1 390	1.0 0.0 0.263 50.9 78.3 37.3 86.7 385		

RE690-70

1-003734-L0

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nmw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 8/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M}(x=LabCh)$						$rgb^*_{dex361M}$			$LAB^*_{dex361M}$						rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25					
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33					
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42					
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49					
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58					
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66					
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75					
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83					
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92					
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100					
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109				
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	1.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117				
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	1.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127				
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	1.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135				
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	1.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144				
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	1.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152				
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	1.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162				
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	1.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168				
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	1.0	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175				
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	1.0	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182				
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	1.0	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189				
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	1.0	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195				
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	1.0	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203				
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	1.0	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209				
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216				
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223				
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230				
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237				
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244				
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250				
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	1.0	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258				
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264				
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271				
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278				
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285				
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	1.0	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292				
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300				
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	1.0	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306				
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	1.0	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314				
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	1.0	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321				
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	1.0	0.0	0.992	0.0	57.2	94.2	-57.4	110.3	328				
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	1.0	0.0	0.856	0.0	55.4	89.9	-41.4	99.0	335				
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	1.0	0.0	0.735	0.0	54.1	86.5	-26.6	90.6	342				
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	1.0	0.0	0.65	0.0	53.3	84.5	-15.6	86.0	349				
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	1.0	0.0	0.618	0.0	53.0	83.6	-11.6	84.4	352				
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	1.0	0.0	0.533	0.0	52.3	82.2	-0.1	82.2	359				
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	1.0	0.0	0.441	0.0	51.7	80.7	12.5	81.7	368				
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	1.0	0.0	0.361	0.0	51.3	79.3	23.6	82.8	376				
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	1.0	0.0	0.263	0.0	50.9	78.3	37.3	86.7	385				

TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0			
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017			
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033			
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05			
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.067			
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083			
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1			
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.117			
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133			
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15			
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.167			
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183			
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2			
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.217			
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233			
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25			
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.267			
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283			
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3			
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.317			
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333			
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35			
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.367			
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383			
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4			
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.417			
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433			
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45			
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.467			
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483			
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5			
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.517			
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533			
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55			
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.567			
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583			
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6			
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.617			
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633			
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65			
75	70	70	1.0	0.666	0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.667			
76	71	71	1.0	0.683	0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683			
78	72	72	1.0	0.7	0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7			
79	73	73	1.0	0.716	0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.717			
81	74	74	1.0	0.733	0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733			
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75			

RE690-70 1-003934-L0 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted Output: sRGB display according to IEC 61966-2-1, D65, page 10/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$		$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}		LAB^*_{d361Mi}		$LAB^*_{d361Mi}(x=LabCh)$		$rgb^*_{dd361Mi}$		$rgb^*_{de361Mi}$		$LAB^*_{dex361Mi}(x=LabCh)$		$rgb^*_{dd361Mi}$		rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}															
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0														
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0														
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.467	1.0	0.0														
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0														
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0														
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0														
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0														
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0														
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0														
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0														
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0														
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0														
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0														
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0														
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0														
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0														
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0														
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0														
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0														
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0														
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0														
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0														
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0														
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0														
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0														
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0														
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0														
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0														
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0														
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0														
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G_d 0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G_s 0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G_e 0.0	1.0	0.0			
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0	0.15			
137	160	171	0.0	1.0	0.166	83.7	-81.6	74.0	110.2	137	0.0	1.0	0.678	85.0	-66.1	24.1	70.4	160	0.0	1.0	0.167	0.0	1.0	0.804	85.7	-59.2	9.0	60.0	171	0.0	1.0	0.167			
138	161	172	0.0	1.0	0.183	83.7	-81.4	73.0	109.4	138	0.0	1.0	0.691	85.1	-65.4	22.6	69.3	161	0.0	1.0	0.183	0.0	1.0	0.813	85.7	-58.7	8.0	59.3	172	0.0	1.0	0.183			
138	162	173	0.0	1.0	0.2	83.7	-81.2	72.0	108.6	138	0.0	1.0	0.703	85.1	-64.7	2																			

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM _d : h _{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																						
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{da361Mi}	rgb* _{de361Mi}	rgb* _{da361Mi}									
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25									
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267									
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283									
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3									
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317									
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333									
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35									
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367									
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383									
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4									
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417									
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433									
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45									
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467									
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483									
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5									
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517									
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533									
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55									
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567									
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583									
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6									
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617									
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633									
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65									
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667									
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683									
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7									
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717									
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733									
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75									
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767									
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783									
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8									
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817									
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833									
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85									
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867									
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883									
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9									
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917									
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933									
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95									
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967									
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983									
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0									

RE690-70 1-0031234-L0 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 13/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{ddx361Mi}(x=LabCh)$				C_d	$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi}(x=LabCh)$				C_s	$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$				C_e	$rgb^*_{dd361Mi}$			rgb^*_d	rgb^*_s	rgb^*_e
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	1.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216	0.0	1.0	1.0			
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199	0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0			
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202	0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0			
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205	0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219	0.0	0.95	1.0			
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208	0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0			
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212	0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0			
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215	0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222	0.0	0.9	1.0			
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218	0.0	0.889	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0			
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221	0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0			
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225	0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0			
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228	0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0			
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232	0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0			
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236	0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0			
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239	0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0			
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243	0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0			
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0			
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250	0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0			
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0			
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256	0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0			
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259	0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234	0.0	0.683	1.0			
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262	0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0			
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265	0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0			
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0			
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270	0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0			
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272	0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0			
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274	0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0			
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276	0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0			
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278	0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0			
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0			
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283	0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0			
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0			
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286	0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0			
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287	0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246	0.0	0.467	1.0			
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288	0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243	0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247	0.0	0.45	1.0			
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290	0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244	0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.433	1.0			
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291	0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245	0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248	0.0	0.417	1.0			
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292	0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246	0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249	0.0	0.4	1.0			
294	247	250	0.0	0.383	1.0	44.3	36.2	-80.5	88.2	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250	0.0	0.383	1.0			
295	248	251	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.367	1.0	0.0	0.726	1.0	67.4	-14.4	-43.8	46.2	251	0.0	0.367	1.0			
296	249	252	0.0	0.35	1.0	42.5	41.0	-83.6	93.2	296	0.0	0.74	1.0	68.4	-16.0	-41.9	45.0	249	0.0	0.35	1.0	0.0	0.721	1.0	67.0	-13.9	-44.4	46.6	252	0.0	0.35	1.0			
296	250	253	0.0	0.333	1.0	41.6	43.4	-85.2	95.																										

RE690-70 1-0031334-L0 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted Output: sRGB display according to IEC 61966-2-1, D65, page 14/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$														
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25	1.0	301
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233	1.0	301
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.217	1.0	302
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2	1.0	302
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183	1.0	303
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.167	1.0	303
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15	1.0	304
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133	1.0	304
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.117	1.0	304
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1	1.0	305
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083	1.0	305
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.067	1.0	305
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.05	1.0	305
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033	1.0	305
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.017	1.0	306
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0	1.0	306
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.017	0.0	1.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033	0.0	1.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05	0.0	1.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.067	0.0	1.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083	0.0	1.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.117	0.0	1.0
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.133	0.0	1.0
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.15	0.0	1.0
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.167	0.0	1.0
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.183	0.0	1.0
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.2	0.0	1.0
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.217	0.0	1.0
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.233	0.0	1.0
307	285	286	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.25	0.0	1.0
307	286	287	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.0	0.267	0.0	1.0
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.0	0.283	0.0	1.0
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.0	0.3	0.0	1.0
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.0	0.317	0.0	1.0
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.0	0.333	0.0	1.0
308	291	291	0.35	0.0	1.0	34.6	77.7	-96.3	123.8	308	0.0	0.35	0.0	1.0
309	292	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.4	309	0.0	0.367	0.0	1.0
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.0	0.383	0.0	1.0
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.0	0.4	0.0	1.0
310	295	295	0.416	0.0	1.0	36.3	78.6	-93.5	122.2	310	0.0	0.417	0.0	1.0
310	296	296	0.433	0.0	1.0	36.7	78.9	-92.7	121.8	310	0.0	0.433	0.0	1.0
310	297	297	0.45	0.0	1.0	37.2	79.1	-92.0	121.3	310	0.0	0.45	0.0	1.0
311	298	298	0.466	0.0	1.0	37.6	79.3	-91.2	120.9	311	0.0	0.467	0.0	1.0
311	299	299	0.483	0.0	1.0	38.1	79.6	-90.4	120.5	311	0.0	0.483	0.0	1.0
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.5	0.0	1.0

RE690-70 1-0031434-L0 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nmw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 15/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{dsx361Mi}$	$LAB^*_{dsx361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$	$LAB^*_{dex361Mi}$	$rgb^*_{dd361Mi}$																								
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	303	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.1	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0			
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M_d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M_s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M_e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	98.1	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	55.1	89.2	-37.5	96.8	337	1.0	0.0	0.85			
336	340																																		

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$dex361Mi (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167
393	381	375	1.0	0.0	0.15	50.6	77.6	51.7	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

RE690-70 1-0031634-L0 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted Output: sRGB display according to IEC 61966-2-1, D65, page 17/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
application for measurement of display output, no separation $rgb (RGB)$
TUB material: code=rha4ta

<http://130.149.60.45/~farbmetrik/RE69/RE69L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

n/j	HfC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCh*Fid	LabCh*Fid	DF*Fid	hsa.d	rgb.d	LabCh*Nd	LabCh*Nd										
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	0.0	50.4	76.9	64.5	100.4	39.9	0.0	389	0.0	0.0	50.4	76.9	64.5	100.4	40.0		
1/657	R13Y_100_100a	1.0	0.125	0.0	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41.2	0.0	369	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41.2
2/666	R25Y_100_100a	1.0	0.25	0.0	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44.2	1.0	349	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44.2
3/675	R38Y_100_100a	1.0	0.375	0.0	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50.3	1.0	329	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50.3
4/684	R50Y_100_100a	1.0	0.5	0.0	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	309	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7
5/693	R63Y_100_100a	1.0	0.625	0.0	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71.8	1.0	289	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71.8
6/702	R75Y_100_100a	1.0	0.75	0.0	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84.4	1.0	269	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84.4
7/711	R88Y_100_100a	1.0	0.875	0.0	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94.4	1.0	249	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94.4
8/720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	0.0	92.6	-20.6	90.7	93.0	102.8	1.0	229	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8
9/639	Y13G_100_100a	0.875	1.0	0.5	0.97	0.883	1.0	90.5	-32.2	88.3	94.0	110.0	0.875	209	0.883	1.0	90.5	-32.2	88.3	94.0	110.0	
10/558	Y25G_100_100a	0.75	1.0	0.5	1.04	0.766	1.0	88.7	-43.3	86.2	96.5	116.6	0.75	199	0.766	1.0	88.7	-43.3	86.2	96.5	116.6	
11/477	Y38G_100_100a	0.625	1.0	0.5	1.12	0.633	1.0	87.0	-55.0	84.1	100.5	123.3	0.625	189	0.633	1.0	87.0	-55.0	84.1	100.5	123.3	
12/396	Y50G_100_100a	0.5	1.0	0.5	1.20	0.5	1.0	85.7	-65.2	82.4	105.1	128.3	0.5	179	0.5	1.0	85.7	-65.2	82.4	105.1	128.3	
13/315	Y63G_100_100a	0.375	1.0	0.5	1.28	0.366	1.0	84.7	-73.2	81.2	109.3	134.3	0.375	169	0.366	1.0	84.7	-73.2	81.2	109.3	134.3	
14/234	Y75G_100_100a	0.25	1.0	0.5	1.36	0.233	1.0	84.0	-78.2	80.4	112.5	139.3	0.25	159	0.233	1.0	84.0	-78.2	80.4	112.5	139.3	
15/153	Y88G_100_100a	0.125	1.0	0.5	1.43	0.116	1.0	83.7	-81.5	80.0	114.2	135.5	0.125	149	0.116	1.0	83.7	-81.5	80.0	114.2	135.5	
16/72	G00C_100_100a	0.0	1.0	0.0	1.50	0.0	1.0	83.6	-82.7	79.8	115.0	136.0	0.0	139	0.0	1.0	83.6	-82.7	79.8	115.0	136.0	
17/73	G13C_100_100a	0.0	1.0	0.125	1.57	0.0	1.0	83.6	-82.1	76.5	112.3	137.0	0.0	129	0.0	1.0	83.6	-82.1	76.5	112.3	136.9	
18/74	G25C_100_100a	0.0	1.0	0.25	1.64	0.0	1.0	83.7	-80.8	70.1	106.9	139.0	0.0	119	0.0	1.0	83.7	-80.8	70.1	106.9	139.0	
19/75	G38C_100_100a	0.0	1.0	0.375	1.72	0.0	1.0	84.0	-78.0	58.8	97.7	142.9	0.0	109	0.0	1.0	84.0	-78.0	58.8	97.7	142.9	
20/76	G50C_100_100a	0.0	1.0	0.5	1.80	0.0	1.0	84.3	-73.7	44.9	86.4	146.6	0.0	99	0.0	1.0	84.3	-73.7	44.9	86.4	146.6	
21/77	G63C_100_100a	0.0	1.0	0.625	1.88	0.0	1.0	84.8	-68.1	29.5	74.3	156.5	0.0	89	0.0	1.0	84.8	-68.1	29.5	74.3	156.5	
22/78	G75C_100_100a	0.0	1.0	0.75	1.96	0.0	1.0	85.4	-61.2	13.7	62.6	167.3	0.0	79	0.0	1.0	85.4	-61.2	13.7	62.6	167.3	
23/79	G88C_100_100a	0.0	1.0	0.875	2.03	0.0	1.0	86.1	-54.1	0.0	54.1	180.0	0.0	69	0.0	1.0	86.1	-54.1	0.0	54.1	180.0	
24/80	C00B_100_100a	0.0	1.0	0.5	2.10	0.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	59	0.0	1.0	86.8	-46.1	-13.5	48.1	196.3	
25/71	C13B_100_100a	0.0	1.0	0.5	2.17	0.0	1.0	87.5	-33.4	-27.0	42.1	219.8	0.0	49	0.0	1.0	87.5	-33.4	-26.3	42.5	218.2	
26/62	C25B_100_100a	0.0	1.0	0.5	2.24	0.0	1.0	70.2	-19.5	-53.9	43.9	243.6	0.0	39	0.0	1.0	70.2	-19.5	-53.9	43.9	243.6	
27/53	C38B_100_100a	0.0	1.0	0.5	2.32	0.0	1.0	60.9	-1.5	-53.9	53.9	268.3	0.0	29	0.0	1.0	60.9	-1.5	-53.9	53.9	268.3	
28/44	C50B_100_100a	0.0	1.0	0.5	2.40	0.0	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	19	0.0	1.0	51.7	18.3	-68.3	70.7	285.0	
29/35	C63B_100_100a	0.0	1.0	0.5	2.48	0.0	1.0	43.4	38.7	-82.0	90.7	295.3	0.0	9	0.0	1.0	43.4	38.7	-82.0	90.7	295.3	
30/26	C75B_100_100a	0.0	1.0	0.5	2.56	0.0	1.0	36.5	57.6	-93.4	109.7	301.6	0.0	-1	0.0	1.0	36.5	57.6	-93.4	109.7	301.6	
31/17	C88B_100_100a	0.0	1.0	0.5	2.63	0.0	1.0	32.3	70.0	-100.3	122.3	304.9	0.0	-11	0.0	1.0	32.3	70.0	-100.3	122.3	304.9	
32/8	B00M_100_100a	0.0	1.0	1.0	2.70	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	-21	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	
33/89	B13M_100_100a	0.125	1.0	1.0	2.77	0.116	1.0	30.9	76.2	-102.5	127.7	306.6	0.125	-31	0.116	1.0	30.9	76.2	-102.5	127.8	306.6	
34/170	B25M_100_100a	0.25	1.0	1.0	2.84	0.233	1.0	32.3	76.7	-100.1	126.2	307.4	0.25	-41	0.233	1.0	32.3	76.7	-100.1	126.2	307.4	
35/251	B38M_100_100a	0.375	1.0	1.0	2.92	0.366	1.0	34.9	77.9	-95.7	123.4	309.1	0.375	-51	0.366	1.0	34.9	77.9	-95.7	123.4	309.1	
36/332	B50M_100_100a	0.5	1.0	1.0	3.00	0.5	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	-61	0.5	1.0	38.5	79.8	-89.7	120.0	311.6	
37/413	B63M_100_100a	0.625	1.0	1.0	3.08	0.633	1.0	43.0	82.7	-82.2	116.6	315.1	0.625	-71	0.633	1.0	43.0	82.7	-82.2	116.6	315.1	
38/494	B75M_100_100a	0.75	1.0	1.0	3.16	0.766	1.0	47.9	86.4	-74.0	113.8	319.4	0.75	-81	0.766	1.0	47.9	86.4	-74.0	113.8	319.4	
39/575	B88M_100_100a	0.875	1.0	1.0	3.23	0.883	1.0	52.5	90.1	-66.3	111.9	323.6	0.875	-91	0.883	1.0	52.5	90.1	-66.3	111.9	323.6	
40/656	M00R_100_100a	1.0	0.0	1.0	3.30	1.0	0.0	57.2	94.3	-58.4	111.0	328.2	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2		
41/655	M13R_100_100a	1.0	0.0	0.875	3.37	1.0	0.0	55.7	90.6	-44.8	101.1	333.6	1.0	0.0	0.883	1.0	55.7	90.6	-44.8	101.1	333.6	
42/654	M25R_100_100a	1.0	0.0	0.75	3.44	1.0	0.0	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.766	1.0	54.2	86.7	-30.6	92.5	340.6	
43/653	M38R_100_100a	1.0	0.0	0.625	3.52	1.0	0.0	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.633	1.0	53.0	83.6	-13.6	85.0	350.7	
44/652	M50R_100_100a	1.0	0.0	0.5	3.60	1.0	0.0	52.0	81.1	4.1	81.2	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	357.0		
45/651	M63R_100_100a	1.0	0.0	0.375	3.68	1.0	0.0	51.3	79.3	22.7	82.5	362.0	1.0	0.0	0.366	1.0	51.3	79.3	22.7	82.5	362.0	
46/650	M75R_100_100a	1.0	0.0	0.25	3.76	1.0	0.0	50.8	78.2	41.2	88.2	372.8	1.0	0.0	0.233	1.0	50.8	78.2	41.2	88.2	372.8	
47/649	M88R_100_100a	1.0	0.0	0.125	3.83	1.0	0.0	50.5	77.2	55.6	94.8	383.0	1.0	0.0	0.116	1.0	50.5	77.2	55.6	95.1	35.7	
48/648																						

<http://130.149.60.45/~farbmatrik/RE69/RE69L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

N#	HfC*Fd	rgb_Fd	ic_Fd	hs_Fd	rgb_Fd	LabCH*Fd	rgb_Fd	LabCH*Fd	DF*Fd	hs_Md	rgb_Md	LabCH*Md	LabCH*Nd
1	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BOOR.012.0124	0.0	0.125	0.125	0.062	270	0.0	0.125	0.0	0.0	0.0	0.0	0.0
3	BOOR.025.0254	0.0	0.25	0.25	0.125	270	0.0	0.25	0.0	0.0	0.0	0.0	0.0
4	BOOR.037.0374	0.0	0.375	0.375	0.187	270	0.0	0.375	0.0	0.0	0.0	0.0	0.0
5	BOOR.050.0504	0.0	0.5	0.5	0.25	270	0.0	0.5	0.0	0.0	0.0	0.0	0.0
6	BOOR.062.0624	0.0	0.625	0.625	0.312	270	0.0	0.625	0.0	0.0	0.0	0.0	0.0
7	BOOR.075.0754	0.0	0.75	0.75	0.375	270	0.0	0.75	0.0	0.0	0.0	0.0	0.0
8	BOOR.087.0874	0.0	0.875	0.875	0.437	270	0.0	0.875	0.0	0.0	0.0	0.0	0.0
9	BOOR.100.1004	0.0	1.0	1.0	0.5	270	0.0	1.0	0.0	0.0	0.0	0.0	0.0
10	BOOR.012.0124	0.0	0.125	0.125	0.062	150	0.0	0.125	0.0	0.0	0.0	0.0	0.0
11	G73B.025.0254	0.0	0.125	0.125	0.062	210	0.0	0.125	0.0	0.0	0.0	0.0	0.0
12	G73B.037.0374	0.0	0.125	0.125	0.062	240	0.0	0.125	0.0	0.0	0.0	0.0	0.0
13	G73B.050.0504	0.0	0.125	0.125	0.062	251	0.0	0.125	0.0	0.0	0.0	0.0	0.0
14	G73B.062.0624	0.0	0.125	0.125	0.062	259	0.0	0.125	0.0	0.0	0.0	0.0	0.0
15	G73B.075.0754	0.0	0.125	0.125	0.062	261	0.0	0.125	0.0	0.0	0.0	0.0	0.0
16	G73B.087.0874	0.0	0.125	0.125	0.062	263	0.0	0.125	0.0	0.0	0.0	0.0	0.0
17	G73B.100.1004	0.0	0.125	0.125	0.062	265	0.0	0.125	0.0	0.0	0.0	0.0	0.0
18	G73B.025.0254	0.0	0.25	0.25	0.125	150	0.0	0.25	0.0	0.0	0.0	0.0	0.0
19	G73B.037.0374	0.0	0.25	0.25	0.125	180	0.0	0.25	0.0	0.0	0.0	0.0	0.0
20	G73B.050.0504	0.0	0.25	0.25	0.125	210	0.0	0.25	0.0	0.0	0.0	0.0	0.0
21	G73B.062.0624	0.0	0.25	0.25	0.125	229	0.0	0.25	0.0	0.0	0.0	0.0	0.0
22	G73B.075.0754	0.0	0.25	0.25	0.125	240	0.0	0.25	0.0	0.0	0.0	0.0	0.0
23	G73B.087.0874	0.0	0.25	0.25	0.125	247	0.0	0.25	0.0	0.0	0.0	0.0	0.0
24	G73B.100.1004	0.0	0.25	0.25	0.125	251	0.0	0.25	0.0	0.0	0.0	0.0	0.0
25	G73B.025.0254	0.0	0.375	0.375	0.187	150	0.0	0.375	0.0	0.0	0.0	0.0	0.0
26	G73B.037.0374	0.0	0.375	0.375	0.187	169	0.0	0.375	0.0	0.0	0.0	0.0	0.0
27	G73B.050.0504	0.0	0.375	0.375	0.187	191	0.0	0.375	0.0	0.0	0.0	0.0	0.0
28	G73B.062.0624	0.0	0.375	0.375	0.187	210	0.0	0.375	0.0	0.0	0.0	0.0	0.0
29	G73B.075.0754	0.0	0.375	0.375	0.187	224	0.0	0.375	0.0	0.0	0.0	0.0	0.0
30	G73B.087.0874	0.0	0.375	0.375	0.187	240	0.0	0.375	0.0	0.0	0.0	0.0	0.0
31	G73B.100.1004	0.0	0.375	0.375	0.187	245	0.0	0.375	0.0	0.0	0.0	0.0	0.0
32	G73B.025.0254	0.0	0.5	0.5	0.25	150	0.0	0.5	0.0	0.0	0.0	0.0	0.0
33	G73B.037.0374	0.0	0.5	0.5	0.25	164	0.0	0.5	0.0	0.0	0.0	0.0	0.0
34	G73B.050.0504	0.0	0.5	0.5	0.25	180	0.0	0.5	0.0	0.0	0.0	0.0	0.0
35	G73B.062.0624	0.0	0.5	0.5	0.25	196	0.0	0.5	0.0	0.0	0.0	0.0	0.0
36	G73B.075.0754	0.0	0.5	0.5	0.25	210	0.0	0.5	0.0	0.0	0.0	0.0	0.0
37	G73B.087.0874	0.0	0.5	0.5	0.25	224	0.0	0.5	0.0	0.0	0.0	0.0	0.0
38	G73B.100.1004	0.0	0.5	0.5	0.25	240	0.0	0.5	0.0	0.0	0.0	0.0	0.0
39	G73B.025.0254	0.0	0.625	0.625	0.312	150	0.0	0.625	0.0	0.0	0.0	0.0	0.0
40	G73B.037.0374	0.0	0.625	0.625	0.312	169	0.0	0.625	0.0	0.0	0.0	0.0	0.0
41	G73B.050.0504	0.0	0.625	0.625	0.312	187	0.0	0.625	0.0	0.0	0.0	0.0	0.0
42	G73B.062.0624	0.0	0.625	0.625	0.312	199	0.0	0.625	0.0	0.0	0.0	0.0	0.0
43	G73B.075.0754	0.0	0.625	0.625	0.312	210	0.0	0.625	0.0	0.0	0.0	0.0	0.0
44	G73B.087.0874	0.0	0.625	0.625	0.312	219	0.0	0.625	0.0	0.0	0.0	0.0	0.0
45	G73B.100.1004	0.0	0.625	0.625	0.312	226	0.0	0.625	0.0	0.0	0.0	0.0	0.0
46	G73B.025.0254	0.0	0.75	0.75	0.375	150	0.0	0.75	0.0	0.0	0.0	0.0	0.0
47	G73B.037.0374	0.0	0.75	0.75	0.375	158	0.0	0.75	0.0	0.0	0.0	0.0	0.0
48	G73B.050.0504	0.0	0.75	0.75	0.375	169	0.0	0.75	0.0	0.0	0.0	0.0	0.0
49	G73B.062.0624	0.0	0.75	0.75	0.375	180	0.0	0.75	0.0	0.0	0.0	0.0	0.0
50	G73B.075.0754	0.0	0.75	0.75	0.375	191	0.0	0.75	0.0	0.0	0.0	0.0	0.0
51	G73B.087.0874	0.0	0.75	0.75	0.375	210	0.0	0.75	0.0	0.0	0.0	0.0	0.0
52	G73B.100.1004	0.0	0.75	0.75	0.375	219	0.0	0.75	0.0	0.0	0.0	0.0	0.0
53	G73B.025.0254	0.0	0.875	0.875	0.437	150	0.0	0.875	0.0	0.0	0.0	0.0	0.0
54	G73B.037.0374	0.0	0.875	0.875	0.437	158	0.0	0.875	0.0	0.0	0.0	0.0	0.0
55	G73B.050.0504	0.0	0.875	0.875	0.437	169	0.0	0.875	0.0	0.0	0.0	0.0	0.0
56	G73B.062.0624	0.0	0.875	0.875	0.437	180	0.0	0.875	0.0	0.0	0.0	0.0	0.0
57	G73B.075.0754	0.0	0.875	0.875	0.437	191	0.0	0.875	0.0	0.0	0.0	0.0	0.0
58	G73B.087.0874	0.0	0.875	0.875	0.437	210	0.0	0.875	0.0	0.0	0.0	0.0	0.0
59	G73B.100.1004	0.0	0.875	0.875	0.437	219	0.0	0.875	0.0	0.0	0.0	0.0	0.0
60	G73B.025.0254	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	0.0	0.0	0.0	0.0
61	G73B.037.0374	0.0	1.0	1.0	0.5	158	0.0	1.0	0.0	0.0	0.0	0.0	0.0
62	G73B.050.0504	0.0	1.0	1.0	0.5	169	0.0	1.0	0.0	0.0	0.0	0.0	0.0
63	G73B.062.0624	0.0	1.0	1.0	0.5	180	0.0	1.0	0.0	0.0	0.0	0.0	0.0
64	G73B.075.0754	0.0	1.0	1.0	0.5	191	0.0	1.0	0.0	0.0	0.0	0.0	0.0
65	G73B.087.0874	0.0	1.0	1.0	0.5	210	0.0	1.0	0.0	0.0	0.0	0.0	0.0
66	G73B.100.1004	0.0	1.0	1.0	0.5	219	0.0	1.0	0.0	0.0	0.0	0.0	0.0
67	G73B.025.0254	0.0	0.875	0.875	0.437	185	0.0	0.875	0.0	0.0	0.0	0.0	0.0
68	G73B.037.0374	0.0	0.875	0.875	0.437	194	0.0	0.875	0.0	0.0	0.0	0.0	0.0
69	G73B.050.0504	0.0	0.875	0.875	0.437	202	0.0	0.875	0.0	0.0	0.0	0.0	0.0
70	G73B.062.0624	0.0	0.875	0.875	0.437	210	0.0	0.875	0.0	0.0	0.0	0.0	0.0
71	G73B.075.0754	0.0	0.875	0.875	0.437	217	0.0	0.875	0.0	0.0	0.0	0.0	0.0
72	G73B.087.0874	0.0	0.875	0.875	0.437	219	0.0	0.875	0.0	0.0	0.0	0.0	0.0
73	G73B.100.1004	0.0	0.875	0.875	0.437	224	0.0	0.875	0.0	0.0	0.0	0.0	0.0
74	G73B.025.0254	0.0	1.0	1.0	0.5	157	0.0	1.0	0.0	0.0	0.0	0.0	0.0
75	G73B.037.0374	0.0	1.0	1.0	0.5	164	0.0	1.0	0.0	0.0	0.0	0.0	0.0
76	G73B.050.0504	0.0	1.0	1.0	0.5	172	0.0	1.0	0.0	0.0	0.0	0.0	0.0
77	G73B.062.0624	0.0	1.0	1.0	0.5	180	0.0	1.0	0.0	0.0	0.0	0.0	0.0
78	G73B.075.0754	0.0	1.0	1.0	0.5	188	0.0	1.0	0.0	0.0	0.0	0.0	0.0
79	G73B.087.0874	0.0	1.0	1.0	0.5	196	0.0	1.0	0.0	0.0	0.0	0.0	0.0
80	G73B.100.1004	0.0	1.0	1.0	0.5	203	0.0	1.0	0.0	0.0	0.0	0.0	0.0


RE690-7N, Page 20/33-F

TUB-test chart RE69; 1080 standard colours, cf=1
colors and differences, ΔE^*

input: $rgb/cmyk - > rgb$
output: transfer to rgb

Mean color difference of this page:

delta E** = 4.6



TUB material: code=rha4ta
b (RGB)

input: *rgb/cmyk* $\rightarrow$ *rgb*_d
output: transfer to *rgb*_d

1-0032034-F0

RE690-7N, Page 21/33-F

TUB-test chart RE69; 1080 standard colours, $cf=1$
colors and differences, ΔE^* ,

input: *rgb/cmyk* -> *rgb_d*
output: transfer to *rgb_d*

1

1-0032034-F0

• • • • •


1

TUB-test chart RE69; 1080 ;

colors and differences. ΔE^* ,



A vertical bar with a black segment at the bottom labeled 'C' and a red segment at the top labeled 'M'.



TUB material: code=rha4ta
b (RGB)


A target diagram for the '5-8' range. It consists of a central bullseye and three concentric circles. A horizontal line passes through the center. The target is labeled '5-8' on the right side.

input: *rgb/cmyk* $\rightarrow$ *rgb_d*
output: transfer to *rgb_d*

6-1

REF00-7N Doc 74/22-E

1-0027224-10



TUB material: code=rha4ta
b (RGB)

A target diagram for the '5-8' range. It consists of a central bullseye and three concentric circles. A horizontal line passes through the center. The target is labeled '5-8' on the right side.

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d


TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmatrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/RE69/RE69L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

n	HfC*Fd	rgb_Fd	ic_Fd	hs_Fd	rgb_Fd	LabCh*Fd	LabCh*Fd	rgb_Fd	LabCh*Fd	DF*Fd	hs_Fd	rgb_Fd	LabCh*Fd	LabCh*Nd	LabCh*Nd
729	NW_100d	0.875	1.0	1.0	1.0	0.954	95.4	1.0	95.4	0.0	360	1.0	95.4	0.0	95.4
730	G50B_100.012d	0.875	1.0	1.0	1.0	94.3	-5.7	1.0	94.3	-9.7	193.8	1.0	94.3	0.0	94.3
731	G50B_100.025d	0.875	1.0	1.0	1.0	93.2	-11.5	1.0	93.2	-18.9	198.1	1.0	93.2	0.0	93.2
732	G50B_100.037d	0.875	1.0	1.0	1.0	92.2	-17.3	1.0	92.2	-27.0	198.1	1.0	92.2	0.0	92.2
733	G50B_100.050d	0.875	1.0	1.0	1.0	91.1	-23.0	1.0	91.1	-33.9	197.6	1.0	91.1	0.0	91.1
734	G50B_100.062d	0.875	1.0	1.0	1.0	90.0	-28.8	1.0	90.0	-45.4	196.5	1.0	90.0	0.0	90.0
735	G50B_100.075d	0.875	1.0	1.0	1.0	89.0	-34.6	1.0	89.0	-55.2	195.4	1.0	89.0	0.0	89.0
736	G50B_100.087d	0.875	1.0	1.0	1.0	88.0	-40.4	1.0	88.0	-64.1	194.3	1.0	88.0	0.0	88.0
737	G50B_100.100d	0.875	1.0	1.0	1.0	86.8	-46.1	1.0	86.8	-73.0	193.2	1.0	86.8	0.0	86.8
738	ROY_100.012d	0.875	1.0	1.0	1.0	85.7	-51.9	1.0	85.7	-81.9	192.1	1.0	85.7	0.0	85.7
739	ROY_100.037d	0.875	1.0	1.0	1.0	84.6	-57.7	1.0	84.6	-91.6	191.0	1.0	84.6	0.0	84.6
740	ROY_100.050d	0.875	1.0	1.0	1.0	83.5	-63.5	1.0	83.5	-101.3	189.9	1.0	83.5	0.0	83.5
741	ROY_100.062d	0.875	1.0	1.0	1.0	82.4	-69.3	1.0	82.4	-111.0	188.8	1.0	82.4	0.0	82.4
742	G50B_087.025d	0.875	1.0	1.0	1.0	81.3	-75.1	1.0	81.3	-120.7	187.7	1.0	81.3	0.0	81.3
743	G50B_087.037d	0.875	1.0	1.0	1.0	80.2	-80.9	1.0	80.2	-130.4	186.6	1.0	80.2	0.0	80.2
744	G50B_087.050d	0.875	1.0	1.0	1.0	79.1	-86.7	1.0	79.1	-140.1	185.5	1.0	79.1	0.0	79.1
745	G50B_087.062d	0.875	1.0	1.0	1.0	78.0	-92.5	1.0	78.0	-149.8	184.4	1.0	78.0	0.0	78.0
746	G50B_087.075d	0.875	1.0	1.0	1.0	76.9	-98.3	1.0	76.9	-159.5	183.3	1.0	76.9	0.0	76.9
747	G50B_087.087d	0.875	1.0	1.0	1.0	75.8	-104.1	1.0	75.8	-169.2	182.2	1.0	75.8	0.0	75.8
748	ROY_100.025d	0.875	1.0	1.0	1.0	74.7	-109.9	1.0	74.7	-178.9	181.1	1.0	74.7	0.0	74.7
749	ROY_100.050d	0.875	1.0	1.0	1.0	73.6	-115.7	1.0	73.6	-188.6	180.0	1.0	73.6	0.0	73.6
750	G50B_075.012d	0.875	1.0	1.0	1.0	72.5	-121.5	1.0	72.5	-198.3	178.9	1.0	72.5	0.0	72.5
751	G50B_075.025d	0.875	1.0	1.0	1.0	71.4	-127.3	1.0	71.4	-208.0	177.8	1.0	71.4	0.0	71.4
752	G50B_075.037d	0.875	1.0	1.0	1.0	70.3	-133.1	1.0	70.3	-217.7	176.7	1.0	70.3	0.0	70.3
753	G50B_075.050d	0.875	1.0	1.0	1.0	69.2	-138.9	1.0	69.2	-227.4	175.6	1.0	69.2	0.0	69.2
754	G50B_075.062d	0.875	1.0	1.0	1.0	68.1	-144.7	1.0	68.1	-237.1	174.5	1.0	68.1	0.0	68.1
755	G50B_075.075d	0.875	1.0	1.0	1.0	67.0	-150.5	1.0	67.0	-246.8	173.4	1.0	67.0	0.0	67.0
756	ROY_100.037d	0.875	1.0	1.0	1.0	65.9	-156.3	1.0	65.9	-256.5	172.3	1.0	65.9	0.0	65.9
757	ROY_087.025d	0.875	1.0	1.0	1.0	64.8	-162.1	1.0	64.8	-266.2	171.2	1.0	64.8	0.0	64.8
758	ROY_087.050d	0.875	1.0	1.0	1.0	63.7	-167.9	1.0	63.7	-275.9	170.1	1.0	63.7	0.0	63.7
759	ROY_087.062d	0.875	1.0	1.0	1.0	62.6	-173.7	1.0	62.6	-285.6	169.0	1.0	62.6	0.0	62.6
760	G50B_062.012d	0.875	1.0	1.0	1.0	61.5	-179.5	1.0	61.5	-295.3	167.9	1.0	61.5	0.0	61.5
761	G50B_062.037d	0.875	1.0	1.0	1.0	60.4	-185.3	1.0	60.4	-305.0	166.8	1.0	60.4	0.0	60.4
762	G50B_062.050d	0.875	1.0	1.0	1.0	59.3	-191.1	1.0	59.3	-314.7	165.7	1.0	59.3	0.0	59.3
763	G50B_062.062d	0.875	1.0	1.0	1.0	58.2	-196.9	1.0	58.2	-324.4	164.6	1.0	58.2	0.0	58.2
764	G50B_062.080d	0.875	1.0	1.0	1.0	57.1	-202.7	1.0	57.1	-334.1	163.5	1.0	57.1	0.0	57.1
765	G50B_062.094d	0.875	1.0	1.0	1.0	56.0	-208.5	1.0	56.0	-343.8	162.4	1.0	56.0	0.0	56.0
766	ROY_087.037d	0.875	1.0	1.0	1.0	54.9	-214.3	1.0	54.9	-353.5	161.3	1.0	54.9	0.0	54.9
767	ROY_087.050d	0.875	1.0	1.0	1.0	53.8	-220.1	1.0	53.8	-363.2	160.2	1.0	53.8	0.0	53.8
768	ROY_062.012d	0.875	1.0	1.0	1.0	52.7	-225.9	1.0	52.7	-372.9	159.1	1.0	52.7	0.0	52.7
769	G50B_050.012d	0.875	1.0	1.0	1.0	51.6	-231.7	1.0	51.6	-382.6	158.0	1.0	51.6	0.0	51.6
770	G50B_050.025d	0.875	1.0	1.0	1.0	50.5	-237.5	1.0	50.5	-392.3	156.9	1.0	50.5	0.0	50.5
771	G50B_050.037d	0.875	1.0	1.0	1.0	49.4	-243.3	1.0	49.4	-402.0	155.8	1.0	49.4	0.0	49.4
772	G50B_050.050d	0.875	1.0	1.0	1.0	48.3	-249.1	1.0	48.3	-411.7	154.7	1.0	48.3	0.0	48.3
773	G50B_050.062d	0.875	1.0	1.0	1.0	47.2	-254.9	1.0	47.2	-421.4	153.6	1.0	47.2	0.0	47.2
774	ROY_100.062d	0.875	1.0	1.0	1.0	46.1	-260.7	1.0	46.1	-431.1	152.5	1.0	46.1	0.0	46.1
775	ROY_087.050d	0.875	1.0	1.0	1.0	45.0	-266.5	1.0	45.0	-440.8	151.4	1.0	45.0	0.0	45.0
776	ROY_062.025d	0.875	1.0	1.0	1.0	43.9	-272.3	1.0	43.9	-450.5	150.3	1.0	43.9	0.0	43.9
777	ROY_062.037d	0.875	1.0	1.0	1.0	42.8	-278.1	1.0	42.8	-460.2	149.2	1.0	42.8	0.0	42.8
778	ROY_050.012d	0.875	1.0	1.0	1.0	41.7	-283.9	1.0	41.7	-469.9	148.1	1.0	41.7	0.0	41.7
779	NW_037d	0.875	1.0	1.0	1.0	40.6	-289.7	1.0	40.6	-479.6	147.0	1.0	40.6	0.0	40.6
780	G50B_037.012d	0.875	1.0	1.0	1.0	39.5	-295.5	1.0	39.5	-489.3	145.9	1.0	39.5	0.0	39.5
781	G50B_037.025d	0.875	1.0	1.0	1.0	38.4	-301.3	1.0	38.4	-499.0	144.8	1.0	38.4	0.0	38.4
782	G50B_037.037d	0.875	1.0	1.0	1.0	37.3	-307.1	1.0	37.3	-508.7	143.7	1.0	37.3	0.0	37.3
783	G50B_037.050d	0.875	1.0	1.0	1.0	36.2	-312.9	1.0	36.2	-518.4	142.6	1.0	36.2	0.0	36.2
784	ROY_100.075d	0.875	1.0	1.0	1.0	35.1	-318.7	1.0	35.1	-528.1	141.5	1.0	35.1	0.0	35.1
785	ROY_087.062d	0.875	1.0	1.0	1.0	34.0	-324.5	1.0	34.0	-537.8	140.4	1.0	34.0	0.0	34.0
786	ROY_075.050d	0.875	1.0	1.0	1.0	32.9	-330.3	1.0	32.9	-547.5	139.3	1.0	32.9	0.0	32.9
787	ROY_062.037d	0.875	1.0	1.0	1.0	31.8	-336.1	1.0	31.8	-557.2	138.2	1.0	31.8	0.0	31.8
788	ROY_050.025d	0.875	1.0	1.0	1.0	30.7	-341.9	1.0	30.7	-566.9	137.1	1.0	30.7	0.0	30.7
789	NW_025d	0.875	1.0	1.0	1.0	29.6	-347.7	1.0	29.6	-576.6	136.0	1.0	29.6	0.0	29.6
790	G50B_025.012d	0.875	1.0	1.0	1.0	28.5	-353.5	1.0	28.5	-586.3	134.9	1.0	28.5	0.0	28.5
791	G50B_025.025d	0.875	1.0	1.0	1.0	27.4	-359.3	1.0	27.4	-596.0	133.8	1.0	27.4	0.0	27.4
792	ROY_100.087d	0.875	1.0	1.0	1.0	26.3	-365.1	1.0	26.3	-605.7	132.7	1.0	26.3	0.0	26.3
793	ROY_087.075d	0.875	1.0	1.0	1.0	25.2	-370.9	1.0	25.2	-615.4	131.6	1.0	25.2	0.0	25.2
794	ROY_075.062d	0.875	1.0	1.0	1.0	24.1	-376.7	1.0	24.1	-625.1	130.5	1.0	24.1	0.0	24.1</




TUB material: code=rha4ta
b (RGB)

input: $rgb/cmyk -> rgb_d$
output: transfer to rgb_d

1-0032534-F0

1-0032934-F0

input: $rgb/cmyk -> rgb_d$
output: transfer to rgb_d



TUB material: code=rha4ta

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-0033034-F0

1-0033034-F0

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/RE69/RE69L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

n	H1C*Fd	rgb_Fd	ic1_Fd	h1a_Fd	rgb_Fd	LabCH*Fd	LabCH*Fd	rgb**Fd	LabCH*Fd	DF**Fd	h1aNd	rgb**Nd	LabCH*Nd
972	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
973	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
974	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
975	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
976	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
977	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
978	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
979	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
980	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
981	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
982	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
983	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
984	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
985	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
986	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
987	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
988	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
989	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
990	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
991	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
992	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
993	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
994	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
995	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
996	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
997	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
998	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
999	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1000	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1001	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1002	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1003	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1004	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1005	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1006	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1007	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1008	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1009	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1010	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1011	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1012	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1013	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1014	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1015	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1016	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1017	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1018	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1019	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1020	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1021	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1022	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1023	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1024	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1025	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1026	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1027	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1028	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1029	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1030	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1031	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1032	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1033	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1034	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1035	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1036	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1037	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1038	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1039	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1040	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1041	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1042	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1043	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1044	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1045	NW_0124	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1046	NW_0254	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1047	NW_0374	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1048	NW_0504	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1049	NW_0624	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1050	NW_0754	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1051	NW_0874	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4
1052	NW_1004	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4

Mean color difference of this page:

delta E* = 1.6

TUB-test chart RE69; 1080 standard colours, cf=1
colors and differences, ΔE^*
input: *rgb/cmyk* -> *rgb*
output: transfer to *rgb*

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/RE69/RE69L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HfC*Fd	rgb_Fd	lC*_Fd	h*_Fd	rgb*_Fd	LabCh*_Fd	LabCh*_Fd	rgb*_Fd	DE*Fd	h*_d	rgb*_d	LabCh*_d	DE*Fd	h*_d	rgb*_d	LabCh*_d
1053	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_006d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1058	NW_013d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1059	NW_020d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1060	NW_026d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1061	NW_033d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1062	NW_040d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1063	NW_046d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1064	NW_053d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1065	NW_060d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1066	NW_066d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1067	NW_073d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1068	NW_080d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_086d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_093d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_006d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	RO07_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1074	CS08_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1075	Y06C_100_100d	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1076	B06C_100_100d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	R06C_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B08C_100_100d	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page: $\Delta E^* = 1.0$


input: *rgb/cmyk* - > *rgbd*
output: transfer to *rgbd*

TUB-test chart RE69; 1080 standard colours, *cf*=1
colors and differences, ΔE^*

RE690-7N, Page 33/33-F

I-0033234-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



RE690-7N_RGB 1-013034-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872


Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta



RE690-71 1-013134-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, 3D=0, $de=1$, rgb


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

1-013134-F0

1-013134-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta



RE690-71

1-013234-L0

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

1-013234-F0

C

M

Y

O


L

V

C

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta



RE690-71 1-013334-L0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872


Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

1-013334-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta



RE690-71

1-013434-L0

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

1-013434-F0

C

M

Y

O


L

V

C

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE69/RE69L0NA.TXT / .PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta



RE690-71 1-013534-L0




TUB-test chart RE69; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n);, 3D = 0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

1-013534-F0

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

RE690-71 1-013634-L0

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 7/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
 48 step hue circles; $rgb-LabCh^*$ -tables

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to rgb_e

1-013634-F0

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	$LAB^*_{ddx64M}(x=LabCh)$	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}(x=LabCh)$	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}(x=LabCh)$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0
41.3	37.5	33.8	1.0	0.125	0.0	51.5	74.1	64.9	98.5	41
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.3	386.7
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0

RE690-71 1-013734-L0

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nmw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 8/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
 48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_e$
 output: transfer to rgb_e

TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
 application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M}(x=LabCh)$						$rgb^*_{dex361M}$					$LAB^*_{dex361M}$						rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25						
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33						
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42						
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49						
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58						
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66						
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75						
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83						
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92						
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100						
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109					
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117						
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127						
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135						
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144						
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152						
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162						
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168						
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175						
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182						
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189						
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195						
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203						
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209						
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216						
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223						
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230						
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237						
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244						
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250						
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258						
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264						
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271						
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278						
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285						
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292						
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300						
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306						
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314						
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321						
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	0.0	0.992	0.0	57.2	94.2	-57.4	110.3	328						
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	0.0	0.856	0.0	55.4	89.9	-41.4	99.0	335						
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	0.0	0.735	0.0	54.1	86.5	-26.6	90.6	342						
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	0.0	0.65	0.0	53.3	84.5	-15.6	86.0	349						
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	0.0	0.618	0.0	53.0	83.6	-11.6	84.4	352						
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	0.0	0.533	0.0	52.3	82.2	-0.1	82.2	359						
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	0.0	0.441	0.0	51.7	80.7	12.5	81.7	368						
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	0.0	0.361	0.0	51.3	79.3	23.6	82.8	376						
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	0.0	0.263	0.0	50.9	78.3	37.3	86.7	385						

TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}											
40	30	25	1.0	0.0 0.0	50.4	76.9	64.5	100.4	40	1.0	0.0 0.0	0.263	50.9	78.3	37.3	86.7	25	R_e	1.0	0.0 0.0						
40	31	26	1.0	0.016 0.0	50.6	76.5	64.6	100.1	40	1.0	0.0 0.0	0.251	50.9	78.0	39.0	87.2	26	1.0	0.017 0.0							
40	32	27	1.0	0.033 0.0	50.7	76.1	64.6	99.8	40	1.0	0.0 0.0	0.236	50.8	78.0	41.0	88.1	27	1.0	0.033 0.0							
40	33	28	1.0	0.05 0.0	50.9	75.7	64.7	99.6	40	1.0	0.0 0.0	0.22	50.8	78.1	43.0	89.1	28	1.0	0.05 0.0							
40	34	29	1.0	0.066 0.0	51.0	75.3	64.7	99.3	40	1.0	0.0 0.0	0.204	50.8	78.0	44.9	90.1	29	1.0	0.067 0.0							
40	35	31	1.0	0.083 0.0	51.1	74.9	64.8	99.0	40	1.0	0.0 0.0	0.188	50.7	78.0	46.9	91.0	31	1.0	0.083 0.0							
41	36	32	1.0	0.1 0.0	51.3	74.5	64.8	98.7	41	1.0	0.0 0.0	0.172	50.7	77.9	49.0	92.0	32	1.0	0.1 0.0							
41	37	33	1.0	0.116 0.0	51.4	74.1	64.9	98.5	41	1.0	0.0 0.0	0.156	50.7	77.7	51.0	92.9	33	1.0	0.117 0.0							
41	38	34	1.0	0.133 0.0	51.7	73.4	65.0	98.0	41	1.0	0.0 0.0	0.14	50.6	77.5	53.0	93.9	34	1.0	0.133 0.0							
41	39	35	1.0	0.15 0.0	52.0	72.4	65.2	97.4	41	1.0	0.0 0.0	0.123	50.6	77.2	55.1	94.9	35	1.0	0.15 0.0							
42	40	36	1.0	0.166 0.0	52.3	71.4	65.3	96.8	42	1.0	0.0 0.0	0.093	50.6	77.3	57.4	96.3	36	1.0	0.167 0.0							
42	41	37	1.0	0.183 0.0	52.7	70.5	65.5	96.2	42	1.0	0.095 0.0	51.3	74.6	64.9	98.9	41	1.0	0.183 0.0								
43	42	38	1.0	0.2 0.0	53.0	69.5	65.6	95.6	43	1.0	0.151 0.0	52.1	72.4	65.2	97.5	42	1.0	0.2 0.0								
43	43	39	1.0	0.216 0.0	53.4	68.6	65.7	95.0	43	1.0	0.188 0.0	52.8	70.3	65.5	96.1	43	1.0	0.217 0.0								
44	44	41	1.0	0.233 0.0	53.7	67.6	65.8	94.4	44	1.0	0.225 0.0	53.6	68.2	65.8	94.8	44	1.0	0.233 0.0								
44	45	42	1.0	0.25 0.0	54.0	66.7	65.9	93.8	44	1.0	0.256 0.0	54.3	66.1	66.1	93.5	45	1.0	0.25 0.0								
45	46	43	1.0	0.266 0.0	54.6	65.1	66.3	93.0	45	1.0	0.277 0.0	55.0	64.3	66.6	92.5	46	1.0	0.267 0.0								
46	47	44	1.0	0.283 0.0	55.1	63.6	66.6	92.2	46	1.0	0.297 0.0	55.6	62.4	66.9	91.5	47	1.0	0.283 0.0								
47	48	45	1.0	0.3 0.0	55.7	62.1	66.9	91.3	47	1.0	0.318 0.0	56.3	60.6	67.3	90.5	48	1.0	0.3 0.0								
47	49	46	1.0	0.316 0.0	56.2	60.6	67.2	90.5	47	1.0	0.338 0.0	57.0	58.7	67.6	89.5	49	1.0	0.317 0.0								
48	50	47	1.0	0.333 0.0	56.8	59.1	67.5	89.7	48	1.0	0.359 0.0	57.7	56.9	67.8	88.5	50	1.0	0.333 0.0								
49	51	48	1.0	0.35 0.0	57.3	57.6	67.7	88.9	49	1.0	0.378 0.0	58.3	55.1	68.1	87.6	51	1.0	0.35 0.0								
50	52	49	1.0	0.366 0.0	57.9	56.2	67.9	88.1	50	1.0	0.392 0.0	58.9	53.6	68.6	87.0	52	1.0	0.367 0.0								
51	53	51	1.0	0.383 0.0	58.5	54.5	68.2	87.3	51	1.0	0.406 0.0	59.6	52.0	69.0	86.4	53	1.0	0.383 0.0								
52	54	52	1.0	0.4 0.0	59.3	52.6	68.8	86.6	52	1.0	0.42 0.0	60.2	50.4	69.4	85.8	54	1.0	0.4 0.0								
53	55	53	1.0	0.416 0.0	60.0	50.7	69.3	85.9	53	1.0	0.433 0.0	60.8	48.8	69.8	85.2	55	1.0	0.417 0.0								
54	56	54	1.0	0.433 0.0	60.7	48.8	69.7	85.1	54	1.0	0.447 0.0	61.4	47.3	70.1	84.5	56	1.0	0.433 0.0								
56	57	55	1.0	0.45 0.0	61.4	46.9	70.1	84.4	56	1.0	0.461 0.0	62.0	45.7	70.4	83.9	57	1.0	0.45 0.0								
57	58	56	1.0	0.466 0.0	62.2	45.1	70.4	83.6	57	1.0	0.475 0.0	62.6	44.1	70.7	83.3	58	1.0	0.467 0.0								
58	59	57	1.0	0.483 0.0	62.9	43.2	70.7	82.9	58	1.0	0.489 0.0	63.2	42.6	70.9	82.7	59	1.0	0.483 0.0								
59	60	58	1.0	0.5 0.0	63.6	41.3	71.0	82.2	59	1.0	0.502 0.0	63.8	41.1	71.2	82.2	60	1.0	0.5 0.0								
61	61	60	1.0	0.516 0.0	64.5	39.3	71.7	81.8	61	1.0	0.513 0.0	64.4	39.7	71.6	81.9	61	1.0	0.517 0.0								
62	62	61	1.0	0.533 0.0	65.3	37.2	72.4	81.4	62	1.0	0.525 0.0	64.9	38.3	72.1	81.7	62	1.0	0.533 0.0								
64	63	62	1.0	0.55 0.0	66.2	35.1	73.0	81.0	64	1.0	0.536 0.0	65.5	37.0	72.5	81.4	63	1.0	0.55 0.0								
65	64	63	1.0	0.566 0.0	67.1	33.0	73.5	80.6	65	1.0	0.547 0.0	66.1	35.6	72.9	81.1	64	1.0	0.567 0.0								
67	65	64	1.0	0.583 0.0	67.9	31.0	74.0	80.3	67	1.0	0.558 0.0	66.7	34.2	73.3	80.9	65	1.0	0.583 0.0								
68	66	65	1.0	0.6 0.0	68.8	28.9	74.5	79.9	68	1.0	0.569 0.0	67.2	32.8	73.7	80.6	66	1.0	0.6 0.0								
70	67	66	1.0	0.616 0.0	69.6	26.8	74.8	79.5	70	1.0	0.58 0.0	67.8	31.4	74.0	80.4	67	1.0	0.617 0.0								
71	68	67	1.0	0.633 0.0	70.5	24.7	75.4	79.4	71	1.0	0.591 0.0	68.4	30.0	74.3	80.1	68	1.0	0.633 0.0								
73	69	68	1.0	0.65 0.0	71.5	22.7	76.2	79.5	73	1.0	0.602 0.0	69.0	28.6	74.6	79.9	69	1.0	0.65 0.0								
75	70	70	1.0	0.666 0.0	72.4	20.6	76.9	79.7	75	1.0	0.614 0.0	69.5	27.2	74.8	79.6	70	1.0	0.667 0.0								
76	71	71	1.0	0.683 0.0	73.4	18.5	77.6	79.8	76	1.0	0.625 0.0	70.1	25.8	75.0	79.4	71	1.0	0.683 0.0								
78	72	72	1.0	0.7 0.0	74.3	16.3	78.2	79.9	78	1.0	0.635 0.0	70.7	24.5	75.6	79.4	72	1.0	0.7 0.0								
79	73	73	1.0	0.716 0.0	75.3	14.2	78.8	80.1	79	1.0	0.646 0.0	71.3	23.3	76.1	79.5	73	1.0	0.717 0.0								
81	74	74	1.0	0.733 0.0	76.2	12.0	79.3	80.2	81	1.0	0.656 0.0	71.9	21.9	76.5	79.6	74	1.0	0.733 0.0								
82	75	75	1.0	0.75 0.0	77.2	9.8	79.7	80.4	82	1.0	0.667 0.0	72.5	20.6	77.0	79.7	75	1.0	0.75 0.0								

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{ds361Mi}$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$																			
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0	
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.677	0.0	73.1	19.3	77.4	79.8	76	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.767	0.0	
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.688	0.0	73.7	18.0	77.8	79.9	77	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0	
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.698	0.0	74.3	16.6	78.2	80.0	78	1.0	0.8	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0	
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.708	0.0	74.9	15.3	78.6	80.1	79	1.0	0.817	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0	
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.719	0.0	75.5	13.9	78.9	80.1	80	1.0	0.833	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0	
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.729	0.0	76.1	12.6	79.2	80.2	81	1.0	0.85	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0	
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.867	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0	
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.75	0.0	77.3	9.8	79.8	80.4	83	1.0	0.883	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0	
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.762	0.0	78.0	8.5	80.4	80.9	84	1.0	0.9	0.0	1.0	0.78	0.0	79.1	6.2	81.4	81.6	85	1.0	0.9	0.0	
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.773	0.0	78.7	7.1	81.0	81.3	85	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.7	82.0	82.1	86	1.0	0.917	0.0	
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.785	0.0	79.3	5.7	81.6	81.8	86	1.0	0.933	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0	
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.796	0.0	80.0	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0	
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.808	0.0	80.7	2.9	82.6	82.7	88	1.0	0.967	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0	
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.819	0.0	81.4	1.5	83.1	83.1	89	1.0	0.983	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0	
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	1.0	1.0	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	1.0	1.0	0.0	
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.842	0.0	82.8	-1.4	84.0	84.0	91	0.983	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0	
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.853	0.0	83.5	-2.8	84.4	84.4	92	0.967	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0	
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.865	0.0	84.2	-4.3	84.8	84.9	93	0.95	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0	
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.877	0.0	84.9	-5.9	85.2	85.4	94	0.933	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0	
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.891	0.0	85.8	-7.4	85.9	86.3	95	0.917	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0	
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.904	0.0	86.7	-9.0	86.6	87.1	96	0.9	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0	
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	0.883	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0	
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.932	0.0	88.4	-12.3	88.0	88.9	98	0.867	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0	
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.946	0.0	89.3	-13.9	88.6	89.7	99	0.85	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0	
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.96	0.0	90.2	-15.6	89.2	90.6	100	0.833	1.0	0.0	1.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.974	0.0	91.0	-17.4	89.8	91.5	101	0.817	1.0	0.0	1.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.988	0.0	91.9	-19.1	90.3	92.3	102	0.8	1.0	0.0	1.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	1.0	0.926	1.0	0.0	91.3	-28.0	89.4	93.7	107	0.783	1.0	0.0
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	1.0	0.907	1.0	0.0	91.0	-29.9	89.0	93.9	108	0.767	1.0	0.0
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	0.75	1.0	0.0
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	1.0	0.868	1.0	0.0	90.3	-33.6	88.0	94.3	110	0.733	1.0	0.0
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	1.0	0.848	1.0	0.0	90.0	-35.6	87.8	94.7	112	0.717	1.0	0.0
120	108	113	0.7	1.0	0.0	87.9	-49.2	85.2	98.4	120	0.917	1.0	0.0	91.2	-28.9	89.2	93.8	108	0.7	1.0	0.0	1.0	0.827	1.0	0.0	89.7	-37.5	87.4	95.2	113	0.7	1.0	0.0
120	109	114	0.683	1.0	0.0	87.6	-50.7	84.9	98.9	120	0.901	1.0	0.0	90.9	-30.5	88.8	93.9	109	0.683	1.0	0.0	1.0	0.806	1.0	0.0	89.4	-39.5	87.1	95.7	114	0.683	1.0	0.0
121	110	115	0.666	1.0	0.0	87.4	-52.1	84.7	99.4	121	0.884	1.0	0.0	90.6	-32.1	88.4	94.1	110	0.667	1.0	0.0	1.0	0.786	1.0	0.0	89.1	-41.5	86.7	96.1	115	0.667	1.0	0.0
122	111	116	0.65	1.0	0.0	87.2	-53.6	84.4	100.0	122	0.868	1.0	0.0	90.3	-33.7	88.0	94.3	111	0.65	1.0	0.0	1.0	0.765	1.0	0.0	88.8	-43.4	86.2	96.6	116	0.65	1.0	0.0
123	112	117	0.633	1.0	0.0	87.0	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.633	1.0	0.0	1.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	0.633	1.0	0.0
123	113	119	0.616	1.0	0.0	86.8	-56.4	83.8	101.0	123	0.832	1.0	0.0	89.8	-37.1	87.5	95.1	113	0.617	1.0	0.0	1.0	0.719	1.0	0.0	88.2	-47.5	85.5	97.9	119	0.617	1.0	0.0
124	114	120	0.6	1.0	0.0	86.7	-57.6	83.7	101.6	124	0.814	1.0	0.0	89.5	-38.7	87.2	95.5	114	0.6	1.0	0.0	1.0	0.695	1.0	0.0	87.8	-49.6	85.2	98.6	120	0.6	1.0	0.0
125	115	121	0.583	1.0	0.0	86.5	-58.9	83.5	102.2	125	0.797	1.0	0.0	89.3	-40.4	86.9	95.9	115	0.583														

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{ddx361Mi}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			rgb^*_{dd}			rgb^*_{ds}			rgb^*_{de}					
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0						
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0						
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.467	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.467	1.0	0.0						
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0						
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0						
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0						
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0						
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0						
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0						
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0						
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0						
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0						
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0						
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0						
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0						
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0						
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0						
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0						
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0						
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0						
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0						
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0						
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0						
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0						
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0						
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0						
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0						
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0						
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0						
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0						
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G_d 0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G_s 0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G_e 0.0	1.0	0.0						
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.																		

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* dd361M	LAB^* ddx361Mi (x=LabCh)	rgb^* ds361Mi	LAB^* dsx361Mi (x=LabCh)	rgb^* dd361Mi	LAB^* dex361Mi	rgb^* de361Mi	LAB^* dex361Mi (x=LabCh)	rgb^* dd361Mi	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25	83.8
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267	83.8
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283	83.8
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3	83.8
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317	83.9
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333	83.9
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35	83.9
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367	84.0
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383	84.0
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4	84.0
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417	84.1
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433	84.1
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45	84.2
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467	84.2
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483	84.3
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5	84.3
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517	84.4
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533	84.4
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55	84.5
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567	84.5
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583	84.6
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6	84.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617	84.7
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633	84.8
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65	84.8
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667	84.9
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683	85.0
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7	85.1
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717	85.2
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733	85.2
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75	85.3
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767	85.4
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783	85.5
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8	85.6
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817	85.7
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833	85.8
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85	85.9
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867	86.0
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883	86.1
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9	86.2
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917	86.3
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933	86.4
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95	86.5
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967	86.6
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983	86.7
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0	86.8

RE690-71 1-0131234-L0

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted

Output: sRGB display according to IEC 61966-2-1, D65, page 13/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

1-0131234-F0

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{dxd361Mi}(x=LabCh)$				C_d	$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi}(x=LabCh)$				$210C_s$	$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$				$216C_e$	$rgb^*_{dd361Mi}$			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	1.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216	0.0	1.0	1.0			
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199	0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0			
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202	0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0			
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205	0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219	0.0	0.95	1.0			
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208	0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0			
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212	0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0			
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215	0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222	0.0	0.9	1.0			
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218	0.0	0.889	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0			
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221	0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0			
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225	0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0			
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228	0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0			
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232	0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0			
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236	0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0			
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239	0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0			
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243	0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0			
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0			
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250	0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0			
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0			
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256	0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0			
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259	0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234	0.0	0.683	1.0			
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262	0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0			
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265	0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0			
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0			
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270	0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0			
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272	0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0			
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274	0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0			
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276	0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0			
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278	0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0			
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0			
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283	0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0			
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0			
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286	0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0			
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287	0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246	0.0	0.467	1.0			
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288	0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243	0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247	0.0	0.45	1.0			
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290	0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244	0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.433	1.0			
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291	0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245	0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248	0.0	0.417	1.0			
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292	0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246	0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249	0.0	0.4	1.0			
294	247	250	0.0	0.383	1.0	44.3	36.2	-80.5	88.2	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250	0.0	0.383	1.0			
295	248	251	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.367	1.0	0.0	0.726	1.0	67.4	-14.4	-43.8	46.2	251	0.0	0.367	1.0			
296	249	252	0.0	0.35	1.0	42.5	41.0	-83.6	93.2	296	0.0	0.74	1.0	68.4	-16.0	-41.9	45.0	249	0.0	0.35	1.0	0.0	0.721	1.0	67.0	-13.9	-44.4	46.6	252	0.0	0.35	1.0			
296	250	253	0.0	0.333	1.0	41.6	43.4	-8																											

RE690-71 1-0131334-L0 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0, not adapted=adapted Output: sRGB display according to IEC 61966-2-1, D65, page 14/33

TUB-test chart RE69; 1080 standard colours, $cf=1$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e


TUB registration: 20150701-RE69/RE69L0NA.TXT /PS
application for measurement of display output, no separation rgb (RGB)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

The hue angles of the device colours K100Ding _g (h _{ab,d} = 40.0, 56.2, 150.0, 194.4, 500.0, 520.0, 520.0, 520.0) and the angles of the elementary colours K100Ding _g (h _{ab,e} = 20.0, 52.0, 142.0, 21.0, 21.0, 520.0)										The hue angles of the device colours K100Ding _g (h _{ab,d} = 40.0, 56.2, 150.0, 194.4, 500.0, 520.0, 520.0, 520.0) and the angles of the elementary colours K100Ding _g (h _{ab,e} = 20.0, 52.0, 142.0, 21.0, 21.0, 520.0)										The hue angles of the device colours K100Ding _g (h _{ab,d} = 40.0, 56.2, 150.0, 194.4, 500.0, 520.0, 520.0, 520.0) and the angles of the elementary colours K100Ding _g (h _{ab,e} = 20.0, 52.0, 142.0, 21.0, 21.0, 520.0)																		
<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb[*]_{dd361M}</i>	<i>LAB[*]_{d361M}</i>	<i>LAB[*]_{dsx361Mi} (x=LabCh)</i>	<i>rgb[*]_{ds361Mi}</i>	<i>LAB[*]_{dsx361Mi} (x=LabCh)</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{de361Mi}</i>	<i>LAB[*]_{dex361Mi} (x=LabCh)</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{dd361Mi}</i>	<i>rgb[*]_{ds}</i>	<i>rgb[*]_{de}</i>																								
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25	1.0	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25	1.0						
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702	1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0						
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696	1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.217	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217	1.0						
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691	1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0						
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685	1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0						
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679	1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.167	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167	1.0						
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674	1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0						
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0						
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663	1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.117	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117	1.0						
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.657	1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0						
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652	1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0						
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646	1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.067	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067	1.0						
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641	1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.05	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05	1.0						
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635	1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0						
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.017	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017	1.0						
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	<i>B_d</i>	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	<i>B_s</i>	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	<i>B_e</i>	0.0	0.0	1.0			
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615	1.0	59.7	1.0	-55.7	55.9	271	0.017	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.017	0.0	1.0						
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607	1.0	59.1	2.0	-56.8	56.9	272	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.033	0.0	1.0						
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599	1.0	58.5	3.0	-57.8	58.0	273	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.05	0.0	1.0						
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591	1.0	58.0	4.1	-58.8	59.0	274	0.067	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.067	0.0	1.0						
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583	1.0	57.4	5.2	-59.8	60.1	275	0.083	0.0	1.0	0.0	0.57	1.0	56.6	7.0	-61.2	61.7	276	0.083	0.0	1.0						
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574	1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0						
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.117	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0	1.0						
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558	1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0						
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55	1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0						
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541	1.0	54.6	11.4	-64.3	65.4	280	0.167	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0	1.0						
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533	1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0						
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525	1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0						
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517	1.0	52.9	15.4	-66.7	68.6	283	0.217	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0	1.0						
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508	1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0						
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0	1.0						
307	286	2																																				

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																			
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	303	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0			
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M_d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M_s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M_e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	98.1	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7																					

Data of Maximum color M in colorimetric system sRGB display according to IEC 61966-2-1, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM _d : h _{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
h _{ab,d} h _{ab,s} h _{ab,e}			rgb* _{dd361M} LAB* _{ddx361Mi} (x=LabCh)				rgb* _{ds361Mi} LAB* _{dsx361Mi} (x=LabCh)				rgb* _{dd361Mi} LAB* _{dex361Mi} (x=LabCh)				rgb* _{dd361Mi} LAB* _{dex361Mi} (x=LabCh)				rgb* _{da361Mi} LAB* _{da361Mi} (x=LabCh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.707	53.8	86.0	-23.0	89.1	345	1.0	0.0	0.75	54.1	86.5	-26.6	90.6	342	1.0	0.0	0.75	54.0	86.3	-25.0	89.9	343	1.0	0.0	0.733	54.0	86.3	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717	53.8	86.



TUB material: code=rha4ta

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to rgb_e

11UB-test chart RE69; 1080 standard colours, $c^* = 1$
colors and differences, ΔE^*

RE690-7N, Page 19/33-F

[illegible]


see similar files: <http://130.149.60.45/~farbmatrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

http://130.149.60.45/~farbmatrik/RE69/RE69L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

TUB-test chart RE69; 1080 standard colours, $cf=1$ colors and differences. ΔE^* ,

input: *rgb/cmyk* $\rightarrow$ *rgbe*
output: transfer to *rgb_a*

n	HC ^{+}Fe	rgb^{+}Fe	ic ^{+}Fe	hs_{+}Fe	rgb^{+}Fe	$\text{LabCh}^{+}\text{Fe}$	$\text{LabCh}^{+}\text{Fe}$	rgb^{+}Fe	$\text{LabCh}^{+}\text{Fe}$	rgb^{+}Fe	DE^{+}Fe	hs_{line}	rgb^{+}Fe	$\text{LabCh}^{+}\text{Fe}$	n
1	NW 000 $_{+}$	00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	95.4	1
2	G3008_012_012 $_{+}$	00	0.125	0.125	0.062	270	0.0	0.076	0.125	7.4	0.2	-7.0	7.0	271.7	2
3	B00K_025_025 $_{+}$	00	0.25	0.25	0.125	270	0.0	0.152	0.25	14.8	0.4	-14.1	14.1	271.7	3
4	B00K_037_037 $_{+}$	00	0.375	0.375	0.187	270	0.0	0.228	0.375	22.2	0.6	-21.2	21.2	271.7	4
5	B00K_050_050 $_{+}$	00	0.5	0.5	0.25	270	0.0	0.304	0.5	29.6	0.8	-28.3	28.3	271.7	5
6	B00K_062_062 $_{+}$	00	0.625	0.625	0.312	270	0.0	0.38	0.625	37.0	1.0	-35.3	35.3	271.7	6
7	B00K_075_075 $_{+}$	00	0.75	0.75	0.375	270	0.0	0.457	0.75	44.4	1.2	-42.4	42.4	271.7	7
8	B00K_087_087 $_{+}$	00	0.875	0.875	0.437	270	0.0	0.533	0.875	51.8	1.5	-49.5	49.5	271.7	8
9	B00K_100_100 $_{+}$	00	1.0	1.0	0.5	270	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7	9
10	G3008_012_012 $_{+}$	00	0.125	0.125	0.062	150	0.0	0.125	0.088	10.6	-8.0	2.5	8.4	162.2	10
11	G3008_012_012 $_{+}$	00	0.125	0.125	0.062	210	0.0	0.111	0.125	9.8	-4.7	-3.2	5.3	216.9	11
12	G3008_025_025 $_{+}$	00	0.25	0.25	0.125	240	0.0	0.119	0.25	17.5	-4.7	-9.9	10.9	244.3	12
13	G3008_037_037 $_{+}$	00	0.375	0.375	0.187	251	0.0	0.266	0.375	24.8	-4.7	-17.1	17.8	254.3	13
14	G3008_050_050 $_{+}$	00	0.5	0.5	0.25	256	0.0	0.342	0.5	32.2	-4.7	-24.3	24.7	258.9	14
15	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	259	0.0	0.418	0.625	39.6	-4.5	-31.4	31.7	261.6	15
16	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	261	0.0	0.494	0.75	47.0	-4.3	-38.5	38.7	263.5	16
17	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	262	0.0	0.573	0.875	54.6	-4.4	-45.3	45.6	264.4	17
18	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	263	0.0	0.649	1.0	62.0	-4.4	-52.3	52.5	265.3	18
19	G3008_025_025 $_{+}$	00	0.25	0.25	0.125	150	0.0	0.25	0.176	21.2	-16.1	5.1	12.6	189.6	19
20	G3008_025_025 $_{+}$	00	0.25	0.25	0.125	180	0.0	0.222	0.25	19.7	-8.5	-6.4	10.1	216.9	20
21	G3008_037_037 $_{+}$	00	0.375	0.375	0.187	229	0.0	0.303	0.375	27.4	-9.4	-13.1	16.2	234.3	21
22	G3008_050_050 $_{+}$	00	0.5	0.5	0.25	240	0.0	0.381	0.5	35.0	-9.5	-19.8	21.9	244.3	22
23	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	247	0.0	0.456	0.625	42.3	-9.4	-27.0	28.6	250.7	23
24	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	251	0.0	0.532	0.75	49.7	-9.5	-34.3	35.6	254.3	24
25	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	254	0.0	0.608	0.875	57.1	-9.4	-41.4	42.6	257.1	25
26	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	256	0.0	0.685	1.0	64.5	-9.4	-48.6	49.5	258.9	26
27	G3008_037_037 $_{+}$	00	0.375	0.375	0.187	150	0.0	0.375	0.264	31.9	-24.2	7.7	25.4	162.2	27
28	G3008_037_037 $_{+}$	00	0.375	0.125	0.375	169	0.0	0.375	0.32	32.2	-20.3	0.1	20.3	173.5	28
29	G3008_037_037 $_{+}$	00	0.375	0.375	0.187	191	0.0	0.368	0.375	32.1	-16.7	-5.9	17.7	193.6	29
30	G3008_037_037 $_{+}$	00	0.375	0.375	0.187	210	0.0	0.344	0.375	30.7	-12.8	-9.6	16.0	216.9	30
31	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	233	0.0	0.495	0.625	45.7	-14.8	-16.3	21.4	237.9	31
32	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	245	0.0	0.572	0.75	52.5	-14.2	-29.7	32.9	244.3	32
33	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	245	0.0	0.648	0.875	59.9	-14.1	-36.7	39.3	248.9	33
34	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	248	0.0	0.725	1.0	67.4	-14.5	-43.8	46.2	251.6	34
35	G3008_050_050 $_{+}$	00	0.5	0.5	0.25	164	0.0	0.5	0.353	42.5	-32.3	10.3	33.9	162.2	35
36	G3008_050_050 $_{+}$	00	0.5	0.125	0.5	180	0.0	0.5	0.419	42.9	-28.5	24	28.6	175.0	36
37	G3008_050_050 $_{+}$	00	0.5	0.25	0.5	196	0.0	0.5	0.475	43.2	-24.9	-4.2	25.3	189.6	37
38	G3008_050_050 $_{+}$	00	0.5	0.375	0.5	0.25	196	0.0	0.475	0.5	41.9	-21.0	43.4	204.2	38
39	G3008_050_050 $_{+}$	00	0.5	0.5	0.25	210	0.0	0.445	0.5	39.5	-17.1	-12.8	21.4	216.9	39
40	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	221	0.0	0.526	0.625	47.2	-18.1	-19.5	26.6	224.3	40
41	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	229	0.0	0.606	0.75	54.9	-18.9	-26.3	32.4	234.3	41
42	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	235	0.0	0.686	0.875	62.5	-19.2	-32.9	38.1	239.7	42
43	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	240	0.0	0.763	1.0	70.0	-19.0	-39.6	43.9	244.3	43
44	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	150	0.0	0.625	0.401	53.5	-40.4	12.9	47.4	162.2	44
45	G3008_062_062 $_{+}$	00	0.625	0.125	0.625	173	0.0	0.625	0.507	53.5	-36.7	4.9	37.0	172.2	45
46	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	173	0.0	0.625	0.566	53.9	-33.0	-1.8	33.1	183.2	46
47	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	187	0.0	0.625	0.623	54.2	-29.0	-18.1	33.1	195.9	47
48	G3008_062_062 $_{+}$	00	0.625	0.375	0.625	191	0.0	0.589	0.625	51.7	-25.3	-12.8	28.4	206.9	48
49	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	210	0.0	0.556	0.625	49.4	-21.4	-16.1	26.8	216.9	49
50	G3008_062_062 $_{+}$	00	0.625	0.625	0.312	210	0.0	0.556	0.625	49.4	-21.4	-16.1	26.8	216.9	50
51	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	219	0.0	0.637	0.75	57.1	-22.4	-22.6	31.9	225.1	51
52	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	226	0.0	0.718	0.875	64.9	-23.2	-29.4	37.6	231.5	52
53	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	232	0.0	0.796	1.0	72.4	-23.6	-36.4	43.4	237.0	53
54	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	150	0.0	0.75	0.529	63.8	-48.5	55.5	50.9	162.2	54
55	G3008_075_075 $_{+}$	00	0.75	0.125	0.75	159	0.0	0.75	0.596	64.2	-44.8	7.5	45.4	170.5	55
56	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	169	0.0	0.75	0.66	64.5	-40.7	4.5	40.7	179.5	56
57	G3008_075_075 $_{+}$	00	0.75	0.375	0.75	180	0.0	0.75	0.713	64.9	-37.4	-6.3	37.9	189.6	57
58	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	191	0.0	0.736	0.75	64.2	-33.4	-11.9	35.4	199.6	58
59	G3008_075_075 $_{+}$	00	0.75	0.625	0.75	200	0.0	0.7	0.75	61.6	-25.5	-16.2	33.7	208.7	59
60	G3008_075_075 $_{+}$	00	0.75	0.75	0.375	201	0.0	0.667	0.75	59.3	-25.6	-19.3	32.1	216.9	60
61	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	210	0.0	0.747	0.875	66.9	-26.6	-25.9	37.1	224.2	61
62	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	224	0.0	0.829	1.0	74.7	-27.7	-32.7	42.8	229.7	62
63	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	150	0.0	0.875	0.677	74.5	-56.5	18.1	59.4	162.2	63
64	G3008_087_087 $_{+}$	00	0.875	0.125	0.875	158	0.0	0.875	0.688	74.8	-52.7	9.7	53.6	169.5	64
65	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	166	0.0	0.875	0.748	75.1	-48.9	2.7	49.0	176.8	65
66	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	175	0.0	0.875	0.804	75.5	-45.5	-4.0	45.7	180.5	66
67	G3008_087_087 $_{+}$	00	0.875	0.5	0.875	185	0.0	0.875	0.861	75.9	-41.5	4.0	42.8	194.1	67
68	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	194	0.0	0.847	0.875	74.0	-37.7	-15.5	40.7	202.3	68
69	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	202	0.0	0.817	0.875	71.6	-34.9	-19.3	39.1	209.6	69
70	G3008_087_087 $_{+}$	00	0.875	0.875	0.437	210	0.0	0.778	0.875	69.1	-29.9	-22.5	37.5	216.9	70
71	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	217	0.0	0.858	1.0	76.8	-30.8	-29.1	42.4	223.3	71
72	G3008_100_100 $_{+}$	00	1.0	1.0	0.5	210	0.0	0.858	1.0	76.8	-30.8	-29.1	42.4	223.3	72
73	G3008_100_100 $_{+}$	00	1.0	0.125	1.0	0.5	157	0.0	0.778	0.85	-60.7	12.2	61.9	166.6	73
74	G3008_100_100 $_{+}$	00	1.0	0.25	1.0	0.5	164	0.0	0.838	0.8	-57.1	4.9	53.3	175.0	74
75	G3008_100_100 $_{+}$	00	1.0	0.375	1.0	0.5	172	0.0	0.9	0.86	-53.2	2.1	58.3	182.3	75
76	G3008_100_100 $_{+}$	00	1.0	0.625	1.0	0.5	180	0.0	0.951	1.0	-66.5	13.1	59.6	189.6	76
77	G3008_100_100 $_{+}$	00	1.0	0.875	1.0	0.5	188	0.0	0.997	1.0	-73.7	18.0	66.3	194.1	77
78	G3008_100_10														



TUB material: code=rha4ta
b (RGB)


A target diagram for the '5-8' range. It consists of a central bullseye and three concentric circles. A horizontal line passes through the center. The target is labeled '5-8' on the right side.

input: *rgb/cmyk* → *rgb*_e
output: transfer to *rgb*_e

1-0132034-E0

input: *rgb/cmyk* $\rightarrow$ *rgb_e*






TUB material: code=rha4ta
o (RGB)

input: *rgb/cmyk* $\rightarrow$ *rgbe*
output: transfer to *rgbe*

REF690-7N. Page 22/33-F

1-0132134-F0

TUB-test chart RE69; 1080 standard colours, $cf=1$
colours and differences ΔE^* ,



TUB material: code=rha4ta
(RGB)

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart RE69; 1080 standard colours, $cf=1$
colors and differences, ΔE^* ,


[illegible]

see similar files: <http://130.149.60.45/~farbmatrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB-test chart RE69; 1080 standard colours, $c^*_l=1$
colors and differences, ΔE^* ,

input: *rgb/cmyk* $\rightarrow$ *rgb_e*
output: transfer to *rgb_e*

[illegible]



TUB material: code=rha4ta
(RGB)

A target diagram for the '5-8' range. It features a horizontal axis with a central point. To the right of the center, there are two concentric arcs. The first arc is labeled '5' and the second arc is labeled '8'. The target is positioned to the right of the '5' arc.

input: *rgb/cmyk* $\rightarrow$ *rgbe*
output: transfer to *rgbe*

[illegible]

n	H1C*F0	rgb_F0	ic1_F0	hsa_F0	rgb_F0	LabCH*F0	27.9	65.0	25.4	0.75	0.0	0.197	38.1	58.7	31.9	80.8	51.9	37.5	61.9	LabCH*F0	DF*F0	hsa_F0	rgb_F0	LabCH*F0	50.9	78.3	37.3	86.7	25.4	
486	R00Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.197	38.1	58.7	31.9	80.8	51.9	37.5	61.9	37.5	61.9	37.5	61.9	37.5	61.9	24.2	368	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
487	R35Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.279	38.5	59.7	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	24.2	378	1.0	0.0	0.263	51.9	79.3	38.3	87.7	25.4
488	R10Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.364	38.9	60.7	33.9	82.8	53.9	39.5	63.9	39.5	63.9	39.5	63.9	39.5	63.9	16.5	360	1.0	0.0	0.486	51.9	81.1	39.1	88.7	25.4
489	R65R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.463	39.7	62.7	34.9	83.8	54.9	40.5	64.9	40.5	64.9	40.5	64.9	40.5	64.9	11.5	352	1.0	0.0	0.617	52.9	83.1	40.1	89.7	25.4
490	B57R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.514	40.2	64.1	35.9	84.8	55.9	41.5	65.9	41.5	65.9	41.5	65.9	41.5	65.9	4.1	347	1.0	0.0	0.686	53.9	84.1	41.1	90.7	25.4
491	B57R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.618	41.2	65.1	36.9	85.8	56.9	42.5	66.9	42.5	66.9	42.5	66.9	42.5	66.9	3.6	339	1.0	0.0	0.824	55.0	85.1	42.1	91.7	25.4
492	B57R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.743	42.8	66.6	38.0	86.8	57.9	43.5	67.9	43.5	67.9	43.5	67.9	43.5	67.9	2.6	330	1.0	0.0	0.991	57.1	87.1	43.1	92.7	25.4
493	B43R, 0.07, 0.07	0.75	0.0	0.125	0.75	0.0	0.875	43.2	67.0	39.0	87.2	58.9	44.5	68.9	44.5	68.9	44.5	68.9	44.5	68.9	1.6	321	1.0	0.0	1.0	59.1	88.1	44.1	93.7	25.4
494	B38R, 0.01, 0.01	0.75	0.0	0.125	0.75	0.0	1.0	43.2	67.0	39.0	87.2	58.9	44.5	68.9	44.5	68.9	44.5	68.9	44.5	68.9	0.6	313	1.0	0.0	1.0	60.1	89.1	45.1	94.7	25.4
495	R15Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.092	37.9	57.9	31.9	80.8	51.9	37.5	61.9	37.5	61.9	37.5	61.9	37.5	61.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
496	R00Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
497	R00Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
498	R11Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
499	R11Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
500	B59R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
501	B59R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
502	B42R, 0.07, 0.07	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
503	B38R, 0.01, 0.01	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
504	R11Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
505	R11Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
506	R26Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
507	R26Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
508	R61R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
509	R61R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
510	B30R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
511	B30R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
512	B30R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
513	B50Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
514	R8Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
515	R23Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
516	R23Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
517	R18Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
518	R65R, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
519	B38R, 0.07, 0.07	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
520	B38R, 0.07, 0.07	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
521	B30R, 0.01, 0.01	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
522	R68Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
523	R61Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
524	R50Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
525	R31Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0	0.0	0.123	50.9	78.3	37.3	86.7	25.4
526	R00Y, 0.75, 0.75	0.75	0.0	0.125	0.75	0.0	0.125	38.9	58.9	32.9	81.8	52.9	38.5	62.9	38.5	62.9	38.5	62.9	38.5	62.9	11.3	383	1.0							

<http://130.149.60.45/~farbmatrik/RE69/RE69L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33


n	HfC*Fe	rgb_Fe	icL_Fe	hs_Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hs*Fe	rgb*Fe	LabCH*Fe
729	NW_100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
730	G50B_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
731	G50B_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
732	G50B_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
733	G50B_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
734	G50B_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
735	G50B_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
736	G50B_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
737	G50B_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
738	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
739	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
740	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
741	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
742	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
743	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
744	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
745	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
746	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
747	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
748	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
749	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
750	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
751	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
752	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
753	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
754	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
755	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
756	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
757	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
758	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
759	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
760	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
761	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
762	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
763	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
764	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
765	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
766	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
767	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
768	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
769	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
770	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
771	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
772	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
773	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
774	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
775	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
776	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
777	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
778	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
779	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
780	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
781	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
782	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
783	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
784	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
785	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
786	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
787	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
788	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
789	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
790	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
791	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
792	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
793	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
794	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
795	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
796	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
797	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
798	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
799	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
800	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
801	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
802	ROY_100.012e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
803	ROY_100.025e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
804	ROY_100.037e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
805	ROY_100.050e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
806	ROY_100.062e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
807	ROY_100.075e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
808	ROY_100.087e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4
809	ROY_100.100e	0.875	1.0	1.0	0.875	1.0	95.4	0.0	0.0	1.0	95.4

RE690-7N, Page 29/33-F

TUB-test chart RE69; 1080 standard colours, cf=1
colors and differences, ΔE^*

input: $rgb/cmyk -> rgb_e$
output: transfer to rgb_e

Mean color difference of this page: $\Delta E^* = 11.2$



TUB material: code=rha4ta

	C	M	Y	O	L
colors and differences, ΔE^* ,					
IUB-test chart RE69; 1080 standard colours, $c/\neq 1$					
output: transfer to rgb_e					
input: $rgb/cm\dot{y}k - > rgb_e$					






input: *rgb/cmyk* → *rgb*
 output: transfer to *rgb*
 0 1

colors and differences, ΔE^*
 C M Y L

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmatrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/RE69/RE69L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

n	HC*Fe	rgb_Fe	ic*_Fe	hs*_Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb**Fe	DF**Fe	hs**Fe	rgb**Fe	LabCH**Fe
972	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
974	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
975	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
976	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
977	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
978	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
979	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
980	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
981	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
983	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
984	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
985	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
986	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
987	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
988	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
989	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
990	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
992	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
993	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
994	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
995	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
996	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
997	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
998	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
999	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
1001	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
1002	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
1003	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
1004	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
1005	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
1006	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
1007	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1008	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1009	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
1010	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
1011	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
1012	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
1013	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
1014	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
1015	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
1016	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1017	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1018	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
1019	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
1020	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
1021	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
1022	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
1023	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
1024	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
1025	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1026	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1027	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
1028	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
1029	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
1030	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
1031	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
1032	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
1033	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
1034	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1035	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1036	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
1037	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
1038	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
1039	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
1040	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
1041	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
1042	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
1043	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1044	NW 000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1045	NW 012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0
1046	NW 025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0
1047	NW 037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0
1048	NW 050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0
1049	NW 062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0
1050	NW 075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0
1051	NW 087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0
1052	NW 100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0

I-0133134-F0

RE690-7N, Page 32/33-F

TUB-test chart RE69; 1080 standard colours, cf=1
colors and differences, ΔE^*

input: $rgb/cmyk \rightarrow rgbe$
output: transfer to $rgbe$

Mean color difference of this page:

delta E* = 1.6

TUB registration: 20150701-RE69/RE69L0NA.TXT /.PS
application for measurement of display output, no separation rgb (RGB)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE69/RE69.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/RE69/RE69L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb_Fe	ic*_Fe	hsa_Fa	rgb*Fe	LabCh*Fe	hsa_Fe	rgb*Fe	LabCh*Fe	DE*Fe	hsa_e	rgb*Me	LabCh*Me	DE*Fe	hsa_e	rgb*Me	LabCh*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1056	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1072	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	RO07_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1074	G50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	Y06C_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1076	B06C_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	R06C_100_100e	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1078	B08C_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
1079	B50R_100_100e	1.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page:

delta E* = 9.3

input: *rgb/cmyk* - > *rgb*
output: transfer to *rgb*

TUB-test chart RE69; 1080 standard colours, cf=1
colors and differences, ΔE^*

RE690-7N, Page 33/33-F

I-0133234-F0