

Ein- und Ausgabe: Laser-Reflektiv-System LRS18a

Daten für jede Geräte- (d)
oder Elementarfarbe (e):


H^*_d

Buntextext für die 16 Bunttöne
dieser Seite:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

LRS18a; adaptierte CIELAB-Daten

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.0	59.1	40.1	71.5
R25Y_100_100_d	59.7	40.2	61.8	73.8
R50Y_100_100_d	72.1	16.6	73.6	75.5
R75Y_100_100_d	83.1	-1.7	79.1	79.1
Y00G_100_100_d	91.1	-14.2	84.3	85.4
Y25G_100_100_d	89.9	-21.3	89.9	92.4
Y50G_100_100_d	74.3	-37.9	65.9	76.1
Y75G_100_100_d	61.9	-53.8	46.0	70.8
G00B_100_100_d	55.1	-65.2	33.4	73.3
G25B_100_100_d	56.9	-50.1	-4.0	50.3
G50B_100_100_d	53.2	-33.3	-39.2	51.4
G75B_100_100_d	46.2	-13.2	-48.4	50.2
B00R_100_100_d	32.1	23.3	-42.1	48.1
B25R_100_100_d	35.8	49.8	-27.2	56.7
B50R_100_100_d	47.6	69.9	-9.4	70.6
B75R_100_100_d	46.0	61.4	14.2	63.1



%Umfang

$u^*_{rel} = 114$



%Regularität

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

LRS18a; adaptierte CIELAB-Daten

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	47.0	59.1	40.1	71.5
Y _d ,Ma	91.1	-14.2	84.3	85.4
G _d ,Ma	55.1	-65.2	33.4	73.3
C _d ,Ma	53.2	-33.3	-39.2	51.4
B _d ,Ma	32.1	23.3	-42.1	48.1
M _d ,Ma	47.6	69.9	-9.4	70.6
N _d ,Ma	24.5	0.0	0.0	0.0
W _d ,Ma	96.3	0.0	0.0	0.0
R _d ,CIE	39.9	58.7	27.9	65.0
Y _d ,CIE	81.2	-2.8	71.5	71.6
G _d ,CIE	52.2	-42.4	13.6	44.5
B _d ,CIE	30.5	1.4	-46.4	46.4



RG840-72

0-103131-L0

TUB-Prüfvorlage RG84; 16 Bunttöne, $cf=1$
Prüfvorlage nach DIN 33872, 3D=1, $de=0$, $cmy0^*$

Eingabe: $rgb/cmyk \rightarrow rgb_{dd}$
Ausgabe: 3D-Linearisierung $cmy0^*_{dd}$

0-103131-F0