


Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_ = G75B_$

Dati del dispositivo (d) o colori elementari (e):

$HIC^*_$   
 codice di tonalità per i colori questa pagina:  
 $H^*_ = G75B_$   
 triangolo chiarezza  $T^*$



**ORS18a; dati atti CIELAB (a)**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7
N <sub>-,Ma</sub>	18.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$ : 45 -5 -44 44 262

$HIC^*_{-,Ma}$ : G75B\_100\_100\_

$rgbic^*_{-,Ma}$ :



0.0 0.5 1.0 1.0 1.0

triangolo chiarezza  $T^*$

%Gamma  
 $u^*_{rel} = 92$   
 %Regularità  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

**ORS20a; dati atti CIELAB (a)**

$H^*_$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.HTM  
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
 la domanda per la misura uscita nella stampa di offset


TUB materiale: code=rh4ta

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_d = G75B_d$

Dati del dispositivo (d) o colori elementari (e):

$HIC^*_d$   
codice di tonalità per i colori questa pagina:  
 $H^*_d = G75B_d$   
triangolo chiarezza  $T^*$



**ORS20a; dati atti CIELAB (a)**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	47.3	63.8	41.2	76.0
Y <sub>d,Ma</sub>	88.3	-11.9	95.1	95.8
G <sub>d,Ma</sub>	51.9	-68.8	28.1	74.3
C <sub>d,Ma</sub>	58.3	-29.2	-43.7	52.6
B <sub>d,Ma</sub>	25.3	23.5	-47.3	52.8
M <sub>d,Ma</sub>	48.2	72.8	-8.5	73.3
N <sub>d,Ma</sub>	17.7	0.0	0.0	0.0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 42 -6 -45 45 262$

$HIC^*_d, Ma: G75B\_100\_100_d$



$rgbic^*_d, Ma:$

0.0 0.5 1.0 1.0 1.0

triangolo chiarezza  $T^*$

**ORS20a; dati atti CIELAB (a)**

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1





vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmykn6 (CMYK)  
TUB materiale: code=rh4ta

grafico TUB-RI04; codice di tinte:  $H^*_d=G75B_d$   
grafico conformemente a DIN 33872, 3D=0, de=0, cmyk

immettere:  $rgb/cmyk \rightarrow rgb_d$   
uscita: trasferire a  $cmyk_d$







TUB iscrizione: 20130201-RI04/RI04L0NA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6 (CMYK)

TUB materiale: code=rh4ta

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>




•  
• x  
•

4-003230-L0 RI040-70





grafico TUB-RI04; codice di tinte:  $H^*_d=G75B_d$   
grafico conformemente a DIN 33872, 3D=0, de=0, cmyk

immettere:  $rgb/cmyk \rightarrow rgb_d$   
uscita: trasferire a  $cmyk_d$






vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>






TUB iscrizione: 20130201-RI04/RI04L0NA.TXT /.PS TUB materiale: code=rh4ta  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6 (CMYK)



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



4-003430-L0 RI040-70

grafico TUB-RI04; codice di tinte:  $H^*_d=G75B_d$   
grafico conformemente a DIN 33872, 3D=0, de=0, cmyk


immettere:  $rgb/cmyk \rightarrow rgb_d$   
uscita: trasferire a  $cmyk_d$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_d = G75B_d$

Dati del dispositivo (d) o colori elementari (e):

$HIC^*_d$   
codice di tonalità per i colori questa pagina:  
 $H^*_d = G75B_d$   
triangolo chiarezza  $T^*$



**ORS20a; dati atti CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	47.3	63.8	41.2	76.0	32
Y <sub>d,Ma</sub>	88.3	-11.9	95.1	95.8	97
G <sub>d,Ma</sub>	51.9	-68.8	28.1	74.3	157
C <sub>d,Ma</sub>	58.3	-29.2	-43.7	52.6	236
B <sub>d,Ma</sub>	25.3	23.5	-47.3	52.8	296
M <sub>d,Ma</sub>	48.2	72.8	-8.5	73.3	353
N <sub>d,Ma</sub>	17.7	0.0	0.0	0.0	0
W <sub>d,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 42 -6 -45 45 262$

$HIC^*_d, Ma: G75B\_100\_100_d$



$rgbic^*_d, Ma:$

0.0 0.5 1.0 1.0 1.0

triangolo chiarezza  $T^*$

**ORS20a; dati atti CIELAB (a)**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	47.3	63.8	41.2	76.0	32
R25Y_100_100 <sub>d</sub>	55.3	45.8	52.2	69.5	48
R50Y_100_100 <sub>d</sub>	67.2	22.6	67.6	71.2	71
R75Y_100_100 <sub>d</sub>	79.9	1.0	83.9	83.9	89
Y00G_100_100 <sub>d</sub>	88.3	-11.9	95.1	95.8	97
Y25G_100_100 <sub>d</sub>	83.3	-19.2	83.7	85.9	102
Y50G_100_100 <sub>d</sub>	72.7	-31.3	66.0	73.1	115
Y75G_100_100 <sub>d</sub>	60.4	-48.8	46.7	67.6	136
G00B_100_100 <sub>d</sub>	51.9	-68.8	28.1	74.3	157
G25B_100_100 <sub>d</sub>	54.8	-51.0	-12.3	52.5	193
G50B_100_100 <sub>d</sub>	58.3	-29.2	-43.7	52.6	236
G75B_100_100 <sub>d</sub>	42.7	-6.0	-45.0	45.4	262
B00R_100_100 <sub>d</sub>	25.3	23.5	-47.3	52.8	296
B25R_100_100 <sub>d</sub>	37.8	53.8	-26.3	59.9	333
B50R_100_100 <sub>d</sub>	48.2	72.8	-8.5	73.3	353
B75R_100_100 <sub>d</sub>	47.7	67.7	14.0	69.1	11






vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmykn6 (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBM<sub>d</sub>:  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$   
 $rgb^*_d, LCH^*_d, LAB^*_d$   
 $h_{ab,s}, rgb^*_s$   
 $h_{ab,s} = atan [ r^*_d \ cos(30) + g^*_d \ cos(150) ] / [ r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270) ]$  (1)

$h_{ab,s}$   
 $s: h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (2)

$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (3)

$h_{ab,e}$   
 $e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$



$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (4)

$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (5)

$h_{ab}, h_{ab,d}$   
 $rgb^*_{de}$

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta





Data of maximum color M in colorimetric system Offset standard print; separation cmy6\*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>c</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for colorimetric data: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*, d<sub>dx361M</sub>, LAB\*, d<sub>dx361M</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*, d<sub>361M</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*, d<sub>361M</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>361M</sub>, LAB\*, d<sub>361M</sub>. Rows represent 60 standard colors and 48 device colors.



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta


grafico TUB-RI04; codice di tinte: H<sub>d</sub>=G75B<sub>d</sub>  
cerchio delle tinte a 48 passi; rgb-LabCh\*tavole

immettere: rgb/cmyk -> rgb<sub>d</sub>  
uscita: trasferire a cmyk<sub>d</sub>





Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>c</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.0 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyn6 (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R <sub>d</sub>	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R <sub>s</sub>	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R <sub>e</sub>	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0	1.0 0.0 0.084 47.4 64.3 37.1 74.3 30	1.0	1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25	1.0	1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0	1.0 0.0 0.054 47.4 64.2 38.6 74.9 31	1.0	1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26	1.0	1.0 0.017 0.0				
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0	1.0 0.0 0.025 47.4 64.0 40.0 75.5 32	1.0	1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27	1.0	1.0 0.033 0.0				
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0	1.0 0.003 0.0 47.5 63.7 41.3 75.9 33	1.0	1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28	1.0	1.0 0.05 0.0				
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0	1.0 0.019 0.0 48.0 62.5 42.2 75.4 34	1.0	1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29	1.0	1.0 0.067 0.0				
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0	1.0 0.036 0.0 48.5 61.4 43.0 74.9 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31	1.0	1.0 0.083 0.0				
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0	1.0 0.052 0.0 49.0 60.2 43.7 74.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32	1.0	1.0 0.1 0.0				
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0	1.0 0.069 0.0 49.5 59.0 44.5 73.9 37	1.0	1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0	1.0 0.085 0.0 50.0 57.8 45.2 73.4 38	1.0	1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34	1.0	1.0 0.133 0.0				
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0	1.0 0.101 0.0 50.5 56.6 45.9 72.9 39	1.0	1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35	1.0	1.0 0.15 0.0				
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0	1.0 0.118 0.0 51.0 55.4 46.5 72.4 40	1.0	1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36	1.0	1.0 0.167 0.0				
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0	1.0 0.132 0.0 51.5 54.3 47.2 72.0 41	1.0	1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37	1.0	1.0 0.183 0.0				
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0	1.0 0.145 0.0 52.0 53.2 47.9 71.7 42	1.0	1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38	1.0	1.0 0.2 0.0				
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0	1.0 0.158 0.0 52.5 52.2 48.7 71.3 43	1.0	1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39	1.0	1.0 0.217 0.0				
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0	1.0 0.172 0.0 53.0 51.1 49.3 71.0 44	1.0	1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41	1.0	1.0 0.233 0.0				
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0	1.0 0.185 0.0 53.5 50.0 50.0 70.7 45	1.0	1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42	1.0	1.0 0.25 0.0				
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0	1.0 0.198 0.0 54.0 48.9 50.7 70.4 46	1.0	1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43	1.0	1.0 0.267 0.0				
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0	1.0 0.211 0.0 54.5 47.8 51.3 70.1 47	1.0	1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44	1.0	1.0 0.283 0.0				
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0	1.0 0.224 0.0 55.0 46.7 51.9 69.8 48	1.0	1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45	1.0	1.0 0.3 0.0				
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0	1.0 0.237 0.0 55.5 45.6 52.4 69.5 49	1.0	1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46	1.0	1.0 0.317 0.0				
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 50	1.0	1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47	1.0	1.0 0.333 0.0				
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0	1.0 0.261 0.0 56.5 43.5 53.7 69.2 51	1.0	1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48	1.0	1.0 0.35 0.0				
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0	1.0 0.272 0.0 57.0 42.6 54.5 69.1 52	1.0	1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49	1.0	1.0 0.367 0.0				
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0	1.0 0.283 0.0 57.5 41.6 55.2 69.1 53	1.0	1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51	1.0	1.0 0.383 0.0				
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0	1.0 0.295 0.0 58.0 40.6 55.9 69.1 54	1.0	1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52	1.0	1.0 0.4 0.0				
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0	1.0 0.306 0.0 58.5 39.6 56.6 69.1 55	1.0	1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53	1.0	1.0 0.417 0.0				
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0	1.0 0.317 0.0 58.9 38.6 57.2 69.0 56	1.0	1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54	1.0	1.0 0.433 0.0				
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0	1.0 0.328 0.0 59.4 37.6 57.9 69.0 57	1.0	1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55	1.0	1.0 0.45 0.0				
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0	1.0 0.34 0.0 59.9 36.6 58.5 69.0 58	1.0	1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56	1.0	1.0 0.467 0.0				
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0	1.0 0.351 0.0 60.4 35.5 59.1 69.0 59	1.0	1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57	1.0	1.0 0.483 0.0				
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58	1.0	1.0 0.5 0.0				
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0	1.0 0.373 0.0 61.4 33.4 60.3 68.9 61	1.0	1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.517 0.0				
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0	1.0 0.385 0.0 61.9 32.4 61.0 69.1 62	1.0	1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61	1.0	1.0 0.533 0.0				
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0	1.0 0.397 0.0 62.5 31.5 61.8 69.3 63	1.0	1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62	1.0	1.0 0.55 0.0				
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0	1.0 0.409 0.0 63.0 30.5 62.5 69.6 64	1.0	1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63	1.0	1.0 0.567 0.0				
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0	1.0 0.421 0.0 63.6 29.5 63.2 69.8 65	1.0	1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64	1.0	1.0 0.583 0.0				
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0	1.0 0.434 0.0 64.2 28.5 64.0 70.0 66	1.0	1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65	1.0	1.0 0.6 0.0				
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0	1.0 0.446 0.0 64.7 27.4 64.7 70.3 67	1.0	1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66	1.0	1.0 0.617 0.0				
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0	1.0 0.458 0.0 65.3 26.4 65.4 70.5 68	1.0	1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67	1.0	1.0 0.633 0.0				
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0	1.0 0.47 0.0 65.8 25.3 66.0 70.7 69	1.0	1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68	1.0	1.0 0.65 0.0				
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0	1.0 0.482 0.0 66.4 24.3 66.7 70.9 70	1.0	1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70	1.0	1.0 0.667 0.0				
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0	1.0 0.494 0.0 66.9 23.2 67.3 71.2 71	1.0	1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71	1.0	1.0 0.683 0.0				
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0	1.0 0.506 0.0 67.5 22.1 68.1 71.6 72	1.0	1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72	1.0	1.0 0.7 0.0				
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0	1.0 0.518 0.0 68.2 21.1 69.0 72.1 73	1.0	1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73	1.0	1.0 0.717 0.0				
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0	1.0 0.531 0.0 68.8 20.0 69.9 72.7 74	1.0	1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74	1.0	1.0 0.733 0.0				
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0	1.0 0.543 0.0 69.4 19.0 70.7 73.2 75	1.0	1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75	1.0	1.0 0.75 0.0				

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta


Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>, d<sub>s361M</sub>, LAB<sup>\*</sup>, d<sub>dx361Mi</sub> (x=LabCh)), elementary colors (r<sub>gb</sub><sup>\*</sup>, d<sub>s361Mi</sub>, LAB<sup>\*</sup>, d<sub>dsx361Mi</sub> (x=LabCh)), and standard colors (r<sub>gb</sub><sup>\*</sup>, d<sub>s361Mi</sub>, LAB<sup>\*</sup>, d<sub>dex361Mi</sub> (x=LabCh)). Rows 88-115 show device colors, rows 97-115 show elementary colors, and rows 115-127 show standard colors.



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.TXT  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;

Six hue angles of the device colours RYGBM<sub>d</sub>:  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{ds}$	$rgb^*_{de}$																				
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G <sub>d</sub> 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G <sub>s</sub> 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G <sub>e</sub> 0.0	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160	171	0.																													



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* ddx361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.25	0.0	1.0	0.25
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.267	0.0	1.0	0.267
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.283	0.0	1.0	0.283
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.3	0.0	1.0	0.3
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.317	0.0	1.0	0.317
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.333	0.0	1.0	0.333
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.35	0.0	1.0	0.35
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.367	0.0	1.0	0.367
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.383	0.0	1.0	0.383
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.4	0.0	1.0	0.4
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.417	0.0	1.0	0.417
186	176	185	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.433	0.0	1.0	0.433
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.45	0.0	1.0	0.45
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.467	0.0	1.0	0.467
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.483	0.0	1.0	0.483
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.5	0.0	1.0	0.5
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.517	0.0	1.0	0.517
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.533	0.0	1.0	0.533
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.55	0.0	1.0	0.55
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.567	0.0	1.0	0.567
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.583	0.0	1.0	0.583
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.6	0.0	1.0	0.6
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.617	0.0	1.0	0.617
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.633	0.0	1.0	0.633
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.65	0.0	1.0	0.65
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.667	0.0	1.0	0.667
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.683	0.0	1.0	0.683
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.7	0.0	1.0	0.7
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.717	0.0	1.0	0.717
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.733	0.0	1.0	0.733
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.75	0.0	1.0	0.75
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.767	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.783	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.8	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.817	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.833	0.0	1.0	0.833
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.85	0.0	1.0	0.85
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.867	0.0	1.0	0.867
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.883	0.0	1.0	0.883
229	204	211	0.0	1.0	0.9	57.7	-33.4	-38.6	51.0	229	0.0	1.0	0.9	0.0	1.0	0.9
230	205	212	0.0	1.0	0.916	57.8	-32.8	-39.4	51.3	230	0.0	1.0	0.917	0.0	1.0	0.917
231	206	213	0.0	1.0	0.933	57.9	-32.1	-40.3	51.6	231	0.0	1.0	0.933	0.0	1.0	0.933
232	207	214	0.0	1.0	0.95	58.0	-31.4	-41.2	51.8	232	0.0	1.0	0.95	0.0	1.0	0.95
233	208	215	0.0	1.0	0.966	58.1	-30.7	-42.0	52.1	233	0.0	1.0	0.967	0.0	1.0	0.967
235	209	216	0.0	1.0	0.983	58.2	-30.0	-42.9	52.3	235	0.0	1.0	0.983	0.0	1.0	0.983
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	1.0	0.0	1.0	1.0

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.TXT /PS; uscita di trasferimento  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik


TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGCMB<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGCMB<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>ddx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>ds</sub>	rgb <sup>*</sup> <sub>de</sub>																																					
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	C <sub>s</sub>	0.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	C <sub>e</sub>	0.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211	0.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0		
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0	0.0	1.0	0.951	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.951	1.0		
237	213	219	0.0	0.951	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.951	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.951	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0		
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0		
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0		
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0	0.0	1.0	0.851	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.851	1.0		
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.858	1.0						
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.871	1.0						
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.884	1.0						
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.871	1.0						
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.884	1.0						
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0						
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0						
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0						
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0						
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0						
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0						
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0						
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0						
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0						
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0					
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0				
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0				
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0				
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0				
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0				
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	1.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237	0.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0			
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259	0.0	1.0	0.946	1.0	57.0	-27.3	-43.8	51.7	238	0.0	0.533	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243	0.0	0.517	1.0			
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261	0.0																																						


Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours RYGBM<sub>d</sub>:  $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$ ; Six hue angles of the elementary colours RYGBM<sub>c</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_d$	$dd361M$	$LAB^*_d$	$dsx361Mi$ (x=LabCh)	$rgb^*_s$	$ds361Mi$	$LAB^*_s$	$dsx361Mi$ (x=LabCh)	$rgb^*_d$	$dd361Mi$	$rgb^*_e$	$dc361Mi$	$LAB^*_e$	$dex361Mi$ (x=LabCh)	$rgb^*_d$	$dd361Mi$						
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.25	1.0	0.0	0.25	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.233	1.0	0.0	0.233	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.217	1.0	0.0	0.217	1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217	1.0
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.2	1.0	0.0	0.2	1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2	1.0
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.183	1.0	0.0	0.183	1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183	1.0
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.167	1.0	0.0	0.167	1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167	1.0
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.15	1.0	0.0	0.15	1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15	1.0
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.133	1.0	0.0	0.133	1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133	1.0
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.117	1.0	0.0	0.117	1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117	1.0
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6	291	0.0	0.1	1.0	0.0	0.1	1.0	40.8	-2.9	-45.2	45.4	266	0.0	0.1	1.0
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.083	1.0	0.0	0.083	1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083	1.0
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.067	1.0	0.0	0.067	1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067	1.0
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.049	1.0	0.0	0.049	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.049	1.0
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.033	1.0	0.0	0.033	1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033	1.0
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.016	1.0	0.0	0.016	1.0	38.4	0.7	-45.3	45.4	270	0.0	0.016	1.0
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.0	1.0	0.0	0.0	1.0	37.9	1.4	-45.3	45.5	271	0.0	0.0	1.0
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	0.0	0.385	1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0	1.0
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	0.0	0.371	1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0	1.0
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	0.0	0.359	1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0	1.0
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	0.0	0.346	1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0	1.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	0.0	0.334	1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0	1.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	0.1	0.0	1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	0.117	0.0	1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0	1.0
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	0.133	0.0	1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0	1.0
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	0.15	0.0	1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0	1.0
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	0.167	0.0	1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0	1.0
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	0.183	0.0	1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0	1.0
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	0.2	0.0	1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0	1.0
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	0.217	0.0	1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0	1.0
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	0.233	0.0	1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0	1.0
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	0.25	0.0	1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0	1.0
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	0.267	0.0	1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0	1.0
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173	1.0	0.283	0.0	1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0	1.0
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159	1.0	0.3	0.0	1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0	1.0
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.145	1.0	0.317	0.0	1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0	1.0
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13	1.0	0.333	0.0	1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0	1.0
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112	1.0	0.35	0.0	1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0	1.0
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091	1.0	0.367	0.0	1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0	1.0
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07	1.0	0.383	0.0	1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0	1.0
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05	1.0	0.4	0.0	1.0	26.4	21.6	-47.2	52.0	294	0.4	0.0	1.0
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.029	1.0	0.417	0.0	1.0	25.9	22.5	-47.3	52.4	295	0.417	0.0	1.0
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3	330	0.0	0.008	1.0	0.433	0.0	1.0	25.3	23.5	-47.3	52.9	296	0.433	0.0	1.0
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7	331	0.007	0.0	1.0	0.45	0.0	1.0	25.7	24.3	-46.9	52.9	297	0.45	0.0	1.0
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1	332	0.019	0.0	1.0	0.467	0.0	1.0	26.1	25.1	-46.5	52.9	298	0.467	0.0	1.0
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5	332	0.031	0.0	1.0	0.483	0.0	1.0	26.4	25.9	-46.1	53.0	299	0.483	0.0	1.0
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	0.5	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.TXT>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>


TUB iscrizione: 20130201-RI04/RI04LONA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyn6 (CMYK)  
TUB materiale: code=rhatha





Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*, dd361M, LAB\*, dsx361Mi (x=LabCh), r<sub>gb</sub>\*, ds361Mi, LAB\*, dsx361Mi (x=LabCh), r<sub>gb</sub>\*, dd361Mi, r<sub>gb</sub>\*, de361Mi, LAB\*, dex361Mi (x=LabCh), r<sub>gb</sub>\*, dd361Mi) and rows for 60 standard colors and 48 device colors.



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /.PS  
La domanda per la misura uscita nella stampa di offset, separazione cmyn6 (CMYK)  
TUB materiale: code=rhatha



RI0400L

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /.PS TUB materiale: code=rha4ta la domanda per la misura uscita nella stampa di offset, separazione cmykn6 (CMYK)

C

M

Y

O

L

V

C

http://130.149.60.45/~farbmetrik/RI04/RI04LONA.TXT /.PS; uscita di trasferimento N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 18/33

Table with columns: nrf, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, LabCH\*Fd, rpb\*\*Fd, LabCH\*\*Fd, DE\*Fd, HSA\*Fd, rpb\*\*Fd, LabCH\*\*Fd, delta E\*\* = 2.6. The table contains color calibration data for various color patches, including CMYK and RGB values, and delta E measurements.

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.HTM informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

immettere: rgb/cmyk -> rgbd uscita: trasferire a cmykd

grafico TUB-RI04; codice di tinte: H\*\_d=G75Bd colori e la differenza, ΔE\*

RI040-7N\_18/33-F

4-0031730-F0

4-0031730-F0

nif	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCH*Fd	LabCH**Fd	DF*Fd	hsa*Fd	rgb**Fd	LabCH**Yd
0/648	ROXY_100_100a	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
1/668	R25Y_100_100a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	45.3
2/684	R50Y_100_100a	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	57.3
3/702	R75Y_100_100a	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	67.2
4/720	R100Y_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	79.9
5/738	Y00C_100_100a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
6/756	Y25C_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
7/774	Y50C_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
8/792	Y75C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
9/810	Y100C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
10/828	C00B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60.4
11/846	C25B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.9
12/864	C50B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.9
13/882	C75B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.9
14/900	C100B_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.9
15/918	B00M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
16/936	B25M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
17/954	B50M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
18/972	B75M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
19/990	B100M_100_100a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.3
20/1008	B00Y_100_050a	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	47.3
21/1026	B25Y_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
22/1044	B50Y_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
23/1062	B75Y_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
24/1080	B100Y_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
25/1098	B00R_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
26/1116	B25R_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
27/1134	B50R_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
28/1152	B75R_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
29/1170	B100R_100_050a	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
30/1188	R00Y_075_050a	0.75	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	63.8
31/1206	R25Y_075_050a	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
32/1224	R50Y_075_050a	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
33/1242	R75Y_075_050a	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
34/1260	R100Y_075_050a	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
35/1278	B00R_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
36/1296	B25R_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
37/1314	B50R_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
38/1332	B75R_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
39/1350	B100R_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.3
40/1368	R00Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
41/1386	R25Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
42/1404	R50Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
43/1422	R75Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
44/1440	R100Y_050_050a	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.8
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/455	NW_063a	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/546	NW_075a	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/637	NW_088a	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

delta E\* = 3.8

immettere: *rgb/cmyk* -> *rgbd*  
uscita: trasferire a *cmykd*

grafico TUB-RI04; codice di tinte: H\*\_d=G75Bd  
colori e la differenza, ΔE\*'

n°	HC*Fd	rgb*Fd	iet*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsa*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
71	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

4-0031930-F0 RI0400L-7N- 20333-F

grafico TUB-RI04; codice di tinte: H\*d=G75Bd colori e la differenza, ΔE\*

immettere: rgb/cmyk -> rgbd uscita: trasferire a cmykd



RI0400L

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS

TUB materiale: code=rha4ta

la domanda per la misura uscita nella stampa di offset, separazione cmykn6 (CMYK)

http://130.149.60.45/~farbmetrik/RI04/RI04LONA.TXT /PS; uscita di trasferimento N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 21/33

immettere: rgb/cmyk -> rgba uscita: trasferire a cmykd


Table with 16 columns: n, HCC\*Fd, rgb\*Fd, icr\*Fd, HSS\*Fd, rgp\*Fd, LabCH\*Fd, LabCH\*Pd, LabCH\*Pd, RGB\*Pd, DF\*Pd, Hm\*Pd, RGB\*Pd, LabCH\*Pd. Rows list color names like B00Y, B00X, B00Z, etc.

RI04-7N, 21/33-F

grafico TUB-RI04; codice di tinte: H\*d=G75Bd colori e la differenza, AE\*

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI04/RI04.HTM

informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik



C

M

Y

L

V

C

M

V



http://130.149.60.45/~farbmetrik/RI04/RI04LONA.TXT /PS; uscita di trasferimento  
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 22/33

n	HC*Fd	rgb*Fd	ier*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd
162	ROOY_025_0254	0.25	0.0	0.25	0.0	25.1	15.9	10.3	19.0	14.4	14.4	44.2
163	ROOY_025_0254	0.25	0.0	0.125	0.25	25.2	15.9	10.3	19.0	14.4	14.4	44.2
164	B50R_025_0254	0.25	0.0	0.25	0.0	25.2	15.9	10.3	19.0	14.4	14.4	44.2
165	B50R_025_0254	0.25	0.0	0.125	0.25	25.2	15.9	10.3	19.0	14.4	14.4	44.2
166	B25K_025_0254	0.25	0.0	0.375	0.187	31.1	20.9	14.3	34.3	20.9	20.9	51.1
167	B19K_062_0624	0.25	0.0	0.5	0.25	30.0	19.3	13.1	33.0	19.3	19.3	49.2
168	B15K_075_0754	0.25	0.0	0.625	0.312	29.3	18.6	12.4	32.3	18.6	18.6	47.5
169	B15K_075_0754	0.25	0.0	0.375	0.187	31.1	20.9	14.3	34.3	20.9	20.9	51.1
170	B15K_075_0754	0.25	0.0	0.125	0.062	30.0	19.3	13.1	33.0	19.3	19.3	49.2
171	B15K_075_0754	0.25	0.0	0.0	0.0	30.0	19.3	13.1	33.0	19.3	19.3	49.2
172	B50R_025_0254	0.25	0.0	0.125	0.187	31.1	20.9	14.3	34.3	20.9	20.9	51.1
173	B50R_025_0254	0.25	0.0	0.25	0.187	31.1	20.9	14.3	34.3	20.9	20.9	51.1
174	B25K_037_0254	0.25	0.0	0.125	0.375	33.0	15.9	11.8	35.3	15.9	15.9	44.2
175	B15K_050_0374	0.25	0.0	0.5	0.375	33.0	15.9	11.8	35.3	15.9	15.9	44.2
176	B15K_050_0374	0.25	0.0	0.125	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
177	B09K_075_0504	0.25	0.0	0.125	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
178	B09K_075_0504	0.25	0.0	0.375	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
179	B09K_075_0504	0.25	0.0	0.625	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
180	Y06G_025_0254	0.25	0.0	0.25	0.125	18.7	9.0	6.2	27.8	9.0	9.0	22.8
181	Y06G_025_0254	0.25	0.0	0.125	0.187	9.0	6.2	4.5	11.8	9.0	9.0	22.8
182	Y06G_025_0254	0.25	0.0	0.25	0.375	37.1	2.9	5.9	6.0	37.1	37.1	95.1
183	Y06G_025_0254	0.25	0.0	0.125	0.375	37.1	2.9	5.9	6.0	37.1	37.1	95.1
184	B09K_037_0124	0.25	0.0	0.375	0.125	33.0	15.9	11.8	35.3	15.9	15.9	44.2
185	B09K_037_0124	0.25	0.0	0.625	0.375	33.0	15.9	11.8	35.3	15.9	15.9	44.2
186	B09K_037_0124	0.25	0.0	0.125	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
187	B09K_037_0124	0.25	0.0	0.375	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
188	B09K_037_0124	0.25	0.0	0.625	0.625	34.2	15.9	11.8	35.3	15.9	15.9	44.2
189	Y31G_037_0374	0.25	0.0	0.375	0.375	41.0	8.5	29.8	31.0	41.0	41.0	106.6
190	Y31G_037_0374	0.25	0.0	0.125	0.625	41.0	8.5	29.8	31.0	41.0	41.0	106.6
191	G50B_037_0124	0.25	0.0	0.375	0.125	41.0	8.5	29.8	31.0	41.0	41.0	106.6
192	G50B_037_0124	0.25	0.0	0.625	0.375	41.0	8.5	29.8	31.0	41.0	41.0	106.6
193	G75B_050_0254	0.25	0.0	0.5	0.375	41.0	8.5	29.8	31.0	41.0	41.0	106.6
194	G88B_050_0254	0.25	0.0	0.375	0.625	41.0	8.5	29.8	31.0	41.0	41.0	106.6
195	G88B_050_0254	0.25	0.0	0.625	0.625	41.0	8.5	29.8	31.0	41.0	41.0	106.6
196	G90B_087_0624	0.25	0.0	0.375	0.375	41.0	8.5	29.8	31.0	41.0	41.0	106.6
197	G90B_087_0624	0.25	0.0	0.625	0.375	41.0	8.5	29.8	31.0	41.0	41.0	106.6
198	Y50G_050_0504	0.25	0.0	0.5	0.25	45.2	15.6	33.0	36.5	45.2	45.2	115.3
199	Y66K_050_0374	0.25	0.0	0.375	0.312	45.2	15.6	33.0	36.5	45.2	45.2	115.3
200	G09B_050_0254	0.25	0.0	0.25	0.375	45.2	15.6	33.0	36.5	45.2	45.2	115.3
201	G25B_050_0254	0.25	0.0	0.5	0.25	45.2	15.6	33.0	36.5	45.2	45.2	115.3
202	G25B_050_0254	0.25	0.0	0.125	0.625	45.2	15.6	33.0	36.5	45.2	45.2	115.3
203	G65B_062_0504	0.25	0.0	0.5	0.625	45.2	15.6	33.0	36.5	45.2	45.2	115.3
204	G75B_062_0504	0.25	0.0	0.75	0.5	45.2	15.6	33.0	36.5	45.2	45.2	115.3
205	G84B_100_0754	0.25	0.0	0.5	0.875	45.2	15.6	33.0	36.5	45.2	45.2	115.3
206	G84B_100_0754	0.25	0.0	1.0	0.75	45.2	15.6	33.0	36.5	45.2	45.2	115.3
207	Y61G_062_0504	0.25	0.0	0.625	0.625	45.2	15.6	33.0	36.5	45.2	45.2	115.3
208	Y66G_062_0504	0.25	0.0	0.25	0.125	45.2	15.6	33.0	36.5	45.2	45.2	115.3
209	G09B_062_0374	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
210	G15B_062_0374	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
211	G30B_062_0374	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
212	G30B_062_0374	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
213	G61B_075_0504	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
214	G61B_075_0504	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
215	G61B_075_0504	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
216	G61B_075_0504	0.25	0.0	0.625	0.375	43.7	16.9	10.5	22.8	43.7	43.7	106.6
217	Y81G_075_0624	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
218	Y81G_075_0624	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
219	G15B_075_0504	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
220	G30B_075_0504	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
221	G38B_075_0504	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
222	G38B_075_0504	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
223	G90B_087_0624	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
224	G65B_100_0754	0.25	0.0	0.75	0.625	43.7	16.9	10.5	22.8	43.7	43.7	106.6
225	Y85G_087_0504	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
226	Y85G_087_0504	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
227	G09B_087_0624	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
228	G09B_087_0624	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
229	G19B_087_0624	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
230	G40B_087_0624	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
231	G40B_087_0624	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
232	G57B_100_0754	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
233	G57B_100_0754	0.25	0.0	0.875	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
234	Y86G_100_0874	0.25	0.0	1.0	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
235	Y86G_100_0874	0.25	0.0	1.0	0.5	43.7	16.9	10.5	22.8	43.7	43.7	106.6
236	G09B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6
237	G09B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6
238	G15B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6
239	G25B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6
240	G42B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6
241	G42B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6
242	G50B_100_0754	0.25	0.0	1.0	0.75	43.7	16.9	10.5	22.8	43.7	43.7	106.6

RI04-7N\_2233-F


grafico TUB-RI04; codice di tinte: H\*d=G75Bd  
colori e la differenza, ΔE\*

immettere: rgb/cmyk -> rgbd  
uscita: trasferire a cmykd





n	HC*Fd	rgb*Fd	iet*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	HaMId	rgb*Fd	LabCH*Fd	LabCH*Fd	LabCH*Fd	LabCH*Fd
243	ROYX_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	390	0.375 0.0 0.118	28.8	23.9	15.4	28.5	30.3	0.375 0.0 0.0	30.3	25.2	19.8	38.1
244	ROYX_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	28.9	24.0	15.4	28.5	30.3	0.375 0.0 0.0	30.3	25.2	19.8	38.1
245	B6SK_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	340	0.375 0.0 0.256	29.1	26.1	1.5	3.2	31.0	0.375 0.0 0.25	31.0	29.6	0.6	29.6
246	B6SK_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	330	0.375 0.0 0.256	29.1	26.1	1.5	3.2	31.0	0.375 0.0 0.25	31.0	29.6	0.6	29.6
247	B3RK_060_050a	0.375 0.0 0.5	0.5 0.5 0.25	317	0.388 0.0 0.5	30.6	32.1	36.5	7.2	37.4	0.375 0.0 0.5	37.4	31.6	-6.1	32.6
248	B3RK_060_050a	0.375 0.0 0.5	0.5 0.5 0.25	317	0.388 0.0 0.5	30.6	32.1	36.5	7.2	37.4	0.375 0.0 0.5	37.4	31.6	-6.1	32.6
249	B2SK_087_075a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.375 0.0 0.625	32.1	36.5	-13.8	39.1	33.9	0.375 0.0 0.625	33.9	41.7	-10.7	38.9
250	B2SK_087_075a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.375 0.0 0.625	32.1	36.5	-13.8	39.1	33.9	0.375 0.0 0.625	33.9	41.7	-10.7	38.9
251	B1RK_100_100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	33.6	46.9	31.8	56.7	35.8	0.375 0.0 1.0	35.8	47.6	-31.2	56.9
252	B1RK_100_100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	33.6	46.9	31.8	56.7	35.8	0.375 0.0 1.0	35.8	47.6	-31.2	56.9
253	ROYX_037_025a	0.375 0.125 0.125	0.375 0.375 0.187	49	0.375 0.118 0.0	33.1	14.4	21.4	25.8	37.3	0.375 0.125 0.125	37.3	11.8	25.7	26.3
254	ROYX_037_025a	0.375 0.125 0.125	0.375 0.375 0.187	49	0.375 0.118 0.0	33.1	14.4	21.4	25.8	37.3	0.375 0.125 0.125	37.3	11.8	25.7	26.3
255	B5OR_087_050a	0.375 0.125 0.25	0.375 0.25 0.25	390	0.375 0.124 0.25	34.9	16.9	3.5	17.2	11.6	0.375 0.125 0.25	17.0	17.0	3.4	17.3
256	B5OR_087_050a	0.375 0.125 0.25	0.375 0.25 0.25	390	0.375 0.124 0.25	34.9	16.9	3.5	17.2	11.6	0.375 0.125 0.25	17.0	17.0	3.4	17.3
257	B3OR_087_050a	0.375 0.125 0.375	0.375 0.25 0.375	311	0.381 0.124 0.5	36.5	23.3	-7.0	24.3	34.3	0.375 0.125 0.375	38.9	19.4	-5.1	20.1
258	B3OR_087_050a	0.375 0.125 0.375	0.375 0.25 0.375	311	0.381 0.124 0.5	36.5	23.3	-7.0	24.3	34.3	0.375 0.125 0.375	38.9	19.4	-5.1	20.1
259	B2SK_062_050a	0.375 0.125 0.625	0.625 0.5 0.375	293	0.364 0.125 0.625	37.6	26.9	-13.1	29.9	33.3	0.375 0.125 0.625	39.7	28.4	-15.0	33.2
260	B2SK_062_050a	0.375 0.125 0.625	0.625 0.5 0.375	293	0.364 0.125 0.625	37.6	26.9	-13.1	29.9	33.3	0.375 0.125 0.625	39.7	28.4	-15.0	33.2
261	B1RK_087_050a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.358 0.125 1.0	39.8	33.1	-33.5	47.1	314.6	0.375 0.125 1.0	38.5	38.5	-30.9	49.4
262	B8SK_037_025a	0.375 0.25 0.125	0.375 0.375 0.187	71	0.375 0.256 0.0	39.6	2.6	29.8	29.9	84.9	0.375 0.25 0.0	45.8	0.0	33.2	33.2
263	B8SK_037_025a	0.375 0.25 0.125	0.375 0.375 0.187	71	0.375 0.256 0.0	39.6	2.6	29.8	29.9	84.9	0.375 0.25 0.0	45.8	0.0	33.2	33.2
264	ROYX_037_012a	0.375 0.25 0.375	0.375 0.125 0.312	390	0.375 0.249 0.375	40.8	9.1	-1.0	9.1	35.3	0.375 0.25 0.25	46.9	5.9	7.8	52.4
265	ROYX_037_012a	0.375 0.25 0.375	0.375 0.125 0.312	390	0.375 0.249 0.375	40.8	9.1	-1.0	9.1	35.3	0.375 0.25 0.25	46.9	5.9	7.8	52.4
266	B2SK_062_025a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	42.7	13.4	-6.3	14.9	33.0	0.375 0.25 0.625	47.5	13.0	-8.5	15.8
267	B1RK_062_025a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	42.7	13.4	-6.3	14.9	33.0	0.375 0.25 0.625	47.5	13.0	-8.5	15.8
268	ROYX_075_025a	0.375 0.25 0.75	0.75 0.5 0.562	284	0.366 0.25 0.75	45.9	17.8	-8.8	20.2	30.2	0.375 0.25 0.75	46.6	21.4	-14.2	22.2
269	ROYX_075_025a	0.375 0.25 0.75	0.75 0.5 0.562	284	0.366 0.25 0.75	45.9	17.8	-8.8	20.2	30.2	0.375 0.25 0.75	46.6	21.4	-14.2	22.2
270	YOAG_087_037a	0.375 0.25 1.0	1.0 0.75 0.562	279	0.362 0.25 1.0	43.2	21.2	-31.4	34.4	27.8	0.375 0.25 1.0	44.1	23.5	-29.3	40.9
271	YOAG_087_037a	0.375 0.25 1.0	1.0 0.75 0.562	279	0.362 0.25 1.0	43.2	21.2	-31.4	34.4	27.8	0.375 0.25 1.0	44.1	23.5	-29.3	40.9
272	YOAG_087_012a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.375 0.124	45.0	-2.9	23.7	23.9	97.1	0.375 0.375 0.125	51.2	0.0	37.9	38.7
273	YOAG_087_012a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.375 0.124	45.0	-2.9	23.7	23.9	97.1	0.375 0.375 0.125	51.2	0.0	37.9	38.7
274	BOOR_050_012a	0.375 0.375 0.375	0.375 0.125 0.312	360	0.375 0.375 0.249	45.9	-1.4	11.8	11.9	97.1	0.375 0.375 0.25	53.2	-3.5	11.1	11.7
275	BOOR_050_012a	0.375 0.375 0.375	0.375 0.125 0.312	360	0.375 0.375 0.249	45.9	-1.4	11.8	11.9	97.1	0.375 0.375 0.25	53.2	-3.5	11.1	11.7
276	BOOR_062_025a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	48.7	5.8	-11.8	13.2	296.4	0.375 0.375 0.625	54.1	7.4	-12.4	14.5
277	BOOR_062_025a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	48.7	5.8	-11.8	13.2	296.4	0.375 0.375 0.625	54.1	7.4	-12.4	14.5
278	BOOR_087_050a	0.375 0.375 1.0	0.75 0.375 0.562	270	0.375 0.375 0.75	50.6	11.7	-23.6	26.4	296.4	0.375 0.375 0.75	53.0	12.0	-18.0	21.0
279	BOOR_087_050a	0.375 0.375 1.0	0.75 0.375 0.562	270	0.375 0.375 0.75	50.6	11.7	-23.6	26.4	296.4	0.375 0.375 0.75	53.0	12.0	-18.0	21.0
280	Y23G_060_050a	0.375 0.5 0.0	0.5 0.25 0.125	109	0.383 0.5 0.0	51.6	14.6	-29.5	33.0	296.4	0.375 0.375 1.0	50.6	20.1	-27.9	44.8
281	Y30G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312	120	0.381 0.5 0.124	50.7	-8.5	29.8	31.0	106.0	0.375 0.5 0.0	56.3	-13.1	45.9	37.8
282	Y30G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312	120	0.381 0.5 0.124	50.7	-8.5	29.8	31.0	106.0	0.375 0.5 0.0	56.3	-13.1	45.9	37.8
283	G50B_080_012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	51.1	-8.6	3.5	9.2	157.7	0.375 0.5 0.375	57.5	-9.7	17.0	19.8
284	G50B_080_012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	51.1	-8.6	3.5	9.2	157.7	0.375 0.5 0.375	57.5	-9.7	17.0	19.8
285	G88B_075_037a	0.375 0.5 0.875	0.75 0.375 0.562	251	0.375 0.493 0.75	53.6	1.9	-17.2	17.3	276.3	0.375 0.5 0.875	59.3	7.4	-21.7	23.0
286	G88B_075_037a	0.375 0.5 0.875	0.75 0.375 0.562	251	0.375 0.493 0.75	53.6	1.9	-17.2	17.3	276.3	0.375 0.5 0.875	59.3	7.4	-21.7	23.0
287	G90B_100_062a	0.375 0.5 1.0	1.0 0.625 0.687	256	0.375 0.489 1.0	55.0	8.5	-29.1	30.4	286.2	0.375 0.5 1.0	55.0	13.0	-26.9	29.8
288	G90B_100_062a	0.375 0.5 1.0	1.0 0.625 0.687	256	0.375 0.489 1.0	55.0	8.5	-29.1	30.4	286.2	0.375 0.5 1.0	55.0	13.0	-26.9	29.8
289	Y38G_062_050a	0.375 0.625 0.125	0.625 0.375 0.437	131	0.388 0.625 0.0	54.6	-16.0	41.3	49.9	108.7	0.375 0.625 0.0	60.4	-18.5	50.6	53.8
290	Y38G_062_050a	0.375 0.625 0.125	0.625 0.375 0.437	131	0.388 0.625 0.0	54.6	-16.0	41.3	49.9	108.7	0.375 0.625 0.0	60.4	-18.5	50.6	53.8
291	G60B_062_037a	0.375 0.625 0.375	0.625 0.25 0.5	180	0.368 0.625 0.25	54.9	-15.8	20.1	25.6	256.2	0.375 0.625 0.25	60.9	-16.0	21.8	27.0
292	G60B_062_037a	0.375 0.625 0.375	0.625 0.25 0.5	180	0.368 0.625 0.25	54.9	-15.8	20.1	25.6	256.2	0.375 0.625 0.25	60.9	-16.0	21.8	27.0
293	G50B_062_025a	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.0	-7.3	-10.9	13.1	193.5	0.375 0.625 0.5	63.7	-6.8	-9.7	11.9
294	G50B_062_025a	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.0	-7.3	-10.9	13.1	193.5	0.375 0.625 0.5	63.7	-6.8	-9.7	11.9
295	G88B_075_037a	0.375 0.625 0.875	0.75 0.375 0.562	229	0.375 0.631 0.75	58.8	-6.0	-22.5	22.7	249.4	0.375 0.625 0.75	65.1	-4.4	-15.3	15.3
296	G88B_075_037a	0.375 0.625 0.875	0.75 0.375 0.562	229	0.375 0.631 0.75	58.8	-6.0	-22.5	22.7	249.4	0.375 0.625 0.75	65.1	-4.4	-15.3	15.3
297	G90B_100_062a	0.375 0.625 1.0	1.0 0.625 0.687	247	0.375 0.614 1.0	59.7	0.5	-28.4	28.4	271.0	0.375 0.625 1.0	62.2	3.9	-25.6	27.8
298	G90B_100_062a	0.375 0.625 1.0	1.0 0.625 0.687	247	0.375 0.614 1.0	59.7	0.5	-28.4	28.4	271.0	0.375 0.625 1.0	62.2	3.9	-25.6	27.8
299	YOAG_075_025a	0.375 0.75 0.125	0.75 0.625 0.437	127	0.364 0.75 0.125	59.5	-22.8	36.6	43.2	121.9	0.375 0.75 0.125	63.2	-24.9	33.5	59.9
300	YOAG_075_025a	0.375 0.75 0.125	0.75 0.625 0.437	127	0.364 0.75 0.125	59.5	-22.8	36.6	43.2	121.9	0.375 0.75 0.125	63.2	-24.9	33.5	59.9
301	G88B_075_037a	0.375 0.75 0.375	0.75 0.375 0.562	166	0.366 0.75 0.375	58.7	-24.4	23.3	31.8	157.2	0.375 0.75 0.375	64.3	-24.2	39.4	46.3
302	G88B_075_037a	0.375 0.75 0.375	0.75 0.375 0.562	166	0.366 0.75 0.375	58.7	-24.4	23.3	31.8	157.2	0.375 0.75 0.375	64.3	-24.2	39.4	46.3
303	G34B_075_037a	0.375 0.75 0.625	0.75 0.375												



http://130.149.60.45/~farbmetrik/RI04/RI04LONA.TXT /PS; uscita di trasferimento N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 24/33

Table with 40 columns (n, HHC\*Fd, rpb\*Fd, icr\*Fd, hsa\*Fd, rpb\*Fd, LabCH\*Fd, LabCH\*Pd, rpb\*Pd, rpb\*Fd, LabCH\*Pd, DF\*Pd, hsa\*Pd, rpb\*Pd, LabCH\*Pd) and 40 rows of color calibration data.

immettere: rgb/cmyk -> rgba uscita: trasferire a cmykd delta E\* = 5,3 grafico TUB-RI04; codice di tinte: H\*d=G75Bd colori e la differenza, AE\*











n	HC*Fd	rgb*Fd	icr*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa*Fd	rgb*Fd	LabCH*Fd	
729	NV_100a	0.875	1.0	1.0	0.875	1.0	1.0	1.0	95.4	0.0	0.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0
730	GS0B_100.0124	0.75	1.0	1.0	0.875	1.0	1.0	1.0	95.4	-3.0	0.1	1.0	1.0	1.0	1.0	1.0	95.4	0.0
731	GS0B_100.0254	0.625	1.0	1.0	0.75	1.0	1.0	1.0	92.0	-4.0	5.1	1.0	1.0	1.0	1.0	1.0	95.4	0.0
732	GS0B_100.0374	0.5	1.0	1.0	0.625	1.0	1.0	1.0	88.2	-8.5	23.3	1.0	1.0	1.0	1.0	1.0	95.4	0.0
733	GS0B_100.0504	0.375	1.0	1.0	0.5	1.0	1.0	1.0	84.1	-9.9	35.3	1.0	1.0	1.0	1.0	1.0	95.4	0.0
734	GS0B_100.0624	0.25	1.0	1.0	0.375	1.0	1.0	1.0	80.9	-13.3	47.4	1.0	1.0	1.0	1.0	1.0	95.4	0.0
735	GS0B_100.0754	0.125	1.0	1.0	0.25	1.0	1.0	1.0	78.9	-14.6	59.4	1.0	1.0	1.0	1.0	1.0	95.4	0.0
736	GS0B_100.0874	0.0	1.0	1.0	0.125	1.0	1.0	1.0	77.2	-18.3	71.5	1.0	1.0	1.0	1.0	1.0	95.4	0.0
737	GS0B_100.1004	0.0	1.0	1.0	0.0	1.0	1.0	1.0	76.6	-21.9	83.6	1.0	1.0	1.0	1.0	1.0	95.4	0.0
738	ROXY_100.0124	0.875	0.875	0.875	0.875	0.875	0.875	0.875	89.4	7.9	5.1	0.875	0.875	0.875	0.875	0.875	89.4	0.0
739	ROXY_100.0254	0.75	0.875	0.875	0.75	0.875	0.875	0.875	85.7	0.0	0.0	0.875	0.875	0.875	0.875	0.875	89.4	0.0
740	ROXY_100.0374	0.625	0.875	0.875	0.625	0.875	0.875	0.875	81.1	-3.6	-5.4	0.875	0.875	0.875	0.875	0.875	89.4	0.0
741	ROXY_100.0504	0.5	0.875	0.875	0.5	0.875	0.875	0.875	76.4	-7.3	-11.7	0.875	0.875	0.875	0.875	0.875	89.4	0.0
742	ROXY_100.0624	0.375	0.875	0.875	0.375	0.875	0.875	0.875	71.8	-10.9	-15.9	0.875	0.875	0.875	0.875	0.875	89.4	0.0
743	ROXY_100.0754	0.25	0.875	0.875	0.25	0.875	0.875	0.875	67.1	-14.6	-20.1	0.875	0.875	0.875	0.875	0.875	89.4	0.0
744	ROXY_100.0874	0.125	0.875	0.875	0.125	0.875	0.875	0.875	62.5	-18.3	-24.3	0.875	0.875	0.875	0.875	0.875	89.4	0.0
745	ROXY_100.1004	0.0	0.875	0.875	0.0	0.875	0.875	0.875	57.9	-21.9	-28.4	0.875	0.875	0.875	0.875	0.875	89.4	0.0
746	ROXY_100.0124	0.875	0.75	0.75	0.875	0.75	0.75	0.875	83.4	10.3	19.0	0.875	0.75	0.75	0.875	0.75	83.4	0.0
747	ROXY_100.0254	0.75	0.75	0.75	0.75	0.75	0.75	0.75	79.7	5.1	9.5	0.875	0.75	0.75	0.75	0.75	83.4	0.0
748	ROXY_100.0374	0.625	0.75	0.75	0.625	0.75	0.75	0.75	76.0	0.0	0.0	0.875	0.75	0.75	0.625	0.75	83.4	0.0
749	ROXY_100.0504	0.5	0.75	0.75	0.5	0.75	0.75	0.75	71.3	-3.6	-5.4	0.875	0.75	0.75	0.5	0.75	83.4	0.0
750	ROXY_100.0624	0.375	0.75	0.75	0.375	0.75	0.75	0.75	66.7	-7.3	-11.7	0.875	0.75	0.75	0.375	0.75	83.4	0.0
751	ROXY_100.0754	0.25	0.75	0.75	0.25	0.75	0.75	0.75	62.1	-10.9	-15.9	0.875	0.75	0.75	0.25	0.75	83.4	0.0
752	ROXY_100.0874	0.125	0.75	0.75	0.125	0.75	0.75	0.75	57.4	-14.6	-20.1	0.875	0.75	0.75	0.125	0.75	83.4	0.0
753	ROXY_100.1004	0.0	0.75	0.75	0.0	0.75	0.75	0.75	52.8	-18.3	-24.3	0.875	0.75	0.75	0.0	0.75	83.4	0.0
754	ROXY_100.0124	0.875	0.625	0.625	0.875	0.625	0.625	0.625	89.4	15.4	24.3	0.875	0.625	0.625	0.875	0.625	89.4	0.0
755	ROXY_100.0254	0.75	0.625	0.625	0.75	0.625	0.625	0.625	85.7	10.3	19.0	0.875	0.625	0.625	0.75	0.625	89.4	0.0
756	ROXY_100.0374	0.625	0.625	0.625	0.625	0.625	0.625	0.625	81.1	5.1	9.5	0.875	0.625	0.625	0.625	0.625	89.4	0.0
757	ROXY_100.0504	0.5	0.625	0.625	0.5	0.625	0.625	0.625	76.4	0.0	0.0	0.875	0.625	0.625	0.5	0.625	89.4	0.0
758	ROXY_100.0624	0.375	0.625	0.625	0.375	0.625	0.625	0.625	71.8	-3.6	-5.4	0.875	0.625	0.625	0.375	0.625	89.4	0.0
759	ROXY_100.0754	0.25	0.625	0.625	0.25	0.625	0.625	0.625	67.1	-7.3	-11.7	0.875	0.625	0.625	0.25	0.625	89.4	0.0
760	ROXY_100.0874	0.125	0.625	0.625	0.125	0.625	0.625	0.625	62.5	-10.9	-15.9	0.875	0.625	0.625	0.125	0.625	89.4	0.0
761	ROXY_100.1004	0.0	0.625	0.625	0.0	0.625	0.625	0.625	57.9	-14.6	-20.1	0.875	0.625	0.625	0.0	0.625	89.4	0.0
762	ROXY_100.0124	0.875	0.5	0.5	0.875	0.5	0.5	0.5	89.4	18.3	27.2	0.875	0.5	0.5	0.875	0.5	89.4	0.0
763	ROXY_100.0254	0.75	0.5	0.5	0.75	0.5	0.5	0.5	85.7	13.0	21.9	0.875	0.5	0.5	0.75	0.5	89.4	0.0
764	ROXY_100.0374	0.625	0.5	0.5	0.625	0.5	0.5	0.5	81.1	7.9	15.4	0.875	0.5	0.5	0.625	0.5	89.4	0.0
765	ROXY_100.0504	0.5	0.5	0.5	0.5	0.5	0.5	0.5	76.4	2.6	10.3	0.875	0.5	0.5	0.5	0.5	89.4	0.0
766	ROXY_100.0624	0.375	0.5	0.5	0.375	0.5	0.5	0.5	71.8	-1.8	3.6	0.875	0.5	0.5	0.375	0.5	89.4	0.0
767	ROXY_100.0754	0.25	0.5	0.5	0.25	0.5	0.5	0.5	67.1	-5.4	7.9	0.875	0.5	0.5	0.25	0.5	89.4	0.0
768	ROXY_100.0874	0.125	0.5	0.5	0.125	0.5	0.5	0.5	62.5	-9.0	11.7	0.875	0.5	0.5	0.125	0.5	89.4	0.0
769	ROXY_100.1004	0.0	0.5	0.5	0.0	0.5	0.5	0.5	57.9	-12.6	15.9	0.875	0.5	0.5	0.0	0.5	89.4	0.0
770	ROXY_100.0124	0.875	0.4	0.4	0.875	0.4	0.4	0.4	89.4	21.9	30.8	0.875	0.4	0.4	0.875	0.4	89.4	0.0
771	ROXY_100.0254	0.75	0.4	0.4	0.75	0.4	0.4	0.4	85.7	16.6	24.3	0.875	0.4	0.4	0.75	0.4	89.4	0.0
772	ROXY_100.0374	0.625	0.4	0.4	0.625	0.4	0.4	0.4	81.1	11.3	18.3	0.875	0.4	0.4	0.625	0.4	89.4	0.0
773	ROXY_100.0504	0.5	0.4	0.4	0.5	0.4	0.4	0.4	76.4	6.0	13.0	0.875	0.4	0.4	0.5	0.4	89.4	0.0
774	ROXY_100.0624	0.375	0.4	0.4	0.375	0.4	0.4	0.4	71.8	0.7	7.9	0.875	0.4	0.4	0.375	0.4	89.4	0.0
775	ROXY_100.0754	0.25	0.4	0.4	0.25	0.4	0.4	0.4	67.1	-2.7	3.6	0.875	0.4	0.4	0.25	0.4	89.4	0.0
776	ROXY_100.0874	0.125	0.4	0.4	0.125	0.4	0.4	0.4	62.5	-6.3	7.9	0.875	0.4	0.4	0.125	0.4	89.4	0.0
777	ROXY_100.1004	0.0	0.4	0.4	0.0	0.4	0.4	0.4	57.9	-10.0	11.7	0.875	0.4	0.4	0.0	0.4	89.4	0.0
778	NV_0374	0.375	0.375	0.375	0.375	0.375	0.375	0.375	89.4	15.4	24.3	0.375	0.375	0.375	0.375	0.375	89.4	0.0
779	GS0B_037.0124	0.25	0.375	0.375	0.375	0.375	0.375	0.375	85.7	10.3	19.0	0.375	0.375	0.375	0.375	0.375	89.4	0.0
780	GS0B_037.0254	0.125	0.375	0.375	0.375	0.375	0.375	0.375	81.1	5.1	9.5	0.375	0.375	0.375	0.375	0.375	89.4	0.0
781	GS0B_037.0374	0.0	0.375	0.375	0.375	0.375	0.375	0.375	76.4	0.0	0.0	0.375	0.375	0.375	0.375	0.375	89.4	0.0
782	ROXY_100.0124	0.875	0.25	0.25	0.875	0.25	0.25	0.25	89.4	24.3	33.2	0.875	0.25	0.25	0.875	0.25	89.4	0.0
783	ROXY_100.0254	0.75	0.25	0.25	0.75	0.25	0.25	0.25	85.7	18.9	27.2	0.875	0.25	0.25	0.75	0.25	89.4	0.0
784	ROXY_100.0374	0.625	0.25	0.25	0.625	0.25	0.25	0.25	81.1	13.6	21.9	0.875	0.25	0.25	0.625	0.25	89.4	0.0
785	ROXY_100.0504	0.5	0.25	0.25	0.5	0.25	0.25	0.25	76.4	8.3	15.4	0.875	0.25	0.25	0.5	0.25	89.4	0.0
786	ROXY_100.0624	0.375	0.25	0.25	0.375	0.25	0.25	0.25	71.8	3.0	10.3	0.875	0.25	0.25	0.375	0.25	89.4	0.0
787	ROXY_100.0754	0.25	0.25	0.25	0.25	0.25	0.25	0.25	67.1	-1.8	3.6	0.875	0.25	0.25	0.25	0.25	89.4	0.0
788	ROXY_100.0874	0.125	0.25	0.25	0.125	0.25	0.25	0.25	62.5	-5.4	7.9	0.875	0.25	0.25	0.125	0.25	89.4	0.0
789	ROXY_100.1004	0.0	0.25	0.25	0.0	0.25	0.25	0.25	57.9	-9.0	11.7	0.875	0.25	0.25	0.0	0.25	89.4	0.0
790	GS0B_025.0124	0.125	0.25	0.25	0.125	0.25	0.25	0.25	89.4	18.3	27.2	0.125	0.25	0.25	0.125	0.25	89.4	0.0
791	GS0B_025.0254	0.0	0.25	0.25	0.0	0.25	0.25	0.25	85.7	13.0	21.9	0.125	0.25	0.25	0.0	0.25	89.4	0.0
792	ROXY_100.0124	0.875	0.125	0.125	0.875	0.125	0.125	0.125	89.4	27.2	36.1	0.875	0.125	0.125	0.875	0.125	89.4	0.0
793	ROXY_100.0254	0.75	0.125	0.125	0.75	0.125	0.125	0.125	85.7	21.9	30.8	0.875	0.125	0.125	0.75	0.125	89.4	0.0
794	ROXY_100.0374	0.625	0.125	0.125	0.625	0.125	0.125	0.125	81.1	16.6	24.3	0.875	0.125	0.125	0.625	0.125	89.4	0.0
795	ROXY_100.05																	







RI0400L

TUB iscrizione: 20130201-RI04/RI04LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6 (CMYK)

TUB materiale: code=rha4ta


n	HC*Fd	rgb_Rd	iet_Fd	hsa_Fd	rgb*Fd	LabC*Fd	LabCh*Fd	DF*Fd	HaM*Fd	rgb*Md	LabCh*Md
972	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	84.7	1.6	1.0	0.0
973	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.2	226.1	3.1	1.0	0.0
974	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	236.5	8.3	1.0	0.0
975	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	217.4	9.3	1.0	0.0
976	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	224.9	8.5	1.0	0.0
977	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	220.0	7.5	1.0	0.0
978	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	225.6	5.8	1.0	0.0
979	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	215.9	4.1	1.0	0.0
980	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	138.2	1.0	1.0	0.0
981	NW_0004	0.0	0.0	0.0	0.0	0.0	0.2	72.2	1.3	1.0	0.0
982	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	235.2	2.8	1.0	0.0
983	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	235.9	8.2	1.0	0.0
984	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	229.4	9.5	1.0	0.0
985	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	191.4	8.2	1.0	0.0
986	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	210.7	7.3	1.0	0.0
987	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	229.6	5.6	1.0	0.0
988	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	102.7	4.1	1.0	0.0
989	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	197.4	0.1	1.0	0.0
990	NW_0004	0.0	0.0	0.0	0.0	0.0	0.1	83.1	0.9	1.0	0.0
991	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	232.8	2.4	1.0	0.0
992	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	237.3	8.0	1.0	0.0
993	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	228.2	9.2	1.0	0.0
994	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	220.2	8.1	1.0	0.0
995	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	224.3	7.1	1.0	0.0
996	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	131.8	3.2	1.0	0.0
997	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	202.8	3.7	1.0	0.0
998	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	96.0	0.7	1.0	0.0
999	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	96.0	0.7	1.0	0.0
1000	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	233.4	2.0	1.0	0.0
1001	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	239.8	7.2	1.0	0.0
1002	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	235.0	8.9	1.0	0.0
1003	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	230.8	8.1	1.0	0.0
1004	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	229.6	6.9	1.0	0.0
1005	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	222.5	5.2	1.0	0.0
1006	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	179.7	3.9	1.0	0.0
1007	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	108.6	0.1	1.0	0.0
1008	NW_0004	0.0	0.0	0.0	0.0	0.0	0.4	83.1	2.1	1.0	0.0
1009	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	97.7	0.7	1.0	0.0
1010	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	233.6	3.7	1.0	0.0
1011	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	236.6	7.4	1.0	0.0
1012	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	234.6	8.5	1.0	0.0
1013	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	231.7	9.9	1.0	0.0
1014	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	232.1	8.7	1.0	0.0
1015	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	231.8	8.5	1.0	0.0
1016	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	231.9	8.3	1.0	0.0
1017	NW_0004	0.0	0.0	0.0	0.0	0.0	0.4	226.2	4.9	1.0	0.0
1018	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	225.3	6.1	1.0	0.0
1019	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	212.1	4.6	1.0	0.0
1020	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	325.8	2.0	1.0	0.0
1021	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	87.5	1.7	1.0	0.0
1022	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	114.3	3.4	1.0	0.0
1023	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	234.5	3.4	1.0	0.0
1024	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	237.8	7.0	1.0	0.0
1025	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	235.6	9.4	1.0	0.0
1026	NW_0004	0.0	0.0	0.0	0.0	0.0	0.4	236.6	9.7	1.0	0.0
1027	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	236.6	9.7	1.0	0.0
1028	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	233.3	5.8	1.0	0.0
1029	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	233.3	5.8	1.0	0.0
1030	NW_0504	0.5	0.5	0.5	0.5	0.0	-1.4	233.3	5.8	1.0	0.0
1031	NW_0624	0.625	0.625	0.625	0.625	0.0	-1.8	233.8	8.5	1.0	0.0
1032	NW_0754	0.75	0.75	0.75	0.75	0.0	-2.2	229.9	8.4	1.0	0.0
1033	NW_0874	0.875	0.875	0.875	0.875	0.0	-2.6	226.7	8.2	1.0	0.0
1034	NW_1004	1.0	1.0	1.0	1.0	0.0	-3.0	228.5	6.9	1.0	0.0
1035	NW_0004	0.0	0.0	0.0	0.0	0.0	0.3	231.4	6.2	1.0	0.0
1036	NW_0124	0.125	0.125	0.125	0.125	0.0	-0.3	227.1	4.9	1.0	0.0
1037	NW_0254	0.25	0.25	0.25	0.25	0.0	-0.6	192.4	2.0	1.0	0.0
1038	NW_0374	0.375	0.375	0.375	0.375	0.0	-1.0	75.7	0.1	1.0	0.0
1039	NW_0504	0.5	0.5	0.5	0.5	0.0	0.3	82.9	1.6	1.0	0.0
1040	NW_0624	0.625	0.625	0.625	0.625	0.0	-0.3	123.7	0.2	1.0	0.0
1041	NW_0754	0.75	0.75	0.75	0.75	0.0	-0.6	230.8	2.8	1.0	0.0
1042	NW_0874	0.875	0.875	0.875	0.875	0.0	-1.0	238.3	6.3	1.0	0.0
1043	NW_1004	1.0	1.0	1.0	1.0	0.0	-1.4	234.2	7.5	1.0	0.0
1044	NW_0004	0.0	0.0	0.0	0.0	0.0	-1.8	233.9	9.3	1.0	0.0
1045	NW_0124	0.125	0.125	0.125	0.125	0.0	-2.2	234.3	9.2	1.0	0.0
1046	NW_0254	0.25	0.25	0.25	0.25	0.0	-2.6	231.6	8.1	1.0	0.0
1047	NW_0374	0.375	0.375	0.375	0.375	0.0	-3.0	233.4	8.3	1.0	0.0
1048	NW_0504	0.5	0.5	0.5	0.5	0.0	-0.3	231.2	7.7	1.0	0.0
1049	NW_0624	0.625	0.625	0.625	0.625	0.0	-0.6	230.7	6.2	1.0	0.0
1050	NW_0754	0.75	0.75	0.75	0.75	0.0	-1.0	229.7	7.2	1.0	0.0
1051	NW_0874	0.875	0.875	0.875	0.875	0.0	-1.4	213.0	4.8	1.0	0.0
1052	NW_1004	1.0	1.0	1.0	1.0	0.0	-1.8	84.7	0.8	1.0	0.0

delta E\* = 5.5

immettere: rgb/cmyk -> rgbd  
uscita: trasferire a cmykd

grafico TUB-RI04; codice di tinte: H\*\_d=G75Bd  
colori e la differenza, ΔE\*


vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI04/RI04.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



http://130.149.60.45/~farbmetrik/RI04/RI04LONA.TXT /PS; uscita di trasferimento  
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 33/33

n	HC*Fd	rgb_Fd	ier_Fd	hs_Fd	rgb*Fd	LabCIP*Fd	hs_L	LabCIP*Fd	rgb*Fd	LabCIP*Fd	DF*Fd	hsMxd	rgb*Md	LabCIP*Md	0.0
1053	NW_086d	0.866	0.866	0.866	0.866	85.0	0.866	85.0	0.866	89.4	-0.1	0.1	204.5	4.4	360
1054	NW_093d	0.933	0.933	0.933	0.933	90.2	0.933	90.2	0.933	92.2	0.0	0.0	177.8	1.9	360
1055	NW_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	61.5	0.0	360
1056	NW_006d	0.066	0.066	0.066	0.066	17.7	0.066	17.7	0.066	18.7	0.0	0.1	96.3	1.0	360
1057	NW_013d	0.133	0.133	0.133	0.133	22.8	0.133	22.8	0.133	22.3	0.0	0.1	151.6	0.5	360
1058	NW_020d	0.2	0.2	0.2	0.2	33.2	0.2	33.2	0.2	32.3	-0.2	0.0	242.3	2.4	360
1059	NW_026d	0.266	0.266	0.266	0.266	38.3	0.266	38.3	0.266	38.9	-0.4	0.0	240.2	7.2	360
1060	NW_033d	0.333	0.333	0.333	0.333	43.6	0.333	43.6	0.333	43.6	-0.8	0.0	235.2	7.8	360
1061	NW_040d	0.4	0.4	0.4	0.4	48.8	0.4	48.8	0.4	57.3	-0.4	0.0	234.3	8.6	360
1062	NW_046d	0.466	0.466	0.466	0.466	53.9	0.466	53.9	0.466	61.7	-0.6	0.0	235.2	7.8	360
1063	NW_053d	0.533	0.533	0.533	0.533	59.1	0.533	59.1	0.533	67.0	-0.3	0.0	233.5	6.1	360
1064	NW_059d	0.566	0.566	0.566	0.566	64.3	0.566	64.3	0.566	76.7	-0.3	0.0	225.3	7.3	360
1065	NW_066d	0.6	0.6	0.6	0.6	69.5	0.6	69.5	0.6	84.8	-0.2	0.0	221.2	4.9	360
1066	NW_073d	0.734	0.734	0.734	0.734	74.7	0.734	74.7	0.734	80.9	-0.2	0.0	125.8	2.0	360
1067	NW_080d	0.8	0.8	0.8	0.8	79.9	0.8	79.9	0.8	88.8	-0.2	0.0	92.4	0.0	360
1068	NW_086d	0.866	0.866	0.866	0.866	85.0	0.866	85.0	0.866	92.2	0.0	0.0	78.4	2.3	360
1069	NW_093d	0.933	0.933	0.933	0.933	90.2	0.933	90.2	0.933	92.2	0.0	0.0	275.2	0.1	360
1070	NW_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	100.0	0.0	0.0	237.9	2.9	210
1071	NW_006d	0.066	0.066	0.066	0.066	17.7	0.066	17.7	0.066	18.7	0.0	0.1	58.3	3.9	389
1072	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	31.4	3.9	389
1073	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89
1074	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89
1075	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89
1076	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89
1077	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89
1078	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89
1079	ROY_100_100d	1.0	1.0	1.0	1.0	95.4	1.0	95.4	1.0	98.4	0.0	0.0	26.5	1.3	89

delta E\*\* = 4.2



immettere: rgb/cmyk -> rgbd  
uscita: trasferire a cmykd

grafico TUB-RI04; codice di tinte: H\*\_d=G75Bd  
colori e la differenza, ΔE\*