

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$


Datos del dispositivo (d) o elemental (e) color:

HIC^*_-

código de tono para les colore
esta página:

$H^*_- = B25R_-$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$: 38 52 -28 59 331

$HIC^*_{-,Ma}$: B25R_100_100_

$rgbic^*_{-,Ma}$:

0.5 0.0 1.0 1.0 1.0

triángulo claridad T^*

%Gama



$u^*_{rel} = 92$

%Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



Entrada i salida: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 311/360 = 0.86$

$H^*_d = B25R_d$


Datos del dispositivo (d) o elemental (e) color:

HIC^*_d

código de tono para les colore
esta página:

$H^*_d = B25R_d$

triângulo claridad T^*



TLS00a; datos adaptados CIELAB (a)					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	50.4	76.9	64.5	100.4	40
Y _d ,Ma	92.6	-20.7	90.7	93.0	102
G _d ,Ma	83.6	-82.7	79.8	115.0	136
C _d ,Ma	86.8	-46.1	-13.5	48.1	196
B _d ,Ma	30.3	76.0	-103.5	128.5	306
M _d ,Ma	57.2	94.3	-58.4	110.9	328
N _d ,Ma	0.0	0.0	0.0	0.0	0
W _d ,Ma	95.4	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_d, Ma$: 38 79 -89 120 311

HIC^*_d, Ma : B25R_100_100_d

$rgbic^*_d, Ma$:

0.5 0.0 1.0 1.0 1.0

triângulo claridad T^*

% Gama

$u^*_{rel} = 158$

% Regularidad

$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

TLS00a; datos adaptados CIELAB (a)					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2








gráfico TUB-RS21; código de tono: $H^*_d=B25R_d$
gráfico según a DIN 33872, 3D=0, de=0, sRGB

entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a rgb_d

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$$

$$rgb^*_d, LCH^*_d, LAB^*_d$$

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$$h_{ab,d}$$

$$rgb^*_{ds}$$

2-003230-L0 RS210-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

salida: sRGB standard device; no separation, D65, página 3/29

gráfico TUB-RS21; código de tono: $H^*_d=B25R_d$
círculo de tono, 48 pasos; $rgb-LabCh^*$ mesas

entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a rgb_d

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* ddx361M	LAB* ddx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M																								
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0	51.5	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.7	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0	76.3	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307	0.0	0.5	1.0	51.8	18.3	-62.0	70.7	285	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0	77.9	-95.7	123.5	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0	38.6	79.9	-89.6	120.1	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300								

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	$LAB^*_{ddx64M} (x=LabCh)$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}										
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	0.0	0.263	50.9	78.3	37.3	86.7	25	
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	0.0	0.156	50.7	77.7	51.0	92.9	33	
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	0.0	0.673	0.0	72.8	19.8	77.3	79.8	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	0.0	0.755	0.0	77.5	9.3	80.1	80.6	83
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	0.0	0.857	0.0	83.7	-3.3	84.5	84.6	92
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	0.0	0.967	0.0	90.6	-16.4	89.5	91.0	100
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																				Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																		
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi} (x=LabCh)$						R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$						R_s	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$						R_e	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$						R_e	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$	$rgb^*_{dex361Mi}$
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.0	0.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	1.0	0.0	0.0	0.0				
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.189	50.7	78.0	46.9	91.0	31	1.0	0.0	0.017	0.0	1.0	0.0	0.251	50.9	78.0	39.0	87.2	26	1.0	0.017	0.0	0.0				
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.174	50.7	77.9	48.7	91.8	32	1.0	0.033	0.0	1.0	0.0	0.236	50.8	78.0	41.0	88.1	27	1.0	0.033	0.0	0.0					
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.16	50.7	77.7	50.5	92.7	33	1.0	0.05	0.0	1.0	0.0	0.22	50.8	78.1	43.0	89.1	28	1.0	0.05	0.0	0.0					
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.146	50.6	77.6	52.3	93.6	34	1.0	0.067	0.0	1.0	0.0	0.204	50.8	78.0	44.9	90.1	29	1.0	0.067	0.0	0.0					
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.131	50.6	77.3	54.2	94.4	35	1.0	0.083	0.0	1.0	0.0	0.188	50.7	78.0	46.9	91.0	31	1.0	0.083	0.0	0.0					
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.11	50.6	77.3	56.1	95.5	36	1.0	0.1	0.0	1.0	0.0	0.172	50.7	77.9	49.0	92.0	32	1.0	0.1	0.0	0.0					
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.117	0.0	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33	1.0	0.117	0.0	0.0					
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.055	50.5	77.2	60.3	98.0	38	1.0	0.133	0.0	1.0	0.0	0.14	50.6	77.5	53.0	93.9	34	1.0	0.133	0.0	0.0					
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.028	50.5	77.1	62.4	99.2	39	1.0	0.15	0.0	1.0	0.0	0.123	50.6	77.2	55.1	94.9	35	1.0	0.15	0.0	0.0					
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.167	0.0	1.0	0.0	0.093	50.6	77.3	57.4	96.3	36	1.0	0.167	0.0	0.0					
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0095	0.0	51.3	74.6	64.9	98.9	41	1.0	0.183	0.0	1.0	0.0	0.062	50.5	77.2	59.7	97.6	37	1.0	0.183	0.0	0.0					
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.151	0.0	52.1	72.4	65.2	97.5	42	1.0	0.2	0.0	1.0	0.0	0.032	50.5	77.1	62.1	99.0	38	1.0	0.2	0.0	0.0					
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.188	0.0	52.8	70.3	65.5	96.1	43	1.0	0.217	0.0	1.0	0.0	0.001	50.5	76.9	64.5	100.4	39	1.0	0.217	0.0	0.0					
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.225	0.0	53.6	68.2	65.8	94.8	44	1.0	0.233	0.0	1.0	0.0	0.102	0.0	51.4	74.4	64.9	98.8	41	1.0	0.233	0.0	0.0				
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.25	0.0	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42	1.0	0.25	0.0	0.0				
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.277	0.0	55.0	64.3	66.6	92.5	46	1.0	0.267	0.0	1.0	0.0	0.199	0.0	53.0	69.6	65.6	95.7	43	1.0	0.267	0.0	0.0				
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.297	0.0	55.6	62.4	66.9	91.5	47	1.0	0.283	0.0	1.0	0.0	0.24	0.0	53.9	67.3	65.9	94.2	44	1.0	0.283	0.0	0.0				
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.318	0.0	56.3	60.6	67.3	90.5	48	1.0	0.3	0.0	1.0	0.0	0.267	0.0	54.7	65.1	66.4	93.0	45	1.0	0.3	0.0	0.0				
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.338	0.0	57.0	58.7	67.6	89.5	49	1.0	0.317	0.0	1.0	0.0	0.29	0.0	55.4	63.1	66.8	91.9	46	1.0	0.317	0.0	0.0				
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.359	0.0	57.7	56.9	67.8	88.5	50	1.0	0.333	0.0	1.0	0.0	0.313	0.0	56.2	61.0	67.2	90.8	47	1.0	0.333	0.0	0.0				
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.378	0.0	58.3	55.1	68.1	87.6	51	1.0	0.35	0.0	1.0	0.0	0.336	0.0	56.9	59.0	67.5	89.7	48	1.0	0.35	0.0	0.0				
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.367	0.0	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49	1.0	0.367	0.0	0.0				
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.406	0.0	59.6	52.0	69.0	86.4	53	1.0	0.383	0.0	1.0	0.0	0.379	0.0	58.4	55.0	68.1	87.6	51	1.0	0.383	0.0	0.0				
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.42	0.0	60.2	50.4	69.4	85.8	54	1.0	0.4	0.0	1.0	0.0	0.395	0.0	59.1	53.2	68.7	86.9	52	1.0	0.4	0.0	0.0				
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.433	0.0	60.8	48.8	69.8	85.2	55	1.0	0.417	0.0	1.0	0.0	0.41	0.0	59.7	51.5	69.1	86.2	53	1.0	0.417	0.0	0.0				
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.447	0.0	61.4	47.3	70.1	84.5	56	1.0	0.433	0.0	1.0	0.0	0.426	0.0	60.4	49.7	69.6	85.5	54	1.0	0.433	0.0	0.0				
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.461	0.0	62.0	45.7	70.4	83.9	57	1.0	0.45	0.0	1.0	0.0	0.441	0.0	61.1	48.0	69.9	84.8	55	1.0	0.45	0.0	0.0				
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.475	0.0	62.6	44.1	70.7	83.3	58	1.0	0.467	0.0	1.0	0.0	0.457	0.0	61.8	46.2	70.3	84.1	56	1.0	0.467	0.0	0.0				
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.489	0.0	63.2	42.6	70.9	82.7	59	1.0	0.483	0.0	1.0	0.0	0.472	0.0	62.5	44.5	70.6	83.4	57	1.0	0.483	0.0	0.0				
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.5	0.0	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58	1.0	0.5	0.0	0.0				
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.513	0.0	64.4	39.7	71.6	81.9	61	1.0	0.517	0.0	1.0	0.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.517	0.0	0.0				
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.525	0.0	64.9	38.3	72.1	81.7	62	1.0																			

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table 1: Colorimetric and luminance data of the elementary colors Munsell color space, 2° observer, 2 degree field, 1931, 2									
---	--	--	--	--	--	--	--	--	--

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0

2-003830-L0 RS210-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

salida: sRGB standard device; no separation, D65, página 9/29

gráfico TUB-RS21; código de tono: $H^*_d=B25R_d$
círculo de tono, 48 pasos; $rgb-LabCh^*$ mesas

entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a rgb_d

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación

TUB material: code=rha4ta

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM _d : h _{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																			
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)			C _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)			210C _s	rgb* dd361Mi	rgb* de361Mi			LAB* dex361Mi (x=LabCh)			216C _e	rgb* dd361Mi	rgb													
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C _d	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210C _s	0.0	0.1	1.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216C _e	0.0	0.1	1.0	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199	C _d	0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0	1.0	
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202	C _d	0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0	1.0	
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205	C _d	0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219	0.0	0.95	1.0	1.0	
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208	C _d	0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0	1.0	
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212	C _d	0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0	1.0	
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215	C _d	0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222	0.0	0.9	1.0	1.0	
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218	C _d	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0	1.0	
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221	C _d	0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0	1.0	
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225	C _d	0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0	1.0	
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228	C _d	0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0	1.0	
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232	C _d	0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0	1.0	
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236	C _d	0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0	1.0	
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239	C _d	0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0	1.0	
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243	C _d	0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0	1.0	
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247	C _d	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0	1.0	
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250	C _d	0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0	1.0	
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253	C _d	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0	1.0	
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256	C _d	0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0	1.0	
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259	C _d	0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234	0.0	0.683	1.0	1.0	
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262	C _d	0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0	1.0	
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265	C _d	0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0	1.0	
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268	C _d	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0	1.0	
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270	C _d	0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0	1.0	
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272	C _d	0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0	1.0	
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274	C _d	0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0	1.0	
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276	C _d	0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0	1.0	
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278	C _d	0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0	1.0	
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280	C _d	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0	1.0	
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283	C _d	0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0	1.0	
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285	C _d	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0	1.0	
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286	C _d	0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0	1.0	
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287	C _d	0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.755	1.0										

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM _d : h _{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																		
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi							
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	53.3	84.5	-15.6	86.0	349
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	53.0	83.7	-12.6	84.7	351
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	52.6	83.1	-5.6	83.3	356
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	53.0	83.6	-11.6	84.4	352
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	52.9	83.5	-9.9	84.1	353
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	52.8	83.4	-8.2	83.8	354
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	52.7	83.2	-6.6	83.5	355
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	52.6	83.0	-5.0	83.1	356
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	52.5	82.7	-3.3	82.8	357
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	52.4	82.5	-1.7	82.5	358
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	52.3	82.2	-0.1	82.2	359
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	52.2	81.8	1.4	81.9	360
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	52.1	81.5	3.0	81.5	362
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	52.1	81.2	4.5	81.3	363
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	52.0	81.1	6.1	81.4	364
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	51.9	81.1	7.7	81.5	365
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	51.9	81.0	9.3	81.5	366
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	51.8	80.9	10.9	81.6	367
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	51.7	80.7	12.5	81.7	368
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	51.7	80.6	14.0	81.8	369
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	51.6	80.4	15.6	81.9	370
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	51.5	80.1	17.2	81.9	372
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	51.5	79.9	18.8	82.0	373
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	51.4	79.6	20.3	82.1	374
393	381	375	1.0	0.0	0.15	50.6	77.6	51.7	93.3	393	1.0	0.0	0.15	51.3	79.3	21.9	82.3	375
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	51.3	79.3	23.6	82.8	376
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	51.3	79.3	25.3	83.3	377
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	51.2	79.3	27.0	83.8	378
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	51.2	79.2	28.7	84.2	379
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	51.1	79.1	30.4	84.7	381
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	51.1	79.0	32.1	85.2	382
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	51.0	78.8	33.8	85.7	383
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	51.0	78.6	35.6	86.2	384
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	50.9	78.3	37.3	86.7	385

2-0031230-L0 RS210-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

salida: sRGB standard device; no separation, D65, página 13/29

gráfico TUB-RS21; código de tono: H*_d=B25R_d
círculo de tono, 48 pasos; rgb-LabCh*mesas

entrada: rgb/cmyk -> rgb_d
salida: transfiera a rgb_d

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia
N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 14/29

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md				
0/648	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0
1/657	R13Y_100_100d	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41.2
2/666	R25Y_100_100d	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44.2
3/675	R38Y_100_100d	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50.3
4/684	R50Y_100_100d	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7
5/693	R63Y_100_100d	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.633	0.0	70.1	25.8	75.0	79.3	71.0
6/702	R75Y_100_100d	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	77.2	9.8	79.7	80.3	82.9
7/711	R88Y_100_100d	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.883	0.0	84.8	-5.7	85.0	85.2	93.8
8/720	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	92.6	-20.6	90.7	93.0	102.8
9/639	Y13G_100_100d	0.875	1.0	0.0	1.0	1.0	0.5	97	0.883	1.0	0.0	90.4	-33.0	88.1	94.1	110.5
10/558	Y25G_100_100d	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	88.5	-44.9	85.8	96.8	117.6
11/477	Y38G_100_100d	0.625	1.0	0.0	1.0	1.0	0.5	112	0.633	1.0	0.0	86.9	-55.7	83.9	100.7	123.6
12/396	Y50G_100_100d	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3
13/315	Y63G_100_100d	0.375	1.0	0.0	1.0	1.0	0.5	128	0.366	1.0	0.0	84.7	-72.8	81.2	109.1	131.8
14/234	Y75G_100_100d	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	84.1	-78.2	80.4	112.2	134.1
15/153	Y88G_100_100d	0.125	1.0	0.0	1.0	1.0	0.5	143	0.116	1.0	0.0	83.7	-81.4	80.0	114.2	135.5
16/72	G00C_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0
17/73	G13C_100_100d	0.0	1.0	0.125	1.0	1.0	0.5	157	0.883	1.0	0.116	83.6	-82.1	76.5	112.3	137.0
18/74	G25C_100_100d	0.0	1.0	0.25	1.0	1.0	0.5	164	0.0	1.0	0.233	83.7	-80.8	70.1	106.9	139.0
19/75	G38C_100_100d	0.0	1.0	0.375	1.0	1.0	0.5	172	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142.9
20/76	G50C_100_100d	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6
21/77	G63C_100_100d	0.0	1.0	0.625	1.0	1.0	0.5	188	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156.5
22/78	G75C_100_100d	0.0	1.0	0.75	1.0	1.0	0.5	196	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167.3
23/79	G88C_100_100d	0.0	1.0	0.875	1.0	1.0	0.5	203	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180.0
24/80	C00B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3
25/71	C13B_100_100d	0.0	0.875	1.0	1.0	1.0	0.5	217	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218.2
26/62	C25B_100_100d	0.0	0.75	1.0	1.0	1.0	0.5	224	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243.6
27/53	C38B_100_100d	0.0	0.625	1.0	1.0	1.0	0.5	232	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268.3
28/44	C50B_100_100d	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0
29/35	C63B_100_100d	0.0	0.375	1.0	1.0	1.0	0.5	248	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295.3
30/26	C75B_100_100d	0.0	0.25	1.0	1.0	1.0	0.5	256	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301.6
31/17	C88B_100_100d	0.0	0.125	1.0	1.0	1.0	0.5	263	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304.9
32/8	B00M_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2
33/89	B13M_100_100d	0.125	0.0	1.0	1.0	1.0	0.5	277	0.116	0.0	1.0	30.9	76.2	-102.5	127.7	306.6
34/170	B25M_100_100d	0.25	0.0	1.0	1.0	1.0	0.5	284	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307.4
35/251	B38M_100_100d	0.375	0.0	1.0	1.0	1.0	0.5	292	0.366	0.0	1.0	34.9	77.9	-95.7	123.0	309.1
36/332	B50M_100_100d	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.1	311.6
37/413	B63M_100_100d	0.625	0.0	1.0	1.0	1.0	0.5	308	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315.1
38/494	B75M_100_100d	0.75	0.0	1.0	1.0	1.0	0.5	316	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319.4
39/575	B88M_100_100d	0.875	0.0	1.0	1.0	1.0	0.5	323	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323.6
40/656	M00R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2
41/655	M13R_100_100d	1.0	0.0	0.875	1.0	1.0	0.5	337	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333.6
42/654	M25R_100_100d	1.0	0.0	0.75	1.0	1.0	0.5	344	1.0	0.0	0.766	54.4	87.3	-30.6	92.5	340.6
43/653	M38R_100_100d	1.0	0.0	0.625	1.0	1.0	0.5	352	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350.7
44/652	M50R_100_100d	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	52.0	81.1	4.1	81.2	2.9
45/651	M63R_100_100d	1.0	0.0	0.375	1.0	1.0	0.5	368	1.0	0.0	0.366	51.3	79.3	22.7	82.5	16.0
46/650	M75R_100_100d	1.0	0.0	0.25	1.0	1.0	0.5	376	1.0	0.0	0.233	50.8	78.0	41.2	88.2	27.8
47/649	M88R_100_100d	1.0	0.0	0.125	1.0	1.0	0.5	383	1.0	0.0	0.116	50.5	77.2	55.6	95.1	35.7
48/648	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0
49/0	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NW_013d	0.125	0.125	0.125	0.125	0.0	0.125	360	0.125	0.125	0.125	11.0	0.0	0.0	0.0	325.7
51/182	NW_025d	0.25	0.25	0.25	0.25	0.0	0.25	360	0.25	0.25	0.25	25.2	0.0	0.0	0.0	325.5
52/273	NW_038d	0.375	0.375	0.375	0.375	0.0	0.375	360	0.375	0.375	0.375	38.3	0.0	0.0	0.0	325.3
53/364	NW_050d	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	50.6	0.0	0.0	0.0	325.3
54/455	NW_063d	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	62.4	0.0	0.0	0.0	325.2
55/546	NW_075d	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	73.7	0.0	0.0	0.0	325.2
56/637	NW_088d	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	84.7	0.0	0.0	0.0	325.2
57/728	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2

delta E* = 0.9

gráfico TUB-RS21; código de tono: H*d=B25Rd
colores y diferencia en color, ΔE^*

entrada: *rgb/cmyk* -> *rgb*d
salida: transfiera a *rgb*d

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia

N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 15/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rha4ta

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.0	50.4	76.9	64.5	100.4	40.0
1/666	R25Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.233	50.4	66.7	65.9	93.8	44.6
2/684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	63.6	41.3	71.0	82.2	59.7
3/702	R75Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.766	77.2	9.8	79.7	80.3	82.9
4/720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	1.0	92.6	-20.6	90.7	93.0	102.8
5/558	Y25G_100_100a	0.75	1.0	0.0	1.0	1.0	0.766	88.5	-44.9	85.8	96.8	117.6
6/396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	85.7	-65.2	82.4	105.1	128.3
7/234	Y75G_100_100a	0.25	1.0	0.0	1.0	1.0	0.233	84.1	-78.2	80.4	112.2	134.1
8/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0
9/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0
10/76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	84.3	-73.7	44.9	86.3	148.6
11/80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3
12/44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	51.7	18.3	-68.3	70.7	285.0
13/8	B00M_100_100a	0.0	0.0	1.0	1.0	1.0	0.0	30.3	76.0	-103.5	128.5	306.2
14/332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	38.5	79.8	-89.7	120.1	311.6
15/656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.0	57.2	94.3	-58.4	110.9	328.2
16/652	B75R_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	52.0	81.1	4.1	81.2	2.9
17/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.0	50.4	76.9	64.5	100.4	40.0
18/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.5	72.9	38.4	32.2	50.2	40.0
19/706	R50Y_100_050a	1.0	0.75	0.5	1.0	0.5	0.75	79.5	20.6	35.5	41.1	59.7
20/724	Y00G_100_050a	1.0	1.0	0.5	1.0	0.5	1.0	94.0	-10.3	45.3	46.5	102.8
21/562	Y50G_100_050a	0.75	1.0	0.5	1.0	0.5	0.75	90.5	-32.6	41.2	52.5	128.3
22/400	G00B_100_050a	0.5	1.0	0.5	1.0	0.5	0.5	89.5	-41.3	39.9	57.5	136.0
23/404	G50B_100_050a	0.5	1.0	1.0	1.0	0.5	0.5	91.1	-23.0	-6.7	24.0	196.3
24/368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	62.8	38.0	-51.7	64.2	306.2
25/692	B50R_100_050a	1.0	0.5	1.0	1.0	0.5	1.0	76.3	47.1	-29.2	55.4	328.2
26/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.5	72.9	38.4	32.2	50.2	40.0
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.25	49.0	38.4	32.2	50.2	40.0
28/524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.5	0.5	55.6	20.6	35.5	41.1	59.7
29/542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.5	0.75	70.1	-12.3	45.3	46.5	102.8
30/380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	66.7	-32.6	41.2	52.5	128.3
31/218	G00B_075_050a	0.25	0.75	0.25	0.75	0.5	0.25	65.6	33.9	57.5	136.0	306.2
32/222	G50B_075_050a	0.25	0.75	0.75	0.75	0.5	0.25	73.0	-23.0	-6.7	24.0	196.3
33/186	B00R_075_050a	0.25	0.25	0.75	0.75	0.5	0.5	64.2	38.0	-51.7	64.2	306.2
34/510	B50R_075_050a	0.75	0.25	0.75	0.75	0.5	0.5	52.5	47.1	-29.2	55.4	328.2
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	49.0	38.4	32.2	50.2	40.0
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	25.2	38.4	32.2	50.2	40.0
37/342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	31.8	20.6	35.5	41.1	59.7
38/360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.0	46.8	-10.3	45.3	46.5	102.8
39/198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.0	42.8	-32.6	41.2	52.5	128.3
40/36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.0	41.8	-41.3	39.9	57.5	136.0
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.0	43.4	-23.0	-6.7	24.0	196.3
42/4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.0	15.1	38.0	-51.7	64.2	306.2
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.0	28.6	47.1	-29.2	55.4	328.2
44/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.0	25.2	38.4	32.2	50.2	40.0
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.0	0.125	11.9	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.25	23.8	0.0	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.375	0.0	0.375	35.7	0.0	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	47.7	0.0	0.0	0.0	0.0
50/455	NW_063a	0.625	0.625	0.625	0.625	0.0	0.625	59.6	0.0	0.0	0.0	0.0
51/546	NW_075a	0.75	0.75	0.75	0.75	0.0	0.75	71.5	0.0	0.0	0.0	0.0
52/637	NW_088a	0.875	0.875	0.875	0.875	0.0	0.875	83.4	0.0	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	1.0	0.0	1.0	95.4	0.0	0.0	0.0	0.0

delta E* = 6.5

gráfico TUB-RS21; código de tono: H*d=B25Rd
colores y diferencia en color, ΔE^* entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a rgb_d

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia
N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 16/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n=j	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md
0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
1	B00R_012_012a	0.0	0.0	0.125	0.125	0.125	0.062	0.062	0.0	0.0	1.0	1.0
2	B00R_025_025a	0.0	0.0	0.25	0.25	0.25	0.125	0.125	0.0	0.0	1.0	1.0
3	B00R_037_037a	0.0	0.0	0.375	0.375	0.375	0.187	0.187	0.0	0.0	1.0	1.0
4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	0.25	0.0	0.0	1.0	1.0
5	B00R_062_062a	0.0	0.0	0.625	0.625	0.625	0.312	0.312	0.0	0.0	1.0	1.0
6	B00R_075_075a	0.0	0.0	0.75	0.75	0.75	0.375	0.375	0.0	0.0	1.0	1.0
7	B00R_087_087a	0.0	0.0	0.875	0.875	0.875	0.437	0.437	0.0	0.0	1.0	1.0
8	B00R_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	0.5	0.0	0.0	1.0	1.0
9	G00B_012_012a	0.0	0.125	0.0	0.125	0.125	0.062	0.062	0.0	0.125	0.0	0.125
10	G50B_012_012a	0.0	0.125	0.125	0.125	0.125	0.062	0.062	0.0	0.125	0.125	0.125
11	G75B_025_025a	0.0	0.125	0.25	0.25	0.25	0.125	0.125	0.0	0.125	0.25	0.25
12	G84B_037_037a	0.0	0.125	0.375	0.375	0.375	0.187	0.187	0.0	0.125	0.375	0.375
13	G88B_050_050a	0.0	0.125	0.5	0.5	0.5	0.25	0.25	0.0	0.125	0.5	0.5
14	G90B_062_062a	0.0	0.125	0.625	0.625	0.625	0.312	0.312	0.0	0.125	0.625	0.625
15	G92B_075_075a	0.0	0.125	0.75	0.75	0.75	0.375	0.375	0.0	0.125	0.75	0.75
16	G93B_087_087a	0.0	0.125	0.875	0.875	0.875	0.437	0.437	0.0	0.125	0.875	0.875
17	G94B_100_100a	0.0	0.125	1.0	1.0	1.0	0.5	0.5	0.0	0.125	1.0	1.0
18	G00B_025_025a	0.0	0.25	0.0	0.25	0.25	0.125	0.125	0.0	0.25	0.0	0.25
19	G25B_025_025a	0.0	0.25	0.125	0.25	0.25	0.125	0.125	0.0	0.25	0.125	0.125
20	G50B_025_025a	0.0	0.25	0.25	0.25	0.25	0.125	0.125	0.0	0.25	0.25	0.25
21	G65B_037_037a	0.0	0.25	0.375	0.375	0.375	0.187	0.187	0.0	0.25	0.375	0.375
22	G75B_050_050a	0.0	0.25	0.5	0.5	0.5	0.25	0.25	0.0	0.25	0.5	0.5
23	G80B_062_062a	0.0	0.25	0.625	0.625	0.625	0.312	0.312	0.0	0.25	0.625	0.625
24	G84B_075_075a	0.0	0.25	0.75	0.75	0.75	0.375	0.375	0.0	0.25	0.75	0.75
25	G86B_087_087a	0.0	0.25	0.875	0.875	0.875	0.437	0.437	0.0	0.25	0.875	0.875
26	G88B_100_100a	0.0	0.25	1.0	1.0	1.0	0.5	0.5	0.0	0.25	1.0	1.0
27	G00B_037_037a	0.0	0.375	0.0	0.375	0.375	0.187	0.187	0.0	0.375	0.0	0.375
28	G15B_037_037a	0.0	0.375	0.125	0.375	0.375	0.187	0.187	0.0	0.375	0.125	0.125
29	G34B_037_037a	0.0	0.375	0.25	0.375	0.375	0.187	0.187	0.0	0.375	0.25	0.25
30	G50B_037_037a	0.0	0.375	0.375	0.375	0.375	0.187	0.187	0.0	0.375	0.375	0.375
31	G61B_050_050a	0.0	0.375	0.5	0.5	0.5	0.25	0.25	0.0	0.375	0.5	0.5
32	G69B_062_062a	0.0	0.375	0.625	0.625	0.625	0.312	0.312	0.0	0.375	0.625	0.625
33	G75B_075_075a	0.0	0.375	0.75	0.75	0.75	0.375	0.375	0.0	0.375	0.75	0.75
34	G79B_087_087a	0.0	0.375	0.875	0.875	0.875	0.437	0.437	0.0	0.375	0.875	0.875
35	G81B_100_100a	0.0	0.375	1.0	1.0	1.0	0.5	0.5	0.0	0.375	1.0	1.0
36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	0.25	0.0	0.5	0.0	0.5
37	G11B_050_050a	0.0	0.5	0.125	0.5	0.5	0.25	0.25	0.0	0.5	0.125	0.125
38	G25B_050_050a	0.0	0.5	0.25	0.5	0.5	0.25	0.25	0.0	0.5	0.25	0.25
39	G38B_050_050a	0.0	0.5	0.375	0.5	0.5	0.25	0.25	0.0	0.5	0.375	0.375
40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	0.25	0.0	0.5	0.5	0.5
41	G59B_062_062a	0.0	0.5	0.625	0.625	0.625	0.312	0.312	0.0	0.5	0.625	0.625
42	G65B_075_075a	0.0	0.5	0.75	0.75	0.75	0.375	0.375	0.0	0.5	0.75	0.75
43	G70B_087_087a	0.0	0.5	0.875	0.875	0.875	0.437	0.437	0.0	0.5	0.875	0.875
44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	0.5	0.0	0.5	1.0	1.0
45	G00B_062_062a	0.0	0.625	0.0	0.625	0.625	0.312	0.312	0.0	0.625	0.0	0.625
46	G09B_062_062a	0.0	0.625	0.125	0.625	0.625	0.312	0.312	0.0	0.625	0.125	0.125
47	G19B_062_062a	0.0	0.625	0.25	0.625	0.625	0.312	0.312	0.0	0.625	0.25	0.25
48	G30B_062_062a	0.0	0.625	0.375	0.625	0.625	0.312	0.312	0.0	0.625	0.375	0.375
49	G40B_062_062a	0.0	0.625	0.5	0.625	0.625	0.312	0.312	0.0	0.625	0.5	0.5
50	G50B_062_062a	0.0	0.625	0.625	0.625	0.625	0.312	0.312	0.0	0.625	0.625	0.625
51	G57B_075_075a	0.0	0.625	0.75	0.75	0.75	0.375	0.375	0.0	0.625	0.75	0.75
52	G63B_087_087a	0.0	0.625	0.875	0.875	0.875	0.437	0.437	0.0	0.625	0.875	0.875
53	G68B_100_100a	0.0	0.625	1.0	1.0	1.0	0.5	0.5	0.0	0.625	1.0	1.0
54	G00B_075_075a	0.0	0.75	0.0	0.75	0.75	0.375	0.375	0.0	0.75	0.0	0.75
55	G07B_075_075a	0.0	0.75	0.125	0.75	0.75	0.375	0.375	0.0	0.75	0.125	0.125
56	G15B_075_075a	0.0	0.75	0.25	0.75	0.75	0.375	0.375	0.0	0.75	0.25	0.25
57	G25B_075_075a	0.0	0.75	0.375	0.75	0.75	0.375	0.375	0.0	0.75	0.375	0.375
58	G34B_075_075a	0.0	0.75	0.5	0.75	0.75	0.375	0.375	0.0	0.75	0.5	0.5
59	G42B_075_075a	0.0	0.75	0.625	0.75	0.75	0.375	0.375	0.0	0.75	0.625	0.625
60	G50B_075_075a	0.0	0.75	0.75	0.75	0.75	0.375	0.375	0.0	0.75	0.75	0.75
61	G56B_087_087a	0.0	0.75	0.875	0.875	0.875	0.437	0.437	0.0	0.75	0.875	0.875
62	G61B_100_100a	0.0	0.75	1.0	1.0	1.0	0.5	0.5	0.0	0.75	1.0	1.0
63	G00B_087_087a	0.0	0.875	0.0	0.875	0.875	0.437	0.437	0.0	0.875	0.0	0.875
64	G06B_087_087a	0.0	0.875	0.125	0.875	0.875	0.437	0.437	0.0	0.875	0.125	0.125
65	G13B_087_087a	0.0	0.875	0.25	0.875	0.875	0.437	0.437	0.0	0.875	0.25	0.25
66	G20B_087_087a	0.0	0.875	0.375	0.875	0.875	0.437	0.437	0.0	0.875	0.375	0.375
67	G29B_087_087a	0.0	0.875	0.5	0.875	0.875	0.437	0.437	0.0	0.875	0.5	0.5
68	G36B_087_087a	0.0	0.875	0.625	0.875	0.875	0.437	0.437	0.0	0.875	0.625	0.625
69	G43B_087_087a	0.0	0.875	0.75	0.875	0.875	0.437	0.437	0.0	0.875	0.75	0.75
70	G50B_087_087a	0.0	0.875	0.875	0.875	0.875	0.437	0.437	0.0	0.875	0.875	0.875
71	G55B_100_100a	0.0	0.875	1.0	1.0	1.0	0.5	0.5	0.0	0.875	1.0	1.0
72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.0	1.0
73	G05B_100_100a	0.0	1.0	0.125	1.0	1.0	0.5	0.5	0.0	1.0	0.125	0.125
74	G11B_100_100a	0.0	1.0	0.25	1.0	1.0	0.5	0.5	0.0	1.0	0.25	0.25
75	G18B_100_100a	0.0	1.0	0.375	1.0	1.0	0.5	0.5	0.0	1.0	0.375	0.375
76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	0.5	0.0	1.0	0.5	0.5
77	G31B_100_100a	0.0	1.0	0.625	1.0	1.0	0.5	0.5	0.0	1.0	0.625	0.625
78	G38B_100_100a	0.0	1.0	0.75	1.0	1.0	0.5	0.5	0.0	1.0	0.75	0.75
79	G44B_100_100a	0.0	1.0	0.875	1.0	1.0	0.5	0.5	0.0	1.0	0.875	0.875
80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	0.5	0.0	1.0	1.0	1.0

delta E** = 4.6

gráfico TUB-RS21; código de tono: H*d=B25Rd
colores y diferencia en color, ΔE^*

entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a rgb_d

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rha4ta

RS2100s

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia

N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 20/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación
TUB material: code=rh4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md
324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.0	0.0	23.7	46.0	35.7	58.2
325	R26Y_050_050a	0.5	0.0	0.125	0.5	0.5	0.116	25.4	39.0	20.6	44.1	27.8
326	R00Y_050_050a	0.5	0.0	0.25	0.5	0.5	0.25	26.0	40.5	2.0	40.6	2.9
327	B61R_050_050a	0.5	0.0	0.375	0.5	0.5	0.383	27.2	43.6	-15.3	46.2	340.6
328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.5	28.6	47.1	-29.2	55.4	328.2
329	B40R_062_062a	0.5	0.0	0.625	0.625	0.625	0.312	31.9	51.0	-44.2	70.6	321.2
330	B34R_075_075a	0.5	0.0	0.75	0.75	0.75	0.375	31.1	51.2	0.0	75	33.6
331	B29R_087_087a	0.5	0.0	0.875	0.875	0.875	0.437	30.5	0.51	0.0	875	36.1
332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	30.0	0.5	0.0	1.0	38.5
333	R23Y_050_050a	0.5	0.125	0.0	0.5	0.5	0.25	44	0.5	0.116	0.0	26.8
334	R00Y_050_037a	0.5	0.125	0.125	0.5	0.375	0.312	39.0	0.5	0.124	0.124	30.8
335	R18Y_050_037a	0.5	0.125	0.25	0.5	0.375	0.312	37.1	0.5	0.124	0.243	30.1
336	B65R_050_037a	0.5	0.125	0.375	0.5	0.375	0.312	34.9	0.5	0.124	0.381	32.0
337	B50R_050_037a	0.5	0.125	0.5	0.5	0.375	0.312	33.0	0.5	0.124	0.5	33.4
338	B38R_062_050a	0.5	0.125	0.625	0.625	0.5	0.375	31.6	0.508	0.125	0.625	35.8
339	B30R_075_062a	0.5	0.125	0.75	0.75	0.625	0.437	30.7	0.51	0.125	0.75	38.4
340	B25R_087_075a	0.5	0.125	0.875	0.875	0.75	0.5	30.0	0.5	0.125	0.875	40.8
341	B20R_100_087a	0.5	0.125	1.0	1.0	0.875	0.562	29.5	0.489	0.125	1.0	43.6
342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	31.8
343	R31Y_050_037a	0.5	0.25	0.125	0.5	0.375	0.312	49	0.5	0.243	0.124	33.0
344	R00Y_050_025a	0.5	0.25	0.25	0.5	0.25	0.375	39.0	0.5	0.249	0.249	36.4
345	R00Y_050_025a	0.5	0.25	0.375	0.5	0.25	0.375	36.0	0.5	0.249	0.375	36.8
346	B50R_050_025a	0.5	0.25	0.5	0.5	0.25	0.375	33.0	0.5	0.249	0.5	38.1
347	B34R_062_037a	0.5	0.25	0.625	0.625	0.375	0.437	31.1	0.506	0.25	0.625	40.6
348	B25R_075_050a	0.5	0.25	0.75	0.75	0.5	0.5	30.0	0.5	0.25	0.75	43.1
349	B19R_087_062a	0.5	0.25	0.875	0.875	0.625	0.562	29.3	0.489	0.25	0.875	45.9
350	B15R_100_075a	0.5	0.25	1.0	1.0	0.75	0.625	28.9	0.487	0.25	1.0	49.3
351	R76Y_050_050a	0.5	0.375	0.0	0.5	0.5	0.25	76	0.5	0.383	0.0	39.1
352	R68Y_050_037a	0.5	0.375	0.125	0.5	0.375	0.312	71	0.5	0.381	0.124	39.4
353	R50Y_050_025a	0.5	0.375	0.25	0.5	0.25	0.375	60	0.5	0.375	0.249	39.7
354	R00Y_050_012a	0.5	0.375	0.375	0.5	0.125	0.437	39.0	0.5	0.375	0.375	42.0
355	B50R_050_012a	0.5	0.375	0.5	0.5	0.125	0.437	33.0	0.5	0.375	0.5	42.9
356	B25R_062_025a	0.5	0.375	0.625	0.625	0.25	0.5	30.0	0.5	0.375	0.625	45.4
357	B15R_075_037a	0.5	0.375	0.75	0.75	0.375	0.562	28.9	0.493	0.375	0.75	48.5
358	B11R_087_050a	0.5	0.375	0.875	0.875	0.5	0.625	28.4	0.491	0.375	0.875	51.9
359	B09R_100_062a	0.5	0.375	1.0	1.0	0.625	0.687	28.1	0.489	0.375	1.0	55.6
360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	0.5	0.5	0.0	46.3
361	Y00G_050_037a	0.5	0.5	0.125	0.5	0.375	0.312	90	0.5	0.5	0.124	46.6
362	Y00G_050_025a	0.5	0.5	0.25	0.5	0.25	0.375	90	0.5	0.5	0.249	47.0
363	Y00G_050_012a	0.5	0.5	0.375	0.5	0.125	0.437	90	0.5	0.5	0.375	47.3
364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	47.7
365	B00R_062_012a	0.5	0.625	0.625	0.625	0.125	0.562	27.0	0.5	0.5	0.625	51.5
366	B00R_075_025a	0.5	0.5	0.75	0.75	0.25	0.625	27.0	0.5	0.5	0.75	55.3
367	B00R_087_037a	0.5	0.5	0.875	0.875	0.375	0.687	27.0	0.5	0.5	0.875	59.1
368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	27.0	0.5	0.5	1.0	62.8
369	Y18G_062_062a	0.5	0.625	0.0	0.625	0.625	0.312	101	0.51	0.625	0.0	55.9
370	Y23G_062_050a	0.5	0.625	0.125	0.625	0.5	0.375	104	0.508	0.625	0.125	56.3
371	Y31G_062_037a	0.5	0.625	0.25	0.625	0.375	0.437	109	0.506	0.625	0.25	56.7
372	Y50G_062_025a	0.5	0.625	0.375	0.625	0.25	0.5	120	0.5	0.625	0.375	57.2
373	G00B_062_012a	0.5	0.625	0.5	0.625	0.125	0.562	150	0.5	0.625	0.5	58.1
374	G50B_062_012a	0.5	0.625	0.625	0.625	0.125	0.562	210	0.5	0.625	0.625	58.5
375	G75B_075_025a	0.5	0.625	0.75	0.75	0.25	0.625	240	0.5	0.625	0.75	60.6
376	G84B_087_037a	0.5	0.625	0.875	0.875	0.375	0.687	251	0.5	0.618	0.875	62.9
377	G88B_100_050a	0.5	0.625	1.0	1.0	0.5	0.75	256	0.5	0.616	1.0	65.9
378	Y31G_075_075a	0.5	0.75	0.0	0.75	0.75	0.375	109	0.512	0.75	0.0	65.7
379	Y38G_075_062a	0.5	0.75	0.125	0.75	0.625	0.437	113	0.51	0.75	0.125	66.2
380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	0.5	0.75	0.25	66.7
381	Y68G_075_037a	0.5	0.75	0.375	0.75	0.375	0.562	131	0.493	0.75	0.375	67.4
382	G00B_075_025a	0.5	0.75	0.5	0.75	0.25	0.625	150	0.5	0.75	0.5	68.6
383	G25B_075_025a	0.5	0.75	0.625	0.75	0.25	0.625	180	0.5	0.75	0.625	68.7
384	G50B_075_025a	0.5	0.75	0.75	0.75	0.25	0.625	210	0.5	0.75	0.75	69.4
385	G65B_087_037a	0.5	0.75	0.875	0.875	0.375	0.687	229	0.5	0.756	0.875	71.8
386	G75B_100_050a	0.5	0.75	1.0	1.0	0.5	0.75	240	0.5	0.75	1.0	73.5
387	Y41G_087_087a	0.5	0.875	0.0	0.875	0.875	0.437	115	0.51	0.875	0.0	75.7
388	Y50G_087_075a	0.5	0.875	0.125	0.875	0.75	0.5	120	0.5	0.875	0.125	76.2
389	Y61G_087_062a	0.5	0.875	0.25	0.875	0.625	0.562	127	0.489	0.875	0.25	76.8
390	Y76G_087_050a	0.5	0.875	0.375	0.875	0.5	0.625	136	0.491	0.875	0.375	77.8
391	G00B_087_037a	0.5	0.875	0.5	0.875	0.375	0.687	150	0.5	0.875	0.5	79.0
392	G15B_087_037a	0.5	0.875	0.625	0.875	0.375	0.687	169	0.5	0.875	0.618	79.1
393	G34B_087_037a	0.5	0.875	0.75	0.875	0.375	0.687	191	0.5	0.875	0.75	79.5
394	G50B_087_037a	0.5	0.875	0.875	0.875	0.375	0.687	210	0.5	0.875	0.875	80.2
395	G61B_100_050a	0.5	0.875	1.0	1.0	0.5	0.75	224	0.5	0.883	1.0	82.8
396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	85.7
397	Y58G_100_087a	0.5	1.0	0.125	1.0	0.875	0.562	125	0.489	1.0	0.125	86.3
398	Y68G_100_075a	0.5	1.0	0.25	1.0	0.75	0.625	131	0.487	1.0	0.25	87.2
399	Y81G_100_062a	0.5	1.0	0.375	1.0	0.625	0.687	139	0.489	1.0	0.375	88.2
400	G00B_100_050a	0.5	1.0	0.5	1.0	0.5	0.75	150	0.5	1.0	0.5	89.5
401	G11B_100_050a	0.5	1.0	0.625	1.0	0.5	0.75	164	0.5	1.0	0.616	89.5
402	G25B_100_050a	0.5	1.0	0.75	1.0	0.5	0.75	186	0.5	1.0	0.75	89.8
403	G38B_100_050a	0.5	1.0	0.875	1.0	0.5	0.75	196	0.5	1.0	0.883	90.4
404	G50B_100_050a	0.5	1.0	1.0	1.0	0.5	0.75	210	0.5	1.0	1.0	91.1

delta E* = 10.1

gráfico TUB-RS21; código de tono: H*d=B25Rd
colores y diferencia en color, ΔE^* entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a rgb_d

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia
N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 22/29

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
486	R00Y_075_075a	0.75	0.0	0.0	0.75	0.75	0.0	0.0	37.5	61.9	51.9	80.8
487	R35Y_075_075a	0.75	0.0	0.125	0.75	0.0	0.112	37.9	58.2	38.8	69.9	33.6
488	R18Y_075_075a	0.75	0.0	0.25	0.75	0.0	0.237	38.3	59.3	22.3	63.4	20.6
489	R00Y_075_075a	0.75	0.0	0.375	0.75	0.0	0.375	39.0	60.8	3.1	60.9	2.9
490	B65R_075_075a	0.75	0.0	0.5	0.75	0.0	0.512	40.1	64.1	-14.9	65.8	346.8
491	B57R_075_075a	0.75	0.0	0.625	0.75	0.0	0.637	41.5	67.3	-30.5	73.9	335.5
492	B50R_075_075a	0.75	0.0	0.75	0.75	0.0	0.75	42.9	70.7	-43.8	83.2	328.2
493	B43R_087_087a	0.75	0.0	0.875	0.875	0.375	0.32	0.758	0.0	0.875	45.1	323.0
494	B38R_100_100a	0.75	0.0	1.0	1.0	0.5	0.316	0.766	0.0	1.0	47.9	319.4
495	R15Y_075_075a	0.75	0.125	0.0	0.75	0.375	39	0.75	0.112	0.0	39.0	54.3
496	R00Y_075_062a	0.75	0.125	0.125	0.75	0.625	0.437	39.0	0.75	0.125	0.125	43.4
497	R31Y_075_062a	0.75	0.125	0.25	0.75	0.625	0.437	37.9	0.75	0.125	0.239	43.6
498	R11Y_075_062a	0.75	0.125	0.375	0.75	0.625	0.437	36.7	0.75	0.125	0.364	44.0
499	B69R_075_062a	0.75	0.125	0.5	0.75	0.625	0.437	35.3	0.75	0.125	0.51	52.2
500	B59R_075_062a	0.75	0.125	0.625	0.75	0.625	0.437	34.1	0.75	0.125	0.635	46.2
501	B50R_075_062a	0.75	0.125	0.75	0.75	0.625	0.437	33.0	0.75	0.125	0.75	55.9
502	B42R_087_075a	0.75	0.125	0.875	0.875	0.75	0.5	0.321	0.762	0.125	0.875	50.3
503	B36R_100_087a	0.75	0.125	1.0	1.0	0.875	0.562	314	0.766	0.125	1.0	52.7
504	R31Y_075_075a	0.75	0.25	0.0	0.75	0.375	49	0.75	0.237	0.0	42.2	45.5
505	R18Y_075_062a	0.75	0.25	0.125	0.75	0.625	0.437	41	0.75	0.239	0.125	44.8
506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	49.0
507	R26Y_075_050a	0.75	0.25	0.375	0.75	0.5	0.5	376	0.75	0.25	0.366	49.2
508	R00Y_075_050a	0.75	0.25	0.5	0.75	0.5	0.5	360	0.75	0.25	0.5	49.8
509	B61R_075_050a	0.75	0.25	0.625	0.75	0.5	0.5	344	0.75	0.25	0.633	51.0
510	B50R_075_050a	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.75	52.5
511	B40R_087_062a	0.75	0.25	0.875	0.875	0.625	0.562	319	0.766	0.25	0.875	55.0
512	B34R_100_075a	0.75	0.25	1.0	1.0	0.75	0.625	311	0.762	0.25	1.0	57.4
513	R50Y_075_075a	0.75	0.375	0.0	0.75	0.375	60	0.75	0.375	0.0	47.7	31.0
514	R38Y_075_062a	0.75	0.375	0.125	0.75	0.625	0.437	53	0.75	0.364	0.125	48.5
515	R23Y_075_050a	0.75	0.375	0.25	0.75	0.5	0.5	44	0.75	0.366	0.25	50.7
516	R00Y_075_037a	0.75	0.375	0.375	0.75	0.375	0.562	390	0.75	0.375	0.375	54.7
517	R18Y_075_037a	0.75	0.375	0.5	0.75	0.375	0.562	371	0.75	0.375	0.493	54.9
518	B65R_075_037a	0.75	0.375	0.625	0.75	0.375	0.562	349	0.75	0.375	0.631	55.8
519	B50R_075_037a	0.75	0.375	0.75	0.75	0.375	0.562	330	0.75	0.375	0.75	57.2
520	B38R_087_050a	0.75	0.375	0.875	0.875	0.5	0.625	316	0.758	0.375	0.875	59.7
521	B30R_100_062a	0.75	0.375	1.0	1.0	0.625	0.687	307	0.76	0.375	1.0	62.2
522	R68Y_075_075a	0.75	0.5	0.0	0.75	0.75	0.375	71	0.75	0.512	0.0	55.0
523	R61Y_075_062a	0.75	0.5	0.125	0.75	0.625	0.437	67	0.75	0.51	0.125	55.4
524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.5	0.5	60	0.75	0.5	0.25	55.6
525	R31Y_075_037a	0.75	0.5	0.375	0.75	0.375	0.562	49	0.75	0.493	0.375	60.3
526	R00Y_075_025a	0.75	0.5	0.5	0.75	0.25	0.625	390	0.75	0.5	0.5	60.8
527	R00Y_075_025a	0.75	0.5	0.625	0.75	0.25	0.625	360	0.75	0.5	0.625	60.7
528	B50R_075_025a	0.75	0.5	0.75	0.75	0.25	0.625	330	0.75	0.5	0.75	62.0
529	B34R_087_037a	0.75	0.5	0.875	0.875	0.375	0.687	311	0.756	0.5	0.875	64.5
530	B25R_100_050a	0.75	0.5	1.0	1.0	0.5	0.75	300	0.75	0.5	1.0	67.0
531	R85Y_075_075a	0.75	0.625	0.0	0.75	0.75	0.375	81	0.75	0.637	0.0	62.4
532	R81Y_075_062a	0.75	0.625	0.125	0.75	0.625	0.437	79	0.75	0.635	0.125	62.7
533	R76Y_075_050a	0.75	0.625	0.25	0.75	0.5	0.5	76	0.75	0.633	0.25	62.9
534	R68Y_075_037a	0.75	0.625	0.375	0.75	0.375	0.562	71	0.75	0.631	0.375	63.3
535	R50Y_075_025a	0.75	0.625	0.5	0.75	0.25	0.625	60	0.75	0.625	0.5	63.6
536	R00Y_075_012a	0.75	0.625	0.625	0.75	0.125	0.687	390	0.75	0.625	0.625	65.9
537	B50R_075_012a	0.75	0.625	0.75	0.75	0.125	0.687	330	0.75	0.625	0.75	66.7
538	B25R_087_025a	0.75	0.625	0.875	0.875	0.25	0.75	300	0.75	0.625	0.875	69.2
539	B15R_100_037a	0.75	0.625	1.0	1.0	0.375	0.812	289	0.743	0.625	1.0	72.3
540	Y00G_075_075a	0.75	0.75	0.0	0.75	0.75	0.375	90	0.75	0.75	0.0	69.4
541	Y00G_075_062a	0.75	0.75	0.125	0.75	0.625	0.437	90	0.75	0.75	0.125	69.8
542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.5	0.5	90	0.75	0.75	0.25	70.1
543	Y00G_075_037a	0.75	0.75	0.375	0.75	0.375	0.562	90	0.75	0.75	0.375	70.5
544	Y00G_075_025a	0.75	0.75	0.5	0.75	0.25	0.625	90	0.75	0.75	0.5	70.8
545	Y00G_075_012a	0.75	0.75	0.625	0.75	0.125	0.687	90	0.75	0.75	0.625	71.2
546	NW_075a	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	71.5
547	B00R_087_012a	0.75	0.75	0.875	0.875	0.125	0.812	270	0.75	0.75	0.875	75.3
548	B00R_100_025a	0.75	0.75	1.0	1.0	0.25	0.875	270	0.75	0.75	1.0	79.1
549	Y13G_087_087a	0.75	0.875	0.0	0.875	0.875	0.437	98	0.758	0.875	0.0	79.0
550	Y15G_087_075a	0.75	0.875	0.125	0.875	0.75	0.5	99	0.762	0.875	0.125	79.4
551	Y18G_087_062a	0.75	0.875	0.25	0.875	0.625	0.562	101	0.76	0.875	0.25	79.8
552	Y23G_087_050a	0.75	0.875	0.375	0.875	0.5	0.625	104	0.758	0.875	0.375	80.1
553	Y31G_087_037a	0.75	0.875	0.5	0.875	0.375	0.687	109	0.756	0.875	0.5	80.5
554	Y50G_087_025a	0.75	0.875	0.625	0.875	0.25	0.75	120	0.75	0.875	0.625	81.0
555	G00B_087_012a	0.75	0.875	0.75	0.875	0.125	0.812	150	0.75	0.875	0.75	82.0
556	G50B_087_012a	0.75	0.875	0.875	0.875	0.125	0.812	210	0.75	0.875	0.875	82.4
557	G75B_100_025a	0.75	0.875	1.0	1.0	0.25	0.875	240	0.75	0.875	1.0	84.5
558	Y23G_100_100a	0.75	1.0	0.0	1.0	0.5	0.5	104	0.766	1.0	0.0	88.7
559	Y26G_100_087a	0.75	1.0	0.125	1.0	0.875	0.562	106	0.766	1.0	0.125	89.2
560	Y31G_100_075a	0.75	1.0	0.25	1.0	0.75	0.625	109	0.762	1.0	0.25	89.6
561	Y38G_100_062a	0.75	1.0	0.375	1.0	0.625	0.687	113	0.76	1.0	0.375	90.0
562	Y50G_100_050a	0.75	1.0	0.5	1.0	0.5	0.75	120	0.75	1.0	0.5	90.5
563	Y68G_100_037a	0.75	1.0	0.625	1.0	0.375	0.812	131	0.743	1.0	0.625	91.3
564	G00B_100_025a	0.75	1.0	0.75	1.0	0.25	0.875	150	0.75	1.0	0.75	92.4
565	G25B_100_025a	0.75	1.0	0.875	1.0	0.25	0.875	180	0.75	1.0	0.875	92.6
566	G50B_100_025a	0.75	1.0	1.0	1.0	0.25	0.875	210	0.75	1.0	1.0	93.2

2-0032130-F0

RS210-7N, 22/29-F

gráfico TUB-RS21; código de tono: H*_d=B25R_d
colores y diferencia en color, ΔE^{*}

entrada: *rgb*/*cm*yk -> *rgb*_d
salida: transfiera a *rgb*_d

delta E** = 9.4

2-0032130-F0

2-0032130-F0

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia

N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 24/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
 información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md
648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	0.0
649	R38Y_100_100a	1.0	0.0	0.125	1.0	1.0	0.5	383	1.0	0.0	0.116	50.4
650	R26Y_100_100a	1.0	0.0	0.25	1.0	1.0	0.5	376	1.0	0.0	0.233	50.8
651	R13Y_100_100a	1.0	0.0	0.375	1.0	1.0	0.5	368	1.0	0.0	0.366	51.3
652	R00Y_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	52.0
653	B68R_100_100a	1.0	0.0	0.625	1.0	1.0	0.5	352	1.0	0.0	0.633	53.0
654	B61R_100_100a	1.0	0.0	0.75	1.0	1.0	0.5	344	1.0	0.0	0.766	54.4
655	B55R_100_100a	1.0	0.0	0.875	1.0	1.0	0.5	337	1.0	0.0	0.883	55.7
656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	57.2
657	R11Y_100_100a	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0	51.4
658	R00Y_100_087a	1.0	0.125	0.125	1.0	0.875	0.562	390	1.0	0.125	0.125	51.6
659	R36Y_100_087a	1.0	0.125	0.25	1.0	0.875	0.562	382	1.0	0.125	0.25	51.9
660	R23Y_100_087a	1.0	0.125	0.375	1.0	0.875	0.562	374	1.0	0.125	0.375	52.3
661	R08Y_100_087a	1.0	0.125	0.5	1.0	0.875	0.562	365	1.0	0.125	0.5	53.0
662	B70R_100_087a	1.0	0.125	0.625	1.0	0.875	0.562	355	1.0	0.125	0.625	53.9
663	B63R_100_087a	1.0	0.125	0.75	1.0	0.875	0.562	346	1.0	0.125	0.75	55.1
664	B56R_100_087a	1.0	0.125	0.875	1.0	0.875	0.562	338	1.0	0.125	0.875	56.5
665	B50R_100_087a	1.0	0.125	1.0	1.0	0.875	0.562	330	1.0	0.125	1.0	58.1
666	R23Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	54.0
667	R13Y_100_087a	1.0	0.25	0.125	1.0	0.875	0.562	38	1.0	0.233	0.125	54.1
668	R00Y_100_075a	1.0	0.25	0.25	1.0	0.75	0.625	390	1.0	0.25	0.25	54.4
669	R35Y_100_075a	1.0	0.25	0.375	1.0	0.75	0.625	381	1.0	0.25	0.375	54.8
670	R18Y_100_075a	1.0	0.25	0.5	1.0	0.75	0.625	371	1.0	0.25	0.5	55.5
671	R00Y_100_075a	1.0	0.25	0.625	1.0	0.75	0.625	360	1.0	0.25	0.625	56.3
672	B65R_100_075a	1.0	0.25	0.75	1.0	0.75	0.625	349	1.0	0.25	0.75	57.4
673	B57R_100_075a	1.0	0.25	0.875	1.0	0.75	0.625	339	1.0	0.25	0.875	58.7
674	B50R_100_075a	1.0	0.25	1.0	1.0	0.75	0.625	330	1.0	0.25	1.0	60.2
675	R36Y_100_100a	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.375	0.0	58.2
676	R26Y_100_087a	1.0	0.375	0.125	1.0	0.875	0.562	46	1.0	0.375	0.125	58.2
677	R15Y_100_075a	1.0	0.375	0.25	1.0	0.75	0.625	39	1.0	0.375	0.25	58.5
678	R00Y_100_062a	1.0	0.375	0.375	1.0	0.625	0.687	390	1.0	0.375	0.375	58.9
679	R31Y_100_062a	1.0	0.375	0.5	1.0	0.625	0.687	379	1.0	0.375	0.5	59.4
680	R11Y_100_062a	1.0	0.375	0.625	1.0	0.625	0.687	367	1.0	0.375	0.625	60.2
681	B69R_100_062a	1.0	0.375	0.75	1.0	0.625	0.687	353	1.0	0.375	0.75	61.2
682	B59R_100_062a	1.0	0.375	0.875	1.0	0.625	0.687	341	1.0	0.375	0.875	62.4
683	B50R_100_062a	1.0	0.375	1.0	1.0	0.625	0.687	330	1.0	0.375	1.0	63.8
684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	63.6
685	R41Y_100_087a	1.0	0.5	0.125	1.0	0.875	0.562	55	1.0	0.489	0.125	64.4
686	R31Y_100_075a	1.0	0.5	0.25	1.0	0.75	0.625	49	1.0	0.489	0.25	64.5
687	R18Y_100_062a	1.0	0.5	0.375	1.0	0.625	0.687	41	1.0	0.489	0.375	64.7
688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	64.7
689	R26Y_100_050a	1.0	0.5	0.625	1.0	0.5	0.75	376	1.0	0.5	0.625	65.4
690	R00Y_100_050a	1.0	0.5	0.75	1.0	0.5	0.75	360	1.0	0.5	0.75	66.3
691	B61R_100_050a	1.0	0.5	0.875	1.0	0.5	0.75	344	1.0	0.5	0.875	67.3
692	B50R_100_050a	1.0	0.5	1.0	1.0	0.5	0.75	330	1.0	0.5	1.0	68.6
693	R63Y_100_100a	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.625	0.0	70.1
694	R58Y_100_087a	1.0	0.625	0.125	1.0	0.875	0.562	65	1.0	0.625	0.125	70.1
695	R50Y_100_075a	1.0	0.625	0.25	1.0	0.75	0.625	60	1.0	0.625	0.25	70.3
696	R38Y_100_062a	1.0	0.625	0.375	1.0	0.625	0.687	53	1.0	0.614	0.375	72.3
697	R23Y_100_050a	1.0	0.625	0.5	1.0	0.5	0.75	44	1.0	0.616	0.5	74.5
698	R00Y_100_037a	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.625	78.5
699	R18Y_100_037a	1.0	0.625	0.75	1.0	0.375	0.812	371	1.0	0.625	0.75	78.8
700	B65R_100_037a	1.0	0.625	0.875	1.0	0.375	0.812	349	1.0	0.625	0.875	79.7
701	B50R_100_037a	1.0	0.625	1.0	1.0	0.375	0.812	330	1.0	0.625	1.0	81.1
702	R76Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	78.2
703	R73Y_100_087a	1.0	0.75	0.125	1.0	0.875	0.562	74	1.0	0.766	0.125	78.6
704	R68Y_100_075a	1.0	0.75	0.25	1.0	0.75	0.625	71	1.0	0.762	0.25	78.9
705	R61Y_100_062a	1.0	0.75	0.375	1.0	0.625	0.687	67	1.0	0.76	0.375	79.3
706	R50Y_100_050a	1.0	0.75	0.5	1.0	0.5	0.75	60	1.0	0.75	0.5	79.5
707	R31Y_100_037a	1.0	0.75	0.625	1.0	0.375	0.812	49	1.0	0.743	0.625	80.7
708	R00Y_100_025a	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	0.75	84.1
709	R00Y_100_025a	1.0	0.75	0.875	1.0	0.25	0.875	360	1.0	0.75	0.875	84.5
710	B50R_100_025a	1.0	0.75	1.0	1.0	0.25	0.875	330	1.0	0.75	1.0	85.8
711	R88Y_100_100a	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.883	0.0	85.3
712	R86Y_100_087a	1.0	0.875	0.125	1.0	0.875	0.562	82	1.0	0.883	0.125	85.6
713	R85Y_100_075a	1.0	0.875	0.25	1.0	0.75	0.625	81	1.0	0.887	0.25	86.3
714	R81Y_100_062a	1.0	0.875	0.375	1.0	0.625	0.687	79	1.0	0.885	0.375	86.5
715	R76Y_100_050a	1.0	0.875	0.5	1.0	0.5	0.75	76	1.0	0.883	0.5	86.8
716	R68Y_100_037a	1.0	0.875	0.625	1.0	0.375	0.812	71	1.0	0.881	0.625	87.1
717	R50Y_100_025a	1.0	0.875	0.75	1.0	0.25	0.875	60	1.0	0.875	0.75	87.4
718	R00Y_100_012a	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	0.875	89.7
719	B50R_100_012a	1.0	0.875	1.0	1.0	0.125	0.937	330	1.0	0.875	1.0	90.6
720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	92.6
721	Y00G_100_087a	1.0	1.0	0.125	1.0	0.875	0.562	90	1.0	1.0	0.125	93.0
722	Y00G_100_075a	1.0	1.0	0.25	1.0	0.75	0.625	90	1.0	1.0	0.25	93.3
723	Y00G_100_062a	1.0	1.0	0.375	1.0	0.625	0.687	90	1.0	1.0	0.375	93.6
724	Y00G_100_050a	1.0	1.0	0.5	1.0	0.5	0.75	90	1.0	1.0	0.5	94.0
725	Y00G_100_037a	1.0	1.0	0.625	1.0	0.375	0.812	90	1.0	1.0	0.625	94.3
726	Y00G_100_025a	1.0	1.0	0.75	1.0	0.25	0.875	90	1.0	1.0	0.75	94.7
727	Y00G_100_012a	1.0	1.0	0.875	1.0	0.125	0.937	90	1.0	1.0	0.875	95.0
728	NW_100a	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4

delta E* = 9.3

gráfico TUB-RS21; código de tono: H*d=B25Rd

colores y diferencia en color, ΔE^* entrada: *rgb*cmk* -> *rgb*dsalida: transfiera a *rgb*d

TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
 aplicación para la medida de display output, ninguna separación

TUB material: code=rh4ta

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia
N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 25/29

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md
729	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
730	G50B_100_012d	0.875 1.0 1.0	1.0 0.125 0.937	210	0.875 1.0 1.0	94.3 -5.7 -1.6	6.0 196.3	0.875 1.0 1.0	93.3 -9.7 -3.3	10.3 198.8 4.4	210 0.0 1.0 1.0	86.8 -46.1 -13.5
731	G50B_100_025d	0.75 1.0 1.0	1.0 0.25 0.875	210	0.75 1.0 1.0	93.2 -11.5 -3.3	12.0 196.3	0.75 1.0 1.0	91.5 -18.9 -6.2	19.9 198.1 8.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5
732	G50B_100_037d	0.625 1.0 1.0	1.0 0.375 0.812	210	0.625 1.0 1.0	92.2 -17.3 -5.0	18.0 196.3	0.625 1.0 1.0	90.0 -27.0 -8.5	28.3 197.6 10.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5
733	G50B_100_050d	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	91.1 -23.0 -6.7	24.0 196.3	0.5 1.0 1.0	88.8 -33.9 -10.4	35.4 197.1 11.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5
734	G50B_100_062d	0.375 1.0 1.0	1.0 0.625 0.687	210	0.375 1.0 1.0	90.0 -28.8 -8.4	30.0 196.3	0.375 1.0 1.0	87.9 -39.3 -11.8	41.0 196.8 11.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5
735	G50B_100_075d	0.25 1.0 1.0	1.0 0.75 0.625	210	0.25 1.0 1.0	89.0 -34.6 -10.1	36.1 196.3	0.25 1.0 1.0	87.3 -43.0 -12.8	44.9 196.5 9.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5
736	G50B_100_087d	0.125 1.0 1.0	1.0 0.875 0.562	210	0.125 1.0 1.0	87.9 -40.4 -11.8	42.1 196.3	0.125 1.0 1.0	87.0 -45.2 -13.3	47.2 196.4 5.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5
737	G50B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3 0.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5
738	RO0Y_100_012d	1.0 0.875 0.875	1.0 0.125 0.937	390	1.0 0.875 0.875	96.7 8.0 12.5	40.0	1.0 0.875 0.875	87.1 10.5 3.8	11.2 201.0 5.0	389 1.0 0.0 0.0	50.4 76.9 64.5
739	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 325.2 1.2	360 1.0 1.0 1.0	95.4 0.0 0.0
740	G50B_087_012d	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.875	82.4 -5.7 -1.6	6.0 196.3	0.75 0.875 0.875	82.5 -10.0 -3.3	10.5 198.7 4.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5
741	G50B_087_025d	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.875	81.3 -11.5 -3.3	12.0 196.3	0.625 0.875 0.875	80.7 -19.1 -6.2	20.1 197.9 8.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5
742	G50B_087_037d	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.875	80.2 -17.3 -5.0	18.0 196.3	0.5 0.875 0.875	79.3 -27.1 -8.5	28.4 197.4 10.4	210 0.0 1.0 1.0	86.8 -46.1 -13.5
743	G50B_087_050d	0.375 0.875 0.875	0.875 0.5 0.625	210	0.375 0.875 0.875	79.2 -23.0 -6.7	24.0 196.3	0.375 0.875 0.875	78.3 -33.4 -10.2	34.9 196.9 10.9	210 0.0 1.0 1.0	86.8 -46.1 -13.5
744	G50B_087_062d	0.25 0.875 0.875	0.875 0.625 0.562	210	0.25 0.875 0.875	78.1 -28.8 -8.4	30.0 196.3	0.25 0.875 0.875	77.5 -37.9 -11.3	39.6 196.6 9.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5
745	G50B_087_075d	0.125 0.875 0.875	0.875 0.75 0.5	210	0.125 0.875 0.875	77.0 -34.6 -10.1	36.1 196.3	0.125 0.875 0.875	77.1 -40.6 -12.0	42.4 196.4 6.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5
746	G50B_087_087d	0.0 0.875 0.875	0.875 0.875 0.437	210	0.0 0.875 0.875	76.0 -40.4 -11.8	42.1 196.3	0.0 0.875 0.875	77.0 -41.7 -12.2	43.5 196.3 1.7	210 0.0 1.0 1.0	86.8 -46.1 -13.5
747	RO0Y_100_025d	1.0 0.75 0.75	1.0 0.25 0.875	390	1.0 0.75 0.75	74.8 19.2 16.1	25.1 40.0	1.0 0.75 0.75	79.2 21.9 8.5	23.5 21.3 9.4	389 1.0 0.0 0.0	50.4 76.9 64.5
748	RO0Y_087_012d	0.875 0.75 0.75	0.875 0.125 0.812	390	0.875 0.75 0.75	77.1 9.6 8.0	12.5 40.0	0.875 0.75 0.75	76.2 10.8 4.0	11.6 20.3 4.5	389 1.0 0.0 0.0	50.4 76.9 64.5
749	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 325.2 2.1	360 1.0 1.0 1.0	95.4 0.0 0.0
750	G50B_075_012d	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.75	70.4 -5.7 -1.6	6.0 196.3	0.625 0.75 0.75	71.5 -10.2 -3.4	10.8 198.5 4.9	210 0.0 1.0 1.0	86.8 -46.1 -13.5
751	G50B_075_025d	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.75	69.4 -11.5 -3.3	12.0 196.3	0.5 0.75 0.75	69.8 -19.4 -6.2	20.3 197.8 8.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5
752	G50B_075_037d	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	68.3 -17.3 -5.0	18.0 196.3	0.375 0.75 0.75	68.4 -26.9 -8.3	28.2 197.1 10.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5
753	G50B_075_050d	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	67.2 -23.0 -6.7	24.0 196.3	0.25 0.75 0.75	67.5 -32.5 -9.7	33.9 196.7 9.8	210 0.0 1.0 1.0	86.8 -46.1 -13.5
754	G50B_075_062d	0.125 0.75 0.75	0.75 0.625 0.437	210	0.125 0.75 0.75	66.2 -28.8 -8.4	30.0 196.3	0.125 0.75 0.75	67.0 -35.8 -10.6	37.3 196.4 7.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5
755	G50B_075_075d	0.0 0.75 0.75	0.75 0.75 0.375	210	0.0 0.75 0.75	65.1 -34.6 -10.1	36.1 196.3	0.0 0.75 0.75	66.8 -37.1 -10.9	38.7 196.3 3.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5
756	RO0Y_100_037d	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	78.5 28.8 24.2	37.6 40.0	1.0 0.625 0.625	71.6 34.1 14.4	37.0 22.9 13.0	389 1.0 0.0 0.0	50.4 76.9 64.5
757	RO0Y_087_025d	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	72.2 19.2 16.1	25.1 40.0	0.875 0.625 0.625	68.1 22.7 9.0	24.5 21.7 8.8	389 1.0 0.0 0.0	50.4 76.9 64.5
758	RO0Y_075_012d	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.625	65.9 9.6 8.0	12.5 40.0	0.75 0.625 0.625	65.0 11.2 4.2	12.0 20.4 4.2	389 1.0 0.0 0.0	50.4 76.9 64.5
759	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 325.2 2.7	360 1.0 1.0 1.0	95.4 0.0 0.0
760	G50B_062_012d	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.625	58.5 -5.7 -1.6	6.0 196.3	0.5 0.625 0.625	60.1 -10.5 -3.5	11.0 198.4 5.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5
761	G50B_062_025d	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.4 -11.5 -3.3	12.0 196.3	0.375 0.625 0.625	58.5 -19.5 -6.1	20.5 197.5 8.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5
762	G50B_062_037d	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	56.4 -17.3 -5.0	18.0 196.3	0.25 0.625 0.625	57.3 -26.4 -8.0	27.6 196.9 9.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5
763	G50B_062_050d	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	55.3 -23.0 -6.7	24.0 196.3	0.125 0.625 0.625	56.6 -30.7 -9.1	32.0 196.5 8.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5
764	G50B_062_062d	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.625	54.2 -28.8 -8.4	30.0 196.3	0.0 0.625 0.625	56.3 -32.4 -9.5	33.8 196.3 4.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5
765	RO0Y_100_050d	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	72.9 38.4 32.2	50.2 40.0	1.0 0.5 0.5	64.7 46.4 21.9	51.3 25.2 15.4	389 1.0 0.0 0.0	50.4 76.9 64.5
766	RO0Y_087_037d	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	66.6 28.8 24.2	37.6 40.0	0.875 0.5 0.5	60.6 35.3 15.5	38.6 23.7 12.3	389 1.0 0.0 0.0	50.4 76.9 64.5
767	RO0Y_075_025d	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	60.3 19.2 16.1	25.1 40.0	0.75 0.5 0.5	56.8 23.7 9.7	25.6 22.2 8.5	389 1.0 0.0 0.0	50.4 76.9 64.5
768	RO0Y_062_012d	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	54.0 9.6 8.0	12.5 40.0	0.625 0.5 0.5	53.4 11.7 4.4	12.6 20.7 4.2	389 1.0 0.0 0.0	50.4 76.9 64.5
769	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 325.3 2.9	360 1.0 1.0 1.0	95.4 0.0 0.0
770	G50B_050_012d	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	46.6 -5.7 -1.6	6.0 196.3	0.375 0.5 0.5	48.4 -10.7 -3.5	11.3 198.2 5.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5
771	G50B_050_025d	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	45.5 -11.5 -3.3	12.0 196.3	0.25 0.5 0.5	46.8 -19.5 -6.0	20.4 197.2 8.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5
772	G50B_050_037d	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	44.5 -17.3 -5.0	18.0 196.3	0.125 0.5 0.5	45.9 -25.2 -7.5	26.3 196.6 8.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5
773	G50B_050_050d	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.5	43.4 -23.0 -6.7	24.0 196.3	0.0 0.5 0.5	45.5 -27.6 -8.1	28.7 196.3 5.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5
774	RO0Y_100_062d	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	67.3 48.0 40.3	62.7 40.0	1.0 0.375 0.375	58.9 58.1 31.4	66.1 28.3 15.8	389 1.0 0.0 0.0	50.4 76.9 64.5
775	RO0Y_087_050d	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	61.0 38.4 32.2	50.2 40.0	0.875 0.375 0.375	54.0 47.8 24.1	53.6 26.8 14.2	389 1.0 0.0 0.0	50.4 76.9 64.5
776	RO0Y_075_037d	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	54.7 28.8 24.2	37.6 40.0	0.75 0.375 0.375	49.4 36.7 17.1	40.5 25.0 11.8	389 1.0 0.0 0.0	50.4 76.9 64.5
777	RO0Y_062_025d	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	48.4 19.2 16.1	25.1 40.0	0.625 0.375 0.375	45.1 24.9 10.6	27.0 23.1 8.5	389 1.0 0.0 0.0	50.4 76.9 64.5
778	RO0Y_050_012d	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.375	42.0 9.6 8.0	12.5 40.0	0.5 0.375 0.375	41.4 12.4 4.8	13.3 21.2 4.3	389 1.0 0.0 0.0	50.4 76.9 64.5
779	NW_037d	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 325.3 2.5	360 1.0 1.0 1.0	95.4 0.0 0.0
780	G50B_037_012d	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	34.7 -5.7 -1.6	6.0 196.3	0.25 0.375 0.375	36.0 -11.0 -3.5	11.6 197.8 5.8	210 0.0 1.0 1.0	86.8 -46.1 -13.5
781	G50B_037_025d	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	33.6 -11.5 -3.3	12.0 196.3	0.125 0.375 0.375	34.7 -18.9 -5.7	19.8 196.8 7.8	210 0.0 1.0 1.0	86.8 -46.1 -13.5
782	G50B_037_037d	0.0 0.375 0.375	0.375 0.375 0.187	210	0.0 0.375 0.375	32.5 -17.3 -5.0	18.0 196.3	0.0 0.375 0.375	34.1 -22.5 -6.6	23.4 196.3 5.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5
783	RO0Y_100_075d	1.										

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia
N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 27/29

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md	
891	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	
892	B50R_100_012d	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 1.0	90.6 11.7 -7.3	13.8 328.2	1.0 0.875 1.0	87.9 15.7 -10.9	19.1 325.1 5.9	330	1.0 0.875 1.0	90.6 11.7 -7.3
893	B50R_100_025d	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 1.0	85.8 23.5 -14.6	27.7 328.2	1.0 0.75 1.0	80.9 31.7 -21.5	38.4 325.8 11.8	330	1.0 0.75 1.0	85.8 23.5 -14.6
894	B50R_100_037d	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 1.0	81.1 35.3 -21.9	41.6 328.2	1.0 0.625 1.0	74.3 47.6 -31.5	57.1 326.4 17.0	330	1.0 0.625 1.0	81.1 35.3 -21.9
895	B50R_100_050d	1.0 0.5 1.0	1.0 0.5 0.5	330	1.0 0.5 1.0	76.3 47.1 -29.2	55.4 328.2	1.0 0.5 1.0	68.6 62.6 -40.5	74.6 327.0 20.6	330	1.0 0.5 1.0	76.3 47.1 -29.2
896	B50R_100_062d	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	71.5 58.9 -36.5	69.3 328.2	1.0 0.375 1.0	63.8 75.6 -48.0	89.6 327.5 21.6	330	1.0 0.375 1.0	71.5 58.9 -36.5
897	B50R_100_075d	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	66.8 70.7 -43.8	83.2 328.2	1.0 0.25 1.0	60.2 85.6 -53.6	101.0 327.9 18.9	330	1.0 0.25 1.0	66.8 70.7 -43.8
898	B50R_100_087d	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	62.0 82.5 -51.1	97.1 328.2	1.0 0.125 1.0	58.1 91.8 -57.0	108.0 328.1 11.6	330	1.0 0.125 1.0	62.0 82.5 -51.1
899	B50R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2	1.0 0.0 1.0	57.2 94.3 -58.4	111.0 328.2 0.0	330	1.0 0.0 1.0	57.2 94.3 -58.4
900	GO0B_100_012d	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.875	93.9 -10.3 9.9	14.3 136.0	0.875 1.0 0.875	92.5 -15.4 11.3	19.1 143.6 5.4	149	0.875 1.0 0.875	93.9 -10.3 9.9
901	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 325.2 1.2	360	1.0 1.0 1.0	95.4 0.0 0.0
902	B50R_087_012d	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.875	78.7 11.7 -7.3	13.8 328.2	0.875 0.75 0.875	77.1 16.1 -11.2	19.6 325.2 6.0	330	1.0 0.75 0.875	78.7 11.7 -7.3
903	B50R_087_025d	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.875	73.9 23.5 -14.6	27.7 328.2	0.875 0.625 0.875	69.9 32.6 -22.0	39.3 325.9 12.3	330	1.0 0.625 0.875	73.9 23.5 -14.6
904	B50R_087_037d	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	69.1 35.3 -21.9	41.6 328.2	0.875 0.5 0.875	63.5 48.6 -31.9	58.2 326.7 17.6	330	1.0 0.5 0.875	69.1 35.3 -21.9
905	B50R_087_050d	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	64.4 47.1 -29.2	55.4 328.2	0.875 0.375 0.875	58.0 63.2 -40.5	75.0 327.3 20.6	330	1.0 0.375 0.875	64.4 47.1 -29.2
906	B50R_087_062d	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	59.6 58.9 -36.5	69.3 328.2	0.875 0.25 0.875	53.8 74.7 -47.0	88.3 327.8 19.8	330	1.0 0.25 0.875	59.6 58.9 -36.5
907	B50R_087_075d	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	54.9 70.7 -43.8	83.2 328.2	0.875 0.125 0.875	51.3 82.1 -51.1	96.7 328.1 14.0	330	1.0 0.125 0.875	54.9 70.7 -43.8
908	B50R_087_087d	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	50.1 82.5 -51.1	97.1 328.2	0.875 0.0 0.875	50.2 85.3 -52.8	100.3 328.2 3.2	330	1.0 0.0 0.875	50.1 82.5 -51.1
909	GO0B_100_025d	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.75	92.4 -20.6 19.9	28.7 136.0	0.75 1.0 0.75	90.1 -30.5 23.2	38.3 142.7 10.6	149	0.75 1.0 0.75	92.4 -20.6 19.9
910	GO0B_087_012d	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.75	82.0 -10.3 9.9	14.3 136.0	0.75 0.875 0.75	81.8 -15.7 11.6	19.6 143.5 5.6	149	0.75 0.875 0.75	82.0 -10.3 9.9
911	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 325.2 2.1	360	1.0 1.0 1.0	95.4 0.0 0.0
912	B50R_075_012d	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.75	66.7 11.7 -7.3	13.8 328.2	0.75 0.625 0.75	65.9 16.6 -11.5	20.2 325.3 6.4	330	1.0 0.625 0.75	66.7 11.7 -7.3
913	B50R_075_025d	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	62.0 23.5 -14.6	27.7 328.2	0.75 0.5 0.75	58.7 33.5 -22.4	40.4 326.2 13.1	330	1.0 0.5 0.75	62.0 23.5 -14.6
914	B50R_075_037d	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	57.2 35.3 -21.9	41.6 328.2	0.75 0.375 0.75	52.4 49.6 -32.2	59.1 327.0 18.2	330	1.0 0.375 0.75	57.2 35.3 -21.9
915	B50R_075_050d	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	52.5 47.1 -29.2	55.4 328.2	0.75 0.25 0.75	47.5 63.1 -39.9	74.6 327.6 19.8	330	1.0 0.25 0.75	52.5 47.1 -29.2
916	B50R_075_062d	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	47.7 58.9 -36.5	69.3 328.2	0.75 0.125 0.75	44.3 72.1 -44.9	84.9 328.0 15.9	330	1.0 0.125 0.75	47.7 58.9 -36.5
917	B50R_075_075d	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	42.9 70.7 -43.8	83.2 328.2	0.75 0.0 0.75	43.0 76.0 -47.0	89.4 328.2 6.1	330	1.0 0.0 0.75	42.9 70.7 -43.8
918	GO0B_100_037d	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.625	90.9 -31.0 29.9	43.1 136.0	0.625 1.0 0.625	88.0 -44.8 35.5	57.2 141.6 15.1	149	0.625 1.0 0.625	90.9 -31.0 29.9
919	GO0B_087_025d	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.625	80.5 -20.6 19.9	28.7 136.0	0.625 0.875 0.625	79.3 -31.1 23.9	39.3 142.4 11.2	149	0.625 0.875 0.625	80.5 -20.6 19.9
920	GO0B_075_012d	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.625	70.0 -10.3 9.9	14.3 136.0	0.625 0.75 0.625	70.8 -16.2 12.0	20.2 143.4 6.2	149	0.625 0.75 0.625	70.0 -10.3 9.9
921	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 325.2 2.7	360	1.0 1.0 1.0	95.4 0.0 0.0
922	B50R_062_012d	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	54.8 11.7 -7.3	13.8 328.2	0.625 0.5 0.625	54.4 17.2 -11.8	20.9 325.5 7.1	330	1.0 0.5 0.625	54.8 11.7 -7.3
923	B50R_062_025d	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	50.1 23.5 -14.6	27.7 328.2	0.625 0.375 0.625	47.1 34.6 -22.9	41.5 326.5 14.1	330	1.0 0.375 0.625	50.1 23.5 -14.6
924	B50R_062_037d	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	45.3 35.3 -21.9	41.6 328.2	0.625 0.25 0.625	41.2 50.2 -32.1	59.6 327.4 18.5	330	1.0 0.25 0.625	45.3 35.3 -21.9
925	B50R_062_050d	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	40.5 47.1 -29.2	55.4 328.2	0.625 0.125 0.625	37.3 61.3 -38.3	72.3 327.9 17.2	330	1.0 0.125 0.625	40.5 47.1 -29.2
926	B50R_062_062d	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	35.8 58.9 -36.5	69.3 328.2	0.625 0.0 0.625	35.5 66.4 -41.1	78.1 328.2 8.7	330	1.0 0.0 0.625	35.8 58.9 -36.5
927	GO0B_100_050d	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.5	89.5 -41.3 39.9	57.5 136.0	0.5 1.0 0.5	86.3 -57.6 47.9	75.0 140.2 18.4	149	0.5 1.0 0.5	89.5 -41.3 39.9
928	GO0B_087_037d	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.5	79.0 -31.0 29.9	43.1 136.0	0.5 0.875 0.5	77.4 -45.4 36.6	58.3 141.0 15.9	149	0.5 0.875 0.5	79.0 -31.0 29.9
929	GO0B_075_025d	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.5	68.6 -20.6 19.9	28.7 136.0	0.5 0.75 0.5	68.3 -31.8 24.8	40.4 142.0 12.1	149	0.5 0.75 0.5	68.6 -20.6 19.9
930	GO0B_062_012d	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.5	58.1 -10.3 9.9	14.3 136.0	0.5 0.625 0.5	59.4 -16.7 12.5	20.9 143.1 7.0	149	0.5 0.625 0.5	58.1 -10.3 9.9
931	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0
932	B50R_050_012d	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.5	42.9 11.7 -7.3	13.8 328.2	0.5 0.375 0.5	42.3 18.0 -12.2	21.8 325.7 8.0	330	1.0 0.375 0.5	42.9 11.7 -7.3
933	B50R_050_025d	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.25 0.5	38.1 23.5 -14.6	27.7 328.2	0.5 0.25 0.5	35.2 35.7 -23.2	42.6 326.9 15.2	330	1.0 0.25 0.5	38.1 23.5 -14.6
934	B50R_050_037d	0.5 0.125 0.5	0.5 0.375 0.312	330	0.5 0.125 0.5	33.4 35.3 -21.9	41.6 328.2	0.5 0.125 0.5	30.1 49.6 -31.2	58.6 327.8 17.3	330	1.0 0.125 0.5	33.4 35.3 -21.9
935	B50R_050_050d	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.5	28.6 47.1 -29.2	55.4 328.2	0.5 0.0 0.5	27.8 56.4 -34.9	66.3 328.2 10.9	330	1.0 0.0 0.5	28.6 47.1 -29.2
936	GO0B_100_062d	0.375 1.0 0.375	1.0 0.625 0.687	150	0.375 1.0 0.375	88.0 -51.7 49.9	71.9 136.0	0.375 1.0 0.375	85.1 -68.3 59.7	90.7 138.8 19.4	149	0.375 1.0 0.375	88.0 -51.7 49.9
937	GO0B_087_050d	0.375 0.875 0.375	0.875 0.5 0.625	150	0.375 0.875 0.375	77.5 -41.3 39.9	57.5 136.0	0.375 0.875 0.375	75.9 -57.6 49.1	75.7 139.5 18.7	149	0.375 0.875 0.375	77.5 -41.3 39.9
938	GO0B_075_037d	0.375 0.75 0.375	0.75 0.375 0.562	150	0.375 0.75 0.375	67.1 -31.0 29.9	43.1 136.0	0.375 0.75 0.375	66.5 -45.8 37.9	59.4 140.3 16.7	149	0.375 0.75 0.375	67.1 -31.0 29.9
939	GO0B_062_025d	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.375	56.6 -20.6 19.9	28.7 136.0	0.375 0.625 0.375	57.0 -32.5 25.9	41.6 141.4 13.2	149	0.375 0.625 0.375	56.6 -20.6 19.9
940	GO0B_050_012d	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	46.2 -10.3 9.9	14.3 136.0	0.375 0.5 0.375	47.6 -17.3 13.1	21.8 142.8 7.8	149	0.375 0.5 0.375	46.2 -10.3 9.9
941	NW_037d	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 325.3 2.5	360	1.0 1.0 1.0	95.4 0.0 0.0
942	B50R_037_012d	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.25 0.375	31.0 11.7 -7.3	13.8 328.2	0.375 0.25 0.375	29.7 19.0 -12.7	22.9 326.1 9.1	330	1.0 0.25 0.375	31.0 11.7 -7.3

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia

N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 28/29

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/RS21/RS21.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>TUB matrícula: 20130201-RS21/RS21L0NA.TXT /.PS
aplicación para la medida de display output, ninguna separación

TUB material: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
972	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
973	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
974	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
975	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
976	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
977	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
978	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
979	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
980	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
981	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
982	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
983	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
984	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
985	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
986	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
987	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
988	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
989	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
990	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
991	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
992	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
993	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
994	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
995	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
996	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
997	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
998	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
999	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1000	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1001	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1002	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1003	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1004	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1005	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1006	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1007	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1008	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1009	NW_006a	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	6.2 0.0 0.0	0.066 0.066 0.066	4.4 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1010	NW_013a	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	12.6 0.0 0.0	0.133 0.133 0.133	12.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1011	NW_020a	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	19.0 0.0 0.0	0.2 0.2 0.2	19.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1012	NW_026a	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	25.3 0.0 0.0	0.266 0.266 0.266	27.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1013	NW_033a	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	31.7 0.0 0.0	0.333 0.333 0.333	34.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1014	NW_040a	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	38.1 0.0 0.0	0.4 0.4 0.4	40.8 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1015	NW_046a	0.466 0.466 0.466	0.466 0.466 0.466	0.466 360	0.466 0.466 0.466	44.4 0.0 0.0	0.466 0.466 0.466	47.3 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1016	NW_053a	0.533 0.533 0.533	0.533 0.533 0.533	0.533 360	0.533 0.533 0.533	50.8 0.0 0.0	0.533 0.533 0.533	53.7 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1017	NW_060a	0.6 0.6 0.6	0.6 0.6 0.6	0.6 360	0.6 0.6 0.6	57.2 0.0 0.0	0.6 0.6 0.6	60.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1018	NW_066a	0.666 0.666 0.666	0.666 0.666 0.666	0.666 360	0.666 0.666 0.666	63.5 0.0 0.0	0.666 0.666 0.666	66.1 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
1019	NW_073a	0.734 0.734 0.734	0.734 0.734 0.734	0.734 360	0.734 0.734 0.734	70.0 0.0 0.0	0.					

http://130.149.60.45/~farbmetrik/RS21/RS21L0NA.TXT /.PS; salida de transferencia
N: ninguna 3D-linealización (OL) en archivo (F) o PS-startup (S), página 29/29

n	HIC*Fd	rgb_Fd			ict_Fd			hsi_Fd			rgb**Fd				LabCh**Fd				DE**Fd				hsiM,d			rgb*Md				LabCh*Md			
1053	NW_086d	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	1.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1054	NW_093d	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1055	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1056	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1057	NW_006d	0.066	0.066	0.066	0.066	0.0	0.066	360	0.066	0.066	0.066	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	326.3	1.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1058	NW_013d	0.133	0.133	0.133	0.133	0.0	0.133	360	0.133	0.133	0.133	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.6	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1059	NW_020d	0.2	0.2	0.2	0.2	0.0	0.2	360	0.2	0.2	0.2	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.5	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1060	NW_026d	0.266	0.266	0.266	0.266	0.0	0.266	360	0.266	0.266	0.266	25.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.4	1.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1061	NW_033d	0.333	0.333	0.333	0.333	0.0	0.333	360	0.333	0.333	0.333	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.3	2.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1062	NW_040d	0.4	0.4	0.4	0.4	0.0	0.4	360	0.4	0.4	0.4	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.3	2.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1063	NW_046d	0.466	0.466	0.466	0.466	0.0	0.466	360	0.466	0.466	0.466	44.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.4	2.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1064	NW_053d	0.533	0.533	0.533	0.533	0.0	0.533	360	0.533	0.533	0.533	50.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.3	2.9	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1065	NW_060d	0.6	0.6	0.6	0.6	0.0	0.6	360	0.6	0.6	0.6	57.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.3	2.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1066	NW_066d	0.666	0.666	0.666	0.666	0.0	0.666	360	0.666	0.666	0.666	63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	2.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1067	NW_073d	0.734	0.734	0.734	0.734	0.0	0.734	360	0.734	0.734	0.734	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	2.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1068	NW_080d	0.8	0.8	0.8	0.8	0.0	0.8	360	0.8	0.8	0.8	76.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	1.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1069	NW_086d	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	1.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1070	NW_093d	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1071	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1072	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1073	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1074	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	0.0	0.0	0.0	0.0	0.0	39.9	0.0	389	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	
1075	G50B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	1.0	1.0	196.3	0.0	210	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	
1076	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	0.0	89	1.0	1.0	0.0	92.6	-20.7	89	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	
1077	B00R_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	270	0.0	0.0	1.0	30.3	76.0	270	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	
1078	G00B_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	149	0.0	1.0	0.0	83.6	-82.7	149	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	0.0	330	1.0	0.0	1.0	57.2	94.3	330	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	

delta E* = 1.0

gráfico TUB-RS21; código de tono: H*d=B25Rd
colores y diferencia en color, ΔE^*

entrada: *rgb/cmyk* -> *rgb*_d
salida: transfiera a *rgb*_d