




http://130.149.60.45/~farbmetrik/SE10/SE10LONP.PDF /.PS; start output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE10/SE10LONP.PDF /.PS  
application for measurement of display output


TUB material: code=rha4ta




SE100-7N  
TUB-test chart SE10; 1080 standard colours  
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n):  $rgb + cmy0$  (A\_j + k26\_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change








see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-SE10/SE10L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta



1-003130-L0 SE100-70 Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n), 3D = 0  
TUB-test chart SE10; 1080 standard colours  
Test chart according to DIN 33872, 3D=0, de=0, sRGB  
input: *rgb/cmyk* -> *rgb<sub>d</sub>*  
output: transfer to *rgb<sub>d</sub>*




http://130.149.60.45/~farbmetrik/SE10/SE10LONP.PDF /.PS; start output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10.HTM>  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE10/SE10LONP.PDF /.PS  
application for measurement of display output


TUB material: code=rha4ta




TUB-test chart SE10; 1080 standard colours  
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n):  $rgb + cmy0$  (A\_j + k26\_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
output: no change






http://130.149.60.45/~farbmetrik/SE10/SE10LONP.PDF /.PS; transfer output  
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2



see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10LONP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE10/SE10LONP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta



SE100-71  
TUB-test chart SE10; 1080 standard colours  
Test chart according to DIN 33872, 3D=0, de=1, sRGB

input: *rgb/cmyk* -> *rgb<sub>e</sub>*  
output: transfer to *rgb<sub>e</sub>*

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n), 3D = 0