

Entree et sortie: Systeme Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou elementaire (e):


HIC*-

code de teinte pour les couleurs
de cette page:

H*- = R00Y-, R25Y-, ..., B75R-

ORS20a; adaptees donnees CIELAB (a)

H*-	L*=L*a	a*	b*	C*ab,a	h*ab,a
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



% Gamme

u*rel = 92



% Régularité

g*H,rel = 57

g*C,rel = 58

ORS18a; adaptees donnees CIELAB (a)

Name	L*=L*a	a*	b*	C*ab,a	h*ab,a
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271



SF040-7N

graphique TUB-SF04; 16 teintes, papier standard de offset
graphique conforme à DIN 33872

entree: rgb/cmyk -> rgb/cmyk
sortie: aucun changement

Entreè et sortie: Système Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou èlémentaire (e):


HIC^*_d

code de teinte pour les couleurs
de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adaptées données CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.5	65.5	38.4	76.0	30
R25Y_100_100_d	55.9	47.3	48.7	67.9	45
R50Y_100_100_d	68.1	24.0	63.0	67.4	69
R75Y_100_100_d	81.2	2.5	78.8	78.9	88
Y00G_100_100_d	89.4	-9.5	89.0	89.6	96
Y25G_100_100_d	84.1	-17.3	77.9	79.8	102
Y50G_100_100_d	73.1	-30.2	60.8	67.9	116
Y75G_100_100_d	60.3	-48.7	41.3	63.9	139
G00B_100_100_d	51.6	-69.3	23.0	73.1	161
G25B_100_100_d	54.6	-50.8	-17.3	53.7	198
G50B_100_100_d	57.8	-31.9	-45.1	55.3	234
G75B_100_100_d	42.3	-7.7	-46.3	46.9	260
B00R_100_100_d	24.9	22.9	-47.8	53.0	295
B25R_100_100_d	37.0	53.9	-27.1	60.4	333
B50R_100_100_d	48.2	74.2	-8.7	74.7	353
B75R_100_100_d	47.8	69.7	11.3	70.6	9



% Gamme

$u^*_{rel} = 92$



% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adaptées données CIELAB (a)

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.5	65.5	38.4	76.0	30
Y _{d, Ma}	89.4	-9.5	89.0	89.6	96
G _{d, Ma}	51.6	-69.3	23.0	73.1	161
C _{d, Ma}	57.8	-31.9	-45.1	55.3	234
B _{d, Ma}	24.9	22.9	-47.8	53.0	295
M _{d, Ma}	48.2	74.2	-8.7	74.7	353
N _{d, Ma}	18.5	0.0	0.0	0.0	0
W _{d, Ma}	96.3	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271







3-003130-L0

SF040-70

graphique TUB-SF04; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=0, de=0, cmyk



entrée: $rgb/cmyk \rightarrow rgb_d$
sortie: transférer à $cmyk_d$

3-003130-F0





voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>



Entreè et sortie: Système Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou èlémentaire (e):


HIC^*_d

code de teinte pour les couleurs
de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adaptées données CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.5	65.5	38.4	76.0
R25Y_100_100_d	55.9	47.3	48.7	67.9
R50Y_100_100_d	68.1	24.0	63.0	67.4
R75Y_100_100_d	81.2	2.5	78.8	78.9
Y00G_100_100_d	89.4	-9.5	89.0	89.6
Y25G_100_100_d	84.1	-17.3	77.9	79.8
Y50G_100_100_d	73.1	-30.2	60.8	67.9
Y75G_100_100_d	60.3	-48.7	41.3	63.9
G00B_100_100_d	51.6	-69.3	23.0	73.1
G25B_100_100_d	54.6	-50.8	-17.3	53.7
G50B_100_100_d	57.8	-31.9	-45.1	55.3
G75B_100_100_d	42.3	-7.7	-46.3	46.9
B00R_100_100_d	24.9	22.9	-47.8	53.0
B25R_100_100_d	37.0	53.9	-27.1	60.4
B50R_100_100_d	48.2	74.2	-8.7	74.7
B75R_100_100_d	47.8	69.7	11.3	70.6



% Gamme

$u^*_{rel} = 92$



% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adaptées données CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_d, Ma	47.5	65.5	38.4	76.0
Y_d, Ma	89.4	-9.5	89.0	89.6
G_d, Ma	51.6	-69.3	23.0	73.1
C_d, Ma	57.8	-31.9	-45.1	55.3
B_d, Ma	24.9	22.9	-47.8	53.0
M_d, Ma	48.2	74.2	-8.7	74.7
N_d, Ma	18.5	0.0	0.0	0.0
W_d, Ma	96.3	0.0	0.0	0.0
R_d, CIE	39.9	58.7	27.9	65.0
Y_d, CIE	81.2	-2.8	71.5	71.6
G_d, CIE	52.2	-42.4	13.6	44.5
B_d, CIE	30.5	1.4	-46.4	46.4



3-003530-L0

SF040-70

graphique TUB-SF04; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=0, de=0, cmyk




entrée: $rgb/cmyk \rightarrow rgb_d$
sortie: transférer à $cmyk_d$

3-003530-F0

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmyn6 (CMYK)

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$
 rgb^*, LCH^*, LAB^*
 $h_{ab,s} \cdot rgb^*_i$
 $h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)]$ (1)
 $s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$
 $h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (2)
 $h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (3)
 $h_{ab,e} : h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$
 $h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$ (4)
 $h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$ (5)
 $h_{ab,i}, h_{ab,d}$
 rgb^*_{de}

3-003630-L0 SF040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 7/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_d$
cercle de teinte, 48 étapes; $rgb-LabCh^*$ tables, 3D=0, de=0, sortie: transférer à $cmyk_d$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM₆: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Six hue angles of the device colours <i>RYGCBM</i> _d : <i>h</i> _{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2; Six hue angles of the elementary colours <i>RYGCBM</i> _e : <i>h</i> _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																											
<i>h</i> _{ab,d}	<i>h</i> _{ab,s}	<i>h</i> _{ab,e}	<i>rgb</i> * dd64M	<i>LAB</i> * ddx64M (x=LabCh)	<i>rgb</i> * ddx361M	<i>LAB</i> * ddx361M (x=LabCh)	<i>rgb</i> * dsx361M	<i>LAB</i> * dsx361M (x=LabCh)	<i>rgb</i> * dex361M	<i>LAB</i> * dex361M																	
30.4	30.0	25.4	1.0	0.0	0.0	47.5	65.5	38.5	76.1	30	1.0	0.0	0.011	47.5	65.7	37.9	75.8	30	1.0	0.0	0.131	47.7	66.3	31.6	73.5	25	
37.2	37.5	33.8	1.0	0.125	0.0	51.5	56.6	43.1	71.6	36	1.0	0.12	0.0	51.4	57.0	43.0	71.4	37	1.0	0.052	0.0	49.2	61.9	40.6	74.0	33	
47.2	45.0	42.1	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47.2	1.0	0.25	0.0	56.6	45.8	48.3	68.3	45	1.0	0.187	0.0	54.1	51.4	46.6	69.4	42	
58.6	52.5	50.5	1.0	0.375	0.0	62.3	34.4	56.4	66.1	58.6	1.0	0.367	0.0	62.0	35.2	56.1	66.2	57	1.0	0.302	0.0	59.0	41.2	52.7	66.9	52	
69.1	60.0	58.8	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1	1.0	0.5	0.0	68.1	24.0	63.0	67.5	69	1.0	0.391	0.0	63.1	33.1	57.4	66.3	60	
80.3	67.5	67.2	1.0	0.625	0.0	74.9	12.1	71.5	72.5	80.3	1.0	0.617	0.0	74.5	13.1	71.1	72.2	79	1.0	0.475	0.0	66.9	26.3	61.8	67.2	67	
87.4	75.0	75.6	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87.4	1.0	0.75	0.0	80.6	3.5	78.1	78.1	87	1.0	0.565	0.0	71.7	18.2	67.8	70.1	75	
92.5	82.5	83.9	1.0	0.875	0.0	85.4	-3.7	84.0	84.0	92.5	1.0	0.867	0.0	85.1	-3.2	83.6	83.7	92	1.0	0.654	0.0	76.3	10.3	73.2	73.9	82	
96.0	90.0	92.3	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	1.0	1.0	0.0	89.4	-9.4	89.1	89.6	96	1.0	0.812	0.0	83.0	0.0	81.1	81.1	90	
99.5	97.5	101.0	0.875	1.0	0.0	86.7	-13.9	82.7	83.8	99.5	0.883	1.0	0.0	86.9	-13.6	83.1	84.3	99	0.967	1.0	0.0	88.7	-10.6	87.4	88.1	97	
102.9	105.0	109.7	0.75	1.0	0.0	83.7	-17.7	77.1	79.2	102.9	0.75	1.0	0.0	83.7	-17.7	77.2	79.2	102	0.7	1.0	0.0	81.4	-20.0	74.9	77.5	105	
107.9	112.5	118.5	0.625	1.0	0.0	77.9	-23.1	71.3	75.0	107.9	0.633	1.0	0.0	78.4	-22.7	71.7	75.3	107	0.566	1.0	0.0	75.7	-26.7	66.4	71.6	112	
116.4	120.0	127.2	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4	0.5	1.0	0.0	73.2	-30.1	60.8	67.9	116	0.445	1.0	0.0	71.3	-33.1	57.5	66.4	120	
124.5	127.5	136.0	0.375	1.0	0.0	68.8	-36.5	53.0	64.4	124.5	0.383	1.0	0.0	69.1	-36.1	53.6	64.6	124	0.353	1.0	0.0	67.4	-38.6	51.3	64.3	127	
138.2	135.0	144.7	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138.2	0.25	1.0	0.0	60.9	-47.4	42.4	63.7	138	0.28	1.0	0.0	62.8	-45.1	45.2	63.9	135	
149.2	142.5	153.4	0.125	1.0	0.0	56.7	-56.1	33.3	65.2	149.2	0.133	1.0	0.0	57.0	-55.5	34.0	65.2	148	0.207	1.0	0.0	59.5	-50.5	39.6	64.2	142	
161.6	150.0	162.2	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	0.0	1.0	0.0	51.7	-69.3	23.1	73.1	161	0.117	1.0	0.0	56.4	-56.8	32.9	65.8	150	
168.3	157.5	169.0	0.0	1.0	0.125	52.3	-66.1	13.6	67.5	168.3	0.0	1.0	0.117	52.3	-66.3	14.3	67.9	167	0.047	1.0	0.0	53.5	-64.5	27.4	70.2	157	
176.2	165.0	175.9	0.0	1.0	0.25	53.0	-61.8	4.0	61.9	176.2	0.0	1.0	0.25	53.0	-61.8	4.0	62.0	176	0.0	1.0	0.063	52.0	-67.8	18.2	70.3	165	
186.9	172.5	182.7	0.0	1.0	0.375	53.8	-56.5	-6.8	56.9	186.9	0.0	1.0	0.367	53.8	-56.9	-6.1	57.3	186	0.0	1.0	0.183	52.7	-64.2	9.0	65.0	172	
198.8	180.0	189.6	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8	0.0	1.0	0.5	54.7	-50.8	-17.2	53.7	198	0.0	1.0	0.294	53.3	-60.1	0.0	60.2	180	
209.5	187.5	196.4	0.0	1.0	0.625	55.4	-45.8	-25.9	52.6	209.5	0.0	1.0	0.617	55.4	-46.1	-25.3	52.7	208	0.0	1.0	0.376	53.9	-56.4	-6.8	56.9	187	
220.1	195.0	203.2	0.0	1.0	0.75	56.6	-40.0	-33.7	52.4	220.1	0.0	1.0	0.75	56.7	-40.0	-33.7	52.4	220	0.0	1.0	0.46	54.4	-52.8	-14.1	54.8	195	
227.6	202.5	210.1	0.0	1.0	0.875	57.2	-36.1	-39.6	53.6	227.6	0.0	1.0	0.867	57.3	-36.3	-39.2	53.6	227	0.0	1.0	0.537	54.9	-49.4	-19.9	53.4	202	
234.6	210.0	216.9	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	0.0	1.0	1.0	57.9	-31.9	-45.0	55.3	234	0.0	1.0	0.631	55.5	-45.5	-26.2	52.7	210	
238.7	217.5	223.8	0.0	0.875	1.0	54.9	-27.5	-45.3	53.0	238.7	0.0	0.883	1.0	55.1	-27.8	-45.3	53.2	238	0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	217	
244.0	225.0	230.6	0.0	0.75	1.0	51.3	-22.1	-45.6	50.7	244.0	0.0	0.75	1.0	51.3	-22.1	-45.5	50.7	244	0.0	1.0	0.831	57.1	-37.5	-37.5	53.2	225	
250.7	232.5	237.5	0.0	0.625	1.0	47.2	-16.0	-45.9	48.7	250.7	0.0	0.633	1.0	47.5	-16.3	-45.9	48.8	250	0.0	1.0	0.952	57.7	-33.6	-43.0	54.7	232	
260.4	240.0	244.3	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4	0.0	0.5	1.0	42.4	-7.7	-46.2	47.0	260	0.0	1.0	0.845	1.0	54.1	-26.2	-45.4	52.5	240
270.4	247.5	251.2	0.0	0.375	1.0	37.3	0.3	-46.4	46.4	270.4	0.0	0.383	1.0	37.7	-0.1	-46.4	46.5	269	0.0	1.0	0.695	1.0	49.6	-19.4	-45.8	49.8	247
280.2	255.0	258.0	0.0	0.25	1.0	32.7	8.5	-47.0	47.8	280.2	0.0	0.25	1.0	32.8	8.5	-47.0	47.8	280	0.0	1.0	0.57	1.0	45.1	-12.3	-46.2	47.9	255
289.3	262.5	264.8	0.0	0.125	1.0	28.1	16.7	-47.6	50.4	289.3	0.0	0.133	1.0	28.4	16.2	-47.5	50.3	288	0.0	1.0	0.481	1.0	41.6	-6.4	-46.3	46.9	262
295.6	270.0	271.7	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	0.0	0.0	1.0	25.0	23.0	-47.7	53.1	295	0.0	1.0	0.38	1.0	37.5	0.0	-46.4	46.5	270
305.9	277.5	278.8	0.125	0.0	1.0	27.8	31.4	-43.4	53.6	305.9	0.117	0.0	1.0	27.7	30.9	-43.7	53.6	305	0.0	1.0	0.291	1.0	34.3	5.8	-46.9	47.4	277
311.7	285.0	285.9	0.25	0.0	1.0	29.9	36.0	-40.4	54.1	311.7	0.25	0.0	1.0	30.0	36.1	-40.3	54.2	311	0.0	1.0	0.185	1.0	30.4	12.7	-47.4	49.2	285
325.9	292.5	293.0	0.375	0.0	1.0	33.7	47.7	-32.2	57.5	325.9	0.367	0.0	1.0	33.5	47.0	-32.8	57.4	325	0.0	1.0	0.073	1.0	26.8	19.3	-47.7	51.6	292
333.2	300.0	300.1	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2	0.5	0.0	1.0	37.1	54.0	-27.1	60.4	333	0.053	0.0	1.0	26.2	26.7	-46.1	53.3	300	
339.6	307.5	307.2	0.625	0.0	1.0	40.2	59.7	-22.1	63.7	339.6	0.617	0.0	1.0	40.0	59.4	-22.4	63.5	339	0.148	0.0	1.0	28.3	32.4	-42.8	53.8	307	
346.7	315.0	314.3	0.75	0.0	1.0	43.3	66.7	-15.7	68.5	346.7	0.75	0.0	1.0	43.3	66.8	-15.6	68.6	346	0.279	0.0	1.0	30.8	38.9	-38.8	55.0	315	
350.3	322.5	321.4	0.875	0.0	1.0	45.9	70.7	-12.0	71.7	350.3	0.867	0.0	1.0	45.8	70.5	-12.2	71.5	350	0.34	0.0	1.0	32.7	44.6	-34.8	56.6	322	
353.2	330.0	328.6	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353	0.444	0.0	1.0	35.6	51.2	-29.5	59.1	330	
356.1	337.5	335.7																									

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M} (x=LabCh)$						$rgb^*_{dex361M}$			$LAB^*_{dex361M}$						rgb^*_{dd}			rgb^*_{ds}	rgb^*_{de}
30.4	30.0	25.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4	30.4	1.0	0.0	0.131	47.7	66.3	31.6	73.5	25						
37.2	37.5	33.8	1.0	0.125	0.0	51.5	56.6	43.1	71.2	37.2	37.2	1.0	0.052	0.0	49.2	61.9	40.6	74.0	33						
47.2	45.0	42.1	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47.2	47.2	1.0	0.187	0.0	54.1	51.4	46.6	69.4	42						
58.6	52.5	50.5	1.0	0.375	0.0	62.3	34.4	56.4	66.1	58.6	58.6	1.0	0.28	0.0	58.0	43.2	51.4	67.1	49						
69.1	60.0	58.8	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1	69.1	1.0	0.378	0.0	62.5	34.2	56.6	66.1	58						
80.3	67.5	67.2	1.0	0.625	0.0	74.9	12.1	71.5	72.5	80.3	80.3	1.0	0.471	0.0	66.8	26.6	61.7	67.1	66						
87.4	75.0	75.6	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87.4	87.4	1.0	0.572	0.0	72.1	17.5	68.2	70.4	75						
92.5	82.5	83.9	1.0	0.875	0.0	85.4	-3.7	84.0	84.0	92.5	92.5	1.0	0.679	0.0	77.4	8.6	74.5	75.0	83						
96.0	90.0	92.3	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	96.0	1.0	0.868	0.0	85.2	-3.3	83.7	83.8	92						
99.5	97.5	101.0	0.875	1.0	0.0	86.7	-13.9	82.7	83.8	99.5	99.5	0.842	1.0	0.0	85.9	-14.9	81.3	82.6	100						
102.9	105.0	109.7	0.75	1.0	0.0	83.7	-17.7	77.1	79.2	102.9	102.9	0.598	1.0	0.0	77.0	-24.8	69.2	73.5	109						
107.9	112.5	118.5	0.625	1.0	0.0	77.9	-23.1	71.3	75.0	107.9	107.9	0.477	1.0	0.0	72.4	-31.4	59.4	67.3	117						
116.4	120.0	127.2	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4	116.4	0.35	1.0	0.0	67.3	-38.8	51.1	64.3	127						
124.5	127.5	136.0	0.375	1.0	0.0	68.8	-36.5	53.0	64.4	124.5	124.5	0.276	1.0	0.0	62.5	-45.4	44.8	63.9	135						
138.2	135.0	144.7	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138.2	138.2	0.176	1.0	0.0	58.4	-52.7	37.3	64.6	144						
149.2	142.5	153.4	0.125	1.0	0.0	56.7	-56.1	33.3	65.2	149.2	149.2	0.088	1.0	0.0	55.2	-60.1	30.8	67.6	152						
161.6	150.0	162.2	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	161.6	0.0	1.0	0.011	51.7	-69.0	22.2	72.6	162						
168.3	157.5	169.0	0.0	1.0	0.125	52.3	-66.1	13.6	67.5	168.3	168.3	0.0	1.0	0.129	52.4	-65.9	13.3	67.3	168						
176.2	165.0	175.9	0.0	1.0	0.25	53.0	-61.8	4.0	61.9	176.2	176.2	0.0	1.0	0.244	53.0	-62.0	4.4	62.2	175						
186.9	172.5	182.7	0.0	1.0	0.375	53.8	-56.5	-6.8	56.9	186.9	186.9	0.0	1.0	0.321	53.5	-59.0	-2.3	59.1	182						
198.8	180.0	189.6	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8	198.8	0.0	1.0	0.403	54.0	-55.4	-9.3	56.2	189						
209.5	187.5	196.4	0.0	1.0	0.625	55.4	-45.8	-25.9	52.6	209.5	209.5	0.0	1.0	0.47	54.5	-52.3	-14.9	54.5	195						
220.1	195.0	203.2	0.0	1.0	0.75	56.6	-40.0	-33.7	52.4	220.1	220.1	0.0	1.0	0.552	55.0	-48.9	-21.0	53.3	203						
227.6	202.5	210.1	0.0	1.0	0.875	57.2	-36.1	-39.6	53.6	227.6	227.6	0.0	1.0	0.627	55.5	-45.7	-26.0	52.7	209						
234.6	210.0	216.9	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	234.6	0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	216						
238.7	217.5	223.8	0.0	0.875	1.0	54.9	-27.5	-45.3	53.0	238.7	238.7	0.0	1.0	0.804	56.9	-38.4	-36.3	52.9	223						
244.0	225.0	230.6	0.0	0.75	1.0	51.3	-22.1	-45.6	50.7	244.0	244.0	0.0	1.0	0.929	57.5	-34.4	-41.9	54.4	230						
250.7	232.5	237.5	0.0	0.625	1.0	47.2	-16.0	-45.9	48.7	250.7	250.7	0.0	0.927	1.0	56.1	-29.3	-45.2	54.0	237						
260.4	240.0	244.3	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4	260.4	0.0	0.745	1.0	51.2	-21.8	-45.6	50.6	244						
270.4	247.5	251.2	0.0	0.375	1.0	37.3	0.3	-46.4	46.4	270.4	270.4	0.0	0.625	1.0	47.3	-16.0	-45.9	48.7	250						
280.2	255.0	258.0	0.0	0.25	1.0	32.7	8.5	-47.0	47.8	280.2	280.2	0.0	0.531	1.0	43.6	-9.7	-46.3	47.4	258						
289.3	262.5	264.8	0.0	0.125	1.0	28.1	16.7	-47.6	50.4	289.3	289.3	0.0	0.45	1.0	40.3	-4.4	-46.5	46.8	264						
295.6	270.0	271.7	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	295.6	0.0	0.358	1.0	36.7	1.4	-46.5	46.7	271						
305.9	277.5	278.8	0.125	0.0	1.0	27.8	31.4	-43.4	53.6	305.9	305.9	0.0	0.274	1.0	33.7	6.9	-47.0	47.6	278						
311.7	285.0	285.9	0.25	0.0	1.0	29.9	36.0	-40.4	54.1	311.7	311.7	0.0	0.172	1.0	29.9	13.6	-47.5	49.5	285						
325.9	292.5	293.0	0.375	0.0	1.0	33.7	47.7	-32.2	57.5	325.9	325.9	0.0	0.061	1.0	26.5	19.9	-47.7	51.8	292						
333.2	300.0	300.1	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2	333.2	0.055	0.0	1.0	26.3	26.8	-46.0	53.3	300						
339.6	307.5	307.2	0.625	0.0	1.0	40.2	59.7	-22.1	63.7	339.6	339.6	0.144	0.0	1.0	28.2	32.2	-42.9	53.7	306						
346.7	315.0	314.3	0.75	0.0	1.0	43.3	66.7	-15.7	68.5	346.7	346.7	0.273	0.0	1.0	30.7	38.3	-39.1	54.8	314						
350.3	322.5	321.4	0.875	0.0	1.0	45.9	70.7	-12.0	71.7	350.3	350.3	0.332	0.0	1.0	32.5	43.9	-35.4	56.4	321						
353.2	330.0	328.6	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2	353.2	0.42	0.0	1.0	35.0	50.0	-30.4	58.6	328						
356.1	337.5	335.7	1.0	0.0	0.875	48.2	73.1	-4.9	73.3	356.1	356.1	0.538	0.0	1.0	38.1	55.8	-25.6	61.4	335						
359.3	345.0	342.8	1.0	0.0	0.75	48.1	72.1	-0.7	72.1	359.3	359.3	0.681	0.0	1.0	41.6	63.0	-19.4	65.9	342						
364.0	352.5	349.9	1.0	0.0	0.625	48.0	70.7	4.9	70.9	364.0	364.0	0.844	0.0	1.0	45.3	69.7	-12.9	70.9	349						
369.2	360.0	357.0	1.0	0.0	0.5	47.8	69.7	11.3	70.6	369.2	369.2	0.949	0.0	1.0	47.3	72.8	-10.1	73.5	352						
375.0	367.5	364.1	1.0	0.0	0.375	47.8	68.2	18.3	70.6	375.0	375.0	1.0	0.0	0.737	48.1	72.0	-0.1	72.0	359						
380.8	375.0	371.2	1.0	0.0	0.25	47.8	67.0	25.4	71.7	380.8	380.8	1.0	0.0	0.512	47.9	69.8	10.8	70.7	368						
385.7	382.5	378.3	1.0	0.0	0.125	47.6	66.2	31.9	73.5	385.7	385.7	1.0	0.0	0.342	47.9	68.0	20.2	70.9	376						
390.4	390.0	385.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	390.4	390.4	1.0	0.0	0.131	47.7	66.3	31.6	73.5	385						

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyn6 (CMYK)
TUB matériel: code=rh4ta

3-003830-L0

SF040-70

LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 9/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_d$
cercle de teinte, 48 étapes; $rgb-LabCh^*tables$, 3D=0, de=0, $cmyk$: transférer à $cmyk_d$

3-003830-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
30	30	25	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30	1.0	0.0	0.0	0.0	0.0
31	31	26	1.0	0.016	0.0	48.0	64.4	39.2	75.4	31	1.0	0.017	0.0		
32	32	27	1.0	0.033	0.0	48.5	63.2	39.8	74.7	32	1.0	0.033	0.0		
33	33	28	1.0	0.05	0.0	49.1	62.0	40.5	74.1	33	1.0	0.05	0.0		
34	34	29	1.0	0.066	0.0	49.6	60.8	41.1	73.4	34	1.0	0.067	0.0		
34	35	31	1.0	0.083	0.0	50.2	59.6	41.7	72.8	34	1.0	0.083	0.0		
35	36	32	1.0	0.1	0.0	50.7	58.4	42.3	72.1	35	1.0	0.1	0.0		
36	37	33	1.0	0.116	0.0	51.2	57.2	42.8	71.5	36	1.0	0.117	0.0		
37	38	34	1.0	0.133	0.0	51.8	55.9	43.6	70.9	37	1.0	0.133	0.0		
39	39	35	1.0	0.15	0.0	52.5	54.5	44.5	70.4	39	1.0	0.15	0.0		
40	40	36	1.0	0.166	0.0	53.2	53.1	45.5	69.9	40	1.0	0.167	0.0		
41	41	37	1.0	0.183	0.0	53.9	51.7	46.3	69.4	41	1.0	0.183	0.0		
43	42	38	1.0	0.2	0.0	54.5	50.2	47.2	68.9	43	1.0	0.2	0.0		
44	43	39	1.0	0.216	0.0	55.2	48.7	48.0	68.4	44	1.0	0.217	0.0		
45	44	41	1.0	0.233	0.0	55.9	47.3	48.7	67.9	45	1.0	0.233	0.0		
47	45	42	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47	1.0	0.25	0.0		
48	46	43	1.0	0.266	0.0	57.3	44.3	50.5	67.2	48	1.0	0.267	0.0		
50	47	44	1.0	0.283	0.0	58.1	42.8	51.5	67.0	50	1.0	0.283	0.0		
51	48	45	1.0	0.3	0.0	58.9	41.4	52.5	66.9	51	1.0	0.3	0.0		
53	49	46	1.0	0.316	0.0	59.6	39.8	53.5	66.7	53	1.0	0.317	0.0		
54	50	47	1.0	0.333	0.0	60.4	38.3	54.3	66.5	54	1.0	0.333	0.0		
56	51	48	1.0	0.35	0.0	61.2	36.7	55.2	66.3	56	1.0	0.35	0.0		
57	52	49	1.0	0.366	0.0	62.0	35.2	56.0	66.2	57	1.0	0.367	0.0		
59	53	51	1.0	0.383	0.0	62.7	33.7	56.9	66.2	59	1.0	0.383	0.0		
60	54	52	1.0	0.4	0.0	63.5	32.4	57.9	66.3	60	1.0	0.4	0.0		
62	55	53	1.0	0.416	0.0	64.2	31.1	58.8	66.5	62	1.0	0.417	0.0		
63	56	54	1.0	0.433	0.0	65.0	29.7	59.7	66.7	63	1.0	0.433	0.0		
64	57	55	1.0	0.45	0.0	65.8	28.3	60.6	66.9	64	1.0	0.45	0.0		
66	58	56	1.0	0.466	0.0	66.5	26.9	61.4	67.0	66	1.0	0.467	0.0		
67	59	57	1.0	0.483	0.0	67.3	25.4	62.2	67.2	67	1.0	0.483	0.0		
69	60	58	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69	1.0	0.5	0.0		
70	61	60	1.0	0.516	0.0	69.0	22.5	64.2	68.1	70	1.0	0.517	0.0		
72	62	61	1.0	0.533	0.0	69.9	21.1	65.5	68.8	72	1.0	0.533	0.0		
73	63	62	1.0	0.55	0.0	70.8	19.6	66.6	69.5	73	1.0	0.55	0.0		
75	64	63	1.0	0.566	0.0	71.7	18.0	67.8	70.1	75	1.0	0.567	0.0		
76	65	64	1.0	0.583	0.0	72.6	16.4	68.9	70.8	76	1.0	0.583	0.0		
78	66	65	1.0	0.6	0.0	73.6	14.7	70.0	71.5	78	1.0	0.6	0.0		
79	67	66	1.0	0.616	0.0	74.5	13.0	71.0	72.2	79	1.0	0.617	0.0		
80	68	67	1.0	0.633	0.0	75.3	11.6	72.0	72.9	80	1.0	0.633	0.0		
81	69	68	1.0	0.65	0.0	76.0	10.5	72.9	73.6	81	1.0	0.65	0.0		
82	70	70	1.0	0.666	0.0	76.8	9.4	73.8	74.4	82	1.0	0.667	0.0		
83	71	71	1.0	0.683	0.0	77.5	8.3	74.7	75.1	83	1.0	0.683	0.0		
84	72	72	1.0	0.7	0.0	78.3	7.1	75.5	75.9	84	1.0	0.7	0.0		
85	73	73	1.0	0.716	0.0	79.0	5.9	76.4	76.6	85	1.0	0.717	0.0		
86	74	74	1.0	0.733	0.0	79.8	4.7	77.2	77.3	86	1.0	0.733	0.0		
87	75	75	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87	1.0	0.75	0.0		

3-003930-L0 SF040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nmw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 10/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_d$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=0, de=0, cmyk: transférer à $cmyk_d$

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyn6 (CMYK)
TUB matériel: code=rha4ta

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Lab,d h _{ab,s} h _{ab,s}			LAB* _d xx361Mi (x=LabCh)								LAB* _s dsx361Mi (x=LabCh)								LAB* _d de361Mi (x=LabCh)								LAB* _s dex361Mi (x=LabCh)								LAB* _d ds361Mi (x=LabCh)								LAB* _s des361Mi (x=LabCh)							
Lab,d	h _{ab,s}	h _{ab,s}	rgb* _d dd361Mi	LAB* _d xx361Mi (x=LabCh)	rgb* _s ds361Mi	LAB* _s dsx361Mi (x=LabCh)	rgb* _d dd361Mi	rgb* _d de361Mi	LAB* _d dex361Mi (x=LabCh)	rgb* _s dd361Mi	rgb* _s ds361Mi	rgb* _s de361Mi	rgb* _d dd361Mi	rgb* _d ds361Mi	rgb* _d de361Mi	rgb* _s dd361Mi	rgb* _s ds361Mi	rgb* _s de361Mi	rgb* _d dd361Mi	rgb* _d ds361Mi	rgb* _d de361Mi	rgb* _s dd361Mi	rgb* _s ds361Mi	rgb* _s de361Mi	rgb* _d dd361Mi	rgb* _d ds361Mi	rgb* _d de361Mi	rgb* _s dd361Mi	rgb* _s ds361Mi	rgb* _s de361Mi																				
87	75	75	1.0 0.75 0.0	80.5 3.4 78.0 78.1 87	1.0 0.565 0.0	71.7 18.2 67.8 70.1 75	1.0 0.75 0.0	1.0 0.572 0.0	72.1 17.5 68.2 70.4 75	1.0 0.75 0.0			1.0 0.75 0.0	1.0 0.572 0.0	72.1 17.5 68.2 70.4 75	1.0 0.75 0.0																																		
88	76	76	1.0 0.766 0.0	81.2 2.5 78.8 78.9 88	1.0 0.577 0.0	72.3 17.1 68.5 70.6 76	1.0 0.767 0.0	1.0 0.585 0.0	72.8 16.3 69.0 70.9 76	1.0 0.767 0.0			1.0 0.767 0.0	1.0 0.585 0.0	72.8 16.3 69.0 70.9 76	1.0 0.767 0.0																																		
88	77	77	1.0 0.783 0.0	81.8 1.6 79.7 79.7 88	1.0 0.588 0.0	72.9 16.0 69.2 71.1 77	1.0 0.783 0.0	1.0 0.597 0.0	73.5 15.1 69.8 71.4 77	1.0 0.783 0.0			1.0 0.783 0.0	1.0 0.597 0.0	73.5 15.1 69.8 71.4 77	1.0 0.783 0.0																																		
89	78	78	1.0 0.8 0.0	82.4 0.6 80.5 80.5 89	1.0 0.599 0.0	73.6 14.9 70.0 71.5 78	1.0 0.8 0.0	1.0 0.61 0.0	74.1 13.8 70.6 72.0 78	1.0 0.8 0.0			1.0 0.8 0.0	1.0 0.61 0.0	74.1 13.8 70.6 72.0 78	1.0 0.8 0.0																																		
90	79	80	1.0 0.816 0.0	83.1 -0.2 81.3 81.3 90	1.0 0.61 0.0	74.2 13.7 70.7 72.0 79	1.0 0.817 0.0	1.0 0.622 0.0	74.8 12.5 71.4 72.5 80	1.0 0.817 0.0			1.0 0.817 0.0	1.0 0.622 0.0	74.8 12.5 71.4 72.5 80	1.0 0.817 0.0																																		
90	80	81	1.0 0.833 0.0	83.7 -1.2 82.0 82.1 90	1.0 0.621 0.0	74.8 12.6 71.3 72.4 80	1.0 0.833 0.0	1.0 0.64 0.0	75.6 11.2 72.4 73.2 81	1.0 0.833 0.0			1.0 0.833 0.0	1.0 0.64 0.0	75.6 11.2 72.4 73.2 81	1.0 0.833 0.0																																		
91	81	82	1.0 0.85 0.0	84.4 -2.2 82.8 82.8 91	1.0 0.637 0.0	75.5 11.4 72.2 73.1 81	1.0 0.85 0.0	1.0 0.659 0.0	76.5 9.9 73.4 74.1 82	1.0 0.85 0.0			1.0 0.85 0.0	1.0 0.659 0.0	76.5 9.9 73.4 74.1 82	1.0 0.85 0.0																																		
92	82	83	1.0 0.866 0.0	85.0 -3.2 83.6 83.6 92	1.0 0.654 0.0	76.3 10.3 73.2 73.9 82	1.0 0.867 0.0	1.0 0.679 0.0	77.4 8.6 74.5 75.0 83	1.0 0.867 0.0			1.0 0.867 0.0	1.0 0.679 0.0	77.4 8.6 74.5 75.0 83	1.0 0.867 0.0																																		
92	83	84	1.0 0.883 0.0	85.6 -4.1 84.3 84.4 92	1.0 0.672 0.0	77.1 9.1 74.1 74.7 83	1.0 0.883 0.0	1.0 0.698 0.0	78.3 7.2 75.5 75.8 84	1.0 0.883 0.0			1.0 0.883 0.0	1.0 0.698 0.0	78.3 7.2 75.5 75.8 84	1.0 0.883 0.0																																		
93	84	85	1.0 0.9 0.0	86.2 -4.8 85.0 85.1 93	1.0 0.689 0.0	77.9 7.9 75.0 75.4 84	1.0 0.9 0.0	1.0 0.718 0.0	79.1 5.8 76.5 76.7 85	1.0 0.9 0.0			1.0 0.9 0.0	1.0 0.718 0.0	79.1 5.8 76.5 76.7 85	1.0 0.9 0.0																																		
93	85	86	1.0 0.916 0.0	86.7 -5.6 85.7 85.9 93	1.0 0.707 0.0	78.6 6.6 75.9 76.2 85	1.0 0.917 0.0	1.0 0.738 0.0	80.0 4.4 77.5 77.6 86	1.0 0.917 0.0			1.0 0.917 0.0	1.0 0.738 0.0	80.0 4.4 77.5 77.6 86	1.0 0.917 0.0																																		
94	86	87	1.0 0.933 0.0	87.2 -6.3 86.4 86.6 94	1.0 0.725 0.0	79.4 5.4 76.8 77.0 86	1.0 0.933 0.0	1.0 0.76 0.0	80.9 2.9 78.5 78.6 87	1.0 0.933 0.0			1.0 0.933 0.0	1.0 0.76 0.0	80.9 2.9 78.5 78.6 87	1.0 0.933 0.0																																		
94	87	88	1.0 0.95 0.0	87.8 -7.1 87.1 87.3 94	1.0 0.742 0.0	80.2 4.1 77.7 77.8 87	1.0 0.95 0.0	1.0 0.787 0.0	82.0 1.4 79.9 79.9 88	1.0 0.95 0.0			1.0 0.95 0.0	1.0 0.787 0.0	82.0 1.4 79.9 79.9 88	1.0 0.95 0.0																																		
95	88	90	1.0 0.966 0.0	88.3 -7.9 87.7 88.1 95	1.0 0.763 0.0	81.1 2.7 78.7 78.8 88	1.0 0.967 0.0	1.0 0.814 0.0	83.0 0.0 81.2 81.2 90	1.0 0.967 0.0			1.0 0.967 0.0	1.0 0.814 0.0	83.0 0.0 81.2 81.2 90	1.0 0.967 0.0																																		
95	89	91	1.0 0.983 0.0	88.8 -8.7 88.4 88.8 95	1.0 0.788 0.0	82.0 1.4 79.9 79.9 89	1.0 0.983 0.0	1.0 0.841 0.0	84.1 -1.6 82.5 82.5 91	1.0 0.983 0.0			1.0 0.983 0.0	1.0 0.841 0.0	84.1 -1.6 82.5 82.5 91	1.0 0.983 0.0																																		
96	90	92	1.0 1.0 0.0	89.4 -9.5 89.0 89.6 96	Y _d 1.0 0.812 0.0	83.0 0.0 81.1 81.1 90	Y _s 1.0 1.0 0.0	1.0 0.868 0.0	85.2 -3.3 83.7 83.8 92	Y _e 1.0 1.0 0.0			1.0 0.868 0.0	1.0 0.868 0.0	85.2 -3.3 83.7 83.8 92	1.0 0.868 0.0																																		
96	91	93	0.983 1.0 0.0	89.0 -10.1 88.2 88.8 96	1.0 0.836 0.0	83.9 -1.3 82.2 82.2 91	0.983 1.0 0.0	1.0 0.907 0.0	86.4 -5.1 85.3 85.5 93	0.983 1.0 0.0			1.0 0.907 0.0	1.0 0.907 0.0	86.4 -5.1 85.3 85.5 93	0.983 1.0 0.0																																		
97	92	94	0.966 1.0 0.0	88.6 -10.7 87.4 88.0 97	1.0 0.861 0.0	84.9 -2.8 83.4 83.4 92	0.967 1.0 0.0	1.0 0.948 0.0	87.8 -7.0 87.0 87.3 94	0.967 1.0 0.0			1.0 0.948 0.0	1.0 0.948 0.0	87.8 -7.0 87.0 87.3 94	0.967 1.0 0.0																																		
97	93	95	0.95 1.0 0.0	88.3 -11.3 86.5 87.3 97	1.0 0.89 0.0	85.9 -4.3 84.6 84.7 93	0.95 1.0 0.0	1.0 0.99 0.0	89.1 -8.9 88.7 89.2 95	0.95 1.0 0.0			1.0 0.99 0.0	1.0 0.99 0.0	89.1 -8.9 88.7 89.2 95	0.95 1.0 0.0																																		
97	94	96	0.933 1.0 0.0	87.9 -11.9 85.7 86.5 97	1.0 0.925 0.0	87.0 -5.9 86.1 86.3 94	0.933 1.0 0.0	0.968 1.0 0.0	88.7 -10.6 87.5 88.1 96	0.933 1.0 0.0			0.968 1.0 0.0	0.968 1.0 0.0	88.7 -10.6 87.5 88.1 96	0.933 1.0 0.0																																		
98	95	98	0.916 1.0 0.0	87.6 -12.5 84.8 85.7 98	1.0 0.961 0.0	88.2 -7.6 87.6 87.9 95	0.917 1.0 0.0	0.926 1.0 0.0	87.8 -12.1 85.3 86.2 98	0.917 1.0 0.0			0.926 1.0 0.0	0.926 1.0 0.0	87.8 -12.1 85.3 86.2 98	0.917 1.0 0.0																																		
98	96	99	0.9 1.0 0.0	87.2 -13.0 84.0 85.0 98	1.0 0.997 0.0	89.3 -9.3 89.0 89.5 96	0.9 1.0 0.0	0.884 1.0 0.0	86.9 -13.5 83.2 84.3 99	0.9 1.0 0.0			0.884 1.0 0.0	0.884 1.0 0.0	86.9 -13.5 83.2 84.3 99	0.9 1.0 0.0																																		
99	97	100	0.883 1.0 0.0	86.9 -13.6 83.1 84.2 99	0.967 1.0 0.0	88.7 -10.6 87.4 88.1 97	0.883 1.0 0.0	0.842 1.0 0.0	85.9 -14.9 81.3 82.6 100	0.883 1.0 0.0			0.842 1.0 0.0	0.842 1.0 0.0	85.9 -14.9 81.3 82.6 100	0.883 1.0 0.0																																		
99	98	101	0.866 1.0 0.0	86.5 -14.2 82.3 83.5 99	0.931 1.0 0.0	87.9 -11.9 85.6 86.4 98	0.867 1.0 0.0	0.799 1.0 0.0	84.9 -16.2 79.4 81.0 101	0.867 1.0 0.0			0.799 1.0 0.0	0.799 1.0 0.0	84.9 -16.2 79.4 81.0 101	0.867 1.0 0.0																																		
100	99	102	0.85 1.0 0.0	86.1 -14.7 81.6 82.9 100	0.895 1.0 0.0	87.2 -13.2 83.7 84.8 99	0.85 1.0 0.0	0.757 1.0 0.0	83.9 -17.5 77.5 79.5 102	0.85 1.0 0.0			0.757 1.0 0.0	0.757 1.0 0.0	83.9 -17.5 77.5 79.5 102	0.85 1.0 0.0																																		
100	100	103	0.833 1.0 0.0	85.7 -15.2 80.8 82.3 100	0.859 1.0 0.0	86.3 -14.4 82.0 83.3 100	0.833 1.0 0.0	0.725 1.0 0.0	82.6 -18.8 76.1 78.4 103	0.833 1.0 0.0			0.725 1.0 0.0	0.725 1.0 0.0	82.6 -18.8 76.1 78.4 103	0.833 1.0 0.0																																		
101	101	105	0.816 1.0 0.0	85.3 -15.8 80.1 81.6 101	0.822 1.0 0.0	85.5 -15.5 80.4 81.9 101	0.817 1.0 0.0	0.696 1.0 0.0	81.3 -20.1 74.7 77.4 105	0.817 1.0 0.0			0.696 1.0 0.0	0.696 1.0 0.0	81.3 -20.1 74.7 77.4 105	0.817 1.0 0.0																																		
101	102	106	0.8 1.0 0.0	84.9 -16.3 79.4 81.0 101	0.786 1.0 0.0	84.6 -16.6 78.8 80.5 102	0.8 1.0 0.0	0.667 1.0 0.0	79.9 -21.3 73.4 76.4 106	0.8 1.0 0.0			0.667 1.0 0.0	0.667 1.0 0.0	79.9 -21.3 73.4 76.4 106	0.8 1.0 0.0																																		
102	103	107	0.783 1.0 0.0	84.5 -16.8 78.6 80.4 102	0.75 1.0 0.0	83.7 -17.7 77.2 79.2 103	0.783 1.0 0.0	0.638 1.0 0.0	78.6 -22.5 72.0 75.5 107	0.783 1.0 0.0			0.638 1.0 0.0	0.638 1.0 0.0	78.6 -22.5 72.0 75.5 107	0.783 1.0 0.0																																		
102	104	108	0.766 1.0 0.0	84.1 -17.3 77.9 79.8 102	0.725 1.0 0.0	82.5 -18.9 76.0 78.4 104	0.767 1.0 0.0	0.616 1.0 0.0	77.6 -23.7 70.6 74.5 108	0.767 1.0 0.0			0.616 1.0 0.0	0.616 1.0 0.0	77.6 -23.7 70.6 74.5 108	0.767 1.0 0.0																																		
102	105	109	0.75 1.0 0.0	83.7 -17.7 77.1 79.2 102	0.7 1.0 0.0	81.4 -20.0 74.9 77.5 105	0.75 1.0 0.0	0.598 1.0 0.0	77.0 -24.8 69.2 73.5 109	0.75 1.0 0.0			0.598 1.0 0.0	0.598 1.0 0.0	77.0 -24.8 69.2 73.5 109	0.75 1.0 0.0																																		
103	106	110	0.733 1.0 0.0	82.9 -18.5 76.4 78.6 103	0.675 1.0 0.0	80.3 -21.0 73.7 76.7 106	0.733 1.0 0.0	0.581 1.0 0.0	76.3 -25.8 67.7 72.5 110	0.733 1.0 0.0			0.581 1.0 0.0	0.581 1.0 0.0	76.3 -25.8 67.7 72.5 110	0.733 1.0 0.0																																		
104	107	112	0.716 1.0 0.0	82.1 -19.3 75.6 78.0 104	0.65 1.0 0.0	79.1 -22.1 72.5 75.9 107	0.717 1.0 0.0	0.564 1.0 0.0	75.6 -26.8 66.3 71.5 112	0.717 1.0 0.0			0.564 1.0 0.0	0.564 1.0 0.0	75.6 -26.8 66.3 71.5 112	0.717 1.0 0.0																																		
104	108	113	0.7 1.0 0.0	81.4 -20.0 74.8 77.5 104	0.625 1.0 0.0	78.0 -23.1 71.3 75.0 108	0.7 1.0 0.0	0.546 1.0 0.0	75.0 -27.8 64.8 70.6 113	0.7 1.0 0.0			0.546 1.0 0.0	0.546 1.0 0.0	75.0 -27.8 64.8 70.6 113	0.7 1.0 0.0																																		

3-0031030-L0

SF040-70

LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 11/33

graphique TUB-SF04; 16 teintes, papier standard de offset

cercle de teinte, 48 étapes; *rgb-LabCh** tables, 3D=0, de=0, *conv*: transférer à *cmyk_d*

A horizontal bar representing 100% is divided into three segments. The first segment, labeled 'C', is blue and represents 30%. The second segment, labeled 'M', is pink and represents 40%. The third segment, which is unlabeled, is white and represents 30%.

~~3-0031030-E0~~

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rh4ta
+ application pour la mesure des sorties sur offset, separationcmyb6 (CMYK)

TUB matériel: code=rha4ta

3-0031130-L0 SF040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0 sortie: Offset standard print; separation cmyn6*, D65, page 12/33

sortie: Offset standard print; separation cmyn6*, D65, page 12/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
176	165	175	0.0	1.0	0.25	53.0	0.0	1.0	0.25	53.0	0.0	1.0	0.25	53.0
177	166	176	0.0	1.0	0.266	53.1	0.0	1.0	0.267	53.1	0.0	1.0	0.267	53.1
179	167	177	0.0	1.0	0.283	53.2	0.0	1.0	0.283	53.2	0.0	1.0	0.283	53.2
180	168	178	0.0	1.0	0.3	53.3	0.0	1.0	0.3	53.3	0.0	1.0	0.3	53.3
181	169	179	0.0	1.0	0.316	53.4	0.0	1.0	0.317	53.4	0.0	1.0	0.317	53.4
183	170	180	0.0	1.0	0.333	53.5	0.0	1.0	0.333	53.5	0.0	1.0	0.333	53.5
184	171	181	0.0	1.0	0.35	53.7	0.0	1.0	0.35	53.7	0.0	1.0	0.35	53.7
186	172	182	0.0	1.0	0.366	53.8	0.0	1.0	0.367	53.8	0.0	1.0	0.367	53.8
187	173	183	0.0	1.0	0.383	53.9	0.0	1.0	0.383	53.9	0.0	1.0	0.383	53.9
189	174	184	0.0	1.0	0.4	54.0	0.0	1.0	0.4	54.0	0.0	1.0	0.4	54.0
190	175	185	0.0	1.0	0.416	54.1	0.0	1.0	0.417	54.1	0.0	1.0	0.417	54.1
192	176	185	0.0	1.0	0.433	54.2	0.0	1.0	0.433	54.2	0.0	1.0	0.433	54.2
194	177	186	0.0	1.0	0.45	54.3	0.0	1.0	0.45	54.3	0.0	1.0	0.45	54.3
195	178	187	0.0	1.0	0.466	54.4	0.0	1.0	0.467	54.4	0.0	1.0	0.467	54.4
197	179	188	0.0	1.0	0.483	54.5	0.0	1.0	0.483	54.5	0.0	1.0	0.483	54.5
198	180	189	0.0	1.0	0.5	54.6	0.0	1.0	0.5	54.6	0.0	1.0	0.5	54.6
200	181	190	0.0	1.0	0.516	54.7	0.0	1.0	0.517	54.7	0.0	1.0	0.517	54.7
201	182	191	0.0	1.0	0.533	54.8	0.0	1.0	0.533	54.8	0.0	1.0	0.533	54.8
203	183	192	0.0	1.0	0.55	54.9	0.0	1.0	0.55	54.9	0.0	1.0	0.55	54.9
204	184	193	0.0	1.0	0.566	55.0	0.0	1.0	0.567	55.0	0.0	1.0	0.567	55.0
205	185	194	0.0	1.0	0.583	55.1	0.0	1.0	0.583	55.1	0.0	1.0	0.583	55.1
207	186	195	0.0	1.0	0.6	55.2	0.0	1.0	0.6	55.2	0.0	1.0	0.6	55.2
208	187	195	0.0	1.0	0.616	55.3	0.0	1.0	0.617	55.3	0.0	1.0	0.617	55.3
210	188	196	0.0	1.0	0.633	55.5	0.0	1.0	0.633	55.5	0.0	1.0	0.633	55.5
211	189	197	0.0	1.0	0.65	55.6	0.0	1.0	0.65	55.6	0.0	1.0	0.65	55.6
213	190	198	0.0	1.0	0.666	55.8	0.0	1.0	0.667	55.8	0.0	1.0	0.667	55.8
214	191	199	0.0	1.0	0.683	56.0	0.0	1.0	0.683	56.0	0.0	1.0	0.683	56.0
215	192	200	0.0	1.0	0.7	56.1	0.0	1.0	0.7	56.1	0.0	1.0	0.7	56.1
217	193	201	0.0	1.0	0.716	56.3	0.0	1.0	0.717	56.3	0.0	1.0	0.717	56.3
218	194	202	0.0	1.0	0.733	56.5	0.0	1.0	0.733	56.5	0.0	1.0	0.733	56.5
220	195	203	0.0	1.0	0.75	56.6	0.0	1.0	0.75	56.6	0.0	1.0	0.75	56.6
221	196	204	0.0	1.0	0.766	56.7	0.0	1.0	0.767	56.7	0.0	1.0	0.767	56.7
222	197	205	0.0	1.0	0.783	56.8	0.0	1.0	0.783	56.8	0.0	1.0	0.783	56.8
223	198	206	0.0	1.0	0.8	56.9	0.0	1.0	0.8	56.9	0.0	1.0	0.8	56.9
224	199	206	0.0	1.0	0.816	56.9	0.0	1.0	0.817	56.9	0.0	1.0	0.817	56.9
225	200	207	0.0	1.0	0.833	57.0	0.0	1.0	0.833	57.0	0.0	1.0	0.833	57.0
226	201	208	0.0	1.0	0.85	57.1	0.0	1.0	0.85	57.1	0.0	1.0	0.85	57.1
227	202	209	0.0	1.0	0.866	57.2	0.0	1.0	0.867	57.2	0.0	1.0	0.867	57.2
228	203	210	0.0	1.0	0.883	57.3	0.0	1.0	0.883	57.3	0.0	1.0	0.883	57.3
229	204	211	0.0	1.0	0.9	57.4	0.0	1.0	0.9	57.4	0.0	1.0	0.9	57.4
230	205	212	0.0	1.0	0.916	57.4	0.0	1.0	0.917	57.4	0.0	1.0	0.917	57.4
230	206	213	0.0	1.0	0.933	57.5	0.0	1.0	0.933	57.5	0.0	1.0	0.933	57.5
231	207	214	0.0	1.0	0.95	57.6	0.0	1.0	0.95	57.6	0.0	1.0	0.95	57.6
232	208	215	0.0	1.0	0.966	57.7	0.0	1.0	0.967	57.7	0.0	1.0	0.967	57.7
233	209	216	0.0	1.0	0.983	57.7	0.0	1.0	0.983	57.7	0.0	1.0	0.983	57.7
234	210	216	0.0	1.0	1.0	57.8	0.0	1.0	1.0	57.8	0.0	1.0	1.0	57.8

3-0031230-L0 SF040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nmw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 13/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_d$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=0, de=0, cmyk: transférer à $cmyk_d$

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyn6 (CMYK)
TUB matériel: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours RYGBM: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	$1.0</$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table 1: Colorimetric and geometric data for the color patches (100, 200, 300, 400, 500, 600, 700, 800, 900, 1000) in the CIE L*a*b* color space. The table provides the L*, a*, and b* values for each patch, along with the corresponding x, y, and z coordinates in the CIE XYZ color space.									
Lab	Lab	Lab	Lab	Lab	Lab	Lab	Lab	Lab	Lab
280	255	258	0.0	0.25	1.0	32.7	8.5	-47.0	47.8
281	256	258	0.0	0.233	1.0	32.1	9.5	-47.2	48.1
282	257	259	0.0	0.216	1.0	31.5	10.6	-47.3	48.5
283	258	260	0.0	0.2	1.0	30.9	11.7	-47.4	48.8
285	259	261	0.0	0.183	1.0	30.2	12.8	-47.5	49.2
286	260	262	0.0	0.166	1.0	29.6	13.9	-47.5	49.5
287	261	263	0.0	0.15	1.0	29.0	15.0	-47.6	49.9
288	262	264	0.0	0.133	1.0	28.4	16.1	-47.6	50.3
289	263	265	0.0	0.116	1.0	27.8	17.1	-47.6	50.6
290	264	266	0.0	0.1	1.0	27.4	17.9	-47.7	50.9
291	265	267	0.0	0.083	1.0	27.0	18.8	-47.7	51.3
292	266	268	0.0	0.066	1.0	26.6	19.6	-47.8	51.6
293	267	269	0.0	0.049	1.0	26.2	20.4	-47.8	52.0
293	268	269	0.0	0.033	1.0	25.8	21.2	-47.8	52.3
294	269	270	0.0	0.016	1.0	25.4	22.1	-47.8	52.7
295	270	271	0.0	0.0	1.0	24.9	22.9	-47.8	53.0
297	271	272	0.016	0.0	1.0	25.3	24.1	-47.3	53.1
298	272	273	0.033	0.0	1.0	25.7	25.3	-46.8	53.2
299	273	274	0.05	0.0	1.0	26.1	26.4	-46.2	53.3
301	274	275	0.066	0.0	1.0	26.5	27.6	-45.7	53.3
302	275	276	0.083	0.0	1.0	26.9	28.7	-45.1	53.4
303	276	277	0.1	0.0	1.0	27.2	29.8	-44.4	53.5
305	277	278	0.116	0.0	1.0	27.6	30.9	-43.8	53.6
306	278	279	0.133	0.0	1.0	28.0	31.7	-43.2	53.7
307	279	280	0.15	0.0	1.0	28.2	32.4	-42.8	53.7
307	280	281	0.166	0.0	1.0	28.5	33.0	-42.5	53.8
308	281	282	0.183	0.0	1.0	28.8	33.6	-42.1	53.9
309	282	283	0.2	0.0	1.0	29.1	34.2	-41.6	53.9
310	283	284	0.216	0.0	1.0	29.4	34.8	-41.2	54.0
310	284	285	0.233	0.0	1.0	29.6	35.4	-40.8	54.1
311	285	285	0.25	0.0	1.0	29.9	36.0	-40.4	54.1
313	286	286	0.266	0.0	1.0	30.4	37.7	-39.5	54.6
315	287	287	0.283	0.0	1.0	30.9	39.3	-38.5	55.0
317	288	288	0.3	0.0	1.0	31.5	40.9	-37.5	55.5
319	289	289	0.316	0.0	1.0	32.0	42.4	-36.4	55.9
321	290	290	0.333	0.0	1.0	32.5	44.0	-35.3	56.4
323	291	291	0.35	0.0	1.0	33.0	45.5	-34.1	56.9
325	292	292	0.366	0.0	1.0	33.5	47.0	-32.8	57.3
326	293	293	0.383	0.0	1.0	34.0	48.1	-31.9	57.7
327	294	294	0.4	0.0	1.0	34.4	49.0	-31.3	58.1
328	295	295	0.416	0.0	1.0	34.8	49.8	-30.6	58.5
329	296	296	0.433	0.0	1.0	35.3	50.6	-30.0	58.9
330	297	297	0.45	0.0	1.0	35.7	51.5	-29.3	59.2
331	298	298	0.466	0.0	1.0	36.2	52.3	-28.6	59.6
332	299	299	0.483	0.0	1.0	36.6	53.1	-27.9	60.0
333	300	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4

3-0031430-L0 SF040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nmw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 15/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_d$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=0, de=0, cmyk: transférer à $cmyk_d$

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyn6 (CMYK)
TUB matériel: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
333	300	300	0.5 0.0 1.0	37.0 53.9 -27.1 60.4	333	0.053 0.0 1.0	26.2 26.7 -46.1 53.3	300	0.5 0.0 1.0	0.055 0.0 1.0	26.3 26.8 -46.0 53.3	300	0.5 0.0 1.0	
334	301	301	0.516 0.0 1.0	37.5 54.7 -26.5 60.8	334	0.065 0.0 1.0	26.5 27.5 -45.7 53.4	301	0.517 0.0 1.0	0.067 0.0 1.0	26.5 27.6 -45.6 53.4	301	0.517 0.0 1.0	
334	302	302	0.533 0.0 1.0	37.9 55.5 -25.9 61.3	334	0.077 0.0 1.0	26.8 28.3 -45.2 53.4	302	0.533 0.0 1.0	0.078 0.0 1.0	26.8 28.4 -45.2 53.4	302	0.533 0.0 1.0	
335	303	303	0.55 0.0 1.0	38.3 56.3 -25.2 61.7	335	0.09 0.0 1.0	27.1 29.1 -44.8 53.5	303	0.55 0.0 1.0	0.09 0.0 1.0	27.1 29.2 -44.8 53.5	303	0.55 0.0 1.0	
336	304	303	0.566 0.0 1.0	38.7 57.1 -24.6 62.2	336	0.102 0.0 1.0	27.3 29.9 -44.3 53.6	304	0.567 0.0 1.0	0.101 0.0 1.0	27.3 29.9 -44.3 53.6	303	0.567 0.0 1.0	
337	305	304	0.583 0.0 1.0	39.1 57.8 -23.9 62.6	337	0.114 0.0 1.0	27.6 30.8 -43.8 53.6	305	0.583 0.0 1.0	0.113 0.0 1.0	27.6 30.7 -43.9 53.6	304	0.583 0.0 1.0	
338	306	305	0.6 0.0 1.0	39.6 58.6 -23.2 63.0	338	0.127 0.0 1.0	27.9 31.5 -43.3 53.7	306	0.6 0.0 1.0	0.124 0.0 1.0	27.9 31.4 -43.4 53.7	305	0.6 0.0 1.0	
339	307	306	0.616 0.0 1.0	40.0 59.4 -22.5 63.5	339	0.148 0.0 1.0	28.3 32.4 -42.8 53.8	307	0.617 0.0 1.0	0.144 0.0 1.0	28.2 32.2 -42.9 53.7	306	0.617 0.0 1.0	
340	308	307	0.633 0.0 1.0	40.4 60.2 -21.7 64.0	340	0.17 0.0 1.0	28.6 33.2 -42.3 53.8	308	0.633 0.0 1.0	0.165 0.0 1.0	28.5 33.0 -42.5 53.8	307	0.633 0.0 1.0	
341	309	308	0.65 0.0 1.0	40.8 61.2 -20.9 64.7	341	0.191 0.0 1.0	29.0 33.9 -41.8 53.9	309	0.65 0.0 1.0	0.185 0.0 1.0	28.9 33.7 -42.0 53.9	308	0.65 0.0 1.0	
342	310	309	0.666 0.0 1.0	41.2 62.1 -20.1 65.3	342	0.213 0.0 1.0	29.3 34.7 -41.3 54.0	310	0.667 0.0 1.0	0.205 0.0 1.0	29.2 34.5 -41.5 54.0	309	0.667 0.0 1.0	
342	311	310	0.683 0.0 1.0	41.6 63.1 -19.3 66.0	342	0.234 0.0 1.0	29.7 35.5 -40.7 54.1	311	0.683 0.0 1.0	0.225 0.0 1.0	29.6 35.2 -41.0 54.1	310	0.683 0.0 1.0	
343	312	311	0.7 0.0 1.0	42.1 64.0 -18.4 66.6	343	0.252 0.0 1.0	30.0 36.3 -40.2 54.2	312	0.7 0.0 1.0	0.246 0.0 1.0	29.9 35.9 -40.4 54.2	311	0.7 0.0 1.0	
344	313	312	0.716 0.0 1.0	42.5 64.9 -17.5 67.3	344	0.261 0.0 1.0	30.3 37.2 -39.7 54.5	313	0.717 0.0 1.0	0.257 0.0 1.0	30.2 36.7 -40.0 54.4	312	0.717 0.0 1.0	
345	314	313	0.733 0.0 1.0	42.9 65.8 -16.6 67.9	345	0.27 0.0 1.0	30.6 38.0 -39.3 54.7	314	0.733 0.0 1.0	0.265 0.0 1.0	30.4 37.5 -39.5 54.6	313	0.733 0.0 1.0	
346	315	314	0.75 0.0 1.0	43.3 66.7 -15.7 68.5	346	0.279 0.0 1.0	30.8 38.9 -38.8 55.0	315	0.75 0.0 1.0	0.273 0.0 1.0	30.7 38.3 -39.1 54.8	314	0.75 0.0 1.0	
347	316	315	0.766 0.0 1.0	43.6 67.3 -15.2 69.0	347	0.287 0.0 1.0	31.1 39.7 -38.2 55.2	316	0.767 0.0 1.0	0.282 0.0 1.0	30.9 39.1 -38.6 55.0	315	0.767 0.0 1.0	
347	317	316	0.783 0.0 1.0	44.0 67.8 -14.7 69.4	347	0.296 0.0 1.0	31.4 40.5 -37.7 55.4	317	0.783 0.0 1.0	0.29 0.0 1.0	31.2 39.9 -38.1 55.3	316	0.783 0.0 1.0	
348	318	317	0.8 0.0 1.0	44.3 68.3 -14.2 69.8	348	0.305 0.0 1.0	31.7 41.4 -37.2 55.7	318	0.8 0.0 1.0	0.298 0.0 1.0	31.4 40.7 -37.6 55.5	317	0.8 0.0 1.0	
348	319	318	0.816 0.0 1.0	44.7 68.8 -13.7 70.2	348	0.314 0.0 1.0	31.9 42.2 -36.6 55.9	319	0.817 0.0 1.0	0.307 0.0 1.0	31.7 41.5 -37.1 55.7	318	0.817 0.0 1.0	
349	320	319	0.833 0.0 1.0	45.0 69.4 -13.2 70.6	349	0.323 0.0 1.0	32.2 43.0 -36.0 56.2	320	0.833 0.0 1.0	0.315 0.0 1.0	32.0 42.3 -36.5 55.9	319	0.833 0.0 1.0	
349	321	320	0.85 0.0 1.0	45.4 69.9 -12.7 71.0	349	0.331 0.0 1.0	32.5 43.8 -35.4 56.4	321	0.85 0.0 1.0	0.323 0.0 1.0	32.2 43.1 -36.0 56.2	320	0.85 0.0 1.0	
350	322	321	0.866 0.0 1.0	45.7 70.4 -12.2 71.5	350	0.34 0.0 1.0	32.7 44.6 -34.8 56.6	322	0.867 0.0 1.0	0.332 0.0 1.0	32.5 43.9 -35.4 56.4	321	0.867 0.0 1.0	
350	323	321	0.883 0.0 1.0	46.0 70.9 -11.8 71.9	350	0.349 0.0 1.0	33.0 45.4 -34.1 56.9	323	0.883 0.0 1.0	0.34 0.0 1.0	32.7 44.6 -34.8 56.6	321	0.883 0.0 1.0	
350	324	322	0.9 0.0 1.0	46.3 71.4 -11.3 72.3	350	0.358 0.0 1.0	33.3 46.2 -33.5 57.1	324	0.9 0.0 1.0	0.348 0.0 1.0	33.0 45.4 -34.2 56.9	322	0.9 0.0 1.0	
351	325	323	0.916 0.0 1.0	46.7 71.8 -10.9 72.7	351	0.366 0.0 1.0	33.5 47.0 -32.8 57.4	325	0.917 0.0 1.0	0.357 0.0 1.0	33.2 46.1 -33.6 57.1	323	0.917 0.0 1.0	
351	326	324	0.933 0.0 1.0	47.0 72.3 -10.5 73.1	351	0.375 0.0 1.0	33.8 47.8 -32.1 57.6	326	0.933 0.0 1.0	0.365 0.0 1.0	33.5 46.8 -32.9 57.3	324	0.933 0.0 1.0	
352	327	325	0.95 0.0 1.0	47.3 72.8 -10.1 73.5	352	0.393 0.0 1.0	34.3 48.6 -31.5 58.0	327	0.95 0.0 1.0	0.373 0.0 1.0	33.7 47.6 -32.3 57.5	325	0.95 0.0 1.0	
352	328	326	0.966 0.0 1.0	47.6 73.2 -9.6 73.9	352	0.41 0.0 1.0	34.7 49.5 -30.8 58.4	328	0.967 0.0 1.0	0.388 0.0 1.0	34.1 48.4 -31.7 57.9	326	0.967 0.0 1.0	
352	329	327	0.983 0.0 1.0	47.9 73.7 -9.2 74.3	352	0.427 0.0 1.0	35.2 50.4 -30.2 58.8	329	0.983 0.0 1.0	0.404 0.0 1.0	34.6 49.2 -31.1 58.2	327	0.983 0.0 1.0	
353	330	328	1.0 0.0 1.0	48.2 74.2 -8.7 74.7	353	0.444 0.0 1.0	35.6 51.2 -29.5 59.1	330	1.0 0.0 1.0	0.42 0.0 1.0	35.0 50.0 -30.4 58.6	328	1.0 0.0 1.0	
353	331	329	1.0 0.0 0.983	48.2 74.0 -8.2 74.5	353	0.461 0.0 1.0	36.1 52.1 -28.8 59.5	331	1.0 0.0 0.983	0.436 0.0 1.0	35.4 50.8 -29.8 59.0	329	1.0 0.0 0.983	
354	332	330	1.0 0.0 0.966	48.2 73.9 -7.7 74.3	354	0.478 0.0 1.0	36.5 52.9 -28.0 59.9	332	1.0 0.0 0.967	0.452 0.0 1.0	35.8 51.7 -29.1 59.3	330	1.0 0.0 0.967	
354	333	331	1.0 0.0 0.95	48.2 73.8 -7.2 74.1	354	0.495 0.0 1.0	37.0 53.7 -27.3 60.3	333	1.0 0.0 0.95	0.469 0.0 1.0	36.3 52.4 -28.4 59.7	331	1.0 0.0 0.95	
354	334	332	1.0 0.0 0.933	48.2 73.6 -6.7 73.9	354	0.514 0.0 1.0	37.4 54.6 -26.5 60.8	334	1.0 0.0 0.933	0.485 0.0 1.0	36.7 53.2 -27.7 60.1	332	1.0 0.0 0.933	
355	335	333	1.0 0.0 0.916	48.2 73.5 -6.2 73.8	355	0.534 0.0 1.0	37.9 55.6 -25.8 61.3	335	1.0 0.0 0.917	0.501 0.0 1.0	37.1 54.0 -27.0 60.4	333	1.0 0.0 0.917	
355	336	334	1.0 0.0 0.9	48.2 73.3 -5.6 73.6	355	0.553 0.0 1.0	38.4 56.5 -25.1 61.8	336	1.0 0.0 0.9	0.52 0.0 1.0	37.6 54.9 -26.3 60.9	334	1.0 0.0 0.9	
355	337	335	1.0 0.0 0.883	48.2 73.2 -5.1 73.4	355	0.573 0.0 1.0	38.9 57.4 -24.3 62.4	337	1.0 0.0 0.883	0.538 0.0 1.0	38.1 55.8 -25.6 61.4	335	1.0 0.0 0.883	
356	338	336	1.0 0.0 0.866	48.2 73.1 -4.6 73.2	356	0.592 0.0 1.0	39.4 58.3 -23.5 62.9	338	1.0 0.0 0.867	0.557 0.0 1.0	38.5 56.7 -24.9 61.9	336	1.0 0.0 0.867	
356	339	337	1.0 0.0 0.85	48.1 72.9 -4.0 73.0	356	0.612 0.0 1.0	39.9 59.2 -22.6 63.4	339	1.0 0.0 0.85	0.575 0.0 1.0	39.0 57.5 -24.2 62.4	337	1.0 0.0 0.85	
357	340	338	1.0 0.0 0.833	48.1 72.8 -3.5 72.9	357	0.631 0.0 1.0	40.4 60.1 -21.8 64.0	340	1.0 0.0 0.833	0.594 0.0 1.0	39.5 58.4 -23.4 62.9	338	1.0 0.0 0.833	
357	341	339	1.0 0.0 0.816	48.1 72.7 -2.9 72.7	357	0.648 0.0 1.0	40.8 61.1 -21.0 64.7	341	1.0 0.0 0.817	0.613 0.0 1.0	39.9 59.2 -22.6 63.4	339	1.0 0.0 0.817	
358	342	339	1.0 0.0 0.8	48.1 72.5 -2.4 72.5	358	0.666 0.0 1.0	41.3 62.2 -20.1 65.4	342	1.0 0.0 0.8	0.631 0.0 1.0	40.4 60.1 -21.8 64.0	339	1.0 0.0 0.8	
358	343	340	1.0 0.0 0.783	48.1 72.4 -1.8 72.4	358	0.684 0.0 1.0	41.7 63.2 -19.2 66.0	343	1.0 0.0 0.783	0.647 0.0 1.0	40.8 61.1 -21.0 64.6	340	1.0 0.0 0.783	
358	344	341	1.0 0.0 0.766	48.1 72.2 -1.3 72.2	358	0.701 0.0 1.0	42.1 64.1 -18.3 66.7	344	1.0 0.0 0.767	0.664 0.0 1.0	41.2 62.0 -20.2 65.3	341	1.0 0.0 0.767	
359	345	342	1.0 0.0 0.75	48.1 72.1 -0.7 72.1	359	0.719 0.0 1.0	42.6 65.1 -17.3 67.4	345	1.0 0.0 0.75	0.681 0.0 1.0	41.6 63.0 -19.4 65.9	342	1.0 0.0 0.75	

3-0031530-L0 SF040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nmw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

sortie: Offset standard print; separation cmyn6*, D65, page 16/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_d$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=0, de=0, $cmyk$ *te: transférer à $cmyk_d$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

3-0031630-L0	SF040-70	LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0
--------------	----------	--

sortie: Offset standard print; separation cmyn6*, D65, page 17/33

graphique TUB-SF04; 16 teintes, papier standard de offset entrée: *rgb/cmyk* → *rgb*_d
cercle de teinte, 48 étapes; *rgb-LabCh** tables, 3D=0, de=0, *cmysk*: transférer à *cmyk*_d

sortie: transférer à *cmyk_d*

A horizontal line representing a 1D lattice. The line is divided into segments by vertical tick marks. The first segment on the left is colored red and contains the label '0'. The last segment on the right is colored green and contains the label 'L'. The segments between '0' and 'L' are colored black.

3-0031630-F0

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rhata
- application pour la mesure des sorties sur offset, séparationcmyb6 (CMYK)

TUB matériel: code=rha4ta

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 18/33

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md	
0/648	R00Y_100_100d	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
1/657	R13Y_100_100d	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.116 0.0	51.2 57.2 42.8	71.5 36.8	1.0 0.125 0.0	51.5 56.6 43.1	71.2 37.2	1.0 0.116 0.0	51.2 57.2 42.8	71.5 36.8
2/666	R25Y_100_100d	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	55.9 47.3 48.7	67.9 45.8	1.0 0.25 0.0	56.6 45.8 49.4	67.4 47.2	1.0 0.233 0.0	55.9 47.3 48.7	67.9 45.8
3/675	R38Y_100_100d	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.366 0.0	62.0 35.2 56.0	66.2 57.8	1.0 0.375 0.0	62.3 34.4 56.4	66.1 58.6	1.0 0.366 0.0	62.0 35.2 56.0	66.2 57.8
4/684	R50Y_100_100d	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1
5/693	R63Y_100_100d	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.633 0.0	75.3 11.6 72.0	72.9 80.8	1.0 0.625 0.0	74.9 12.1 71.5	72.5 80.3	1.0 0.633 0.0	75.3 11.6 72.0	72.9 80.8
6/702	R75Y_100_100d	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.766 0.0	81.2 2.5 78.8	78.9 88.1	1.0 0.75 0.0	80.5 3.4 78.0	78.1 87.4	1.0 0.766 0.0	81.2 2.5 78.8	78.9 88.1
7/711	R88Y_100_100d	1.0 0.875 0.0	1.0 1.0 0.5	83	1.0 0.883 0.0	85.6 -4.1 84.3	84.4 92.8	1.0 0.875 0.0	85.4 -3.7 84.0	84.0 92.5	1.0 0.883 0.0	85.6 -4.1 84.3	84.4 92.8
8/720	Y00G_100_100d	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0
9/639	Y13G_100_100d	0.875 1.0 0.0	1.0 1.0 0.5	97	0.883 1.0 0.0	86.9 -13.6 83.1	84.2 99.3	0.875 1.0 0.0	86.7 -13.9 82.7	83.8 99.5	0.883 1.0 0.0	86.9 -13.6 83.1	84.2 99.3
10/558	Y25G_100_100d	0.75 1.0 0.0	1.0 1.0 0.5	104	0.766 1.0 0.0	84.1 -17.3 77.9	79.8 102.5	0.75 1.0 0.0	83.7 -17.7 77.1	79.2 102.9	0.766 1.0 0.0	84.1 -17.3 77.9	79.8 102.5
11/477	Y38G_100_100d	0.625 1.0 0.0	1.0 1.0 0.5	112	0.633 1.0 0.0	78.3 -22.8 71.7	75.2 107.6	0.625 1.0 0.0	77.9 -23.1 71.3	75.0 107.9	0.633 1.0 0.0	78.3 -22.8 71.7	75.2 107.6
12/396	Y50G_100_100d	0.5 1.0 0.0	1.0 1.0 0.5	120	0.5 1.0 0.0	73.1 -30.2 60.8	67.9 116.4	0.5 1.0 0.0	73.1 -30.2 60.8	67.9 116.4	0.5 1.0 0.0	73.1 -30.2 60.8	67.9 116.4
13/315	Y63G_100_100d	0.375 1.0 0.0	1.0 1.0 0.5	128	0.366 1.0 0.0	68.3 -37.3 52.3	64.3 125.4	0.375 1.0 0.0	68.8 -36.5 53.0	64.4 124.5	0.366 1.0 0.0	68.3 -37.3 52.3	64.3 125.4
14/234	Y75G_100_100d	0.25 1.0 0.0	1.0 1.0 0.5	136	0.233 1.0 0.0	60.3 -48.7 41.3	63.9 139.7	0.25 1.0 0.0	60.8 -47.5 42.4	63.7 138.2	0.233 1.0 0.0	60.3 -48.7 41.3	63.9 139.7
15/153	Y88G_100_100d	0.125 1.0 0.0	1.0 1.0 0.5	143	0.116 1.0 0.0	56.3 -57.0 32.8	65.8 150.0	0.125 1.0 0.0	56.7 -56.1 33.3	65.2 149.2	0.116 1.0 0.0	56.3 -57.0 32.8	65.8 150.0
16/72	G00C_100_100d	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6
17/73	G13C_100_100d	0.0 1.0 0.125	1.0 1.0 0.5	157	0.0 1.0 0.116	52.3 -66.3 14.2	67.9 167.8	0.0 1.0 0.125	52.3 -66.1 13.6	67.5 168.3	0.0 1.0 0.116	52.3 -66.3 14.2	67.9 167.8
18/74	G25C_100_100d	0.0 1.0 0.25	1.0 1.0 0.5	164	0.0 1.0 0.233	52.9 -62.5 5.2	62.7 175.2	0.0 1.0 0.25 0.0	53.0 -61.8 4.0	61.9 176.2	0.0 1.0 0.233	52.9 -62.5 5.2	62.7 175.2
19/75	G38C_100_100d	0.0 1.0 0.375	1.0 1.0 0.5	172	0.0 1.0 0.366	53.8 -56.9 -6.1	57.3 186.2	0.0 1.0 0.375 0.0	53.8 -56.5 -6.8	56.9 186.9	0.0 1.0 0.366	53.8 -56.9 -6.1	57.3 186.2
20/76	G50C_100_100d	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.5	54.6 -50.8 -17.3	53.7 198.8	0.0 1.0 0.5	54.6 -50.8 -17.3	53.7 198.8	0.0 1.0 0.5	54.6 -50.8 -17.3	53.7 198.8
21/77	G63C_100_100d	0.0 1.0 0.625	1.0 1.0 0.5	188	0.0 1.0 0.633	55.5 -45.4 -26.5	52.6 210.2	0.0 1.0 0.625 0.0	55.4 -45.8 -25.9	52.6 209.5	0.0 1.0 0.633	55.5 -45.4 -26.5	52.6 210.2
22/78	G75C_100_100d	0.0 1.0 0.75	1.0 1.0 0.5	196	0.0 1.0 0.766	56.7 -39.6 -34.5	52.5 221.1	0.0 1.0 0.75 0.0	56.6 -40.0 -33.7	52.4 220.1	0.0 1.0 0.766	56.7 -39.6 -34.5	52.5 221.1
23/79	G88C_100_100d	0.0 1.0 0.875	1.0 1.0 0.5	203	0.0 1.0 0.883	57.3 -35.8 -40.0	53.7 228.1	0.0 1.0 0.875 0.0	57.2 -36.1 -39.6	53.6 227.6	0.0 1.0 0.883	57.3 -35.8 -40.0	53.7 228.1
24/80	C00B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6
25/71	C13B_100_100d	0.0 0.875 1.0	1.0 1.0 0.5	217	0.0 0.883 1.0	55.1 -27.8 -45.3	53.2 238.4	0.0 0.875 1.0	54.9 -27.5 -45.3	53.0 238.7	0.0 0.883 1.0	55.1 -27.8 -45.3	53.2 238.4
26/62	C25B_100_100d	0.0 0.75 1.0	1.0 1.0 0.5	224	0.0 0.766 1.0	51.8 -22.8 -45.6	51.0 243.3	0.0 0.75 1.0	51.3 -22.1 -45.6	50.7 244.0	0.0 0.766 1.0	51.8 -22.8 -45.6	51.0 243.3
27/53	C38B_100_100d	0.0 0.625 1.0	1.0 1.0 0.5	232	0.0 0.633 1.0	47.5 -16.4 -45.9	48.8 250.3	0.0 0.625 1.0	47.2 -16.0 -45.9	48.7 250.7	0.0 0.633 1.0	47.5 -16.4 -45.9	48.8 250.3
28/44	C50B_100_100d	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.5 1.0	42.3 -7.7 -46.3	46.9 260.4	0.0 0.5 1.0	42.3 -7.7 -46.3	46.9 260.4	0.0 0.5 1.0	42.3 -7.7 -46.3	46.9 260.4
29/35	C63B_100_100d	0.0 0.375 1.0	1.0 1.0 0.5	248	0.0 0.366 1.0	37.0 0.8 -46.5	46.5 271.0	0.0 0.375 1.0	37.3 0.3 -46.4	46.4 270.4	0.0 0.366 1.0	37.0 0.8 -46.5	46.5 271.0
30/26	C75B_100_100d	0.0 0.25 1.0	1.0 1.0 0.5	256	0.0 0.233 1.0	32.1 9.5 -47.2	48.1 281.4	0.0 0.25 1.0	32.7 8.5 -47.0	47.8 280.2	0.0 0.233 1.0	32.1 9.5 -47.2	48.1 281.4
31/17	C88B_100_100d	0.0 0.125 1.0	1.0 1.0 0.5	263	0.0 0.116 1.0	27.8 17.1 -47.6	50.6 289.8	0.0 0.125 1.0	28.1 16.7 -47.6	50.4 289.3	0.0 0.116 1.0	27.8 17.1 -47.6	50.6 289.8
32/8	B00M_100_100d	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
33/89	B13M_100_100d	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	27.6 30.9 -43.8	53.6 305.2	0.125 0.0 1.0	27.8 31.4 -43.4	53.6 305.9	0.116 0.0 1.0	27.6 30.9 -43.8	53.6 305.2
34/170	B25M_100_100d	0.25 0.0 1.0	1.0 1.0 0.5	284	0.233 0.0 1.0	29.6 35.4 -40.8	54.1 310.9	0.25 0.0 1.0	29.9 36.0 -40.4	54.1 311.7	0.233 0.0 1.0	29.6 35.4 -40.8	54.1 310.9
35/251	B38M_100_100d	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	33.5 47.0 -32.8	57.3 325.0	0.375 0.0 1.0	33.7 47.7 -32.2	57.5 325.9	0.366 0.0 1.0	33.5 47.0 -32.8	57.3 325.0
36/332	B50M_100_100d	0.5 0.0 1.0	1.0 1.0 0.5	300	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2
37/413	B63M_100_100d	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	40.4 60.2 -21.7	64.0 340.1	0.625 0.0 1.0	40.2 59.7 -22.1	63.7 339.6	0.633 0.0 1.0	40.4 60.2 -21.7	64.0 340.1
38/494	B75M_100_100d	0.75 0.0 1.0	1.0 1.0 0.5	316	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2	0.75 0.0 1.0	43.3 66.7 -15.7	68.5 346.7	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2
39/575	B88M_100_100d	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	46.0 70.9 -11.8	71.9 350.5	0.875 0.0 1.0	45.9 70.7 -12.0	71.7 350.3	0.883 0.0 1.0	46.0 70.9 -11.8	71.9 350.5
40/656	M00R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
41/655	M13R_100_100d	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.883	48.2 73.2 -5.1	73.4 355.9	1.0 0.0 0.875	48.2 73.1 -4.9	73.3 356.1	1.0 0.0 0.883	48.2 73.2 -5.1	73.4 355.9
42/654	M25R_100_100d	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.766	48.1 72.2 -1.3	72.2 358.9	1.0 0.0 0.75 0.0	48.1 72.1 -0.7	72.1 359.3	1.0 0.0 0.766	48.1 72.2 -1.3	72.2 358.9
43/653	M38R_100_100d	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.633	48.0 70.8 4.5	71.0 3.7	1.0 0.0 0.625 0.0	48.0 70.7 4.9	70.9 364.0	1.0 0.0 0.633	48.0 70.8 4.5	71.0 3.7
44/652	M50R_100_100d	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2	1.0 0.0 0.5 0.0	47.8 69.7 11.3	70.6 369.2	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2
45/651	M63R_100_100d	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.366	47.8 68.1 18.7	70.7 15.4	1.0 0.0 0.375 0.0	47.8 68.2 18.3	70.6 375.0	1.0 0.0 0.366	47.8 68.1 18.7	70.7 1

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 19/33

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiM,d	rgb*Md	LabCh*Md				
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4			
1/666	R25Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.253	0.0	55.9	47.3	48.7	67.9	45.8			
2/684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1			
3/702	R75Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.766	0.0	81.2	2.5	78.8	78.9	88.1			
4/720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0			
5/558	Y25G_100_100a	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	84.1	-17.3	79.9	79.8	102.5
6/396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4
7/234	Y75G_100_100a	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	60.3	-48.7	41.3	63.9	139.7
8/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6
9/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6
10/76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	184	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8
11/80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	1.0	210	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6
12/44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4
13/8	B00M_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6
14/332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
15/656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
16/652	B75R_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	47.8	69.7	11.3	70.6	9.2
17/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
18/688	R00Y_100_050a	1.0	0.5	0.5	1.0	1.0	0.5	390	1.0	0.5	0.5	71.9	32.7	19.2	38.0	30.4
19/706	R50Y_100_050a	1.0	0.75	0.5	1.0	1.0	0.75	60	1.0	0.75	0.5	82.2	12.0	31.5	33.7	69.1
20/724	Y00G_100_050a	1.0	1.0	0.5	1.0	1.0	1.0	90	1.0	1.0	0.5	92.8	-7.7	44.5	44.8	96.0
21/562	Y50G_100_050a	0.75	1.0	0.5	1.0	1.0	0.5	120	0.75	1.0	0.5	84.7	-15.1	30.4	33.9	116.4
22/400	G00B_100_050a	0.5	1.0	0.5	1.0	1.0	0.5	150	0.5	1.0	0.5	74.0	-34.6	11.5	36.5	161.6
23/404	G50B_100_050a	0.5	1.0	1.0	1.0	1.0	0.5	210	0.5	1.0	1.0	77.1	-15.9	-22.5	27.6	234.6
24/368	B00R_100_050a	0.5	0.5	1.0	1.0	1.0	0.5	270	0.5	0.5	1.0	60.6	11.4	-23.9	26.5	295.6
25/692	B50R_100_050a	1.0	0.5	1.0	1.0	1.0	0.5	330	1.0	0.5	1.0	72.3	37.1	-4.3	37.3	353.2
26/688	R00Y_100_050a	1.0	0.5	0.5	1.0	1.0	0.5	390	1.0	0.5	0.5	71.9	32.7	19.2	38.0	30.4
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.25	54	0.75	0.25	0.25	52.4	37.1	19.2	38.0	30.4
28/524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.5	0.25	60	0.75	0.5	0.25	62.7	12.0	31.5	33.7	69.1
29/542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.5	0.5	90	0.75	0.75	0.25	73.4	-4.7	44.5	44.8	96.0
30/380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	0.5	0.75	0.25	65.3	-15.1	30.4	33.9	116.4
31/218	G00B_075_050a	0.25	0.75	0.25	0.75	0.5	0.25	150	0.25	0.75	0.25	54.5	-15.1	30.4	33.9	116.4
32/222	G50B_075_050a	0.25	0.75	0.75	0.75	0.5	0.5	210	0.25	0.75	0.75	54.5	-15.9	-22.5	27.6	234.6
33/186	B00R_075_050a	0.25	0.25	0.75	0.75	0.5	0.5	270	0.25	0.25	0.75	41.2	11.4	-23.9	26.5	295.6
34/510	B50R_075_050a	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.75	52.8	37.1	-4.3	37.3	353.2
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	52.4	32.7	19.2	38.0	30.4
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	33.0	32.7	19.2	38.0	30.4
37/342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	43.3	12.0	31.5	33.7	69.1
38/360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	0.5	0.5	0.0	53.9	-4.7	44.5	44.8	96.0
39/198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.25	120	0.25	0.5	0.0	45.8	-15.1	30.4	33.9	116.4
40/36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	150	0.0	0.5	0.0	35.0	-34.6	11.5	36.5	161.6
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	210	0.0	0.5	0.5	38.2	-15.9	-22.5	27.6	234.6
42/4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	270	0.0	0.0	0.5	21.7	11.4	-23.9	26.5	295.6
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	0.5	0.0	0.5	33.3	37.1	-4.3	37.3	353.2
44/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	33.0	32.7	19.2	38.0	30.4
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	18.5	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.0	0.125	360	0.125	0.125	0.125	28.2	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.25	360	0.25	0.25	0.25	37.9	0.0	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.375	0.0	0.375	360	0.375	0.375	0.375	47.7	0.0	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	57.4	0.0	0.0	0.0	0.0
50/455	NW_063a	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	67.1	0.0	0.0	0.0	0.0
51/546	NW_075a	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	76.9	0.0	0.0	0.0	0.0
52/637	NW_088a	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	86.6	0.0	0.0	0.0	0.0
53/728	NW_100a	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0

delta E* = 4.3

graphique TUB-SF04; 16 teintes, papier standard de offset
couleurs et différences, ΔE^* , 3D=0, de=0, cmyk

entrée: *rgb/cmyk* -> *rgb*_d
sortie: transférer à *cmyk*_d

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmyk6 (CMYK)

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyk6 (CMYK) TUB matériel: code=rha4ta

n=j	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md
0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
1	B00R_012_012a	0.0	0.0	0.125	0.125	0.125	0.062	0.062	0.0	0.0	1.0	1.0
2	B00R_025_025a	0.0	0.0	0.25	0.25	0.25	0.125	0.125	0.0	0.0	1.0	1.0
3	B00R_037_037a	0.0	0.0	0.375	0.375	0.375	0.187	0.187	0.0	0.0	1.0	1.0
4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	0.25	0.0	0.0	1.0	1.0
5	B00R_062_062a	0.0	0.0	0.625	0.625	0.625	0.312	0.312	0.0	0.0	1.0	1.0
6	B00R_075_075a	0.0	0.0	0.75	0.75	0.75	0.375	0.375	0.0	0.0	1.0	1.0
7	B00R_087_087a	0.0	0.0	0.875	0.875	0.875	0.437	0.437	0.0	0.0	1.0	1.0
8	B00R_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	0.5	0.0	0.0	1.0	1.0
9	G00B_012_012a	0.0	0.125	0.0	0.125	0.125	0.062	0.062	0.0	0.125	0.0	0.125
10	G50B_012_012a	0.0	0.125	0.125	0.125	0.125	0.062	0.062	0.0	0.125	0.125	0.125
11	G75B_025_025a	0.0	0.125	0.25	0.25	0.25	0.125	0.125	0.0	0.125	0.25	0.25
12	G84B_037_037a	0.0	0.125	0.375	0.375	0.375	0.187	0.187	0.0	0.125	0.375	0.375
13	G88B_050_050a	0.0	0.125	0.5	0.5	0.5	0.25	0.25	0.0	0.125	0.5	0.5
14	G90B_062_062a	0.0	0.125	0.625	0.625	0.625	0.312	0.312	0.0	0.125	0.625	0.625
15	G92B_075_075a	0.0	0.125	0.75	0.75	0.75	0.375	0.375	0.0	0.125	0.75	0.75
16	G93B_087_087a	0.0	0.125	0.875	0.875	0.875	0.437	0.437	0.0	0.125	0.875	0.875
17	G94B_100_100a	0.0	0.125	1.0	1.0	1.0	0.5	0.5	0.0	0.125	1.0	1.0
18	G00B_025_025a	0.0	0.25	0.0	0.25	0.25	0.125	0.125	0.0	0.25	0.0	0.25
19	G25B_025_025a	0.0	0.25	0.125	0.25	0.25	0.125	0.125	0.0	0.25	0.125	0.125
20	G50B_025_025a	0.0	0.25	0.25	0.25	0.25	0.125	0.125	0.0	0.25	0.25	0.25
21	G65B_037_037a	0.0	0.25	0.375	0.375	0.375	0.187	0.187	0.0	0.25	0.375	0.375
22	G75B_050_050a	0.0	0.25	0.5	0.5	0.5	0.25	0.25	0.0	0.25	0.5	0.5
23	G80B_062_062a	0.0	0.25	0.625	0.625	0.625	0.312	0.312	0.0	0.25	0.625	0.625
24	G84B_075_075a	0.0	0.25	0.75	0.75	0.75	0.375	0.375	0.0	0.25	0.75	0.75
25	G86B_087_087a	0.0	0.25	0.875	0.875	0.875	0.437	0.437	0.0	0.25	0.875	0.875
26	G88B_100_100a	0.0	0.25	1.0	1.0	1.0	0.5	0.5	0.0	0.25	1.0	1.0
27	G00B_037_037a	0.0	0.375	0.0	0.375	0.375	0.187	0.187	0.0	0.375	0.0	0.375
28	G15B_037_037a	0.0	0.375	0.125	0.375	0.375	0.187	0.187	0.0	0.375	0.125	0.125
29	G34B_037_037a	0.0	0.375	0.25	0.375	0.375	0.187	0.187	0.0	0.375	0.25	0.25
30	G50B_037_037a	0.0	0.375	0.375	0.375	0.375	0.187	0.187	0.0	0.375	0.375	0.375
31	G61B_050_050a	0.0	0.375	0.5	0.5	0.5	0.25	0.25	0.0	0.375	0.5	0.5
32	G69B_062_062a	0.0	0.375	0.625	0.625	0.625	0.312	0.312	0.0	0.375	0.625	0.625
33	G75B_075_075a	0.0	0.375	0.75	0.75	0.75	0.375	0.375	0.0	0.375	0.75	0.75
34	G79B_087_087a	0.0	0.375	0.875	0.875	0.875	0.437	0.437	0.0	0.375	0.875	0.875
35	G81B_100_100a	0.0	0.375	1.0	1.0	1.0	0.5	0.5	0.0	0.375	1.0	1.0
36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	0.25	0.0	0.5	0.0	0.5
37	G11B_050_050a	0.0	0.5	0.125	0.5	0.5	0.25	0.25	0.0	0.5	0.125	0.125
38	G25B_050_050a	0.0	0.5	0.25	0.5	0.5	0.25	0.25	0.0	0.5	0.25	0.25
39	G38B_050_050a	0.0	0.5	0.375	0.5	0.5	0.25	0.25	0.0	0.5	0.375	0.375
40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	0.25	0.0	0.5	0.5	0.5
41	G59B_062_062a	0.0	0.5	0.625	0.625	0.625	0.312	0.312	0.0	0.5	0.625	0.625
42	G65B_075_075a	0.0	0.5	0.75	0.75	0.75	0.375	0.375	0.0	0.5	0.75	0.75
43	G70B_087_087a	0.0	0.5	0.875	0.875	0.875	0.437	0.437	0.0	0.5	0.875	0.875
44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	0.5	0.0	0.5	1.0	1.0
45	G00B_062_062a	0.0	0.625	0.0	0.625	0.625	0.312	0.312	0.0	0.625	0.0	0.625
46	G09B_062_062a	0.0	0.625	0.125	0.625	0.625	0.312	0.312	0.0	0.625	0.125	0.125
47	G19B_062_062a	0.0	0.625	0.25	0.625	0.625	0.312	0.312	0.0	0.625	0.25	0.25
48	G30B_062_062a	0.0	0.625	0.375	0.625	0.625	0.312	0.312	0.0	0.625	0.375	0.375
49	G40B_062_062a	0.0	0.625	0.5	0.625	0.625	0.312	0.312	0.0	0.625	0.5	0.5
50	G50B_062_062a	0.0	0.625	0.625	0.625	0.625	0.312	0.312	0.0	0.625	0.625	0.625
51	G57B_075_075a	0.0	0.625	0.75	0.75	0.75	0.375	0.375	0.0	0.625	0.75	0.75
52	G63B_087_087a	0.0	0.625	0.875	0.875	0.875	0.437	0.437	0.0	0.625	0.875	0.875
53	G68B_100_100a	0.0	0.625	1.0	1.0	1.0	0.5	0.5	0.0	0.625	1.0	1.0
54	G00B_075_075a	0.0	0.75	0.0	0.75	0.75	0.375	0.375	0.0	0.75	0.0	0.75
55	G07B_075_075a	0.0	0.75	0.125	0.75	0.75	0.375	0.375	0.0	0.75	0.125	0.125
56	G15B_075_075a	0.0	0.75	0.25	0.75	0.75	0.375	0.375	0.0	0.75	0.25	0.25
57	G25B_075_075a	0.0	0.75	0.375	0.75	0.75	0.375	0.375	0.0	0.75	0.375	0.375
58	G34B_075_075a	0.0	0.75	0.5	0.75	0.75	0.375	0.375	0.0	0.75	0.5	0.5
59	G42B_075_075a	0.0	0.75	0.625	0.75	0.75	0.375	0.375	0.0	0.75	0.625	0.625
60	G50B_075_075a	0.0	0.75	0.75	0.75	0.75	0.375	0.375	0.0	0.75	0.75	0.75
61	G56B_087_087a	0.0	0.75	0.875	0.875	0.875	0.437	0.437	0.0	0.75	0.875	0.875
62	G61B_100_100a	0.0	0.75	1.0	1.0	1.0	0.5	0.5	0.0	0.75	1.0	1.0
63	G00B_087_087a	0.0	0.875	0.0	0.875	0.875	0.437	0.437	0.0	0.875	0.0	0.875
64	G06B_087_087a	0.0	0.875	0.125	0.875	0.875	0.437	0.437	0.0	0.875	0.125	0.125
65	G13B_087_087a	0.0	0.875	0.25	0.875	0.875	0.437	0.437	0.0	0.875	0.25	0.25
66	G20B_087_087a	0.0	0.875	0.375	0.875	0.875	0.437	0.437	0.0	0.875	0.375	0.375
67	G29B_087_087a	0.0	0.875	0.5	0.875	0.875	0.437	0.437	0.0	0.875	0.5	0.5
68	G36B_087_087a	0.0	0.875	0.625	0.875	0.875	0.437	0.437	0.0	0.875	0.625	0.625
69	G43B_087_087a	0.0	0.875	0.75	0.875	0.875	0.437	0.437	0.0	0.875	0.75	0.75
70	G50B_087_087a	0.0	0.875	0.875	0.875	0.875	0.437	0.437	0.0	0.875	0.875	0.875
71	G55B_100_100a	0.0	0.875	1.0	1.0	1.0	0.5	0.5	0.0	0.875	1.0	1.0
72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.0	1.0
73	G05B_100_100a	0.0	1.0	0.125	1.0	1.0	0.5	0.5	0.0	1.0	0.125	0.125
74	G11B_100_100a	0.0	1.0	0.25	1.0	1.0	0.5	0.5	0.0	1.0	0.25	0.25
75	G18B_100_100a	0.0	1.0	0.375	1.0	1.0	0.5	0.5	0.0	1.0	0.375	0.375
76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	0.5	0.0	1.0	0.5	0.5
77	G31B_100_100a	0.0	1.0	0.625	1.0	1.0	0.5	0.5	0.0	1.0	0.625	0.625
78	G38B_100_100a	0.0	1.0	0.75	1.0	1.0	0.5	0.5	0.0	1.0	0.75	0.75
79	G44B_100_100a	0.0	1.0	0.875	1.0	1.0	0.5	0.5	0.0	1.0	0.875	0.875
80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	0.5	0.0	1.0	1.0	1.0

delta E* = 4.4

graphique TUB-SF04; 16 teintes, papier standard de offset
couleurs et différences, ΔE^* , 3D=0, de=0, cmyk

entrée: $rgb/cmyk \rightarrow rgb_d$
sortie: transférer à $cmyk_d$

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, separationcmy6 (CMYK)
TUB matériel: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md	
81	R00Y_012_012a	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.0	22.1 8.1 4.8	9.5 30.4	0.125 0.0 0.0	24.2 6.7 5.6	8.7 39.9 2.7	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
82	B50R_012_012a	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.125	22.2 9.2 -1.0	9.3 353.2	0.125 0.0 0.125	24.3 9.5 -2.7	9.9 343.7 2.7	330	1.0 0.0 0.0	48.2 74.2 -8.7 74.7 353.2
83	B25R_025_025a	0.125 0.0 0.25	0.25 0.25 0.125	300	0.125 0.0 0.25	23.1 13.4 -6.7	15.1 333.2	0.125 0.0 0.25	27.3 16.8 -10.1	19.6 328.9 6.3	300	0.5 0.0 0.0	37.0 53.9 -27.1 60.4 333.2
84	B15R_037_037a	0.125 0.0 0.375	0.375 0.375 0.187	289	0.118 0.0 0.375	23.5 15.9 -13.6	20.9 319.3	0.125 0.0 0.375	26.9 21.9 -17.4	28.0 321.6 7.8	288	0.316 0.0 1.0	32.0 42.4 -36.4 55.9 319.3
85	B11R_050_050a	0.125 0.0 0.5	0.5 0.5 0.25	284	0.116 0.0 0.5	24.1 17.7 -20.4	27.0 310.9	0.125 0.0 0.5	26.4 25.3 -23.7	34.7 316.9 8.6	282	0.233 0.0 1.0	29.6 35.4 -40.8 54.1 310.9
86	B09R_062_062a	0.125 0.0 0.625	0.625 0.625 0.312	281	0.114 0.0 0.625	24.9 21.0 -26.3	33.6 308.6	0.125 0.0 0.625	26.5 27.3 -30.1	40.7 312.2 7.5	279	0.183 0.0 1.0	28.8 33.6 -42.1 53.9 308.6
87	B07R_075_075a	0.125 0.0 0.75	0.75 0.75 0.375	279	0.112 0.0 0.75	25.8 24.3 -32.1	40.3 307.0	0.125 0.0 0.75	26.9 29.1 -35.3	45.8 309.4 5.8	278	0.15 0.0 1.0	28.2 32.4 -42.8 53.7 307.0
88	B06R_087_087a	0.125 0.0 0.875	0.875 0.875 0.437	278	0.116 0.0 0.875	26.8 27.8 -37.8	46.9 306.2	0.125 0.0 0.875	27.6 31.4 -40.0	50.9 308.0 4.3	277	0.133 0.0 1.0	28.0 31.7 -43.2 53.7 306.2
89	B05R_100_100a	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	27.6 30.9 -43.8	53.6 305.2	0.125 0.0 1.0	27.8 31.4 -43.4	53.6 305.9 0.6	276	0.116 0.0 1.0	27.6 30.9 -43.8 53.6 305.2
90	Y00G_012_012a	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.125 0.0	27.3 -1.1 11.1	11.2 96.0	0.125 0.125 0.0	30.3 -3.0 8.7	9.2 108.8 4.1	89	1.0 1.0 0.0	89.4 -9.5 89.0 89.6 96.0
91	NW_012a	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0	0.125 0.125 0.125	30.8 -0.2 -1.2	1.3 257.7 2.9	360	1.0 1.0 1.0	96.3 0.0 0.0 0.0 0.0
92	B00R_025_012a	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.124 0.25	29.0 2.8 -5.9	6.6 295.6	0.125 0.125 0.25	32.9 4.5 -10.7	11.6 292.8 6.4	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
93	B00R_037_025a	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.124 0.375	29.8 5.7 -11.9	13.2 295.6	0.125 0.125 0.375	33.5 8.8 -17.1	19.3 297.4 7.0	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
94	B00R_050_037a	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	30.6 8.6 -17.9	19.9 295.6	0.125 0.125 0.5	32.6 13.0 -23.2	26.7 299.3 7.2	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
95	B00R_062_050a	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	31.4 11.4 -23.9	26.5 295.6	0.125 0.125 0.625	32.5 16.1 -28.9	33.1 299.2 6.9	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
96	B00R_075_062a	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	32.2 14.3 -29.9	33.1 295.6	0.125 0.125 0.75	32.1 18.9 -34.3	39.2 298.9 6.3	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
97	B00R_087_075a	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	33.1 17.2 -35.8	39.8 295.6	0.125 0.125 0.875	32.6 22.2 -39.1	45.0 299.5 5.9	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
98	B00R_100_087a	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	33.9 20.1 -41.8	46.4 295.6	0.125 0.125 1.0	32.2 23.3 -42.8	48.8 298.5 3.8	270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6
99	Y50G_025_025a	0.125 0.25 0.0	0.25 0.25 0.125	120	0.125 0.25 0.0	32.2 -7.5 15.2	16.9 116.4	0.125 0.25 0.0	38.4 -10.6 16.0	19.2 123.5 7.0	119	0.5 1.0 0.0	73.1 -60.2 60.8 67.9 116.4
100	G00B_025_012a	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.124	32.4 -8.6 2.8	9.1 161.6	0.125 0.25 0.125	37.8 -9.7 3.0	10.1 162.7 5.5	149	0.0 1.0 0.0	51.6 -69.3 23.0 73.1 161.6
101	G50B_025_012a	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.25	33.1 -3.9 -5.6	6.9 234.6	0.125 0.25 0.25	38.8 -5.7 -9.2	10.8 237.9 6.9	210	0.0 1.0 0.0	57.8 -31.9 -45.1 55.3 234.6
102	G75B_037_025a	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.25 0.375	34.2 -1.9 -11.5	11.7 260.4	0.125 0.25 0.375	40.1 -1.9 -15.6	15.7 263.0 7.1	240	0.0 0.5 1.0	42.3 -7.7 -46.3 46.9 260.4
103	G84B_050_037a	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.243 0.5	34.5 1.5 -17.5	17.6 275.0	0.125 0.25 0.5	39.3 1.8 -21.9	21.9 274.8 6.4	251	0.0 0.316 1.0	35.1 4.1 -46.9 47.1 275.0
104	G88B_062_050a	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.241 0.625	35.0 4.7 -23.6	24.0 281.4	0.125 0.25 0.625	38.8 5.5 -27.5	28.1 281.3 5.5	257	0.0 0.233 1.0	32.1 9.5 -47.2 48.1 281.4
105	G90B_075_062a	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.239 0.75	35.6 8.0 -29.7	30.7 285.1	0.125 0.25 0.75	37.4 9.6 -33.3	34.6 286.1 4.3	260	0.0 0.183 1.0	30.2 12.8 -47.5 49.2 285.1
106	G92B_087_075a	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.237 0.875	36.1 11.3 -35.7	37.4 287.5	0.125 0.25 0.875	37.5 12.7 -37.9	40.0 288.5 3.0	262	0.0 0.15 1.0	29.0 15.0 -47.6 49.9 287.5
107	G93B_100_087a	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.241 1.0	36.9 14.1 -41.6	40.0 288.7	0.125 0.25 1.0	36.8 14.9 -41.8	44.4 289.5 0.7	262	0.0 0.133 1.0	28.4 16.1 -47.6 50.3 288.7
108	Y68G_037_037a	0.125 0.375 0.0	0.375 0.375 0.187	131	0.118 0.375 0.0	36.0 -15.7 18.1	24.0 130.9	0.125 0.375 0.0	42.5 -19.0 20.7	28.1 132.6 7.7	131	0.316 1.0 0.0	65.1 -42.0 48.3 64.0 130.9
109	G00B_037_025a	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.124	36.5 -17.3 5.7	18.2 161.6	0.125 0.375 0.125	43.0 -17.2 7.4	18.7 156.4 6.7	149	0.0 1.0 0.0	51.6 -69.3 23.0 73.1 161.6
110	G25B_037_025a	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.25	37.3 -12.7 -4.3	13.4 198.8	0.125 0.375 0.25	44.0 -13.3 -5.3	14.3 202.0 6.8	180	0.0 1.0 0.5	54.6 -50.8 -17.3 53.7 198.8
111	G50B_037_025a	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	38.1 -7.9 -11.2	13.8 234.6	0.125 0.375 0.375	45.2 -9.7 -14.5	17.5 236.2 8.0	210	0.0 1.0 1.0	57.8 -31.9 -45.1 55.3 234.6
112	G65B_050_037a	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.381 0.5	39.7 -7.0 -17.2	18.6 247.6	0.125 0.375 0.5	45.0 -7.4 -21.0	22.2 250.5 6.5	228	0.0 0.683 1.0	49.1 -18.8 -45.9 49.6 247.6
113	G75B_062_050a	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.375 0.625	40.1 -3.8 -23.1	23.4 260.4	0.125 0.375 0.625	44.8 -4.3 -26.7	27.1 260.6 5.9	240	0.0 0.5 1.0	42.3 -7.7 -46.3 46.9 260.4
114	G80B_075_062a	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.364 0.75	40.2 -0.1 -29.0	29.0 269.7	0.125 0.375 0.75	43.0 0.4 -32.4	32.4 270.7 4.4	247	0.0 0.383 1.0	37.6 -0.2 -46.5 46.5 269.7
115	G84B_087_075a	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.362 0.875	40.7 3.0 -35.1	35.3 275.0	0.125 0.375 0.875	43.1 3.2 -37.4	37.5 274.9 3.2	251	0.0 0.316 1.0	35.1 4.1 -46.9 47.1 275.0
116	G86B_100_087a	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.358 1.0	41.2 6.4 -41.1	41.6 278.9	0.125 0.375 1.0	40.9 7.3 -41.3	41.9 280.1 0.9	255	0.0 0.266 1.0	33.3 7.4 -47.0 47.6 278.9
117	Y76G_050_050a	0.125 0.5 0.0	0.5 0.5 0.25	136	0.116 0.5 0.0	39.4 -24.3 20.6	31.9 139.7	0.125 0.5 0.0	45.8 -27.0 24.1	36.2 138.2 7.7	137	0.233 1.0 0.0	60.3 -48.7 41.3 63.9 139.7
118	G00B_050_037a	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.124	40.6 -26.0 8.6	27.4 161.6	0.125 0.5 0.125	46.3 -24.7 11.1	27.1 155.7 6.3	149	0.0 1.0 0.0	51.6 -69.3 23.0 73.1 161.6
119	G15B_050_037a	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.243	41.3 -22.2 -0.7	22.2 181.9	0.125 0.5 0.25	47.4 -21.0 -1.1	21.0 183.0 6.2	168	0.0 1.0 0.316	53.4 -59.2 -2.0 59.3 181.9
120	G34B_050_037a	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.5 0.381	42.3 -16.2 -11.1	19.7 214.4	0.125 0.5 0.375	48.9 -16.6 -12.5	21.0 216.5 6.7	191	0.0 1.0 0.683	56.0 -43.3 -29.7 52.5 214.4
121	G50B_050_037a	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	43.0 -11.9 -16.9	20.7 234.6	0.125 0.5 0.5	49.3 -13.9 -20.0	24.2 235.7 7.1	210	0.0 1.0 1.0	57.8 -31.9 -45.1 55.3 234.6
122	G61B_062_050a	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.508 0.625	44.9 -11.4 -22.8	25.5 243.3	0.125 0.					

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyb (CMYK) TUB matériel: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb**Md	LabCh**Md
162	R00Y_025_025a	0.25	0.0	0.0	0.25	0.25	0.0	0.0	29.3	16.0	12.5	20.3
163	R00Y_025_025a	0.25	0.0	0.125	0.25	0.25	0.125	29.6	18.6	1.9	18.7	6.0
164	B50R_025_025a	0.25	0.0	0.25	0.25	0.25	0.25	30.0	21.2	-5.5	21.9	345.2
165	B34R_037_037a	0.25	0.0	0.375	0.375	0.375	0.375	31.0	27.7	-11.0	29.8	338.2
166	B25R_050_050a	0.25	0.0	0.5	0.5	0.5	0.5	30.1	31.5	-17.8	36.2	330.5
167	B19R_062_062a	0.25	0.0	0.625	0.625	0.625	0.625	30.2	33.7	-24.1	41.4	324.4
168	B15R_075_075a	0.25	0.0	0.75	0.75	0.75	0.75	30.2	35.4	-30.0	46.4	319.7
169	B13R_087_087a	0.25	0.0	0.875	0.875	0.875	0.875	30.2	36.7	-35.9	51.4	315.6
170	B11R_100_100a	0.25	0.0	1.0	1.0	1.0	1.0	29.9	36.0	-40.4	54.1	311.7
171	R50Y_025_025a	0.25	0.125	0.0	0.25	0.25	0.125	30.3	2.7	18.2	18.4	81.3
172	R00Y_025_012a	0.25	0.125	0.125	0.25	0.125	0.125	30.4	7.1	6.8	9.8	43.9
173	B50R_025_012a	0.25	0.125	0.25	0.25	0.125	0.187	31.0	10.0	-4.4	10.9	335.9
174	B25R_037_025a	0.25	0.125	0.375	0.375	0.25	0.300	32.9	14.3	-10.6	17.8	323.3
175	B15R_050_037a	0.25	0.125	0.5	0.5	0.375	0.312	32.9	15.9	-12.3	25.1	316.1
176	B11R_062_050a	0.25	0.125	0.625	0.625	0.5	0.375	33.8	17.7	-20.4	27.0	311.8
177	B09R_075_062a	0.25	0.125	0.75	0.75	0.625	0.437	34.7	21.0	-26.3	33.6	308.6
178	B07R_087_075a	0.25	0.125	0.875	0.875	0.75	0.5	35.5	24.3	-32.1	40.3	307.0
179	B06R_100_087a	0.25	0.125	1.0	1.0	0.875	0.562	36.5	27.8	-37.8	46.9	306.2
180	Y00G_025_025a	0.25	0.25	0.0	0.25	0.25	0.125	37.1	-2.3	22.2	22.4	96.0
181	Y00G_025_012a	0.25	0.25	0.125	0.25	0.125	0.187	37.1	-1.1	11.1	11.2	96.0
182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.25	37.9	0.0	0.0	0.0	0.0
183	B00R_037_012a	0.25	0.25	0.375	0.375	0.125	0.312	38.8	2.8	-5.9	6.6	295.6
184	B00R_050_025a	0.25	0.25	0.5	0.5	0.25	0.375	39.6	5.7	-11.9	13.2	295.6
185	B00R_062_037a	0.25	0.25	0.625	0.625	0.375	0.437	40.4	8.6	-17.9	19.9	295.6
186	B00R_075_050a	0.25	0.25	0.75	0.75	0.5	0.5	41.2	11.4	-23.9	26.5	295.6
187	B00R_087_062a	0.25	0.25	0.875	0.875	0.625	0.562	42.0	14.3	-29.9	33.1	295.6
188	B00R_100_075a	0.25	0.25	1.0	1.0	0.75	0.625	42.8	17.2	-35.8	39.8	295.6
189	Y31G_037_037a	0.25	0.375	0.0	0.375	0.375	0.187	41.8	-7.7	27.7	28.8	105.6
190	Y50G_037_025a	0.25	0.375	0.125	0.375	0.25	0.25	41.9	-7.5	15.2	16.9	116.4
191	G00B_037_012a	0.25	0.375	0.25	0.375	0.125	0.312	42.1	-8.6	2.8	9.1	161.6
192	G50B_037_012a	0.25	0.375	0.375	0.375	0.125	0.312	42.9	-3.9	-5.6	6.9	234.6
193	G75B_050_025a	0.25	0.375	0.5	0.5	0.25	0.375	43.9	-1.9	-11.5	11.7	260.4
194	G84B_062_037a	0.25	0.375	0.625	0.625	0.375	0.437	44.2	1.5	-17.5	17.6	275.0
195	G88B_075_050a	0.25	0.375	0.75	0.75	0.5	0.5	44.8	4.7	-23.6	24.0	281.4
196	G90B_087_062a	0.25	0.375	0.875	0.875	0.625	0.562	45.8	8.0	-29.7	30.7	285.1
197	G92B_100_075a	0.25	0.375	1.0	1.0	0.75	0.625	46.1	11.3	-35.7	37.4	287.5
198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.25	45.8	-15.1	30.4	33.9	116.4
199	Y68G_050_037a	0.25	0.5	0.125	0.5	0.375	0.312	45.7	-15.7	18.1	24.0	130.9
200	G00B_050_025a	0.25	0.5	0.25	0.5	0.25	0.375	46.2	-17.3	5.7	18.2	161.6
201	G25B_050_025a	0.25	0.5	0.375	0.5	0.25	0.375	47.0	-12.7	-4.3	13.4	198.8
202	G50B_050_025a	0.25	0.5	0.5	0.5	0.25	0.375	47.8	-7.9	-11.2	13.8	234.6
203	G65B_062_037a	0.25	0.5	0.625	0.625	0.375	0.437	48.7	-7.0	-17.2	18.6	247.6
204	G75B_075_050a	0.25	0.5	0.75	0.75	0.5	0.5	49.9	-3.8	-23.1	23.4	260.4
205	G80B_087_062a	0.25	0.5	0.875	0.875	0.625	0.562	50.7	-0.1	-29.0	29.0	269.7
206	G84B_100_075a	0.25	0.5	1.0	1.0	0.75	0.625	51.0	3.0	-35.1	35.3	275.0
207	Y61G_062_062a	0.25	0.625	0.0	0.625	0.625	0.312	51.2	-22.6	33.4	40.3	124.0
208	Y76G_062_050a	0.25	0.625	0.125	0.625	0.5	0.375	51.6	-24.3	20.6	31.9	139.7
209	G00B_062_037a	0.25	0.625	0.25	0.625	0.375	0.437	51.9	-26.0	8.6	27.4	161.6
210	G15B_062_037a	0.25	0.625	0.375	0.625	0.375	0.437	52.1	-22.2	0.7	22.2	181.9
211	G34B_062_037a	0.25	0.625	0.5	0.625	0.375	0.437	52.1	-16.2	-11.1	19.7	214.4
212	G50B_062_037a	0.25	0.625	0.625	0.625	0.375	0.437	52.7	-11.9	-16.9	20.7	234.6
213	G61B_075_050a	0.25	0.625	0.75	0.75	0.5	0.5	53.4	-11.4	-22.8	25.5	243.3
214	G69B_087_062a	0.25	0.625	0.875	0.875	0.625	0.562	53.3	-9.6	-28.7	30.3	251.4
215	G75B_100_075a	0.25	0.625	1.0	1.0	0.75	0.625	54.0	-5.8	-34.7	35.2	260.4
216	Y68G_075_075a	0.25	0.75	0.0	0.75	0.75	0.375	54.1	-31.5	36.2	48.0	130.9
217	Y81G_075_062a	0.25	0.75	0.125	0.75	0.625	0.437	54.3	-32.6	23.6	40.3	144.1
218	G00B_075_050a	0.25	0.75	0.25	0.75	0.5	0.5	54.5	-34.6	11.5	36.5	161.6
219	G11B_075_050a	0.25	0.75	0.375	0.75	0.5	0.5	55.2	-31.2	2.6	31.3	175.2
220	G25B_075_050a	0.25	0.75	0.5	0.75	0.5	0.5	56.0	-25.4	8.6	26.8	198.8
221	G38B_075_050a	0.25	0.75	0.625	0.75	0.5	0.5	57.1	-19.8	-17.2	26.2	221.1
222	G50B_075_050a	0.25	0.75	0.75	0.75	0.5	0.5	57.6	-15.9	-22.5	27.6	234.6
223	G59B_087_062a	0.25	0.75	0.875	0.875	0.625	0.562	58.6	-15.6	-28.4	32.4	241.2
224	G65B_100_075a	0.25	0.75	1.0	1.0	0.75	0.625	59.2	-14.1	-34.4	37.2	247.6
225	Y73G_087_087a	0.25	0.875	0.0	0.875	0.875	0.437	59.3	-40.4	38.4	55.8	136.4
226	Y85G_087_075a	0.25	0.875	0.125	0.875	0.75	0.5	59.5	-40.8	26.4	48.7	147.0
227	G00B_087_062a	0.25	0.875	0.25	0.875	0.625	0.562	59.6	-43.3	14.4	45.6	161.6
228	G09B_087_062a	0.25	0.875	0.375	0.875	0.625	0.562	59.7	-40.2	5.6	40.5	172.0
229	G19B_087_062a	0.25	0.875	0.5	0.875	0.625	0.562	60.1	-35.1	-4.7	35.4	187.7
230	G30B_087_062a	0.25	0.875	0.625	0.875	0.625	0.562	60.7	-28.8	-15.8	32.9	208.7
231	G40B_087_062a	0.25	0.875	0.75	0.875	0.625	0.562	61.0	-23.8	-23.1	33.1	224.1
232	G50B_087_062a	0.25	0.875	0.875	0.875	0.625	0.562	61.9	-19.9	-28.2	34.5	234.6
233	G57B_100_100a	0.25	0.875	1.0	1.0	0.75	0.625	61.9	-19.9	-28.2	34.5	234.6
234	Y76G_100_075a	0.25	0.0	0.0	1.0	1.0	0.5	136	60.3	-48.7	41.3	63.9
235	Y86G_100_087a	0.25	0.0	0.125	1.0	0.875	0.562	142	61.1	-48.6	29.7	57.0
236	G00B_100_075a	0.25	0.0	0.25	1.0	0.75	0.625	150	62.5	-52.0	17.2	54.8
237	G07B_100_075a	0.25	0.0	0.375	1.0	0.75	0.625	159	63.4	-49.0	8.7	49.8
238	G15B_100_075a	0.25	0.0	0.5	1.0	0.75	0.625	169	64.2	-44.4	-1.5	44.4
239	G25B_100_075a	0.25	0.0	0.625	1.0	0.75	0.625	180	65.0			

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 23/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md		
243	R00Y_037_037a	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.0	29.4 24.5 14.4	28.5 30.4	0.375 0.0 0.0	32.3 26.8 18.3	32.5 34.3 5.4	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
244	R18Y_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	29.5 25.4 8.1	26.6 17.7	0.375 0.0 0.125	32.5 26.8 8.6	29.8 16.7 4.4	371	1.0 0.0 0.316	47.8 67.7 21.6	71.1 17.7
245	B65R_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.256	29.6 26.7 0.8	26.8 1.8	0.375 0.0 0.25	33.1 31.2 -0.8	31.2 358.3 5.9	348	1.0 0.0 0.683	48.1 71.4 2.3	71.4 1.8
246	B50R_037_037a	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	29.6 27.8 -3.2	28.0 353.2	0.375 0.0 0.375	33.1 33.1 -7.1	33.9 347.9 7.4	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
247	B38R_050_050a	0.375 0.0 0.5	0.5 0.5 0.25	316	0.383 0.0 0.5	31.1 33.6 -7.6	34.5 347.2	0.375 0.0 0.5	33.1 39.7 -11.9	41.5 343.3 7.7	317	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2
248	B30R_062_062a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.385 0.0 0.625	31.9 37.1 -14.0	39.7 339.2	0.375 0.0 0.625	33.8 44.0 -17.2	47.3 338.6 7.8	307	0.616 0.0 1.0	40.0 59.4 -22.5	63.5 339.2
249	B25R_075_075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.375 0.0 0.75	32.4 40.4 -20.3	45.3 333.2	0.375 0.0 0.75	33.7 45.5 -23.0	51.0 333.2 5.8	300	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2
250	B20R_087_087a	0.375 0.0 0.875	0.875 0.875 0.437	295	0.364 0.0 0.875	32.8 43.6 -26.8	51.2 328.4	0.375 0.0 0.875	33.8 47.5 -28.5	55.4 329.0 4.3	294	0.416 0.0 1.0	34.8 49.8 -30.6	58.5 328.4
251	B18R_100_100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	33.5 47.0 -32.8	57.3 325.0	0.375 0.0 1.0	33.7 47.7 -32.2	57.5 325.9 1.0	291	0.366 0.0 1.0	33.5 47.0 -32.8	57.3 325.0
252	R31Y_037_037a	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.118 0.0	33.9 14.9 20.0	25.0 53.2	0.375 0.125 0.0	39.7 12.8 23.8	27.1 61.6 7.2	48	1.0 0.316 0.0	59.6 39.8 53.5	66.7 53.2
253	R00Y_037_025a	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.124	35.5 16.3 9.6	19.0 30.4	0.375 0.125 0.125	39.8 15.7 12.9	20.4 39.4 5.5	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
254	R00Y_037_025a	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.25	35.5 17.4 2.8	17.6 9.2	0.375 0.125 0.25	40.4 17.9 1.9	18.0 6.0 4.9	360	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2
255	B50R_037_025a	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.375	35.6 18.5 -2.1	18.6 353.2	0.375 0.125 0.375	40.8 20.2 -6.3	21.1 342.6 6.7	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
256	B34R_050_037a	0.375 0.125 0.5	0.5 0.375 0.312	311	0.381 0.124 0.5	36.9 23.6 -7.2	24.7 342.9	0.375 0.125 0.5	40.0 26.8 -11.7	29.3 336.3 6.3	311	0.683 0.0 1.0	41.6 63.1 -19.3	66.0 342.9
257	B25R_062_050a	0.375 0.125 0.625	0.625 0.5 0.375	300	0.375 0.125 0.625	37.5 26.9 -13.5	30.2 333.2	0.375 0.125 0.625	40.0 30.6 -17.1	35.1 330.8 5.7	300	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2
258	B19R_075_062a	0.375 0.125 0.75	0.75 0.625 0.437	293	0.364 0.125 0.75	37.9 30.1 -19.9	36.1 326.4	0.375 0.125 0.75	39.0 33.8 -22.8	40.8 326.0 4.8	292	0.383 0.0 1.0	34.0 48.1 -31.9	57.7 326.4
259	B15R_087_075a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.362 0.125 0.875	38.3 31.8 -27.3	41.9 319.3	0.375 0.125 0.875	39.1 37.2 -27.8	46.4 323.2 5.4	288	0.316 0.0 1.0	32.0 42.4 -36.4	55.9 319.3
260	B13R_100_087a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.358 0.125 1.0	38.7 32.9 -34.5	47.8 313.6	0.375 0.125 1.0	38.3 37.9 -31.9	49.5 319.8 5.5	284	0.266 0.0 1.0	30.4 37.7 -39.5	54.6 313.6
261	R68Y_037_037a	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.256 0.0	40.6 3.1 28.0	28.1 83.6	0.375 0.25 0.0	49.0 0.5 31.4	31.4 88.9 9.3	71	1.0 0.683 0.0	77.5 83.3 74.7	75.1 83.6
262	R50Y_037_025a	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.25 0.124	40.6 6.0 15.7	16.8 69.1	0.375 0.25 0.125	48.9 3.5 17.7	18.0 78.7 8.8	59	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1
263	R00Y_037_012a	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.249	41.6 8.1 4.8	9.5 30.4	0.375 0.25 0.25	49.4 6.5 5.7	8.7 41.3 8.0	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
264	B50R_037_012a	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.375	41.7 9.2 -1.0	9.3 353.2	0.375 0.25 0.375	50.3 9.1 -4.4	10.1 334.0 9.3	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
265	B25R_050_025a	0.375 0.25 0.5	0.5 0.25 0.375	300	0.375 0.249 0.5	42.6 13.4 -6.7	15.1 333.2	0.375 0.25 0.5	48.8 14.4 -10.8	18.0 323.1 7.4	300	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2
266	B15R_062_037a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	43.0 15.9 -13.6	20.9 319.3	0.375 0.25 0.625	47.4 18.8 -16.8	25.2 318.2 6.1	288	0.316 0.0 1.0	32.0 42.4 -36.4	55.9 319.3
267	B11R_075_050a	0.375 0.25 0.75	0.75 0.5 0.5	284	0.366 0.25 0.75	43.5 17.7 -20.4	27.0 310.9	0.375 0.25 0.75	46.2 22.8 -22.1	31.8 315.8 6.0	282	0.233 0.0 1.0	29.6 35.4 -40.8	54.1 310.9
268	B09R_087_062a	0.375 0.25 0.875	0.875 0.625 0.562	281	0.364 0.25 0.875	44.4 21.0 -26.3	33.6 308.6	0.375 0.25 0.875	46.0 26.4 -26.8	37.6 314.6 5.6	279	0.183 0.0 1.0	28.8 33.6 -42.1	53.9 308.6
269	B07R_100_075a	0.375 0.25 1.0	1.0 0.75 0.625	279	0.362 0.25 1.0	45.3 24.3 -32.1	40.3 307.0	0.375 0.25 1.0	45.0 27.6 -30.5	41.2 312.1 3.7	278	0.15 0.0 1.0	28.2 32.4 -42.8	53.7 307.0
270	Y00G_037_037a	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.375 0.0	45.1 -3.5 33.4	33.6 96.0	0.375 0.375 0.0	54.3 -7.1 35.8	36.5 101.2 10.1	89	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0
271	Y00G_037_025a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.375 0.124	45.9 -2.3 22.2	22.4 96.0	0.375 0.375 0.125	55.5 -5.3 21.8	22.4 103.8 10.0	89	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0
272	Y00G_037_012a	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.375 0.249	46.8 -1.1 11.1	11.2 96.0	0.375 0.375 0.25	56.4 -2.9 8.8	9.3 108.5 10.0	89	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0
273	NW_037a	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0	0.375 0.375 0.375	57.6 -0.3 -2.0	2.0 261.2 10.1	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0
274	B00R_050_012a	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	48.5 2.8 -5.9	6.6 295.6	0.375 0.375 0.5	56.0 4.3 -8.8	9.9 296.2 8.2	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
275	B00R_062_025a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	49.3 5.7 -11.9	13.2 295.6	0.375 0.375 0.625	54.9 8.3 -14.7	16.9 299.3 6.7	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
276	B00R_075_037a	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	50.1 8.6 -17.9	19.9 295.6	0.375 0.375 0.75	52.9 12.5 -20.5	24.1 301.4 5.5	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
277	B00R_087_050a	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	50.9 11.4 -23.9	26.5 295.6	0.375 0.375 0.875	52.8 16.1 -24.9	29.6 302.9 5.1	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
278	B00R_100_062a	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	51.7 14.3 -29.9	33.1 295.6	0.375 0.375 1.0	50.7 19.0 -29.1	34.8 303.2 4.9	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
279	Y23G_050_050a	0.375 0.5 0.0	0.5 0.5 0.25	104	0.383 0.5 0.0	51.3 -8.6 38.9	39.9 102.5	0.375 0.5 0.0	58.9 -12.2 42.9	44.6 105.9 9.3	102	0.766 1.0 0.0	84.1 -17.3 77.9	79.8 102.5
280	Y31G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312	109	0.381 0.5 0.124	51.5 -7.7 27.7	28.8 105.6	0.375 0.5 0.125	59.5 -10.8 28.2	30.2 111.0 8.5	108	0.683 1.0 0.0	80.6 -20.7 74.1	76.9 105.6
281	Y50G_050_025a	0.375 0.5 0.25	0.5 0.25 0.375	120	0.375 0.5 0.249	51.6 -7.5 15.2	16.9 116.4	0.375 0.5 0.25	60.4 -8.9 13.9	16.5 122.4 8.9	119	0.5 1.0 0.0	73.1 -30.2 60.8	67.9 116.4
282	G00B_050_012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	51.8 -8.6 2.8	9.1 161.6	0.375 0.5 0.375	61.3 -6.5 2.5	7.0 158.8 9.7	149	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6
283	G50B_050_012a													

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmyb (CMYK)

	n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md																					
324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	35.3	37.1	22.2	43.3	30.9	5.7	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4								
325	R26Y_050_050a	0.5	0.0	0.125	0.5	0.5	0.125	376	0.5	0.0	0.125	35.9	38.2	13.6	40.6	19.6	5.5	377	0.5	0.0	0.233	47.8	66.9	26.3	71.9	21.4								
326	R00Y_050_050a	0.5	0.0	0.25	0.5	0.5	0.25	360	0.5	0.0	0.25	35.9	40.6	4.3	40.8	6.1	6.5	360	1.0	0.0	0.5	47.8	60.7	11.3	70.6	9.2								
327	B61R_050_050a	0.5	0.0	0.375	0.5	0.5	0.375	344	0.5	0.0	0.375	36.2	42.4	-3.1	42.5	355.7	7.4	342	1.0	0.0	0.766	48.1	72.2	-1.3	72.2	358.9								
328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.5	330	0.5	0.0	0.5	33.3	37.1	-4.3	37.3	353.2	0.5	0.0	0.5	36.1	44.2	-8.4	45.0	349.2	8.6	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
329	B40R_062_062a	0.5	0.0	0.625	0.625	0.625	0.312	319	0.51	0.0	0.625	34.9	43.0	-8.6	43.9	348.6	0.5	0.0	0.625	37.0	49.1	-12.8	50.7	345.3	7.6	320	0.816	0.0	1.0	44.7	68.8	-13.7	70.2	348.6
330	B34R_075_075a	0.5	0.0	0.75	0.75	0.75	0.375	311	0.512	0.0	0.75	35.9	47.3	-14.4	49.5	342.9	0.5	0.0	0.75	37.7	52.4	-17.3	55.2	341.6	6.1	311	0.683	0.0	1.0	41.6	63.1	-19.3	66.0	342.9
331	B29R_087_087a	0.5	0.0	0.875	0.875	0.875	0.437	305	0.51	0.0	0.875	36.6	50.6	-20.9	54.8	337.5	0.5	0.0	0.875	37.6	54.6	-22.6	59.1	337.5	4.4	305	0.583	0.0	1.0	39.1	57.8	-23.9	62.6	337.5
332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	1.0	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2	0.0	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
333	R23Y_050_050a	0.5	0.125	0.0	0.5	0.5	0.25	44	0.5	0.116	0.0	37.2	23.6	24.3	33.9	45.8	0.5	0.125	0.0	42.3	23.6	28.4	36.9	50.2	6.5	42	1.0	0.233	0.0	55.9	47.3	48.7	67.9	45.8
334	R00Y_050_037a	0.5	0.125	0.125	0.5	0.375	0.312	390	0.5	0.124	0.124	39.1	24.5	14.4	28.5	30.4	0.5	0.125	0.125	42.6	25.3	18.2	31.2	35.8	5.2	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
335	R18Y_050_037a	0.5	0.125	0.25	0.5	0.375	0.312	371	0.5	0.124	0.243	39.2	25.4	8.1	26.6	17.7	0.5	0.125	0.25	43.1	27.0	7.9	28.2	16.2	4.2	371	1.0	0.0	0.316	47.8	67.7	21.6	71.1	17.7
336	B65R_050_037a	0.5	0.125	0.375	0.5	0.375	0.312	349	0.5	0.124	0.381	39.3	26.7	0.8	26.8	1.8	0.5	0.125	0.375	43.3	29.2	-1.4	29.3	357.0	5.2	348	1.0	0.0	0.683	48.1	71.4	2.3	71.4	1.8
337	B50R_050_037a	0.5	0.125	0.5	0.5	0.375	0.312	330	0.5	0.124	0.5	39.4	27.8	-3.2	28.0	353.2	0.5	0.125	0.5	43.9	31.2	-7.9	32.2	345.7	7.3	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
338	B38R_062_050a	0.5	0.125	0.625	0.625	0.5	0.375	316	0.508	0.125	0.625	40.8	33.6	-7.6	34.5	347.2	0.5	0.125	0.625	44.0	36.0	-12.4	38.1	340.9	6.2	317	0.766	0.0	1.0	43.6	67.3	-15.2	69.0	347.2
339	B30R_075_062a	0.5	0.125	0.75	0.75	0.625	0.437	307	0.51	0.125	0.75	41.7	37.1	-14.0	39.7	339.2	0.5	0.125	0.75	44.0	39.9	-17.0	43.4	336.8	4.7	307	0.616	0.0	1.0	40.0	59.4	-22.5	63.5	339.2
340	B25R_087_075a	0.5	0.125	0.875	0.875	0.75	0.5	300	0.5	0.125	0.875	42.1	40.4	-20.3	45.3	333.2	0.5	0.125	0.875	42.7	42.9	-23.0	48.7	331.7	3.7	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
341	B20R_100_087a	0.5	0.125	1.0	1.0	0.875	0.562	295	0.489	0.125	1.0	42.5	43.6	-26.8	51.2	328.4	0.5	0.125	1.0	41.9	43.3	-27.6	51.4	327.5	1.0	294	0.416	0.0	1.0	34.8	49.8	-30.6	58.5	328.4
342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	43.3	12.0	31.5	33.7	69.1	0.5	0.25	0.0	50.3	8.4	35.9	36.9	76.7	8.9	59	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1
343	R31Y_050_037a	0.5	0.25	0.125	0.5	0.375	0.312	49	0.5	0.243	0.124	43.7	14.9	20.0	25.0	53.2	0.5	0.25	0.125	49.9	11.3	23.3	25.9	64.1	7.9	48	1.0	0.316	0.0	59.6	39.8	53.5	66.7	53.2
344	R00Y_050_025a	0.5	0.25	0.25	0.5	0.25	0.375	390	0.5	0.249	0.249	45.2	16.3	9.6	19.0	30.4	0.5	0.25	0.25	50.3	13.6	11.6	17.9	40.5	6.1	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
345	R00Y_050_025a	0.5	0.25	0.375	0.5	0.25	0.375	360	0.5	0.249	0.375	45.3	17.4	2.8	17.6	9.2	0.5	0.25	0.375	51.5	15.6	1.5	15.7	5.8	6.6	360	1.0	0.0	0.5	47.8	69.7	11.3	70.6	9.2
346	B50R_050_025a	0.5	0.25	0.5	0.5	0.25	0.375	330	0.5	0.249	0.5	45.4	18.5	-2.1	18.6	353.2	0.5	0.25	0.5	51.7	17.8	-6.2	18.9	340.6	7.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
347	B34R_062_037a	0.5	0.25	0.625	0.625	0.375	0.437	311	0.506	0.25	0.625	46.6	23.6	-7.2	24.7	342.9	0.5	0.25	0.625	51.5	23.1	-11.2	25.7	334.0	6.3	311	0.683	0.0	1.0	41.6	63.1	-19.3	66.0	342.9
348	B25R_075_050a	0.5	0.25	0.75	0.75	0.5	0.5	300	0.5	0.25	0.75	47.2	26.9	-13.5	30.2	333.2	0.5	0.25	0.75	50.0	27.8	-16.6	32.4	329.1	4.2	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
349	B19R_087_062a	0.5	0.25	0.875	0.875	0.625	0.562	293	0.489	0.25	0.875	47.6	30.1	-19.9	36.1	326.4	0.5	0.25	0.875	49.2	30.3	-22.4	37.7	323.4	2.9	292	0.383	0.0	1.0	34.0	48.1	-31.9	57.7	326.4
350	B15R_100_075a	0.5	0.25	1.0	1.0	0.75	0.625	289	0.487	0.25	1.0	48.1	31.8	-27.3	41.9	319.3	0.5	0.25	1.0	48.1	31.6	-26.5	41.3	319.9	0.8	288	0.316	0.0	1.0	32.0	42.4	-36.4	55.9	319.3
351	R76Y_050_050a	0.5	0.375	0.0	0.5	0.5	0.25	76	0.5	0.383	0.0	49.8	1.2	39.4	39.4	88.1	0.5	0.375	0.0	56.5	-1.5	42.4	42.4	92.0	7.8	77	1.0	0.766	0.0	81.2	2.5	78.8	78.9	88.1
352	R68Y_050_037a	0.5	0.375	0.125	0.5	0.375	0.312	71	0.5	0.381	0.124	50.4	3.1	28.0	28.1	83.6	0.5	0.375	0.125	57.2	0.3	28.3	28.3	89.2	7.3	71	1.0	0.683	0.0	77.5	8.3	74.7	75.1	83.6
353	R50Y_050_025a	0.5	0.375	0.25	0.5	0.25	0.375	60	0.5	0.375	0.249	50.3	6.0	15.7	16.8	69.1	0.5	0.375	0.25	57.7	3.1	15.3	15.6	78.4	7.9	59	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1
354	R00Y_050_012a	0.5	0.375	0.375	0.5	0.125	0.437	390	0.5	0.375	0.375	51.3	8.1	4.8	9.5	30.4	0.5	0.375	0.375	58.2	5.6	4.6	7.3	39.5	7.3	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
355	B50R_050_012a	0.5	0.375	0.5	0.5	0.125	0.437	330	0.5	0.375	0.5	51.4	9.2	-1.0	9.3	353.2	0.5	0.375	0.5	59.2	7.8	-4.2	8.9	331.5	8.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
356	B25R_062_025a	0.5	0.375	0.625	0.625	0.25	0.5	300	0.5	0.375	0.625	5																						

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 25/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, separationcmyb (CMYK)
TUB matériel: code=rh4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md	
405	R00Y_062_062a	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.0	36.6 40.9 24.0	47.5 30.4	0.625 0.0 0.0	38.7 44.2 26.7	51.7 31.1 4.7	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
406	R31Y_062_062a	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.114	36.7 41.6 18.0	45.4 23.4	0.625 0.0 0.125	38.7 45.5 18.9	49.3 22.5 4.4	380	1.0 0.0 0.183	47.7 66.7 28.9 72.7 23.4
407	R11Y_062_062a	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.239	36.8 42.7 11.1	44.1 14.6	0.625 0.0 0.25	38.8 47.3 10.5	48.5 12.4 5.1	367	1.0 0.0 0.383	47.8 68.3 17.8 70.6 14.6
408	B69R_062_062a	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.385	36.9 44.1 3.3	44.3 4.3	0.625 0.0 0.375	39.1 49.3 2.0	49.3 2.3 5.7	352	1.0 0.0 0.616	48.0 70.7 5.3 70.9 4.3
409	B59R_062_062a	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.51	37.0 45.4 -1.8	45.4 357.6	0.625 0.0 0.5	39.1 50.9 -4.4	51.1 355.0 6.3	339	1.0 0.0 0.816	48.1 72.7 -2.9 72.7 357.6
410	B50R_062_062a	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	37.1 46.3 -5.4	46.7 353.2	0.625 0.0 0.625	39.4 52.4 -9.2	53.2 350.0 7.4	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
411	B42R_075_075a	0.625 0.0 0.75	0.75 0.75 0.375	321	0.637 0.0 0.75	38.6 52.4 -9.5	53.3 349.6	0.625 0.0 0.75	40.3 56.5 -13.1	58.0 346.9 5.7	322	0.85 0.0 1.0	45.4 69.9 -12.7 71.0 349.6
412	B36R_087_087a	0.625 0.0 0.875	0.875 0.875 0.437	314	0.641 0.0 0.875	39.8 57.6 -14.5	59.4 345.8	0.625 0.0 0.875	41.0 60.6 -17.4	63.0 343.9 4.2	315	0.733 0.0 1.0	42.9 65.8 -16.6 67.9 348.6
413	B31R_100_100a	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	40.4 60.2 -21.7	64.0 340.1	0.625 0.0 1.0	40.2 59.7 -22.1	63.7 339.6 0.6	308	0.633 0.0 1.0	40.4 60.2 -21.7 64.0 340.1
414	R18Y_062_062a	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.114 0.0	40.6 32.3 28.9	43.4 41.9	0.625 0.125 0.0	45.0 31.6 32.9	45.6 46.1 5.9	39	1.0 0.183 0.0	53.9 51.7 46.3 69.4 41.9
415	R00Y_062_050a	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.125	42.7 32.7 19.2	38.0 30.4	0.625 0.125 0.125	45.3 32.7 23.5	40.3 35.6 5.0	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
416	R26Y_062_050a	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.241	42.9 33.4 13.1	35.9 21.4	0.625 0.125 0.25	45.7 34.0 14.1	36.8 22.5 3.0	377	1.0 0.0 0.233	47.8 66.9 26.3 71.9 21.4
417	R00Y_062_050a	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.375	42.9 34.8 5.6	35.3 9.2	0.625 0.125 0.375	46.4 35.4 4.5	35.7 7.3 3.7	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2
418	B61R_062_050a	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.508	43.0 36.1 -0.6	36.1 358.9	0.625 0.125 0.5	46.6 37.4 -3.0	37.5 355.3 4.4	342	1.0 0.0 0.766	48.1 72.2 -1.3 72.2 358.9
419	B50R_062_050a	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	43.1 37.1 -4.3	37.3 353.2	0.625 0.125 0.625	46.9 38.8 -8.7	39.8 347.3 5.9	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
420	B40R_075_062a	0.625 0.125 0.75	0.75 0.625 0.437	319	0.635 0.125 0.75	44.6 43.0 -8.6	43.9 348.6	0.625 0.125 0.75	47.0 43.5 -12.8	45.4 343.5 4.9	320	0.816 0.0 1.0	44.7 68.8 -13.7 70.2 348.6
421	B34R_087_075a	0.625 0.125 0.875	0.875 0.75 0.5	311	0.637 0.125 0.875	45.6 47.3 -14.4	49.5 342.9	0.625 0.125 0.875	46.9 48.6 -17.4	51.6 340.2 3.5	311	0.683 0.0 1.0	41.6 63.1 -19.3 66.0 342.9
422	B29R_100_087a	0.625 0.125 1.0	1.0 0.875 0.562	305	0.635 0.125 1.0	46.3 50.6 -20.9	54.8 337.5	0.625 0.125 1.0	45.9 49.5 -21.9	54.2 336.0 1.5	305	0.583 0.0 1.0	39.1 57.8 -23.9 62.6 337.5
423	R38Y_062_062a	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.239 0.0	46.1 21.1 35.5	41.3 59.3	0.625 0.25 0.0	51.8 18.7 40.4	44.5 65.1 7.8	52	1.0 0.383 0.0	62.7 33.7 56.9 66.2 59.3
424	R23Y_062_050a	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.241 0.125	46.9 23.6 24.3	33.9 45.8	0.625 0.25 0.125	52.0 20.1 28.8	35.1 55.0 7.6	42	1.0 0.233 0.0	55.9 43.7 48.7 67.9 45.8
425	R00Y_062_037a	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.25	48.8 24.5 14.4	28.5 30.4	0.625 0.25 0.25	52.9 21.1 17.9	27.7 40.2 6.3	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
426	R18Y_062_037a	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.368	48.9 25.4 8.1	26.6 17.7	0.625 0.25 0.375	53.5 22.6 8.5	24.1 20.6 5.3	371	1.0 0.0 0.316	47.8 67.7 21.6 71.1 17.7
427	B65R_062_037a	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.506	49.0 26.7 0.8	26.8 1.8	0.625 0.25 0.5	54.1 24.8 -0.9	24.8 357.8 5.6	348	1.0 0.0 0.683	48.1 71.4 2.3 71.4 1.8
428	B50R_062_037a	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	49.1 27.8 -3.2	28.0 353.2	0.625 0.25 0.625	54.6 26.5 -7.4	27.5 344.2 7.0	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
429	B38R_075_050a	0.625 0.25 0.75	0.75 0.5 0.5	316	0.633 0.25 0.75	50.5 33.6 -7.6	34.5 347.2	0.625 0.25 0.75	54.1 31.9 -11.9	34.0 339.3 5.8	317	0.766 0.0 1.0	43.6 67.3 -15.2 69.0 347.2
430	B30R_087_062a	0.625 0.25 0.875	0.875 0.625 0.562	307	0.635 0.25 0.875	51.4 37.1 -14.0	39.7 339.2	0.625 0.25 0.875	53.7 36.1 -16.8	39.8 335.0 3.6	307	0.616 0.0 1.0	40.0 59.4 -22.5 63.5 339.2
431	B25R_100_075a	0.625 0.25 1.0	1.0 0.75 0.625	300	0.625 0.25 1.0	51.9 40.4 -20.3	45.3 333.2	0.625 0.25 1.0	52.0 37.3 -21.4	43.1 330.0 3.2	300	0.5 0.0 1.0	37.0 53.9 -27.1 60.4 333.2
432	R61Y_062_062a	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.385 0.0	53.5 8.1 44.4	45.1 79.5	0.625 0.375 0.0	58.8 5.6 47.7	48.0 83.2 6.7	67	1.0 0.616 0.0	74.5 13.0 71.0 72.2 79.5
433	R50Y_062_050a	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.375 0.125	53.0 12.0 31.5	33.7 69.1	0.625 0.375 0.125	59.3 7.9 34.8	35.7 77.0 8.2	59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1
434	R31Y_062_037a	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.368 0.25	53.4 14.9 20.0	25.0 53.2	0.625 0.375 0.25	59.8 10.0 22.4	24.6 65.7 8.3	48	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53.2
435	R00Y_062_025a	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	54.9 16.3 9.6	19.0 30.4	0.625 0.375 0.375	60.9 11.4 11.8	16.4 46.0 8.0	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
436	R00Y_062_025a	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.5	55.0 17.4 2.8	17.6 9.2	0.625 0.375 0.5	61.9 13.2 2.2	13.4 9.6 8.0	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2
437	B50R_062_025a	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	55.1 18.5 -2.1	18.6 353.2	0.625 0.375 0.625	62.4 15.4 -5.6	16.4 39.7 8.7	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
438	B34R_075_037a	0.625 0.375 0.75	0.75 0.375 0.562	311	0.631 0.375 0.75	56.4 23.6 -7.2	24.7 342.9	0.625 0.375 0.75	61.1 20.5 -10.7	23.2 332.3 6.6	311	0.683 0.0 1.0	41.6 63.1 -19.3 66.0 342.9
439	B25R_087_050a	0.625 0.375 0.875	0.875 0.5 0.625	300	0.625 0.375 0.875	57.0 26.9 -13.5	30.2 333.2	0.625 0.375 0.875	60.4 24.3 -15.9	29.1 326.7 4.9	300	0.5 0.0 1.0	37.0 53.9 -27.1 60.4 333.2
440	B19R_100_062a	0.625 0.375 1.0	1.0 0.625 0.687	293	0.614 0.375 1.0	57.4 30.1 -19.9	36.1 326.4	0.625 0.375 1.0	57.4 26.9 -21.2	34.3 321.6 3.4	292	0.383 0.0 1.0	34.0 48.1 -31.9 57.7 326.4
441	R81Y_062_062a	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.51 0.0	58.9 -0.1	50.8 50.8	0.625 0.5 0.0	65.2 -2.8	54.4 54.5 93.0 7.8	80	1.0 0.816 0.0	83.1 -0.2 81.3 81.3 90.1
442	R76Y_062_050a	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.508 0.125	59.6 1.2 39.4	39.4 88.1	0.625 0.5 0.125	65.8 -1.2	40.2 40.2 91.8 6.7	77	1.0 0.766 0.0	81.2 2.5 78.8 78.9 88.1
443	R68Y_062_037a	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.506 0.25	60.1 3.1 28.0	28.1 83.6	0.625 0.5 0.25	66.4 0.4 26.6	26.6 89.0 7.0	71	1.0 0.683 0.0	77.5 8.3 74.7 75.1 83.6
444	R50Y_062_025a	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.5 0.375	60.1 6.0 15.7	16.8 69.1	0.625 0.5 0.375	67.2 2.6 14.7	14.9 79.8 7.9	59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1
445	R00Y_062_012a	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.5	61.0 8.1 4.8	9.5 30.4	0.625 0.5 0.5	68.4 4.8 4.7	6.8 44.2 8.0	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
446	B50R_062_012a	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.								

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 26/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md		
486	R00Y_075_075a	0.75 0.0 0.0	0.75 0.75 0.375	390	0.75 0.0 0.0	40.2 49.1 28.8	57.0 30.4	0.75 0.0 0.0	41.5 52.5 31.0	61.0 30.6 4.2	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
487	R35Y_075_075a	0.75 0.0 0.125	0.75 0.75 0.375	381	0.75 0.0 0.112	40.4 49.8 22.9	54.9 24.7	0.75 0.0 0.125	41.9 53.1 24.2	58.4 24.4 3.8	382	1.0 0.0 0.15	47.6 66.4 30.6	73.2 24.7
488	R18Y_075_075a	0.75 0.0 0.25	0.75 0.75 0.375	371	0.75 0.0 0.237	40.5 50.8 16.2	53.3 17.7	0.75 0.0 0.25	42.0 54.5 16.4	56.9 16.7 4.0	371	1.0 0.0 0.316	47.8 67.7 21.6	71.1 17.7
489	R00Y_075_075a	0.75 0.0 0.375	0.75 0.75 0.375	360	0.75 0.0 0.375	40.5 52.2 8.5	52.9 9.2	0.75 0.0 0.375	42.1 56.3 7.4	56.8 7.4 4.5	360	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2
490	B65R_075_075a	0.75 0.0 0.5	0.75 0.75 0.375	349	0.75 0.0 0.517	40.7 53.5 1.7	53.6 1.8	0.75 0.0 0.5	41.9 58.1 0.1	58.1 0.1 4.9	348	1.0 0.0 0.683	48.1 71.4 2.3	71.4 1.8
491	B57R_075_075a	0.75 0.0 0.625	0.75 0.75 0.375	339	0.75 0.0 0.632	40.7 54.7 -3.0	54.8 356.7	0.75 0.0 0.625	42.1 59.5 -5.2	59.8 354.9 5.4	337	1.0 0.0 0.85	48.1 72.9 -4.0	73.0 356.7
492	B50R_075_075a	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	40.8 55.6 -6.5	56.0 353.2	0.75 0.0 0.75	42.2 60.7 -9.4	61.4 351.1 5.9	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
493	B43R_087_087a	0.75 0.0 0.875	0.875 0.875 0.437	322	0.758 0.0 0.875	42.3 61.6 -10.7	62.5 350.1	0.75 0.0 0.875	43.3 65.5 -12.5	66.7 349.1 4.4	322	0.866 0.0 1.0	45.7 70.4 -12.2	71.5 350.1
494	B38R_100_100a	0.75 0.0 1.0	1.0 1.0 0.5	316	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2	0.75 0.0 1.0	43.3 66.7 -15.7	68.5 346.7 0.7	317	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2
495	R15Y_075_075a	0.75 0.125 0.0	0.75 0.75 0.375	39	0.75 0.112 0.0	44.0 49.9 33.4	52.8 39.2	0.75 0.125 0.0	46.1 41.9 35.9	55.2 40.5 3.3	37	1.0 0.15 0.0	52.5 54.5 44.5	70.4 39.2
496	R00Y_075_062a	0.75 0.125 0.125	0.75 0.625 0.437	390	0.75 0.125 0.125	46.3 40.9 24.0	47.5 30.4	0.75 0.125 0.125	47.0 41.6 27.3	49.8 33.3 3.4	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
497	R31Y_075_062a	0.75 0.125 0.25	0.75 0.625 0.437	379	0.75 0.125 0.239	46.5 41.6 18.0	45.4 23.4	0.75 0.125 0.25	47.3 42.7 18.9	46.7 23.9 1.5	380	1.0 0.0 0.183	47.7 66.7 28.9	72.7 23.4
498	R11Y_075_062a	0.75 0.125 0.375	0.75 0.625 0.437	367	0.75 0.125 0.364	46.6 42.7 11.1	44.1 14.6	0.75 0.125 0.375	47.8 43.8 10.0	45.0 12.8 2.0	367	1.0 0.0 0.383	47.8 68.3 17.8	70.6 14.6
499	B69R_075_062a	0.75 0.125 0.5	0.75 0.625 0.437	353	0.75 0.125 0.51	46.7 44.1 3.3	44.3 4.3	0.75 0.125 0.5	48.0 45.7 1.4	45.7 1.7 2.8	352	1.0 0.0 0.616	48.0 70.7 5.3	70.9 4.3
500	B59R_075_062a	0.75 0.125 0.625	0.75 0.625 0.437	341	0.75 0.125 0.635	46.7 45.4 -1.8	45.4 357.6	0.75 0.125 0.625	48.3 47.0 -4.5	47.2 354.4 3.4	339	1.0 0.0 0.816	48.1 72.7 -2.9	72.7 357.6
501	B50R_075_062a	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	46.8 46.3 -5.4	46.7 353.2	0.75 0.125 0.75	48.5 48.3 -9.3	49.2 349.0 4.6	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
502	B42R_087_075a	0.75 0.125 0.875	0.875 0.75 0.5	321	0.762 0.125 0.875	48.4 52.4 -9.5	53.3 349.6	0.75 0.125 0.875	49.1 54.0 -12.6	55.4 346.8 3.5	322	0.85 0.0 1.0	45.4 69.9 -12.7	71.0 349.6
503	B36R_100_087a	0.75 0.125 1.0	1.0 0.875 0.562	314	0.766 0.125 1.0	49.6 57.6 -14.5	59.4 345.8	0.75 0.125 1.0	48.5 56.4 -15.9	58.7 344.1 2.1	315	0.733 0.0 1.0	42.9 65.8 -16.6	67.9 345.8
504	R31Y_075_075a	0.75 0.25 0.0	0.75 0.75 0.375	49	0.75 0.237 0.0	49.4 29.9 40.1	50.0 53.2	0.75 0.25 0.0	53.1 29.5 42.8	52.0 55.4 4.6	48	1.0 0.316 0.0	59.6 39.8 53.5	66.7 53.2
505	R18Y_075_062a	0.75 0.25 0.125	0.75 0.625 0.437	41	0.75 0.239 0.125	50.3 32.3 28.9	43.4 41.9	0.75 0.25 0.125	53.4 30.6 32.0	44.3 46.2 4.6	39	1.0 0.183 0.0	53.9 51.7 46.3	69.4 41.9
506	R00Y_075_050a	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	52.4 32.7 19.2	38.0 30.4	0.75 0.25 0.25	54.5 30.7 22.3	37.9 36.0 4.2	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
507	R26Y_075_050a	0.75 0.25 0.375	0.75 0.5 0.5	376	0.75 0.25 0.366	52.6 33.4 13.1	35.9 21.4	0.75 0.25 0.375	55.2 31.6 13.3	34.3 22.8 3.2	377	1.0 0.0 0.233	47.8 66.9 26.3	71.9 21.4
508	R00Y_075_050a	0.75 0.25 0.5	0.75 0.5 0.5	360	0.75 0.25 0.5	52.6 34.8 5.6	35.3 9.2	0.75 0.25 0.5	55.5 33.6 4.2	33.8 7.1 3.4	360	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2
509	B61R_075_050a	0.75 0.25 0.625	0.75 0.5 0.5	344	0.75 0.25 0.633	52.8 36.1 -0.6	36.1 358.9	0.75 0.25 0.625	56.2 34.9 -2.9	35.0 355.1 4.2	342	1.0 0.0 0.766	48.1 72.2 -1.3	72.2 358.9
510	B50R_075_050a	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	52.8 37.1 -4.3	37.3 353.2	0.75 0.25 0.75	56.6 36.1 -8.5	37.1 346.7 5.6	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
511	B40R_087_062a	0.75 0.25 0.875	0.875 0.625 0.562	319	0.76 0.25 0.875	54.3 43.0 -8.6	43.9 348.6	0.75 0.25 0.875	56.6 42.0 -12.2	43.7 343.7 4.3	320	0.816 0.0 1.0	44.7 68.8 -13.7	70.2 348.6
512	B34R_100_075a	0.75 0.25 1.0	1.0 0.75 0.625	311	0.762 0.25 1.0	55.3 47.3 -14.4	49.5 342.9	0.75 0.25 1.0	55.2 44.5 -15.7	47.2 340.5 3.0	311	0.683 0.0 1.0	41.6 63.1 -19.3	66.0 342.9
513	R50Y_075_075a	0.75 0.375 0.0	0.75 0.75 0.375	60	0.75 0.375 0.0	55.7 18.0 47.2	50.5 69.1	0.75 0.375 0.0	60.6 15.9 50.6	53.0 72.5 6.2	59	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1
514	R38Y_075_062a	0.75 0.375 0.125	0.75 0.625 0.437	53	0.75 0.364 0.125	55.9 21.1 35.5	41.3 59.3	0.75 0.375 0.125	60.0 18.4 37.4	41.7 63.7 5.2	52	1.0 0.383 0.0	62.7 33.7 56.9	66.2 59.3
515	R23Y_075_050a	0.75 0.375 0.25	0.75 0.5 0.5	44	0.75 0.366 0.25	56.7 23.6 24.3	33.9 45.8	0.75 0.375 0.25	61.1 19.3 26.1	32.5 53.4 6.4	42	1.0 0.233 0.0	55.9 47.3 48.7	67.9 45.8
516	R00Y_075_037a	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	58.5 24.5 14.4	28.5 30.4	0.75 0.375 0.375	62.2 20.1 16.0	25.7 38.6 5.9	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
517	R18Y_075_037a	0.75 0.375 0.5	0.75 0.375 0.562	371	0.75 0.375 0.493	58.7 25.4 8.1	26.6 17.7	0.75 0.375 0.5	62.8 21.5 7.4	22.8 19.0 5.6	371	1.0 0.0 0.316	47.8 67.7 21.6	71.1 17.7
518	B65R_075_037a	0.75 0.375 0.625	0.75 0.375 0.562	349	0.75 0.375 0.631	58.8 26.7 0.8	26.8 1.8	0.75 0.375 0.625	63.3 23.1 -0.9	23.2 357.5 6.1	348	1.0 0.0 0.683	48.1 71.4 2.3	71.4 1.8
519	B50R_075_037a	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	58.8 27.8 -3.2	28.0 353.2	0.75 0.375 0.75	64.1 24.5 -6.9	25.5 344.1 7.1	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
520	B38R_087_050a	0.75 0.375 0.875	0.875 0.5 0.625	316	0.758 0.375 0.875	60.3 33.6 -7.6	34.5 347.2	0.75 0.375 0.875	63.5 30.1 -11.0	32.1 339.8 5.8	317	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2
521	B30R_100_062a	0.75 0.375 1.0	1.0 0.625 0.687	307	0.76 0.375 1.0	61.1 37.1 -14.0	39.7 339.2	0.75 0.375 1.0	61.4 34.3 -14.7	37.3 336.8 2.8	307	0.616 0.0 1.0	40.0 59.4 -22.5	63.5 339.2
522	R68Y_075_075a	0.75 0.5 0.0	0.75 0.75 0.375	71	0.75 0.512 0.0	62.8 6.2 56.0	56.3 83.6	0.75 0.5 0.0	67.4 5.0 57.9	58.2 85.0 5.1	71	1.0 0.683 0.0	77.5 8.3 74.7	75.1 83.6
523	R61Y_075_062a	0.75 0.5 0.125	0.75 0.625 0.437	67	0.75 0.51 0.125	63.2 8.1 44.4	45.1 79.5	0.75 0.5 0.125	67.9 6.1 44.4	44.8 82.0 5.0	67	1.0 0.616 0.0	74.5 13.0 71.0	72.2 79.5
524	R50Y_075_050a	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.5 0.25	62.7 12.0 31.5	33.7 69.1	0.75 0.5 0.25	68.4 8.1 31.3	32.3 75.4 6.8	59	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1
525	R31Y_075_037a	0.75 0.5 0.375	0.75 0.375 0.562	49	0.75 0.493 0.375	63.1 14.9 20.0	25.0 53.2	0.75 0.5 0.375	69.0 9.9 19.8	22.2 63.2 7.6	48	1.0 0.316 0.0	59.6 39.8 53.5	66.7 53.2
526	R00Y_075_025a	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	64.7 16.3 9.6	19.0 30.4	0.75 0.5 0.5	70.1 11.2 10.3	15.3 42.6 7.5	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
527	R00Y_075_025a	0.75 0												

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, séparationcmyk6 (CMYK) TUB matériel: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md	
567	R00Y_087_087a	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.0	43.9 57.3 33.6	66.5 30.4	0.875 0.0 0.0	45.0 60.9 34.2	29.3 3.7	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
568	R36Y_087_087a	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.116	44.0 58.0 27.5	64.2 25.4	0.875 0.0 0.125	45.2 61.6 27.5	24.0 3.7	382	1.0 0.0 0.133	47.6 66.3 31.5 73.4 25.4
569	R23Y_087_087a	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.233	44.1 58.8 21.4	62.6 20.0	0.875 0.0 0.25	45.4 62.5 20.9	65.9 18.4	3.9 375	1.0 0.0 0.266	47.8 67.2 24.5 71.5 20.0
570	R08Y_087_087a	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.364	44.2 60.2 14.0	61.8 13.1	0.875 0.0 0.375	45.4 63.8 13.1	65.2 11.6	3.9 365	1.0 0.0 0.416	47.8 68.8 16.0 70.6 13.1
571	B70R_087_087a	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.51	44.3 61.6 6.2	61.9 5.7	0.875 0.0 0.5	45.4 65.6 5.6	65.8 4.8	4.2 354	1.0 0.0 0.583	48.0 70.4 7.1 70.8 5.7
572	B63R_087_087a	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.641	44.4 62.9 0.0	62.9 359.9	0.875 0.0 0.625	45.5 66.8 -0.5	66.8 359.4	4.1 344	1.0 0.0 0.733	48.1 71.9 0.0 71.9 359.9
573	B56R_087_087a	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.758	44.4 63.9 -4.0	64.0 356.3	0.875 0.0 0.75	45.8 68.1 -5.3	68.3 355.5	4.5 337	1.0 0.0 0.866	48.2 73.1 -4.6 73.2 356.3
574	B50R_087_087a	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.5 64.9 -7.6	65.3 353.2	0.875 0.0 0.875	45.7 69.3 -9.3	69.9 352.2	4.8 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
575	B44R_100_100a	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	46.0 70.9 -11.8	71.9 350.5	0.875 0.0 1.0	45.9 70.7 -12.0	71.7 350.3 0.3	323	0.883 0.0 1.0	46.0 70.9 -11.8 71.9 350.5
576	R13Y_087_087a	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.116 0.0	47.7 48.9 38.1	62.1 37.9	0.875 0.125 0.0	49.5 50.6 39.6	64.3 38.0 2.9	37	1.0 0.133 0.0	51.8 55.9 43.6 70.9 37.9
577	R00Y_087_075a	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.125	50.0 49.1 28.8	57.0 30.4	0.875 0.125 0.125	50.2 50.6 31.4	59.6 31.8 2.9	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
578	R35Y_087_075a	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.237	50.1 49.8 22.9	54.9 24.7	0.875 0.125 0.25	50.6 51.2 23.7	56.5 24.8 1.6	382	1.0 0.0 0.15	47.6 66.4 30.6 73.2 24.7
579	R18Y_087_075a	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.362	50.2 50.8 16.2	53.3 17.7	0.875 0.125 0.375	50.9 52.4 15.4	54.6 16.4 1.9	371	1.0 0.0 0.316	47.8 67.7 21.6 71.1 17.7
580	R00Y_087_075a	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.5	50.2 52.2 8.5	52.9 9.2	0.875 0.125 0.5	51.0 54.0 7.1	54.5 7.5 2.4	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2
581	B65R_087_075a	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.637	50.4 53.5 1.7	53.6 1.8	0.875 0.125 0.625	51.5 55.2 0.1	55.2 0.1 2.5	348	1.0 0.0 0.683	48.1 71.4 2.3 70.6 1.8
582	B57R_087_075a	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.762	50.5 54.7 -3.0	54.8 356.7	0.875 0.125 0.75	51.7 56.5 -5.4	56.8 354.5 3.1	337	1.0 0.0 0.85	48.1 72.9 -4.0 73.0 356.7
583	B50R_087_075a	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.5 55.6 -6.5	56.0 353.2	0.875 0.125 0.875	51.8 57.6 -9.6	58.4 350.4 3.8	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
584	B43R_100_087a	0.875 0.125 1.0	1.0 0.875 0.562	322	0.883 0.125 1.0	52.0 61.6 -10.7	62.5 350.1	0.875 0.125 1.0	51.3 60.0 -12.8	61.4 347.9 2.7	322	0.866 0.0 1.0	45.7 70.4 -12.2 71.5 350.1
585	R26Y_087_087a	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.233 0.0	52.5 38.8 44.2	58.8 48.7	0.875 0.25 0.0	55.2 38.6 46.0	60.1 50.0 3.3	44	1.0 0.266 0.0	57.3 44.3 50.5 67.2 48.7
586	R15Y_087_075a	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.237 0.125	53.7 40.9 33.4	52.8 39.2	0.875 0.25 0.125	55.8 39.0 36.0	53.1 42.7 3.8	37	1.0 0.15 0.0	52.5 54.5 44.5 70.4 39.2
587	R00Y_087_062a	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.1 40.9 24.0	47.5 30.4	0.875 0.25 0.25	56.7 39.0 27.2	47.6 34.9 3.7	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
588	R31Y_087_062a	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.364	56.2 41.6 18.0	45.4 23.4	0.875 0.25 0.375	57.3 39.8 18.7	44.0 25.2 2.2	380	1.0 0.0 0.183	47.7 66.7 28.9 72.7 23.4
589	R11Y_087_062a	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.489	56.3 42.7 11.1	44.1 14.6	0.875 0.25 0.5	57.6 41.2 10.0	42.4 13.6 2.2	367	1.0 0.0 0.383	47.8 68.3 17.8 70.6 14.6
590	B69R_087_062a	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.635	56.4 44.1 3.3	44.3 4.3	0.875 0.25 0.625	58.1 42.8 1.9	42.8 2.5 2.6	352	1.0 0.0 0.616	48.0 70.7 5.3 70.9 4.3
591	B59R_087_062a	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.76	56.5 45.4 -1.8	45.4 357.6	0.875 0.25 0.75	58.4 44.2 -4.1	44.4 354.6 3.2	339	1.0 0.0 0.816	48.1 72.7 -2.9 72.7 357.6
592	B50R_087_062a	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 46.3 -5.4	46.7 353.2	0.875 0.25 0.875	58.9 45.0 -9.0	45.9 348.6 4.4	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
593	B42R_100_075a	0.875 0.25 1.0	1.0 0.75 0.625	321	0.887 0.25 1.0	58.1 52.4 -9.5	53.3 349.6	0.875 0.25 1.0	58.1 48.2 -11.9	49.7 346.0 4.8	322	0.85 0.0 1.0	45.4 69.9 -12.7 71.0 349.6
594	R41Y_087_087a	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.364 0.0	58.5 27.2 51.4	58.2 62.1	0.875 0.375 0.0	61.7 26.3 53.2	59.4 63.7 3.7	54	1.0 0.416 0.0	64.2 31.1 58.8 66.5 62.1
595	R31Y_087_075a	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.362 0.125	59.1 29.9 40.1	50.0 53.2	0.875 0.375 0.125	62.3 26.8 41.9	49.8 57.3 4.7	48	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53.2
596	R18Y_087_062a	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.364 0.25	60.1 32.3 28.9	43.4 21.9	0.875 0.375 0.25	63.1 27.3 31.8	41.9 49.3 6.4	39	1.0 0.183 0.0	53.9 51.7 46.3 69.4 41.9
597	R00Y_087_050a	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.2 32.7 19.2	38.0 30.4	0.875 0.375 0.375	64.0 27.8 21.9	35.5 38.2 5.9	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
598	R26Y_087_050a	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.491	62.3 33.4 13.1	35.9 21.4	0.875 0.375 0.5	64.6 29.1 13.2	32.0 24.4 4.9	377	1.0 0.0 0.233	47.8 66.9 26.3 71.9 21.4
599	R00Y_087_050a	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.625	62.3 34.8 5.6	35.3 9.2	0.875 0.375 0.625	65.3 30.4 4.6	30.8 8.6 5.4	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2
600	B61R_087_050a	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.758	62.5 36.1 -0.6	36.1 358.9	0.875 0.375 0.75	66.0 31.8 -2.3	31.9 355.8 5.7	342	1.0 0.0 0.766	48.1 72.2 -1.3 72.2 358.9
601	B50R_087_050a	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.5 37.1 -4.3	37.3 353.2	0.875 0.375 0.875	66.2 33.2 -7.7	34.1 346.8 6.3	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
602	B40R_100_062a	0.875 0.375 1.0	1.0 0.625 0.687	319	0.885 0.375 1.0	64.0 43.0 -8.6	43.9 348.6	0.875 0.375 1.0	64.0 37.8 -11.5	39.5 343.0 5.9	320	0.816 0.0 1.0	44.7 68.8 -13.7 70.2 348.6
603	R58Y_087_087a	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.51 0.0	65.9 14.3 60.3	62.0 76.5	0.875 0.5 0.0	69.3 12.9 61.9	63.3 78.1 4.0	65	1.0 0.583 0.0	72.6 16.4 68.9 70.8 76.5
604	R50Y_087_075a	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.5 0.125	65.4 18.0 47.2	50.5 69.1	0.875 0.5 0.125	69.4 14.5 48.4	50.6 73.2 5.4	59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1
605	R38Y_087_062a	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.489 0.25	65.6 21.1 35.5	41.3 59.3	0.875 0.5 0.25	69.7 16.2 37.0	40.4 66.3 6.5	52	1.0 0.383 0.0	62.7 33.7 56.9 66.2 59.3
606	R23Y_087_050a	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.491 0.375	66.4 23.6 24.3	33.9 45.8	0.875 0.5 0.375	70.6 17.1 26.1	31.2 56.7 7.9	42	1.0 0.233 0.0	55.9 47.3 48.7 67.9 45.8
607	R00Y_087_037a	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.3 24.5 14.4	28.5 30.4	0.875 0.5 0.5	71.8 20.6 16.2	24.1 42.4 7.8	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
608	R18Y_087_037a	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.618	68.4 25.4 8.1	26.6 17.7	0.875 0.5 0.625	72.4				

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS
application pour la mesure des sorties sur offset, separationcmykn6 (CMYK) TUB matériel: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
648	R00Y_100_100a	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	0.0 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	0.0 389
649	R38Y_100_100a	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.116	47.6 66.2 32.3 73.7 26.0	1.0 0.0 0.125	47.6 66.2 31.9 73.5 25.7	0.4 383	1.0 0.0 0.116	47.6 66.2 32.3 73.7 26.0	0.4 383
650	R26Y_100_100a	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.233	47.8 66.9 26.3 71.9 21.4	1.0 0.0 0.25	47.8 67.0 25.4 71.7 20.8	0.8 377	1.0 0.0 0.233	47.8 66.9 26.3 71.9 21.4	0.8 377
651	R13Y_100_100a	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.366	47.8 68.1 18.7 70.7 15.4	1.0 0.0 0.375	47.8 68.2 18.3 70.6 15.0	0.4 368	1.0 0.0 0.366	47.8 68.1 18.7 70.7 15.4	0.4 368
652	R00Y_100_100a	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2	0.0 360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2	0.0 360
653	B68R_100_100a	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.633	48.0 70.8 4.5 71.0 3.7	1.0 0.0 0.625	48.0 70.7 4.9 70.9 4.0	0.3 351	1.0 0.0 0.633	48.0 70.8 4.5 71.0 3.7	0.3 351
654	B61R_100_100a	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.766	48.1 72.2 -1.3 72.2 358.9	1.0 0.0 0.75	48.1 72.1 -0.7 72.1 359.3	0.5 342	1.0 0.0 0.766	48.1 72.2 -1.3 72.2 358.9	0.5 342
655	B55R_100_100a	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.883	48.2 73.2 -5.1 73.4 355.9	1.0 0.0 0.875	48.2 73.1 -4.9 73.3 356.1	0.2 336	1.0 0.0 0.883	48.2 73.2 -5.1 73.4 355.9	0.2 336
656	B50R_100_100a	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	0.0 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	0.0 330
657	R11Y_100_100a	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.116 0.0	51.2 57.2 42.8 71.5 36.8	1.0 0.125 0.0	51.5 56.6 43.1 71.2 37.2	0.7 36	1.0 0.116 0.0	51.2 57.2 42.8 71.5 36.8	0.7 36
658	R00Y_100_087a	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.125	53.6 57.3 33.6 66.5 30.4	1.0 0.125 0.125	53.2 56.2 35.5 66.5 32.3	2.5 389	1.0 0.0 0.875	47.5 65.5 38.4 76.0 30.4	2.5 389
659	R36Y_100_087a	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.241	53.7 58.0 27.5 64.2 25.4	1.0 0.125 0.25	52.5 56.7 27.8 63.2 26.1	1.8 382	1.0 0.0 0.133	47.6 66.3 31.5 73.4 25.4	1.8 382
660	R23Y_100_087a	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.358	53.9 58.8 21.4 62.6 20.0	1.0 0.125 0.375	52.7 57.8 20.9 61.4 19.9	1.6 375	1.0 0.0 0.266	47.8 67.2 24.5 71.5 20.0	1.6 375
661	R08Y_100_087a	1.0 0.125 0.5	1.0 0.875 0.562	365	1.0 0.125 0.489	53.9 60.2 14.0 61.8 13.1	1.0 0.125 0.5	52.8 59.2 13.1 60.6 12.5	1.7 365	1.0 0.0 0.416	47.8 68.8 16.0 70.6 13.1	1.7 365
662	B70R_100_087a	1.0 0.125 0.625	1.0 0.875 0.562	355	1.0 0.125 0.635	54.0 61.6 6.2 61.9 5.7	1.0 0.125 0.625	53.8 60.5 5.3 60.2 5.2	354	1.0 0.0 0.583	48.0 70.4 7.1 71.5 5.7	354
663	B63R_100_087a	1.0 0.125 0.75	1.0 0.875 0.562	346	1.0 0.125 0.766	54.1 62.9 0.0 62.9 359.9	1.0 0.125 0.75	53.5 61.3 -0.7 61.3 359.2	1.8 344	1.0 0.0 0.733	48.1 71.9 0.0 71.9 359.9	1.8 344
664	B56R_100_087a	1.0 0.125 0.875	1.0 0.875 0.562	338	1.0 0.125 0.883	54.2 63.9 -4.0 64.0 356.3	1.0 0.125 0.875	53.7 62.3 -5.2 62.5 355.1	2.1 337	1.0 0.0 0.866	48.2 73.1 -4.6 73.2 356.3	2.1 337
665	B50R_100_087a	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	54.2 64.9 -7.6 65.3 353.2	1.0 0.125 1.0	53.9 63.2 -9.6 64.0 351.3	2.5 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	2.5 330
666	R23Y_100_100a	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	55.9 47.3 48.7 67.9 45.8	1.0 0.25 0.0	56.6 45.8 49.4 67.4 47.2	1.7 42	1.0 0.233 0.0	55.9 47.3 48.7 67.9 45.8	1.7 42
667	R13Y_100_087a	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.241 0.125	57.4 48.9 38.1 62.1 37.9	1.0 0.25 0.125	57.5 45.2 40.5 60.7 41.8	4.4 37	1.0 0.133 0.0	51.8 55.9 43.6 70.9 37.9	4.4 37
668	R00Y_100_075a	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	59.7 49.1 28.8 57.0 30.4	1.0 0.25 0.25	58.4 44.9 31.9 55.1 35.4	5.4 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	5.4 389
669	R35Y_100_075a	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.362	59.8 49.8 22.9 54.9 24.7	1.0 0.25 0.375	58.6 45.9 24.3 52.0 27.9	4.2 382	1.0 0.0 0.15	47.6 66.4 30.6 73.2 24.7	4.2 382
670	R18Y_100_075a	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.487	59.9 50.8 16.2 53.3 17.7	1.0 0.25 0.5	59.0 46.6 16.2 49.4 19.2	4.2 371	1.0 0.0 0.316	47.8 67.7 21.6 71.1 17.7	4.2 371
671	R00Y_100_075a	1.0 0.25 0.625	1.0 0.75 0.625	360	1.0 0.25 0.625	59.9 52.2 8.5 52.9 9.2	1.0 0.25 0.625	59.8 47.3 8.0 48.0 9.6	4.9 360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2	4.9 360
672	B65R_100_075a	1.0 0.25 0.75	1.0 0.75 0.625	349	1.0 0.25 0.762	60.1 53.5 1.7 53.6 1.8	1.0 0.25 0.75	60.0 49.0 0.9 49.0 1.1	4.6 348	1.0 0.0 0.683	48.1 71.4 2.3 71.4 1.8	4.6 348
673	B57R_100_075a	1.0 0.25 0.875	1.0 0.75 0.625	339	1.0 0.25 0.887	60.2 54.7 -3.0 54.8 356.7	1.0 0.25 0.875	60.4 50.1 -4.4 50.3 354.8	4.8 337	1.0 0.0 0.85	48.1 72.9 -4.0 73.0 356.7	4.8 337
674	B50R_100_075a	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	60.2 55.6 -6.5 56.0 353.2	1.0 0.25 1.0	60.4 51.5 -9.1 52.4 349.8	4.8 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	4.8 330
675	R36Y_100_100a	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.366 0.0	62.0 35.2 56.0 66.2 57.8	1.0 0.375 0.0	62.3 34.4 56.4 66.1 58.6	0.9 51	1.0 0.366 0.0	62.0 35.2 56.0 66.2 57.8	0.9 51
676	R26Y_100_087a	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.358 0.125	62.2 38.8 44.2 58.8 48.7	1.0 0.375 0.125	62.3 36.0 45.1 57.7 51.4	2.9 44	1.0 0.266 0.0	57.3 44.3 50.5 67.2 48.7	2.9 44
677	R15Y_100_075a	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.362 0.25	63.5 40.9 33.4 52.8 39.2	1.0 0.375 0.25	63.1 35.8 35.8 50.7 44.9	5.6 37	1.0 0.15 0.0	52.5 54.5 44.5 70.4 39.2	5.6 37
678	R00Y_100_062a	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.8 40.9 24.0 47.5 30.4	1.0 0.375 0.375	64.4 35.1 27.2 44.5 37.7	6.7 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	6.7 389
679	R31Y_100_062a	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.489	65.9 41.6 18.0 45.4 23.4	1.0 0.375 0.5	64.8 36.2 18.7 40.8 27.3	5.6 380	1.0 0.0 0.183	47.7 66.7 28.9 72.7 23.4	5.6 380
680	R11Y_100_062a	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.614	66.0 42.7 11.1 44.1 14.6	1.0 0.375 0.625	65.6 36.9 10.7 38.4 16.2	5.8 367	1.0 0.0 0.383	47.8 68.3 17.8 70.6 14.6	5.8 367
681	B69R_100_062a	1.0 0.375 0.75	1.0 0.625 0.687	353	1.0 0.375 0.76	66.1 44.1 3.3 44.3 4.3	1.0 0.375 0.75	66.1 38.5 2.6 38.6 3.9	5.6 352	1.0 0.0 0.616	48.0 70.7 5.3 70.9 4.3	5.6 352
682	B59R_100_062a	1.0 0.375 0.875	1.0 0.625 0.687	341	1.0 0.375 0.885	66.2 45.4 -1.8 45.4 357.6	1.0 0.375 0.875	66.8 39.4 -3.4 39.5 355.0	6.2 339	1.0 0.0 0.816	48.1 72.7 -2.9 72.7 357.6	6.2 339
683	B50R_100_062a	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	66.2 46.3 -5.4 46.7 353.2	1.0 0.375 1.0	66.9 40.7 -8.3 41.5 348.4	6.3 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	6.3 330
684	R50Y_100_100a	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1	0.0 59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1	0.0 59
685	R41Y_100_087a	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.489 0.125	68.3 27.2 51.4 58.2 62.1	1.0 0.5 0.125	68.3 25.0 51.0 56.8 63.8	2.2 54	1.0 0.416 0.0	64.2 31.1 58.8 66.5 62.1	2.2 54
686	R31Y_100_075a	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.487 0.25	68.8 29.9 40.1 50.0 53.2	1.0 0.5 0.25	68.8 25.6 40.2 47.7 57.5	4.2 48	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53.2	4.2 48
687	R18Y_100_062a	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.489 0.375	69.8 32.3 28.9 43.4 41.9	1.0 0.5 0.375	69.5 26.4 30.5 40.4 49.1	6.0 39	1.0 0.183 0.0	53.9 51.7 46.3 69.4 41.9	6.0 39
688	R00Y_100_050a	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.9 32.7 19.2 38.0 30.4	1.0 0.5 0.5	70.7 26.4 21.0 33.8 38.5	6.6 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	6.6 389
689	R26Y_100_050a	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.616	72.0 33.4 13.1 35.9 21.4	1.0 0.5 0.625	71.4 27.6 12.8 30.4 24.8	5.8 377	1.0 0.0 0.233	47.8 66.9 26.3 71.9 24.4	5.8 377
690	R00Y_100_050a	1.0 0.5 0.75	1.0 0.5 0.75	360	1.0 0.5 0.75	72.1 34.8 5.9						

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md
729	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.4 0.0 0.0	227.6 0.0 360	1.0 1.0 1.0	96.3 0.0 0.0
730	G50B_100_012d	0.875 1.0 1.0	1.0 0.125 0.937	210	0.875 1.0 1.0	91.5 -3.9 -5.6	6.9 234.6	0.875 1.0 1.0	93.1 -3.0 -4.1	5.1 233.7 2.4	210	0.875 1.0 1.0
731	G50B_100_025d	0.75 1.0 1.0	1.0 0.25 0.875	210	0.75 1.0 1.0	86.7 -7.9 -11.2	13.8 234.6	0.75 1.0 1.0	89.4 -6.0 -8.6	10.5 234.7 4.2	210	0.75 1.0 1.0
732	G50B_100_037d	0.625 1.0 1.0	1.0 0.375 0.812	210	0.625 1.0 1.0	81.9 -11.9 -16.9	20.7 234.6	0.625 1.0 1.0	84.9 -9.4 -13.6	16.5 235.3 5.1	210	0.625 1.0 1.0
733	G50B_100_050d	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	77.1 -15.9 -22.5	27.6 234.6	0.5 1.0 1.0	79.6 -13.6 -19.7	24.0 235.3 4.3	210	0.5 1.0 1.0
734	G50B_100_062d	0.375 1.0 1.0	1.0 0.625 0.687	210	0.375 1.0 1.0	72.3 -19.9 -28.2	34.5 234.6	0.375 1.0 1.0	74.4 -17.7 -25.7	31.2 235.4 3.9	210	0.375 1.0 1.0
735	G50B_100_075d	0.25 1.0 1.0	1.0 0.75 0.625	210	0.25 1.0 1.0	67.5 -23.9 -33.8	41.4 234.6	0.25 1.0 1.0	68.6 -22.7 -32.5	39.7 235.0 2.1	210	0.25 1.0 1.0
736	G50B_100_087d	0.125 1.0 1.0	1.0 0.875 0.562	210	0.125 1.0 1.0	62.6 -27.9 -39.4	48.4 234.6	0.125 1.0 1.0	63.2 -26.8 -38.6	47.0 235.1 1.5	210	0.125 1.0 1.0
737	G50B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6	0.0 1.0 1.0	57.0 -31.9 -45.6	55.7 235.0 1.0	210	0.0 1.0 1.0
738	ROOY_100_012d	1.0 0.875 0.875	1.0 0.125 0.937	390	1.0 0.875 0.875	90.2 8.1 4.8	9.5 30.4	1.0 0.875 0.875	91.1 4.0 5.7	7.0 55.0 4.3	389	1.0 0.0 0.0
739	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0	0.875 0.875 0.875	91.0 -0.1 -0.5	0.5 258.7 4.4	360	1.0 1.0 1.0
740	G50B_087_012d	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.875	81.8 -3.9 -5.6	6.9 234.6	0.75 0.875 0.875	87.6 -3.1 -4.6	5.6 235.8 5.9	210	0.75 0.875 0.875
741	G50B_087_025d	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.875	77.0 -7.9 -11.2	13.8 234.6	0.625 0.875 0.875	83.4 -6.3 -9.3	11.2 235.9 6.9	210	0.625 0.875 0.875
742	G50B_087_037d	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.875	72.2 -11.9 -16.9	20.7 234.6	0.5 0.875 0.875	78.0 -10.5 -15.4	18.6 237.5 6.2	210	0.5 0.875 0.875
743	G50B_087_050d	0.375 0.875 0.875	0.875 0.5 0.625	210	0.375 0.875 0.875	67.3 -15.9 -22.5	27.6 234.6	0.375 0.875 0.875	72.9 -14.5 -21.1	25.7 235.4 5.9	210	0.375 0.875 0.875
744	G50B_087_062d	0.25 0.875 0.875	0.875 0.625 0.562	210	0.25 0.875 0.875	62.5 -19.9 -28.2	34.5 234.6	0.25 0.875 0.875	66.8 -19.6 -28.2	34.4 235.1 4.2	210	0.25 0.875 0.875
745	G50B_087_075d	0.125 0.875 0.875	0.875 0.75 0.5	210	0.125 0.875 0.875	57.7 -23.9 -33.8	41.4 234.6	0.125 0.875 0.875	61.2 -24.2 -34.8	42.4 235.1 3.6	210	0.125 0.875 0.875
746	G50B_087_087d	0.0 0.875 0.875	0.875 0.875 0.437	210	0.0 0.875 0.875	52.9 -27.9 -39.4	48.4 234.6	0.0 0.875 0.875	55.2 -29.9 -41.9	51.5 234.5 3.8	210	0.0 0.875 0.875
747	ROOY_100_025d	1.0 0.75 0.75	1.0 0.25 0.875	390	1.0 0.75 0.75	84.1 16.3 9.6	19.0 30.4	1.0 0.75 0.75	84.1 10.5 11.3	15.4 47.2 6.1	389	1.0 0.0 0.0
748	ROOY_087_012d	0.875 0.75 0.75	0.875 0.125 0.812	390	0.875 0.75 0.75	80.5 8.1 4.8	9.5 30.4	0.875 0.75 0.75	85.5 4.0 5.7	7.0 54.5 6.5	389	1.0 0.0 0.0
749	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0	0.75 0.75 0.75	83.2 -0.1 -1.1	1.1 262.6 6.4	360	1.0 1.0 1.0
750	G50B_075_012d	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.75	72.1 -3.9 -5.6	6.9 234.6	0.625 0.75 0.75	79.4 -3.3 -5.4	6.4 238.1 7.4	210	0.625 0.75 0.75
751	G50B_075_025d	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.75	67.2 -7.9 -11.2	13.8 234.6	0.5 0.75 0.75	79.4 -6.8 -10.4	12.4 236.8 7.8	210	0.5 0.75 0.75
752	G50B_075_037d	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	62.4 -11.9 -16.9	20.7 234.6	0.375 0.75 0.75	69.4 -11.2 -16.6	20.0 236.1 7.0	210	0.375 0.75 0.75
753	G50B_075_050d	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	57.6 -15.9 -22.5	27.6 234.6	0.25 0.75 0.75	63.8 -15.8 -23.1	28.0 235.5 6.2	210	0.25 0.75 0.75
754	G50B_075_062d	0.125 0.75 0.75	0.75 0.625 0.437	210	0.125 0.75 0.75	52.8 -19.9 -28.2	34.5 234.6	0.125 0.75 0.75	57.4 -21.1 -30.3	36.9 235.1 5.2	210	0.125 0.75 0.75
755	G50B_075_075d	0.0 0.75 0.75	0.75 0.75 0.375	210	0.0 0.75 0.75	48.0 -23.9 -33.8	41.4 234.6	0.0 0.75 0.75	51.7 -26.4 -37.1	45.6 234.5 5.5	210	0.0 0.75 0.75
756	ROOY_100_037d	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	78.0 24.5 14.4	28.5 30.4	1.0 0.625 0.625	78.0 16.7 17.1	23.9 45.7 8.3	389	1.0 0.0 0.0
757	ROOY_087_025d	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	74.4 16.3 9.6	19.0 30.4	0.875 0.625 0.625	78.0 11.2 11.6	16.1 46.0 6.6	389	1.0 0.0 0.0
758	ROOY_075_012d	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.625	70.8 8.1 4.8	9.5 30.4	0.75 0.625 0.625	77.4 4.5 5.4	7.0 50.1 7.6	389	1.0 0.0 0.0
759	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0	0.625 0.625 0.625	76.0 -0.2 -1.4	1.5 261.9 8.9	360	1.0 1.0 1.0
760	G50B_062_012d	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.625	62.3 -3.9 -5.6	6.9 234.6	0.5 0.625 0.625	71.6 -3.8 -6.3	7.4 239.1 9.3	210	0.5 0.625 0.625
761	G50B_062_025d	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.5 -7.9 -11.2	13.8 234.6	0.375 0.625 0.625	66.5 -7.7 -11.9	14.2 237.1 9.0	210	0.375 0.625 0.625
762	G50B_062_037d	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	52.7 -11.9 -16.9	20.7 234.6	0.25 0.625 0.625	61.1 -12.4 -18.3	22.1 235.9 8.4	210	0.25 0.625 0.625
763	G50B_062_050d	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	47.9 -15.9 -22.5	27.6 234.6	0.125 0.625 0.625	54.7 -17.8 -25.6	31.2 235.2 7.7	210	0.125 0.625 0.625
764	G50B_062_062d	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.625	43.1 -19.9 -28.2	34.5 234.6	0.0 0.625 0.625	48.3 -23.2 -32.8	40.2 234.7 7.7	210	0.0 0.625 0.625
765	ROOY_100_050d	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.9 32.7 19.2	38.0 30.4	1.0 0.5 0.5	69.9 27.0 22.0	34.8 39.2 6.7	389	1.0 0.0 0.0
766	ROOY_087_037d	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.3 24.5 14.4	28.5 30.4	0.875 0.5 0.5	71.5 18.2 17.5	25.2 43.9 7.8	389	1.0 0.0 0.0
767	ROOY_075_025d	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	64.7 16.3 9.6	19.0 30.4	0.75 0.5 0.5	69.8 11.7 11.5	16.4 44.2 7.1	389	1.0 0.0 0.0
768	ROOY_062_012d	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	61.0 8.1 4.8	9.5 30.4	0.625 0.5 0.5	69.0 5.2 5.1	7.3 44.1 8.5	389	1.0 0.0 0.0
769	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0	0.5 0.5 0.5	67.7 -0.2 -1.8	1.8 261.3 10.4	360	1.0 1.0 1.0
770	G50B_050_012d	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	52.6 -3.9 -5.6	6.9 234.6	0.375 0.5 0.5	63.3 -4.1 -7.0	8.1 239.4 10.7	210	0.375 0.5 0.5
771	G50B_050_025d	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	47.8 -7.9 -11.2	13.8 234.6	0.25 0.5 0.5	57.5 -8.9 -13.6	16.3 236.7 10.0	210	0.25 0.5 0.5
772	G50B_050_037d	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	43.0 -11.9 -16.9	20.7 234.6	0.125 0.5 0.5	51.2 -14.0 -20.5	24.8 235.7 9.2	210	0.125 0.5 0.5
773	G50B_050_050d	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.5	38.2 -15.9 -22.5	27.6 234.6	0.0 0.5 0.5	45.0 -19.6 -27.8	34.0 234.8 9.3	210	0.0 0.5 0.5
774	ROOY_100_062d	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.8 40.9 24.0	47.5 30.4	1.0 0.375 0.375	62.8 36.9 27.8	46.2 37.0 6.3	389	1.0 0.0 0.0
775	ROOY_087_050d	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.2 32.7 19.2	38.0 30.4	0.875 0.375 0.375	63.1 29.2 23.2	37.3 38.5 5.4	389	1.0 0.0 0.0
776	ROOY_075_037d	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	58.5 24.5 14.4	28.5 30.4	0.75 0.375 0.375	61.8 21.2 17.8	27.7 40.0 5.7	389	1.0 0.0 0.0
777	ROOY_062_025d	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	54.9 16.3 9.6	19.0 30.4	0.625 0.375 0.375	61.8 12.4 12.3	17.5 44.6 8.3	389	1.0 0.0 0.0
778	ROOY_050_012d	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.375	51.3 8.1 4.8	9.5 30.4	0.5 0.375 0.375	60.3 6.1 5.5	8.3 42.0 9.2	389	1.0 0.0 0.0
779	NW_037d	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0	0.375 0.375 0.375	59.7 -0.3 -2.0	2.0 260.3 12.2	360	1.0 1.0 1.0
780	G50B_037_012d	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	42.9 -3.9 -5.6	6.9 234.6	0.25 0.375 0.375	54.3 -4.9 -8.1	9.5 238.9 11.7	210	0.25 0.375 0.375
781	G50B_037_025d	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	38.1 -7.9 -11.2	13.8 234.6	0.125 0.375 0.375	47.7 -10.3 -15.4	18.5 236.1 10.7	210	0.125 0.375 0.375
782	G50B_037_037d	0.0 0.375 0.375	0.375 0.375 0.187	210	0.0 0.375 0.375	33.2 -11.9 -16.9	20.7 234.6	0.0 0.375 0.375	41.2 -16.0 -22.9	28.0 234.9 10.8	210	0.0 0.375 0.375
783	ROOY_100_075d	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	59.7 49.1 28.8	57.0 30.4	1.0 0.25 0.25	56.1 47.6 32.6	57.7 34.4 5.4	389	1.0 0.0 0.0
784	ROOY_087_062d	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.1 40.9 24.0	47.5 30.4	0.875 0.25 0.25	55.3 41.2 28.7	50.3 34.8 4.7	389	1.0 0.0 0.0
785	ROOY_075_050d	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	52.4 32.7 19.2	38.0 30.4	0.75 0.25 0.25	53.5 32.8 23.5	40.4 35.5 4.4	389	1.0 0.0 0.0
786	ROOY_0											

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.L0NP.PDF> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmy6 (CMYK)

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
810	NW_100d	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	96.3 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	216.0 0.1 360	1.0 1.0 1.0	96.3 0.0 0.0	96.3 0.0 0.0
811	B00R_100_012d	0.875 0.875 1.0	1.0 1.0 1.0	0.125 0.937 270	0.875 0.875 1.0	87.4 2.8 -5.9	0.875 0.875 1.0	88.8 2.6 -5.8	294.7 1.4 270	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
812	B00R_100_025d	0.75 0.75 1.0	1.0 1.0 1.0	0.25 0.875 270	0.75 0.75 1.0	78.5 5.7 -11.9	0.75 0.75 1.0	79.2 6.9 -11.8	300.4 1.4 270	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
813	B00R_100_037d	0.625 0.625 1.0	1.0 1.0 1.0	0.375 0.812 270	0.625 0.625 1.0	69.6 8.6 -17.9	0.625 0.625 1.0	70.2 9.8 -17.6	200.2 1.4 270	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
814	B00R_100_050d	0.5 0.5 1.0	1.0 1.0 1.0	0.5 0.75 270	0.5 0.5 1.0	60.6 11.4 -23.9	0.5 0.5 1.0	58.7 15.0 -24.7	28.9 301.3 4.1	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
815	B00R_100_062d	0.375 0.375 1.0	1.0 1.0 1.0	0.625 0.687 270	0.375 0.375 1.0	51.7 14.3 -29.9	0.375 0.375 1.0	48.9 18.6 -30.6	35.8 301.2 5.1	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
816	B00R_100_075d	0.25 0.25 1.0	1.0 1.0 1.0	0.75 0.625 270	0.25 0.25 1.0	42.8 17.2 -35.8	0.25 0.25 1.0	39.8 21.0 -36.7	42.3 299.7 4.8	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
817	B00R_100_087d	0.125 0.125 1.0	1.0 1.0 1.0	0.875 0.562 270	0.125 0.125 1.0	33.9 20.1 -41.8	0.125 0.125 1.0	31.0 24.9 -42.3	49.1 300.5 5.6	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
818	B00R_100_100d	0.0 0.0 1.0	1.0 1.0 1.0	1.0 0.5 270	0.0 0.0 1.0	24.9 22.9 -47.8	0.0 0.0 1.0	24.2 24.1 -47.5	53.2 296.8 1.3	0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
819	Y00G_100_012d	1.0 1.0 0.875	1.0 1.0 0.875	0.125 0.937 90	1.0 1.0 0.875	95.5 -1.1 11.1	1.0 1.0 0.875	95.6 -1.7 7.9	8.1 102.7 3.2	89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
820	NW_087d	0.875 0.875 0.875	0.875 0.875 0.875	0.875 0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.875 0.875 0.875	91.1 0.0 -0.4	0.4 260.2 4.4	360 1.0 1.0 1.0	96.3 0.0 0.0	96.3 0.0 0.0
821	B00R_087_012d	0.75 0.75 0.875	0.875 0.875 0.875	0.875 0.875 270	0.75 0.75 0.875	77.7 2.8 -5.9	0.75 0.75 0.875	83.1 2.5 -6.4	6.9 292.0 5.4	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
822	B00R_087_025d	0.625 0.625 0.875	0.875 0.875 0.875	0.625 0.625 270	0.625 0.625 0.875	68.8 5.7 -11.9	0.625 0.625 0.875	72.9 7.4 -12.4	14.4 300.9 4.5	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
823	B00R_087_037d	0.5 0.5 0.875	0.875 0.875 0.875	0.5 0.5 0.875 270	0.5 0.5 0.875	59.8 8.6 -17.9	0.5 0.5 0.875	63.9 10.1 -19.4	21.9 297.4 3.3	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
824	B00R_087_050d	0.375 0.375 0.875	0.875 0.875 0.875	0.375 0.375 270	0.375 0.375 0.875	50.9 11.4 -23.9	0.375 0.375 0.875	51.5 15.2 -25.7	29.9 300.5 4.2	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
825	B00R_087_062d	0.25 0.25 0.875	0.875 0.875 0.875	0.25 0.25 0.875 270	0.25 0.25 0.875	42.8 14.3 -29.9	0.25 0.25 0.875	40.8 19.2 -32.7	37.9 300.5 5.7	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
826	B00R_087_075d	0.125 0.125 0.875	0.875 0.875 0.875	0.125 0.125 0.875 270	0.125 0.125 0.875	33.1 17.2 -35.8	0.125 0.125 0.875	31.1 23.3 -38.6	45.1 301.0 6.9	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
827	B00R_087_087d	0.0 0.0 0.875	0.875 0.875 0.875	0.0 0.0 0.875 270	0.0 0.0 0.875	24.1 20.1 -41.8	0.0 0.0 0.875	23.9 23.3 -44.1	49.9 297.8 3.9	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
828	Y00G_100_025d	1.0 1.0 0.75	1.0 1.0 0.75	0.125 0.875 90	1.0 1.0 0.75	94.6 -2.3 22.2	1.0 1.0 0.75	94.6 -3.2 16.6	16.9 101.1 5.6	89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
829	Y00G_087_012d	0.875 0.875 0.75	0.875 0.875 0.75	0.875 0.875 270	0.875 0.875 0.75	85.7 -1.1 11.1	0.875 0.875 0.75	90.2 -1.9 8.1	8.3 103.7 5.4	89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
830	NW_075d	0.75 0.75 0.75	0.75 0.75 0.75	0.75 0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.75 0.75 0.75	83.3 -0.1 -1.1	1.1 261.9 6.5	360 1.0 1.0 1.0	96.3 0.0 0.0	96.3 0.0 0.0
831	B00R_075_012d	0.625 0.625 0.75	0.75 0.75 0.75	0.625 0.625 270	0.625 0.625 0.75	67.9 2.8 -5.9	0.625 0.625 0.75	74.5 3.0 -7.2	7.9 292.7 6.6	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
832	B00R_075_025d	0.5 0.5 0.75	0.75 0.75 0.75	0.5 0.5 0.75 270	0.5 0.5 0.75	59.0 5.7 -11.9	0.5 0.5 0.75	63.9 7.4 -13.5	15.5 298.8 5.4	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
833	B00R_075_037d	0.375 0.375 0.75	0.75 0.75 0.75	0.375 0.375 270	0.375 0.375 0.75	50.1 8.6 -17.9	0.375 0.375 0.75	52.6 11.8 -20.5	23.6 299.8 4.7	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
834	B00R_075_050d	0.25 0.25 0.75	0.75 0.75 0.75	0.25 0.25 0.75 270	0.25 0.25 0.75	41.2 11.4 -23.9	0.25 0.25 0.75	42.0 16.3 -26.7	31.3 301.3 5.6	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
835	B00R_075_062d	0.125 0.125 0.75	0.75 0.75 0.75	0.125 0.125 0.75 270	0.125 0.125 0.75	32.2 14.3 -29.9	0.125 0.125 0.75	31.5 20.3 -33.5	39.2 301.2 7.0	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
836	B00R_075_075d	0.0 0.0 0.75	0.75 0.75 0.75	0.0 0.0 0.75 270	0.0 0.0 0.75	23.3 17.2 -35.8	0.0 0.0 0.75	23.3 22.0 -39.3	45.0 299.2 5.8	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
837	Y00G_100_037d	1.0 1.0 0.625	1.0 1.0 0.625	0.1 0.375 812 90	1.0 1.0 0.625	93.7 -3.5 33.4	1.0 1.0 0.625	93.6 -4.5 26.0	26.4 100.0 7.4	89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
838	Y00G_087_025d	0.875 0.875 0.625	0.875 0.875 0.625	0.875 0.875 270	0.875 0.875 0.625	84.9 -2.3 22.2	0.875 0.875 0.625	89.2 -3.5 17.3	17.7 101.5 6.6	89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
839	Y00G_075_012d	0.75 0.75 0.625	0.75 0.75 0.625	0.75 0.75 360	0.75 0.75 0.625	76.0 -1.1 11.1	0.75 0.75 0.625	82.5 -2.1 7.8	8.1 105.3 7.3	89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
840	NW_062d	0.625 0.625 0.625	0.625 0.625 0.625	0.625 0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.625 0.625 0.625	76.1 -0.2 -1.5	1.5 261.4 9.0	360 1.0 1.0 1.0	96.3 0.0 0.0	96.3 0.0 0.0
841	B00R_062_012d	0.5 0.5 0.625	0.625 0.625 0.625	0.5 0.5 0.625 270	0.5 0.5 0.625	58.2 2.8 -5.9	0.5 0.5 0.625	66.0 3.4 -8.2	8.9 292.4 8.0	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
842	B00R_062_025d	0.375 0.375 0.625	0.625 0.625 0.625	0.375 0.375 270	0.375 0.375 0.625	49.3 5.7 -11.9	0.375 0.375 0.625	55.2 7.5 -14.6	16.4 297.1 6.7	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
843	B00R_062_037d	0.25 0.25 0.625	0.625 0.625 0.625	0.25 0.25 0.625 270	0.25 0.25 0.625	40.4 8.6 -17.9	0.25 0.25 0.625	43.7 12.1 -21.3	24.5 299.7 5.9	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
844	B00R_062_050d	0.125 0.125 0.625	0.625 0.625 0.625	0.125 0.125 0.625 270	0.125 0.125 0.625	31.4 11.4 -23.9	0.125 0.125 0.625	32.1 17.0 -28.5	33.2 300.8 7.2	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
845	B00R_062_062d	0.0 0.0 0.625	0.625 0.625 0.625	0.0 0.0 0.625 270	0.0 0.0 0.625	22.5 14.3 -29.9	0.0 0.0 0.625	22.7 20.0 -34.8	40.2 299.9 7.5	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
846	Y00G_100_050d	1.0 1.0 0.5	1.0 1.0 0.5	0.75 312 90	1.0 1.0 0.5	92.8 -4.7 44.5	1.0 1.0 0.5	92.4 -5.8	36.9 37.3	99.0 7.7 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
847	Y00G_087_037d	0.875 0.875 0.5	0.875 0.875 0.5	0.875 0.875 270	0.875 0.875 0.5	84.0 -3.5 33.4	0.875 0.875 0.5	88.2 -5.0	27.6 28.0	100.3 7.2 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
848	Y00G_075_025d	0.75 0.75 0.5	0.75 0.75 0.5	0.75 0.75 360	0.75 0.75 0.5	75.1 -2.3 22.2	0.75 0.75 0.5	81.4 -3.8	17.5 17.9	102.2 7.9 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
849	Y00G_062_012d	0.625 0.625 0.5	0.625 0.625 0.5	0.625 0.625 360	0.625 0.625 0.5	66.3 -1.1 11.1	0.625 0.625 0.5	75.1 -2.3	7.8 8.2	106.4 9.4 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
850	NW_050d	0.5 0.5 0.5	0.5 0.5 0.5	0.5 0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.5 0.5 0.5	67.9 -0.2 -1.8	1.9 261.9 10.6	360 1.0 1.0 1.0	96.3 0.0 0.0	96.3 0.0 0.0
851	B00R_050_012d	0.375 0.375 0.5	0.5 0.5 0.5	0.375 0.375 270	0.375 0.375 0.5	48.5 2.8 -5.9	0.375 0.375 0.5	57.0 4.2 -8.8	9.8 295.7 9.0	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
852	B00R_050_025d	0.25 0.25 0.5	0.5 0.5 0.5	0.25 0.25 0.375 270	0.25 0.25 0.5	39.6 5.7 -11.9	0.25 0.25 0.5	45.0 8.3 -15.9	18.0 297.5 7.2	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
853	B00R_050_037d	0.125 0.125 0.5	0.5 0.5 0.5	0.125 0.125 0.375 270	0.125 0.125 0.5	30.6 8.6 -17.9	0.125 0.125 0.5	33.1 13.9 -23.1	27.0 301.1 7.8	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
854	B00R_050_050d	0.0 0.0 0.5	0.5 0.5 0.5	0.0 0.0 0.5 270	0.0 0.0 0.5	21.7 11.4 -23.9	0.0 0.0 0.5	22.6 18.0 -29.7	34.8 301.2 8.8	270 0.0 0.0 1.0	24.9 22.9 -47.8	24.9 22.9 -47.8
855	Y00G_100_062d	1.0 1.0 0.375	1.0 1.0 0.375	1.0 0.625 0.687 90	1.0 1.0 0.375	92.0 -5.9 55.6	1.0 1.0 0.375	91.3 -6.8	49.1 49.6	97.9 6.6 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
856	Y00G_087_050d	0.875 0.875 0.375	0.875 0.875 0.375	0.875 0.875 270	0.875 0.875 0.375	83.1 -4.7 44.5	0.875 0.875 0.375	87.0 -6.2	39.3 39.8	99.0 6.6 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
857	Y00G_075_037d	0.75 0.75 0.375	0.75 0.75 0.375	0.75 0.75 360	0.75 0.75 0.375	74.3 -3.5 33.4	0.75 0.75 0.375	80.4 -5.4	28.9 29.4	100.6 7.8 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
858	Y00G_062_025d	0.625 0.625 0.375	0.625 0.625 0.375	0.625 0.625 360	0.625 0.625 0.375	65.4 -2.3 22.2	0.625 0.625 0.375	73.9 -4.1	18.6 19.1	102.6 9.4 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.5 89.0
859	Y00G_050_012d	0.5 0.5 0.375	0.5 0.5 0.375	0.5 0.5 360	0.5 0.5 0.375	56.5 -1.1 11.1	0.5 0.5 0.375	67.0 -2.6	8.8 9.2	106.8 10.8 89 1.0 1.0 0.0	89.4 -9.5 89.0	89.4 -9.

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md			
891	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.4 0.0 0.0	207.2 0.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	
892	B50R_100_012d	1.0 0.875 1.0	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 1.0	90.3 9.2 -1.0	9.3 353.2	1.0 0.875 1.0	91.9 5.7 -1.8	6.0 342.2 3.9	330	1.0 1.0 1.0	48.2 74.2 -8.7	74.7 353.2
893	B50R_100_025d	1.0 0.75 1.0	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 1.0	84.3 18.5 -2.1	18.6 353.2	1.0 0.75 1.0	86.0 13.3 -3.6	13.8 344.4 5.7	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
894	B50R_100_037d	1.0 0.625 1.0	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 1.0	78.3 27.8 -3.2	28.0 353.2	1.0 0.625 1.0	80.5 20.7 -5.3	21.4 345.6 7.6	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
895	B50R_100_050d	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	72.3 37.1 -4.3	37.3 353.2	1.0 0.5 1.0	72.8 31.7 -7.1	32.5 347.3 6.0	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
896	B50R_100_062d	1.0 0.375 1.0	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	66.2 46.3 -5.4	46.7 353.2	1.0 0.375 1.0	66.0 41.9 -8.1	42.7 349.0 5.1	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
897	B50R_100_075d	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	60.2 55.6 -6.5	56.0 353.2	1.0 0.25 1.0	59.4 52.7 -8.4	53.4 350.8 3.5	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
898	B50R_100_087d	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	54.2 64.9 -7.6	65.3 353.2	1.0 0.125 1.0	52.4 65.2 -8.3	65.7 352.6 1.9	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
899	B50R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	1.0 0.0 1.0	47.2 75.2 -7.1	75.5 354.5 2.1	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
900	GO0B_100_012d	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.875	90.7 -8.6 2.8	9.1 161.6	0.875 1.0 0.875	92.2 -4.9 3.7	6.2 142.9 4.0	149	0.875 1.0 0.875	90.7 -8.6 2.8	9.1 161.6	
901	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.0 0.0 -0.4	0.4 260.7 4.4	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	
902	B50R_087_012d	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.875	80.6 9.2 -1.0	9.3 353.2	0.875 0.75 0.875	86.5 5.8 -2.3	6.3 337.9 6.9	330	1.0 1.0 1.0	48.2 74.2 -8.7	74.7 353.2	
903	B50R_087_025d	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.875	74.6 18.5 -2.1	18.6 353.2	0.875 0.625 0.875	79.8 14.3 -4.4	15.0 342.9 7.0	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
904	B50R_087_037d	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	68.6 27.8 -3.2	28.0 353.2	0.875 0.5 0.875	73.9 22.3 -5.8	23.1 345.2 8.0	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
905	B50R_087_050d	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.5 37.1 -4.3	37.3 353.2	0.875 0.375 0.875	66.1 33.4 -7.4	34.3 347.4 5.9	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
906	B50R_087_062d	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 46.3 -5.4	46.7 353.2	0.875 0.25 0.875	58.1 46.0 -8.5	46.8 349.5 3.4	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
907	B50R_087_075d	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.5 55.6 -6.5	56.0 353.2	0.875 0.125 0.875	51.0 58.4 -8.5	59.1 351.6 3.4	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
908	B50R_087_087d	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.5 64.9 -7.6	65.3 353.2	0.875 0.0 0.875	44.8 70.2 -7.8	70.6 353.5 5.3	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
909	GO0B_100_025d	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.75	85.1 -17.3 5.7	18.2 161.6	0.75 1.0 0.75	87.3 -9.9 7.4	12.3 143.1 7.9	149	0.75 1.0 0.75	85.1 -17.3 5.7	18.2 161.6	
910	GO0B_087_012d	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.75	81.0 -8.6 2.8	9.1 161.6	0.75 0.875 0.75	86.7 -5.3 3.6	6.4 145.3 6.6	149	0.75 0.875 0.75	81.0 -8.6 2.8	9.1 161.6	
911	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.5 -0.1 -1.0	1.0 261.1 6.7	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	
912	B50R_075_012d	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.75	70.9 9.2 -1.0	9.3 353.2	0.75 0.625 0.75	78.4 6.3 -3.0	7.0 334.1 8.3	330	1.0 1.0 1.0	48.2 74.2 -8.7	74.7 353.2	
913	B50R_075_025d	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	64.8 18.5 -2.1	18.6 353.2	0.75 0.5 0.75	71.7 14.7 -4.8	15.6 341.6 8.3	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
914	B50R_075_037d	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	58.8 27.8 -3.2	28.0 353.2	0.75 0.375 0.75	64.2 24.9 -6.7	25.8 344.8 7.0	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
915	B50R_075_050d	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	52.8 37.1 -4.3	37.3 353.2	0.75 0.25 0.75	56.2 37.0 -7.9	37.8 347.8 4.9	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
916	B50R_075_062d	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	46.8 46.3 -5.4	46.7 353.2	0.75 0.125 0.75	48.6 49.4 -8.4	50.1 350.3 4.5	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
917	B50R_075_075d	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	40.8 55.6 -6.5	56.0 353.2	0.75 0.0 0.75	42.1 61.9 -8.3	62.5 352.3 6.6	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
918	GO0B_100_037d	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.625	79.6 -26.0 8.6	27.4 161.6	0.625 1.0 0.625	81.9 -15.7 10.8	19.1 145.4 10.7	149	0.625 1.0 0.625	79.6 -26.0 8.6	27.4 161.6	
919	GO0B_087_025d	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.625	75.4 -17.3 5.7	18.2 161.6	0.625 0.875 0.625	81.6 -10.7 7.4	13.0 145.1 9.1	149	0.625 0.875 0.625	75.4 -17.3 5.7	18.2 161.6	
920	GO0B_075_012d	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.625	71.3 -8.6 2.8	9.1 161.6	0.625 0.75 0.625	78.9 -5.6 3.2	6.4 149.8 8.2	149	0.625 0.75 0.625	71.3 -8.6 2.8	9.1 161.6	
921	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.6 -0.2 -1.4	1.5 261.2 9.5	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	
922	B50R_062_012d	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	61.1 9.2 -1.0	9.3 353.2	0.625 0.5 0.625	70.3 7.0 -3.6	7.9 332.9 9.7	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
923	B50R_062_025d	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	55.1 18.5 -2.1	18.6 353.2	0.625 0.375 0.625	63.6 15.7 -5.4	16.6 341.0 9.5	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
924	B50R_062_037d	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	49.1 27.8 -3.2	28.0 353.2	0.625 0.25 0.625	55.4 27.4 -7.0	28.3 345.5 7.3	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
925	B50R_062_050d	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	43.1 37.1 -4.3	37.3 353.2	0.625 0.125 0.625	46.9 40.7 -8.0	41.5 348.8 6.4	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
926	B50R_062_062d	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	37.1 46.3 -5.4	46.7 353.2	0.625 0.0 0.625	39.6 54.2 -8.0	54.8 351.5 8.6	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2	
927	GO0B_100_050d	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.5	74.0 -34.6 11.5	36.5 161.6	0.5 1.0 0.5	75.7 -22.9 13.7	26.7 149.0 12.0	149	0.5 1.0 0.5	74.0 -34.6 11.5	36.5 161.6	
928	GO0B_087_037d	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.5	69.8 -26.0 8.6	27.4 161.6	0.5 0.875 0.5	75.1 -17.9 10.1	20.5 150.5 9.7	149	0.5 1.0 0.5	69.8 -26.0 8.6	27.4 161.6	
929	GO0B_075_025d	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.5	65.7 -17.3 5.7	18.2 161.6	0.5 0.75 0.5	73.3 -11.5 7.0	13.5 148.6 9.6	149	0.5 1.0 0.5	65.7 -17.3 5.7	18.2 161.6	
930	GO0B_062_012d	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.5	61.5 -8.6 2.8	9.1 161.6	0.5 0.625 0.5	71.3 -6.1 2.7	6.7 156.2 10.0	149	0.5 1.0 0.5	61.5 -8.6 2.8	9.1 161.6	
931	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	68.5 -0.2 -1.8	1.					

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 32/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md	
972	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.3 0.3	76.3 1.9 360	1.0 1.0 1.0	96.3 0.0 0.0
973	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	33.4 -0.2 -1.2	1.2 259.3 5.3 360	1.0 1.0 1.0	96.3 0.0 0.0	
974	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	49.1 -0.3 -1.9	2.0 259.1 11.3 360	1.0 1.0 1.0	96.3 0.0 0.0	
975	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	59.5 -0.3 -2.0	2.0 260.3 12.0 360	1.0 1.0 1.0	96.3 0.0 0.0	
976	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	68.4 -0.2 -1.8	1.8 261.7 11.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
977	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.7 -0.2 -1.5	1.5 262.5 9.7 360	1.0 1.0 1.0	96.3 0.0 0.0	
978	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	84.2 -0.1 -1.1	1.1 261.9 7.4 360	1.0 1.0 1.0	96.3 0.0 0.0	
979	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.5 0.0 -0.4	0.4 260.0 4.9 360	1.0 1.0 1.0	96.3 0.0 0.0	
980	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	0.0 251.4 0.2 360	1.0 1.0 1.0	96.3 0.0 0.0	
981	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	20.1 0.0 0.1	0.1 78.3 1.6 360	1.0 1.0 1.0	96.3 0.0 0.0	
982	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	33.3 -0.2 -1.3	1.3 258.6 5.2 360	1.0 1.0 1.0	96.3 0.0 0.0	
983	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	48.4 -0.3 -2.0	2.0 259.6 10.6 360	1.0 1.0 1.0	96.3 0.0 0.0	
984	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	59.7 -0.3 -2.0	2.0 260.4 12.2 360	1.0 1.0 1.0	96.3 0.0 0.0	
985	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	68.4 -0.2 -1.8	1.8 261.5 11.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
986	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.6 -0.2 -1.5	1.5 262.7 9.6 360	1.0 1.0 1.0	96.3 0.0 0.0	
987	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.9 -0.1 -1.1	1.1 262.2 7.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
988	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.5 0.0 -0.4	0.4 262.2 4.8 360	1.0 1.0 1.0	96.3 0.0 0.0	
989	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	0.0 217.9 0.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
990	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	19.4 0.0 0.0	0.0 59.7 0.9 360	1.0 1.0 1.0	96.3 0.0 0.0	
991	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	32.8 -0.2 -1.4	1.4 258.4 4.7 360	1.0 1.0 1.0	96.3 0.0 0.0	
992	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	48.5 -0.4 -2.1	2.1 259.2 10.7 360	1.0 1.0 1.0	96.3 0.0 0.0	
993	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	59.4 -0.3 -2.1	2.2 261.3 11.8 360	1.0 1.0 1.0	96.3 0.0 0.0	
994	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	67.9 -0.2 -2.0	2.0 262.2 10.7 360	1.0 1.0 1.0	96.3 0.0 0.0	
995	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.1 -0.2 -1.7	1.7 262.8 9.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
996	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.5 -0.1 -1.3	1.3 263.1 6.7 360	1.0 1.0 1.0	96.3 0.0 0.0	
997	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.1 0.0 -0.7	0.7 264.8 4.5 360	1.0 1.0 1.0	96.3 0.0 0.0	
998	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.2 0.0 -0.2	0.2 267.4 0.2 360	1.0 1.0 1.0	96.3 0.0 0.0	
999	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	19.0 0.0 0.0	0.0 48.1 0.5 360	1.0 1.0 1.0	96.3 0.0 0.0	
1000	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	32.3 -0.3 -1.5	1.5 258.4 4.3 360	1.0 1.0 1.0	96.3 0.0 0.0	
1001	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	47.5 -0.3 -2.1	2.2 259.7 9.8 360	1.0 1.0 1.0	96.3 0.0 0.0	
1002	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	58.9 -0.3 -2.2	2.2 261.3 11.4 360	1.0 1.0 1.0	96.3 0.0 0.0	
1003	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	67.7 -0.2 -2.0	2.0 262.2 10.4 360	1.0 1.0 1.0	96.3 0.0 0.0	
1004	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	75.9 -0.2 -1.7	1.7 263.2 8.9 360	1.0 1.0 1.0	96.3 0.0 0.0	
1005	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.3 -0.1 -1.2	1.2 262.6 6.5 360	1.0 1.0 1.0	96.3 0.0 0.0	
1006	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.1 0.0 -0.6	0.6 266.7 4.5 360	1.0 1.0 1.0	96.3 0.0 0.0	
1007	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.2 0.0 -0.2	0.2 272.1 0.2 360	1.0 1.0 1.0	96.3 0.0 0.0	
1008	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	20.6 0.1 0.3	0.3 68.8 2.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
1009	NW_006a	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	23.6 0.0 0.0	0.0 0.0 0.0	0.066 0.066 0.066	25.4 0.0 -0.3	0.3 261.2 1.7 360	1.0 1.0 1.0	96.3 0.0 0.0	
1010	NW_013a	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	28.8 0.0 0.0	0.0 0.0 0.0	0.133 0.133 0.133	34.7 -0.2 -1.3	1.3 259.3 6.0 360	1.0 1.0 1.0	96.3 0.0 0.0	
1011	NW_020a	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	34.1 0.0 0.0	0.0 0.0 0.0	0.2 0.2 0.2	43.7 -0.3 -1.9	1.9 259.6 9.8 360	1.0 1.0 1.0	96.3 0.0 0.0	
1012	NW_026a	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	39.2 0.0 0.0	0.0 0.0 0.0	0.266 0.266 0.266	50.3 -0.3 -2.0	2.0 260.0 11.3 360	1.0 1.0 1.0	96.3 0.0 0.0	
1013	NW_033a	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	44.4 0.0 0.0	0.0 0.0 0.0	0.333 0.333 0.333	56.8 -0.3 -2.0	2.0 260.5 12.5 360	1.0 1.0 1.0	96.3 0.0 0.0	
1014	NW_040a	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	49.6 0.0 0.0	0.0 0.0 0.0	0.4 0.4 0.4	61.6 -0.3 -2.0	2.0 260.8 12.1 360	1.0 1.0 1.0	96.3 0.0 0.0	
1015	NW_046a	0.466 0.466 0.466	0.466 0.466 0.466	0.466 360	0.466 0.466 0.466	54.8 0.0 0.0	0.0 0.0 0.0	0.466 0.466 0.466	66.1 -0.2 -1.9	1.9 261.6 11.4 360	1.0 1.0 1.0	96.3 0.0 0.0	
1016	NW_053a	0.533 0.533 0.533	0.533 0.533 0.533	0.533 360	0.533 0.533 0.533	60.0 0.0 0.0	0.0 0.0 0.0	0.533 0.533 0.533	70.8 -0.2 -1.7	1.7 261.7 11.0 360	1.0 1.0 1.0	96.3 0.0 0.0	
1017	NW_060a	0.6 0.6 0.6	0.6 0.6 0.6	0.6 360	0.6 0								

http://130.149.60.45/~farbmetrik/SF04/SF04L0NP.PDF /.PS; sortie de transfert
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 33/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF04/SF04.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF04/SF04L0NP.PDF /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmyb6 (CMYK)

n	HIC*Fd	rgb_Fd			ict_Fd			hsi_Fd			rgb*Fd			LabCh*Fd			rgb**Fd			LabCh**Fd			DE**Fd			hsiM,d	rgb*Md			LabCh*Md				
1053	NW_086d	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	85.9	0.0	0.0	0.0	0.0	0.866	0.866	0.866	91.0	0.0	-0.5	0.5	264.4	5.1	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1054	NW_093d	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	91.1	0.0	0.0	0.0	0.0	0.933	0.933	0.933	93.5	0.0	-0.3	0.3	271.8	2.4	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1055	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.3	0.0	-0.1	0.1	284.8	0.1	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1056	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	0.0	0.0	0.0	6.0	0.7	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1057	NW_006d	0.066	0.066	0.066	0.066	0.0	0.066	360	0.066	0.066	0.066	23.6	0.0	0.0	0.0	0.0	0.066	0.066	0.066	24.0	0.0	-0.5	0.5	260.1	0.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1058	NW_013d	0.133	0.133	0.133	0.133	0.0	0.133	360	0.133	0.133	0.133	28.8	0.0	0.0	0.0	0.0	0.133	0.133	0.133	33.3	-0.3	-1.5	1.5	258.6	4.7	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1059	NW_020d	0.2	0.2	0.2	0.2	0.0	0.2	360	0.2	0.2	0.2	34.1	0.0	0.0	0.0	0.0	0.2	0.2	0.2	42.5	-0.3	-2.0	2.0	259.3	8.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1060	NW_026d	0.266	0.266	0.266	0.266	0.0	0.266	360	0.266	0.266	0.266	39.2	0.0	0.0	0.0	0.0	0.266	0.266	0.266	48.9	-0.3	-2.2	2.2	260.4	9.9	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1061	NW_033d	0.333	0.333	0.333	0.333	0.0	0.333	360	0.333	0.333	0.333	44.4	0.0	0.0	0.0	0.0	0.333	0.333	0.333	55.2	-0.3	-2.2	2.3	260.3	11.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1062	NW_040d	0.4	0.4	0.4	0.4	0.0	0.4	360	0.4	0.4	0.4	49.6	0.0	0.0	0.0	0.0	0.4	0.4	0.4	60.4	-0.3	-2.1	2.2	261.8	11.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1063	NW_046d	0.466	0.466	0.466	0.466	0.0	0.466	360	0.466	0.466	0.466	54.8	0.0	0.0	0.0	0.0	0.466	0.466	0.466	65.1	-0.2	-2.0	2.0	261.9	10.5	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1064	NW_053d	0.533	0.533	0.533	0.533	0.0	0.533	360	0.533	0.533	0.533	60.0	0.0	0.0	0.0	0.0	0.533	0.533	0.533	70.0	-0.2	-1.9	1.9	262.3	10.2	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1065	NW_060d	0.6	0.6	0.6	0.6	0.0	0.6	360	0.6	0.6	0.6	65.2	0.0	0.0	0.0	0.0	0.6	0.6	0.6	74.7	-0.2	-1.6	1.6	262.4	9.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1066	NW_066d	0.666	0.666	0.666	0.666	0.0	0.666	360	0.666	0.666	0.666	70.3	0.0	0.0	0.0	0.0	0.666	0.666	0.666	78.8	-0.1	-1.4	1.4	262.5	8.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1067	NW_073d	0.734	0.734	0.734	0.734	0.0	0.734	360	0.734	0.734	0.734	75.6	0.0	0.0	0.0	0.0	0.734	0.734	0.734	82.8	-0.1	-1.2	1.2	262.2	7.2	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1068	NW_080d	0.8	0.8	0.8	0.8	0.0	0.8	360	0.8	0.8	0.8	80.8	0.0	0.0	0.0	0.0	0.8	0.8	0.8	86.6	0.0	-0.9	0.9	264.2	5.8	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1069	NW_086d	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	85.9	0.0	0.0	0.0	0.0	0.866	0.866	0.866	90.9	0.0	-0.6	0.6	268.4	5.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1070	NW_093d	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	91.1	0.0	0.0	0.0	0.0	0.933	0.933	0.933	93.4	0.0	-0.3	0.3	272.6	2.3	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1071	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.3	0.0	0.0	0.0	289.1	0.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1072	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.7	0.1	0.3	0.3	65.1	2.1	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1073	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.6	0.0	0.0	0.0	196.8	0.2	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	
1074	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4	1.0	0.0	0.0	45.6	67.7	39.1	78.2	30.0	2.8	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
1075	G50B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	0.0	1.0	1.0	56.4	-31.6	-46.1	55.9	235.5	1.7	210	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6
1076	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	1.0	1.0	0.0	87.9	-7.9	89.2	89.6	95.0	2.1	89	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0
1077	B00R_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	0.0	0.0	1.0	23.1	24.3	-46.5	52.5	297.6	2.6	270	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6
1078	G00B_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	0.0	1.0	0.0	48.7	-69.8	21.6	73.1	162.7	3.2	149	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2	1.0	0.0	1.0	45.8	75.8	-5.0	76.0	356.2	4.7	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2

delta E* = 4.9

3-0033230-F0

SF040-7N, 33/33-F

graphique TUB-SF04; 16 teintes, papier standard de offset
couleurs et différences, ΔE^* , 3D=0, de=0, cmyk

entrée: *rgb/cmyk* -> *rgb_d*
sortie: transférer à *cmyk_d*