

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF62/SF62L0NA.TXT> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

	[X, Y, Z] ₉₉	[L*, C* _{ab} , h] _{Fain}	no.	[X, Y, Z] ₉₉	[L*, C* _{ab} , h] _{Fain}	no.	[X, Y, Z] ₉₉	[L*, C* _{ab} , h] _{Fain}	no.	[X, Y, Z] ₉₉	[L*, C* _{ab} , h] _{Fain}	no.	[X, Y, Z] ₉₉	[L*, C* _{ab} , h] _{Fain}	no.	[X, Y, Z] ₉₉	[L*, C* _{ab} , h] _{Fain}
1	1.1 1.1 1.4	0.0 0.0 0.0	82	5.0 3.1 1.4	15.1 44.1 36.1	163	8.4 4.8 1.5	22.6 58.6 41.7	244	11.6 6.5 1.5	27.7 68.8 44.0	325	14.2 7.8 1.6	31.2 75.7 45.2	406	16.9 9.2 1.6	34.3 82.1 46.1
2	2.3 1.5 1.7	2.4 5.58 306.3	83	6.2 3.5 8.2	17.0 48.4 336.1	164	9.6 5.2 8.3	23.9 50.3 351.6	245	12.8 6.8 8.4	28.7 54.3 1.2	326	15.4 8.2 8.4	32.0 58.0 6.9	407	18.2 9.6 8.5	35.1 62.0 11.6
3	4.0 1.9 17.3	6.3 83.3 310.3	84	7.9 4.0 17.6	19.2 68.1 312.6	165	11.3 5.7 17.7	25.5 64.8 331.4	246	14.5 7.3 17.7	30.6 64.5 339.1	327	17.1 8.7 17.8	33.2 65.2 344.5	408	19.9 10.1 17.9	36.1 66.6 349.4
4	6.1 2.6 28.9	12.3 98.1 309.9	85	10.0 4.6 29.3	21.9 85.5 316.7	166	13.4 6.4 29.5	27.5 80.4 322.7	247	16.6 8.0 29.6	31.7 78.3 322.8	328	19.3 9.4 29.7	34.6 77.4 332.2	409	22.1 10.8 29.7	37.4 77.3 336.2
5	8.4 3.4 41.9	16.5 110.6 309.9	86	12.4 5.4 42.6	24.5 99.7 314.2	167	15.8 7.1 42.8	29.5 94.6 318.5	248	19.8 8.8 42.8	33.4 91.6 322.5	329	21.7 10.2 42.9	36.1 90.0 326.6	410	24.5 11.6 43.0	38.8 88.9 328.7
6	10.2 4.0 52.0	19.4 117.6 309.3	87	14.2 6.0 52.6	26.4 108.4 313.2	168	17.6 7.8 52.7	31.0 103.2 316.6	249	20.8 9.4 52.9	34.7 99.9 319.9	330	23.5 10.8 53.0	37.3 98.1 322.5	411	26.3 12.2 53.1	39.8 96.7 325.2
7	12.2 4.7 63.2	22.1 125.0 309.3	88	16.2 6.7 63.8	28.4 116.3 312.2	169	19.6 8.5 64.0	32.6 111.6 315.2	250	22.9 10.1 64.1	36.1 108.1 317.9	331	25.5 11.5 64.2	38.6 106.2 320.1	412	28.3 12.9 64.3	41.0 104.5 322.4
8	15.6 5.9 80.2	26.2 134.5 308.7	89	19.6 7.9 82.7	31.5 127.5 311.2	170	23.0 9.7 82.8	35.3 122.8 313.5	251	26.2 11.4 82.9	38.4 119.5 315.6	332	28.9 12.7 83.0	40.7 117.5 317.4	413	31.7 14.2 83.1	43.0 115.5 319.3
9	20.0 7.6 106.4	30.6 145.0 308.3	90	23.9 9.6 106.4	35.0 138.5 310.2	171	27.3 11.3 106.2	38.3 134.6 312.1	252	30.5 13.0 106.6	41.1 131.5 313.8	333	33.1 14.3 106.6	43.2 129.2 315.2	414	35.9 15.8 106.6	45.3 127.3 316.7
10	3.5 6.2 1.9	27.1 61.4 134.2	91	7.4 8.3 2.0	32.2 53.2 98.2	172	10.8 10.0 2.0	35.9 59.4 82.0	253	14.0 11.7 2.1	39.0 66.6 73.6	334	16.7 13.1 2.1	41.3 72.3 69.3	415	19.5 14.5 2.1	43.5 78.0 66.1
11	4.7 6.7 8.6	28.2 25.4 181.3	92	8.6 8.7 8.8	33.1 7.8 81.6	173	12.1 10.5 8.8	36.7 20.2 43.9	254	15.3 12.1 8.9	39.7 30.6 38.8	335	17.9 13.5 8.9	41.9 37.7 37.7	416	20.7 14.9 9.0	44.1 44.4 37.7
12	6.3 7.2 17.8	29.6 25.3 251.1	93	10.3 9.2 18.1	34.2 19.8 305.5	174	13.7 11.0 18.2	37.7 24.6 335.7	255	17.0 12.6 18.3	40.6 30.7 350.6	336	19.6 14.0 18.3	42.7 35.6 358.0	417	22.5 15.5 18.4	44.9 40.6 3.6
13	8.5 7.9 29.4	31.3 42.4 280.4	94	12.5 9.9 29.9	35.7 40.9 302.5	175	15.9 11.7 30.0	42.2 317.1	256	19.2 13.4 30.1	41.8 44.3 327.3	337	21.8 14.7 30.2	43.8 46.8 334.3	418	24.6 16.2 30.3	45.9 49.2 340.3
14	10.8 8.6 42.5	33.0 59.9 290.6	95	14.9 10.7 43.1	37.2 58.7 303.0	176	18.3 12.5 43.3	40.3 58.7 311.8	257	21.6 14.1 43.4	42.9 59.3 318.7	338	24.2 15.5 43.5	45.0 60.0 323.6	419	27.0 16.9 43.6	46.9 61.3 328.4
15	12.6 9.2 52.5	34.3 70.9 294.2	96	16.6 11.3 53.1	38.3 69.5 303.3	177	20.1 13.1 53.3	41.3 69.1 310.0	258	23.4 14.8 53.5	43.9 68.9 315.5	339	26.0 16.1 53.5	45.8 69.2 319.6	420	28.8 17.5 53.6	47.7 69.8 323.5
16	14.7 9.9 63.7	35.7 81.6 296.9	97	18.7 12.0 64.4	39.5 80.1 303.8	178	22.1 13.8 64.6	42.4 78.9 308.9	259	25.4 15.5 64.7	44.9 78.4 313.4	340	28.1 16.8 64.8	46.8 78.4 316.8	421	30.9 18.2 64.9	48.6 78.6 320.1
17	18.1 11.2 82.6	38.1 96.2 299.3	98	22.1 13.3 83.2	41.6 94.3 304.2	179	25.5 15.0 83.4	44.3 93.0 308.0	260	28.8 16.7 83.5	46.6 91.9 313.3	341	31.5 18.1 83.6	48.4 91.4 313.9	422	34.3 19.5 83.6	50.2 91.0 316.4
18	22.5 12.9 106.9	41.0 111.1 301.0	99	26.4 14.9 106.9	44.1 108.6 304.4	180	29.8 16.7 107.0	46.6 106.8 307.2	261	32.1 18.4 107.1	48.8 105.7 309.8	342	35.7 19.7 107.1	50.5 104.8 311.8	423	38.5 21.2 107.2	52.1 104.3 313.8
19	6.0 11.6 2.4	38.9 79.6 132.0	100	9.9 13.7 2.5	42.2 69.9 112.3	181	13.3 15.4 2.6	44.9 69.8 99.4	262	16.6 17.1 2.6	47.2 72.6 90.4	343	19.2 18.5 2.7	48.9 75.7 84.9	424	22.1 20.0 2.7	50.7 79.5 80.1
20	7.2 12.1 9.1	39.7 45.6 156.4	101	11.2 14.2 9.3	43.0 30.5 129.2	182	14.6 15.9 9.4	45.5 28.6 101.6	263	17.9 17.6 9.4	47.8 32.2 82.6	344	20.5 19.0 9.5	49.5 36.6 72.7	425	23.4 20.5 9.5	51.3 41.7 65.7
21	8.9 12.6 18.3	40.6 29.1 190.1	102	12.9 14.7 18.6	43.8 40.0 179.8	183	16.3 16.5 18.7	46.3 47.7 69.7	264	19.6 18.2 18.8	48.5 33.2 38.2	345	22.2 19.5 18.9	50.2 19.9 34.0	426	25.1 21.0 19.0	51.9 26.2 32.7
22	11.0 13.4 29.9	41.7 28.1 237.3	103	15.0 15.4 30.5	44.8 18.8 270.2	184	18.5 17.2 30.6	47.3 17.6 304.3	265	21.8 18.9 30.7	49.4 20.6 328.4	346	24.4 20.3 30.7	51.1 24.3 341.1	427	27.2 21.7 30.8	52.7 28.5 349.9
23	13.4 14.1 43.1	42.9 38.8 266.0	104	17.4 16.2 43.7	45.9 35.4 285.9	185	20.9 18.0 43.9	48.3 35.1 301.3	266	24.1 19.7 44.0	50.3 36.2 313.2	347	26.8 21.0 44.1	52.0 37.8 321.4	428	29.6 22.5 44.2	53.6 39.8 328.7
24	15.2 14.8 53.0	43.9 48.2 276.3	105	19.2 16.8 53.7	46.8 46.3 290.5	186	22.7 18.6 53.9	49.1 45.8 301.0	267	26.0 20.3 54.0	51.1 46.4 309.6	348	28.6 21.7 54.1	52.7 37.8 321.4	429	31.4 23.1 54.2	54.3 48.6 325.1
25	17.2 15.5 64.3	44.9 58.1 282.9	106	21.3 17.5 64.9	47.7 56.7 293.3	187	24.7 19.3 65.1	49.9 56.4 301.1	268	28.0 21.0 65.2	51.9 56.5 307.7	349	30.6 22.4 65.4	53.5 56.9 312.4	430	33.5 23.8 65.4	55.0 57.8 317.1
26	20.6 16.7 83.1	46.7 72.7 289.0	107	24.6 18.8 83.7	49.3 71.6 296.0	188	28.1 20.6 83.9	51.5 71.0 301.4	269	31.4 22.3 84.0	53.4 70.8 306.1	350	34.0 23.6 84.1	54.8 71.1 309.7	431	36.9 25.1 84.2	56.3 71.2 313.1
27	25.0 18.5 107.4	48.9 88.3 293.2	108	29.0 20.5 107.5	51.4 87.0 298.1	189	32.4 22.3 107.6	53.4 86.1 301.9	270	35.7 24.0 107.6	55.2 85.6 305.1	351	38.3 25.4 107.7	56.6 85.4 307.8	432	41.1 26.8 107.7	58.0 85.2 310.4
28	9.2 18.6 3.1	49.1 93.6 131.5	109	13.1 20.6 3.2	51.5 84.7 119.2	190	16.6 22.5 3.2	53.6 82.0 109.6	271	19.9 24.2 3.3	55.4 81.7 102.3	352	22.6 25.5 3.3	56.7 82.7 97.0	433	25.4 27.0 3.4	58.2 84.4 92.3
29	10.5 19.1 9.8	49.7 63.6 147.6	110	14.5 21.2 10.0	52.1 51.7 132.7	191	18.0 23.0 10.1	54.1 47.1 118.6	272	21.2 24.7 10.1	55.9 46.5 106.4	353	23.8 26.0 10.2	57.3 47.1 97.7	434	26.7 27.5 10.2	58.7 49.1 90.0
30	12.2 19.7 19.0	50.4 44.9 165.5	111	16.2 21.8 19.3	52.8 30.9 151.1	192	19.7 23.6 19.5	54.8 24.3 131.2	273	22.9 25.3 19.6	56.5 22.5 109.2	354	25.6 26.7 19.6	57.9 23.6 92.8	435	28.4 28.1 19.7	59.2 26.4 79.3
31	14.3 20.4 30.7	51.3 33.0 192.9	112	18.3 22.5 31.1	53.6 18.5 191.9	193	21.8 24.3 31.3	55.5 8.4 184.2	274	25.1 26.0 31.4	57.2 2.4 103.3	355	27.7 27.3 31.5	58.5 6.9 41.8	436	30.6 28.8 31.5	59.9 12.7 33.2
32	16.7 21.2 43.8	52.2 31.3 226.9	113	20.7 23.3 44.4	54.4 21.4 244.9	194	24.2 25.1 44.5	56.5 16.2 268.2	275	27.5 26.8 44.7	58.0 14.9 296.1	356	30.1 28.1 44.8	59.3 16.1 316.4	437	33.0 29.6 44.8	60.6 18.7 332.1
33	18.5 21.8 53.7	52.8 35.2 246.6	114	22.5 23.9 54.4	55.1 29.0 263.5	195	26.0 25.7 54.6	56.9 26.1 280.3	276	29.3 27.4 54.7	58.6 25.6 296.3	357	32.0 28.8 54.8	59.8 26.2 307.8	438	34.8 30.2 54.9	61.2 27.2 318.4
34	20.5 22.5 65.0	53.6 41.9 260.8	115	24.6 24.6 65.7	55.9 38.1 274.6	196	28.1 26.4 65.7	57.6 36.4 286.4	277	31.3 28.1 66.0	59.3 35.9 296.8	358	34.0 29.5 66.1	60.5 36.3 304.5	439	36.8 30.9 66.2	61.8 37.2 312.0
35	23.9 23.8 83.9	55.0 54.2 274.0	116	28.0 25.9 84.5	57.1 52.2 283.5	197	31.5 27.7 84.7	58.9 51.1 291.1	278	34.7 29.4 84.7	60.4 50.7 297.7	359	37.4 30.8 84.8	61.70			

informations techniques: <http://www.ps.ban.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF62/SF62LONA.TXT /.PS TUB matériel: code=rhata

[illegible]

TUB-test graphique SF62; colorimetric display system
LECD: XYZ & LCh* (n=89) and *rgb* (3D linearized)

entrée: w/rgb/cmyk -> w/rgb/cmyk-
sortie: aucun changement

http://130.149.60.45/~farbmetrik/SF62/SF62L0NA.TXT /PS; sortie de production
N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 3/4

N: aucun linearisation 3D (OL) dans fichier (F) ou PS-startup (S), page 3/4

[illegible]

SF620-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 100$; for low glossy LCD display, Page 1/4; display type: LCED_low_gloss_100828


TUB-test graphique SF62; colorimetric display system
LECD: XYZ & LCh* (n=89) and *rgb* (3D linearized)

entrée: w/rgb/cmyk -> w/rgb/cmyk-
sortie: aucun changement

TUB enregistrement: 20130201-SF62/SF62L0NA.TXT /.P.

TUB matériel: code=rha4ta

informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmatrik>



TUB matériel: code=rha4ta

SF620-7N, Test chart with 1080 standard colours; digital equidistant 9 step hue and achromatic scales;; luminance factor measured: Y_m and normalized: $Y_n = Y_w = 100$; for low glossy LCD display, Page 1/4; display type: LCED low gloss 100828 1

entrée: w/rgb/cmyk -> w/rgb/cmyk-
sortie: aucun changement