

Ein- und Ausgabe: Offset-Reflektiv-System ORS18a

Daten für jede Geräte- (d) oder
Elementarfarbe (e):

HIC^*

Buntoncode für die Farben

dieser Seite:

$H^*_\text{--} = R00Y\text{--}, R25Y\text{--}, \dots, B75R\text{--}$

ORS20a; adaptierte CIELAB-Daten

$H^*_\text{--}$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Umfang

$u^*_{\text{rel}} = 92$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 58$

ORS18a; adaptierte CIELAB-Daten

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_-,Ma	47.9	65.3	50.5	82.6
Y_-,Ma	90.3	-10.2	91.7	92.3
G_-,Ma	50.9	-62.8	34.9	71.9
C_-,Ma	58.6	-30.3	-45.0	54.2
B_-,Ma	25.7	31.0	-44.4	54.2
M_-,Ma	48.1	75.2	-8.3	75.7
N_-,Ma	18.0	0.0	0.0	0.0
W_-,Ma	95.4	0.0	0.0	0.0
R_-,CIE	39.9	58.7	27.9	65.0
Y_-,CIE	81.2	-2.8	71.5	71.6
G_-,CIE	52.2	-42.4	13.6	44.5
B_-,CIE	30.5	1.4	-46.4	46.4



0-003030-L0

SG010-7N

TUB-Prüfvorlage SG01; 16 Bunttöne
Prüfvorlage nach DIN 33872

Eingabe: $rgb/cmyk \rightarrow rgb/cmyk$
Ausgabe: keine Änderung

Ein- und Ausgabe: Fernseh-Lichtfarben-System TLS00a

Daten für jede Geräte- (d) oder
Elementarfarbe (e):

HIC^*_d


Buntoncode für die Farben

dieser Seite:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

TLS00a; adaptierte CIELAB-Daten

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	50.4	76.9	64.5	100.4
R25Y_100_100_d	53.7	67.6	65.8	94.4
R50Y_100_100_d	63.6	41.3	71.0	82.2
R75Y_100_100_d	78.2	7.8	80.6	81.0
Y00G_100_100_d	92.6	-20.7	90.7	93.0
Y25G_100_100_d	88.7	-43.3	86.2	96.5
Y50G_100_100_d	85.7	-65.2	82.4	105.1
Y75G_100_100_d	84.0	-78.7	80.4	112.5
G00B_100_100_d	83.6	-82.7	79.8	115.0
G25B_100_100_d	84.3	-73.7	44.9	86.4
G50B_100_100_d	86.8	-46.1	-13.5	48.1
G75B_100_100_d	51.7	18.3	-68.3	70.7
B00R_100_100_d	30.3	76.0	-103.5	128.5
B25R_100_100_d	38.5	79.8	-89.7	120.0
B50R_100_100_d	57.2	94.3	-58.4	110.9
B75R_100_100_d	52.0	81.1	4.1	81.2



%Umfang

$u^*_{rel} = 158$



%Regularität

$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

TLS00a; adaptierte CIELAB-Daten

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4
Y _{d,Ma}	92.6	-20.7	90.7	93.0
G _{d,Ma}	83.6	-82.7	79.8	115.0
C _{d,Ma}	86.8	-46.1	-13.5	48.1
B _{d,Ma}	30.3	76.0	-103.5	128.5
M _{d,Ma}	57.2	94.3	-58.4	110.9
N _{d,Ma}	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0
Y _{d,CIE}	81.2	-2.8	71.5	71.6
G _{d,CIE}	52.2	-42.4	13.6	44.5
B _{d,CIE}	30.5	1.4	-46.4	46.4



0-003130-L0

SG010-70




TUB-Prüfvorlage SG01; 16 Bunttöne

Prüfvorlage nach DIN 33872, 3D=0, de=0, sRGB

Eingabe: $rgb/cmyk \rightarrow rgb_d$

Ausgabe: Transfer nach rgb_d

Daten der Maximalfarbe M im Farbmimetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben $RYGBM_s$: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Sechs Bunttonwinkel der Gerätefarben $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagramsAnmerkung zu den CIELAB-Buntheits-Diagrammen (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_k, b^*_k)

- For the 1. Für die rgb^* -input values the CIELAB data-Eingabedaten wurden die CIELAB-Daten LCH^* und LAB^* have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^* the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
 - For the 48 or 360 equally spaced standard hue angles 3. Für die 48 oder 360 gleichabständig gestuften Standard-Bunttonwinkel $h_{ab,s}$ of the colours of maximum chroma of the seven hue angles of the 60 degree colours die sieben Bunttonwinkel der 60 Grad-Farben s: $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 360.0$ and the equations for a 48 and 360 step hue circle: und die Gleichungen für einen 48- und 360-stufigen Bunttonkreis:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
 - For the 48 or 360 elementary hue angles 4. Für die 48 oder 360 Elementar-Bunttonwinkel $h_{ab,e}$ of the colours of maximum chroma of the seven hue angles of the elementary colours die sieben Bunttonwinkel der Elementarfarben e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 272.7, 328.6, 360.0$ and the equations for a 48 and 360 step elementary hue circle: und die Gleichungen für einen 48- und 360-stufigen Elementar-Bunttonkreis:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
 - For any elementary hue angle 5. Für jeden Elementar-Bunttonwinkel $h_{ab,e}$ there is a well defined device hue angle gibt es einen genau definierten geräteabhängigen Bunttonwert, siehe the following tables, columns 1 to 5 or 1 to 4. siehe die folgenden Tabellen, Spalten 1 bis 5 oder 1 bis 4.
 - The values 6. Die Werte rgb^* produce the output of the device-independent elementary hues erzeugen die Ausgabe der geräteunabhängigen Bunttonwerte

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

Daten der Maximalfarbe M im Farbmetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Sechs Bunttonwinkel der Gerätefarben $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{ab}	dd64M	LAB* _{ab}	ddx64M (x=LabCh)	rgb* _{ab}	ddx361M	LAB* _{ab}	ddx361M (x=LabCh)	rgb* _{ab}	dsx361M	LAB* _{ab}	ddx361M (x=LabCh)	rgb* _{ab}	dex361M	LAB* _{ab}	dex361M (x=LabCh)	rgb* _{ab}	dex361M	LAB* _{ab}	dex361M (x=LabCh)	rgb* _{ab}	dex361M	LAB* _{ab}	dex361M (x=LabCh)	
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33	
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.6	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67	
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202	
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0	76.3	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0	77.9	-95.7	123.5	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0	38.6	79.9	-89.6	120.1	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.617	0.0	1.0	42.4	82.3	-83.2	117.1	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.75	0.0	1.0	47.3	85.9	-75.0	114.1	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.867	0.0	1.0	51.9	89.6	-67.4	112.2	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	
328.2	330.0	3282																									

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

Daten der Maximalfarbe M im Farbmetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Sechs Bunttonwinkel der Gerätefarben $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben $RYGCBM_c$; $h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$			$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40.0	30.0	25.4	1.0	0.0	0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	40.0			
41.3	37.5	33.8	1.0	0.125	0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	41.3			
44.6	45.0	42.1	1.0	0.25	0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	44.6			
50.7	52.5	50.5	1.0	0.375	0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	50.7			
59.7	60.0	58.8	1.0	0.5	0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	59.7			
71.0	67.5	67.2	1.0	0.625	0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	71.0			
82.9	75.0	75.6	1.0	0.75	0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	82.9			
93.8	82.5	83.9	1.0	0.875	0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0 77.5 9.3 80.1 80.6 83	93.8			
102.8	90.0	92.3	1.0	1.0	0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0 83.7 -3.3 84.5 84.6 92	102.8			
110.5	97.5	101.0	0.875	1.0	0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0 90.6 -16.4 89.5 91.0 100	110.5			
117.6	105.0	109.7	0.75	1.0	0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0 90.7 -31.7 88.5 94.0 109	117.6			
123.6	112.5	118.5	0.625	1.0	0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0 88.5 -45.4 85.8 97.1 117	123.6			
128.3	120.0	127.2	0.5	1.0	0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0 86.0 -62.9 82.9 104.1 127	128.3			
131.8	127.5	136.0	0.375	1.0	0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0 83.8 -81.2 80.1 114.1 135	131.8			
134.1	135.0	144.7	0.25	1.0	0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41 84.1 -76.8 54.3 94.1 144	134.1			
135.5	142.5	153.4	0.125	1.0	0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573 84.6 -70.9 36.3 79.8 152	135.5			
136.0	150.0	162.2	0.0	1.0	0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706 85.2 -64.6 20.7 67.9 162	136.0			
137.0	157.5	169.0	0.0	1.0	0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778 85.5 -60.6 12.2 61.9 168	137.0			
139.3	165.0	175.9	0.0	1.0	0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847 85.9 -56.4 4.0 56.7 175	139.3			
143.2	172.5	182.7	0.0	1.0	0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9 86.2 -53.2 -2.0 53.3 182	143.2			
148.6	180.0	189.6	0.0	1.0	0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952 86.6 -49.8 -8.3 50.6 189	148.6			
155.8	187.5	196.4	0.0	1.0	0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997 86.9 -46.3 -13.2 48.3 195	155.8			
165.6	195.0	203.2	0.0	1.0	0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963 1.0 84.3 -42.5 -18.2 46.4 203	165.6			
178.8	202.5	210.1	0.0	1.0	0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929 1.0 81.8 -38.8 -22.1 44.7 209	178.8			
196.3	210.0	216.9	0.0	1.0	1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89 1.0 79.1 -34.2 -25.7 42.9 216	196.3			
219.8	217.5	223.8	0.0	0.875	1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859 1.0 76.9 -30.7 -29.0 42.4 223	219.8			
247.2	225.0	230.6	0.0	0.75	1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826 1.0 74.5 -27.1 -33.1 43.0 230	247.2			
269.8	232.5	237.5	0.0	0.625	1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797 1.0 72.4 -23.5 -36.3 43.4 237	269.8			
285.0	240.0	244.3	0.0	0.5	1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763 1.0 70.1 -18.9 -39.5 44.0 244	285.0			
294.8	247.5	251.2	0.0	0.375	1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731 1.0 67.8 -15.0 -43.1 45.8 250	294.8			
301.1	255.0	258.0	0.0	0.25	1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69 1.0 64.9 -10.1 -48.0 49.2 258	301.1			
304.8	262.5	264.8	0.0	0.125	1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655 1.0 62.4 -5.0 -51.8 52.1 264	304.8			
306.2	270.0	271.7	0.0	0.0	1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609 1.0 59.3 1.7 -56.5 56.6 271	306.2			
306.6	277.5	278.8	0.125	0.0	1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555 1.0 55.5 9.3 -62.9 63.7 278	306.6			
307.5	285.0	285.9	0.25	0.0	1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488 1.0 51.0 19.9 -69.6 72.5 285	307.5			
309.2	292.5	293.0	0.375	0.0	1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404 1.0 45.7 32.7 -78.5 85.2 292	309.2			
311.6	300.0	300.1	0.5	0.0	1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27 1.0 38.2 52.8 -90.6 105.0 300	311.6			
314.8	307.5	307.2	0.625	0.0	1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146 0.0 31.3 76.4 -102.0 127.5 306	314.8			
318.8	315.0	314.3	0.75	0.0	1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605 0.0 42.1 82.1 -83.8 117.4 314	318.8			
323.3	322.5	321.4	0.875	0.0	1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811 0.0 49.7 87.9 -71.0 113.1 321	323.3			
328.2	330.0	328.6	1.0	0.0	1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992 57.2 94.2 -57.4 110.3 328	328.2			
334.0	337.5	335.7	1.0	0.0	0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856 55.4 89.9 -41.4 99.0 335	334.0			
341.6	345.0	342.8	1.0	0.0	0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735 54.1 86.5 -26.6 90.6 342	341.6			
351.4	352.5	349.9	1.0	0.0	0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65 53.3 84.5 -15.6 86.0 349	351.4			
362.9	360.0	357.0	1.0	0.0	0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618 53.0 83.6 -11.6 84.4 352	362.9			
375.2	367.5	364.1	1.0	0.0	0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533 52.3 82.2 -0.1 82.2 359	375.2			
386.7	375.0	371.2	1.0	0.0	0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441 51.7 80.7 12.5 81.7 368	386.7			
395.4	382.5	378.3	1.0	0.0	0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361 51.3 79.3 23.6 82.8 376	395.4			
400.0	390.0	385.4	1.0	0.0	0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263 50.9 78.3 37.3 86.7 385	400.0			

0-003430-L0

SG010-70

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Ausgabe: sRGB Norm-Gerät; keine Separation, D65, Seite 5/29

TUB-Prüfvorlage SG01; 16 Bunttöne

48-stufige Farbkreise; rgb - $LabCh^*$ -Tabellen, 3D=0, de=0, sRGB-Gabe: Transfer nach rgb_d

Eingabe: $rgb/cmyk \rightarrow rgb_d$

0-003430-F0

TUB-Registrierung: 20130201-SG01/SG01L0NP.PDF /.PS
Anwendung für Messung von Display-Ausgabe, keine Separation
TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01.HTM>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

Daten der Maximalfarbe M im Farbmetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;															Sechs Bunttonwinkel der Gerätefarben $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben $RYGCBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$														
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	R_s	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}														
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0	0.0	0.0														
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017	0.0	0.0														
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033	0.0	0.0														
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05	0.0	0.0														
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.067	0.0	0.0														
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083	0.0	0.0														
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1	0.0	0.0														
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.117	0.0	0.0														
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133	0.0	0.0														
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15	0.0	0.0														
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.167	0.0	0.0														
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183	0.0	0.0														
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2	0.0	0.0														
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.217	0.0	0.0														
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233	0.0	0.0														
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25	0.0	0.0														
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.267	0.0	0.0														
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283	0.0	0.0														
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3	0.0	0.0														
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.317	0.0	0.0														
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333	0.0	0.0														
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35	0.0	0.0														
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.367	0.0	0.0														
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383	0.0	0.0														
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4	0.0	0.0														
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.417	0.0	0.0														
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433	0.0	0.0														
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45	0.0	0.0														
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.467	0.0	0.0														
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483	0.0	0.0														
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5	0.0	0.0														
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.517	0.0	0.0														
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533	0.0	0.0														
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55	0.0	0.0														
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.567	0.0	0.0														
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583	0.0	0.0														
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6	0.0	0.0														
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.617	0.0	0.0														
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633	0.0	0.0														
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65	0.0	0.0														
75	70	70	1.0	0.666	0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.667	0.0	0.0														
76	71	71	1.0	0.683	0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683	0.0	0.0														
78	72	72	1.0	0.7	0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7	0.0	0.0														
79	73	73	1.0	0.716	0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.717	0.0	0.0														
81	74	74	1.0	0.733	0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733	0.0	0.0														
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75	0.0	0.0														

0-003530-L0 SG010-70 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Ausgabe: sRGB Norm-Gerät; keine Separation, D65, Seite 6/29

TUB-Prüfvorlage SG01; 16 Bunttöne

Eingabe: $rgb/cmyk \rightarrow rgb_d$

48-stufige Farbkreise; $rgb-LabCh^*$ -Tabellen, 3D=0, de=0, sRGB-Gabe: Transfer nach rgb_d

TUB-Registrierung: 20130201-SG01/SG01L0NP.PDF /.PS
Anwendung für Messung von Display-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

Daten der Maximalfarbe M im Farbmetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben RYGBM _s ; h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Sechs Bunttonwinkel der Gerätefarben RYGBM _d ; h _{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Sechs Bunttonwinkel der Elementarfarben RYGBM _e ; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* ddx361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* de361Mi																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
82	75	75	1.0	0.75 0.0	77.2	9.8	79.7	80.4	82	1.0	0.667 0.0	72.5	20.6	77.0	79.7	75	1.0	0.75 0.0	1.0	0.673 0.0	72.8	19.8	77.3	79.8	75	1.0	0.75 0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 8/29

	Q1	Q2	Q3	Q4
Q1	0.00	0.00	0.00	0.00
Q2	0.00	0.00	0.00	0.00
Q3	0.00	0.00	0.00	0.00
Q4	0.00	0.00	0.00	0.00

Daten der Maximalfarbe M im Farbmimetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Sechs Bunttonwinkel der Gerätefarben $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}				LAB^*_{d361Mi} (x=LabCh)				$rgb^*_{ds361Mi}$				$LAB^*_{ds361Mi}$ (x=LabCh)				$rgb^*_{dd361Mi}$				$rgb^*_{de361Mi}$				$LAB^*_{dex361Mi}$ (x=LabCh)				$rgb^*_{dd361Mi}$				$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0					
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0					
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.467	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.467	1.0	0.0					
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0					
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0					
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0					
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0					
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0					
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0					
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0					
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0					
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0					
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0					
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0					
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0					
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0					
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0					
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0					
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0					
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0					
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0					
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0					
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0					
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0					
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0					
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0					
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0					
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0					
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0					
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0					
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G_d 0.0	1.0	0.523	84.4	-72.9	42.1	84.3	$150G_s$ 0.0	1.0	0.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	$162G_e$ 0.0	1.0	0.0						
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017					
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033					
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05					
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067					
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083					
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1					
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117					
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133					
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0	0.15					

0-003730-L0

SG010-70

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Ausgabe: sRGB Norm-Gerät; keine Separation, D65, Seite 8/29

TUB-Prüfvorlage SG01; 16 Bunttöne

Eingabe: $rgb/cmyk \rightarrow rgb_d$

48-stufige Farbkreise; *rqb-LabCh**-Tabellen, 3D=0, de=0, sRGB-Gabe: Transfer nach *rqb_d*

0-003730-F0

-6

TUB-Registrierung: 20130201-SG01/SG01LONP.PDF /.PS
Anwendung für Messung von Display-Ausgabe, keine Separation

TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmietik/SG01/SG01.HTM>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmietik>

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmietik/SG01/SG01.HTM>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmietik>

Daten der Maximalfarbe M im Farbmimetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Sechs Bunttonwinkel der Gerätefarben $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

0-003830-L0	SG010-70	LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0
-------------	----------	---

Ausgabe: sRGB Norm-Gerät; keine Separation, D65, Seite 9/29

TUB-Prüfvorlage SG01; 16 Bunttöne

Eingabe: $rgb/cmyk \rightarrow rgb_d$

48-stufige Farbkreise; *rgb-LabCh**-Tabellen, 3D=0, de=0, sRGB-Gabe: Transfer nach *rgb_d*

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

Daten der Maximalfarbe M im Farbmetrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Bunttonwinkel der 60-Grad Standardfarben RYGBM _s ; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;																Sechs Bunttonwinkel der Gerätefarben RYGBM _d ; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Bunttonwinkel der Elementarfarben RYGBM _e ; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																					
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0					
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0					
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0					
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0					
313	304	303	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0					
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0					
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0					
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0					
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0					
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0					
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0					
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0					
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0					
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0					
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0					
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0					
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0					
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0					
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0					
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0					
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0					
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0					
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0					
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0					
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0					
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0					
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0					
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0					
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0					
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0					
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M_d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M_s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M_e	1.0	0.0	1.0		
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983					
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919																								

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmietrik/SG01/SG01.HTM>
Technische Information: <http://www.ps.ban.de> oder <http://130.149.60.45/~farbmietrik>

Daten der Maximalfarbe M im Farbmatrik-System sRGB Norm-Gerät; keine Separation, D65 für Ein- oder Ausgabe; Sechs Buntonwinkel der 60-Grad Standardfarben $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Sechs Buntonwinkel der Gerätefarben $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Sechs Buntonwinkel der Elementarfarben $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Lab,d			Lab,s			rgb* _d dd361M			LAB* _d dd361Mi (x=LabCh)				rgb* _s ds361Mi				LAB* _s ds361Mi (x=LabCh)				rgb* _d dd361Mi				LAB* _d de361Mi				LAB* _s dex361Mi (x=LabCh)				rgb* _d dd361Mi			rgb* _d ds361Mi			rgb* _s ds361Mi		
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.707	53.8	86.0	-23.0	89.1	345	1.0	0.0	0.75	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342	1.0	0.0	0.75									
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.695	53.7	85.7	-21.3	88.4	346	1.0	0.0	0.733	1.0	0.0	0.723	54.0	86.3	-25.0	89.9	343	1.0	0.0	0.733									
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.682	53.6	85.4	-19.6	87.7	347	1.0	0.0	0.717	1.0	0.0	0.711	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717									
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.669	53.4	85.1	-18.0	87.0	348	1.0	0.0	0.7	1.0	0.0	0.699	53.7	85.8	-21.8	88.6	345	1.0	0.0	0.7									
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.656	53.3	84.7	-16.4	86.3	349	1.0	0.0	0.683	1.0	0.0	0.687	53.6	85.6	-20.3	87.9	346	1.0	0.0	0.683									
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.643	53.2	84.3	-14.8	85.6	350	1.0	0.0	0.667	1.0	0.0	0.674	53.5	85.2	-18.7	87.3	347	1.0	0.0	0.667									
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.63	53.1	83.9	-13.2	84.9	351	1.0	0.0	0.65	1.0	0.0	0.662	53.4	84.9	-17.2	86.6	348	1.0	0.0	0.65									
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.619	53.0	83.6	-11.7	84.4	352	1.0	0.0	0.633	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349	1.0	0.0	0.633									
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.608	52.9	83.5	-10.2	84.2	353	1.0	0.0	0.617	1.0	0.0	0.638	53.1	84.1	-14.1	85.3	350	1.0	0.0	0.617									
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.597	52.8	83.4	-8.7	83.9	354	1.0	0.0	0.6	1.0	0.0	0.626	53.0	83.7	-12.6	84.7	351	1.0	0.0	0.6									
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.586	52.7	83.3	-7.2	83.6	355	1.0	0.0	0.583	1.0	0.0	0.615	52.9	83.6	-11.2	84.4	352	1.0	0.0	0.583									
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.575	52.6	83.1	-5.7	83.3	356	1.0	0.0	0.567	1.0	0.0	0.605	52.9	83.5	-9.8	84.1	353	1.0	0.0	0.567									
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.564	52.6	82.9	-4.2	83.0	357	1.0	0.0	0.55	1.0	0.0	0.595	52.8	83.4	-8.4	83.8	354	1.0	0.0	0.55									
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.554	52.5	82.7	-2.8	82.7	358	1.0	0.0	0.533	1.0	0.0	0.584	52.7	83.2	-7.0	83.5	355	1.0	0.0	0.533									
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.543	52.4	82.4	-1.3	82.4	359	1.0	0.0	0.517	1.0	0.0	0.574	52.6	83.1	-5.6	83.3	356	1.0	0.0	0.517									
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.532	52.3	82.1	0.0	82.1	360	1.0	0.0	0.5	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352	1.0	0.0	0.5									
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.521	52.2	81.8	1.4	81.8	361	1.0	0.0	0.483	1.0	0.0	0.606	52.9	83.5	-9.9	84.1	353	1.0	0.0	0.483									
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.51	52.1	81.5	2.8	81.6	362	1.0	0.0	0.467	1.0	0.0	0.594	52.8	83.4	-8.2	83.8	354	1.0	0.0	0.467									
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.499	52.1	81.2	4.3	81.3	363	1.0	0.0	0.45	1.0	0.0	0.582	52.7	83.2	-6.6	83.5	355	1.0	0.0	0.45									
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.489	52.0	81.2	5.7	81.4	364	1.0	0.0	0.433	1.0	0.0	0.57	52.6	83.0	-5.0	83.1	356	1.0	0.0	0.433									
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.479	51.9	81.1	7.1	81.4	365	1.0	0.0	0.417	1.0	0.0	0.558	52.5	82.7	-3.3	82.8	357	1.0	0.0	0.417									
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.469	51.9	81.1	8.5	81.5	366	1.0	0.0	0.4	1.0	0.0	0.546	52.4	82.5	-1.7	82.5	358	1.0	0.0	0.4									
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.459	51.8	81.0	9.9	81.6	367	1.0	0.0	0.383	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359	1.0	0.0	0.383									
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.449	51.8	80.9	11.4	81.6	368	1.0	0.0	0.367	1.0	0.0	0.521	52.2	81.8	1.4	81.9	360	1.0	0.0	0.367									
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.439	51.7	80.7	12.8	81.7	369	1.0	0.0	0.35	1.0	0.0	0.509	52.1	81.5	3.0	81.5	362	1.0	0.0	0.35									
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.429	51.7	80.6	14.2	81.8	370	1.0	0.0	0.333	1.0	0.0	0.497	52.1	81.2	4.5	81.3	363	1.0	0.0	0.333									
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.418	51.6	80.4	15.6	81.9	371	1.0	0.0	0.317	1.0	0.0	0.486	52.0	81.1	6.1	81.4	364	1.0	0.0	0.317									
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.408	51.5	80.1	17.0	81.9	372	1.0	0.0	0.3	1.0	0.0	0.475	51.9	81.1	7.7	81.5	365	1.0	0.0	0.3									
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.398	51.5	79.9	18.4	82.0	373	1.0	0.0	0.283	1.0	0.0	0.464	51.9	81.0	9.3	81.5	366	1.0	0.0	0.283									
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.388	51.4	79.6	19.9	82.1	374	1.0	0.0	0.267	1.0	0.0	0.452	51.8	80.9	10.9	81.6	367	1.0	0.0	0.267									
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.378	51.4	79.4	21.3	82.2	375	1.0	0.0	0.25	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368	1.0	0.0	0.25									
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.367	51.3	79.3	22.7	82.5	376	1.0	0.0	0.233	1.0	0.0	0.43	51.7	80.6	14.0	81.8	369	1.0	0.0	0.233									
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.356	51.3	79.3	24.3	82.9	377	1.0	0.0	0.217	1.0	0.0	0.418	51.6	80.4	15.6	81.9	370	1.0	0.0	0.217									
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.345	51.2	79.3	25.8	83.4	378	1.0	0.0	0.2	1.0	0.0	0.407	51.5	80.1	17.2	81.9	372	1.0	0.0	0.2									
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.334	51.2	79.3	27.3	83.8	379	1.0	0.0	0.183	1.0	0.0	0.396	51.5	79.9	18.8	82.0	373	1.0	0.0	0.183									
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.323	51.2	79.2	28.8	84.3	380	1.0	0.0	0.167	1.0	0.0	0.385	51.4	79.6	20.3	82.1	374	1.0	0.0	0.167									
393	381	375	1.0	0.0	0.15	50.6	77.6	51.7	93.3	393	1.0	0.0	0.312	51.1	79.1	30.4	84.7	381	1.0	0.0	0.15	1.0	0.0	0.373	51.3	79.3	21.9	82.3	375	1.0	0.0	0.15									
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.301	51.1	79.0	31.9	85.2	382	1.0	0.0	0.133	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376	1.0	0.0	0.133									
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.291	51.0	78.8	33.5	85.6	383	1.0	0.0	0.117	1.0	0.0	0.349	51.3	79.3	25.3	83.3	377	1.0	0.0	0.117									

0-0031230-L0	SG010-70	LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0
--------------	----------	---

Ausgabe: sRGB Norm-Gerät; keine Separation, D65, Seite 13/29

TUB-Prüfvorlage SG01; 16 Bunttöne

Eingabe: $rgb/cmyk \rightarrow rgb_d$

48-stufige Farbkreise; *rgb-LabCh**-Tabellen, 3D=0, de=0, sRGB-Gabe: Transfer nach *rgb_d*

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 14/29

n/f	HIC*F _d	rgb_F _d	ict_F _d	hsi_F _d	rgb*F _d	LabCh*F _d	rgb**F _d	LabCh**F _d	DE**F _d	hsi_M _d	rgb**M _d	LabCh**M _d	
0/648	R00Y_100_100d	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	50.4 76.9 64.5	1.0 0.0 0.0	50.4 76.9 64.5	100.4 39.9	0.0	389	1.0 0.0 0.0	50.4 76.9 64.5
1/657	R13Y_100_100d	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.116 0.0	51.4 74.1 64.9	1.0 0.125 0.0	51.5 73.9 64.9	98.3 41.3	0.2	36	1.0 0.116 0.0	51.4 74.1 64.9
2/666	R25Y_100_100d	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	53.7 67.6 65.8	1.0 0.25 0.0	54.0 66.7 65.9	93.8 44.6	1.0	42	1.0 0.233 0.0	53.7 67.6 65.8
3/675	R38Y_100_100d	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.366 0.0	57.9 56.2 67.9	1.0 0.375 0.0	58.2 55.4 67.9	87.7 50.7	0.7	51	1.0 0.366 0.0	57.9 56.2 67.9
4/684	R50Y_100_100d	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	63.6 41.3 71.0	1.0 0.5 0.0	63.6 41.3 71.0	82.2 59.7	0.0	59	1.0 0.5 0.0	63.6 41.3 71.0
5/693	R63Y_100_100d	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.633 0.0	70.5 24.7 75.4	1.0 0.625 0.0	70.1 25.8 75.3	71.0 1.2	68	1.0 0.633 0.0	70.5 24.7 75.4	
6/702	R75Y_100_100d	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.766 0.0	78.2 7.8 80.6	1.0 0.75 0.0	77.2 9.8 79.7	80.3 82.9	2.3	77	1.0 0.766 0.0	78.2 7.8 80.6
7/711	R88Y_100_100d	1.0 0.875 0.0	1.0 1.0 0.5	83	1.0 0.883 0.0	85.3 -6.7 85.5	1.0 0.875 0.0	84.8 -5.7 85.0	85.2 93.8	1.1	83	1.0 0.883 0.0	85.3 -6.7 85.5
8/720	Y00G_100_100d	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 1.0 0.0	92.6 -20.7 90.7	1.0 1.0 0.0	92.6 -20.6 90.7	93.0 102.8	0.0	89	1.0 1.0 0.0	92.6 -20.7 90.7
9/639	Y13G_100_100d	0.875 1.0 0.0	1.0 1.0 0.5	97	0.883 1.0 0.0	90.5 -32.2 88.3	0.875 1.0 0.0	90.4 -33.0 88.1	94.1 110.5	0.8	96	0.883 1.0 0.0	90.5 -32.2 88.3
10/558	Y25G_100_100d	0.75 1.0 0.0	1.0 1.0 0.5	104	0.766 1.0 0.0	88.7 -43.3 86.2	0.75 1.0 0.0	88.5 -44.9 85.8	96.8 117.6	1.6	102	0.766 1.0 0.0	88.7 -43.3 86.2
11/477	Y38G_100_100d	0.625 1.0 0.0	1.0 1.0 0.5	112	0.633 1.0 0.0	87.0 -55.0 84.1	0.625 1.0 0.0	86.9 -55.7 83.9	100.7 123.6	0.7	111	0.633 1.0 0.0	87.0 -55.0 84.1
12/396	Y50G_100_100d	0.5 1.0 0.0	1.0 1.0 0.5	120	0.5 1.0 0.0	85.7 -65.2 82.4	0.5 1.0 0.0	85.7 -65.2 82.4	105.1 128.3	0.0	119	0.5 1.0 0.0	85.7 -65.2 82.4
13/315	Y63G_100_100d	0.375 1.0 0.0	1.0 1.0 0.5	128	0.366 1.0 0.0	84.7 -73.2 81.2	0.375 1.0 0.0	84.7 -72.8 81.2	109.1 131.8	0.3	128	0.366 1.0 0.0	84.7 -73.2 81.2
14/234	Y75G_100_100d	0.25 1.0 0.0	1.0 1.0 0.5	136	0.233 1.0 0.0	84.0 -78.7 80.4	0.25 1.0 0.0	84.1 -78.2 80.4	112.2 134.1	0.4	137	0.233 1.0 0.0	84.0 -78.7 80.4
15/153	Y88G_100_100d	0.125 1.0 0.0	1.0 1.0 0.5	143	0.116 1.0 0.0	83.7 -81.5 80.0	0.125 1.0 0.0	83.7 -81.4 80.0	114.2 135.5	0.1	143	0.116 1.0 0.0	83.7 -81.5 80.0
16/72	G00C_100_100d	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.0	83.6 -82.7 79.8	0.0 1.0 0.0	83.6 -82.7 79.8	115.0 136.0	0.0	149	0.0 1.0 0.0	83.6 -82.7 79.8
17/73	G13C_100_100d	0.0 1.0 0.125	1.0 1.0 0.5	157	0.0 1.0 0.116	83.6 -82.1 76.8	0.0 1.0 0.125	83.6 -82.1 76.5	112.3 137.0	0.2	156	0.0 1.0 0.116	83.6 -82.1 76.8
18/74	G25C_100_100d	0.0 1.0 0.25	1.0 1.0 0.5	164	0.0 1.0 0.233	83.7 -80.8 70.1	0.0 1.0 0.25	83.8 -80.5 69.1	106.1 139.3	1.0	162	0.0 1.0 0.233	83.7 -80.8 70.1
19/75	G38C_100_100d	0.0 1.0 0.375	1.0 1.0 0.5	172	0.0 1.0 0.366	84.0 -78.0 58.8	0.0 1.0 0.375	84.0 -77.7 58.1	97.1 143.2	0.7	171	0.0 1.0 0.366	84.0 -78.0 58.8
20/76	G50C_100_100d	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.5	84.3 -73.7 44.9	0.0 1.0 0.5	84.3 -73.7 44.9	86.3 148.6	0.0	180	0.0 1.0 0.5	84.3 -73.7 44.9
21/77	G63C_100_100d	0.0 1.0 0.625	1.0 1.0 0.5	188	0.0 1.0 0.633	84.8 -68.1 29.5	0.0 1.0 0.625	84.7 -68.5 30.6	75.0 155.9	1.1	188	0.0 1.0 0.633	84.8 -68.1 29.5
22/78	G75C_100_100d	0.0 1.0 0.75	1.0 1.0 0.5	196	0.0 1.0 0.766	85.4 -61.2 13.7	0.0 1.0 0.75	85.3 -62.0 15.8	64.0 165.6	2.3	197	0.0 1.0 0.766	85.4 -61.2 13.7
23/79	G88C_100_100d	0.0 1.0 0.875	1.0 1.0 0.5	203	0.0 1.0 0.883	86.1 -54.1 0.0	0.0 1.0 0.875	86.0 -54.5 1.0	54.5 178.8	1.1	203	0.0 1.0 0.883	86.1 -54.1 0.0
24/80	C00B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	86.8 -46.1 -13.5	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3	0.0	210	0.0 1.0 1.0	86.8 -46.1 -13.5
25/71	C13B_100_100d	0.0 0.875 1.0	1.0 1.0 0.5	217	0.0 0.883 1.0	78.5 -33.4 -26.3	0.0 0.875 1.0	77.9 -32.3 -27.0	42.1 219.8	1.3	216	0.0 0.883 1.0	78.5 -33.4 -26.3
26/62	C25B_100_100d	0.0 0.75 1.0	1.0 1.0 0.5	224	0.0 0.766 1.0	70.2 -19.5 -39.3	0.0 0.75 1.0	69.1 -17.0 -40.7	44.1 247.2	3.0	222	0.0 0.766 1.0	70.2 -19.5 -39.3
27/53	C38B_100_100d	0.0 0.625 1.0	1.0 1.0 0.5	232	0.0 0.633 1.0	60.9 -1.5 -53.9	0.0 0.625 1.0	60.3 -0.1 -54.6	54.6 269.8	1.7	231	0.0 0.633 1.0	60.9 -1.5 -53.9
28/44	C50B_100_100d	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.5 1.0	51.7 18.3 -68.3	0.0 0.5 1.0	51.7 18.3 -68.3	70.7 285.0	0.0	240	0.0 0.5 1.0	51.7 18.3 -68.3
29/35	C63B_100_100d	0.0 0.375 1.0	1.0 1.0 0.5	248	0.0 0.366 1.0	43.4 38.7 -82.0	0.0 0.375 1.0	43.8 37.6 -81.2	89.5 294.8	1.4	248	0.0 0.366 1.0	43.4 38.7 -82.0
30/26	C75B_100_100d	0.0 0.25 1.0	1.0 1.0 0.5	256	0.0 0.233 1.0	36.5 57.6 -93.4	0.0 0.25 1.0	37.1 55.9 -92.3	107.9 301.1	2.1	257	0.0 0.233 1.0	36.5 57.6 -93.4
31/17	C88B_100_100d	0.0 0.125 1.0	1.0 1.0 0.5	263	0.0 0.116 1.0	32.3 70.0 -100.3	0.0 0.125 1.0	32.4 69.6 -100.0	121.9 304.8	0.5	263	0.0 0.116 1.0	32.3 70.0 -100.3
32/8	B00M_100_100d	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	30.3 76.0 -103.5	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	0.0	270	0.0 0.0 1.0	30.3 76.0 -103.5
33/89	B13M_100_100d	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	30.9 76.2 -102.5	0.125 0.0 1.0	31.0 76.2 -102.5	127.7 306.6	0.0	276	0.116 0.0 1.0	30.9 76.2 -102.5
34/170	B25M_100_100d	0.25 0.0 1.0	1.0 1.0 0.5	284	0.233 0.0 1.0	32.3 76.7 -100.1	0.25 0.0 1.0	32.6 76.8 -99.8	125.9 307.5	0.4	282	0.233 0.0 1.0	32.3 76.7 -100.1
35/251	B38M_100_100d	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	34.9 77.9 -95.7	0.375 0.0 1.0	35.1 77.9 -95.5	123.3 309.2	0.3	291	0.366 0.0 1.0	34.9 77.9 -95.7
36/332	B50M_100_100d	0.5 0.0 1.0	1.0 1.0 0.5	300	0.5 0.0 1.0	38.5 79.8 -89.7	0.5 0.0 1.0	38.5 79.8 -89.7	120.1 311.6	0.0	300	0.5 0.0 1.0	38.5 79.8 -89.7
37/413	B63M_100_100d	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	43.0 82.7 -82.2	0.625 0.0 1.0	42.7 82.5 -82.8	116.8 314.8	0.6	308	0.633 0.0 1.0	43.0 82.7 -82.2
38/494	B75M_100_100d	0.75 0.0 1.0	1.0 1.0 0.5	316	0.766 0.0 1.0	47.9 86.4 -74.0	0.75 0.0 1.0	47.2 85.8 -75.1	114.1 318.8	1.3	317	0.766 0.0 1.0	47.9 86.4 -74.0
39/575	B88M_100_100d	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	52.5 90.1 -66.3	0.875 0.0 1.0	52.1 89.8 -66.9	112.0 323.3	0.7	323	0.883 0.0 1.0	52.5 90.1 -66.3
40/656	M00R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	57.2 94.3 -58.4	1.0 0.0 1.0	57.2 94.3 -58.4	111.0 328.2	0.0	330	1.0 0.0 1.0	57.2 94.3 -58.4
41/655	M13R_100_100d	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.883	55.7 90.6 -44.8	1.0 0.0 0.875	55.6 90.3 -43.9	100.4 334.0	0.9	336	1.0 0.0 0.883	55.7 90.6 -44.8
42/654	M25R_100_100d	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.766	54.4 87.3 -30.6	1.0 0.0 0.75	54.2 86.7 -28.6	91.3 341.6	2.0	342	1.0 0.0 0.766	54.4 87.3 -30.6
43/653	M38R_100_100d	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.633	53.0 83.9 -13.6	1.0 0.0 0.625	53.0 83.6 -12.6	84.6 351.4	1.0	351	1.0 0.0 0.633	53.0 83.9 -13.6
44/652	M50R_100_100d	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	52.0 81.1 4.1	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9	0.0	360	1.0 0.0 0.5	52.0 81.1 4.1
45/651	M63R_100_100d	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.366	51.3 79.3 22.7	1.0 0.0 0.375	51.3 79.2 21.6	82.1 15.2	1.1	368	1.0 0.0 0.366	51.3 79.3 22.7
46/650	M75R_100_100d	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.233	50.8 78.0 41.2	1.0 0.0 0.25	50.8 77.9 39.2	87.2 26.6	2.0	377	1.0 0.0 0.233	50.8 78.0 41.2
47/649	M88R_100_100d	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.116	50.5 77.2 55.6	1.0 0.0 0.125	50.6 77.2 54.9	94.8 35.4	0.6	383	1.0 0.0 0.116	50.5 77.2 55.6
48/648	R00Y_100_100d	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	50.4 76.9 64.5	1.0 0.0 0.0	50.4					

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 15/29

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01.L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n/j	HIC* _{Fd}	rgb_Fd	ict_Fd	hsi_Fd	rgb* _{Fd}	LabCh* _{Fd}	rgb* _{Fd}	LabCh* _{Fd}	DE** _{Fd}	hsi_Md	rgb* _{Md}	LabCh* _{Md}		
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	
1/666	R25Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.5	44	53.7	67.6	65.8	94.4	44.2	
2/684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	60	63.6	41.3	71.0	82.2	59.7	
3/702	R75Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.5	76	77.2	9.8	79.7	80.6	81.0	84.4
4/720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	0.5	90	92.6	-20.7	90.7	93.0	102.8	
5/558	Y25G_100_100a	0.75	1.0	0.0	1.0	1.0	0.5	104	88.5	-44.9	85.8	96.8	117.6	116.1
6/396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	120	85.7	-65.2	82.4	105.1	128.3	
7/234	Y75G_100_100a	0.25	1.0	0.0	1.0	1.0	0.5	136	84.0	-78.7	80.4	112.5	134.3	
8/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	83.6	-82.7	79.8	115.0	136.0	
9/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	83.6	-82.7	79.8	115.0	136.0	
10/76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	180	84.3	-73.7	44.9	86.4	148.6	
11/80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	210	86.8	-46.1	-13.5	48.1	196.3	
12/44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	240	51.7	18.3	-68.3	70.7	285.0	
13/8	B00M_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	270	30.3	76.0	-103.5	128.5	306.2	
14/332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	38.5	79.8	-89.7	120.0	311.6	
15/656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.5	330	57.2	94.3	-58.4	110.9	328.2	
16/652	B75R_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	360	81.1	4.1	81.2	2.9	40.0	
17/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.5	390	50.4	76.9	64.5	100.4	40.0	
18/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	50.4	76.9	64.5	100.4	40.0	
19/706	R50Y_100_050a	1.0	0.75	0.5	1.0	0.5	0.75	60	63.6	41.3	71.0	82.2	59.7	
20/724	Y00G_100_050a	1.0	1.0	0.5	1.0	0.5	0.75	90	92.6	-20.7	90.7	93.0	102.8	
21/562	Y50G_100_050a	0.75	1.0	0.5	1.0	0.5	0.75	120	85.7	-65.2	82.4	105.1	128.3	
22/400	G00B_100_050a	0.5	1.0	0.5	1.0	0.5	0.75	150	83.6	-82.7	79.8	115.0	136.0	
23/404	G50B_100_050a	0.5	1.0	1.0	1.0	0.5	0.75	210	86.8	-46.1	-13.5	48.1	196.3	
24/368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	270	30.3	76.0	-103.5	128.5	306.2	
25/692	B50R_100_050a	1.0	0.5	1.0	1.0	0.5	0.75	330	57.2	94.3	-58.4	110.9	328.2	
26/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	50.4	76.9	64.5	100.4	40.0	
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	50.4	76.9	64.5	100.4	40.0	
28/524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.5	0.5	60	63.6	41.3	71.0	82.2	59.7	
29/542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.5	0.5	90	92.6	-20.7	90.7	93.0	102.8	
30/380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	85.7	-65.2	82.4	105.1	128.3	
31/218	G00B_075_050a	0.25	0.75	0.25	0.75	0.5	0.5	150	83.6	-82.7	79.8	115.0	136.0	
32/222	G50B_075_050a	0.25	0.75	0.75	0.75	0.5	0.5	210	86.8	-46.1	-13.5	48.1	196.3	
33/186	B00R_075_050a	0.25	0.25	0.75	0.75	0.5	0.5	270	30.3	76.0	-103.5	128.5	306.2	
34/510	B50R_075_050a	0.75	0.25	0.75	0.75	0.5	0.5	330	57.2	94.3	-58.4	110.9	328.2	
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	50.4	76.9	64.5	100.4	40.0	
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	50.4	76.9	64.5	100.4	40.0	
37/342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	63.6	41.3	71.0	82.2	59.7	
38/360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	92.6	-20.7	90.7	93.0	102.8	
39/198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.25	120	85.7	-65.2	82.4	105.1	128.3	
40/36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	150	83.6	-82.7	79.8	115.0	136.0	
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	210	86.8	-46.1	-13.5	48.1	196.3	
42/4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	270	30.3	76.0	-103.5	128.5	306.2	
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	57.2	94.3	-58.4	110.9	328.2	
44/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	50.4	76.9	64.5	100.4	40.0	
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	
46/91	NW_013a	0.125	0.125	0.125	0.125	0.0	0.0	360	0.125	0.125	0.125	11.0	0.0	
47/182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.0	360	0.25	0.25	0.25	25.2	0.0	
48/273	NW_038a	0.375	0.375	0.375	0.375	0.0	0.0	360	0.375	0.375	0.375	38.3	0.0	
49/364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.0	360	0.5	0.5	0.5	50.6	0.0	
50/455	NW_063a	0.625	0.625	0.625	0.625	0.0	0.0	360	0.625	0.625	0.625	62.4	0.0	
51/546	NW_075a	0.75	0.75	0.75	0.75	0.0	0.0	360	0.75	0.75	0.75	73.7	0.0	
52/637	NW_088a	0.875	0.875	0.875	0.875	0.0	0.0	360	0.875	0.875	0.875	84.7	0.0	
53/728	NW_100a	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	

Mittlere Farbdifferenz dieser Seite: $\Delta E^* = 6.5$

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 16/29

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n\j	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_Md	rgb*Md	LabCh*Md
0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
1	B00R_012_012a	0.0	0.0	0.125	0.125	0.125	0.062	0.062	0.0	0.0	1.0	1.0
2	B00R_025_025a	0.0	0.0	0.25	0.25	0.25	0.125	0.125	0.0	0.0	1.0	1.0
3	B00R_037_037a	0.0	0.0	0.375	0.375	0.375	0.187	0.187	0.0	0.0	1.0	1.0
4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	0.25	0.0	0.0	1.0	1.0
5	B00R_062_062a	0.0	0.0	0.625	0.625	0.625	0.312	0.312	0.0	0.0	1.0	1.0
6	B00R_075_075a	0.0	0.0	0.75	0.75	0.75	0.375	0.375	0.0	0.0	1.0	1.0
7	B00R_087_087a	0.0	0.0	0.875	0.875	0.875	0.437	0.437	0.0	0.0	1.0	1.0
8	B00R_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	0.5	0.0	0.0	1.0	1.0
9	G00B_012_012a	0.0	0.125	0.0	0.125	0.125	0.062	0.062	0.0	0.125	0.0	0.125
10	G50B_012_012a	0.0	0.125	0.125	0.125	0.125	0.062	0.062	0.0	0.125	0.125	0.125
11	G75B_025_025a	0.0	0.125	0.25	0.25	0.25	0.125	0.125	0.0	0.125	0.25	0.25
12	G84B_037_037a	0.0	0.125	0.375	0.375	0.375	0.187	0.187	0.0	0.125	0.375	0.375
13	G88B_050_050a	0.0	0.125	0.5	0.5	0.5	0.25	0.25	0.0	0.125	0.5	0.5
14	G90B_062_062a	0.0	0.125	0.625	0.625	0.625	0.312	0.312	0.0	0.125	0.625	0.625
15	G92B_075_075a	0.0	0.125	0.75	0.75	0.75	0.375	0.375	0.0	0.125	0.75	0.75
16	G93B_087_087a	0.0	0.125	0.875	0.875	0.875	0.437	0.437	0.0	0.125	0.875	0.875
17	G94B_100_100a	0.0	0.125	1.0	1.0	1.0	0.5	0.5	0.0	0.125	1.0	1.0
18	G00B_025_025a	0.0	0.25	0.0	0.25	0.25	0.125	0.125	0.0	0.25	0.0	0.25
19	G25B_025_025a	0.0	0.25	0.125	0.25	0.25	0.125	0.125	0.0	0.25	0.125	0.125
20	G50B_025_025a	0.0	0.25	0.25	0.25	0.25	0.125	0.125	0.0	0.25	0.25	0.25
21	G65B_037_037a	0.0	0.25	0.375	0.375	0.375	0.187	0.187	0.0	0.25	0.375	0.375
22	G75B_050_050a	0.0	0.25	0.5	0.5	0.5	0.25	0.25	0.0	0.25	0.5	0.5
23	G80B_062_062a	0.0	0.25	0.625	0.625	0.625	0.312	0.312	0.0	0.25	0.625	0.625
24	G84B_075_075a	0.0	0.25	0.75	0.75	0.75	0.375	0.375	0.0	0.25	0.75	0.75
25	G86B_087_087a	0.0	0.25	0.875	0.875	0.875	0.437	0.437	0.0	0.25	0.875	0.875
26	G88B_100_100a	0.0	0.25	1.0	1.0	1.0	0.5	0.5	0.0	0.25	1.0	1.0
27	G00B_037_037a	0.0	0.375	0.0	0.375	0.375	0.187	0.187	0.0	0.375	0.0	0.375
28	G15B_037_037a	0.0	0.375	0.125	0.375	0.375	0.187	0.187	0.0	0.375	0.125	0.125
29	G34B_037_037a	0.0	0.375	0.25	0.375	0.375	0.187	0.187	0.0	0.375	0.25	0.25
30	G50B_037_037a	0.0	0.375	0.375	0.375	0.375	0.187	0.187	0.0	0.375	0.375	0.375
31	G61B_050_050a	0.0	0.375	0.5	0.5	0.5	0.25	0.25	0.0	0.375	0.5	0.5
32	G69B_062_062a	0.0	0.375	0.625	0.625	0.625	0.312	0.312	0.0	0.375	0.625	0.625
33	G75B_075_075a	0.0	0.375	0.75	0.75	0.75	0.375	0.375	0.0	0.375	0.75	0.75
34	G79B_087_087a	0.0	0.375	0.875	0.875	0.875	0.437	0.437	0.0	0.375	0.875	0.875
35	G81B_100_100a	0.0	0.375	1.0	1.0	1.0	0.5	0.5	0.0	0.375	1.0	1.0
36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	0.25	0.0	0.5	0.0	0.5
37	G11B_050_050a	0.0	0.5	0.125	0.5	0.5	0.25	0.25	0.0	0.5	0.125	0.125
38	G25B_050_050a	0.0	0.5	0.25	0.5	0.5	0.25	0.25	0.0	0.5	0.25	0.25
39	G38B_050_050a	0.0	0.5	0.375	0.5	0.5	0.25	0.25	0.0	0.5	0.375	0.375
40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	0.25	0.0	0.5	0.5	0.5
41	G59B_062_062a	0.0	0.5	0.625	0.625	0.625	0.312	0.312	0.0	0.5	0.625	0.625
42	G65B_075_075a	0.0	0.5	0.75	0.75	0.75	0.375	0.375	0.0	0.5	0.75	0.75
43	G70B_087_087a	0.0	0.5	0.875	0.875	0.875	0.437	0.437	0.0	0.5	0.875	0.875
44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	0.5	0.0	0.5	1.0	1.0
45	G00B_062_062a	0.0	0.625	0.0	0.625	0.625	0.312	0.312	0.0	0.625	0.0	0.625
46	G09B_062_062a	0.0	0.625	0.125	0.625	0.625	0.312	0.312	0.0	0.625	0.125	0.125
47	G19B_062_062a	0.0	0.625	0.25	0.625	0.625	0.312	0.312	0.0	0.625	0.25	0.25
48	G30B_062_062a	0.0	0.625	0.375	0.625	0.625	0.312	0.312	0.0	0.625	0.375	0.375
49	G40B_062_062a	0.0	0.625	0.5	0.625	0.625	0.312	0.312	0.0	0.625	0.5	0.5
50	G50B_062_062a	0.0	0.625	0.625	0.625	0.625	0.312	0.312	0.0	0.625	0.625	0.625
51	G57B_075_075a	0.0	0.625	0.75	0.75	0.75	0.375	0.375	0.0	0.625	0.75	0.75
52	G63B_087_087a	0.0	0.625	0.875	0.875	0.875	0.437	0.437	0.0	0.625	0.875	0.875
53	G68B_100_100a	0.0	0.625	1.0	1.0	1.0	0.5	0.5	0.0	0.625	1.0	1.0
54	G00B_075_075a	0.0	0.75	0.0	0.75	0.75	0.375	0.375	0.0	0.75	0.0	0.75
55	G07B_075_075a	0.0	0.75	0.125	0.75	0.75	0.375	0.375	0.0	0.75	0.125	0.125
56	G15B_075_075a	0.0	0.75	0.25	0.75	0.75	0.375	0.375	0.0	0.75	0.25	0.25
57	G25B_075_075a	0.0	0.75	0.375	0.75	0.75	0.375	0.375	0.0	0.75	0.375	0.375
58	G34B_075_075a	0.0	0.75	0.5	0.75	0.75	0.375	0.375	0.0	0.75	0.5	0.5
59	G42B_075_075a	0.0	0.75	0.625	0.75	0.75	0.375	0.375	0.0	0.75	0.625	0.625
60	G50B_075_075a	0.0	0.75	0.75	0.75	0.75	0.375	0.375	0.0	0.75	0.75	0.75
61	G56B_087_087a	0.0	0.75	0.875	0.875	0.875	0.437	0.437	0.0	0.75	0.875	0.875
62	G61B_100_100a	0.0	0.75	1.0	1.0	1.0	0.5	0.5	0.0	0.75	1.0	1.0
63	G00B_087_087a	0.0	0.875	0.0	0.875	0.875	0.437	0.437	0.0	0.875	0.0	0.875
64	G06B_087_087a	0.0	0.875	0.125	0.875	0.875	0.437	0.437	0.0	0.875	0.125	0.125
65	G13B_087_087a	0.0	0.875	0.25	0.875	0.875	0.437	0.437	0.0	0.875	0.25	0.25
66	G20B_087_087a	0.0	0.875	0.375	0.875	0.875	0.437	0.437	0.0	0.875	0.375	0.375
67	G29B_087_087a	0.0	0.875	0.5	0.875	0.875	0.437	0.437	0.0	0.875	0.5	0.5
68	G36B_087_087a	0.0	0.875	0.625	0.875	0.875	0.437	0.437	0.0	0.875	0.625	0.625
69	G43B_087_087a	0.0	0.875	0.75	0.875	0.875	0.437	0.437	0.0	0.875	0.75	0.75
70	G50B_087_087a	0.0	0.875	0.875	0.875	0.875	0.437	0.437	0.0	0.875	0.875	0.875
71	G55B_100_100a	0.0	0.875	1.0	1.0	1.0	0.5	0.5	0.0	0.875	1.0	1.0
72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.0	1.0
73	G05B_100_100a	0.0	1.0	0.125	1.0	1.0	0.5	0.5	0.0	1.0	0.125	0.125
74	G11B_100_100a	0.0	1.0	0.25	1.0	1.0	0.5	0.5	0.0	1.0	0.25	0.25
75	G18B_100_100a	0.0	1.0	0.375	1.0	1.0	0.5	0.5	0.0	1.0	0.375	0.375
76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	0.5	0.0	1.0	0.5	0.5
77	G31B_100_100a	0.0	1.0	0.625	1.0	1.0	0.5	0.5	0.0	1.0	0.625	0.625
78	G38B_100_100a	0.0	1.0	0.75	1.0	1.0	0.5	0.5	0.0	1.0	0.75	0.75
79	G44B_100_100a	0.0	1.0	0.875	1.0	1.0	0.5	0.5	0.0	1.0	0.875	0.875
80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	0.5	0.0	1.0	1.0	1.0

0-0031530-F0

SG010-7N, Seite 16/29-F

TUB-Prüfvorlage SG01; 16 Bunttöne
Farben und Farbabstände, ΔE^* , 3D=0, de=0, sRGB

Eingabe: $rgb/cmyk \rightarrow rgb_d$
Ausgabe: Transfer nach rgb_d

Mittlere Farbdifferenz dieser Seite:

delta E** = 4.6

TUB-Registrierung: 20130201-SG01/SG01L0NP.PDF /.PS
Anwendung für Messung von Display-Ausgabe, keine Separation
TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb_Fd	LabCh*Fd	DE*Fd	hsi_Md	rgb*Md	LabCh*Md		
81	R00Y_012_012a	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.0	6.3 9.6 8.0	12.5 40.0	0.125 0.0 0.0	2.4 10.9 3.8	11.6 19.4 5.8	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
82	B50R_012_012a	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.125	7.1 11.7 -7.3	13.8 328.2	0.125 0.0 0.125	3.2 16.7 -11.6	20.4 325.1 7.6	330	1.0 0.0 0.0	57.2 94.3 -58.4	110.9 328.2
83	B25R_025_025a	0.125 0.0 0.25	0.25 0.25 0.125	300	0.125 0.0 0.25	9.6 19.9 -22.4	30.0 311.6	0.125 0.0 0.25	5.3 28.5 -31.2	42.3 312.3 13.0	300	0.5 0.0 1.0	38.5 79.8 -89.7	120.0 311.6
84	B15R_037_037a	0.125 0.0 0.375	0.375 0.375 0.187	289	0.118 0.0 0.375	12.7 29.0 -36.5	46.7 308.4	0.125 0.0 0.375	9.0 38.1 -46.3	60.0 309.4 13.8	288	0.316 0.0 1.0	33.9 77.4 -97.5	124.5 308.4
85	B11R_050_050a	0.125 0.0 0.5	0.5 0.5 0.25	284	0.116 0.0 0.5	16.1 38.3 -50.0	63.1 307.4	0.125 0.0 0.5	13.4 46.1 -59.0	74.9 307.9 12.1	282	0.233 0.0 1.0	32.3 76.7 -100.1	126.2 307.4
86	B09R_062_062a	0.125 0.0 0.625	0.625 0.625 0.312	281	0.114 0.0 0.625	19.8 47.8 -63.2	79.3 307.0	0.125 0.0 0.625	17.9 53.9 -70.7	88.9 307.3 9.8	279	0.183 0.0 1.0	31.7 76.5 -101.2	126.9 307.0
87	B07R_075_075a	0.125 0.0 0.75	0.75 0.75 0.375	279	0.112 0.0 0.75	23.5 57.2 -76.4	95.5 306.8	0.125 0.0 0.75	22.3 61.5 -81.7	102.3 306.9 6.9	278	0.15 0.0 1.0	31.3 76.3 -101.9	127.4 306.8
88	B06R_087_087a	0.125 0.0 0.875	0.875 0.875 0.437	278	0.110 0.0 0.875	27.2 66.7 -89.5	111.6 306.7	0.125 0.0 0.875	26.7 69.0 -92.3	115.2 306.7 3.6	277	0.133 0.0 1.0	31.1 76.3 -102.3	127.6 306.7
89	B05R_100_100a	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	30.9 76.2 -102.5	127.8 306.6	0.125 0.0 1.0	31.0 76.2 -102.5	127.7 306.6 0.0	276	0.116 0.0 1.0	30.9 76.2 -102.5	127.8 306.6
90	Y00G_012_012a	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.125 0.0	11.5 -25.5 11.3	11.6 102.8	0.125 0.125 0.0	10.4 -5.0 15.4	16.2 108.0 4.8	89	1.0 1.0 0.0	92.6 -20.7 90.7	93.0 102.8
91	NW_012a	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	0.0 325.7 0.8	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0
92	B00R_025_012a	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.124 0.25	15.7 9.5 -12.9	16.0 306.2	0.125 0.125 0.25	12.6 9.6 -19.5	21.8 296.2 7.3	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
93	B00R_037_025a	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.124 0.375	19.5 19.0 -25.8	32.1 306.2	0.125 0.125 0.375	15.0 21.1 -36.5	42.1 300.0 11.6	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
94	B00R_050_037a	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	23.3 28.5 -38.8	48.1 306.2	0.125 0.125 0.5	18.1 32.4 -51.3	60.6 302.2 14.0	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
95	B00R_062_050a	0.125 0.125 0.625	0.625 0.375 0.25	270	0.125 0.125 0.625	27.1 38.0 -51.7	64.2 306.2	0.125 0.125 0.625	21.6 42.8 -64.6	77.5 303.5 14.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
96	B00R_075_062a	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	30.9 47.5 -64.7	80.3 306.2	0.125 0.125 0.75	25.3 52.5 76.8	93.0 304.3 14.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
97	B00R_087_075a	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	34.7 57.0 -77.6	96.3 306.2	0.125 0.125 0.875	29.1 61.5 -88.2	107.5 304.8 12.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
98	B00R_100_087a	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	38.5 66.5 -90.6	112.4 306.2	0.125 0.125 1.0	33.0 69.9 -99.0	121.3 305.2 10.6	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
99	Y50G_025_025a	0.125 0.25 0.0	0.25 0.25 0.125	120	0.125 0.25 0.0	21.4 -16.3 20.6	26.2 128.3	0.125 0.25 0.0	21.9 -22.3 29.7	37.2 126.9 10.9	119	0.5 1.0 0.0	85.7 -65.2 82.4	105.1 128.3
100	G00B_025_012a	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.124	22.3 -10.3 9.9	14.3 136.0	0.125 0.25 0.125	22.2 -18.8 15.2	24.2 141.0 10.0	149	0.0 1.0 0.0	83.6 -82.7 79.8	115.0 136.0
101	G50B_025_012a	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.25	22.7 -5.7 -1.6	6.0 196.3	0.125 0.25 0.25	23.0 -11.2 -3.5	11.7 197.3 5.7	210	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3
102	G75B_037_025a	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.25 0.375	24.8 4.5 -17.0	17.6 285.0	0.125 0.25 0.375	24.4 -0.5 -21.5	21.5 268.6 6.7	240	0.0 0.5 1.0	51.7 18.3 -68.3	70.7 285.0
103	G84B_050_037a	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.243 0.5	27.2 17.1 -32.5	36.7 297.8	0.125 0.25 0.5	26.3 11.5 -37.9	39.6 286.9 7.8	251	0.0 0.316 1.0	40.7 45.8 -86.7	98.1 297.8
104	G88B_062_050a	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.241 0.625	30.1 28.8 -46.7	54.8 301.6	0.125 0.25 0.625	28.7 23.7 -52.9	58.0 294.1 8.1	257	0.0 0.233 1.0	36.5 57.6 -93.4	109.7 301.6
105	G90B_075_062a	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.239 0.75	33.5 39.4 -60.3	74.1 303.1	0.125 0.25 0.75	31.4 35.4 -66.7	75.5 297.9 7.7	260	0.0 0.183 1.0	34.6 63.0 -96.6	115.3 303.1
106	G92B_087_075a	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.237 0.875	36.9 50.0 -73.9	88.3 304.0	0.125 0.25 0.875	34.4 46.3 -79.5	92.0 300.2 7.1	262	0.0 0.15 1.0	33.4 66.7 -98.6	119.1 304.0
107	G93B_100_087a	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.241 1.0	40.6 60.0 -87.1	105.8 304.5	0.125 0.25 1.0	37.6 56.5 -91.4	107.5 301.7 6.3	262	0.0 0.133 1.0	32.8 68.6 -99.6	120.9 304.5
108	Y68G_037_037a	0.125 0.375 0.0	0.375 0.375 0.187	131	0.118 0.375 0.0	31.6 -28.2 30.3	41.4 132.9	0.125 0.375 0.0	33.1 -35.2 39.6	53.0 131.5 11.7	131	0.316 1.0 0.0	84.4 -75.3 80.9	110.6 132.9
109	G00B_037_025a	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.124	32.8 -20.6 19.9	28.7 136.0	0.125 0.375 0.125	33.3 -32.9 28.6	43.6 138.9 14.9	149	0.0 1.0 0.0	83.6 -82.7 79.8	115.0 136.0
110	G25B_037_025a	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.25	33.0 -18.4 11.2	21.6 148.6	0.125 0.375 0.25	33.8 -27.9 11.9	29.9 156.5 9.0	180	0.0 1.0 0.5	84.3 -73.7 44.9	86.4 148.6
111	G50B_037_025a	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	33.6 -11.5 -3.3	12.0 196.3	0.125 0.375 0.375	34.7 -18.9 -5.7	19.8 196.8 7.8	210	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3
112	G65B_050_037a	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.381 0.5	36.0 -3.4 -18.3	18.6 259.3	0.125 0.375 0.5	35.9 -8.3 -22.7	24.1 249.7 6.5	228	0.0 0.683 1.0	64.4 -9.2 -48.8	49.7 259.3
113	G75B_062_050a	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.375 0.625	37.8 9.1 -34.1	35.3 285.0	0.125 0.375 0.625	37.5 3.3 -38.6	38.7 274.9 7.3	240	0.0 0.5 1.0	51.7 18.3 -68.3	70.7 285.0
114	G80B_075_062a	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.364 0.75	39.6 22.6 -50.3	55.1 294.2	0.125 0.375 0.75	39.5 15.3 -53.5	55.6 285.9 7.9	247	0.0 0.383 1.0	44.3 36.2 -80.5	88.2 294.2
115	G84B_087_075a	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.362 0.875	42.4 34.3 -65.0	73.5 297.8	0.125 0.375 0.875	41.7 27.1 -67.4	72.7 291.5 7.5	251	0.0 0.316 1.0	40.7 45.8 -86.7	98.1 297.8
116	G86B_100_087a	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.358 1.0	45.2 46.6 -79.6	92.2 300.3	0.125 0.375 1.0	44.2 38.6 -80.5	89.3 295.5 8.1	255	0.0 0.266 1.0	38.0 53.3 -91.0	105.4 300.3
117	Y76G_050_050a	0.125 0.5 0.0	0.5 0.5 0.25	136	0.116 0.5 0.0	42.0 -39.3 40.2	56.2 134.3	0.125 0.5 0.0	43.9 -45.9 48.2	66.6 133.6 10.6	137	0.233 1.0 0.0	84.0 -78.7 80.4	112.5 134.3
118	G00B_050_037a	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.124	43.2 -31.0 29.9	43.1 136.0	0.125 0.5 0.125	44.1 -44.3 40.1	59.8 137.8 16.7	149	0.0 1.0 0.0	83.6 -82.7 79.8	115.0 136.0
119	G15B_050_037a	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.243	43.3 -29.7 23.6	38.0 141.4	0.125 0.5 0.25	44.4 -40.3 25.7	47.9 147.4 10.9	168	0.0 1.0 0.316	83.9 -79.2 63.1	101.3 141.4
120	G34B_050_037a	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.5 0.381	43.8 -24.7 8.7	26.2 160.4	0.125 0.5 0.375	45.0 -33.8 9.2	35.1 164.7 9.2	191	0.0 1.0 0.683	85.0 -65.8 2	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC* _{Fd}	rgb _{Fd}	ict _{Fd}	hsi _{Fd}	rgb* _{Fd}	LabCh* _{Fd}	rgb* _{Fd}	LabCh* _{Fd}	DE** _{Fd}	hsi _{md}	rgb* _{md}	LabCh* _{md}			
162	R00Y_025_025a	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.0	12.6 19.2 16.1	25.1 40.0	0.25 0.0 0.0	8.6 28.5	13.6 31.6	25.5 10.4	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
163	R00Y_025_025a	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.125	13.0 20.2 1.0	20.3 2.9	0.25 0.0 0.125	9.4 30.5	-1.8 30.6	356.5 11.2	360	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9
164	B50R_025_025a	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.25	14.3 23.5 -14.6	27.7 328.2	0.25 0.0 0.25	11.1 34.9	-21.6 41.1	328.2 13.7	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
165	B34R_037_037a	0.25 0.0 0.375	0.375 0.375 0.187	311	0.256 0.0 0.375	16.8 31.5 -29.7	43.3 316.7	0.25 0.0 0.375	13.8 41.1	-38.3 56.2	316.9 13.2	311	1.0 0.683 0.0	44.8 84.1 -79.2	115.5 316.7
166	B25R_050_050a	0.25 0.0 0.5	0.5 0.5 0.25	300	0.25 0.0 0.5	19.2 39.9 -44.8	60.0 311.6	0.25 0.0 0.5	17.1 48.0	-52.8 71.4	312.2 11.6	300	0.5 0.0 1.0	38.5 79.8 -89.7	120.0 311.6
167	B19R_062_062a	0.25 0.0 0.625	0.625 0.625 0.312	293	0.239 0.0 0.625	22.1 48.8 -59.4	76.9 309.3	0.25 0.0 0.625	20.7 55.2	-65.9 86.0	309.9 9.2	292	0.383 0.0 1.0	35.3 78.1 -95.1	123.0 309.3
168	B15R_075_075a	0.25 0.0 0.75	0.75 0.75 0.375	289	0.237 0.0 0.75	25.4 58.1 -73.1	93.4 308.4	0.25 0.0 0.75	24.6 62.5	-77.8 99.8	308.7 6.5	288	0.316 0.0 1.0	33.9 77.4 -97.5	124.5 308.4
169	B13R_087_087a	0.25 0.0 0.875	0.875 0.875 0.437	286	0.233 0.0 0.875	28.8 67.3 -86.8	109.9 307.8	0.25 0.0 0.875	28.6 69.7	-89.1 113.1	308.0 3.2	284	0.266 0.0 1.0	32.9 77.0 -99.2	125.6 307.8
170	B11R_100_100a	0.25 0.0 1.0	1.0 1.0 0.5	284	0.233 0.0 1.0	32.3 76.7 -100.1	126.2 307.4	0.25 0.0 1.0	32.6 76.8	-99.8 125.9	307.5 0.4	282	0.233 0.0 1.0	32.3 76.7 -100.1	126.2 307.4
171	R50Y_025_025a	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.125 0.0	15.9 10.3 17.7	20.5 59.7	0.25 0.125 0.0	14.7 12.2	22.0 25.2	60.9 4.8	59	1.0 0.5 0.0	63.6 41.3 71.0	82.2 59.7
172	R00Y_025_012a	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.124	18.2 9.6 8.0	12.5 40.0	0.25 0.125 0.125	15.2 14.7	6.5 16.1	23.9 6.1	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
173	B50R_025_012a	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.25	19.0 11.7 -7.3	13.8 328.2	0.25 0.125 0.25	16.4 20.2	-13.2 24.2	326.7 10.6	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
174	B25R_037_025a	0.25 0.125 0.375	0.375 0.25 0.25	300	0.25 0.124 0.375	21.5 19.9 -22.4	30.0 311.6	0.25 0.125 0.375	18.4 28.0	-30.9 41.7	312.1 12.1	300	0.5 0.0 1.0	38.5 79.8 -89.7	120.0 311.6
175	B15R_050_037a	0.25 0.125 0.5	0.5 0.375 0.312	289	0.243 0.124 0.5	24.6 29.0 -36.5	46.7 308.4	0.25 0.125 0.5	20.9 36.7	-46.5 59.3	308.3 13.1	288	0.316 0.0 1.0	33.9 77.4 -97.5	124.5 308.4
176	B11R_062_050a	0.25 0.125 0.625	0.625 0.5 0.375	284	0.241 0.125 0.625	28.1 38.3 -50.0	63.1 307.4	0.25 0.125 0.625	23.9 45.7	-60.5 75.9	307.0 13.4	282	0.233 0.0 1.0	32.3 76.7 -100.1	126.2 307.4
177	B09R_075_062a	0.25 0.125 0.75	0.75 0.625 0.437	281	0.239 0.125 0.75	31.7 47.8 -63.2	79.3 307.0	0.25 0.125 0.75	27.3 54.4	-73.4 91.4	306.5 12.9	279	0.183 0.0 1.0	31.7 76.5 -101.2	126.9 307.0
178	B07R_087_075a	0.25 0.125 0.875	0.875 0.75 0.5	279	0.237 0.125 0.875	35.4 57.2 -76.4	95.5 306.8	0.25 0.125 0.875	30.8 62.8	-85.3 106.0	306.3 11.4	278	0.15 0.0 1.0	31.3 76.3 -101.9	127.4 306.8
179	B06R_100_087a	0.25 0.125 1.0	1.0 0.875 0.562	278	0.241 0.125 1.0	39.1 66.7 -89.5	111.6 306.7	0.25 0.125 1.0	34.5 70.9	-96.6 119.8	306.2 9.4	277	0.133 0.0 1.0	31.1 76.3 -102.3	127.6 306.7
180	Y00G_025_025a	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.25 0.0	23.1 -5.1 22.6	23.2 102.8	0.25 0.25 0.0	24.2 -7.6 32.9	33.7 103.1 10.5	89	1.0 1.0 0.0	92.6 -20.7 90.7	93.0 102.8	
181	Y00G_025_012a	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.25 0.124	23.5 -2.5 11.3	11.6 102.8	0.25 0.25 0.125	24.5 -5.3 18.6	19.4 105.9 7.8	89	1.0 1.0 0.0	92.6 -20.7 90.7	93.0 102.8	
182	NW_025a	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	0.0 325.5 1.4	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0	
183	B00R_037_012a	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.249 0.375	27.6 9.5 -12.9	16.0 306.2	0.25 0.25 0.375	26.5 8.0 -18.0	19.8 294.0 5.4	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	
184	B00R_050_025a	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	31.4 19.0 -25.8	32.1 306.2	0.25 0.25 0.5	28.2 17.7 -34.7	39.0 297.0 9.5	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	
185	B00R_062_037a	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	35.2 28.5 -38.8	48.1 306.2	0.25 0.25 0.625	30.4 28.1 -50.7	57.4 299.3 12.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	
186	B00R_075_050a	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	39.0 38.0 -51.7	64.2 306.2	0.25 0.25 0.75	32.9 38.5 -64.1	74.8 301.0 13.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	
187	B00R_087_062a	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	42.8 47.5 -64.7	80.3 306.2	0.25 0.25 0.875	35.8 48.6 -77.1	91.2 302.1 14.3	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	
188	B00R_100_075a	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	46.6 57.0 -77.6	96.3 306.2	0.25 0.25 1.0	38.8 58.2 -89.4	106.7 303.0 14.1	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	
189	Y31G_037_037a	0.25 0.375 0.0	0.375 0.375 0.187	109	0.256 0.375 0.0	32.8 -19.0 31.8	37.1 120.8	0.25 0.375 0.0	34.6 -24.3 41.4	48.0 120.4 11.0	108	0.683 1.0 0.0	87.6 -50.7 84.9	98.9 120.8	
190	Y50G_037_025a	0.25 0.375 0.125	0.375 0.25 0.25	120	0.25 0.375 0.124	33.3 -16.3 20.6	26.2 128.3	0.25 0.375 0.125	34.8 -22.5 30.5	38.0 126.3 11.8	119	0.5 1.0 0.0	85.7 -65.2 82.4	105.1 128.3	
191	G00B_037_012a	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.249	34.3 -10.3 9.9	14.3 136.0	0.25 0.375 0.25	35.2 -18.1 14.0	22.9 142.2 8.8	149	0.0 1.0 0.0	83.6 -46.2 79.8	115.0 136.0	
192	G50B_037_012a	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	34.7 -5.7 -1.6	6.0 196.3	0.25 0.375 0.375	36.0 -11.0 -3.5	11.6 197.8 5.8	210	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3	
193	G75B_050_025a	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.375 0.5	36.7 4.5 -17.0	17.6 285.0	0.25 0.375 0.5	37.2 -2.0 -20.5	20.6 264.3 7.4	240	0.0 0.5 1.0	51.7 18.3 -68.3	70.7 285.0	
194	G84B_062_037a	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.368 0.625	39.1 17.1 -32.5	36.7 297.8	0.25 0.375 0.625	38.7 8.2 -36.6	37.5 282.7 9.7	251	0.0 0.316 1.0	40.7 45.8 -86.7	98.1 297.8	
195	G88B_075_050a	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.366 0.75	42.1 28.8 -46.7	54.8 301.6	0.25 0.375 0.75	40.6 19.1 -51.6	55.0 290.3 10.9	257	0.0 0.233 1.0	36.5 57.6 -93.4	109.7 301.6	
196	G90B_087_062a	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.364 0.875	45.5 39.4 -60.3	72.1 303.1	0.25 0.375 0.875	42.8 30.1 -65.7	72.2 294.6 11.0	260	0.0 0.183 1.0	34.6 63.0 -96.6	115.3 303.1	
197	G92B_100_075a	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.362 1.0	48.9 50.0 -73.9	89.3 304.0	0.25 0.375 1.0	45.2 40.8 -78.9	88.9 297.3 11.1	262	0.0 0.15 1.0	33.4 66.7 -98.6	119.1 304.0	
198	Y50G_050_050a	0.25 0.5 0.0	0.5 0.5 0.25	120	0.25 0.5 0.0	42.8 -32.6 41.2	52.5 128.3	0.25 0.5 0.0	44.9 -37.9 49.4	62.3 127.5 10.0	119	0.5 1.0 0.0	85.7 -65.2 82.4	105.1 128.3	
199	Y68G_050_037a	0.25 0.5 0.125	0.5 0.375 0.312	131	0.243 0.5 0.124	43.6 -28.2 30.3	41.4 132.9	0.25 0.5 0.125	45.0 -36.5 41.4	55.2 131.4 13.9	131	0.316 1.0 0.0	84.4 -75.3 80.9	110.6 132.9	
200	G00B_050_025a	0.25 0.5 0.25	0.5 0.25 0.375	150	0.249 0.5 0.249	44.7 -20.6 19.9	28.7 136.0	0.25 0.5 0.25	45.4 -33.0 27.2	42.8 140.5 14.3	149	0.0 1.0 0.0	83.6 -46.2 79.8	115.0 136.0	
201	G25B_050_025a	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.375	44.9 -18.4 11.2	21.6 148.6	0.25 0.5 0.375	45.9 -17.3 10.6	29.3 158.6 8.9	180	0.0 1.0 0.5	84.3 -73.7 44.9	86	

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 19/29

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb_Fd	LabCh_Fd	rgb_Fd	LabCh_Fd	DE*Fd	hsi_Md	rgb_Md	LabCh_Md
243	R00Y_037_037a	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.0	18.9 28.8 24.2	37.6 40.0	0.375 0.0 0.0	16.4 37.5 25.4	45.3 34.1 9.1	389	50.4 76.9 64.5
244	R18Y_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	19.1 29.6 11.1	31.7 20.6	0.375 0.0 0.125	16.8 38.7 9.7	39.9 14.1 9.4	371	51.1 79.1 29.7
245	B65R_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.256	20.0 32.0 -7.4	32.9 346.8	0.375 0.0 0.25	17.9 41.5 -10.4	42.8 345.8 10.2	348	53.5 85.4 -19.9
246	B50R_037_037a	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	21.4 35.3 -21.9	41.6 328.2	0.375 0.0 0.375	19.7 46.0 -28.5	54.1 328.2 12.6	330	57.2 94.3 -58.4
247	B38R_050_050a	0.375 0.0 0.5	0.5 0.5 0.25	316	0.383 0.0 0.5	23.9 43.2 -37.0	56.9 319.4	0.375 0.0 0.5	22.1 51.5 -44.4	68.1 319.2 11.3	317	67.6 86.4 -74.0
248	B30R_062_062a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.385 0.0 0.625	25.5 51.4 -52.0	73.1 314.6	0.375 0.0 0.625	24.9 57.8 -58.7	82.4 314.5 9.4	307	72.4 82.3 -83.2
249	B25R_075_075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.375 0.0 0.75	28.9 59.8 -67.2	90.0 311.6	0.375 0.0 0.75	28.1 64.4 -71.9	96.5 311.8 6.5	300	76.9 89.7 -89.7
250	B20R_087_087a	0.375 0.0 0.875	0.875 0.875 0.437	295	0.364 0.0 0.875	31.7 68.8 -81.8	106.9 310.0	0.375 0.0 0.875	31.6 71.2 -84.0	110.1 310.2 3.2	294	78.6 93.5 -93.5
251	B18R_100_100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	34.9 77.9 -95.7	123.4 309.1	0.375 0.0 1.0	35.1 77.9 -95.5	123.3 309.2 0.3	291	79.9 95.7 -95.7
252	R31Y_037_037a	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.118 0.0	21.1 22.7 25.2	33.9 47.9	0.375 0.125 0.0	20.4 26.4 30.1	40.1 48.7 6.2	48	56.2 60.6 67.2
253	R00Y_037_025a	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.124	24.5 19.2 16.1	25.1 40.0	0.375 0.125 0.125	20.7 27.8 14.8	31.5 28.0 9.5	389	50.4 76.9 64.5
254	R00Y_037_025a	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.25	24.9 20.2 1.0	20.3 2.9	0.375 0.125 0.25	21.6 31.1 -4.9	31.5 351.0 12.8	360	60.6 67.2 90.5
255	B50R_037_025a	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.375	26.2 23.5 -14.6	27.7 328.2	0.375 0.125 0.375	23.1 36.3 -23.1	43.0 327.5 15.6	330	72.4 84.3 -58.4
256	B34R_050_037a	0.375 0.125 0.5	0.5 0.375 0.312	311	0.381 0.124 0.5	28.7 31.5 -29.7	43.3 316.7	0.375 0.125 0.5	25.1 42.8 -39.5	58.3 317.2 15.3	311	79.1 94.3 -79.2
257	B25R_062_050a	0.375 0.125 0.625	0.625 0.5 0.375	300	0.375 0.125 0.625	31.2 39.9 -44.8	60.0 311.6	0.375 0.125 0.625	27.6 50.0 -54.4	73.9 312.5 14.4	300	78.6 89.7 -89.7
258	B19R_075_062a	0.375 0.125 0.75	0.75 0.625 0.437	293	0.364 0.125 0.75	34.0 48.8 -59.4	76.9 309.3	0.375 0.125 0.75	30.4 57.5 -68.1	89.1 310.2 12.8	292	79.1 95.1 -95.1
259	B15R_087_075a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.362 0.125 0.875	37.4 58.1 -73.1	93.4 308.4	0.375 0.125 0.875	33.6 65.1 -80.7	103.7 308.9 11.0	288	77.4 97.5 -97.5
260	B13R_100_087a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.358 0.125 1.0	40.7 68.3 -86.8	109.9 307.8	0.375 0.125 1.0	36.9 72.6 -92.6	117.7 308.1 8.7	284	77.0 99.2 -99.2
261	R68Y_037_037a	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.256 0.0	27.5 6.9 29.1	29.9 76.5	0.375 0.25 0.0	27.8 8.3 37.5	38.4 77.4 8.5	71	73.4 88.5 77.6
262	R50Y_037_025a	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.25 0.124	27.8 10.3 17.7	20.5 59.7	0.375 0.25 0.125	28.1 9.8 23.7	35.7 67.5 6.0	59	73.4 88.5 77.6
263	R00Y_037_012a	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.249	30.1 9.6 8.0	12.5 40.0	0.375 0.25 0.25	28.7 13.3 5.4	14.4 22.0 4.8	389	76.9 89.7 64.5
264	B50R_037_012a	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.375	31.0 11.7 -7.3	13.8 328.2	0.375 0.25 0.375	29.7 19.0 -12.7	22.9 326.1 9.1	330	79.1 94.3 -58.4
265	B25R_050_025a	0.375 0.25 0.5	0.5 0.25 0.375	300	0.375 0.249 0.5	33.5 19.9 -22.4	30.0 311.6	0.375 0.25 0.5	31.2 26.3 -29.7	39.7 311.5 9.9	300	79.1 89.7 120.0
266	B15R_062_037a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	36.5 29.0 -36.5	46.7 308.4	0.375 0.25 0.625	33.2 34.6 -45.4	57.0 307.3 10.9	288	77.4 97.5 124.5
267	B11R_075_050a	0.375 0.25 0.75	0.75 0.5 0.5	284	0.366 0.25 0.75	40.0 38.3 -50.0	63.1 307.4	0.375 0.25 0.75	35.4 43.3 -59.8	73.9 305.9 11.8	282	76.7 94.3 100.1
268	B09R_087_062a	0.375 0.25 0.875	0.875 0.625 0.562	281	0.364 0.25 0.875	43.7 47.8 -63.2	79.3 307.0	0.375 0.25 0.875	38.0 52.2 -73.3	90.0 305.4 12.3	279	76.5 94.3 101.2
269	B07R_100_075a	0.375 0.25 1.0	1.0 0.75 0.625	279	0.362 0.25 1.0	47.3 57.2 -76.4	95.5 306.8	0.375 0.25 1.0	40.9 60.9 -86.0	105.4 305.3 12.0	278	76.5 94.3 101.2
270	Y00G_037_037a	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.375 0.0	34.7 -7.7 34.0	34.9 102.8	0.375 0.375 0.0	36.9 10.0 44.2	45.3 102.8 10.7	89	92.6 90.7 93.0
271	Y00G_037_025a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.375 0.124	35.0 -5.1 22.6	23.2 102.8	0.375 0.375 0.125	37.1 -8.7 33.8	34.9 104.4 11.8	89	92.6 90.7 93.0
272	Y00G_037_012a	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.375 0.249	35.4 -2.5 11.3	11.6 102.8	0.375 0.375 0.25	37.5 -5.4 17.5	18.3 107.1 7.1	89	92.6 90.7 93.0
273	NW_037a	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 325.3 2.5	360	95.4 0.0 0.0
274	B00R_050_012a	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	39.5 9.5 -12.9	16.0 306.2	0.375 0.375 0.5	39.4 7.2 -17.0	18.5 292.9 4.7	270	76.0 103.5 128.5
275	B00R_062_025a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	43.3 19.0 -25.8	32.1 306.2	0.375 0.375 0.625	40.8 15.7 -33.2	36.8 295.4 8.4	270	76.0 103.5 128.5
276	B00R_075_037a	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	47.1 28.5 -38.8	48.1 306.2	0.375 0.375 0.75	42.5 25.1 -48.4	54.5 297.4 11.1	270	76.0 103.5 128.5
277	B00R_087_050a	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	50.9 38.0 -51.7	64.2 306.2	0.375 0.375 0.875	44.6 34.8 -62.7	71.7 299.0 13.0	270	76.0 103.5 128.5
278	B00R_100_062a	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	54.7 47.5 -64.7	80.3 306.2	0.375 0.375 1.0	46.8 44.5 -76.1	88.2 300.3 14.2	270	76.0 103.5 128.5
279	Y23G_050_050a	0.375 0.5 0.0	0.5 0.5 0.25	104	0.383 0.5 0.0	44.3 -21.6 43.1	48.2 116.6	0.375 0.5 0.0	46.6 -26.1 51.4	57.7 116.9 9.7	102	88.7 86.2 96.5
280	Y31G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312	109	0.381 0.5 0.124	44.8 -19.0 31.8	37.1 120.8	0.375 0.5 0.125	46.7 -25.0 43.6	50.2 119.8 13.3	108	87.6 85.0 98.9
281	Y50G_050_025a	0.375 0.5 0.25	0.5 0.25 0.375	120	0.375 0.5 0.249	45.2 -16.3 20.6	26.2 128.3	0.375 0.5 0.25	47.0 -22.1 29.6	36.9 126.8 10.8	119	85.7 82.4 105.1
282	G00B_050_012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	46.2 -10.3 9.9	14.3 136.0	0.375 0.5 0.375	47.6 -17.3 13.1	21.8 142.8 7.8	149	83.6 82.7 99.8
283	G50B_050_012a	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	46.6 -5.7 -1.6	6.0 196.3	0.375 0.5 0.5	48.4 -10.7 -3.5	11.3 198.2 5.6	210	86.8 86.1 -13.5
284	G75B_062_025a	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.5 0.625	48.7 4.5 -17.0	17.6 285.0	0.375 0.5 0.625	49.4 -2.7 -19.8	20.0 262.1 7.8	240	85.0 86.3 90.7
285	G84B_075_037a	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.493 0.75	51.0 17.1 -32.5	36.7 297.8	0.375 0.5 0.75	50.7 6.3 -35.4	35.9 280.2 11.1	251	85.0 86.3 90.7
286	G88B_087_050a	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.491 0.875	54.0 28.8 -46.7	54.8 301.6	0.375 0.5 0.875	52.3 16.1 -50.2	52.7 287.8 13.2	257	85.0 86.3 90.7
287	G90B_100_062a	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.489 1.0	57.4 39.4 -60.3	72.1 303.1	0.375 0.5 1.0	54.1 26.2 -64.3	69.4 292.1 14.1	260	85.0 86.3 90.7
288	Y38G_062_062a	0.375 0.625 0.0	0.625 0.625 0.312	113	0.385 0.625 0.0	54.2 -35.2 52.4	63.1 123.9	0.375 0.625 0.0	56.3 -39.9 58.9	71.2 124.1 8.3	112	86.8 86.2 96.5
289	Y50G_062_050a	0.375 0.625 0.125	0.625 0.5 0.375	120	0.375 0.625 0.125	54.7 -32.6 41.4	52.5 128.3	0.375 0.625 0.125	56.4 -39.0 52.8	65.7 126.4 13.4	119	85.7 82.4 105.1
290	Y68G_062_037a	0.375 0.625 0.25	0.625 0.375 0.437	131	0.368 0.625 0.25	55.5 -28.2 30.3	41.4 132.9	0.375 0.625 0.25	56.6 -36.6 40.9	54.9 131.8 13.5	131	84.4 82.7 99.8
291	G00B_062_025a	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.375	56.6 -20.6 19.9	28.7 136.0	0.375 0.625 0.375	57.0 -32.5 25.9	41.6 141.4 13.2	149	83.6 82.7 99.8
292	G25B_062_025a	0.375 0.625 0.5	0.625 0.25 0.5	180	0.375 0.625 0.5	56.8 -18.4 11.3	21.6 148.6	0.375 0.625 0.5	57.6 -26.8 9.8	28.5 159.7 8.5	180	86.8 86.2 96.5
293	G50B_062_025a	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.4 -11.5 -3.3	12.0 196.3	0.375 0.625 0.625	58.5 -19.5 -6.1	20.5 197.5 8.5	210	86.8 86.1 -13.5
294	G65B_075_037a	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.631 0.75	59.9 -3.4 -18.1	18.6 259.3	0.375 0.625 0.75	59.5 -11.1 -21.8	24.5 242.9 8.4	228	85.0 86.3 90.7
295	G75B_087_050a	0.375 0.625 0.875	0.875 0.5 0.625	240	0.375 0.625 0.875	61.6 9.1 -34.3	38.5 285.0	0.375 0.625 0.875	60.7 -1.8 -36.9	37.0 267.1 11.4	240	85.0 86.3 90.7
296	G80B_100_062a	0.375 0.625 1.0	1.0 0.625 0.687	247	0.375 0.614 1.0	63.5 22.6 -50.3	55.1 294.2	0.375 0.625 1.0	62.2 8.0 -51.4	52.1 278.8 14.7	247	85.0 86.3 90.7
297	Y50G_075_075a	0.375 0.75 0.0	0.75 0.75 0.375	120	0.375 0.75 0.0	64.2 -48.9 61.8	78.8 128.3	0.375 0.75 0.0	65.9 -52.0 66.4	84.4 128.0 5.8	119	85.7 82.

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01.L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC* _{Fd}	rgb_Fd	ict_Fd	hsi_Fd	rgb** _{Fd}	LabCh** _{Fd}	rgb** _{Fd}	LabCh** _{Fd}	DE** _{Fd}	hsi_Md	rgb** _{Md}	LabCh** _{Md}				
324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	50.4	76.9	64.5	100.4	40.0
325	R26Y_050_050a	0.5	0.0	0.125	0.5	0.5	0.25	376	0.5	0.0	0.125	50.8	78.0	64.5	100.2	27.8
326	R00Y_050_050a	0.5	0.0	0.25	0.5	0.5	0.25	360	0.5	0.0	0.25	52.0	81.1	64.1	81.2	2.9
327	B61R_050_050a	0.5	0.0	0.375	0.5	0.5	0.25	344	0.5	0.0	0.375	54.4	87.3	-30.6	92.5	340.6
328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	0.5	0.0	0.5	57.2	94.3	-58.4	110.9	328.2
329	B40R_062_062a	0.5	0.0	0.625	0.625	0.625	0.312	319	0.51	0.0	0.625	61.1	105.0	-70.7	113.0	321.2
330	B34R_075_075a	0.5	0.0	0.75	0.75	0.75	0.375	311	0.512	0.0	0.75	63.6	114.1	-79.2	115.5	316.7
331	B29R_087_087a	0.5	0.0	0.875	0.875	0.875	0.437	305	0.51	0.0	0.875	65.1	117.4	-85.1	117.9	313.8
332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	68.5	120.0	-89.7	120.0	311.6
333	R23Y_050_050a	0.5	0.125	0.0	0.5	0.5	0.25	44	0.5	0.125	0.0	53.7	67.6	65.8	94.4	44.2
334	R00Y_050_037a	0.5	0.125	0.125	0.5	0.375	0.312	390	0.5	0.124	0.124	50.8	78.0	64.5	100.4	40.0
335	R18Y_050_037a	0.5	0.125	0.25	0.5	0.375	0.312	371	0.5	0.124	0.243	51.0	79.6	29.7	84.5	20.6
336	B65R_050_037a	0.5	0.125	0.375	0.5	0.375	0.312	349	0.5	0.124	0.381	53.2	84.7	-19.9	87.7	346.8
337	B50R_050_037a	0.5	0.125	0.5	0.5	0.375	0.312	330	0.5	0.124	0.5	57.2	94.3	-58.4	110.9	328.2
338	B38R_062_050a	0.5	0.125	0.625	0.625	0.5	0.375	316	0.508	0.125	0.625	60.0	101.6	-70.7	113.0	321.2
339	B30R_075_062a	0.5	0.125	0.75	0.75	0.625	0.437	307	0.51	0.125	0.75	61.6	108.1	-79.2	115.5	316.7
340	B25R_087_075a	0.5	0.125	0.875	0.875	0.75	0.5	300	0.5	0.125	0.875	63.0	114.0	-85.1	117.9	313.8
341	B20R_100_087a	0.5	0.125	1.0	1.0	0.875	0.562	295	0.489	0.125	1.0	63.6	116.0	-89.7	120.0	311.6
342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	53.7	67.6	65.8	94.4	44.2
343	R31Y_050_037a	0.5	0.25	0.125	0.5	0.375	0.312	49	0.5	0.25	0.125	50.8	78.0	64.5	100.4	40.0
344	R00Y_050_025a	0.5	0.25	0.25	0.5	0.25	0.375	390	0.5	0.25	0.25	50.4	76.9	64.5	100.4	40.0
345	R00Y_050_025a	0.5	0.25	0.375	0.5	0.25	0.375	360	0.5	0.25	0.375	52.0	81.1	64.1	81.2	2.9
346	B50R_050_025a	0.5	0.25	0.5	0.5	0.25	0.375	330	0.5	0.25	0.5	57.2	94.3	-58.4	110.9	328.2
347	B34R_062_037a	0.5	0.25	0.625	0.625	0.375	0.437	311	0.506	0.25	0.625	60.0	101.6	-70.7	113.0	321.2
348	B25R_075_050a	0.5	0.25	0.75	0.75	0.5	0.5	300	0.5	0.25	0.75	61.6	108.1	-79.2	115.5	316.7
349	B19R_087_062a	0.5	0.25	0.875	0.875	0.625	0.562	293	0.489	0.25	0.875	63.0	114.0	-85.1	117.9	313.8
350	B15R_100_075a	0.5	0.25	1.0	1.0	0.75	0.625	289	0.487	0.25	1.0	63.9	117.4	-89.7	120.0	311.6
351	R76Y_050_050a	0.5	0.375	0.0	0.5	0.5	0.25	76	0.5	0.383	0.0	53.7	67.6	65.8	94.4	44.2
352	R68Y_050_037a	0.5	0.375	0.125	0.5	0.375	0.312	71	0.5	0.381	0.124	53.9	79.6	29.7	84.5	20.6
353	R50Y_050_025a	0.5	0.375	0.25	0.5	0.25	0.375	60	0.5	0.375	0.249	50.7	76.9	64.5	100.4	40.0
354	R00Y_050_012a	0.5	0.375	0.375	0.5	0.125	0.437	390	0.5	0.375	0.375	52.0	81.1	64.5	100.4	40.0
355	B50R_050_012a	0.5	0.375	0.5	0.5	0.125	0.437	330	0.5	0.375	0.5	57.2	94.3	-58.4	110.9	328.2
356	B25R_062_025a	0.5	0.375	0.625	0.625	0.25	0.5	300	0.5	0.375	0.625	60.0	101.6	-70.7	113.0	321.2
357	B15R_075_037a	0.5	0.375	0.75	0.75	0.375	0.562	289	0.493	0.375	0.75	61.6	108.1	-79.2	115.5	316.7
358	B11R_087_050a	0.5	0.375	0.875	0.875	0.5	0.625	284	0.491	0.375	0.875	63.1	114.4	-85.1	117.9	313.8
359	B09R_100_062a	0.5	0.375	1.0	1.0	0.625	0.687	281	0.489	0.375	1.0	63.6	116.0	-89.7	120.0	311.6
360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	0.5	0.5	0.0	53.7	67.6	65.8	94.4	44.2
361	Y00G_050_037a	0.5	0.5	0.125	0.5	0.375	0.312	90	0.5	0.5	0.124	46.6	-7.7	34.0	34.9	102.8
362	Y00G_050_025a	0.5	0.5	0.25	0.5	0.25	0.375	90	0.5	0.5	0.249	47.0	-5.1	22.6	23.2	102.8
363	Y00G_050_012a	0.5	0.5	0.375	0.5	0.125	0.437	90	0.5	0.5	0.375	47.3	-7.5	11.3	11.6	102.8
364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	47.7	0.0	0.0	0.0	0.0
365	B00R_062_012a	0.5	0.5	0.625	0.625	0.125	0.562	270	0.5	0.5	0.625	51.5	9.5	-12.9	16.0	306.2
366	B00R_075_025a	0.5	0.5	0.75	0.75	0.25	0.625	270	0.5	0.5	0.75	55.3	19.0	-25.8	32.1	306.2
367	B00R_087_037a	0.5	0.5	0.875	0.875	0.375	0.687	270	0.5	0.5	0.875	59.1	28.5	-38.8	48.1	306.2
368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	270	0.5	0.5	1.0	62.8	38.0	-51.7	64.2	306.2
369	Y18G_062_062a	0.5	0.625	0.0	0.625	0.625	0.312	101	0.51	0.625	0.0	55.9	-24.1	54.5	59.6	113.8
370	Y23G_062_050a	0.5	0.625	0.125	0.625	0.5	0.375	104	0.508	0.625	0.125	56.3	-19.6	43.1	48.2	116.6
371	Y31G_062_037a	0.5	0.625	0.25	0.625	0.375	0.437	109	0.506	0.625	0.25	56.7	-21.0	31.8	37.1	120.8
372	Y50G_062_025a	0.5	0.625	0.375	0.625	0.25	0.5	120	0.5	0.625	0.375	57.2	-16.3	20.6	26.2	128.3
373	G00B_062_012a	0.5	0.625	0.5	0.625	0.125	0.562	150	0.5	0.625	0.5	58.1	-10.3	9.9	14.3	136.0
374	G50B_062_012a	0.5	0.625	0.625	0.625	0.125	0.562	210	0.5	0.625	0.625	58.5	-5.7	-1.6	6.0	196.3
375	G75B_075_025a	0.5	0.625	0.75	0.75	0.25	0.625	240	0.5	0.625	0.75	60.6	-4.5	-17.0	17.6	285.0
376	G84B_087_037a	0.5	0.625	0.875	0.875	0.375	0.687	251	0.5	0.618	0.875	62.9	17.1	-32.5	36.7	297.8
377	G88B_100_050a	0.5	0.625	1.0	1.0	0.5	0.75	256	0.5	0.616	1.0	65.9	28.8	-46.7	54.8	301.6
378	Y31G_075_075a	0.5	0.75	0.0	0.75	0.75	0.375	109	0.512	0.75	0.0	65.7	-38.0	63.7	74.2	120.8
379	Y38G_075_062a	0.5	0.75	0.125	0.75	0.625	0.437	113	0.51	0.75	0.125	66.2	-35.2	52.4	63.1	123.9
380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	0.5	0.75	0.25	66.7	-32.6	41.2	52.5	128.3
381	Y68G_075_037a	0.5	0.75	0.375	0.75	0.375	0.562	131	0.493	0.75	0.375	67.4	-28.2	30.3	41.4	132.9
382	G00B_075_025a	0.5	0.75	0.5	0.75	0.25	0.625	150	0.5	0.75	0.5	68.6	-20.6	19.9	28.7	136.0
383	G25B_075_025a	0.5	0.75	0.625	0.75	0.25	0.625	180	0.5	0.75	0.625	68.7	-18.4	11.2	21.6	148.6
384	G50B_075_025a	0.5	0.75	0.75	0.75	0.25	0.625	210	0.5	0.75	0.75					

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md		
405	R00Y_062_062a	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.0	31.5 48.0 40.3	62.7 40.0	0.625 0.0 0.0	30.7 54.1 44.5	70.1 39.4 7.4	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
406	R31Y_062_062a	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.114	31.7 48.7 29.7	57.0 31.3	0.625 0.0 0.125	31.0 54.7 30.0	62.4 28.7 6.0	380	1.0 0.0 0.183	50.7 77.9 47.5	91.2 31.3
407	R11Y_062_062a	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.239	32.1 49.6 12.8	51.3 14.4	0.625 0.0 0.25	31.5 56.2 10.9	57.2 11.0 6.7	367	1.0 0.0 0.383	51.4 79.5 20.4	82.1 14.4
408	B69R_062_062a	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.385	33.0 52.2 -7.1	52.7 352.1	0.625 0.0 0.375	32.4 58.6 -7.7	59.1 352.5 6.4	352	1.0 0.0 0.616	52.9 83.6 -11.4	84.3 352.1
409	B59R_062_062a	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.51	34.3 55.5 -22.8	60.1 337.6	0.625 0.0 0.5	33.8 62.1 -25.0	67.0 338.0 6.9	339	1.0 0.0 0.816	54.9 88.9 -36.6	96.2 337.6
410	B50R_062_062a	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	35.8 58.9 -36.5	69.3 328.2	0.625 0.0 0.625	35.5 66.4 -41.1	78.1 328.2 8.7	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
411	B42R_075_075a	0.625 0.0 0.75	0.75 0.75 0.375	321	0.637 0.0 0.75	38.4 66.8 -51.4	84.3 322.4	0.625 0.0 0.75	37.6 71.3 -55.9	90.6 321.8 6.4	322	0.85 0.0 1.0	51.2 89.1 -68.5	112.4 322.4
412	B36R_087_087a	0.625 0.0 0.875	0.875 0.875 0.437	314	0.641 0.0 0.875	40.8 74.7 -66.6	100.1 318.3	0.625 0.0 0.875	40.0 76.7 -69.8	103.7 31.7 3.8	315	0.733 0.0 1.0	46.6 85.4 -76.1	114.4 318.3
413	B31R_100_100a	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	43.0 82.7 -82.2	116.6 315.1	0.625 0.0 1.0	42.7 82.5 -82.8	116.8 314.8 0.6	308	0.633 0.0 1.0	43.0 82.7 -82.2	116.6 315.1
414	R18Y_062_062a	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.114 0.0	32.9 44.0 40.9	60.1 42.8	0.625 0.125 0.0	32.8 48.2 45.9	66.6 43.6 6.5	39	1.0 0.183 0.0	52.7 70.5 65.5	96.2 42.8
415	R00Y_062_050a	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.125	37.1 38.4 32.2	50.2 40.0	0.625 0.125 0.125	33.0 48.8 32.2	58.5 33.3 11.1	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
416	R26Y_062_050a	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.241	37.3 39.0 20.6	44.1 27.8	0.625 0.125 0.25	33.5 50.4 13.6	52.2 15.1 13.9	377	1.0 0.0 0.233	50.8 78.0 41.2	88.2 27.8
417	R00Y_062_050a	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.375	37.9 40.5 2.0	40.6 2.9	0.625 0.125 0.375	34.4 53.1 -4.8	53.3 35.4 14.7	360	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9
418	B61R_062_050a	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.508	39.1 43.6 -15.3	46.2 340.6	0.625 0.125 0.5	35.6 56.7 -22.2	60.9 338.6 15.2	342	1.0 0.0 0.766	54.4 87.3 -30.6	92.5 340.6
419	B50R_062_050a	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	40.5 47.1 -29.2	55.4 328.2	0.625 0.125 0.625	37.3 61.3 -38.3	72.3 32.7 17.2	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
420	B40R_075_062a	0.625 0.125 0.75	0.75 0.625 0.375	319	0.635 0.125 0.75	43.1 55.0 -44.2	70.6 321.2	0.625 0.125 0.75	39.2 66.6 53.4	85.3 32.1 15.2	320	0.816 0.0 1.0	49.8 88.1 -70.7	113.0 321.2
421	B34R_087_075a	0.625 0.125 0.875	0.875 0.75 0.5	311	0.637 0.125 0.875	45.5 63.1 -59.4	86.6 316.7	0.625 0.125 0.875	41.5 72.3 -67.4	98.9 31.70 12.9	311	0.683 0.0 1.0	44.8 84.1 -79.2	115.5 316.7
422	B29R_100_087a	0.625 0.125 1.0	1.0 0.875 0.562	305	0.635 0.125 1.0	48.0 71.4 -74.4	103.2 313.8	0.625 0.125 1.0	44.0 78.4 -80.5	112.4 31.42 10.1	305	0.583 0.0 1.0	41.3 81.6 -85.1	117.9 313.8
423	R38Y_062_062a	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.239 0.0	36.6 34.0 42.6	54.6 51.3	0.625 0.25 0.0	37.4 35.7 48.5	60.2 53.5 6.1	52	1.0 0.383 0.0	58.5 54.5 68.2	87.3 51.3
424	R23Y_062_050a	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.241 0.125	38.8 33.8 32.9	47.2 44.2	0.625 0.25 0.125	37.6 36.4 36.8	51.8 45.2 4.8	42	1.0 0.233 0.0	53.7 67.6 65.8	94.4 44.2
425	R00Y_062_037a	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.25	42.7 28.8 24.2	37.6 40.0	0.625 0.25 0.25	38.0 38.2 19.6	42.9 27.1 11.4	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
426	R18Y_062_037a	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.368	43.0 29.6 11.1	31.7 20.6	0.625 0.25 0.375	38.7 41.1 1.5	41.1 21.1 15.5	371	1.0 0.0 0.316	51.1 79.1 29.7	84.5 20.6
427	B65R_062_037a	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.506	43.9 32.0 -7.4	32.9 346.8	0.625 0.25 0.5	39.8 45.1 -15.7	47.8 340.7 16.0	348	1.0 0.0 0.683	53.5 85.4 -19.9	87.7 346.8
428	B50R_062_037a	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	45.3 35.3 -21.9	41.6 328.2	0.625 0.25 0.625	41.2 50.2 -32.1	59.6 32.74 18.5	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
429	B38R_075_050a	0.625 0.25 0.75	0.75 0.5 0.5	316	0.633 0.25 0.75	47.8 43.2 -37.0	56.9 319.4	0.625 0.25 0.75	42.9 56.0 -47.4	73.4 31.97 17.2	317	0.766 0.0 1.0	47.9 86.4 -74.0	113.8 319.4
430	B30R_087_062a	0.625 0.25 0.875	0.875 0.625 0.562	307	0.635 0.25 0.875	50.3 51.4 -52.0	73.1 314.6	0.625 0.25 0.875	44.9 62.4 -61.8	87.9 31.52 15.7	307	0.616 0.0 1.0	42.4 82.3 -83.2	117.0 314.6
431	B25R_100_075a	0.625 0.25 1.0	1.0 0.75 0.625	300	0.625 0.25 1.0	52.8 59.8 -67.2	90.0 311.6	0.625 0.25 1.0	47.2 69.2 -75.4	102.3 31.25 13.5	300	0.5 0.0 1.0	38.5 79.8 -89.7	120.0 311.6
432	R61Y_062_062a	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.385 0.0	43.5 16.7 46.8	49.7 70.2	0.625 0.375 0.0	44.1 19.3 52.4	55.9 69.7 6.2	67	1.0 0.616 0.0	69.6 26.8 74.8	79.5 70.2
433	R50Y_062_050a	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.375 0.125	43.7 20.6 35.5	41.1 59.7	0.625 0.375 0.125	44.2 20.0 43.2	47.6 65.1 7.7	59	1.0 0.5 0.0	63.6 41.3 71.0	82.2 59.7
434	R31Y_062_037a	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.368 0.25	44.9 22.7 25.2	33.9 47.9	0.625 0.375 0.25	44.5 21.8 27.8	35.4 51.9 2.8	48	1.0 0.316 0.0	56.2 60.6 67.2	90.5 47.9
435	R00Y_062_025a	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	48.4 19.2 16.1	25.1 40.0	0.625 0.375 0.375	45.1 24.9 10.6	27.0 23.1 8.5	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
436	R00Y_062_025a	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.5	48.7 20.2 1.0	20.3 2.9	0.625 0.375 0.5	46.0 29.2 -6.4	29.9 34.75 11.9	360	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9
437	B50R_062_025a	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	50.1 23.5 -14.6	27.7 328.2	0.625 0.375 0.625	47.1 34.6 -22.9	41.5 32.65 14.1	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
438	B34R_075_037a	0.625 0.375 0.75	0.75 0.375 0.562	311	0.631 0.375 0.75	52.5 31.5 -29.7	43.3 316.7	0.625 0.375 0.75	48.5 40.9 -38.5	56.2 31.67 13.5	311	0.683 0.0 1.0	44.8 84.1 -79.2	115.5 316.7
439	B25R_087_050a	0.625 0.375 0.875	0.875 0.5 0.625	300	0.625 0.375 0.875	55.0 39.9 -44.8	60.0 311.6	0.625 0.375 0.875	50.2 47.9 -53.3	71.7 31.9 12.6	300	0.5 0.0 1.0	38.5 79.8 -89.7	120.0 311.6
440	B19R_100_062a	0.625 0.375 1.0	1.0 0.625 0.687	293	0.614 0.375 1.0	57.8 48.8 -59.4	76.9 309.3	0.625 0.375 1.0	52.1 55.3 -67.3	87.1 30.94 11.7	292	0.383 0.0 1.0	35.3 78.1 -95.1	123.0 309.3
441	R81Y_062_062a	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.51 0.0	50.8 1.0 51.8	51.8 88.7	0.625 0.5 0.0	51.9 1.9 57.7	57.8 88.0 6.0	80	1.0 0.816 0.0	81.2 1.7 82.9	83.0 88.7
442	R76Y_062_050a	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.508 0.125	51.0 3.9 40.3	40.5 84.4	0.625 0.5 0.125	52.0 2.6 50.5	50.6 86.9 10.3	77	1.0 0.766 0.0	78.2 7.8 80.6	81.0 84.4
443	R68Y_062_037a	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.506 0.25	51.3 6.9 29.1	29.9 76.5	0.625 0.5 0.25	52.3 4.4 37.1	37.4 83.2 8.4	71	1.0 0.683 0.0	73.4 18.5 77.6	79.8 76.5
444	R50Y_062_025a	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.5 0.375	51.6 10.3 17.7	20.5 59.7	0.625 0.5 0.375	52.8 7.4 21.1	22.3 70.5 4.5	59	1.0 0.5 0.0	63.6 41.3 71.0	82.2 59.7

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md
486	R00Y_075_075a	0.75 0.0 0.0	0.75 0.75 0.375	390	0.75 0.0 0.0	37.8 57.8 48.4	75.3 40.0	0.75 0.0 0.0	37.5 61.9 80.8	39.9 5.5 389	1.0 0.0 0.0	50.4 76.9 64.5
487	R35Y_075_075a	0.75 0.0 0.125	0.75 0.75 0.375	381	0.75 0.0 0.112	37.9 58.2 38.8	69.9 33.6	0.75 0.0 0.125	37.7 62.4 38.9	73.5 31.9 4.2	0.0 0.15 589	50.6 77.6 51.7
488	R18Y_075_075a	0.75 0.0 0.25	0.75 0.75 0.375	371	0.75 0.0 0.237	38.3 59.3 22.3	63.4 20.6	0.75 0.0 0.25	38.1 63.5 20.8	66.9 18.1 4.4	0.0 0.316 371	51.1 79.1 29.7
489	R00Y_075_075a	0.75 0.0 0.375	0.75 0.75 0.375	360	0.75 0.0 0.375	39.0 60.8 3.1	60.9 2.9	0.75 0.0 0.375	38.8 65.5 2.4	65.5 2.1 4.6	0.0 0.5 52.0	81.1 4.1 81.2
490	B65R_075_075a	0.75 0.0 0.5	0.75 0.75 0.375	349	0.75 0.0 0.512	40.1 64.1 -14.9	65.8 346.8	0.75 0.0 0.5	39.9 68.2 -15.1	69.9 347.4 4.1	0.0 0.683 53.5	85.4 -19.9 87.7
491	B57R_075_075a	0.75 0.0 0.625	0.75 0.75 0.375	339	0.75 0.0 0.637	41.5 67.3 -30.5	73.9 335.5	0.75 0.0 0.625	41.3 71.8 -31.6	78.4 336.2 4.5	0.0 0.85 55.3	89.8 -40.7 98.6
492	B50R_075_075a	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	42.9 70.7 -43.8	83.2 328.2	0.75 0.0 0.75	43.0 76.0 -47.0	89.4 328.2 6.1	0.0 1.0 33.0	94.3 -58.4 110.9
493	B43R_087_087a	0.75 0.0 0.875	0.875 0.875 0.437	322	0.758 0.0 0.875	43.5 78.4 -59.0	98.1 323.0	0.75 0.0 0.875	45.0 80.7 -61.5	101.5 32.6 3.4	0.0 0.866 51.8	89.6 -67.4 112.1
494	B38R_100_100a	0.75 0.0 1.0	1.0 1.0 0.5	316	0.766 0.0 1.0	47.9 86.4 -74.0	113.8 319.4	0.75 0.0 1.0	47.2 85.8 -75.1	114.1 318.8 1.3	0.0 0.766 51.7	86.4 -74.0 113.8
495	R15Y_075_075a	0.75 0.125 0.0	0.75 0.75 0.375	399	0.75 0.112 0.0	39.0 54.3 48.9	73.1 41.9	0.75 0.125 0.0	39.1 57.3 52.5	77.8 42.5 4.7	0.0 0.15 317	72.4 65.2 97.4
496	R00Y_075_062a	0.75 0.125 0.125	0.75 0.625 0.437	390	0.75 0.125 0.125	43.4 48.0 40.3	62.7 40.0	0.75 0.125 0.125	39.3 57.8 40.4	70.6 34.9 10.6	0.0 0.0 389	50.4 76.9 64.5
497	R31Y_075_062a	0.75 0.125 0.25	0.75 0.625 0.437	379	0.75 0.125 0.239	43.6 48.7 29.7	57.0 31.3	0.75 0.125 0.25	39.7 59.0 22.8	63.3 21.1 12.9	0.0 0.183 50.7	77.9 47.5 91.2
498	R11Y_075_062a	0.75 0.125 0.375	0.75 0.625 0.437	367	0.75 0.125 0.364	44.0 49.6 12.8	51.3 14.4	0.75 0.125 0.375	40.3 61.0 4.6	61.2 4.3 14.5	0.0 0.383 51.4	79.5 20.4 82.1
499	B69R_075_062a	0.75 0.125 0.5	0.75 0.625 0.437	353	0.75 0.125 0.51	45.0 52.2 -7.1	52.7 352.1	0.75 0.125 0.5	41.4 64.0 -12.9	65.2 348.5 13.5	0.0 0.616 52.9	83.6 -11.4 84.3
500	B59R_075_062a	0.75 0.125 0.625	0.75 0.625 0.437	341	0.75 0.125 0.635	46.2 55.9 -22.8	60.1 337.6	0.75 0.125 0.625	42.7 67.7 -29.4	73.8 336.4 14.2	0.0 0.816 54.9	88.9 -36.6 96.2
501	B50R_075_062a	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	47.7 58.9 -36.5	69.3 328.2	0.75 0.125 0.75	44.3 72.1 -44.9	84.9 328.0 15.9	0.0 1.0 57.2	94.3 -58.4 110.9
502	B42R_087_075a	0.75 0.125 0.875	0.875 0.75 0.5	321	0.762 0.125 0.875	50.3 66.8 -51.4	84.3 322.4	0.75 0.125 0.875	46.2 77.0 -59.5	97.3 322.3 13.6	0.0 0.816 51.2	89.1 -68.5 112.4
503	B36R_100_087a	0.75 0.125 1.0	1.0 0.875 0.562	314	0.766 0.125 1.0	52.7 74.7 -66.6	100.1 318.3	0.75 0.125 1.0	48.4 82.4 -73.2	110.2 318.3 10.9	0.0 0.733 51.7	85.4 -76.1 114.4
504	R31Y_075_075a	0.75 0.25 0.0	0.75 0.75 0.375	49	0.75 0.237 0.0	42.2 45.5 50.4	67.9 47.9	0.75 0.25 0.0	42.8 47.1 54.2	71.8 49.0 4.2	0.0 0.316 51.7	50.6 77.6 51.7
505	R18Y_075_062a	0.75 0.25 0.125	0.75 0.625 0.437	41	0.75 0.239 0.125	44.8 44.0 40.9	60.1 42.8	0.75 0.25 0.125	42.9 47.6 43.8	64.7 42.6 4.9	0.0 0.183 51.7	70.5 65.5 96.2
506	R00Y_075_050a	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	49.0 38.4 32.2	50.2 40.0	0.75 0.25 0.25	43.3 48.9 27.4	56.0 29.2 12.8	0.0 0.0 389	50.4 76.9 64.5
507	R26Y_075_050a	0.75 0.25 0.375	0.75 0.5 0.5	376	0.75 0.25 0.366	49.2 39.0 20.6	44.1 27.8	0.75 0.25 0.375	43.9 51.1 9.6	52.0 10.6 17.1	0.0 0.233 50.8	78.0 41.2 88.2
508	R00Y_075_050a	0.75 0.25 0.5	0.75 0.5 0.5	360	0.75 0.25 0.5	49.8 40.5 2.0	40.6 2.9	0.75 0.25 0.5	44.8 54.3 -7.7	54.8 35.1 17.6	0.0 0.0 52.0	81.1 4.1 81.2
509	B61R_075_050a	0.75 0.25 0.625	0.75 0.5 0.5	344	0.75 0.25 0.633	51.0 43.6 -15.3	46.2 340.6	0.75 0.25 0.625	46.0 58.3 -24.3	63.1 337.3 17.9	0.0 0.0 766	87.3 -30.6 92.5
510	B50R_075_050a	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	52.5 47.1 -29.2	55.4 328.2	0.75 0.25 0.75	47.5 63.1 -39.9	74.6 327.6 19.8	0.0 0.0 57.2	94.3 -58.4 110.9
511	B40R_087_062a	0.75 0.25 0.875	0.875 0.562 0.319	319	0.76 0.25 0.875	55.0 55.0 -44.2	70.6 321.2	0.75 0.25 0.875	49.2 68.4 -54.7	87.6 321.3 18.0	0.0 0.816 51.7	88.1 -70.7 113.0
512	B34R_100_075a	0.75 0.25 1.0	1.0 0.75 0.625	311	0.762 0.25 1.0	57.4 63.1 -59.4	86.6 316.7	0.75 0.25 1.0	51.2 74.3 -68.7	101.2 317.2 15.8	0.0 0.683 51.7	84.8 -79.2 115.5
513	R50Y_075_075a	0.75 0.375 0.0	0.75 0.75 0.375	60	0.75 0.375 0.0	47.7 31.0 53.2	61.6 59.7	0.75 0.375 0.0	48.5 32.5 57.4	65.9 60.4 4.4	0.0 0.5 59	63.6 41.3 71.0
514	R38Y_075_062a	0.75 0.375 0.125	0.75 0.625 0.437	53	0.75 0.364 0.125	48.5 34.0 42.6	54.6 51.3	0.75 0.375 0.125	48.6 33.0 48.8	59.0 55.9 6.2	0.0 0.383 51.7	58.5 64.5 87.3
515	R23Y_075_050a	0.75 0.375 0.25	0.75 0.5 0.5	44	0.75 0.366 0.25	50.7 33.8 32.9	47.2 44.2	0.75 0.375 0.25	48.9 34.4 34.1	48.4 44.7 2.2	0.0 0.233 51.7	67.6 65.8 94.4
516	R00Y_075_037a	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	54.7 28.8 24.2	37.6 40.0	0.75 0.375 0.375	49.4 36.7 17.1	40.5 25.0 11.8	0.0 0.0 389	50.4 76.9 64.5
517	R18Y_075_037a	0.75 0.375 0.5	0.75 0.375 0.562	371	0.75 0.375 0.493	54.9 29.6 11.1	31.7 20.6	0.75 0.375 0.5	50.1 40.1 0.1	40.1 0.1 15.9	0.0 0.316 51.7	51.1 79.1 29.7
518	B65R_075_037a	0.75 0.375 0.625	0.75 0.375 0.562	349	0.75 0.375 0.631	55.8 32.0 -7.4	32.9 346.8	0.75 0.375 0.625	51.1 44.4 -16.4	47.4 339.7 16.0	0.0 0.683 53.5	85.4 -19.9 87.7
519	B50R_075_037a	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	57.2 35.3 -21.9	41.6 328.2	0.75 0.375 0.75	52.4 49.6 -32.2	59.1 327.0 18.2	0.0 0.0 330	94.3 -58.4 110.9
520	B38R_087_050a	0.75 0.375 0.875	0.875 0.5 0.625	316	0.758 0.375 0.875	59.7 43.2 -37.0	56.9 319.4	0.75 0.375 0.875	53.9 55.4 -47.2	72.8 319.5 16.9	0.0 0.766 51.7	86.4 -74.0 113.8
521	B30R_100_062a	0.75 0.375 1.0	1.0 0.625 0.687	307	0.76 0.375 1.0	62.2 51.4 -52.0	73.1 314.6	0.75 0.375 1.0	55.6 61.8 -61.5	87.2 315.1 15.5	0.0 0.616 51.7	82.4 82.3 -83.2
522	R68Y_075_075a	0.75 0.5 0.0	0.75 0.75 0.375	71	0.75 0.512 0.0	55.0 13.8 58.2	59.8 76.5	0.75 0.5 0.0	55.4 15.9 61.8	67.8 75.5 4.1	0.0 0.683 51.7	73.4 18.5 77.6
523	R61Y_075_062a	0.75 0.5 0.125	0.75 0.625 0.437	67	0.75 0.51 0.125	55.4 16.7 46.8	49.7 70.2	0.75 0.5 0.125	55.5 16.4 54.9	57.3 73.3 8.1	0.0 0.616 51.7	69.6 26.8 74.8
524	R50Y_075_050a	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.5 0.25	55.6 20.6 35.5	41.1 59.7	0.75 0.5 0.25	55.8 17.8 42.0	45.6 66.9 7.1	0.0 0.5 59	63.6 41.3 71.0
525	R31Y_075_037a	0.75 0.5 0.375	0.75 0.375 0.562	49	0.75 0.493 0.375	60.7 25.2 33.9	47.9 40.0	0.75 0.5 0.375	56.2 20.2 26.2	33.1 52.3 2.7	0.0 0.316 51.7	56.2 60.6 67.2
526	R00Y_075_025a	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	63.8 19.2 16.1	25.1 40.0	0.75 0.5 0.5	56.8 23.7 9.7	25.6 22.2 8.5	0.0 0.0 389	50.4 76.9 64.5
527	R00Y_075_025a	0.75 0.5 0.625	0.75 0.25 0.625	360	0.75 0.5 0.625	60.7 20.2 1.0	20.3 2.9	0.75 0.5 0.625	57.6 28.2 -6.6	28.9 346.7 11.4	0.0 0.0 52.0	81.1 4.1 81.2
528	B50R_075_025a	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	62.0 23.5 -14.6	27.7 328.2	0.75 0.5 0.75	58.7 33.5 -22.4	40.4 326.2 13.1	0.0 0.0 330	94.3 -58.4 110.9
529	B34R_087_037a	0.75 0.5 0.875	0.875 0.375 0.687	311	0.756 0.5 0.875	64.5 31.5 -29.7	43.3 316.7	0.75 0.5 0.875	60.0 39.7 -37.6	54.7 316.5 12.2	0.0 0.683 51.7	84.8 -79.2 115.5
530	B25R_100_050a	0.75 0.5 1.0	1.0 0.5 0.75	300	0.75 0.5 1.0	67.0 39.9 -44.8	60.0 311.6	0.75 0.5 1.0				

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC_Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md		
567	R00Y_087_087a	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.0	44.1 67.3 56.4	87.8 40.0	0.875 0.0 0.0	44.1 69.5 58.3	90.8 39.9 2.9	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
568	R36Y_087_087a	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.116	44.2 67.7 47.1	82.5 34.8	0.875 0.0 0.125	44.2 69.9 47.2	84.3 34.0 2.2	382	1.0 0.0 0.133	50.6 77.3 53.9	94.3 34.8
569	R23Y_087_087a	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.233	44.5 68.5 32.2	75.7 25.1	0.875 0.0 0.25	44.5 70.8 30.2	77.0 23.1 2.9	375	1.0 0.0 0.266	50.9 78.3 36.8	86.6 25.1
570	R08Y_087_087a	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.364	45.1 70.2 13.8	71.6 11.1	0.875 0.0 0.375	45.1 72.4 12.2	73.4 9.5 2.6	365	1.0 0.0 0.416	51.5 80.3 15.8	81.6 11.1
571	B70R_087_087a	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.51	46.1 72.8 -6.0	73.0 355.2	0.875 0.0 0.5	46.0 74.6 -5.3	74.8 355.8 1.9	354	1.0 0.0 0.583	52.7 83.2 -6.9	83.5 355.2
572	B63R_087_087a	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.641	47.2 75.6 -23.1	79.1 342.9	0.875 0.0 0.625	47.1 77.6 -22.1	80.7 344.0 2.2	344	1.0 0.0 0.733	54.0 86.5 -26.4	90.4 342.9
573	B56R_087_087a	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.758	48.6 78.8 -37.5	87.3 334.5	0.875 0.0 0.75	48.5 81.2 -37.9	89.6 334.9 2.3	337	1.0 0.0 0.866	55.5 90.1 -42.8	99.8 334.5
574	B50R_087_087a	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	50.1 82.5 -51.1	97.1 328.2	0.875 0.0 0.875	50.2 85.3 -52.8	100.3 328.2 3.2	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
575	B44R_100_100a	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	52.5 90.1 -66.3	111.9 323.6	0.875 0.0 1.0	52.1 89.8 -66.9	112.0 323.3 0.7	323	0.883 0.0 1.0	52.5 90.1 -66.3	111.9 323.6
576	R13Y_087_087a	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.116 0.0	45.2 64.2 56.9	85.8 41.5	0.875 0.125 0.0	45.3 65.8 58.8	88.3 41.7 2.5	37	1.0 0.133 0.0	51.7 73.4 65.0	98.0 41.5
577	R00Y_087_075a	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.125	49.7 57.7 48.4	75.3 40.0	0.875 0.125 0.125	45.5 66.2 48.3	81.9 36.0 9.5	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
578	R35Y_087_075a	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.237	49.9 58.2 38.8	69.9 33.6	0.875 0.125 0.25	45.8 67.1 31.8	74.3 25.3 12.0	382	1.0 0.0 0.15	50.6 77.6 51.7	93.3 33.6
579	R18Y_087_075a	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.362	50.2 59.3 22.3	63.4 20.6	0.875 0.125 0.375	46.4 68.8 13.9	70.2 11.4 13.2	371	1.0 0.0 0.316	51.1 79.1 29.7	84.5 20.6
580	R00Y_087_075a	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.5	50.9 60.8 3.1	60.9 2.9	0.875 0.125 0.5	47.2 71.1 -3.6	71.2 357.1 12.8	365	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9
581	B34R_087_075a	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.637	52.1 64.1 -14.9	65.8 346.8	0.875 0.125 0.625	48.3 74.2 -20.3	76.9 344.6 12.0	349	1.0 0.0 0.683	53.5 85.8 -19.9	89.6 346.8
582	B57R_087_075a	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.762	53.4 67.3 -30.5	73.9 335.5	0.875 0.125 0.75	49.6 77.9 -36.1	85.9 335.1 12.5	337	1.0 0.0 0.85	55.3 89.8 -40.7	98.6 335.5
583	B50R_087_075a	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	54.9 70.7 -43.8	83.2 328.2	0.875 0.125 0.875	51.3 82.1 -51.1	96.7 328.1 14.0	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
584	B43R_100_087a	0.875 0.125 1.0	1.0 0.875 0.562	322	0.883 0.125 1.0	57.3 78.4 -59.0	98.1 323.0	0.875 0.125 1.0	53.1 86.9 -65.3	108.7 323.0 11.3	322	0.866 0.0 1.0	51.8 89.6 -67.4	112.1 323.0
585	R26Y_087_087a	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.233 0.0	47.8 57.0 58.0	81.3 45.5	0.875 0.25 0.0	48.4 57.3 60.1	83.0 46.3 2.1	44	1.0 0.266 0.0	54.6 65.1 66.3	93.0 45.5
586	R15Y_087_075a	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.237 0.125	50.9 54.3 48.9	73.1 41.9	0.875 0.25 0.125	48.5 57.7 50.8	76.9 41.3 4.5	37	1.0 0.15 0.0	52.0 72.4 65.2	97.4 41.9
587	R00Y_087_062a	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	55.4 48.0 40.3	62.7 40.0	0.875 0.25 0.25	48.8 58.7 35.3	68.5 31.0 13.4	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
588	R31Y_087_062a	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.364	55.5 48.7 29.7	57.0 31.3	0.875 0.25 0.375	49.3 60.4 17.9	63.0 16.5 17.7	380	1.0 0.0 0.183	50.7 77.9 47.5	91.2 31.3
589	R11Y_087_062a	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.489	55.9 49.6 12.8	51.3 14.4	0.875 0.25 0.5	50.1 63.0 0.6	63.0 0.5 18.9	367	1.0 0.0 0.383	51.4 79.5 20.4	82.1 14.4
590	B69R_087_062a	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.635	56.9 52.2 -7.1	52.7 352.1	0.875 0.25 0.625	51.1 66.2 -16.0	68.1 346.3 17.5	352	1.0 0.0 0.616	52.9 83.6 -11.4	84.3 352.1
591	B59R_087_062a	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.76	58.2 55.5 -22.8	60.1 337.6	0.875 0.25 0.75	52.3 70.2 -31.9	77.1 335.5 18.1	339	1.0 0.0 0.816	54.9 88.9 -36.6	96.2 337.6
592	B50R_087_062a	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	58.9 -36.5 69.3	328.2 87.3	0.875 0.25 0.875	53.8 74.7 -47.0	88.3 327.8 19.8	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
593	B42R_100_075a	0.875 0.25 1.0	1.0 0.75 0.625	321	0.887 0.25 1.0	62.2 66.8 -51.4	84.3 32.4	0.875 0.25 1.0	55.6 79.8 -61.3	100.7 322.4 17.6	322	0.85 0.0 1.0	51.2 89.1 -68.5	112.4 322.4
594	R41Y_087_087a	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.364 0.0	52.5 44.4 60.6	75.1 53.7	0.875 0.375 0.0	53.2 44.5 62.6	76.8 54.5 2.1	54	1.0 0.416 0.0	60.0 50.7 69.3	85.9 53.7
595	R31Y_087_075a	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.362 0.125	54.1 45.5 50.4	67.9 47.9	0.875 0.375 0.125	53.3 44.9 54.7	70.8 50.6 4.4	48	1.0 0.316 0.0	56.2 60.6 67.2	90.5 47.9
596	R18Y_087_062a	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.364 0.25	56.8 44.0 40.9	60.1 42.8	0.875 0.375 0.25	53.5 45.9 40.7	61.4 41.5 3.7	39	1.0 0.183 0.0	52.7 70.5 65.5	96.2 42.8
597	R00Y_087_050a	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	61.0 38.4 32.2	50.2 40.0	0.875 0.375 0.375	54.0 47.8 24.1	53.6 26.8 14.2	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
598	R26Y_087_050a	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.491	61.1 39.0 20.6	44.1 27.8	0.875 0.375 0.5	54.6 50.5 7.2	51.0 8.1 18.8	377	1.0 0.0 0.233	50.8 78.0 41.2	88.2 27.8
599	R00Y_087_050a	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.625	61.8 40.5 2.0	40.6 2.9	0.875 0.375 0.625	55.5 54.0 -9.3	54.8 350.2 18.7	360	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9
600	B61R_087_050a	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.758	62.9 43.6 -15.3	46.2 340.6	0.875 0.375 0.75	56.6 58.3 -25.2	63.5 336.5 18.7	342	1.0 0.0 0.766	54.4 87.3 -30.6	92.5 340.6
601	B50R_087_050a	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	64.4 47.1 -29.2	55.4 328.2	0.875 0.375 0.875	58.0 63.2 -40.5	75.0 327.3 20.6	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2
602	B40R_100_062a	0.875 0.375 1.0	1.0 0.625 0.687	319	0.885 0.375 1.0	66.9 55.0 -44.2	70.6 321.2	0.875 0.375 1.0	59.5 68.6 -55.0	88.0 321.2 18.8	320	0.816 0.0 1.0	49.8 88.1 -70.7	113.0 321.2
603	R58Y_087_087a	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.51 0.0	59.4 27.1 64.8	70.2 67.2	0.875 0.5 0.0	59.4 29.0 66.2	72.3 66.2 2.4	65	1.0 0.583 0.0	67.9 31.0 74.0	80.3 67.2
604	R50Y_087_075a	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.5 0.125	59.6 31.0 53.2	61.6 59.7	0.875 0.5 0.125	59.4 29.5 59.8	66.7 63.7 6.7	59	1.0 0.5 0.0	63.6 41.3 71.0	82.2 59.7
605	R38Y_087_062a	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.489 0.25	60.4 34.0 42.6	54.6 51.3	0.875 0.5 0.25	59.7 30.6 47.4	56.4 57.1 5.9	52	1.0 0.383 0.0	58.5 54.5 68.2	87.3 51.3
606	R23Y_087_050a	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.491 0.375	62.6 33.8 32.9	47.2 44.2	0.875 0.5 0.375	60.0 32.5 31.9	45.6 44.4 3.0	42	1.0 0.233 0.0	53.7 67.6 65.8	84.4 44.2
607	R00Y_087_037a	0.875 0.5 0.5												

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 24/29

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

	HIC* _{Fd}	rgb_Fd	ict_Fd	hsi_Fd	rgb* _{Fd}	LabCh* _{Fd}		rgb* _{Fd}	LabCh* _{Fd}	DE* _{Fd}	hsi_d	rgb* _{Md}	LabCh* _{Md}	
648	R00Y_100_100a	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0	1.0 0.0 0.0	50.4 76.9 64.5	100.4 39.9 0.0	389	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40.0
649	R38Y_100_100a	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.116	50.5 77.2 55.6	95.1 35.7	1.0 0.0 0.125	50.6 77.2 54.9	94.8 35.4 0.6	383	1.0 0.0 0.116	50.5 77.2 55.6	95.1 35.7
650	R26Y_100_100a	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.233	50.8 78.0 41.2	88.2 27.8	1.0 0.0 0.25	50.8 77.9 39.2	87.2 26.6 2.0	377	1.0 0.0 0.233	50.8 78.0 41.2	88.2 27.8
651	R13Y_100_100a	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.366	51.3 79.3 22.7	82.5 16.0	1.0 0.0 0.375	51.3 79.2 21.6	82.1 15.2 1.1	368	1.0 0.0 0.366	51.3 79.3 22.7	82.5 16.0
652	R00Y_100_100a	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9 0.0	360	1.0 0.0 0.5	52.0 81.1 4.1	81.2 2.9
653	B68R_100_100a	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.633	53.0 83.9	-13.6 85.0 350.7	1.0 0.0 0.625	53.0 83.6	-12.6 84.6 351.4	1.0 351	1.0 0.0 0.633	53.0 83.9	-13.6 85.0 350.7
654	B61R_100_100a	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.766	54.4 87.3	-30.6 92.5 340.6	1.0 0.0 0.75	54.2 86.7	-28.6 91.3 341.6 2.0	342	1.0 0.0 0.766	54.4 87.3	-30.6 92.5 340.6
655	B55R_100_100a	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.883	55.7 90.6	-44.8 101.1 333.6	1.0 0.0 0.875	55.6 90.3	-43.9 100.4 334.0 0.9	336	1.0 0.0 0.883	55.7 90.6	-44.8 101.1 333.6
656	B50R_100_100a	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	57.2 94.3	-58.4 110.9 328.2	1.0 0.0 1.0	57.2 94.3	-58.4 111.0 328.2 0.0	330	1.0 0.0 1.0	57.2 94.3	-58.4 110.9 328.2
657	R11Y_100_100a	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.116 0.0	51.4 74.1	64.9 98.5 41.2	1.0 0.125 0.0	51.5 73.9	64.9 98.3 41.3 0.2	36	1.0 0.116 0.0	51.4 74.1	64.9 98.5 41.2
658	R00Y_100_087a	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.125	56.1 67.3	56.4 87.8 40.0	1.0 0.125 0.125	51.6 74.2	55.7 92.8 36.9 8.2	389	1.0 0.0 0.0	50.4 76.9	64.5 100.4 40.0
659	R36Y_100_087a	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.241	56.2 67.7	47.1 82.5 34.8	1.0 0.125 0.25	51.9 74.9	40.3 85.1 28.3 10.8	382	1.0 0.0 0.133	50.6 77.3	53.9 94.3 34.8
660	R23Y_100_087a	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.358	56.4 68.5	32.2 75.7 25.1	1.0 0.125 0.375	52.3 76.3	23.0 79.7 16.7 12.7	375	1.0 0.0 0.266	50.9 78.3	36.8 86.6 25.1
661	R08Y_100_087a	1.0 0.125 0.5	1.0 0.875 0.562	365	1.0 0.125 0.489	57.0 70.2	13.8 71.6 11.1	1.0 0.125 0.5	53.0 78.2	5.6 78.4 4.1 12.1	365	1.0 0.0 0.416	51.5 80.3	15.8 81.8 11.1
662	B70R_100_087a	1.0 0.125 0.625	1.0 0.875 0.562	355	1.0 0.125 0.635	58.0 72.8	-6.0 73.0 355.2	1.0 0.125 0.625	53.9 80.8	-11.1 81.5 352.1 10.3	354	1.0 0.0 0.583	52.7 83.2	-6.9 83.5 355.2
663	B63R_100_087a	1.0 0.125 0.75	1.0 0.875 0.562	346	1.0 0.125 0.766	59.2 75.6	-23.1 79.1 342.9	1.0 0.125 0.75	55.1 83.9	-27.2 88.2 342.0 10.0	344	1.0 0.0 0.733	54.0 86.5	-26.4 90.4 342.9
664	B56R_100_087a	1.0 0.125 0.875	1.0 0.875 0.562	338	1.0 0.125 0.883	60.5 78.8	-37.5 87.3 334.5	1.0 0.125 0.875	56.5 87.6	-42.5 97.4 334.1 10.8	337	1.0 0.0 0.866	55.5 90.1	-42.8 99.8 334.5
665	B50R_100_087a	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	62.0 82.5	-51.1 97.1 328.2	1.0 0.125 1.0	58.1 91.8	-57.0 108.0 328.1 11.6	330	1.0 0.0 1.0	57.2 94.3	-58.4 110.9 328.2
666	R23Y_100_100a	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	53.7 67.6	65.8 94.4 44.2	1.0 0.25 0.0	54.0 66.7	65.9 93.8 44.6 1.0	42	1.0 0.233 0.0	53.7 67.6	65.8 94.4 44.2
667	R13Y_100_087a	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.241 0.125	57.1 64.2	56.9 85.8 41.5	1.0 0.25 0.125	54.1 67.0	57.6 88.4 40.7 4.1	37	1.0 0.133 0.0	51.7 73.4	65.0 98.0 41.5
668	R00Y_100_075a	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	61.7 57.7	48.4 75.3 40.0	1.0 0.25 0.25	54.4 67.8	43.1 80.3 32.4 13.5	389	1.0 0.0 0.0	50.4 76.9	64.5 100.4 40.0
669	R35Y_100_075a	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.362	61.8 58.2	38.8 69.9 33.6	1.0 0.25 0.375	54.8 69.2	26.2 74.0 20.7 18.1	382	1.0 0.0 0.15	50.6 77.6	51.7 93.3 33.6
670	R18Y_100_075a	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.487	62.1 59.3	22.3 63.4 20.6	1.0 0.25 0.5	55.5 71.3	9.0 71.8 7.2 19.0	371	1.0 0.0 0.316	51.1 79.1	29.7 84.5 20.6
671	R00Y_100_075a	1.0 0.25 0.625	1.0 0.75 0.625	360	1.0 0.25 0.625	62.9 60.8	3.1 60.9 2.9	1.0 0.25 0.625	56.3 74.0	-7.6 74.4 354.1 18.1	360	1.0 0.0 0.5	52.0 81.1	4.1 81.2 2.9
672	B65R_100_075a	1.0 0.25 0.75	1.0 0.75 0.625	349	1.0 0.25 0.762	64.0 64.1	-14.9 65.8 346.8	1.0 0.25 0.75	57.4 77.3	-23.6 80.8 342.9 17.1	348	1.0 0.0 0.683	53.5 85.4	-19.9 87.7 346.8
673	B57R_100_075a	1.0 0.25 0.875	1.0 0.75 0.625	339	1.0 0.25 0.887	65.3 67.3	-30.5 73.9 335.5	1.0 0.25 0.875	58.7 81.2	-39.0 90.1 334.3 17.5	337	1.0 0.0 0.85	55.3 89.8	-40.7 98.6 335.5
674	B50R_100_075a	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	66.8 70.7	-43.8 83.2 328.2	1.0 0.25 1.0	60.2 85.6	-53.6 101.0 327.9 18.9	330	1.0 0.0 1.0	57.2 94.3	-58.4 110.9 328.2
675	R36Y_100_100a	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.366 0.0	57.9 56.2	67.9 88.1 50.3	1.0 0.375 0.0	58.2 55.4	67.9 87.7 50.7 0.7	51	1.0 0.366 0.0	57.9 56.2	67.9 88.1 50.3
676	R23Y_100_087a	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.358 0.125	59.7 57.0	58.0 81.3 45.5	1.0 0.375 0.125	58.2 55.8	60.8 82.5 47.4 3.3	44	1.0 0.266 0.0	54.6 65.1	66.3 93.0 45.5
677	R15Y_100_075a	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.362 0.25	62.8 54.3	48.9 73.1 41.9	1.0 0.375 0.25	58.5 56.6	47.5 73.9 39.9 5.1	37	1.0 0.15 0.0	52.0 72.4	65.2 97.4 41.9
678	R00Y_100_062a	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	67.3 48.0	40.3 62.7 40.0	1.0 0.375 0.375	58.9 58.1	31.4 66.1 28.3 15.8	389	1.0 0.0 0.0	50.4 76.9	64.5 100.4 40.0
679	R31Y_100_062a	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.489	67.4 48.7	29.7 57.0 31.3	1.0 0.375 0.5	59.4 60.3	14.6 62.1 13.6 20.6	380	1.0 0.0 0.183	50.7 77.9	47.5 91.2 31.3
680	R11Y_100_062a	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.614	67.9 49.6	12.8 51.3 14.4	1.0 0.375 0.625	60.2 63.2	-1.8 63.2 358.3 21.3	367	1.0 0.0 0.383	51.4 79.5	20.4 82.1 14.4
681	B69R_100_062a	1.0 0.375 0.75	1.0 0.625 0.687	353	1.0 0.375 0.76	68.8 52.2	-7.1 52.7 352.1	1.0 0.375 0.75	61.2 66.7	-17.9 69.1 344.9 19.6	352	1.0 0.0 0.616	52.9 83.6	-11.4 84.3 352.1
682	B59R_100_062a	1.0 0.375 0.875	1.0 0.625 0.687	341	1.0 0.375 0.885	70.1 55.5	-22.8 60.1 337.6	1.0 0.375 0.875	62.4 70.9	-33.3 78.3 348.0 20.0	339	1.0 0.0 0.816	54.9 88.9	-36.6 96.2 337.6
683	B50R_100_062a	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	71.5 58.9	-36.5 69.3 328.2	1.0 0.375 1.0	63.8 75.6	-48.0 89.6 325.5 21.6	330	1.0 0.0 1.0	57.2 94.3	-58.4 110.9 328.2
684	R50Y_100_100a	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	63.6 41.3	71.0 82.2 59.7	1.0 0.5 0.0	63.6 41.3	71.0 82.2 59.7 0.0	59	1.0 0.5 0.0	63.6 41.3	71.0 82.2 59.7
685	R41Y_100_087a	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.489 0.125	64.4 44.4	60.6 75.1 53.7	1.0 0.5 0.125	63.7 41.7	65.0 77.2 57.3 5.1	54	1.0 0.416 0.0	60.0 50.7	69.3 85.9 53.7
686	R31Y_100_075a	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.487 0.25	66.0 45.5	50.4 67.9 47.9	1.0 0.5 0.25	63.9 42.6	53.1 68.1 51.2 4.5	48	1.0 0.316 0.0	56.2 60.6	67.2 90.5 47.9
687	R18Y_100_062a	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.489 0.375	68.7 44.0	40.9 60.1 42.8	1.0 0.5 0.375	64.2 44.1	38.0 58.3 40.7 5.3	39	1.0 0.183 0.0	52.7 70.5	65.5 96.2 42.8
688	R00Y_100_050a	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	72.9 38.4	32.2 50.2 40.0	1.0 0.5 0.5	64.7 46.4	21.9 51.3 25.2 15.4	389	1.0 0.0 0.0	50.4 76.9	64.5 100.4 40.0
689	R26Y_100_050a	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.616	73.1 39.0	20.6 44.1 27.8	1.0 0.5 0.						

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
729	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
730	G50B_100_012d	0.875 1.0 1.0	1.0 0.125 0.937	210	0.875 1.0 1.0	94.3 -5.7 -1.6	6.0 196.3	0.875 1.0 1.0	93.3 -9.7 -3.3	10.3 198.8 4.4	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
731	G50B_100_025d	0.75 1.0 1.0	1.0 0.25 0.875	210	0.75 1.0 1.0	93.2 -11.5 -3.3	12.0 196.3	0.75 1.0 1.0	91.5 -18.9 -6.2	19.9 198.1 8.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
732	G50B_100_037d	0.625 1.0 1.0	1.0 0.375 0.812	210	0.625 1.0 1.0	92.2 -17.3 -5.0	18.0 196.3	0.625 1.0 1.0	90.0 -27.0 -8.5	28.3 197.6 10.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
733	G50B_100_050d	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	91.1 -23.0 -6.7	24.0 196.3	0.5 1.0 1.0	88.8 -33.9 -10.4	35.4 197.1 11.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
734	G50B_100_062d	0.375 1.0 1.0	1.0 0.625 0.687	210	0.375 1.0 1.0	90.0 -28.8 -8.4	30.0 196.3	0.375 1.0 1.0	87.9 -39.3 -11.8	41.0 196.8 11.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
735	G50B_100_075d	0.25 1.0 1.0	1.0 0.75 0.625	210	0.25 1.0 1.0	89.0 -34.6 -10.1	36.1 196.3	0.25 1.0 1.0	87.3 -43.0 -12.8	44.9 196.5 9.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
736	G50B_100_087d	0.125 1.0 1.0	1.0 0.875 0.562	210	0.125 1.0 1.0	87.9 -40.4 -11.8	42.1 196.3	0.125 1.0 1.0	87.0 -45.2 -13.3	47.2 196.4 5.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
737	G50B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3	0.0 1.0 1.0	86.8 -46.1 -13.5	48.1 196.3 0.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
738	RO0Y_100_012d	1.0 0.875 0.875	1.0 0.125 0.937	390	1.0 0.875 0.875	89.7 9.6 8.0	12.5 40.0	1.0 0.875 0.875	87.1 10.5 3.8	11.2 20.1 5.0	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
739	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 325.2 1.2	360 1.0 1.0 1.0	95.4 0.0 0.0
740	G50B_087_012d	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.875	82.5 -5.7 -1.6	6.0 196.3	0.75 0.875 0.875	82.5 -10.0 -3.3	10.5 198.7 4.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
741	G50B_087_025d	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.875	81.3 -11.5 -3.3	12.0 196.3	0.625 0.875 0.875	80.7 -19.1 -6.2	20.1 197.9 8.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
742	G50B_087_037d	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.875	80.2 -17.3 -5.0	18.0 196.3	0.5 0.875 0.875	79.3 -27.1 -8.5	28.4 197.4 10.4	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
743	G50B_087_050d	0.375 0.875 0.875	0.875 0.5 0.625	210	0.375 0.875 0.875	79.2 -23.0 -6.7	24.0 196.3	0.375 0.875 0.875	78.3 -33.4 -10.2	34.9 196.9 10.9	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
744	G50B_087_062d	0.25 0.875 0.875	0.875 0.625 0.562	210	0.25 0.875 0.875	78.1 -28.8 -8.4	30.0 196.3	0.25 0.875 0.875	77.5 -37.9 -11.3	39.6 196.6 9.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
745	G50B_087_075d	0.125 0.875 0.875	0.875 0.75 0.5	210	0.125 0.875 0.875	77.0 -34.6 -10.1	36.1 196.3	0.125 0.875 0.875	77.1 -40.6 -12.0	42.4 196.4 6.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
746	G50B_087_087d	0.0 0.875 0.875	0.875 0.875 0.437	210	0.0 0.875 0.875	76.0 -40.4 -11.8	42.1 196.3	0.0 0.875 0.875	77.0 -41.7 -12.2	43.5 196.3 1.7	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
747	RO0Y_100_025d	1.0 0.75 0.75	1.0 0.25 0.875	390	1.0 0.75 0.75	84.1 19.2 16.1	25.1 40.0	1.0 0.75 0.75	79.2 21.9 8.5	23.5 21.3 9.4	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
748	RO0Y_087_012d	0.875 0.75 0.75	0.875 0.125 0.812	390	0.875 0.75 0.75	77.8 9.6 8.0	12.5 40.0	0.875 0.75 0.75	76.2 10.8 4.0	11.6 20.3 4.5	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
749	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 325.2 2.1	360 1.0 1.0 1.0	95.4 0.0 0.0
750	G50B_075_012d	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.75	70.4 -5.7 -1.6	6.0 196.3	0.625 0.75 0.75	71.5 -10.2 -3.4	10.8 198.5 4.9	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
751	G50B_075_025d	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.75	69.4 -11.5 -3.3	12.0 196.3	0.5 0.75 0.75	69.8 -19.4 -6.2	20.3 197.8 8.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
752	G50B_075_037d	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	68.3 -17.3 -5.0	18.0 196.3	0.375 0.75 0.75	68.4 -26.9 -8.3	28.2 197.1 10.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
753	G50B_075_050d	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	67.2 -23.0 -6.7	24.0 196.3	0.25 0.75 0.75	67.5 -32.5 -9.7	33.9 196.7 9.8	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
754	G50B_075_062d	0.125 0.75 0.75	0.75 0.625 0.437	210	0.125 0.75 0.75	66.2 -28.8 -8.4	30.0 196.3	0.125 0.75 0.75	67.0 -35.8 -10.6	37.3 196.4 7.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
755	G50B_075_075d	0.0 0.75 0.75	0.75 0.75 0.375	210	0.0 0.75 0.75	65.1 -34.6 -10.1	36.1 196.3	0.0 0.75 0.75	66.8 -37.1 -10.9	38.7 196.3 3.1	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
756	RO0Y_100_037d	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	78.5 28.8 24.2	37.6 40.0	1.0 0.625 0.625	71.6 34.1 14.4	37.0 22.9 13.0	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
757	RO0Y_087_025d	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	72.2 19.2 16.1	25.1 40.0	0.875 0.625 0.625	68.1 22.7 9.0	24.5 21.7 8.8	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
758	RO0Y_075_012d	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.625	65.9 9.6 8.0	12.5 40.0	0.75 0.625 0.625	65.0 11.2 4.2	12.0 20.4 4.2	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
759	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 325.2 2.7	360 1.0 1.0 1.0	95.4 0.0 0.0
760	G50B_062_012d	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.625	58.5 -5.7 -1.6	6.0 196.3	0.5 0.625 0.625	60.1 -10.5 -3.5	11.0 198.4 5.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
761	G50B_062_025d	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.4 -11.5 -3.3	12.0 196.3	0.375 0.625 0.625	58.5 -19.5 -6.1	20.5 197.5 8.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
762	G50B_062_037d	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	56.4 -17.3 -5.0	18.0 196.3	0.25 0.625 0.625	57.3 -26.4 -8.0	27.6 196.9 9.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
763	G50B_062_050d	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	55.3 -23.0 -6.7	24.0 196.3	0.125 0.625 0.625	56.6 -30.7 -9.1	32.0 196.5 8.0	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
764	G50B_062_062d	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.625	54.2 -28.8 -8.4	30.0 196.3	0.0 0.625 0.625	56.3 -32.4 -9.5	33.8 196.3 4.3	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
765	RO0Y_100_050d	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	72.9 38.4 32.2	50.2 40.0	1.0 0.5 0.5	64.7 46.4 21.9	51.3 25.2 15.4	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
766	RO0Y_087_037d	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	66.6 28.8 24.2	37.6 40.0	0.875 0.5 0.5	60.6 35.3 15.5	38.6 23.7 12.3	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
767	RO0Y_075_025d	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	60.3 19.2 16.1	25.1 40.0	0.75 0.5 0.5	56.8 23.7 9.7	25.6 22.2 8.5	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
768	RO0Y_062_012d	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	54.0 9.6 8.0	12.5 40.0	0.625 0.5 0.5	53.4 11.7 4.4	12.6 20.7 4.2	389 1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0
769	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 325.3 2.9	360 1.0 1.0 1.0	95.4 0.0 0.0
770	G50B_050_012d	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	46.6 -5.7 -1.6	6.0 196.3	0.375 0.5 0.5	48.4 -10.7 -3.5	11.3 198.2 5.6	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
771	G50B_050_025d	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	45.5 -11.5 -3.3	12.0 196.3	0.25 0.5 0.5	46.8 -19.5 -6.0	20.4 197.2 8.5	210 0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3
772	G50B_050_037d											

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md		
810	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	
811	B00R_100_012d	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.875 1.0	87.2 9.5 -12.9	16.0 306.2	0.875 0.875 1.0	85.5 5.8 -14.8	15.9 291.5 4.4	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
812	B00R_100_025d	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.75 1.0	79.1 19.0 -25.8	32.1 306.2	0.75 0.75 1.0	75.6 12.8 -30.0	32.7 293.1 8.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
813	B00R_100_037d	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.625 1.0	71.0 28.5 -38.8	48.1 306.2	0.625 0.625 1.0	65.7 21.4 -45.6	50.4 295.1 11.1	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
814	B00R_100_050d	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.5 1.0	62.8 38.0 -51.7	64.2 306.2	0.5 0.5 1.0	56.0 31.9 -61.1	69.0 297.5 13.0	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
815	B00R_100_062d	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	54.7 47.5 -64.7	80.3 306.2	0.375 0.375 1.0	46.8 44.5 -76.1	88.2 300.3 14.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
816	B00R_100_075d	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	46.6 57.0 -77.6	96.3 306.2	0.25 0.25 1.0	38.8 58.2 -89.4	106.7 303.0 14.1	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
817	B00R_100_087d	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	38.5 66.5 -90.6	112.4 306.2	0.125 0.125 1.0	33.0 69.9 -99.0	121.3 305.2 10.6	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
818	B00R_100_100d	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2 0.0	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
819	Y00G_100_012d	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 1.0 0.875	95.0 -2.5 11.3	11.6 102.8	1.0 1.0 0.875	94.7 -5.0 14.6	15.9 108.9 4.1	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
820	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 325.2 1.2	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0
821	B00R_087_012d	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.75 0.875	75.3 9.5 -12.9	16.0 306.2	0.75 0.75 0.875	74.6 6.0 -15.2	16.4 291.7 4.1	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
822	B00R_087_025d	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.625 0.875	67.2 19.0 -25.8	32.1 306.2	0.625 0.625 0.875	64.4 13.5 -30.9	33.8 293.6 7.9	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
823	B00R_087_037d	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.5 0.875	59.1 28.5 -38.8	48.1 306.2	0.5 0.5 0.875	54.3 23.0 -46.9	52.2 296.1 10.8	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
824	B00R_087_050d	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	50.9 38.0 -51.7	64.2 306.2	0.375 0.375 0.875	44.6 34.8 -62.7	71.7 299.0 13.0	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
825	B00R_087_062d	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	42.8 47.5 -64.7	80.3 306.2	0.25 0.25 0.875	35.8 48.6 -77.1	91.2 302.1 14.3	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
826	B00R_087_075d	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	34.7 57.0 -77.6	96.3 306.2	0.125 0.125 0.875	29.1 61.5 -88.2	107.5 304.8 12.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
827	B00R_087_087d	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.0 0.875	26.5 66.5 -90.6	112.4 306.2	0.0 0.0 0.875	25.9 68.7 -93.6	116.1 306.2 3.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
828	Y00G_100_025d	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 1.0 0.75	94.7 -5.1 22.6	23.2 102.8	1.0 1.0 0.75	94.1 -9.3 29.3	30.8 107.7 7.9	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
829	Y00G_087_012d	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.875 0.75	83.1 -2.5 11.3	11.6 102.8	0.875 0.875 0.75	84.0 -5.1 15.0	15.8 108.7 4.5	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
830	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 325.2 2.1	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0
831	B00R_075_012d	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.625 0.75	63.4 9.5 -12.9	16.0 306.2	0.625 0.625 0.75	63.3 6.3 -15.7	16.9 292.0 4.1	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
832	B00R_075_025d	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.5 0.75	55.3 19.0 -25.8	32.1 306.2	0.5 0.5 0.75	52.8 14.4 -31.9	35.1 294.3 7.9	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
833	B00R_075_037d	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	47.1 28.5 -38.8	48.1 306.2	0.375 0.375 0.75	42.5 25.1 -48.4	54.5 297.4 11.1	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
834	B00R_075_050d	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	39.0 38.0 -51.7	64.2 306.2	0.25 0.25 0.75	32.9 38.5 -64.1	74.8 301.0 13.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
835	B00R_075_062d	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	30.9 47.5 -64.7	80.3 306.2	0.125 0.125 0.75	25.3 52.5 -76.8	93.0 304.3 14.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
836	B00R_075_075d	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.0 0.75	22.7 57.0 -77.6	96.3 306.2	0.0 0.0 0.75	21.3 61.2 -83.4	103.5 306.2 7.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
837	Y00G_100_037d	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 1.0 0.625	94.3 -7.7 34.0	34.9 102.8	1.0 1.0 0.625	93.6 -13.0 43.8	45.7 106.5 11.1	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
838	Y00G_087_025d	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.875 0.625	82.7 -5.1 22.6	23.2 102.8	0.875 0.875 0.625	83.4 -9.4 30.0	31.5 107.3 8.5	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
839	Y00G_075_012d	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.75 0.625	71.2 -2.5 11.3	11.6 102.8	0.75 0.75 0.625	73.0 -5.1 15.4	16.3 108.5 5.2	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
840	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 325.2 2.7	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0
841	B00R_062_012d	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.5 0.625	51.5 9.5 -12.9	16.0 306.2	0.5 0.5 0.625	51.6 6.7 -16.3	17.6 292.4 4.3	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
842	B00R_062_025d	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	43.3 19.0 -25.8	32.1 306.2	0.375 0.375 0.625	40.8 15.7 -33.2	36.8 295.4 8.4	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
843	B00R_062_037d	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	35.2 28.5 -38.8	48.1 306.2	0.25 0.25 0.625	30.4 28.1 -50.0	57.4 299.3 12.2	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
844	B00R_062_050d	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	27.1 38.0 -51.7	64.2 306.2	0.125 0.125 0.625	21.6 42.8 -64.6	77.5 303.5 14.7	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
845	B00R_062_062d	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.0 0.625	18.9 47.5 -64.7	80.3 306.2	0.0 0.0 0.625	16.6 53.5 -72.9	90.4 306.2 10.3	270	0.0 0.0 1.0	30.3 76.0 -103.5	128.5 306.2
846	Y00G_100_050d	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 1.0 0.5	94.0 -10.3 45.3	46.5 102.8	1.0 1.0 0.5	93.2 -15.9 57.8	59.9 105.3 13.6	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
847	Y00G_087_037d	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.875 0.5	82.4 -7.7 34.0	34.9 102.8	0.875 0.875 0.5	82.9 -12.9 44.8	46.6 106.0 11.9	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
848	Y00G_075_025d	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.75 0.5	70.8 -5.1 22.6	23.2 102.8	0.75 0.75 0.5	72.4 -9.4 30.9	32.3 106.9 9.4	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
849	Y00G_062_012d	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.625 0.5	59.2 -2.5 11.3	11.6 102.8	0.625 0.625 0.5	61.6 -5.2 16.0	16.8 108.2 5.8	89	1.0 1.0 0.0	92.6 -20.7	90.7 93.0 102.8
850	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0	

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 27/29

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb_Fd	LabCh*Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md
891	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
892	B50R_100_012d	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 1.0	90.6 11.7 -7.3	13.8 328.2	1.0 0.875 1.0	87.9 15.7 -10.9	19.1 325.1 5.9	330	1.0 0.875 1.0
893	B50R_100_025d	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 1.0	85.8 23.5 -14.6	27.7 328.2	1.0 0.75 1.0	80.9 31.7 -21.5	38.4 325.8 11.8	330	1.0 0.75 1.0
894	B50R_100_037d	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 1.0	81.1 35.3 -21.9	41.6 328.2	1.0 0.625 1.0	74.3 47.6 -31.5	57.1 326.4 17.0	330	1.0 0.625 1.0
895	B50R_100_050d	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	76.3 47.1 -29.2	55.4 328.2	1.0 0.5 1.0	68.6 62.6 -40.5	74.6 327.0 20.6	330	1.0 0.5 1.0
896	B50R_100_062d	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	71.5 58.9 -36.5	69.3 328.2	1.0 0.375 1.0	63.8 75.6 -48.0	89.6 327.5 21.6	330	1.0 0.375 1.0
897	B50R_100_075d	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	66.8 70.7 -43.8	83.2 328.2	1.0 0.25 1.0	60.2 85.6 -53.6	101.0 327.9 18.9	330	1.0 0.25 1.0
898	B50R_100_087d	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	62.0 82.5 -51.1	97.1 328.2	1.0 0.125 1.0	58.1 91.8 -57.0	108.0 328.1 11.6	330	1.0 0.125 1.0
899	B50R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	57.2 94.3 -58.4	110.9 328.2	1.0 0.0 1.0	57.2 94.3 -58.4	111.0 328.2 0.0	330	1.0 0.0 1.0
900	G00B_100_012d	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.875	93.9 -10.3 9.9	14.3 136.0	0.875 1.0 0.875	92.5 -15.4 11.3	19.1 143.6 5.4	149	0.875 1.0 0.875
901	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	0.0 325.2 1.2	360	1.0 1.0 1.0
902	B50R_087_012d	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.875	78.7 11.7 -7.3	13.8 328.2	0.875 0.75 0.875	77.1 16.1 -11.2	19.6 325.2 6.0	330	1.0 0.75 0.875
903	B50R_087_025d	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.875	73.9 23.5 -14.6	27.7 328.2	0.875 0.625 0.875	69.9 32.6 -22.0	39.3 325.9 12.3	330	1.0 0.625 0.875
904	B50R_087_037d	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	69.1 35.3 -21.9	41.6 328.2	0.875 0.5 0.875	63.5 48.6 -31.9	58.2 326.7 17.6	330	1.0 0.5 0.875
905	B50R_087_050d	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	64.4 47.1 -29.2	55.4 328.2	0.875 0.375 0.875	58.0 63.2 -40.5	75.0 327.3 20.6	330	1.0 0.375 0.875
906	B50R_087_062d	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	59.6 58.9 -36.5	69.3 328.2	0.875 0.25 0.875	53.8 74.7 -47.0	88.3 327.8 19.8	330	1.0 0.25 0.875
907	B50R_087_075d	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	54.9 70.7 -43.8	83.2 328.2	0.875 0.125 0.875	51.3 82.1 -51.1	96.7 328.1 14.0	330	1.0 0.125 0.875
908	B50R_087_087d	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	50.1 82.5 -51.1	97.1 328.2	0.875 0.0 0.875	50.2 85.3 -52.8	100.3 328.2 3.2	330	1.0 0.0 0.875
909	G00B_100_025d	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.75	92.4 -20.6 19.9	28.7 136.0	0.75 1.0 0.75	90.1 -20.5 23.2	38.3 142.7 10.6	149	0.75 1.0 0.75
910	G00B_087_012d	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.75	82.0 -10.3 9.9	14.3 136.0	0.75 0.875 0.75	81.8 -15.7 11.6	19.6 143.5 5.6	149	0.75 0.875 0.75
911	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	0.0 325.2 2.1	360	1.0 1.0 1.0
912	B50R_075_012d	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.75	66.7 11.7 -7.3	13.8 328.2	0.75 0.625 0.75	65.9 16.6 -11.5	20.2 325.3 6.4	330	1.0 0.625 0.75
913	B50R_075_025d	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	62.0 23.5 -14.6	27.7 328.2	0.75 0.5 0.75	58.7 33.5 -22.4	40.4 326.2 13.1	330	1.0 0.5 0.75
914	B50R_075_037d	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	57.2 35.3 -21.9	41.6 328.2	0.75 0.375 0.75	52.4 49.6 -32.2	59.1 327.0 18.2	330	1.0 0.375 0.75
915	B50R_075_050d	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	52.5 47.1 -29.2	55.4 328.2	0.75 0.25 0.75	47.5 63.1 -39.9	74.6 327.6 19.8	330	1.0 0.25 0.75
916	B50R_075_062d	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	47.7 58.9 -36.5	69.3 328.2	0.75 0.125 0.75	43.3 72.1 -44.9	84.9 328.0 15.9	330	1.0 0.125 0.75
917	B50R_075_075d	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	42.9 70.7 -43.8	83.2 328.2	0.75 0.0 0.75	43.0 76.0 -47.0	89.4 328.2 6.1	330	1.0 0.0 0.75
918	G00B_100_037d	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.625	90.9 -31.0 29.9	43.1 136.0	0.625 1.0 0.625	88.0 -44.8 35.5	57.2 141.6 15.1	149	0.625 1.0 0.625
919	G00B_087_025d	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.625	80.5 -20.6 19.9	28.7 136.0	0.625 0.875 0.625	79.3 -31.1 23.9	39.3 142.4 11.2	149	0.625 0.875 0.625
920	G00B_075_012d	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.625	70.0 -10.3 9.9	14.3 136.0	0.625 0.75 0.625	70.8 -16.2 12.0	20.2 143.4 6.2	149	0.625 0.75 0.625
921	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	0.0 325.2 2.7	360	1.0 1.0 1.0
922	B50R_062_012d	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	54.8 11.7 -7.3	13.8 328.2	0.625 0.5 0.625	54.4 17.2 -11.8	20.9 325.5 7.1	330	1.0 0.5 0.625
923	B50R_062_025d	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	50.1 23.5 -14.6	27.7 328.2	0.625 0.375 0.625	47.1 34.6 -22.9	41.5 326.5 14.1	330	1.0 0.375 0.625
924	B50R_062_037d	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	45.3 35.3 -21.9	41.6 328.2	0.625 0.25 0.625	41.2 50.2 -32.1	59.6 327.4 18.5	330	1.0 0.25 0.625
925	B50R_062_050d	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	40.5 47.1 -29.2	55.4 328.2	0.625 0.125 0.625	37.3 61.3 -38.3	72.3 327.9 17.2	330	1.0 0.125 0.625
926	B50R_062_062d	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	35.8 58.9 -36.5	69.3 328.2	0.625 0.0 0.625	35.5 66.4 -41.1	78.1 328.2 8.7	330	1.0 0.0 0.625
927	G00B_100_050d	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.5	89.5 -51.3 39.9	57.5 136.0	0.5 1.0 0.5	86.3 -57.6 47.9	75.0 140.2 18.4	149	0.5 1.0 0.5
928	G00B_087_037d	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.5	79.0 -31.0 29.9	43.1 136.0	0.5 0.875 0.5	77.4 -45.4 36.6	58.3 141.0 15.9	149	0.5 0.875 0.5
929	G00B_075_025d	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.5	68.6 -20.6 19.9	28.7 136.0	0.5 0.75 0.5	68.3 -31.8 24.8	40.4 142.0 12.1	149	0.5 0.75 0.5
930	G00B_062_012d	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.5	58.1 -10.3 9.9	14.3 136.0	0.5 0.625 0.5	59.4 -16.7 12.5	20.9 143.1 7.0	149	0.5 0.625 0.5
931	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	0.0 325.3 2.9	360	1.0 1.0 1.0
932	B50R_050_012d	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.5	42.9 11.7 -7.3	13.8 328.2	0.5 0.375 0.5	42.3 18.0 -12.2	21.8 325.7 8.0	330	1.0 0.375 0.5
933	B50R_050_025d	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.25 0.5	38.1 23.5 -14.6	27.7 328.2	0.5 0.25 0.5	35.2 35.7 -23.2	42.6 326.9 15.2	330	1.0 0.25 0.5
934	B50R_050_037d	0.5 0.125 0.5	0.5 0.375 0.312	330	0.5 0.125 0.5	33.4 35.3 -21.9	41.6 328.2	0.5 0.125 0.5	30.1 49.6 -31.2	58.6 327.8 17.3	330	1.0 0.125 0.5
935	B50R_050_050d	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.5	28.6 47.1 -29.2	55.4 328.2	0.5 0.0 0.5	27.8 56.4 -34.9	66.3 328.2 10.9	330	1.0 0.0 0.5
936	G00B_100_062d	0.375 1.0 0.375	1.0 0.625 0.687	150	0.375 1.0 0.375	88.0 -51.7 49.9	71.9 136.0	0.375 1.0 0.375	85.1 -68.3 59.7	90.7 138.8 19.4	149	0.375 1.0 0.375
937	G00B_087_050d	0.375 0.875 0.375	0.875 0.5 0.625	150	0.375 0.875 0.375	77.5 -41.3 39.9	57.5 136.0	0.375 0.875 0.375	75.9 -57.6 49.1	75.7 139.5 18.7	149	0.375 0.875 0.375
938	G00B_075_037d	0.375 0.75 0.375	0.75 0.375 0.562	150	0.375 0.75 0.375	67.1 -31.0 29.9	43.1 136.0	0.375 0.75 0.375	66.5 -45.8 37.9	59.4 140.3 16.7	149	0.375 0.75 0.375
939	G00B_062_025d	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.375	56.6 -20.6 19.9	28.7 136.0	0.375 0.625 0.375	57.0 -32.5 25.9	41.6 141.4 13.2	149	0.375 0.625 0.375
940	G00B_050_012d	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	46.2 -10.3 9.9	14.3 136.0	0.375 0.5 0.375	46.7 -17.3 13.1	21.8 142.8 7.8	149	0.375 0.5 0.375
941	NW_037d	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	0.0 325.3 2.5	360	1.0 1.0 1.0
942	B50R_037_012d	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.25 0.375	31.0 11.7 -7.3	13.8 328.2	0.375 0.25 0.375	29.7 19.0 -12.7	22.9 326.1 9.1	330	1.0 0.25 0.375
943	B50R_037_025d	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.125 0.375	26.2 23.5 -14.6	27.7 328.2	0.375 0.125 0.375	23.1 36.3 -23.1	43.0 327.5 15.6	330	1.0 0.125 0.375
944	B50R_037_037d	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	21.4 35.3 -21.9	41.6 328.2	0.375 0.0 0.375	19.7 46.0 -28.5	54.1 328.2 12.6	330	1.0 0.0 0.375
945	G00B_100_075d	0.25 1.0 0.25	1.0 0.75 0.625	150	0.25 1.0 0.25	86.5 -62.0 59.9	86.2 136.0	0.25 1.0 0.25	84.2 -76.1 69.7	103.3 137.4 17.3	149	0.25 1.0 0.25
946	G00B_087_062d	0.25 0.875 0.25	0.875 0.625 0.562	150	0.25 0.875 0.25	76.1 -51.7 49.9	71.9 136.0	0.25 0.875 0.25	74.8 -66.8 60.3	90.0 137.9 18.3	149	0.25 0.875 0.25
947	G00B_075_050d	0.25 0.75 0										

http://130.149.60.45/~farbmatrik/SG01/SG01L0NP.PDF /PS; Transfer Ausgabe
N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 28/29

	HIC*Fd	rgb_Fd	lct_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md
972	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
973	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	325.7 0.8	360	1.0 1.0 1.0	95.4 0.0 0.0
974	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	325.5 1.4	360	1.0 1.0 1.0	95.4 0.0 0.0
975	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	325.3 2.5	360	1.0 1.0 1.0	95.4 0.0 0.0
976	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0
977	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	325.2 2.7	360	1.0 1.0 1.0	95.4 0.0 0.0
978	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	325.2 2.1	360	1.0 1.0 1.0	95.4 0.0 0.0
979	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	325.2 1.2	360	1.0 1.0 1.0	95.4 0.0 0.0
980	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
981	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
982	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	325.7 0.8	360	1.0 1.0 1.0	95.4 0.0 0.0
983	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	325.5 1.4	360	1.0 1.0 1.0	95.4 0.0 0.0
984	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	325.3 2.5	360	1.0 1.0 1.0	95.4 0.0 0.0
985	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0
986	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	325.2 2.7	360	1.0 1.0 1.0	95.4 0.0 0.0
987	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	325.2 2.1	360	1.0 1.0 1.0	95.4 0.0 0.0
988	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	325.2 1.2	360	1.0 1.0 1.0	95.4 0.0 0.0
989	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
990	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
991	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	325.7 0.8	360	1.0 1.0 1.0	95.4 0.0 0.0
992	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	325.5 1.4	360	1.0 1.0 1.0	95.4 0.0 0.0
993	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	325.3 2.5	360	1.0 1.0 1.0	95.4 0.0 0.0
994	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0
995	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	325.2 2.7	360	1.0 1.0 1.0	95.4 0.0 0.0
996	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	325.2 2.1	360	1.0 1.0 1.0	95.4 0.0 0.0
997	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	325.2 1.2	360	1.0 1.0 1.0	95.4 0.0 0.0
998	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
999	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
1000	NW_012a	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.125 0.125 0.125	11.0 0.0 0.0	325.7 0.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1001	NW_025a	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.25 0.25 0.25	25.2 0.0 0.0	325.5 1.4	360	1.0 1.0 1.0	95.4 0.0 0.0
1002	NW_037a	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.375 0.375 0.375	38.3 0.0 0.0	325.3 2.5	360	1.0 1.0 1.0	95.4 0.0 0.0
1003	NW_050a	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.5 0.5 0.5	50.6 0.0 0.0	325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0
1004	NW_062a	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.625 0.625 0.625	62.4 0.0 0.0	325.2 2.7	360	1.0 1.0 1.0	95.4 0.0 0.0
1005	NW_075a	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.75 0.75 0.75	73.7 0.0 0.0	325.2 2.1	360	1.0 1.0 1.0	95.4 0.0 0.0
1006	NW_087a	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.875 0.875 0.875	84.7 0.0 0.0	325.2 1.2	360	1.0 1.0 1.0	95.4 0.0 0.0
1007	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
1008	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
1009	NW_006a	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	6.2 0.0 0.0	0.066 0.066 0.066	4.4 0.0 0.0	326.3 1.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1010	NW_013a	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	12.6 0.0 0.0	0.133 0.133 0.133	12.0 0.0 0.0	326.6 0.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1011	NW_020a	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	19.0 0.0 0.0	0.2 0.2 0.2	19.7 0.0 0.0	325.5 0.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1012	NW_026a	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	25.3 0.0 0.0	0.266 0.266 0.266	25.4 0.0 0.0	325.4 1.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1013	NW_033a	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	31.7 0.0 0.0	0.333 0.333 0.333	34.0 0.0 0.0	325.3 2.2	360	1.0 1.0 1.0	95.4 0.0 0.0
1014	NW_040a	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	38.1 0.0 0.0	0.4 0.4 0.4	40.8 0.0 0.0	325.3 2.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1015	NW_046a	0.466 0.466 0.466	0.466 0.466 0.466	0.466 360	0.466 0.466 0.466	44.4 0.0 0.0	0.466 0.466 0.466	47.3 0.0 0.0	325.4 2.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1016	NW_053a	0.533 0.533 0.533	0.533 0.533 0.533	0.533 360	0.533 0.533 0.533	50.8 0.0 0.0	0.533 0.533 0.533	53.7 0.0 0.0	325.3 2.9	360	1.0 1.0 1.0	95.4 0.0 0.0
1017	NW_060a	0.6 0.6 0.6	0.6 0.6 0.6	0.6 360	0.6 0.6 0.6	57.2 0.0 0.0	0.6 0.6 0.6	60.0 0.0 0.0	325.3 2.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1018	NW_066a	0.666 0.666 0.666	0.666 0.666 0.666	0.666 360	0.666 0.666 0.666	63.5 0.0 0.0	0.666 0.666 0.666	66.1 0.0 0.0	325.2 2.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1019	NW_073a	0.734 0.734 0.734	0.734 0.734 0.734	0.734 360	0.734 0.734 0.734	70.0 0.0 0.0	0.734 0.734 0.734	72.3 0.0 0.0	325.2 2.2	360	1.0 1.0 1.0	95.4 0.0 0.0
1020	NW_080a	0.8 0.8 0.8	0.8 0.8 0.8	0.8 360	0.8 0.8 0.8	76.3 0.0 0.0	0.8 0.8 0.8	78.1 0.0 0.0	325.2 1.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1021	NW_086a	0.866 0.866 0.866	0.866 0.866 0.866	0.866 360	0.866 0.866 0.866	82.6 0.0 0.0	0.866 0.866 0.866	83.9 0.0 0.0	325.2 1.3	360	1.0 1.0 1.0	95.4 0.0 0.0
1022	NW_093a	0.933 0.933 0.933	0.933 0.933 0.933	0.933 360	0.933 0.933 0.933	89.0 0.0 0.0	0.933 0.933 0.933	89.7 0.0 0.0	325.2 0.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1023	NW_100a	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
1024	NW_000a	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	360	1.0 1.0 1.0	95.4 0.0 0.0
1025	NW_006a	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	6.2 0.0 0.0	0.066 0.066 0.066	4.4 0.0 0.0	326.3 1.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1026	NW_013a	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	12.6 0.0 0.0	0.133 0.133 0.133	12.0 0.0 0.0	326.6 0.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1027	NW_020a	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	19.0 0.0 0.0	0.2 0.2 0.2	19.7 0.0 0.0	325.5 0.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1028	NW_026a	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	25.3 0.0 0.0	0.266 0.266 0.266	27.0 0.0 0.0	325.4 1.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1029	NW_033a	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	31.7 0.0 0.0	0.333 0.333 0.333	34.0 0.0 0.0	325.3 2.2	360	1.0 1.0 1.0	95.4 0.0 0.0
1030	NW_040a	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	38.1 0.0 0.0	0.4 0.4 0.4	40.8 0.0 0.0	325.3 2.6	360	1.0 1.0 1.0	95.4 0.0 0.0
1031	NW_046a	0.466 0.466 0.466	0.466 0.466 0.466	0.466 360	0.466 0.466 0.466	44.4 0.0 0.0	0.466 0.466 0.466	47.3 0.0 0.0	325.4 2.8	360	1.0 1.0 1.0	95.4 0.0 0.0
1032	NW_053a	0.533 0.533 0.533	0.533 0.533 0.533	0.533 360								

Mittlere Farbdifferenz dieser Seite: $\Delta E^* = 1.6$

$$\Delta E^* = 1.6$$

TUB-Prüfvorlage SG01; 16 Bunttöne
Farben und Farbabstände, ΔE^* , 3D=0, de=0, *sRGB*

Eingabe: $rgb/cmyk \rightarrow rgb_d$
Ausgabe: Transfer nach rgb_d

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmeterik/SG01/SG01.HTM>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmeterik/>

TUB-Material: Code=rha4ta

http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF /.PS; Transfer Ausgabe
 N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 29/29

n	HIC*Fd	rgb_Fd			ict_Fd			hsi_Fd			rgb**Fd			LabCh*Fd			rgb**Fd			LabCh**Fd			DE*Fd			hsiM,d	rgb**Md			LabCh**Md				
1053	NW_086d	0.866	0.866	0.866	0.866	0.0	0.0	0.866	360	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.866	0.866	0.866	83.9	0.0	0.0	0.0	325.2	1.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.0	0.0	0.933	360	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.933	0.933	0.933	89.7	0.0	0.0	0.0	325.2	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1056	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1057	NW_006d	0.066	0.066	0.066	0.066	0.0	0.0	0.066	360	0.066	0.066	0.066	6.2	0.0	0.0	0.0	0.066	0.066	0.066	4.4	0.0	0.0	0.0	326.3	1.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1058	NW_013d	0.133	0.133	0.133	0.133	0.0	0.0	0.133	360	0.133	0.133	0.133	12.6	0.0	0.0	0.0	0.133	0.133	0.133	12.0	0.0	0.0	0.0	325.6	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1059	NW_020d	0.2	0.2	0.2	0.2	0.0	0.0	0.2	360	0.2	0.2	0.2	19.0	0.0	0.0	0.0	0.2	0.2	0.2	19.7	0.0	0.0	0.0	325.5	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1060	NW_026d	0.266	0.266	0.266	0.266	0.0	0.0	0.266	360	0.266	0.266	0.266	25.3	0.0	0.0	0.0	0.266	0.266	0.266	27.0	0.0	0.0	0.0	325.4	1.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1061	NW_033d	0.333	0.333	0.333	0.333	0.0	0.0	0.333	360	0.333	0.333	0.333	31.7	0.0	0.0	0.0	0.333	0.333	0.333	34.0	0.0	0.0	0.0	325.3	2.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1062	NW_040d	0.4	0.4	0.4	0.4	0.0	0.0	0.4	360	0.4	0.4	0.4	38.1	0.0	0.0	0.0	0.4	0.4	0.4	40.8	0.0	0.0	0.0	325.3	2.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1063	NW_046d	0.466	0.466	0.466	0.466	0.0	0.0	0.466	360	0.466	0.466	0.466	44.4	0.0	0.0	0.0	0.466	0.466	0.466	47.3	0.0	0.0	0.0	325.4	2.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1064	NW_053d	0.533	0.533	0.533	0.533	0.0	0.0	0.533	360	0.533	0.533	0.533	50.8	0.0	0.0	0.0	0.533	0.533	0.533	53.7	0.0	0.0	0.0	325.3	2.9	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1065	NW_060d	0.6	0.6	0.6	0.6	0.0	0.0	0.6	360	0.6	0.6	0.6	57.2	0.0	0.0	0.0	0.6	0.6	0.6	60.0	0.0	0.0	0.0	325.3	2.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1066	NW_066d	0.666	0.666	0.666	0.666	0.0	0.0	0.666	360	0.666	0.666	0.666	63.5	0.0	0.0	0.0	0.666	0.666	0.666	66.1	0.0	0.0	0.0	325.2	2.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1067	NW_073d	0.734	0.734	0.734	0.734	0.0	0.0	0.734	360	0.734	0.734	0.734	70.0	0.0	0.0	0.0	0.734	0.734	0.734	72.3	0.0	0.0	0.0	325.2	2.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1068	NW_080d	0.8	0.8	0.8	0.8	0.0	0.0	0.8	360	0.8	0.8	0.8	76.3	0.0	0.0	0.0	0.8	0.8	0.8	78.1	0.0	0.0	0.0	325.2	1.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1069	NW_086d	0.866	0.866	0.866	0.866	0.0	0.0	0.866	360	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.866	0.866	0.866	83.9	0.0	0.0	0.0	325.2	1.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1070	NW_093d	0.933	0.933	0.933	0.933	0.0	0.0	0.933	360	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.933	0.933	0.933	89.7	0.0	0.0	0.0	325.2	0.6	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1071	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1072	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1073	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1074	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	50.4	76.9	64.5	100.4	39.9	0.0	389	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0
1075	G50B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	210	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3
1076	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.6	-20.6	90.7	93.0	102.8	0.0	89	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8
1077	B00R_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	270	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2
1078	G00B_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	149	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	1.0	0.0	1.0	57.2	94.3	-58.4	111.0	328.2	0.0	330	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2

Mittlere Farbdifferenz dieser Seite: delta E* = 1.0

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/SG01/SG01L0NP.PDF> /.PS
 Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

0-0032830-F0

SG010-7N, Seite 29/29-F

TUB-Prüfvorlage SG01; 16 Bunttöne
 Farben und Farbabstände, ΔE^* , 3D=0, de=0, sRGB

Eingabe: *rgb/cmyk* -> *rgb_d*
 Ausgabe: Transfer nach *rgb_d*

0-0032830-F0