

Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):


HIC^*

codice di tonalità per i colori
questa pagina:

$H^*_-= R00Y-, R25Y-, ..., B75R-$

ORS20a; dati atti CIELAB (a)

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS18a; dati atti CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6
Y-,Ma	90.3	-10.2	91.7	92.3
G-,Ma	50.9	-62.8	34.9	71.9
C-,Ma	58.6	-30.3	-45.0	54.2
B-,Ma	25.7	31.0	-44.4	54.2
M-,Ma	48.1	75.2	-8.3	75.7
N-,Ma	18.0	0.0	0.0	0.0
W-,Ma	95.4	0.0	0.0	0.0
R-,CIE	39.9	58.7	27.9	65.0
Y-,CIE	81.2	-2.8	71.5	71.6
G-,CIE	52.2	-42.4	13.6	44.5
B-,CIE	30.5	1.4	-46.4	46.4



4-003031-L0

SI070-7N

grafico TUB-SI07; 16 tintes, carta standard offset APCO
grafico conformemente a DIN 33872

immettere: $rgb/cmyk \rightarrow rgb/cmyk$
uscita: nessun cambiamento

Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):

H^*_d


codice di tonalità per i colori

questa pagina:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4
R25Y_100_100_d	54.2	52.8	53.7	75.3
R50Y_100_100_d	66.4	28.5	66.7	72.5
R75Y_100_100_d	79.7	5.8	81.0	81.2
Y00G_100_100_d	88.0	-6.8	89.7	90.0
Y25G_100_100_d	81.0	-13.5	78.3	79.5
Y50G_100_100_d	70.6	-26.9	62.2	67.8
Y75G_100_100_d	57.9	-47.3	43.7	64.5
G00B_100_100_d	49.6	-65.0	27.6	70.6
G25B_100_100_d	53.0	-48.2	-10.8	49.4
G50B_100_100_d	57.0	-29.7	-39.8	49.7
G75B_100_100_d	43.1	-6.3	-39.3	39.8
B00R_100_100_d	25.8	26.0	-38.7	46.7
B25R_100_100_d	36.7	56.5	-19.8	59.9
B50R_100_100_d	47.2	78.3	-0.6	78.3
B75R_100_100_d	46.7	74.0	19.0	76.4



%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	46.4	70.3	44.9	83.4
Y _{d, Ma}	88.0	-6.8	89.7	90.0
G _{d, Ma}	49.6	-65.0	27.6	70.6
C _{d, Ma}	57.0	-29.7	-39.8	49.7
B _{d, Ma}	25.8	26.0	-38.7	46.7
M _{d, Ma}	47.2	78.3	-0.6	78.3
N _{d, Ma}	23.6	0.0	0.0	0.0
W _{d, Ma}	96.4	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



4-003131-L0

SI070-70

grafico TUB-SI07; 16 tintes, carta standard offset APCO
grafico conformemente a DIN 33872, 3D=0, de=0, cmy0

immettere: $rgb/cmyk \rightarrow rgb_d$
uscita: trasferire a $cmy0_d$

4-003131-F0

Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):

HIC^*_d


codice di tonalità per i colori

questa pagina:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4
R25Y_100_100_d	54.2	52.8	53.7	75.3
R50Y_100_100_d	66.4	28.5	66.7	72.5
R75Y_100_100_d	79.7	5.8	81.0	81.2
Y00G_100_100_d	88.0	-6.8	89.7	90.0
Y25G_100_100_d	81.0	-13.5	78.3	79.5
Y50G_100_100_d	70.6	-26.9	62.2	67.8
Y75G_100_100_d	57.9	-47.3	43.7	64.5
G00B_100_100_d	49.6	-65.0	27.6	70.6
G25B_100_100_d	53.0	-48.2	-10.8	49.4
G50B_100_100_d	57.0	-29.7	-39.8	49.7
G75B_100_100_d	43.1	-6.3	-39.3	39.8
B00R_100_100_d	25.8	26.0	-38.7	46.7
B25R_100_100_d	36.7	56.5	-19.8	59.9
B50R_100_100_d	47.2	78.3	-0.6	78.3
B75R_100_100_d	46.7	74.0	19.0	76.4



%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	46.4	70.3	44.9	83.4
Y _d ,Ma	88.0	-6.8	89.7	90.0
G _d ,Ma	49.6	-65.0	27.6	70.6
C _d ,Ma	57.0	-29.7	-39.8	49.7
B _d ,Ma	25.8	26.0	-38.7	46.7
M _d ,Ma	47.2	78.3	-0.6	78.3
N _d ,Ma	23.6	0.0	0.0	0.0
W _d ,Ma	96.4	0.0	0.0	0.0
R _d ,CIE	39.9	58.7	27.9	65.0
Y _d ,CIE	81.2	-2.8	71.5	71.6
G _d ,CIE	52.2	-42.4	13.6	44.5
B _d ,CIE	30.5	1.4	-46.4	46.4



4-003231-L0

SI070-70

grafico TUB-SI07; 16 tintes, carta standard offset APCO
grafico conformemente a DIN 33872, 3D=0, de=0, cmy0

immettere: $rgb/cmyk \rightarrow rgb_d$
uscita: trasferire a $cmy0_d$

4-003231-F0

Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):

H^*_d


codice di tonalità per i colori

questa pagina:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4	32
R25Y_100_100_d	54.2	52.8	53.7	75.3	45
R50Y_100_100_d	66.4	28.5	66.7	72.5	66
R75Y_100_100_d	79.7	5.8	81.0	81.2	85
Y00G_100_100_d	88.0	-6.8	89.7	90.0	94
Y25G_100_100_d	81.0	-13.5	78.3	79.5	99
Y50G_100_100_d	70.6	-26.9	62.2	67.8	113
Y75G_100_100_d	57.9	-47.3	43.7	64.5	137
G00B_100_100_d	49.6	-65.0	27.6	70.6	157
G25B_100_100_d	53.0	-48.2	-10.8	49.4	192
G50B_100_100_d	57.0	-29.7	-39.8	49.7	233
G75B_100_100_d	43.1	-6.3	-39.3	39.8	260
B00R_100_100_d	25.8	26.0	-38.7	46.7	303
B25R_100_100_d	36.7	56.5	-19.8	59.9	340
B50R_100_100_d	47.2	78.3	-0.6	78.3	359
B75R_100_100_d	46.7	74.0	19.0	76.4	14



% Gamma

$u^*_{rel} = 92$



% Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	46.4	70.3	44.9	83.4	32
Y _d ,Ma	88.0	-6.8	89.7	90.0	94
G _d ,Ma	49.6	-65.0	27.6	70.6	157
C _d ,Ma	57.0	-29.7	-39.8	49.7	233
B _d ,Ma	25.8	26.0	-38.7	46.7	303
M _d ,Ma	47.2	78.3	-0.6	78.3	359
N _d ,Ma	23.6	0.0	0.0	0.0	0
W _d ,Ma	96.4	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271



4-003331-L0

SI070-70

grafico TUB-SI07; 16 tintes, carta standard offset APCO
grafico conformemente a DIN 33872, 3D=0, de=0, cmy0

immettere: $rgb/cmyk \rightarrow rgb_d$
uscita: trasferire a $cmy0_d$

4-003331-F0

Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):

H^*_d


codice di tonalità per i colori

questa pagina:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4	32
R25Y_100_100_d	54.2	52.8	53.7	75.3	45
R50Y_100_100_d	66.4	28.5	66.7	72.5	66
R75Y_100_100_d	79.7	5.8	81.0	81.2	85
Y00G_100_100_d	88.0	-6.8	89.7	90.0	94
Y25G_100_100_d	81.0	-13.5	78.3	79.5	99
Y50G_100_100_d	70.6	-26.9	62.2	67.8	113
Y75G_100_100_d	57.9	-47.3	43.7	64.5	137
G00B_100_100_d	49.6	-65.0	27.6	70.6	157
G25B_100_100_d	53.0	-48.2	-10.8	49.4	192
G50B_100_100_d	57.0	-29.7	-39.8	49.7	233
G75B_100_100_d	43.1	-6.3	-39.3	39.8	260
B00R_100_100_d	25.8	26.0	-38.7	46.7	303
B25R_100_100_d	36.7	56.5	-19.8	59.9	340
B50R_100_100_d	47.2	78.3	-0.6	78.3	359
B75R_100_100_d	46.7	74.0	19.0	76.4	14



%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	46.4	70.3	44.9	83.4	32
Y _{d, Ma}	88.0	-6.8	89.7	90.0	94
G _{d, Ma}	49.6	-65.0	27.6	70.6	157
C _{d, Ma}	57.0	-29.7	-39.8	49.7	233
B _{d, Ma}	25.8	26.0	-38.7	46.7	303
M _{d, Ma}	47.2	78.3	-0.6	78.3	359
N _{d, Ma}	23.6	0.0	0.0	0.0	0
W _{d, Ma}	96.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271




4-003431-L0

SI070-70

grafico TUB-SI07; 16 tinte, carta standard offset APCO
grafico conformemente a DIN 33872, 3D=0, de=0, cmy0

immettere: $rgb/cmyk \rightarrow rgb_d$
uscita: trasferire a $cmy0_d$

4-003431-F0



vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$

$LCH^*_d = 88.0 \ 90.0 \ 94.3$

$LAB^*_d = 88.0 \ -6.8 \ 89.7$

$rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$

$LCH^*_d = 49.6 \ 70.6 \ 157.0$

$LAB^*_d = 49.6 \ -65.0 \ 27.6$

$rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$

$LCH^*_d = 57.0 \ 49.7 \ 233.2$

$LAB^*_d = 57.0 \ -29.7 \ -39.8$

$rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$

$LCH^*_d = 46.4 \ 83.4 \ 32.5$

$LAB^*_d = 46.4 \ 70.3 \ 44.9$

$rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$

$LCH^*_d = 47.2 \ 78.3 \ 359.5$

$LAB^*_d = 47.2 \ 78.3 \ -0.6$

$rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$

$LCH^*_d = 25.8 \ 46.7 \ 303.9$

$LAB^*_d = 25.8 \ 26.0 \ -38.7$

$rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e

$LCH^*_e = 85.8 \ 87.5 \ 92.3$

$LAB^*_e = 85.8 \ -3.5 \ 87.4$

$rgb^*_{de} = 1.0 \ 0.93 \ 0.0$

G_e

$LCH^*_e = 50.3 \ 65.8 \ 162.2$

$LAB^*_e = 50.3 \ -62.6 \ 20.1$

$rgb^*_{de} = 0.0 \ 1.0 \ 0.112$

C_e

$LCH^*_e = 55.4 \ 47.3 \ 216.9$

$LAB^*_e = 55.4 \ -37.8 \ -28.4$

$rgb^*_{de} = 0.0 \ 1.0 \ 0.767$

B_e

$LCH^*_e = 38.7 \ 38.9 \ 271.7$

$LAB^*_e = 38.7 \ 1.1 \ -38.9$

$rgb^*_{de} = 0.0 \ 0.38 \ 1.0$

R_e

$LCH^*_e = 46.6 \ 79.2 \ 25.4$

$LAB^*_e = 46.6 \ 71.5 \ 34.1$

$rgb^*_{de} = 1.0 \ 0.0 \ 0.219$

M_e

$LCH^*_e = 31.5 \ 53.5 \ 328.6$

$LAB^*_e = 31.5 \ 45.7 \ -27.9$

$rgb^*_{de} = 0.319 \ 0.0 \ 1.0$

Y_s

$LCH^*_s = 83.5 \ 84.9 \ 90.0$

$LAB^*_s = 83.5 \ 0.0 \ 84.9$

$rgb^*_{ds} = 1.0 \ 0.86 \ 0.0$

G_s

$LCH^*_s = 52.7 \ 66.4 \ 150.0$

$LAB^*_s = 52.7 \ -57.5 \ 33.2$

$rgb^*_{ds} = 0.083 \ 1.0 \ 0.0$

R_s

$LCH^*_s = 46.5 \ 81.7 \ 30.0$

$LAB^*_s = 46.5 \ 70.7 \ 40.8$

$rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s

$LCH^*_s = 32.0 \ 54.2 \ 330.0$

$LAB^*_s = 32.0 \ 46.9 \ -27.1$

$rgb^*_{ds} = 0.334 \ 0.0 \ 1.0$

B_s

$LCH^*_s = 39.4 \ 39.0 \ 270.0$

$LAB^*_s = 39.4 \ 0.0 \ -39.0$

$rgb^*_{ds} = 0.0 \ 0.399 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_d, LCH^*_d, LAB^*_d$

$h_{ab,s}, rgb^*_d$

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab,d}$

rgb^*_{de}

4-003631-L0

SI070-70

$LAB^*Ia0, YN=0\%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB^*nw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0$

uscita: Offset standard print; separation cmy0*, D65, pagina 7/33

grafico TUB-SI07; 16 tinte, carta standard offset APCO

immettere: $rgb/cmyk \rightarrow rgb_d$

cerchio delle tinte a 48 passi; $rgb-LabCh^*tavole, 3D=0, de=0, cmym \rightarrow trasfere a cmy0_d$

4-003631-F0

uscita: Offset standard print; separation cmy0*, D65, pagina 8/33

immettere: $rgb/cmyk \rightarrow rgb_d$
 = 0, scartare a $cmy0_d$

4-003731-F0

Y

Y

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M	rgb* dd rgb* ds rgb* de
32.5	30.0	25.4	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5	1.0 0.0 0.219 46.6 71.6 34.1 79.3 25		
38.1	37.5	33.8	1.0 0.125 0.0	49.9 62.1 48.7 79.0 38.1	1.0 0.016 0.0 46.9 69.3 45.5 82.9 33		
46.5	45.0	42.1	1.0 0.25 0.0	54.8 51.4 54.3 74.8 46.5	1.0 0.185 0.0 52.3 57.1 51.7 77.0 42		
56.7	52.5	50.5	1.0 0.375 0.0	60.5 39.6 60.5 72.3 56.7	1.0 0.292 0.0 56.7 47.6 56.7 74.0 49		
66.8	60.0	58.8	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8	1.0 0.401 0.0 61.7 37.4 62.0 72.4 58		
77.9	67.5	67.2	1.0 0.625 0.0	73.5 15.9 74.3 76.0 77.9	1.0 0.498 0.0 66.3 28.7 66.6 72.6 66		
85.1	75.0	75.6	1.0 0.75 0.0	79.1 6.8 80.2 80.5 85.1	1.0 0.599 0.0 72.0 18.7 73.0 75.3 75		
90.6	82.5	83.9	1.0 0.875 0.0	84.1 -0.9 85.5 85.5 90.6	1.0 0.72 0.0 77.8 9.1 78.9 79.5 83		
94.3	90.0	92.3	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3	1.0 0.93 0.0 85.9 -3.4 87.5 87.5 92		
97.1	97.5	101.0	0.875 1.0 0.0	84.5 -10.3 82.8 83.5 97.1	1.0 0.745 1.0 0.0 80.4 -14.2 77.5 78.8 100		
100.2	105.0	109.7	0.75 1.0 0.0	80.5 -14.0 77.6 78.9 100.2	0.561 1.0 0.0 73.3 -24.1 67.3 71.6 109		
106.0	112.5	118.5	0.625 1.0 0.0	75.9 -20.8 72.5 75.5 106.0	0.43 1.0 0.0 67.8 -30.8 58.2 65.8 117		
113.3	120.0	127.2	0.5 1.0 0.0	70.6 -26.9 62.2 67.8 113.3	0.325 1.0 0.0 62.7 -38.9 51.2 64.3 127		
121.5	127.5	136.0	0.375 1.0 0.0	65.4 -33.6 54.7 64.2 121.5	0.254 1.0 0.0 58.7 -45.9 45.3 64.5 135		
135.8	135.0	144.7	0.25 1.0 0.0	58.4 -46.3 44.9 64.5 135.8	0.146 1.0 0.0 54.9 -52.5 37.2 64.4 144		
146.5	142.5	153.4	0.125 1.0 0.0	54.2 -53.6 35.4 64.3 146.5	0.049 1.0 0.0 51.5 -60.6 31.1 68.2 152		
157.0	150.0	162.2	0.0 1.0 0.0	49.6 -65.0 27.6 70.6 157.0	0.0 1.0 0.112 50.4 -62.6 20.1 65.8 162		
162.8	157.5	169.0	0.0 1.0 0.125 50.4	-62.3 19.2 65.2 162.8	0.0 1.0 0.218 51.0 -59.5 12.0 60.8 168		
170.5	165.0	175.9	0.0 1.0 0.25 51.1	-58.4 9.7 59.2 170.5	0.0 1.0 0.315 51.6 -56.1 4.0 56.4 175		
180.7	172.5	182.7	0.0 1.0 0.375 52.0	-53.7 -0.7 53.7 180.7	0.0 1.0 0.391 52.2 -53.0 -2.0 53.2 182		
192.6	180.0	189.6	0.0 1.0 0.5 53.0	-48.2 -10.8 49.4 192.6	0.0 1.0 0.468 52.8 -49.7 -8.3 50.5 189		
204.6	187.5	196.4	0.0 1.0 0.625 54.2	-43.2 -19.8 47.5 204.6	0.0 1.0 0.535 53.4 -46.9 -13.4 48.9 195		
215.7	195.0	203.2	0.0 1.0 0.75 55.3	-38.3 -27.5 47.2 215.7	0.0 1.0 0.611 54.1 -43.8 -18.8 47.8 203		
224.8	202.5	210.1	0.0 1.0 0.875 56.1	-34.1 -33.9 48.1 224.8	0.0 1.0 0.682 54.7 -41.1 -23.4 47.4 209		
233.2	210.0	216.9	0.0 1.0 1.0 57.0	-29.7 -39.8 49.7 233.2	0.0 1.0 0.767 55.5 -37.7 -28.4 47.4 216		
237.7	217.5	223.8	0.0 0.875 1.0 54.2	-25.1 -39.8 47.1 237.7	0.0 1.0 0.855 56.0 -34.8 -32.8 48.0 223		
243.5	225.0	230.6	0.0 0.75 1.0 50.9	-19.7 -39.7 44.3 243.5	0.0 1.0 0.961 56.8 -31.1 -38.0 49.3 230		
249.9	232.5	237.5	0.0 0.625 1.0 47.6	-14.3 -39.4 42.0 249.9	0.0 0.895 1.0 54.7 -25.8 -39.8 47.6 237		
260.8	240.0	244.3	0.0 0.5 1.0 43.1	-6.3 -39.3 39.8 260.8	0.0 0.734 1.0 50.5 -19.0 -39.7 44.1 244		
272.2	247.5	251.2	0.0 0.375 1.0 38.5	1.5 -38.8 38.9 272.2	0.0 0.616 1.0 47.3 -13.7 -39.4 41.9 250		
284.2	255.0	258.0	0.0 0.25 1.0 34.1	9.8 -38.8 40.0 284.2	0.0 0.532 1.0 44.3 -8.3 -39.4 40.4 258		
295.4	262.5	264.8	0.0 0.125 1.0 29.5	18.5 -38.8 43.0 295.4	0.0 0.461 1.0 41.7 -3.7 -39.3 39.5 264		
303.9	270.0	271.7	0.0 0.0 1.0 25.8	26.0 -38.7 46.7 303.9	0.0 0.381 1.0 38.7 1.2 -38.8 39.0 271		
312.9	277.5	278.8	0.125 0.0 1.0 28.4	32.6 -35.0 47.9 312.9	0.0 0.311 1.0 36.3 5.8 -39.0 39.5 278		
322.0	285.0	285.9	0.25 0.0 1.0 29.2	39.8 -31.1 50.6 322.0	0.0 0.231 1.0 33.4 11.1 -38.9 40.5 285		
333.8	292.5	293.0	0.375 0.0 1.0 33.3	50.2 -24.6 55.9 333.8	0.0 0.157 1.0 30.7 16.2 -38.9 42.3 292		
340.6	300.0	300.1	0.5 0.0 1.0 36.7	56.5 -19.8 59.9 340.6	0.0 0.055 1.0 27.5 22.7 -38.9 45.1 300		
348.4	307.5	307.2	0.625 0.0 1.0 39.1	64.4 -13.1 65.7 348.4	0.04 0.0 1.0 26.7 28.2 -37.6 47.1 306		
353.1	315.0	314.3	0.75 0.0 1.0 42.7	70.0 -8.4 70.5 353.1	0.145 0.0 1.0 28.6 33.8 -34.5 48.4 314		
356.0	322.5	321.4	0.875 0.0 1.0 45.4	73.8 -5.1 74.0 356.0	0.236 0.0 1.0 29.2 39.1 -31.6 50.3 321		
359.5	330.0	328.6	1.0 0.0 1.0 47.2	78.3 -0.6 78.3 359.5	0.319 0.0 1.0 31.5 45.7 -27.8 53.6 328		
362.6	337.5	335.7	1.0 0.0 0.875 47.0	77.4 3.5 77.4 362.6	0.4 0.0 1.0 34.0 51.6 -23.7 56.8 335		
365.8	345.0	342.8	1.0 0.0 0.75 46.9	76.3 7.8 76.7 365.8	0.535 0.0 1.0 37.5 58.8 -18.1 61.6 342		
370.0	352.5	349.9	1.0 0.0 0.625 46.9	75.1 13.2 76.2 370.0	0.651 0.0 1.0 39.9 65.6 -12.1 66.8 349		
374.4	360.0	357.0	1.0 0.0 0.5 46.7	74.0 19.0 76.4 374.4	0.721 0.0 1.0 41.9 68.8 -9.5 69.4 352		
379.4	367.5	364.1	1.0 0.0 0.375 46.9	72.4 25.6 76.8 379.4	1.0 0.0 0.987 47.2 78.3 -0.1 78.3 359		
384.4	375.0	371.2	1.0 0.0 0.25 46.6	71.6 32.5 78.7 384.4	1.0 0.0 0.663 47.0 75.5 11.7 76.4 368		
388.7	382.5	378.3	1.0 0.0 0.125 46.5	70.9 38.9 80.9 388.7	1.0 0.0 0.447 46.8 73.4 21.8 76.6 376		
392.5	390.0	385.4	1.0 0.0 0.0 46.4	70.3 44.9 83.4 392.5	1.0 0.0 0.219 46.6 71.6 34.1 79.3 385		

4-003831-L0

SI070-70

LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 9/33

grafico TUB-SI07; 16 tinte, carta standard offset APCO immettere: $rgb/cmyk \rightarrow rgb_d$
cerchio delle tinte a 48 passi; $rgb-LabCh*$ tavole, 3D=0, de=0, $cmyk \rightarrow trasfere a cmy0_d$

4-003831-F0

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

TUB materiale: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$															
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32		1.0 0.0 0.084 46.5 70.8 40.9 81.7 30		1.0 0.0 0.0	1.0 0.0 0.219 46.6 71.6 34.1 79.3 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	46.8 69.2 45.5 82.8 33		1.0 0.0 0.052 46.5 70.6 42.4 82.4 31		1.0 0.017 0.0	1.0 0.0 0.187 46.6 71.4 35.7 79.8 26		1.0 0.017 0.0				
34	32	27	1.0 0.033 0.0	47.3 68.1 46.0 82.2 34		1.0 0.0 0.019 46.4 70.4 44.0 83.1 32		1.0 0.033 0.0	1.0 0.0 0.155 46.6 71.2 37.4 80.4 27		1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	47.8 67.0 46.6 81.6 34		1.0 0.009 0.0 46.7 69.7 45.3 83.1 33		1.0 0.05 0.0	1.0 0.0 0.123 46.6 70.9 39.0 81.0 28		1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	48.3 65.9 47.1 81.0 35		1.0 0.032 0.0 47.3 68.2 46.0 82.3 34		1.0 0.067 0.0	1.0 0.0 0.086 46.5 70.8 40.8 81.7 29		1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	48.7 64.8 47.6 80.4 36		1.0 0.054 0.0 48.0 66.8 46.8 81.5 35		1.0 0.083 0.0	1.0 0.0 0.05 46.5 70.6 42.5 82.4 31		1.0 0.083 0.0				
37	36	32	1.0 0.1 0.0	49.2 63.7 48.1 79.8 37		1.0 0.077 0.0 48.6 65.3 47.4 80.7 36		1.0 0.1 0.0	1.0 0.0 0.014 46.4 70.4 44.3 83.2 32		1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	49.7 62.6 48.5 79.2 37		1.0 0.099 0.0 49.2 63.8 48.1 79.9 37		1.0 0.117 0.0	1.0 0.016 0.0 46.9 69.3 45.5 82.9 33		1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	50.2 61.4 49.2 78.7 38		1.0 0.122 0.0 49.9 62.3 48.7 79.1 38		1.0 0.133 0.0	1.0 0.041 0.0 47.6 67.7 46.3 82.0 34		1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	50.9 60.0 50.0 78.1 39		1.0 0.138 0.0 50.5 61.1 49.5 78.6 39		1.0 0.15 0.0	1.0 0.066 0.0 48.3 66.0 47.1 81.1 35		1.0 0.15 0.0				
40	40	36	1.0 0.166 0.0	51.6 58.5 50.8 77.6 40		1.0 0.152 0.0 51.0 59.8 50.2 78.1 40		1.0 0.167 0.0	1.0 0.091 0.0 49.0 64.4 47.8 80.2 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	52.2 57.1 51.6 77.0 42		1.0 0.167 0.0 51.6 58.6 50.9 77.6 41		1.0 0.183 0.0	1.0 0.116 0.0 49.7 62.7 48.5 79.3 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	52.9 55.7 52.3 76.4 43		1.0 0.182 0.0 52.2 57.3 51.6 77.1 42		1.0 0.2 0.0	1.0 0.135 0.0 50.4 61.3 49.3 78.7 38		1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	53.5 54.3 53.0 75.9 44		1.0 0.197 0.0 52.8 56.0 52.2 76.6 43		1.0 0.217 0.0	1.0 0.152 0.0 51.0 59.9 50.2 78.1 39		1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	54.2 52.8 53.7 75.3 45		1.0 0.212 0.0 53.4 54.7 52.9 76.1 44		1.0 0.233 0.0	1.0 0.168 0.0 51.7 58.5 51.0 77.6 41		1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	54.8 51.4 54.3 74.8 46		1.0 0.226 0.0 53.9 53.5 53.5 75.6 45		1.0 0.25 0.0	1.0 0.185 0.0 52.3 57.1 51.7 77.0 42		1.0 0.25 0.0				
47	46	43	1.0 0.266 0.0	55.6 49.8 55.3 74.4 47		1.0 0.241 0.0 54.5 52.2 54.0 75.1 46		1.0 0.267 0.0	1.0 0.201 0.0 53.0 55.6 52.4 76.4 43		1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	56.3 48.3 56.2 74.1 49		1.0 0.255 0.0 55.1 51.0 54.6 74.7 47		1.0 0.283 0.0	1.0 0.218 0.0 53.6 54.2 53.1 75.9 44		1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	57.1 46.7 57.1 73.8 50		1.0 0.267 0.0 55.6 49.8 55.3 74.5 48		1.0 0.3 0.0	1.0 0.234 0.0 54.2 52.8 53.8 75.3 45		1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	57.8 45.2 57.9 73.5 52		1.0 0.279 0.0 56.2 48.7 56.0 74.2 49		1.0 0.317 0.0	1.0 0.251 0.0 54.9 51.4 54.4 74.8 46		1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	58.6 43.6 58.7 73.1 53		1.0 0.292 0.0 56.7 47.6 56.7 74.0 50		1.0 0.333 0.0	1.0 0.264 0.0 55.5 50.1 55.2 74.5 47		1.0 0.333 0.0				
54	51	48	1.0 0.35 0.0	59.3 42.0 59.4 72.8 54		1.0 0.304 0.0 57.3 46.4 57.3 73.8 51		1.0 0.35 0.0	1.0 0.278 0.0 56.1 48.8 55.9 74.3 48		1.0 0.35 0.0				
56	52	49	1.0 0.366 0.0	60.1 40.4 60.2 72.5 56		1.0 0.316 0.0 57.9 45.3 57.9 73.5 52		1.0 0.367 0.0	1.0 0.292 0.0 56.7 47.6 56.7 74.0 49		1.0 0.367 0.0				
57	53	51	1.0 0.383 0.0	60.9 38.9 61.0 72.3 57		1.0 0.328 0.0 58.4 44.1 58.5 73.3 53		1.0 0.383 0.0	1.0 0.305 0.0 57.4 46.3 57.4 73.7 51		1.0 0.383 0.0				
58	54	52	1.0 0.4 0.0	61.6 37.4 61.9 72.4 58		1.0 0.341 0.0 59.0 42.9 59.1 73.0 54		1.0 0.4 0.0	1.0 0.319 0.0 58.0 45.0 58.1 73.5 52		1.0 0.4 0.0				
60	55	53	1.0 0.416 0.0	62.4 36.0 62.8 72.4 60		1.0 0.353 0.0 59.5 41.8 59.6 72.8 55		1.0 0.417 0.0	1.0 0.332 0.0 58.6 43.7 58.7 73.2 53		1.0 0.417 0.0				
61	56	54	1.0 0.433 0.0	63.2 34.5 63.6 72.4 61		1.0 0.365 0.0 60.1 40.6 60.1 72.6 56		1.0 0.433 0.0	1.0 0.346 0.0 59.2 42.4 59.3 72.9 54		1.0 0.433 0.0				
62	57	55	1.0 0.45 0.0	64.0 33.0 64.4 72.4 62		1.0 0.378 0.0 60.6 39.4 60.7 72.4 57		1.0 0.45 0.0	1.0 0.36 0.0 59.8 41.1 59.9 72.7 55		1.0 0.45 0.0				
64	58	56	1.0 0.466 0.0	64.8 31.5 65.2 72.5 64		1.0 0.39 0.0 61.2 38.4 61.4 72.4 58		1.0 0.467 0.0	1.0 0.373 0.0 60.4 39.8 60.5 72.4 56		1.0 0.467 0.0				
65	59	57	1.0 0.483 0.0	65.6 30.0 66.0 72.5 65		1.0 0.402 0.0 61.8 37.3 62.1 72.4 59		1.0 0.483 0.0	1.0 0.387 0.0 61.1 38.6 61.2 72.4 57		1.0 0.483 0.0				
66	60	58	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66		1.0 0.415 0.0 62.4 36.2 62.7 72.4 60		1.0 0.5 0.0	1.0 0.401 0.0 61.7 37.4 62.0 72.4 58		1.0 0.5 0.0				
68	61	60	1.0 0.516 0.0	67.3 26.9 67.8 73.0 68		1.0 0.427 0.0 63.0 35.1 63.4 72.4 61		1.0 0.517 0.0	1.0 0.415 0.0 62.4 36.2 62.7 72.4 60		1.0 0.517 0.0				
69	62	61	1.0 0.533 0.0	68.3 25.3 68.9 73.4 69		1.0 0.44 0.0 63.6 34.0 64.0 72.5 62		1.0 0.533 0.0	1.0 0.429 0.0 63.0 35.0 63.4 72.5 61		1.0 0.533 0.0				
71	63	62	1.0 0.55 0.0	69.2 23.7 70.0 73.9 71		1.0 0.452 0.0 64.1 32.9 64.6 72.5 63		1.0 0.55 0.0	1.0 0.443 0.0 63.7 33.8 64.1 72.5 62		1.0 0.55 0.0				
72	64	63	1.0 0.566 0.0	70.2 22.0 71.0 74.4 72		1.0 0.464 0.0 64.7 31.8 65.2 72.5 64		1.0 0.567 0.0	1.0 0.456 0.0 64.4 32.5 64.8 72.5 63		1.0 0.567 0.0				
74	65	64	1.0 0.583 0.0	71.1 20.3 72.0 74.8 74		1.0 0.477 0.0 65.3 30.7 65.7 72.5 65		1.0 0.583 0.0	1.0 0.47 0.0 65.0 31.3 65.4 72.5 64		1.0 0.583 0.0				
75	66	65	1.0 0.6 0.0	72.1 18.5 73.0 75.3 75		1.0 0.489 0.0 65.9 29.5 66.3 72.6 66		1.0 0.6 0.0	1.0 0.484 0.0 65.7 30.0 66.1 72.5 65		1.0 0.6 0.0				
77	67	66	1.0 0.616 0.0	73.0 16.8 73.9 75.8 77		1.0 0.502 0.0 66.5 28.4 66.8 72.6 67		1.0 0.617 0.0	1.0 0.498 0.0 66.3 28.7 66.6 72.6 66		1.0 0.617 0.0				
78	68	67	1.0 0.633 0.0	73.9 15.3 74.7 76.3 78		1.0 0.513 0.0 67.1 27.3 67.6 72.9 68		1.0 0.633 0.0	1.0 0.511 0.0 67.0 27.5 67.5 72.9 67		1.0 0.633 0.0				
79	69	68	1.0 0.65 0.0	74.6 14.1 75.6 76.9 79		1.0 0.524 0.0 67.8 26.2 68.4 73.2 69		1.0 0.65 0.0	1.0 0.523 0.0 67.7 26.3 68.3 73.2 68		1.0 0.65 0.0				
80	70	70	1.0 0.666 0.0	75.3 13.0 76.4 77.5 80		1.0 0.535 0.0 68.4 25.2 69.1 73.6 70		1.0 0.667 0.0	1.0 0.536 0.0 68.5 25.1 69.1 73.6 70		1.0 0.667 0.0				
81	71	71	1.0 0.683 0.0	76.1 11.8 77.2 78.1 81		1.0 0.547 0.0 69.1 24.1 69.8 73.9 71		1.0 0.683 0.0	1.0 0.548 0.0 69.2 23.9 70.0 73.9 71		1.0 0.683 0.0				
82	72	72	1.0 0.7 0.0	76.8 10.6 78.0 78.7 82		1.0 0.558 0.0 69.7 22.9 70.6 74.2 72		1.0 0.7 0.0	1.0 0.561 0.0 69.9 22.6 70.7 74.3 72		1.0 0.7 0.0				
83	73	73	1.0 0.716 0.0	77.6 9.3 78.8 79.3 83		1.0 0.569 0.0 70.4 21.8 71.2 74.5 73		1.0 0.717 0.0	1.0 0.574 0.0 70.6 21.3 71.5 74.6 73		1.0 0.717 0.0				
84	74	74	1.0 0.733 0.0	78.3 8.0 79.5 79.9 84		1.0 0.581 0.0 71.0 20.6 71.9 74.8 74		1.0 0.733 0.0	1.0 0.586 0.0 71.3 20.0 72.2 75.0 74		1.0 0.733 0.0				
85	75	75	1.0 0.75 0.0	79.1 6.8 80.2 80.5 85		1.0 0.592 0.0 71.7 19.4 72.6 75.1 75		1.0 0.75 0.0	1.0 0.599 0.0 72.0 18.7 73.0 75.3 75		1.0 0.75 0.0				

4-003931-L0 SI070-70 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 10/33

grafico TUB-SI07; 16 tinte, carta standard offset APCO immettere: $rgb/cmyk \rightarrow rgb_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*tavole$, 3D=0, de=0, $cmyk \rightarrow trasfere a cmy0_d$

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> /PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /PS
la domanda per la misura uscita nella stampa di offset, separazionecmy0 (CMY0)

TUB materiale: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}						
85	75	75	1.0	0.75 0.0	79.1	6.8 80.2 80.5	85	1.0	0.592 0.0	71.7	19.4 72.6 75.1	75	1.0	0.75 0.0	72.0	18.7 73.0 75.3	75	1.0	0.75 0.0
85	76	76	1.0	0.766 0.0	79.7	5.8 81.0 81.2	85	1.0	0.603 0.0	72.3	18.3 73.2 75.4	76	1.0	0.767 0.0	72.8	17.4 73.6 75.7	76	1.0	0.767 0.0
86	77	77	1.0	0.783 0.0	80.4	4.8 81.7 81.8	86	1.0	0.615 0.0	72.9	17.0 73.8 75.8	77	1.0	0.783 0.0	73.5	16.0 74.3 76.0	77	1.0	0.783 0.0
87	78	78	1.0	0.8 0.0	81.1	3.8 82.4 82.5	87	1.0	0.626 0.0	73.6	15.8 74.4 76.1	78	1.0	0.8 0.0	74.3	14.7 75.3 76.7	78	1.0	0.8 0.0
88	79	80	1.0	0.816 0.0	81.8	2.7 83.1 83.2	88	1.0	0.644 0.0	74.4	14.6 75.3 76.7	79	1.0	0.817 0.0	75.2	13.4 76.2 77.4	80	1.0	0.817 0.0
88	80	81	1.0	0.833 0.0	82.4	1.7 83.8 83.8	88	1.0	0.661 0.0	75.1	13.4 76.2 77.3	80	1.0	0.833 0.0	76.0	12.0 77.1 78.1	81	1.0	0.833 0.0
89	81	82	1.0	0.85 0.0	83.1	0.6 84.5 84.5	89	1.0	0.678 0.0	75.9	12.2 77.0 78.0	81	1.0	0.85 0.0	76.9	10.6 78.1 78.8	82	1.0	0.85 0.0
90	82	83	1.0	0.866 0.0	83.8	-0.4 85.2 85.2	90	1.0	0.695 0.0	76.7	10.9 77.8 78.6	82	1.0	0.867 0.0	77.8	9.1 78.9 79.5	83	1.0	0.867 0.0
90	83	84	1.0	0.883 0.0	84.4	-1.3 85.8 85.8	90	1.0	0.713 0.0	77.5	9.7 78.6 79.2	83	1.0	0.883 0.0	78.6	7.7 79.8 80.2	84	1.0	0.883 0.0
91	84	85	1.0	0.9 0.0	84.9	-2.1 86.4 86.4	91	1.0	0.73 0.0	78.2	8.3 79.4 79.8	84	1.0	0.9 0.0	79.5	6.2 80.8 81.0	85	1.0	0.9 0.0
91	85	86	1.0	0.916 0.0	85.4	-2.8 86.9 87.0	91	1.0	0.747 0.0	79.0	7.0 80.2 80.5	85	1.0	0.917 0.0	80.6	4.7 81.9 82.0	86	1.0	0.917 0.0
92	86	87	1.0	0.933 0.0	85.9	-3.6 87.5 87.6	92	1.0	0.769 0.0	79.9	5.7 81.1 81.3	86	1.0	0.933 0.0	81.6	3.1 82.9 83.0	87	1.0	0.933 0.0
92	87	88	1.0	0.95 0.0	86.5	-4.4 88.1 88.2	92	1.0	0.792 0.0	80.8	4.3 82.1 82.2	87	1.0	0.95 0.0	82.6	1.5 84.0 84.0	88	1.0	0.95 0.0
93	88	90	1.0	0.966 0.0	87.0	-5.2 88.6 88.8	93	1.0	0.815 0.0	81.7	2.9 83.1 83.1	88	1.0	0.967 0.0	83.6	0.0 85.0 85.0	90	1.0	0.967 0.0
93	89	91	1.0	0.983 0.0	87.5	-6.0 89.2 89.4	93	1.0	0.837 0.0	82.6	1.5 84.0 84.0	89	1.0	0.983 0.0	84.7	-1.7 86.2 86.2	91	1.0	0.983 0.0
94	90	92	1.0	1.0 0.0	88.0	-6.8 89.7 90.0	94	1.0	0.86 0.0	83.5	0.0 84.9 84.9	90	1.0	1.0 0.0	85.9	-3.4 87.5 87.5	92	1.0	1.0 0.0
94	91	93	0.983	1.0 0.0	87.5	-7.3 88.8 89.1	94	1.0	0.886 0.0	84.5	-1.4 85.9 85.9	91	0.983	1.0 0.0	87.1	-5.3 88.8 88.9	93	0.983	1.0 0.0
95	92	94	0.966	1.0 0.0	87.1	-7.8 87.9 88.2	95	1.0	0.92 0.0	85.6	-2.9 87.1 87.1	92	0.967	1.0 0.0	87.7	-7.1 89.1 89.4	94	0.967	1.0 0.0
95	93	95	0.95	1.0 0.0	86.6	-8.3 87.0 87.4	95	1.0	0.953 0.0	86.6	-4.5 88.2 88.4	93	0.95	1.0 0.0	86.2	-8.7 86.2 86.6	95	0.95	1.0 0.0
95	94	96	0.933	1.0 0.0	86.1	-8.8 86.1 86.5	95	1.0	0.987 0.0	87.7	-6.1 89.3 89.6	94	0.933	1.0 0.0	84.7	-10.1 83.2 83.8	96	0.933	1.0 0.0
96	95	98	0.916	1.0 0.0	85.7	-9.2 85.1 85.6	96	0.972	1.0 0.0	87.3	-7.6 88.2 88.6	95	0.917	1.0 0.0	83.4	-11.5 81.2 82.0	98	0.917	1.0 0.0
96	96	99	0.9	1.0 0.0	85.2	-9.6 84.2 84.8	96	0.926	1.0 0.0	86.0	-8.9 85.7 86.2	96	0.9	1.0 0.0	81.7	-12.9 79.2 80.3	99	0.9	1.0 0.0
96	97	100	0.883	1.0 0.0	84.7	-10.1 83.3 83.9	96	0.88	1.0 0.0	84.7	-10.1 83.2 83.8	97	0.883	1.0 0.0	80.4	-14.2 77.5 78.8	100	0.883	1.0 0.0
97	98	101	0.866	1.0 0.0	84.2	-10.5 82.5 83.2	97	0.839	1.0 0.0	83.4	-11.3 81.4 82.2	98	0.867	1.0 0.0	79.4	-15.6 76.5 78.1	101	0.867	1.0 0.0
97	99	102	0.85	1.0 0.0	83.7	-11.1 81.8 82.6	97	0.799	1.0 0.0	82.1	-12.5 79.7 80.7	99	0.85	1.0 0.0	78.5	-17.0 75.5 77.4	102	0.85	1.0 0.0
98	100	103	0.833	1.0 0.0	83.2	-11.6 81.1 81.9	98	0.76	1.0 0.0	80.9	-13.7 78.1 79.3	100	0.833	1.0 0.0	77.6	-18.4 74.5 76.7	103	0.833	1.0 0.0
98	101	105	0.816	1.0 0.0	82.6	-12.1 80.4 81.3	98	0.734	1.0 0.0	79.9	-14.9 77.0 78.5	101	0.817	1.0 0.0	76.7	-19.7 73.4 76.0	105	0.817	1.0 0.0
98	102	106	0.8	1.0 0.0	82.1	-12.6 79.7 80.7	98	0.712	1.0 0.0	79.2	-16.1 76.2 77.9	102	0.8	1.0 0.0	75.8	-21.0 72.2 75.2	106	0.8	1.0 0.0
99	103	107	0.783	1.0 0.0	81.6	-13.0 79.0 80.1	99	0.69	1.0 0.0	78.4	-17.3 75.3 77.3	103	0.783	1.0 0.0	74.9	-22.1 70.6 74.0	107	0.783	1.0 0.0
99	104	108	0.766	1.0 0.0	81.0	-13.5 78.3 79.5	99	0.669	1.0 0.0	77.6	-18.5 74.4 76.7	104	0.767	1.0 0.0	74.1	-23.1 69.0 72.8	108	0.767	1.0 0.0
100	105	109	0.75	1.0 0.0	80.5	-14.0 77.6 78.9	100	0.647	1.0 0.0	76.8	-19.6 73.5 76.1	105	0.75	1.0 0.0	73.3	-24.1 67.3 71.6	109	0.75	1.0 0.0
101	106	110	0.733	1.0 0.0	79.9	-14.9 77.0 78.4	101	0.625	1.0 0.0	76.0	-20.7 72.6 75.5	106	0.733	1.0 0.0	72.4	-25.1 65.7 70.4	110	0.733	1.0 0.0
101	107	112	0.716	1.0 0.0	79.3	-15.9 76.3 78.0	101	0.608	1.0 0.0	75.3	-21.7 71.2 74.5	107	0.717	1.0 0.0	71.6	-25.9 64.1 69.1	112	0.717	1.0 0.0
102	108	113	0.7	1.0 0.0	78.7	-16.8 75.7 77.5	102	0.591	1.0 0.0	74.5	-22.6 69.8 73.4	108	0.7	1.0 0.0	70.7	-26.8 62.4 67.9	113	0.7	1.0 0.0
103	109	114	0.683	1.0 0.0	78.1	-17.7 75.0 77.1	103	0.574	1.0 0.0	73.8	-23.5 68.5 72.4	109	0.683	1.0 0.0	70.0	-27.8 61.3 67.4	114	0.683	1.0 0.0
104	110	115	0.666	1.0 0.0	77.5	-18.6 74.3 76.6	104	0.557	1.0 0.0	73.1	-24.3 67.1 71.4	110	0.667	1.0 0.0	69.2	-28.8 60.3 66.9	115	0.667	1.0 0.0
104	111	116	0.65	1.0 0.0	76.8	-19.5 73.6 76.1	104	0.54	1.0 0.0	72.4	-25.1 65.6 70.3	111	0.65	1.0 0.0	68.5	-29.8 59.2 66.3	116	0.65	1.0 0.0
105	112	117	0.633	1.0 0.0	76.2	-20.4 72.9 75.7	105	0.523	1.0 0.0	71.7	-25.8 64.2 69.3	112	0.633	1.0 0.0	67.8	-30.8 58.2 65.8	117	0.633	1.0 0.0
106	113	119	0.616	1.0 0.0	75.6	-21.3 71.9 75.0	106	0.506	1.0 0.0	70.9	-26.6 62.8 68.2	113	0.617	1.0 0.0	67.0	-31.7 57.1 65.3	119	0.617	1.0 0.0
107	114	120	0.6	1.0 0.0	74.9	-22.2 70.5 73.9	107	0.49	1.0 0.0	70.3	-27.4 61.7 67.6	114	0.6	1.0 0.0	66.3	-32.6 56.0 64.8	120	0.6	1.0 0.0
108	115	121	0.583	1.0 0.0	74.2	-23.1 69.2 72.9	108	0.475	1.0 0.0	69.6	-28.3 60.8 67.1	115	0.583	1.0 0.0	65.5	-33.4 54.8 64.3	121	0.583	1.0 0.0
109	116	122	0.566	1.0 0.0	73.5	-23.9 67.8 71.9	109	0.46	1.0 0.0	69.0	-29.1 59.9 66.7	116	0.567	1.0 0.0	64.9	-34.5 54.1 64.2	122	0.567	1.0 0.0
110	117	123	0.55	1.0 0.0	72.8	-24.7 66.4 70.9	110	0.445	1.0 0.0	68.4	-30.0 59.0 66.2	117	0.55	1.0 0.0	64.4	-35.6 53.4 64.3	123	0.55	1.0 0.0
111	118	124	0.533	1.0 0.0	72.0	-25.5 65.0 69.8	111	0.43	1.0 0.0	67.7	-30.8 58.1 65.8	118	0.533	1.0 0.0	63.8	-36.7 52.7 64.3	124	0.533	1.0 0.0
112	119	126	0.516	1.0 0.0	71.3	-26.2 63.6 68.8	112	0.414	1.0 0.0	67.1	-31.6 57.2 65.4	119	0.517	1.0 0.0	63.2	-37.8 52.0 64.3	126	0.517	1.0 0.0
113	120	127	0.5	1.0 0.0	70.6	-26.9 62.2 67.8	113	0.399	1.0 0.0	66.4	-32.4 56.2 64.9	120	0.5	1.0 0.0	62.7	-38.9 51.2 64.3	127	0.5	1.0 0.0

4-0031031-L0 SI070-70 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 11/33

grafico TUB-SI07; 16 tinte, carta standard offset APCO immettere: $rgb/cmyk \rightarrow rgb_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*tavole$, 3D=0, de=0, $cmyk \rightarrow trasfere a cmy0_d$

4-0031031-F0

TUB materiale: code=rha4ta
la domanda per la misura uscita nella stampa di offset, separazione cmy0 (CMY0)

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /PS

TUB materiale: code=rh4ta
necmy0 (CMY0)

4-0031131-L0	SI070-70	LAB*1a0, YN=0%, XYZ _{znw} =3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB* _{nw} =23.6, 0.0, 0.0, 96.5, 0.0, 0.0	uscita: Offset standard print; separation cmy0*, D65, pagina 12
--------------	----------	---	---

uscita: Offset standard print; separation cmy0*, D65, pagina 12

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	C_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$210C_s$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$ (x=LabCh)	$216C_e$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
233	210	216	0.0	1.0	1.0	57.0	-29.7 -39.8 49.7	233	0.0	1.0	1.0	0.767 55.5 -37.7 -28.4 47.4	216	0.0	1.0	1.0
233	211	217	0.0	0.983	1.0	56.6	-29.1 -39.9 49.4	233	0.0	1.0	0.983	1.0	0.0	1.0	0.983	1.0
234	212	218	0.0	0.966	1.0	56.2	-28.4 -39.9 49.0	234	0.0	1.0	0.967	1.0	0.0	1.0	0.967	1.0
235	213	219	0.0	0.95	1.0	55.9	-27.8 -39.9 48.7	235	0.0	1.0	0.95	1.0	0.0	1.0	0.95	1.0
235	214	220	0.0	0.933	1.0	55.5	-27.2 -39.9 48.3	235	0.0	1.0	0.933	1.0	0.0	1.0	0.933	1.0
236	215	221	0.0	0.916	1.0	55.1	-26.6 -39.9 48.0	236	0.0	1.0	0.917	1.0	0.0	1.0	0.917	1.0
236	216	222	0.0	0.9	1.0	54.8	-26.0 -39.9 47.6	236	0.0	1.0	0.9	1.0	0.0	1.0	0.9	1.0
237	217	223	0.0	0.883	1.0	54.4	-25.4 -39.8 47.3	237	0.0	1.0	0.883	1.0	0.0	1.0	0.883	1.0
238	218	224	0.0	0.866	1.0	54.0	-24.7 -39.8 46.9	238	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0
238	219	225	0.0	0.85	1.0	53.6	-24.0 -39.9 46.5	238	0.0	1.0	0.85	1.0	0.0	1.0	0.85	1.0
239	220	226	0.0	0.833	1.0	53.1	-23.3 -39.9 46.2	239	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0
240	221	227	0.0	0.816	1.0	52.7	-22.5 -39.9 45.8	240	0.0	1.0	0.817	1.0	0.0	1.0	0.817	1.0
241	222	227	0.0	0.8	1.0	52.2	-21.8 -39.8 45.4	241	0.0	1.0	0.8	1.0	0.0	1.0	0.8	1.0
242	223	228	0.0	0.783	1.0	51.8	-21.1 -39.8 45.1	242	0.0	1.0	0.783	1.0	0.0	1.0	0.783	1.0
242	224	229	0.0	0.766	1.0	51.3	-20.4 -39.8 44.7	242	0.0	1.0	0.767	1.0	0.0	1.0	0.767	1.0
243	225	230	0.0	0.75	1.0	50.9	-19.7 -39.7 44.3	243	0.0	1.0	0.75	1.0	0.0	1.0	0.75	1.0
244	226	231	0.0	0.733	1.0	50.4	-19.0 -39.7 44.0	244	0.0	1.0	0.733	1.0	0.0	1.0	0.733	1.0
245	227	232	0.0	0.716	1.0	50.0	-18.3 -39.7 43.7	245	0.0	1.0	0.717	1.0	0.0	1.0	0.717	1.0
246	228	233	0.0	0.7	1.0	49.6	-17.5 -39.7 43.4	246	0.0	1.0	0.7	1.0	0.0	1.0	0.7	1.0
246	229	234	0.0	0.683	1.0	49.1	-16.8 -39.6 43.1	246	0.0	1.0	0.683	1.0	0.0	1.0	0.683	1.0
247	230	235	0.0	0.666	1.0	48.7	-16.1 -39.6 42.8	247	0.0	1.0	0.667	1.0	0.0	1.0	0.667	1.0
248	231	236	0.0	0.65	1.0	48.2	-15.4 -39.5 42.4	248	0.0	1.0	0.65	1.0	0.0	1.0	0.65	1.0
249	232	237	0.0	0.633	1.0	47.8	-14.7 -39.5 42.1	249	0.0	1.0	0.633	1.0	0.0	1.0	0.633	1.0
250	233	237	0.0	0.616	1.0	47.3	-13.8 -39.5 41.8	250	0.0	1.0	0.617	1.0	0.0	1.0	0.617	1.0
252	234	238	0.0	0.6	1.0	46.7	-12.7 -39.5 41.5	252	0.0	0.98	1.0	56.6 -28.9 -39.8 49.4	234	0.0	0.6	1.0
253	235	239	0.0	0.583	1.0	46.1	-11.6 -39.6 41.2	253	0.0	0.952	1.0	56.0 -27.9 -39.8 48.8	235	0.0	0.583	1.0
255	236	240	0.0	0.566	1.0	45.5	-10.5 -39.6 40.9	255	0.0	0.924	1.0	55.4 -26.8 -39.8 48.2	236	0.0	0.567	1.0
256	237	241	0.0	0.55	1.0	44.9	-9.5 -39.5 40.7	256	0.0	0.897	1.0	54.7 -25.8 -39.8 47.6	237	0.0	0.55	1.0
257	238	242	0.0	0.533	1.0	44.3	-8.4 -39.5 40.4	257	0.0	0.87	1.0	54.1 -24.8 -39.8 47.0	238	0.0	0.533	1.0
259	239	243	0.0	0.516	1.0	43.7	-7.3 -39.4 40.1	259	0.0	0.848	1.0	53.6 -23.9 -39.8 46.6	239	0.0	0.517	1.0
260	240	244	0.0	0.5	1.0	43.1	-6.3 -39.3 39.8	260	0.0	0.827	1.0	53.0 -22.9 -39.8 46.1	240	0.0	0.5	1.0
262	241	245	0.0	0.483	1.0	42.5	-5.2 -39.3 39.7	262	0.0	0.805	1.0	52.4 -22.0 -39.8 45.6	241	0.0	0.483	1.0
263	242	246	0.0	0.466	1.0	41.9	-4.2 -39.3 39.5	263	0.0	0.784	1.0	51.8 -21.1 -39.8 45.1	242	0.0	0.467	1.0
265	243	247	0.0	0.45	1.0	41.2	-3.1 -39.3 39.4	265	0.0	0.762	1.0	51.3 -20.2 -39.7 44.7	243	0.0	0.45	1.0
266	244	248	0.0	0.433	1.0	40.6	-2.0 -39.2 39.3	266	0.0	0.741	1.0	50.7 -19.3 -39.7 44.2	244	0.0	0.433	1.0
268	245	248	0.0	0.416	1.0	40.0	-1.0 -39.2 39.2	268	0.0	0.722	1.0	50.2 -18.4 -39.6 43.9	245	0.0	0.417	1.0
269	246	249	0.0	0.4	1.0	39.4	0.0 -39.0 39.0	269	0.0	0.702	1.0	49.7 -17.6 -39.6 43.5	246	0.0	0.4	1.0
271	247	250	0.0	0.383	1.0	38.8	1.0 -38.9 38.9	271	0.0	0.683	1.0	49.2 -16.7 -39.6 43.1	247	0.0	0.383	1.0
273	248	251	0.0	0.366	1.0	38.2	2.0 -38.9 38.9	273	0.0	0.663	1.0	48.6 -15.9 -39.5 42.7	248	0.0	0.367	1.0
274	249	252	0.0	0.35	1.0	37.6	3.1 -39.0 39.1	274	0.0	0.644	1.0	48.1 -15.1 -39.5 42.4	249	0.0	0.35	1.0
276	250	253	0.0	0.333	1.0	37.0	4.2 -39.0 39.2	276	0.0	0.625	1.0	47.6 -14.3 -39.4 42.0	250	0.0	0.333	1.0
277	251	254	0.0	0.316	1.0	36.4	5.3 -39.0 39.4	277	0.0	0.613	1.0	47.2 -13.5 -39.4 41.8	251	0.0	0.317	1.0
279	252	255	0.0	0.3	1.0	35.8	6.5 -39.0 39.5	279	0.0	0.602	1.0	46.8 -12.8 -39.5 41.6	252	0.0	0.3	1.0
281	253	256	0.0	0.283	1.0	35.3	7.6 -39.0 39.7	281	0.0	0.59	1.0	46.4 -12.0 -39.5 41.4	253	0.0	0.283	1.0
282	254	257	0.0	0.266	1.0	34.7	8.7 -38.9 39.9	282	0.0	0.579	1.0	46.0 -11.3 -39.5 41.2	254	0.0	0.267	1.0
284	255	258	0.0	0.25	1.0	34.1	9.8 -38.8 40.0	284	0.0	0.567	1.0	45.6 -10.5 -39.5 41.0	255	0.0	0.25	1.0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table 1: Colorimetric and photometric data for the 340 samples (rows 284-340) under the 1931 CIE colorimetric system (Table 1, 1931, CIE)										Table 2: Colorimetric and photometric data for the 340 samples (rows 284-340) under the 1964 CIE colorimetric system (Table 2, 1964, CIE)										Table 3: Colorimetric and photometric data for the 340 samples (rows 284-340) under the 1978 CIE colorimetric system (Table 3, 1978, CIE)										Table 4: Colorimetric and photometric data for the 340 samples (rows 284-340) under the 1981 CIE colorimetric system (Table 4, 1981, CIE)																																																																																																																																																																																																																																																																																																														
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dsx361Mi} (x

4-0031431-L0 SI070-70 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 15/33

grafico TUB-SI07; 16 tinte, carta standard offset APCO immettere: $rgb/cmyk \rightarrow rgb_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*tavole$, 3D=0, de=0, $cmyk \rightarrow cmy0_d$

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> /PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /PS
la domanda per la misura uscita nella stampa di offset, separazionecmy0 (CMY0)

TUB materiale: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$;										Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																						
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{d361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$																				
340	300	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340	0.0	0.058	1.0	27.6	22.5	-38.9	45.0	300	0.5	0.0	1.0	0.0	0.055	1.0	27.5	22.7	-38.9	45.1	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	37.1	57.6	-19.0	60.7	341	0.0	0.043	1.0	27.1	23.4	-38.9	45.5	301	0.517	0.0	1.0	0.0	0.041	1.0	27.1	23.5	-38.9	45.5	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	37.4	58.7	-18.2	61.5	342	0.0	0.028	1.0	26.7	24.3	-38.8	45.9	302	0.533	0.0	1.0	0.0	0.027	1.0	26.7	24.4	-38.8	45.9	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	37.7	59.8	-17.3	62.2	343	0.0	0.014	1.0	26.3	25.2	-38.8	46.3	303	0.55	0.0	1.0	0.0	0.013	1.0	26.3	25.3	-38.8	46.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	38.0	60.8	-16.5	63.0	344	0.001	0.0	1.0	25.9	26.1	-38.7	46.8	304	0.567	0.0	1.0	0.001	0.0	1.0	25.9	26.1	-38.7	46.7	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	38.3	61.9	-15.5	63.8	345	0.015	0.0	1.0	26.2	26.9	-38.3	46.9	305	0.583	0.0	1.0	0.014	0.0	1.0	26.2	26.8	-38.3	46.9	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	38.7	62.9	-14.6	64.6	346	0.029	0.0	1.0	26.5	27.6	-37.9	47.0	306	0.6	0.0	1.0	0.027	0.0	1.0	26.4	27.5	-38.0	47.0	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	39.0	63.9	-13.6	65.3	347	0.043	0.0	1.0	26.8	28.4	-37.6	47.1	307	0.617	0.0	1.0	0.04	0.0	1.0	26.7	28.2	-37.6	47.1	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	39.4	64.8	-12.8	66.1	348	0.057	0.0	1.0	27.0	29.1	-37.2	47.3	308	0.633	0.0	1.0	0.053	0.0	1.0	27.0	28.9	-37.3	47.2	307	0.633	0.0	1.0
349	309	308	0.65	0.0	1.0	39.8	65.6	-12.2	66.7	349	0.071	0.0	1.0	27.3	29.8	-36.7	47.4	309	0.65	0.0	1.0	0.066	0.0	1.0	27.2	29.6	-36.9	47.4	308	0.65	0.0	1.0
350	310	309	0.666	0.0	1.0	40.3	66.3	-11.6	67.3	350	0.084	0.0	1.0	27.6	30.6	-36.3	47.5	310	0.667	0.0	1.0	0.08	0.0	1.0	27.5	30.3	-36.5	47.5	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	40.8	67.1	-11.0	68.0	350	0.098	0.0	1.0	27.9	31.3	-35.9	47.7	311	0.683	0.0	1.0	0.093	0.0	1.0	27.8	31.0	-36.1	47.6	310	0.683	0.0	1.0
351	312	311	0.7	0.0	1.0	41.3	67.8	-10.4	68.6	351	0.112	0.0	1.0	28.2	32.0	-35.4	47.8	312	0.7	0.0	1.0	0.106	0.0	1.0	28.1	31.7	-35.6	47.7	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	41.8	68.5	-9.7	69.2	351	0.126	0.0	1.0	28.5	32.7	-35.0	47.9	313	0.717	0.0	1.0	0.119	0.0	1.0	28.3	32.3	-35.2	47.9	312	0.717	0.0	1.0
352	314	313	0.733	0.0	1.0	42.2	69.3	-9.1	69.9	352	0.14	0.0	1.0	28.6	33.5	-34.6	48.2	314	0.733	0.0	1.0	0.132	0.0	1.0	28.5	33.1	-34.8	48.1	313	0.733	0.0	1.0
353	315	314	0.75	0.0	1.0	42.7	70.0	-8.4	70.5	353	0.154	0.0	1.0	28.7	34.3	-34.2	48.5	315	0.75	0.0	1.0	0.145	0.0	1.0	28.6	33.8	-34.5	48.4	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	43.1	70.5	-8.0	71.0	353	0.167	0.0	1.0	28.7	35.1	-33.8	48.8	316	0.767	0.0	1.0	0.158	0.0	1.0	28.7	34.6	-34.1	48.6	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	43.4	71.0	-7.5	71.4	353	0.181	0.0	1.0	28.8	35.9	-33.4	49.1	317	0.783	0.0	1.0	0.171	0.0	1.0	28.8	35.4	-33.7	48.9	316	0.783	0.0	1.0
354	318	317	0.8	0.0	1.0	43.8	71.5	-7.1	71.9	354	0.195	0.0	1.0	28.9	36.7	-33.0	49.4	318	0.8	0.0	1.0	0.184	0.0	1.0	28.9	36.1	-33.3	49.2	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	44.1	72.1	-6.7	72.4	354	0.209	0.0	1.0	29.0	37.5	-32.5	49.7	319	0.817	0.0	1.0	0.197	0.0	1.0	28.9	36.9	-32.9	49.5	318	0.817	0.0	1.0
355	320	319	0.833	0.0	1.0	44.5	72.6	-6.2	72.8	355	0.222	0.0	1.0	29.1	38.3	-32.1	50.0	320	0.833	0.0	1.0	0.21	0.0	1.0	29.0	37.6	-32.5	49.8	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	44.9	73.1	-5.8	73.3	355	0.236	0.0	1.0	29.2	39.1	-31.6	50.3	321	0.85	0.0	1.0	0.223	0.0	1.0	29.1	38.4	-32.0	50.0	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	45.2	73.6	-5.3	73.8	355	0.25	0.0	1.0	29.3	39.9	-31.1	50.6	322	0.867	0.0	1.0	0.236	0.0	1.0	29.2	39.1	-31.6	50.3	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	45.5	74.1	-4.8	74.3	356	0.26	0.0	1.0	29.6	40.8	-30.6	51.1	323	0.883	0.0	1.0	0.25	0.0	1.0	29.3	39.9	-31.1	50.6	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	45.7	74.8	-4.2	74.9	356	0.271	0.0	1.0	30.0	41.7	-30.2	51.5	324	0.9	0.0	1.0	0.26	0.0	1.0	29.6	40.7	-30.7	51.0	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	46.0	75.4	-3.6	75.4	357	0.281	0.0	1.0	30.3	42.6	-29.7	52.0	325	0.917	0.0	1.0	0.27	0.0	1.0	29.9	41.6	-30.2	51.5	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	46.2	76.0	-3.1	76.0	357	0.292	0.0	1.0	30.6	43.5	-29.2	52.4	326	0.933	0.0	1.0	0.28	0.0	1.0	30.2	42.4	-29.8	51.9	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	46.5	76.5	-2.5	76.6	358	0.303	0.0	1.0	31.0	44.3	-28.7	52.9	327	0.95	0.0	1.0	0.29	0.0	1.0	30.6	43.2	-29.3	52.3	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	46.7	77.1	-1.8	77.2	358	0.313	0.0	1.0	31.3	45.2	-28.2	53.3	328	0.967	0.0	1.0	0.299	0.0	1.0	30.9	44.1	-28.8	52.7	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	46.9	77.7	-1.2	77.7	359	0.324	0.0	1.0	31.7	46.1	-27.6	53.8	329	0.983	0.0	1.0	0.309	0.0	1.0	31.2	44.9	-28.3	53.2	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359	M_d 0.334	0.0	1.0	32.0	47.0	-27.0	54.2	M_s 330	1.0	0.0	1.0	0.319	0.0	1.0	31.5	45.7	-27.8	53.6	M_e 328	1.0	0.0	1.0
359	331	329	1.0	0.0	0.983	47.1	78.2	0.0	78.2	359	0.345	0.0	1.0	32.3	47.8	-26.4	54.7	331	1.0	0.0	0.983	0.329	0.0	1.0	31.9	46.6	-27.3	54.0	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	47.1	78.1	0.4	78.1	360	0.355	0.0	1.0	32.7	48.7	-25.8	55.1	332	1.0	0.0	0.967	0.339	0.0	1.0	32.2	47.4	-26.7	54.5	330	1.0	0.0	0.967
360	333	331	1.0	0.0	0.95	47.1	77.9	1.0	78.0	360	0.366	0.0	1.0	33.0	49.5	-25.1	55.6	333	1.0	0.0	0.95	0.349	0.0	1.0	32.5	48.2	-26.1	54.9	331	1.0	0.0	0.95

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* dd361M	LAB^* ddx361Mi (x=LabCh)	rgb^* ds361Mi	LAB^* dsx361Mi (x=LabCh)	rgb^* dd361Mi	rgb^* de361Mi	LAB^* dex361Mi (x=LabCh)	rgb^* dd361Mi	rgb^* dd361Mi	rgb^*_d	rgb^*_d	rgb^*_d	rgb^*_d
365	345	342	1.0 0.0 0.75	46.9 76.3 7.8	76.7 365	0.569 0.0 1.0	38.1 61.0 -16.3	63.2 345	1.0 0.0 0.75	0.535 0.0 1.0	37.5 58.8 -18.1	61.6 342	1.0 0.0 0.75		
366	346	343	1.0 0.0 0.733	46.9 76.2 8.5	76.7 366	0.585 0.0 1.0	38.4 62.0 -15.4	63.9 346	1.0 0.0 0.733	0.55 0.0 1.0	37.7 59.8 -17.3	62.3 343	1.0 0.0 0.733		
366	347	344	1.0 0.0 0.716	46.9 76.0 9.3	76.6 366	0.601 0.0 1.0	38.7 63.0 -14.4	64.7 347	1.0 0.0 0.717	0.565 0.0 1.0	38.0 60.8 -16.5	63.0 344	1.0 0.0 0.717		
367	348	345	1.0 0.0 0.7	46.9 75.9 10.0	76.5 367	0.617 0.0 1.0	39.0 64.0 -13.5	65.4 348	1.0 0.0 0.7	0.58 0.0 1.0	38.3 61.7 -15.7	63.7 345	1.0 0.0 0.7		
368	349	346	1.0 0.0 0.683	46.9 75.7 10.7	76.5 368	0.639 0.0 1.0	39.6 65.1 -12.6	66.3 349	1.0 0.0 0.683	0.595 0.0 1.0	38.6 62.6 -14.8	64.4 346	1.0 0.0 0.683		
368	350	347	1.0 0.0 0.666	46.9 75.5 11.4	76.4 368	0.666 0.0 1.0	40.3 66.3 -11.6	67.3 350	1.0 0.0 0.667	0.61 0.0 1.0	38.9 63.6 -13.9	65.1 347	1.0 0.0 0.667		
369	351	348	1.0 0.0 0.65	46.9 75.3 12.1	76.3 369	0.692 0.0 1.0	41.1 67.5 -10.6	68.4 351	1.0 0.0 0.65	0.625 0.0 1.0	39.2 64.5 -13.0	65.8 348	1.0 0.0 0.65		
369	352	349	1.0 0.0 0.633	46.9 75.2 12.9	76.3 369	0.719 0.0 1.0	41.9 68.7 -9.6	69.4 352	1.0 0.0 0.633	0.651 0.0 1.0	39.9 65.6 -12.1	66.8 349	1.0 0.0 0.633		
370	353	350	1.0 0.0 0.616	46.9 75.0 13.6	76.2 370	0.746 0.0 1.0	42.7 69.9 -8.5	70.4 353	1.0 0.0 0.617	0.677 0.0 1.0	40.7 66.8 -11.2	67.7 350	1.0 0.0 0.617		
370	354	351	1.0 0.0 0.6	46.9 74.9 14.4	76.3 370	0.787 0.0 1.0	43.6 71.2 -7.4	71.6 354	1.0 0.0 0.6	0.702 0.0 1.0	41.4 67.9 -10.2	68.7 351	1.0 0.0 0.6		
371	355	352	1.0 0.0 0.583	46.8 74.7 15.1	76.3 371	0.83 0.0 1.0	44.5 72.5 -6.2	72.8 355	1.0 0.0 0.583	0.728 0.0 1.0	42.1 69.1 -9.2	69.7 352	1.0 0.0 0.583		
372	356	353	1.0 0.0 0.566	46.8 74.6 15.9	76.3 372	0.874 0.0 1.0	45.4 73.8 -5.1	74.0 356	1.0 0.0 0.567	0.755 0.0 1.0	42.9 70.2 -8.2	70.7 353	1.0 0.0 0.567		
372	357	354	1.0 0.0 0.55	46.8 74.5 16.7	76.3 372	0.91 0.0 1.0	45.9 75.2 -3.8	75.3 357	1.0 0.0 0.55	0.796 0.0 1.0	43.7 71.5 -7.2	71.8 354	1.0 0.0 0.55		
373	358	355	1.0 0.0 0.533	46.8 74.3 17.4	76.3 373	0.945 0.0 1.0	46.4 76.4 -2.6	76.5 358	1.0 0.0 0.533	0.837 0.0 1.0	44.6 72.7 -6.1	73.0 355	1.0 0.0 0.533		
373	359	356	1.0 0.0 0.516	46.8 74.1 18.2	76.3 373	0.981 0.0 1.0	46.9 77.7 -1.3	77.7 359	1.0 0.0 0.517	0.877 0.0 1.0	45.5 74.0 -4.9	74.1 356	1.0 0.0 0.517		
374	360	357	1.0 0.0 0.5	46.7 74.0 19.0	76.4 374	1.0 0.0 0.981	47.2 78.2 0.0	78.2 360	1.0 0.0 0.5	0.921 0.0 1.0	46.4 75.1 -3.9	75.1 357	1.0 0.0 0.5		
375	361	353	1.0 0.0 0.483	46.8 73.8 19.9	76.4 375	1.0 0.0 0.94	47.2 77.9 1.4	77.9 361	1.0 0.0 0.483	0.952 0.0 1.0	47.2 76.1 -2.9	76.1 353	1.0 0.0 0.483		
375	362	354	1.0 0.0 0.466	46.8 73.6 20.7	76.5 375	1.0 0.0 0.9	47.1 77.6 2.7	77.7 362	1.0 0.0 0.467	0.983 0.0 1.0	48.1 77.1 -1.9	77.1 354	1.0 0.0 0.467		
376	363	355	1.0 0.0 0.45	46.8 73.4 21.6	76.5 376	1.0 0.0 0.86	47.1 77.3 4.1	77.4 363	1.0 0.0 0.45	1.014 0.0 1.0	49.0 78.0 -0.9	78.0 355	1.0 0.0 0.45		
377	364	356	1.0 0.0 0.433	46.8 73.2 22.5	76.6 377	1.0 0.0 0.822	47.0 77.0 5.4	77.2 364	1.0 0.0 0.433	1.045 0.0 1.0	49.9 78.9 -0.1	78.9 356	1.0 0.0 0.433		
377	365	357	1.0 0.0 0.416	46.8 73.0 23.4	76.7 377	1.0 0.0 0.784	47.0 76.7 6.7	77.0 365	1.0 0.0 0.417	1.076 0.0 1.0	50.8 79.8 0.8	79.8 357	1.0 0.0 0.417		
378	366	358	1.0 0.0 0.4	46.8 72.8 24.3	76.7 378	1.0 0.0 0.746	47.0 76.3 8.0	76.8 366	1.0 0.0 0.4	1.107 0.0 1.0	51.7 80.7 1.7	80.7 358	1.0 0.0 0.4		
379	367	359	1.0 0.0 0.383	46.9 72.5 25.1	76.8 379	1.0 0.0 0.716	47.0 76.1 9.3	76.6 367	1.0 0.0 0.383	1.138 0.0 1.0	52.6 81.6 2.6	81.6 359	1.0 0.0 0.383		
379	368	360	1.0 0.0 0.366	46.8 72.4 26.0	76.9 379	1.0 0.0 0.686	47.0 75.8 10.6	76.5 368	1.0 0.0 0.367	1.169 0.0 1.0	53.5 82.5 3.5	82.5 360	1.0 0.0 0.367		
380	369	362	1.0 0.0 0.35	46.8 72.3 27.0	77.2 380	1.0 0.0 0.656	46.9 75.5 12.0	76.4 369	1.0 0.0 0.35	1.2 0.0 1.0	54.4 83.4 4.4	83.4 362	1.0 0.0 0.35		
381	370	363	1.0 0.0 0.333	46.8 72.2 27.9	77.4 381	1.0 0.0 0.625	46.9 75.1 13.2	76.3 370	1.0 0.0 0.333	1.231 0.0 1.0	55.3 84.3 5.3	84.3 363	1.0 0.0 0.333		
381	371	364	1.0 0.0 0.316	46.7 72.1 28.8	77.7 381	1.0 0.0 0.597	46.9 74.9 14.6	76.3 371	1.0 0.0 0.317	1.262 0.0 1.0	56.2 85.2 6.2	85.2 364	1.0 0.0 0.317		
382	372	365	1.0 0.0 0.3	46.7 72.0 29.7	77.9 382	1.0 0.0 0.569	46.9 74.7 15.9	76.3 372	1.0 0.0 0.3	1.293 0.0 1.0	57.1 86.1 7.1	86.1 365	1.0 0.0 0.3		
383	373	366	1.0 0.0 0.283	46.7 71.9 30.7	78.2 383	1.0 0.0 0.54	46.8 74.4 17.2	76.4 373	1.0 0.0 0.283	1.324 0.0 1.0	58.0 87.0 8.0	87.0 366	1.0 0.0 0.283		
383	374	367	1.0 0.0 0.266	46.6 71.8 31.6	78.4 383	1.0 0.0 0.512	46.8 74.1 18.5	76.4 374	1.0 0.0 0.267	1.355 0.0 1.0	58.9 87.9 8.9	87.9 367	1.0 0.0 0.267		
384	375	368	1.0 0.0 0.25	46.6 71.6 32.5	78.7 384	1.0 0.0 0.485	46.8 73.9 19.8	76.5 375	1.0 0.0 0.25	1.386 0.0 1.0	59.8 88.8 9.8	88.8 368	1.0 0.0 0.25		
384	376	369	1.0 0.0 0.233	46.6 71.6 33.3	79.0 384	1.0 0.0 0.461	46.8 73.6 21.1	76.6 376	1.0 0.0 0.233	1.417 0.0 1.0	60.7 89.7 10.7	89.7 369	1.0 0.0 0.233		
385	377	370	1.0 0.0 0.216	46.6 71.5 34.2	79.3 385	1.0 0.0 0.436	46.9 73.3 22.4	76.6 377	1.0 0.0 0.217	1.448 0.0 1.0	61.6 90.6 11.6	90.6 370	1.0 0.0 0.217		
386	378	372	1.0 0.0 0.2	46.6 71.4 35.0	79.6 386	1.0 0.0 0.411	46.9 73.0 23.7	76.7 378	1.0 0.0 0.2	1.479 0.0 1.0	62.5 91.5 12.5	91.5 372	1.0 0.0 0.2		
386	379	373	1.0 0.0 0.183	46.6 71.3 35.9	79.9 386	1.0 0.0 0.387	46.9 72.6 25.0	76.8 379	1.0 0.0 0.183	1.51 0.0 1.0	63.4 92.4 13.4	92.4 373	1.0 0.0 0.183		
387	380	374	1.0 0.0 0.166	46.5 71.2 36.7	80.2 387	1.0 0.0 0.362	46.9 72.4 26.4	77.1 380	1.0 0.0 0.167	1.541 0.0 1.0	64.3 93.3 14.3	93.3 374	1.0 0.0 0.167		
387	381	375	1.0 0.0 0.15	46.5 71.1 37.6	80.4 387	1.0 0.0 0.336	46.8 72.3 27.8	77.5 381	1.0 0.0 0.15	1.572 0.0 1.0	65.2 94.2 15.2	94.2 375	1.0 0.0 0.15		
388	382	376	1.0 0.0 0.133	46.5 71.0 38.5	80.7 388	1.0 0.0 0.311	46.8 72.2 29.2	77.8 382	1.0 0.0 0.133	1.603 0.0 1.0	66.1 95.1 16.1	95.1 376	1.0 0.0 0.133		
389	383	377	1.0 0.0 0.116	46.5 70.9 39.3	81.0 389	1.0 0.0 0.286	46.7 72.0 30.6	78.2 383	1.0 0.0 0.117	1.634 0.0 1.0	67.0 96.0 17.0	96.0 377	1.0 0.0 0.117		
389	384	378	1.0 0.0 0.1	46.5 70.8 40.1	81.4 389	1.0 0.0 0.261	46.7 71.8 32.0	78.6 384	1.0 0.0 0.1	1.665 0.0 1.0	67.9 96.9 17.9	96.9 378	1.0 0.0 0.1		
390	385	379	1.0 0.0 0.083	46.5 70.7 40.9	81.7 390	1.0 0.0 0.233	46.6 71.6 33.4	79.0 385	1.0 0.0 0.083	1.696 0.0 1.0	68.8 97.8 18.8	97.8 379	1.0 0.0 0.083		
390	386	381	1.0 0.0 0.066	46.4 70.7 41.7	82.0 390	1.0 0.0 0.204	46.6 71.5 34.9	79.5 386	1.0 0.0 0.067	1.727 0.0 1.0	69.7 98.7 19.7	98.7 381	1.0 0.0 0.067		
391	387	382	1.0 0.0 0.049	46.4 70.6 42.5	82.4 391	1.0 0.0 0.176	46.6 71.3 36.3	80.0 387	1.0 0.0 0.05	1.758 0.0 1.0	70.6 99.6 20.6	99.6 382	1.0 0.0 0.05		
391	388	383	1.0 0.0 0.033	46.4 70.5 43.3	82.7 391	1.0 0.0 0.147	46.6 71.1 37.8	80.5 388	1.0 0.0 0.033	1.789 0.0 1.0	71.5 100.5 21.5	100.5 383	1.0 0.0 0.033		
392	389	384	1.0 0.0 0.016	46.4 70.4 44.1	83.0 392	1.0 0.0 0.117	46.6 70.9 39.3	81.1 389	1.0 0.0 0.017	1.82 0.0 1.0	72.4 101.4 22.4	101.4 384	1.0 0.0 0.017		
392	390	385	1.0 0.0 0.0	46.4 70.3 44.9	83.4 392	1.0 0.0 0.084	46.5 70.8 40.9	81.7 390	1.0 0.0 0.0	1.851 0.0 1.0	73.3 102.3 23.3	102.3 385	1.0 0.0 0.0		

4-0031631-L0 SI070-70 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 17/33

grafico TUB-SI07; 16 tinte, carta standard offset APCO immettere: $rgb/cmyk \rightarrow rgb_d$
cerchio delle tinte a 48 passi; $rgb-LabCh^*tavole$, 3D=0, de=0, $cmyk \rightarrow trasfere a cmy0_d$

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md								
0/648	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5				
1/657	R13Y_100_100d	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0	49.7	62.6	48.5	79.2	37.7				
2/666	R25Y_100_100d	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	54.2	52.8	53.7	75.3	45.4				
3/675	R38Y_100_100d	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.366	0.0	60.1	40.4	60.2	72.5	56.1				
4/684	R50Y_100_100d	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8				
5/693	R63Y_100_100d	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.633	0.0	73.9	15.3	74.7	76.3	78.4				
6/702	R75Y_100_100d	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	79.7	5.8	81.0	81.2	85.8				
7/711	R88Y_100_100d	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.883	0.0	84.4	-1.3	85.8	85.8	90.9				
8/720	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3				
9/639	Y13G_100_100d	0.875	1.0	0.0	1.0	1.0	0.5	97	0.883	1.0	0.0	84.7	-10.1	83.3	83.9	96.9				
10/558	Y25G_100_100d	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	81.0	-13.5	78.3	79.5	99.8				
11/477	Y38G_100_100d	0.625	1.0	0.0	1.0	1.0	0.5	112	0.633	1.0	0.0	76.2	-20.4	72.9	75.7	105.6				
12/396	Y50G_100_100d	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3				
13/315	Y63G_100_100d	0.375	1.0	0.0	1.0	1.0	0.5	128	0.366	1.0	0.0	64.9	-34.5	54.1	64.2	122.5				
14/234	Y75G_100_100d	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	57.9	-47.3	43.7	64.5	137.2				
15/153	Y88G_100_100d	0.125	1.0	0.0	1.0	1.0	0.5	143	0.116	1.0	0.0	53.9	-54.4	35.0	64.7	147.2				
16/72	G00C_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0				
17/73	G13C_100_100d	0.0	1.0	0.125	1.0	1.0	0.5	157	0.0	1.0	0.116	50.4	-62.3	19.2	65.2	162.8	0.5	149		
18/74	G25C_100_100d	0.0	1.0	0.25	1.0	1.0	0.5	164	0.0	1.0	0.233	51.0	-58.4	9.7	59.2	170.5	1.3	162		
19/75	G38C_100_100d	0.0	1.0	0.375	1.0	1.0	0.5	172	0.0	1.0	0.366	51.9	-54.0	0.0	54.0	180.0	0.0	171		
20/76	G50C_100_100d	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6	0.0	180		
21/77	G63C_100_100d	0.0	1.0	0.625	1.0	1.0	0.5	188	0.0	1.0	0.633	54.2	-42.9	-20.3	47.5	205.3	0.6	188		
22/78	G75C_100_100d	0.0	1.0	0.75	1.0	1.0	0.5	196	0.0	1.0	0.766	55.4	-37.8	-28.4	47.3	216.9	1.0	197		
23/79	G88C_100_100d	0.0	1.0	0.875	1.0	1.0	0.5	203	0.0	1.0	0.883	56.2	-33.8	-34.3	48.2	225.4	0.0	203		
24/80	C00B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2	0.0	210		
25/71	C13B_100_100d	0.0	0.875	1.0	1.0	1.0	0.5	217	0.0	0.883	1.0	54.4	-25.1	-39.8	47.1	237.7	0.3	216		
26/62	C25B_100_100d	0.0	0.75	1.0	1.0	1.0	0.5	224	0.0	0.766	1.0	51.3	-20.4	-39.8	44.7	242.7	0.8	222		
27/53	C38B_100_100d	0.0	0.625	1.0	1.0	1.0	0.5	232	0.0	0.633	1.0	47.8	-14.7	-39.5	42.1	249.5	0.4	231		
28/44	C50B_100_100d	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8	0.0	240		
29/35	C63B_100_100d	0.0	0.375	1.0	1.0	1.0	0.5	248	0.0	0.366	1.0	38.2	2.0	-38.9	38.9	273.0	0.6	248		
30/26	C75B_100_100d	0.0	0.25	1.0	1.0	1.0	0.5	256	0.0	0.233	1.0	33.5	10.9	-38.9	40.4	285.7	1.2	257		
31/17	C88B_100_100d	0.0	0.125	1.0	1.0	1.0	0.5	263	0.0	0.116	1.0	29.2	19.9	-38.9	43.3	296.0	0.5	263		
32/8	B00M_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9	0.0	270		
33/89	B13M_100_100d	0.125	0.0	1.0	1.0	1.0	0.5	277	0.116	0.0	1.0	28.2	32.2	-35.3	47.8	312.3	0.5	276		
34/170	B25M_100_100d	0.25	0.0	1.0	1.0	1.0	0.5	284	0.233	0.0	1.0	29.1	38.9	-31.7	50.2	320.7	1.1	282		
35/251	B38M_100_100d	0.375	0.0	1.0	1.0	1.0	0.5	292	0.366	0.0	1.0	33.0	50.2	-24.6	55.9	333.8	0.8	291		
36/332	B50M_100_100d	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6	0.0	300		
37/413	B63M_100_100d	0.625	0.0	1.0	1.0	1.0	0.5	308	0.633	0.0	1.0	39.4	64.8	-12.8	66.1	348.8	0.5	308		
38/494	B75M_100_100d	0.75	0.0	1.0	1.0	1.0	0.5	316	0.766	0.0	1.0	43.1	70.5	-8.0	71.0	353.5	0.7	317		
39/575	B88M_100_100d	0.875	0.0	1.0	1.0	1.0	0.5	323	0.883	0.0	1.0	45.5	74.1	-4.8	74.3	356.2	0.4	323		
40/656	M00R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5	0.0	330		
41/655	M13R_100_100d	1.0	0.0	0.875	1.0	1.0	0.5	337	1.0	0.0	0.883	47.1	77.4	3.2	77.5	2.4	0.0	336		
42/654	M25R_100_100d	1.0	0.0	0.75	1.0	1.0	0.5	344	1.0	0.0	0.766	46.9	76.3	7.8	76.7	365.8	0.5	342		
43/653	M38R_100_100d	1.0	0.0	0.625	1.0	1.0	0.5	352	1.0	0.0	0.633	46.9	75.2	12.9	76.3	370.0	0.3	351		
44/652	M50R_100_100d	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	46.7	74.0	19.0	76.4	374.4	0.0	360		
45/651	M63R_100_100d	1.0	0.0	0.375	1.0	1.0	0.5	368	1.0	0.0	0.366	46.8	72.4	26.0	76.9	379.4	0.4	368		
46/650	M75R_100_100d	1.0	0.0	0.25	1.0	1.0	0.5	376	1.0	0.0	0.233	46.6	71.6	32.5	78.7	384.4	0.8	377		
47/649	M88R_100_100d	1.0	0.0	0.125	1.0	1.0	0.5	383	1.0	0.0	0.116	46.5	70.9	38.9	80.9	388.7	0.3	383		
48/648	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	392.5	0.0	389		
49/0	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	49.9	62.1	48.7	79.0	398.1	83.2	360		
50/91	NW_013d	0.125	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125	23.6	0.0	0.0	0.0	9.1	360	0.0	360	
51/182	NW_025d	0.25	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25	30.1	5.2	2.9	6.0	29.1	13.1	360	0.0	360
52/273	NW_038d	0.375	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375	36.9	6.3	5.2	8.2	39.4	16.1	360	0.0	360
53/364	NW_050d	0.5	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5	46.5	9.0	9.2	12.9	45.3	18.6	360	0.0	360
54/455	NW_063d	0.625	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625	56.1	7.9	7.5	10.9	43.3	17.0	360	0.0	360
55/546	NW_075d	0.75	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75	66.2	6.3	7.3	9.7	49.3	15.4	360	0.0	360
56/637	NW_088d	0.875	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875	77.0	4.8	4.7	6.7	44.2	12.3	360	0.0	360
57/728	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	87.6	1.8	2.2	2.9	51.0	9.2	360	0.0	360

delta E** = 3.8

http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 19/33

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md														
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5			
1/666	R25Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.5	44	54.8	51.4	54.3	74.8	46.5	1.7	42	1.0	0.233	0.0	54.2	52.8	53.7	75.3	45.4			
2/684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	60	66.4	28.5	66.7	72.5	66.8	0.0	59	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8			
3/702	R75Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.5	76	79.7	6.8	80.2	80.5	85.1	1.4	77	1.0	0.766	0.0	79.7	5.8	81.0	81.2	85.8			
4/720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	0.5	90	88.0	-6.8	89.7	90.0	94.3	0.0	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3			
5/558	Y25G_100_100a	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	80.5	-14.0	77.6	78.9	100.2	0.9	102	0.766	1.0	0.0	81.0	-13.5	78.3	79.5	99.8
6/396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3	0.0	119	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
7/234	Y75G_100_100a	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	58.4	-46.3	44.9	64.5	135.8	1.6	137	0.233	1.0	0.0	57.9	-47.3	43.7	64.5	137.2
8/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
9/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
10/76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6	0.0	180	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6
11/80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2	0.0	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
12/44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8	0.0	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8
13/8	B00M_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9	0.0	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
14/332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6	0.0	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6
15/656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
16/652	B75R_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	46.7	74.0	19.0	76.4	14.4	0.0	360	1.0	0.0	0.5	46.7	74.0	19.0	76.4	14.4
17/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
18/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	71.4	35.1	22.4	41.7	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
19/706	R50Y_100_050a	1.0	0.75	0.5	1.0	0.5	0.75	60	1.0	0.75	0.5	81.4	14.2	33.3	36.2	66.8	0.0	59	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8
20/724	Y00G_100_050a	1.0	1.0	0.5	1.0	0.5	0.75	90	1.0	1.0	0.5	92.2	-3.4	44.8	45.0	94.3	0.0	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
21/562	Y50G_100_050a	0.75	1.0	0.5	1.0	0.5	0.75	120	0.75	1.0	0.5	83.5	-13.4	31.1	33.9	113.3	0.0	119	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
22/490	G00B_100_050a	0.5	1.0	0.5	1.0	0.5	0.75	150	0.5	1.0	0.5	73.0	-32.5	13.8	35.3	157.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
23/404	G50B_100_050a	0.5	1.0	1.0	1.0	0.5	0.75	210	0.5	1.0	1.0	76.7	-14.8	-19.9	24.8	233.2	0.0	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
24/368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	270	0.5	0.5	1.0	61.1	13.0	-19.3	23.3	303.9	0.0	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
25/692	B50R_100_050a	1.0	0.5	1.0	1.0	0.5	0.75	330	1.0	0.5	1.0	71.8	39.1	-0.3	39.1	359.5	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
26/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	71.4	35.1	22.4	41.7	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	53.2	35.1	22.4	41.7	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
28/524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.5	0.5	60	0.75	0.5	0.25	63.2	14.2	33.3	36.2	66.8	0.0	59	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8
29/542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.5	0.5	90	0.75	0.75	0.25	74.0	-3.4	44.8	45.0	94.3	0.0	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
30/380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	0.5	0.75	0.25	65.3	-13.4	31.1	33.9	113.3	0.0	119	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
31/218	G00B_075_050a	0.25	0.75	0.25	0.75	0.5	0.5	150	0.25	0.75	0.25	54.8	-32.5	13.8	35.3	157.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
32/222	G50B_075_050a	0.25	0.75	0.75	0.75	0.5	0.5	210	0.25	0.75	0.75	58.5	-14.8	-19.9	24.8	233.2	0.0	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
33/186	B00R_075_050a	0.25	0.25	0.75	0.75	0.5	0.5	270	0.25	0.25	0.75	42.9	13.0	-19.3	23.3	303.9	0.0	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
34/510	B50R_075_050a	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.75	53.6	39.1	-0.3	39.1	359.5	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	53.2	35.1	22.4	41.7	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	35.0	35.1	22.4	41.7	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
37/342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	45.0	14.2	33.3	36.2	66.8	0.0	59	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8
38/360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	0.5	0.5	0.0	55.8	-3.4	44.8	45.0	94.3	0.0	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
39/198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.25	120	0.25	0.5	0.0	47.1	-13.4	31.1	33.9	113.3	0.0	119	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
40/36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	150	0.0	0.5	0.0	36.6	-32.5	13.8	35.3	157.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	210	0.0	0.5	0.5	40.3	-14.8	-19.9	24.8	233.2	0.0	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
42/4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	270	0.0	0.0	0.5	24.7	13.0	-19.3	23.3	303.9	0.0	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	0.5	0.0	0.5	35.4	39.1	-0.3	39.1	359.5	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
44/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	35.0	35.1	22.4	41.7	32.5	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.0	0.125	360	0.125	0.125	0.125	30.1	5.2	2.9	6.0	29.1	6.5	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
47/182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.25	360	0.25	0.25	0.25	36.9	6.3	5.2	8.2	39.4	9.5	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
48/273	NW_038a	0.375	0.375	0.375	0.375	0.0	0.375	360	0.375	0.375	0.375	50.9	0.0	9.2	12.9	45.3	13.6	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
49/364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	60.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
50/455	NW_063a	0.625	0.625	0.625	0.625																					

http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 20/33

SI0700A

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

n=j	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md	
0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.0
1	B00R_012_012a	0.0	0.0	0.125	0.125	0.125	0.062	0.062	0.0	0.0	1.0	1.0	0.0
2	B00R_025_025a	0.0	0.0	0.25	0.25	0.25	0.125	0.125	0.0	0.0	1.0	1.0	0.0
3	B00R_037_037a	0.0	0.0	0.375	0.375	0.375	0.187	0.187	0.0	0.0	1.0	1.0	0.0
4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	0.25	0.0	0.0	1.0	1.0	0.0
5	B00R_062_062a	0.0	0.0	0.625	0.625	0.625	0.312	0.312	0.0	0.0	1.0	1.0	0.0
6	B00R_075_075a	0.0	0.0	0.75	0.75	0.75	0.375	0.375	0.0	0.0	1.0	1.0	0.0
7	B00R_087_087a	0.0	0.0	0.875	0.875	0.875	0.437	0.437	0.0	0.0	1.0	1.0	0.0
8	B00R_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	0.5	0.0	0.0	1.0	1.0	0.0
9	G00B_012_012a	0.0	0.125	0.0	0.125	0.125	0.062	0.062	0.0	0.125	0.0	0.125	0.062
10	G50B_012_012a	0.0	0.125	0.125	0.125	0.125	0.062	0.062	0.0	0.125	0.125	0.125	0.062
11	G75B_025_025a	0.0	0.125	0.25	0.25	0.25	0.125	0.125	0.0	0.125	0.25	0.25	0.125
12	G84B_037_037a	0.0	0.125	0.375	0.375	0.375	0.187	0.187	0.0	0.125	0.375	0.375	0.187
13	G88B_050_050a	0.0	0.125	0.5	0.5	0.5	0.25	0.25	0.0	0.125	0.5	0.5	0.25
14	G90B_062_062a	0.0	0.125	0.625	0.625	0.625	0.312	0.312	0.0	0.125	0.625	0.625	0.312
15	G92B_075_075a	0.0	0.125	0.75	0.75	0.75	0.375	0.375	0.0	0.125	0.75	0.75	0.375
16	G93B_087_087a	0.0	0.125	0.875	0.875	0.875	0.437	0.437	0.0	0.125	0.875	0.875	0.437
17	G94B_100_100a	0.0	0.125	1.0	1.0	1.0	0.5	0.5	0.0	0.125	1.0	1.0	0.5
18	G00B_025_025a	0.0	0.25	0.0	0.25	0.25	0.125	0.125	0.0	0.25	0.0	0.25	0.125
19	G25B_025_025a	0.0	0.25	0.125	0.25	0.25	0.125	0.125	0.0	0.25	0.125	0.25	0.125
20	G50B_025_025a	0.0	0.25	0.25	0.25	0.25	0.125	0.125	0.0	0.25	0.25	0.25	0.125
21	G65B_037_037a	0.0	0.25	0.375	0.375	0.375	0.187	0.187	0.0	0.25	0.375	0.375	0.187
22	G75B_050_050a	0.0	0.25	0.5	0.5	0.5	0.25	0.25	0.0	0.25	0.5	0.5	0.25
23	G80B_062_062a	0.0	0.25	0.625	0.625	0.625	0.312	0.312	0.0	0.25	0.625	0.625	0.312
24	G84B_075_075a	0.0	0.25	0.75	0.75	0.75	0.375	0.375	0.0	0.25	0.75	0.75	0.375
25	G86B_087_087a	0.0	0.25	0.875	0.875	0.875	0.437	0.437	0.0	0.25	0.875	0.875	0.437
26	G88B_100_100a	0.0	0.25	1.0	1.0	1.0	0.5	0.5	0.0	0.25	1.0	1.0	0.5
27	G00B_037_037a	0.0	0.375	0.0	0.375	0.375	0.187	0.187	0.0	0.375	0.0	0.375	0.187
28	G15B_037_037a	0.0	0.375	0.125	0.375	0.375	0.187	0.187	0.0	0.375	0.125	0.375	0.187
29	G34B_037_037a	0.0	0.375	0.25	0.375	0.375	0.187	0.187	0.0	0.375	0.25	0.375	0.187
30	G50B_037_037a	0.0	0.375	0.375	0.375	0.375	0.187	0.187	0.0	0.375	0.375	0.375	0.187
31	G61B_050_050a	0.0	0.375	0.5	0.5	0.5	0.25	0.25	0.0	0.375	0.5	0.5	0.25
32	G69B_062_062a	0.0	0.375	0.625	0.625	0.625	0.312	0.312	0.0	0.375	0.625	0.625	0.312
33	G75B_075_075a	0.0	0.375	0.75	0.75	0.75	0.375	0.375	0.0	0.375	0.75	0.75	0.375
34	G79B_087_087a	0.0	0.375	0.875	0.875	0.875	0.437	0.437	0.0	0.375	0.875	0.875	0.437
35	G81B_100_100a	0.0	0.375	1.0	1.0	1.0	0.5	0.5	0.0	0.375	1.0	1.0	0.5
36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	0.25	0.0	0.5	0.0	0.5	0.25
37	G11B_050_050a	0.0	0.5	0.125	0.5	0.5	0.25	0.25	0.0	0.5	0.125	0.5	0.25
38	G25B_050_050a	0.0	0.5	0.25	0.5	0.5	0.25	0.25	0.0	0.5	0.25	0.5	0.25
39	G38B_050_050a	0.0	0.5	0.375	0.5	0.5	0.25	0.25	0.0	0.5	0.375	0.5	0.25
40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	0.25	0.0	0.5	0.5	0.5	0.25
41	G59B_062_062a	0.0	0.5	0.625	0.625	0.625	0.312	0.312	0.0	0.5	0.625	0.625	0.312
42	G65B_075_075a	0.0	0.5	0.75	0.75	0.75	0.375	0.375	0.0	0.5	0.75	0.75	0.375
43	G70B_087_087a	0.0	0.5	0.875	0.875	0.875	0.437	0.437	0.0	0.5	0.875	0.875	0.437
44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	0.5	0.0	0.5	1.0	1.0	0.5
45	G00B_062_062a	0.0	0.625	0.0	0.625	0.625	0.312	0.312	0.0	0.625	0.0	0.625	0.312
46	G09B_062_062a	0.0	0.625	0.125	0.625	0.625	0.312	0.312	0.0	0.625	0.125	0.625	0.312
47	G19B_062_062a	0.0	0.625	0.25	0.625	0.625	0.312	0.312	0.0	0.625	0.25	0.625	0.312
48	G30B_062_062a	0.0	0.625	0.375	0.625	0.625	0.312	0.312	0.0	0.625	0.375	0.625	0.312
49	G40B_062_062a	0.0	0.625	0.5	0.625	0.625	0.312	0.312	0.0	0.625	0.5	0.625	0.312
50	G50B_062_062a	0.0	0.625	0.625	0.625	0.625	0.312	0.312	0.0	0.625	0.625	0.625	0.312
51	G57B_075_075a	0.0	0.625	0.75	0.75	0.75	0.375	0.375	0.0	0.625	0.75	0.75	0.375
52	G63B_087_087a	0.0	0.625	0.875	0.875	0.875	0.437	0.437	0.0	0.625	0.875	0.875	0.437
53	G68B_100_100a	0.0	0.625	1.0	1.0	1.0	0.5	0.5	0.0	0.625	1.0	1.0	0.5
54	G00B_075_075a	0.0	0.75	0.0	0.75	0.75	0.375	0.375	0.0	0.75	0.0	0.75	0.375
55	G07B_075_075a	0.0	0.75	0.125	0.75	0.75	0.375	0.375	0.0	0.75	0.125	0.75	0.375
56	G15B_075_075a	0.0	0.75	0.25	0.75	0.75	0.375	0.375	0.0	0.75	0.25	0.75	0.375
57	G25B_075_075a	0.0	0.75	0.375	0.75	0.75	0.375	0.375	0.0	0.75	0.375	0.75	0.375
58	G34B_075_075a	0.0	0.75	0.5	0.75	0.75	0.375	0.375	0.0	0.75	0.5	0.75	0.375
59	G42B_075_075a	0.0	0.75	0.625	0.75	0.75	0.375	0.375	0.0	0.75	0.625	0.75	0.375
60	G50B_075_075a	0.0	0.75	0.75	0.75	0.75	0.375	0.375	0.0	0.75	0.75	0.75	0.375
61	G56B_087_087a	0.0	0.75	0.875	0.875	0.875	0.437	0.437	0.0	0.75	0.875	0.875	0.437
62	G61B_100_100a	0.0	0.75	1.0	1.0	1.0	0.5	0.5	0.0	0.75	1.0	1.0	0.5
63	G00B_087_087a	0.0	0.875	0.0	0.875	0.875	0.437	0.437	0.0	0.875	0.0	0.875	0.437
64	G06B_087_087a	0.0	0.875	0.125	0.875	0.875	0.437	0.437	0.0	0.875	0.125	0.875	0.437
65	G13B_087_087a	0.0	0.875	0.25	0.875	0.875	0.437	0.437	0.0	0.875	0.25	0.875	0.437
66	G20B_087_087a	0.0	0.875	0.375	0.875	0.875	0.437	0.437	0.0	0.875	0.375	0.875	0.437
67	G29B_087_087a	0.0	0.875	0.5	0.875	0.875	0.437	0.437	0.0	0.875	0.5	0.875	0.437
68	G36B_087_087a	0.0	0.875	0.625	0.875	0.875	0.437	0.437	0.0	0.875	0.625	0.875	0.437
69	G43B_087_087a	0.0	0.875	0.75	0.875	0.875	0.437	0.437	0.0	0.875	0.75	0.875	0.437
70	G50B_087_087a	0.0	0.875	0.875	0.875	0.875	0.437	0.437	0.0	0.875	0.875	0.875	0.437
71	G55B_100_100a	0.0	0.875	1.0	1.0	1.0	0.5	0.5	0.0	0.875	1.0	1.0	0.5
72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.0	1.0	0.5
73	G05B_100_100a	0.0	1.0	0.125	1.0	1.0	0.5	0.5	0.0	1.0	0.125	1.0	0.5
74	G11B_100_100a	0.0	1.0	0.25	1.0	1.0	0.5	0.5	0.0	1.0	0.25	1.0	0.5
75	G18B_100_100a	0.0	1.0	0.375	1.0	1.0	0.5	0.5	0.0	1.0	0.375	1.0	0.5
76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	0.5	0.0	1.0	0.5	1.0	0.5
77	G31B_100_100a	0.0	1.0	0.625	1.0	1.0	0.5	0.5	0.0	1.0	0.625	1.0	0.5
78	G38B_100_100a	0.0	1.0	0.75	1.0	1.0	0.5	0.5	0.0	1.0	0.75	1.0	0.5
79	G44B_100_100a	0.0	1.0	0.875	1.0	1.0	0.5	0.5	0.0	1.0	0.875	1.0	0.5
80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	0.5	0.0	1.0	1.0	1.0	0.5

delta E* = 3.7

grafico TUB-SI07; 16 tintes, carta standard offset APCO
colori e la differenza, ΔE^* , 3D=0, de=0, *cmY0*

immettere: *rgb/cmyk* -> *rgb*_d
uscita: trasferire a *cmY0*_d

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md		
81	R00Y_012_012a	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.0	26.4 8.7 5.6	10.4 32.5	0.125 0.0 0.0	26.5 13.7 4.2	14.3 17.0 5.1	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
82	B50R_012_012a	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.125	26.5 9.7 0.0	9.7 359.5	0.125 0.0 0.125	26.6 14.9 -0.8	14.9 356.7 5.2	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
83	B25R_025_025a	0.125 0.0 0.25	0.25 0.25 0.125	300	0.125 0.0 0.25	26.9 14.1 -4.9	14.9 340.6	0.125 0.0 0.25	27.0 17.2 -6.2	18.3 340.1 3.3	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
84	B15R_037_037a	0.125 0.0 0.375	0.375 0.375 0.187	289	0.118 0.0 0.375	26.5 17.0 -10.5	20.0 328.3	0.125 0.0 0.375	27.0 19.0 -11.5	22.3 328.8 2.3	288	0.316 0.0 1.0	31.4 45.5 -28.0	53.4 328.3
85	B11R_050_050a	0.125 0.0 0.5	0.5 0.5 0.25	284	0.116 0.0 0.5	26.3 19.4 -15.8	25.1 320.7	0.125 0.0 0.5	27.2 21.5 -17.0	27.4 321.6 2.4	282	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7
86	B09R_062_062a	0.125 0.0 0.625	0.625 0.625 0.312	281	0.114 0.0 0.625	26.8 22.5 -20.8	30.7 317.1	0.125 0.0 0.625	27.3 24.6 -22.0	33.0 318.2 2.4	279	0.183 0.0 1.0	28.8 36.0 -33.4	49.1 317.1
87	B07R_075_075a	0.125 0.0 0.75	0.75 0.75 0.375	279	0.112 0.0 0.75	27.3 25.5 -25.8	36.3 314.7	0.125 0.0 0.75	27.6 27.5 -26.7	38.3 315.8 2.1	278	0.15 0.0 1.0	28.6 34.1 -34.4	48.4 314.7
88	B06R_087_087a	0.125 0.0 0.875	0.875 0.875 0.437	278	0.116 0.0 0.875	27.9 28.9 -30.5	42.0 313.5	0.125 0.0 0.875	27.9 30.3 -31.1	43.5 314.2 1.5	277	0.133 0.0 1.0	28.5 33.1 -34.8	48.1 313.5
89	B05R_100_100a	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	28.2 32.2 -35.3	47.8 312.3	0.125 0.0 1.0	28.4 32.6 -35.0	47.9 312.9 0.5	276	0.116 0.0 1.0	28.2 32.2 -35.3	47.8 312.3
90	Y00G_012_012a	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.125 0.0	31.6 -0.8 11.2	11.2 94.3	0.125 0.125 0.0	29.7 3.8 7.9	8.8 64.1 6.0	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
91	NW_012a	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	32.7 0.0 0.0	0.0 0.0	0.125 0.125 0.125	30.1 5.2 2.9	6.0 29.1 6.5	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0
92	B00R_025_012a	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.124 0.25	32.9 3.2 -4.8	5.8 303.9	0.125 0.125 0.25	30.6 7.3 -3.4	8.0 334.9 4.9	270	0.0 1.0 0.0	25.8 26.0 -38.7	46.7 303.9
93	B00R_037_025a	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.124 0.375	33.2 6.5 -9.6	11.6 303.9	0.125 0.125 0.375	30.9 10.2 -9.8	14.2 316.0 4.3	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
94	B00R_050_037a	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	33.5 9.7 -14.5	17.5 303.9	0.125 0.125 0.5	31.0 12.6 -15.5	20.0 309.0 3.9	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
95	B00R_062_050a	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	33.8 13.0 -19.3	23.3 303.9	0.125 0.125 0.625	31.5 15.9 -20.9	26.3 307.3 4.0	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
96	B00R_075_062a	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	34.1 16.2 -24.2	29.2 303.9	0.125 0.125 0.75	32.0 18.3 -26.0	31.8 305.2 3.4	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
97	B00R_087_075a	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	34.4 19.5 -29.0	35.0 303.9	0.125 0.125 0.875	32.3 21.7 -30.7	37.6 305.2 3.3	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
98	B00R_100_087a	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	34.6 22.8 -33.9	40.8 303.9	0.125 0.125 1.0	32.9 24.1 -35.3	42.7 304.2 2.5	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
99	Y50G_025_025a	0.125 0.25 0.0	0.25 0.25 0.125	120	0.125 0.25 0.0	35.3 -6.7 15.5	16.9 113.3	0.125 0.25 0.0	34.1 -7.0 13.3	15.0 118.0 2.5	119	0.5 1.0 0.0	70.6 -26.9 62.2	67.8 113.3
100	G00B_025_012a	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.124	35.9 -8.1 3.4	8.8 157.0	0.125 0.25 0.125	34.4 -5.6 7.2	9.2 127.8 4.7	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
101	G50B_025_012a	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.25	36.8 -3.7 -4.9	6.2 233.2	0.125 0.25 0.25	35.0 -2.8 -0.1	2.8 183.5 5.2	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2
102	G75B_037_025a	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.25 0.375	37.5 -1.5 -9.8	9.9 260.8	0.125 0.25 0.375	35.5 -0.4 -7.1	7.1 266.6 3.6	240	0.0 0.5 1.0	43.1 -63.7 -39.3	39.8 260.8
103	G84B_050_037a	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.243 0.5	37.5 2.0 -14.6	14.7 277.8	0.125 0.25 0.5	35.6 2.4 -13.2	13.4 280.3 2.3	251	0.0 0.316 1.0	36.4 5.3 -39.0	39.4 277.8
104	G88B_062_050a	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.241 0.625	37.6 5.4 -19.4	20.2 285.7	0.125 0.25 0.625	35.9 6.3 -19.2	20.2 288.2 1.8	257	0.0 0.233 1.0	35.5 10.9 -38.9	40.4 285.7
105	G90B_075_062a	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.239 0.75	37.7 9.0 -24.4	26.0 290.2	0.125 0.25 0.75	36.5 9.0 -24.7	26.3 290.1 1.2	260	0.0 0.183 1.0	31.6 14.4 -39.0	41.6 290.2
106	G92B_087_075a	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.237 0.875	37.8 12.5 -29.2	31.8 293.2	0.125 0.25 0.875	36.6 12.6 -30.1	32.7 292.8 1.4	262	0.0 0.15 1.0	30.4 16.7 -39.0	42.4 293.2
107	G93B_100_087a	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.241 1.0	38.1 15.6 -34.0	37.5 294.7	0.125 0.25 1.0	37.5 15.1 -34.9	38.0 293.4 1.1	262	0.0 0.133 1.0	29.8 17.9 -38.9	42.8 294.7
108	Y68G_037_037a	0.125 0.375 0.0	0.375 0.375 0.187	131	0.118 0.375 0.0	38.0 -14.9 18.9	24.1 128.2	0.125 0.375 0.0	37.7 -17.2 17.1	24.3 135.0 2.9	131	0.316 1.0 0.0	62.1 -39.8 50.5	64.3 128.2
109	G00B_037_025a	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.124	39.2 -16.2 6.9	17.6 157.0	0.125 0.375 0.125	38.5 -15.2 10.5	18.5 145.1 3.9	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
110	G25B_037_025a	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.25	40.0 -12.0 -2.7	12.3 192.6	0.125 0.375 0.25	38.9 -12.4 3.2	12.8 165.1 6.1	180	0.0 1.0 0.5	53.0 -48.2 -10.8	49.4 192.6
111	G50B_037_025a	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	41.0 -7.4 -9.9	12.4 233.2	0.125 0.375 0.375	39.5 -9.3 -4.1	10.2 204.0 6.2	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2
112	G65B_050_037a	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.381 0.5	42.3 -6.3 -14.6	16.1 246.9	0.125 0.375 0.5	40.4 -7.5 -11.2	13.4 236.1 4.3	228	0.0 0.683 1.0	49.1 -16.8 -39.6	43.1 246.9
113	G75B_062_050a	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.375 0.625	42.4 -3.1 -19.8	19.9 260.8	0.125 0.375 0.625	40.5 -3.1 -17.7	18.0 259.9 2.7	240	0.0 0.5 1.0	43.1 -63.7 -39.3	39.8 260.8
114	G80B_075_062a	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.364 0.75	42.2 0.6 -24.3	24.3 271.5	0.125 0.375 0.75	40.6 1.2 -24.1	24.2 273.0 1.7	247	0.0 0.383 1.0	38.8 1.0 -38.9	38.9 271.5
115	G84B_087_075a	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.362 0.875	42.3 4.0 -29.3	29.5 277.8	0.125 0.375 0.875	41.2 4.4 -29.6	29.9 278.4 1.2	251	0.0 0.316 1.0	36.4 5.3 -39.0	39.4 277.8
116	G86B_100_087a	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.358 1.0	42.4 7.6 -34.0	34.9 282.6	0.125 0.375 1.0	41.4 7.9 -34.8	35.7 282.8 1.2	255	0.0 0.266 1.0	34.7 8.7 -38.9	39.9 282.6
117	Y76G_050_050a	0.125 0.5 0.0	0.5 0.5 0.25	136	0.116 0.5 0.0	40.7 -23.6 21.8	32.2 137.2	0.125 0.5 0.0	41.3 -26.0 21.1	33.5 140.8 2.4	137	0.233 1.0 0.0	57.9 -47.3 43.7	64.5 137.2
118	G00B_050_037a	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.124	42.4 -24.4 10.3	26.5 157.0	0.125 0.5 0.125	42.1 -23.3 13.7	27.0 149.4 3.6	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
119	G15B_050_037a	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.243	43.2 -21.0 1.4	21.1 176.0	0.125 0.5 0.25	42.7 -20.8 5.8	21.6 164.2 4.4	168	0.0 1.0 0.316	51.6 -56.1 3.9	56.3 176.0
120	G34B_050_037a	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.5 0.381	44.3 -15.4 -8.8	17.7 209.7	0.125 0.5 0.375	43.4 -17.4 -2.8	17.6 189.2 6.3	191	0.0 1.0 0.683	54.7 -41.1 -23.5	47.4 209.7
121	G50B_050_037a	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	45.2 -11.1 -14.9	18.6 233.2	0.125 0.5 0.5	44.0 -14.8 -9.8	17.8 213.6 6.3	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2
122	G61B_062_050a	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.508 0.625	46.6 -10.2 -19.9	22.3 242.7	0.125 0.5 0.625	45.2 -11.9 -16.6	20.4 234.3 3.8	222	0.0 0.766 1.0	51.3 -20.4 -39.8	44.7 242.7
123	G69B_075_062a	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.51 0.75	47.5 -8.6 -24.6	26.1 250.6	0.125 0.5 0.75	45.9 -8.5 -23.2	24.8 249.7 2.1	232	0.0 0.616 1.0	47.3 -13.8 -39.5	41.8 250.6
124	G75B_087_075a	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.5 0.875	47.3 -4.7 -29.4	29.8 260.8	0.125 0.5 0.875	45.9 -4.3 -29.3	29.6 261.6 1.4	240	0.0 0.5 1.0	43.1 -6.3 -39.3	39.8 260.8
125	G79B_100_087a	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.489 1.0	47.1 -0.9 -34.3	34.3 268.4	0.125 0.5 1.0	46.3 -0.5 -34.8	34.8 269.1 1.0	245	0.0 0.416 1.0	40.0 -1.0 -39.2	39.2 268.4
126	Y81G_062_062a	0.125 0.625 0.0	0.625 0.625 0.312	139	0.114 0.625 0.0	43.9 -31.5 25.0	40.2 141.5	0.125 0.625 0.0	45.3 -34.9 25.8	43.4 143.5 3.7	140	0.183 1.0 0.0	56.2 -50.4 40.0	64.4 141.5
127	G00B_062_050a	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.125	45.7 -32.5 13.8	35.3 157.0	0.125 0.625 0.125	46.4 -32.2 18.1	37.0 150.6 4.3	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
128	G11B_062_050a	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.241	46.4 -29.5 5.4	30.0 169.5	0.125 0.625 0.25	47.0 -29.8 9.2	31.1 162.8 3.7	162	0.0 1.0 0.233	51.0 -59.0 10.9	60.0 169.5
129	G25B_062_050a	0.125 0.625 0.375	0.625 0.5 0.375	180	0.125 0.625 0.375	47.4 -24.1 -5.4	24.7 192.6	0.125 0.625 0.375	47.8 -26.2					

http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 22/33

SI0700A

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi.d	rgb**Md	LabCh**Md		
162	R00Y_025_025a	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.0	29.3 17.5 11.2	20.8 32.5	0.25 0.0 0.0	28.1 24.1 8.6	25.6 19.6 7.1	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
163	R00Y_025_025a	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.125	29.4 18.5 4.7	19.1 14.4	0.25 0.0 0.125	28.3 25.5 3.9	25.8 8.8 7.1	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
164	B50R_025_025a	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.25	29.5 19.5 -0.1	19.5 359.5	0.25 0.0 0.25	28.6 27.2 -1.6	27.2 356.5 7.8	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
165	B34R_037_037a	0.25 0.0 0.375	0.375 0.375 0.187	311	0.256 0.0 0.375	30.0 25.1 -4.1	25.5 350.6	0.25 0.0 0.375	28.9 29.7 -6.4	30.4 347.7 5.2	311	0.683 0.0 1.0	40.8 67.1 -11.0	68.0 350.6
166	B25R_050_050a	0.25 0.0 0.5	0.5 0.5 0.25	300	0.25 0.0 0.5	30.2 28.2 -9.9	29.9 340.6	0.25 0.0 0.5	28.9 30.6 -12.2	33.0 338.2 3.5	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
167	B19R_062_062a	0.25 0.0 0.625	0.625 0.625 0.312	293	0.239 0.0 0.625	29.8 31.6 -15.2	35.1 334.3	0.25 0.0 0.625	28.7 32.2 -17.7	36.8 331.1 2.8	292	0.383 0.0 1.0	33.5 50.6 -24.3	56.2 334.3
168	B15R_075_075a	0.25 0.0 0.75	0.75 0.75 0.375	289	0.237 0.0 0.75	29.4 34.1 -21.0	40.1 328.3	0.25 0.0 0.75	28.7 34.8 -22.6	41.6 326.9 1.9	288	0.316 0.0 1.0	31.4 45.5 -28.0	53.4 328.3
169	B13R_087_087a	0.25 0.0 0.875	0.875 0.875 0.437	286	0.233 0.0 0.875	29.0 36.1 -26.6	44.9 323.5	0.25 0.0 0.875	29.0 37.5 -27.1	46.3 324.1 1.4	284	0.266 0.0 1.0	29.8 41.3 -30.4	51.3 323.5
170	B11R_100_100a	0.25 0.0 1.0	1.0 1.0 0.5	284	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7	0.25 0.0 1.0	29.2 39.8 -31.1	50.6 322.0 1.1	282	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7
171	R50Y_025_025a	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.125 0.0	34.3 7.1 16.6	18.1 66.8	0.25 0.125 0.0	31.6 14.6 12.9	19.5 4.1 8.8	59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
172	R00Y_025_012a	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.124	35.5 8.7 5.6	10.4 32.5	0.25 0.125 0.125	31.8 16.2 7.4	17.8 24.7 8.5	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
173	B50R_025_012a	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.25	35.6 9.7 0.0	9.7 359.5	0.25 0.125 0.25	32.1 17.6 1.4	17.7 4.7 8.7	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
174	B25R_037_025a	0.25 0.125 0.375	0.375 0.25 0.25	300	0.25 0.124 0.375	36.0 14.1 -4.9	14.9 340.6	0.25 0.125 0.375	32.4 19.2 -4.6	19.7 346.4 6.2	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
175	B15R_050_037a	0.25 0.125 0.5	0.5 0.375 0.312	289	0.243 0.124 0.5	35.6 17.0 -10.5	20.0 328.3	0.25 0.125 0.5	32.4 21.4 -11.0	24.1 332.7 5.4	288	0.316 0.0 1.0	31.4 45.5 -28.0	53.4 328.3
176	B11R_062_050a	0.25 0.125 0.625	0.625 0.5 0.375	284	0.241 0.125 0.625	35.5 19.4 -15.8	25.1 320.7	0.25 0.125 0.625	32.8 23.2 -16.5	28.5 324.4 4.6	282	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7
177	B09R_075_062a	0.25 0.125 0.75	0.75 0.625 0.437	281	0.239 0.125 0.75	35.9 22.5 -20.8	30.7 317.1	0.25 0.125 0.75	33.2 26.2 -21.7	34.1 320.3 4.7	279	0.183 0.0 1.0	28.8 36.0 -33.4	49.1 317.1
178	B07R_087_075a	0.25 0.125 0.875	0.875 0.75 0.5	279	0.237 0.125 0.875	36.4 25.5 -25.8	36.3 314.7	0.25 0.125 0.875	33.4 28.6 -26.9	39.2 316.7 4.4	278	0.15 0.0 1.0	28.6 34.1 -34.4	48.4 314.7
179	B06R_100_087a	0.25 0.125 1.0	1.0 0.875 0.562	278	0.241 0.125 1.0	37.0 28.9 -30.5	42.0 313.5	0.25 0.125 1.0	33.6 31.3 -31.2	44.2 315.0 4.1	277	0.133 0.0 1.0	28.5 33.1 -34.8	48.1 313.5
180	Y00G_025_025a	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.25 0.0	39.7 -1.7 22.4	22.5 94.3	0.25 0.25 0.0	36.0 3.6 18.5	18.9 78.8 7.5	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
181	Y00G_025_012a	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.25 0.124	40.7 -0.8 11.2	11.2 94.3	0.25 0.25 0.125	36.4 4.5 12.3	13.2 69.6 7.0	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
182	NW_025a	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	41.8 0.0 0.0	0.0 0.0	0.25 0.25 0.25	36.9 6.3 5.2	8.2 39.4 9.5	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0
183	B00R_037_012a	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.249 0.375	42.1 3.2 -4.8	5.8 303.9	0.25 0.25 0.375	37.3 8.5 -1.6	8.7 349.2 7.8	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
184	B00R_050_025a	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	42.3 6.5 -9.6	11.6 303.9	0.25 0.25 0.5	37.8 10.5 -8.3	13.4 321.7 6.2	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
185	B00R_062_037a	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	42.6 9.7 -14.5	17.5 303.9	0.25 0.25 0.625	38.1 13.6 -14.5	19.9 313.1 5.9	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
186	B00R_075_050a	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	42.9 13.0 -19.3	23.3 303.9	0.25 0.25 0.75	38.8 16.1 -20.2	25.9 308.6 5.2	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
187	B00R_087_062a	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	43.2 16.2 -24.2	29.2 303.9	0.25 0.25 0.875	39.2 19.0 -25.4	31.7 306.8 5.0	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
188	B00R_100_075a	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	43.5 19.5 -29.0	35.0 303.9	0.25 0.25 1.0	39.5 21.5 -30.4	37.3 305.2 4.6	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
189	Y31G_037_037a	0.25 0.375 0.0	0.375 0.375 0.187	109	0.256 0.375 0.0	44.0 -6.6 28.1	28.9 103.3	0.25 0.375 0.0	40.4 -5.4 24.2	24.8 102.5 5.4	108	0.683 1.0 0.0	78.1 -17.7 75.0	77.1 103.3
190	Y50G_037_025a	0.25 0.375 0.125	0.375 0.25 0.25	120	0.25 0.375 0.124	44.4 -6.7 15.5	16.9 113.3	0.25 0.375 0.125	40.6 -4.8 16.5	17.2 106.2 4.3	119	0.5 1.0 0.0	70.6 -26.9 62.2	67.8 113.3
191	G00B_037_012a	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.249	45.0 -8.1 3.4	8.8 157.0	0.25 0.375 0.25	41.0 -2.7 8.6	9.1 107.5 8.5	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
192	G50B_037_012a	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	46.0 -3.7 -4.9	6.2 233.2	0.25 0.375 0.375	41.6 -0.9 0.8	1.3 137.6 7.8	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2
193	G75B_050_025a	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.375 0.5	46.7 -1.5 -9.8	9.9 260.8	0.25 0.375 0.5	42.2 1.5 -6.3	6.5 283.9 6.4	240	0.0 0.5 1.0	43.1 -6.3 -39.3	39.8 260.8
194	G84B_062_037a	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.368 0.625	46.6 2.0 -14.6	14.7 277.8	0.25 0.375 0.625	42.3 5.0 -13.1	14.0 291.2 5.5	251	0.0 0.316 1.0	36.4 5.3 -39.0	39.4 277.8
195	G88B_075_050a	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.366 0.75	46.7 5.4 -19.4	20.2 285.7	0.25 0.375 0.75	43.1 7.9 -19.4	21.0 292.2 4.3	257	0.0 0.233 1.0	33.5 10.9 -38.9	40.4 285.7
196	G90B_087_062a	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.364 0.875	46.8 9.0 -24.4	26.0 290.2	0.25 0.375 0.875	43.0 11.5 -25.2	27.7 294.6 4.6	260	0.0 0.183 1.0	31.6 14.4 -39.0	41.6 290.2
197	G92B_100_075a	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.362 1.0	46.9 12.5 -29.2	31.8 293.2	0.25 0.375 1.0	43.7 14.2 -30.4	33.5 295.0 3.8	262	0.0 0.15 1.0	30.4 16.7 -39.0	42.4 293.2
198	Y50G_050_050a	0.25 0.5 0.0	0.5 0.5 0.25	120	0.25 0.5 0.0	47.1 -13.4 31.1	33.9 113.3	0.25 0.5 0.0	44.3 -15.5 28.9	32.8 118.3 4.1	119	0.5 1.0 0.0	70.6 -26.9 62.2	67.8 113.3
199	Y68G_050_037a	0.25 0.5 0.125	0.5 0.375 0.312	131	0.243 0.5 0.124	47.1 -14.9 18.9	24.1 128.2	0.25 0.5 0.125	44.6 -14.8 20.4	25.2 126.1 2.9	131	0.316 1.0 0.0	62.1 -39.8 50.5	64.3 128.2
200	G00B_050_025a	0.25 0.5 0.25	0.5 0.25 0.375	150	0.249 0.5 0.249	48.3 -16.2 6.9	17.6 157.0	0.25 0.5 0.25	45.5 -11.8 11.8	16.7 135.0 7.1	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
201	G25B_050_025a	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.375	49.1 -12.0 2.7	12.3 192.6	0.25 0.5 0.375	46.2 -9.6 3.6	10.3 159.0 7.4	180	0.0 1.0 0.5	53.0 -48.2 -10.8	49.4 192.6
202	G50B_050_025a	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	50.1 -7.4 -9.9	12.4 233.2	0.25 0.5 0.5	46.6 -7.2 -4.5	8.5 212.3 6.4	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2
203	G65B_062_037a	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.506 0.625	51.4 -6.3 -14.8	16.1 246.9	0.25 0.5 0.625	47.8 -4.7 -11.6	12.5 248.0 5.0	228	0.0 0.683 1.0	49.1 -16.8 -39.6	43.1 246.9
204	G75B_075_050a	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.5 0.75	51.5 -3.1 -19.6	19.9 260.8	0.25 0.5 0.75	48.2 -1.3 -18.7	18.7 265.7 3.9	240	0.0 0.5 1.0	43.1 -6.3 -39.3	39.8 260.8
205	G80B_087_062a	0.25 0.5 0.875	0.875 0.625 0.562	247	0.25 0.489 0.875	51.3 0.6 -24.3	24.3 271.5	0.25 0.5 0.875	48.2 2.6 -24.9	25.0 276.0 3.7	247	0.0 0.383 1.0	38.8 1.0 -38.9	38.9 271.5
206	G84B_100_075a	0.25 0.5 1.0	1.0 0.75 0.625	251	0.25 0.487 1.0	51.4 4.0 -29.3	29.5 277.8	0.25 0.5 1.0	48.8 5.8 -30.6	31.1 280.8 3.4	251	0.0 0.316 1.0	36.4 5.3 -39.0	39.4 277.8
207	Y61G_062_062a	0.25 0.625 0.0	0.625 0.625 0.312	127	0.239 0.625 0.0	49.9 -20.7 34.5	40.2 121.0	0.25 0.625 0.0	48.4 -26.0 33.8	42.6 127.5 5.4	127	0.383 1.0 0.0	65.7 -33.2 55.2	64.4 121.0
208	Y76G_062_050a	0.25 0.625 0.125	0.625 0.5 0.375	136	0.241 0.625 0.125	49.8 -23.6 21.8	32.2 137.2	0.25 0.625 0.125	49.2 -24.4 24.6	34.7 134.7 2.9	137	0.233 1.0 0.0	57.9 -47.3 43.7	64.5 137.2
209	G00B_062_037a	0.25 0.625 0.25	0.625 0.375 0.437	150	0.25 0.625 0.25	51.6 -24.4 10.3	26.5 157.0	0.25 0.625 0.25	50.2 -21.5 15.6	26.5 144.0 6.1	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
210	G15B_062_037a	0.25 0.625 0.375	0.625 0.375 0.437	169	0.25 0.625 0.368	51.3 -22.0 1.4	21.1 176.0	0.25 0.625 0.375	51.0 -19.2 6.4	20.3 161.5 5.4	168	0.0 1.0 0.316	51.6 -56.1 3.9	56.3 176.0
211	G34B_062_037a	0.25 0.625 0.5	0.625											

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF / .PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md		
243	R00Y_037_037a	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.0	32.1 26.3 16.8	31.2 32.5	0.375 0.0 0.0	31.8 36.2 19.0	40.9 27.7 10.1	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
244	R18Y_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	32.3 27.0 10.8	29.1 21.7	0.375 0.0 0.125	31.9 36.8 13.9	39.4 20.6 10.2	371	1.0 0.0 0.316	46.7 72.1 28.8	77.7 21.7
245	B65R_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.256	32.3 28.4 0.0	28.6 8.0	0.375 0.0 0.25	32.1 38.7 7.1	39.4 10.4 10.8	348	1.0 0.0 0.683	46.9 75.7 10.7	76.5 8.0
246	B50R_037_037a	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	32.4 29.3 -0.2	29.3 359.5	0.375 0.0 0.375	32.3 40.1 1.3	40.1 1.9 10.9	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
247	B38R_050_050a	0.375 0.0 0.5	0.5 0.5 0.25	316	0.383 0.0 0.5	33.3 35.2 -4.0	35.5 353.5	0.375 0.0 0.5	32.6 42.8 -4.0	43.0 354.5 7.5	317	0.766 0.0 1.0	43.1 70.5 -8.0	71.0 353.5
248	B30R_062_062a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.385 0.0 0.625	33.2 39.9 -8.5	40.8 347.9	0.375 0.0 0.625	33.0 44.8 -9.6	45.8 347.5 5.0	307	0.616 0.0 1.0	39.0 63.9 -13.6	65.3 347.9
249	B25R_075_075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.375 0.0 0.75	33.4 42.4 -14.9	44.9 340.6	0.375 0.0 0.75	32.9 46.1 -15.1	48.6 341.8 3.8	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
250	B20R_087_087a	0.375 0.0 0.875	0.875 0.875 0.437	295	0.364 0.0 0.875	33.1 45.8 -20.2	50.1 336.1	0.375 0.0 0.875	33.0 48.2 -20.3	52.3 337.1 2.3	294	0.416 0.0 1.0	34.4 52.4 -23.1	57.3 336.1
251	B18R_100_100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	33.0 49.6 -25.1	55.6 333.0	0.375 0.0 1.0	33.3 50.2 -24.6	55.9 333.8 0.8	291	0.366 0.0 1.0	33.0 49.6 -25.1	55.6 333.0
252	R31Y_037_037a	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.118 0.0	36.4 16.9 21.7	27.5 52.0	0.375 0.125 0.0	35.4 27.1 23.0	35.5 40.2 10.3	48	1.0 0.316 0.0	57.8 45.2 57.9	73.3 52.0
253	R00Y_037_025a	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.124	38.4 17.5 11.2	20.8 32.5	0.375 0.125 0.125	35.7 27.7 16.8	32.4 31.2 11.8	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
254	R00Y_037_025a	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.25	38.5 18.5 4.7	19.1 14.4	0.375 0.125 0.25	35.9 29.0 9.8	30.7 18.7 12.0	360	1.0 0.0 0.5	46.7 74.0 49.0	76.4 14.4
255	B50R_037_025a	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.375	38.6 19.5 -0.1	19.5 359.5	0.375 0.125 0.375	36.1 30.9 2.9	31.1 5.4 12.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
256	B34R_050_037a	0.375 0.125 0.5	0.5 0.375 0.312	311	0.381 0.124 0.5	39.1 25.1 -4.1	25.5 350.6	0.375 0.125 0.5	36.8 33.0 -3.0	33.2 354.6 8.3	311	0.683 0.0 1.0	40.8 67.1 -11.0	68.0 350.6
257	B25R_062_050a	0.375 0.125 0.625	0.625 0.5 0.375	300	0.375 0.125 0.625	39.3 28.2 -9.9	29.9 340.6	0.375 0.125 0.625	36.7 34.5 -9.1	35.7 345.1 6.8	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
258	B19R_075_062a	0.375 0.125 0.75	0.75 0.625 0.437	293	0.364 0.125 0.75	38.9 31.6 -15.2	35.1 334.3	0.375 0.125 0.75	37.1 36.1 -15.0	39.1 337.4 4.7	292	0.383 0.0 1.0	33.5 50.6 -24.3	56.2 334.3
259	B15R_087_075a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.362 0.125 0.875	38.5 34.1 -21.0	40.1 328.3	0.375 0.125 0.875	37.6 37.9 -20.1	43.0 332.0 4.0	288	0.316 0.0 1.0	31.4 45.5 -28.0	53.4 328.3
260	B13R_100_087a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.358 0.125 1.0	38.1 36.1 -26.6	44.9 323.5	0.375 0.125 1.0	37.5 39.8 -25.5	47.3 327.3 3.8	284	0.266 0.0 1.0	29.8 41.3 -30.4	51.3 323.5
261	R68Y_037_037a	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.256 0.0	43.4 4.4 28.9	29.3 81.2	0.375 0.25 0.0	40.7 15.0 28.9	32.5 62.5 10.9	71	1.0 0.683 0.0	76.1 11.8 77.2	78.1 81.2
262	R50Y_037_025a	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.25 0.124	43.4 7.1 16.6	18.1 66.8	0.375 0.25 0.125	40.8 16.0 21.5	26.9 53.3 10.5	59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
263	R00Y_037_012a	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.249	44.6 8.7 5.6	10.4 32.5	0.375 0.25 0.25	40.8 17.6 13.6	22.3 37.7 12.5	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
264	B50R_037_012a	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.375	44.7 9.7 0.0	9.7 359.5	0.375 0.25 0.375	41.5 19.0 6.0	20.0 17.6 11.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
265	B25R_050_025a	0.375 0.25 0.5	0.5 0.25 0.375	300	0.375 0.249 0.5	45.1 14.1 -4.9	14.9 340.6	0.375 0.25 0.5	42.2 20.9 -1.2	20.9 356.6 8.2	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
266	B15R_062_037a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	44.7 17.0 -10.5	20.0 328.3	0.375 0.25 0.625	42.6 22.5 -7.5	23.8 341.4 6.5	288	0.316 0.0 1.0	31.4 45.5 -28.0	53.4 328.3
267	B11R_075_050a	0.375 0.25 0.75	0.75 0.5 0.5	284	0.366 0.25 0.75	44.6 19.4 -15.8	25.1 320.7	0.375 0.25 0.75	43.1 24.4 -13.7	28.0 330.5 5.5	282	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7
268	B09R_087_062a	0.375 0.25 0.875	0.875 0.625 0.562	281	0.364 0.25 0.875	45.1 22.5 -20.8	30.7 317.1	0.375 0.25 0.875	43.5 26.8 -19.8	33.3 323.5 4.6	279	0.183 0.0 1.0	28.8 36.0 -33.4	49.1 317.1
269	B07R_100_075a	0.375 0.25 1.0	1.0 0.75 0.625	279	0.362 0.25 1.0	45.5 25.5 -25.8	36.3 314.7	0.375 0.25 1.0	44.0 28.8 -25.0	38.2 319.1 3.7	278	0.15 0.0 1.0	28.6 34.1 -34.4	48.4 314.7
270	Y00G_037_037a	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.375 0.0	47.7 -2.5 33.6	33.7 94.3	0.375 0.375 0.0	44.7 5.6 33.6	34.4 80.3 8.8	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
271	Y00G_037_025a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.375 0.124	48.8 -1.7 22.4	22.5 94.3	0.375 0.375 0.125	45.3 7.7 17.2	18.8 65.8 11.2	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
272	Y00G_037_012a	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.375 0.249	49.8 -0.8 11.2	11.2 94.3	0.375 0.375 0.25	45.6 7.7 17.2	18.8 65.8 11.2	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
273	NW_037a	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9 0.0 0.0	0.0 0.0	0.375 0.375 0.375	46.5 9.0 9.2	12.9 45.3 13.6	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0
274	B00R_050_012a	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	51.2 3.2 -4.8	5.8 303.9	0.375 0.375 0.5	47.0 11.1 0.9	11.1 4.7 10.6	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
275	B00R_062_025a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	51.4 6.5 -9.6	11.6 303.9	0.375 0.375 0.625	47.6 13.4 -6.0	14.7 335.9 8.7	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
276	B00R_075_037a	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	51.7 9.7 -14.5	17.5 303.9	0.375 0.375 0.75	48.4 15.6 -12.4	19.9 321.5 7.0	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
277	B00R_087_050a	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	52.0 13.0 -19.3	23.3 303.9	0.375 0.375 0.875	49.0 18.0 -18.6	25.9 314.0 5.8	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
278	B00R_100_062a	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	52.3 16.2 -24.2	29.2 303.9	0.375 0.375 1.0	49.7 20.2 -24.2	31.5 309.8 4.7	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
279	Y23G_050_050a	0.375 0.5 0.0	0.5 0.5 0.25	104	0.383 0.5 0.0	52.3 -6.7 39.1	39.7 99.8	0.375 0.5 0.0	50.1 -2.7 39.1	39.2 93.9 4.6	102	0.766 1.0 0.0	81.0 -13.5 78.3	79.5 99.8
280	Y31G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312	109	0.381 0.5 0.124	53.1 -6.6 28.1	28.9 103.3	0.375 0.5 0.125	50.4 -2.5 30.2	30.3 94.7 5.3	108	0.683 1.0 0.0	78.1 -17.7 75.0	77.1 103.3
281	Y50G_050_025a	0.375 0.5 0.25	0.5 0.25 0.375	120	0.375 0.5 0.249	53.5 -6.7 15.5	16.9 113.3	0.375 0.5 0.25	50.8 -1.6 20.3	20.4 94.6 7.5	119	0.5 1.0 0.0	70.6 -26.9 62.2	67.8 113.3
282	G00B_050_012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	54.1 -8.1 3.4	8.8 157.0	0.375 0.5 0.375	51.5 0.0 11.4	11.4 90.3 11.6	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
283	G50B_050_012a	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	55.1 -3.7 -4.9	6.2 233.2	0.375 0.5 0.5	52.1 2.0 2.8	3.4 54.5 10.1	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2
284	G75B_062_025a	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.5 0.625	55.8 -1.5 -9.8	9.9 260.8	0.375 0.5 0.625	52.7 4.5 -4.9	6.7 312.5 8.4	240	0.0 0.5 1.0	43.1 -6.3 -39.3	39.8 260.8
285	G84B_075_037a	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.493 0.75	55.7 2.0 -14.6	14.7 277.8	0.375 0.5 0.75	53.5 7.1 -11.8	13.8 300.8 6.1	251	0.0 0.316 1.0	36.4 5.3 -39.0	39.4 277.8
286	G88B_087_050a	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.491 0.875	55.8 5.4 -19.4	20.2 285.7	0.375 0.5 0.875	54.3 9.9 -18.1	20.6 298.6 4.8	257	0.0 0.233 1.0	33.5 10.9 -38.9	40.4 285.7
287	G90B_100_062a	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.489 1.0	55.9 9.0 -24.4	26.0 290.2	0.375 0.5 1.0	54.7 12.2 -24.2	27.1 296.8 3.5	260	0.0 0.183 1.0	31.6 14.4 -39.0	41.6 290.2
288	Y38G_062_062a	0.375 0.625 0.0	0.625 0.625 0.312	113	0.385 0.625 0.0	56.1 -13.3 44.9	46.8 106.5	0.375 0.625 0.0	54.8 -12.9 44.1	46.0 106.2 1.5	112	0.616 1.0 0.0	75.6 -21.3 71.9	75.0 106.5
289	Y50G_062_050a	0.375 0.625 0.125	0.625 0.5 0.375	120	0.375 0.625 0.125	56.2 -13.4 31.1	33.9 113.3	0.375 0.625 0.125	55.1 -13.0 34.1	36.5 110.8 3.2	119	0.5 1.0 0.0	70.6 -26.9 62.2	67.8 113.3
290	Y68G_062_037a	0.375 0.625 0.25	0.625 0.375 0.437	131	0.368 0.625 0.25	56.2 -14.9 18.9	24.1 128.2	0.375 0.625 0.25	55.6 -12.1 23.8	26.7 116.9 5.6	131	0.316 1.0 0.0	62.1 -39.8 50.5	64.3 128.2

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb**Fd	LabCh*Fd	rgb**Fd	LabCh*Fd	DE**Fd	hsiMd	rgb**Md	LabCh**Md				
324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	46.4	70.3	44.9	83.4	32.5
325	R26Y_050_050a	0.5	0.0	0.125	0.5	0.5	0.25	376	0.5	0.0	0.233	46.6	71.6	33.3	79.0	24.9
326	R00Y_050_050a	0.5	0.0	0.25	0.5	0.5	0.25	360	1.0	0.0	0.5	46.7	74.0	19.0	76.4	14.4
327	B61R_050_050a	0.5	0.0	0.375	0.5	0.5	0.25	344	1.0	0.0	0.766	46.9	76.5	7.2	76.8	5.4
328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
329	B40R_062_062a	0.5	0.0	0.625	0.625	0.625	0.312	319	0.816	0.0	1.0	44.1	72.1	-6.7	72.4	354.6
330	B34R_075_075a	0.5	0.0	0.75	0.75	0.75	0.375	311	0.683	0.0	1.0	40.8	67.1	-11.0	68.0	350.6
331	B29R_087_087a	0.5	0.0	0.875	0.875	0.875	0.437	305	0.583	0.0	1.0	38.3	61.9	-15.5	63.8	345.8
332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6
333	R23Y_050_050a	0.5	0.125	0.0	0.5	0.5	0.25	44	1.0	0.233	0.0	54.2	52.8	53.7	75.3	45.4
334	R00Y_050_037a	0.5	0.125	0.125	0.5	0.375	0.312	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
335	R18Y_050_037a	0.5	0.125	0.25	0.5	0.375	0.312	371	1.0	0.0	0.316	46.7	72.1	28.8	77.7	21.7
336	B65R_050_037a	0.5	0.125	0.375	0.5	0.375	0.312	349	1.0	0.0	0.683	46.9	75.7	10.7	76.5	8.0
337	B50R_050_037a	0.5	0.125	0.5	0.5	0.375	0.312	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
338	B38R_062_050a	0.5	0.125	0.625	0.625	0.5	0.375	316	0.766	0.0	1.0	43.1	70.5	-8.0	71.0	353.5
339	B30R_075_062a	0.5	0.125	0.75	0.75	0.625	0.437	307	0.616	0.0	1.0	39.0	63.9	-13.6	65.3	347.9
340	B25R_087_075a	0.5	0.125	0.875	0.875	0.75	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6
341	B20R_100_087a	0.5	0.125	1.0	1.0	0.875	0.562	295	0.416	0.0	1.0	34.4	52.4	-23.1	57.3	336.1
342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8
343	R31Y_050_037a	0.5	0.25	0.125	0.5	0.375	0.312	49	1.0	0.316	0.0	57.8	45.2	57.9	73.5	52.0
344	R00Y_050_025a	0.5	0.25	0.25	0.5	0.25	0.375	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
345	R00Y_050_025a	0.5	0.25	0.375	0.5	0.25	0.375	360	1.0	0.0	0.5	46.7	74.0	19.0	76.4	14.4
346	B50R_050_025a	0.5	0.25	0.5	0.5	0.25	0.375	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
347	B34R_062_037a	0.5	0.25	0.625	0.625	0.375	0.437	311	0.683	0.0	1.0	40.8	67.1	-11.0	68.0	350.6
348	B25R_075_050a	0.5	0.25	0.75	0.75	0.5	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6
349	B19R_087_062a	0.5	0.25	0.875	0.875	0.625	0.562	293	0.383	0.0	1.0	32.5	50.6	-24.3	56.2	334.3
350	B15R_100_075a	0.5	0.25	1.0	1.0	0.75	0.625	289	0.316	0.0	1.0	31.4	45.5	-28.0	53.4	328.3
351	R76Y_050_050a	0.5	0.375	0.0	0.5	0.5	0.25	76	1.0	0.766	0.0	79.7	5.8	81.0	81.2	85.8
352	R68Y_050_037a	0.5	0.375	0.125	0.5	0.375	0.312	71	1.0	0.683	0.0	76.1	11.8	77.2	78.1	81.2
353	R50Y_050_025a	0.5	0.375	0.25	0.5	0.25	0.375	60	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8
354	R00Y_050_012a	0.5	0.375	0.375	0.5	0.125	0.437	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
355	B50R_050_012a	0.5	0.375	0.5	0.5	0.125	0.437	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
356	B25R_062_025a	0.5	0.375	0.625	0.625	0.25	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6
357	B15R_075_037a	0.5	0.375	0.75	0.75	0.375	0.562	289	0.316	0.0	1.0	31.4	45.5	-28.0	53.4	328.3
358	B11R_087_050a	0.5	0.375	0.875	0.875	0.5	0.625	284	0.233	0.0	1.0	29.1	38.9	-31.7	50.2	320.7
359	B09R_100_062a	0.5	0.375	1.0	1.0	0.625	0.687	281	0.183	0.0	1.0	28.8	36.0	-33.4	49.1	317.1
360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
361	Y00G_050_037a	0.5	0.5	0.125	0.5	0.375	0.312	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
362	Y00G_050_025a	0.5	0.5	0.25	0.5	0.25	0.375	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
363	Y00G_050_012a	0.5	0.5	0.375	0.5	0.125	0.437	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.0	96.4	0.0	0.0	0.0	0.0
365	B00R_062_012a	0.5	0.625	0.625	0.625	0.125	0.562	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
366	B00R_075_025a	0.5	0.5	0.75	0.75	0.25	0.625	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
367	B00R_087_037a	0.5	0.5	0.875	0.875	0.375	0.687	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
369	Y18G_062_062a	0.5	0.625	0.0	0.625	0.625	0.312	101	0.816	1.0	0.0	82.6	-12.1	80.4	81.3	98.5
370	Y23G_062_050a	0.5	0.625	0.125	0.625	0.5	0.375	104	0.766	1.0	0.0	81.0	-13.5	78.3	79.5	98.8
371	Y31G_062_037a	0.5	0.625	0.25	0.625	0.375	0.437	109	0.683	1.0	0.0	78.1	-17.7	75.0	77.1	103.3
372	Y50G_062_025a	0.5	0.625	0.375	0.625	0.25	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
373	G00B_062_012a	0.5	0.625	0.5	0.625	0.125	0.562	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
374	G50B_062_012a	0.5	0.625	0.625	0.625	0.125	0.562	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
375	G75B_075_025a	0.5	0.625	0.75	0.75	0.25	0.625	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8
376	G84B_087_037a	0.5	0.625	0.875	0.875	0.375	0.687	251	0.0	0.316	1.0	36.4	5.3	-39.0	39.4	277.8
377	G88B_100_050a	0.5	0.625	1.0	1.0	0.5	0.75	256	0.0	0.233	1.0	33.5	10.9	-38.9	40.4	285.7
378	Y31G_075_075a	0.5	0.75	0.0	0.75	0.75	0.375	109	0.683	1.0	0.0	78.1	-17.7	75.0	77.1	103.3
379	Y38G_075_062a	0.5	0.75	0.125	0.75	0.625	0.437	113	0.616	1.0	0.0	75.6	-21.3	71.9	75.0	106.5
380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
381	Y68G_075_037a	0.5	0.75	0.375	0.75	0.375	0.562	131	0.316	1.0	0.0	62.1	-39.8	50.5	64.3	128.2
382	G00B_075_025a	0.5	0.75	0.5	0.75	0.25	0.625	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
383	G25B_075_025a	0.5	0.75	0.625	0.75	0.25	0.625	180	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6
384	G50B_075_025a	0.5	0.75	0.75	0.75	0.25	0.625	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
385	G65B_087_037a	0.5	0.75	0.875	0.875	0.375	0.687	229	0.0	0.683	1.0	49.1	-16.8	-39.6	43.1	246.9
386	G75B_100_050a	0.5	0.75	1.0	1.0	0.5	0.75	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8
387	Y41G_087_087a	0.5	0.875	0.0	0.875	0.875	0.437	115	0.583	1.0	0.0	74.2	-33.1	69.2	72.9	108.4
388	Y50G_087_075a	0.5	0.875	0.125	0.875	0.75	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
389	Y61G_087_062a	0.5	0.875	0.25	0.875	0.625	0.562	127	0.383	1.0	0.0	65.7	-33.2	55.2	64.4	121.0
390	Y76G_087_050a	0.5	0.875	0.375	0.875	0.5	0.625	136	0.233	1.0	0.0	57.9	-47.7	43.7	64.5	137.2
391	G00B_087_037a	0.5	0.875	0.5	0.875	0.375	0.687	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
392	G15B_087_037a	0.5	0.875	0.625	0.875	0.375	0.687	169	0.0	1.0	0.316	51.6	-56.1	3.9	56.3	176.0
393	G34B_087_037a	0.5	0.875	0.75	0.875	0.375	0.687	191	0.0	1.0	0.683	54.7	-41.1	-23.5	47.4	209.7
394	G50B_087_037a	0.5	0.875	0.875	0.875	0.375	0.687	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
395	G61B_100_050a	0.5	0.875	1.0	1.0	0.5	0.75	224	0.0	0.766	1.0	51.3	-20.4	-39.8	44.7	242.7
396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3
397	Y58G_100_087a	0.5	1.0	0												

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md		
405	R00Y_062_062a	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.0	37.8 43.9 28.0	52.1 32.5	0.625 0.0 0.0	38.2 53.2 29.9	61.1 29.3 9.5	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
406	R31Y_062_062a	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.114	37.9 44.6 22.4	49.9 26.7	0.625 0.0 0.125	38.2 53.9 24.8	59.3 24.6 9.6	380	1.0 0.0 0.183	46.6 71.3 35.9	79.9 26.7
407	R11Y_062_062a	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.239	38.1 45.3 15.7	48.0 19.1	0.625 0.0 0.25	38.2 54.9 18.6	58.0 18.7 10.0	367	1.0 0.0 0.383	46.9 72.5 25.1	76.8 19.1
408	B69R_062_062a	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.385	38.1 46.9 8.5	47.6 10.3	0.625 0.0 0.375	38.3 56.3 11.5	57.5 11.5 9.9	352	1.0 0.0 0.616	46.9 75.0 13.6	76.2 10.3
409	B59R_062_062a	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.51	38.2 48.0 3.4	48.2 4.1	0.625 0.0 0.5	38.4 57.9 5.7	58.2 5.7 10.1	339	1.0 0.0 0.816	47.0 76.9 5.5	77.1 4.1
410	B50R_062_062a	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	38.3 48.9 -0.4	48.9 359.5	0.625 0.0 0.625	38.5 59.4 0.5	59.4 0.5 10.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
411	B42R_075_075a	0.625 0.0 0.75	0.75 0.75 0.375	321	0.637 0.0 0.75	39.5 54.8 -4.3	55.0 355.4	0.625 0.0 0.75	39.0 61.4 -4.0	61.5 356.2 6.5	322	0.85 0.0 1.0	44.9 73.1 -5.8	73.3 355.4
412	B36R_087_087a	0.625 0.0 0.875	0.875 0.875 0.437	314	0.641 0.0 0.875	39.9 60.6 -7.9	61.1 352.5	0.625 0.0 0.875	39.2 63.4 -8.4	64.0 352.3 2.9	315	0.733 0.0 1.0	42.2 69.3 -9.1	69.9 352.5
413	B31R_100_100a	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	39.4 64.8 -12.8	66.1 348.8	0.625 0.0 1.0	39.1 64.4 -13.1	65.7 348.4 0.5	308	0.633 0.0 1.0	39.4 64.8 -12.8	66.1 348.8
414	R18Y_062_062a	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.114 0.0	41.5 35.7 32.2	48.1 42.0	0.625 0.125 0.0	41.6 44.9 33.9	56.2 37.0 9.3	39	1.0 0.183 0.0	52.2 57.1 51.6	77.0 42.0
415	R00Y_062_050a	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.125	44.1 35.1 22.4	41.7 32.5	0.625 0.125 0.125	42.2 44.7 27.6	52.5 31.7 11.0	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
416	R26Y_062_050a	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.241	44.2 35.8 16.6	39.5 24.9	0.625 0.125 0.25	42.2 45.9 20.9	50.5 24.4 11.1	377	1.0 0.0 0.233	46.6 71.6 33.3	79.0 24.9
417	R00Y_062_050a	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.375	44.3 37.0 9.5	38.2 14.4	0.625 0.125 0.375	42.5 47.0 13.4	48.9 15.9 10.9	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
418	B61R_062_050a	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.508	44.4 38.0 3.6	38.4 5.4	0.625 0.125 0.5	42.7 48.3 6.6	48.7 7.8 10.6	342	1.0 0.0 0.766	46.9 76.5 7.2	76.8 5.4
419	B50R_062_050a	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	44.5 39.1 -0.3	39.1 359.5	0.625 0.125 0.625	43.0 49.9 1.0	49.9 1.2 10.9	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
420	B40R_075_062a	0.625 0.125 0.75	0.75 0.625 0.437	319	0.635 0.125 0.75	45.5 45.0 -4.1	45.2 354.6	0.625 0.125 0.75	43.9 53.1 -4.0	51.5 355.5 6.5	320	0.816 0.0 1.0	44.1 72.1 -6.7	72.4 354.6
421	B34R_087_075a	0.625 0.125 0.875	0.875 0.75 0.5	311	0.637 0.125 0.875	45.6 50.3 -8.2	51.0 350.6	0.625 0.125 0.875	43.9 53.3 -9.5	54.2 349.8 3.7	311	0.683 0.0 1.0	40.8 67.1 -11.0	68.0 350.6
422	B29R_100_087a	0.625 0.125 1.0	1.0 0.875 0.562	305	0.635 0.125 1.0	45.6 54.1 -13.6	55.8 345.8	0.625 0.125 1.0	44.3 54.7 -14.1	56.5 345.5 1.5	305	0.583 0.0 1.0	38.3 61.9 -15.5	63.8 345.8
423	R38Y_062_062a	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.239 0.0	46.9 24.3 38.1	45.2 57.4	0.625 0.25 0.0	46.5 33.3 39.4	51.7 49.8 9.1	52	1.0 0.383 0.0	60.9 38.9 61.0	72.3 57.4
424	R23Y_062_050a	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.241 0.125	48.0 26.4 26.8	37.6 45.4	0.625 0.25 0.125	47.1 33.3 32.3	46.5 44.1 8.9	42	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4
425	R00Y_062_037a	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.25	50.3 26.3 16.8	31.2 32.5	0.625 0.25 0.25	47.8 33.6 24.3	41.5 35.8 10.7	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
426	R18Y_062_037a	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.368	50.5 27.0 10.8	29.1 21.7	0.625 0.25 0.375	48.1 34.7 16.6	38.5 25.6 9.9	371	1.0 0.0 0.316	46.7 72.1 28.8	77.7 21.7
427	B65R_062_037a	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.506	50.5 28.4 4.0	28.6 8.0	0.625 0.25 0.5	48.5 36.2 8.9	37.3 13.8 9.4	348	1.0 0.0 0.683	46.9 75.7 10.7	76.5 8.0
428	B50R_062_037a	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	50.6 29.3 -0.2	29.3 359.5	0.625 0.25 0.625	48.9 37.3 2.4	37.4 3.7 8.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
429	B38R_075_050a	0.625 0.25 0.75	0.75 0.5 0.5	316	0.633 0.25 0.75	51.5 35.2 -4.0	35.5 353.5	0.625 0.25 0.75	50.0 38.3 -3.6	38.4 354.6 3.4	317	0.766 0.0 1.0	43.1 70.5 -8.0	71.0 353.5
430	B30R_087_062a	0.625 0.25 0.875	0.875 0.625 0.562	307	0.635 0.25 0.875	51.4 39.9 -8.5	40.8 347.9	0.625 0.25 0.875	50.6 40.5 -8.9	41.5 347.5 1.0	307	0.616 0.0 1.0	39.0 63.9 -13.6	65.3 347.9
431	B25R_100_075a	0.625 0.25 1.0	1.0 0.75 0.625	300	0.635 0.25 1.0	51.7 42.4 -14.9	44.9 340.6	0.625 0.25 1.0	50.7 41.7 -14.5	44.1 340.7 1.2	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
432	R61Y_062_062a	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.385 0.0	54.5 10.5 46.2	47.3 77.1	0.625 0.375 0.0	52.3 20.6 46.2	50.6 65.9 10.3	67	1.0 0.616 0.0	73.0 16.8 73.9	75.8 77.1
433	R50Y_062_050a	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.375 0.125	54.1 14.2 33.3	36.2 66.8	0.625 0.375 0.125	52.4 22.1 37.4	43.4 59.3 9.0	59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
434	R31Y_062_037a	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.368 0.25	54.6 16.9 21.7	27.5 52.0	0.625 0.375 0.25	52.5 23.6 28.1	36.7 49.9 9.5	48	1.0 0.316 0.0	57.8 45.2 57.9	73.5 52.0
435	R00Y_062_025a	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	56.6 17.5 11.2	20.8 32.5	0.625 0.375 0.375	53.3 24.0 19.4	30.9 38.9 11.0	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
436	R00Y_062_025a	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.5	56.7 18.5 4.7	19.1 14.4	0.625 0.375 0.5	53.7 25.4 11.2	27.8 23.8 10.0	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
437	B50R_062_025a	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	56.8 19.5 -0.1	19.5 359.5	0.625 0.375 0.625	54.1 27.2 3.7	27.5 7.8 9.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
438	B34R_075_037a	0.625 0.375 0.75	0.75 0.375 0.562	311	0.631 0.375 0.75	57.4 25.1 -4.1	25.5 350.6	0.625 0.375 0.75	55.2 28.9 -2.8	29.0 354.3 4.5	311	0.683 0.0 1.0	40.8 67.1 -11.0	68.0 350.6
439	B25R_087_050a	0.625 0.375 0.875	0.875 0.5 0.625	300	0.625 0.375 0.875	57.5 28.2 -9.9	29.9 340.6	0.625 0.375 0.875	55.7 30.0 -9.2	31.4 342.9 2.6	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
440	B19R_100_062a	0.625 0.375 1.0	1.0 0.625 0.687	293	0.614 0.375 1.0	57.1 31.6 -15.2	35.1 334.3	0.625 0.375 1.0	56.0 30.5 -15.3	34.2 333.4 1.5	292	0.383 0.0 1.0	33.5 50.6 -24.3	56.2 334.3
441	R81Y_062_062a	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.51 0.0	59.9 17.7 51.9	52.0 88.0	0.625 0.5 0.0	57.5 10.6 52.2	53.2 78.5 9.1	80	1.0 0.816 0.0	81.8 27.7 83.1	83.2 88.0
442	R76Y_062_050a	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.508 0.125	60.8 2.9 40.5	40.6 85.8	0.625 0.5 0.125	58.0 10.9 42.5	43.9 75.5 8.7	77	1.0 0.766 0.0	79.7 5.8 81.0	81.2 85.8
443	R68Y_062_037a	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.506 0.25	61.5 4.4 28.9	29.3 81.2	0.625 0.5 0.25	58.4 12.1 32.4	34.6 69.4 8.9	71	1.0 0.683 0.0	76.1 11.8 77.2	78.1 81.2
444	R50Y_062_025a	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.5 0.375	61.6 7.1 16.6	18.1 66.8	0.625 0.5 0.375	58.8 14.0 22.1	26.2 57.6 9.2	59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
445	R00Y_062_012a	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	62.8 8.7 5.6	10.4 32.5	0.625 0.5 0.5	59.4 15.3 13.3	20.3 41.0 10.7	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
446	B50R_062_012a	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	62.9 9.7 0.0	9.7 359.5	0.625 0.5 0.625	59.7 17.5 5.2	18.2 16.6 9.9	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
447	B25R_075_025a	0.625 0.5 0.75	0.75 0.25 0.625	300	0.625 0.5 0.75	63.3 14.1 -4.9	14.9 340.6	0.625 0.5 0.75	60.7 18.9 -2.3	19.1 352.8 6.0	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6
448	B15R_087_037a	0.625 0.5 0.875	0.875 0.375 0.687	289	0.618 0.5 0.875	62.9 17.0 -10.5	20.0 328.3	0.625 0.5 0.875	61.3 20.0 -9.1	22.0 335.5 3.6	288	0.316 0.0 1.0	31.4 45.5 -28.0	53.4 328.3
449	B11R_100_050a	0.625 0.5 1.0	1.0 0.5 0.75	284	0.616 0.5 1.0	62.8 19.4 -15.8	25.1 320.7	0.625 0.5 1.0	61.8 21.8 -15.1	26.5 325.2 2.6	282	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7
450	Y00G_062_062a	0.625 0.625 0.0	0.625 0.625 0.312	90	0.625 0.625 0.0	63.8 -4.3 56.0	56.2 94.3	0.625 0.625 0.0	62.9 0.5 58.1	58.1 89.4 5.3	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
451	Y00G_062_050a	0.625 0.625 0.125	0.625 0.5 0.375	90	0.625 0.625 0.125	64.9 -3.4 44.8	45.0 94.3	0.625 0.625 0.125	63.2 1.2 47.3	47.3 88.5 5.5	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
452	Y00G_062_037a	0.625 0.625 0.25	0.625 0.375 0.437	90	0.625 0.625 0.25	65.9 -2.5 33.6	33.7 94.3	0.625 0.625 0.25	64.0 1.9 36.3	36.3 86.8 5.6	89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
453	Y00G_062_025a	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.625 0.375	67.0 -1.7 22.4								

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi.d	rgb**Md	LabCh**Md												
486	R00Y_075_075d	0.75	0.0	0.0	0.75	0.75	0.75	0.0	0.0	41.3	59.2	37.0	69.8	32.0	7.3	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
487	R35Y_075_075d	0.75	0.0	0.125	0.75	0.75	0.75	0.0	0.125	41.5	60.0	31.5	67.8	27.7	7.4	382	1.0	0.0	0.15	46.5	71.1	37.6	80.4	27.8
488	R18Y_075_075d	0.75	0.0	0.25	0.75	0.75	0.75	0.0	0.25	41.7	60.9	24.6	65.7	22.0	7.4	371	1.0	0.0	0.316	46.7	72.1	28.8	77.7	21.7
489	R00Y_075_075d	0.75	0.0	0.375	0.75	0.75	0.75	0.0	0.375	41.8	62.3	17.6	64.7	15.7	7.6	360	1.0	0.0	0.5	46.7	74.0	19.0	76.4	14.4
490	B65R_075_075d	0.75	0.0	0.5	0.75	0.75	0.75	0.0	0.5	41.7	63.7	10.7	64.6	9.5	7.4	348	1.0	0.0	0.683	46.9	75.7	10.7	76.5	8.0
491	B57R_075_075d	0.75	0.0	0.625	0.75	0.75	0.75	0.0	0.625	41.9	65.2	4.7	65.3	4.1	7.4	337	1.0	0.0	0.85	47.0	77.2	4.4	77.3	3.2
492	B50R_075_075d	0.75	0.0	0.75	0.75	0.75	0.75	0.0	0.75	42.0	66.4	0.2	66.4	0.2	7.7	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
493	B43R_087_087d	0.75	0.0	0.875	0.875	0.875	0.875	0.0	0.875	42.5	68.2	-0.2	68.4	356.4	3.8	322	0.866	0.0	1.0	45.2	73.6	-5.3	73.8	355.8
494	B38R_100_100d	0.75	0.0	1.0	1.0	1.0	1.0	0.0	1.0	42.7	70.0	-8.4	70.5	353.1	0.7	317	0.766	0.0	1.0	43.1	70.5	-8.0	71.0	353.5
495	R15Y_075_075d	0.75	0.125	0.0	0.75	0.75	0.75	0.125	0.0	44.5	50.9	40.7	65.2	38.6	6.8	37	1.0	0.15	0.0	50.9	60.0	50.0	78.1	39.8
496	R00Y_075_062d	0.75	0.125	0.125	0.75	0.625	0.437	0.90	0.75	0.125	0.125	45.5	50.0	34.3	60.7	34.8	0.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
497	R31Y_075_062d	0.75	0.125	0.25	0.75	0.625	0.437	379	0.75	0.125	0.239	47.0	44.6	22.4	49.9	26.7	1.0	0.0	0.183	46.6	71.3	35.9	79.9	26.7
498	R11Y_075_062d	0.75	0.125	0.375	0.75	0.625	0.437	367	0.75	0.125	0.364	47.2	45.3	15.7	48.0	19.1	0.75	0.125	0.375	46.1	72.1	25.1	76.8	19.1
499	B69R_075_062d	0.75	0.125	0.5	0.75	0.625	0.437	353	0.75	0.125	0.51	47.2	46.9	8.5	47.6	10.3	0.75	0.125	0.5	46.4	73.5	13.6	76.2	10.3
500	B59R_075_062d	0.75	0.125	0.625	0.75	0.625	0.437	341	0.75	0.125	0.635	47.3	48.0	3.4	48.2	4.1	0.75	0.125	0.625	46.9	74.9	5.5	77.1	4.1
501	B50R_075_062d	0.75	0.125	0.75	0.75	0.625	0.437	330	0.75	0.125	0.75	47.4	48.9	-0.4	48.9	359.5	0.75	0.125	0.75	47.1	76.3	-0.6	78.3	359.5
502	B42R_087_075d	0.75	0.125	0.875	0.875	0.75	0.5	321	0.762	0.125	0.875	48.6	54.8	-4.3	55.0	355.4	0.75	0.125	0.875	47.6	75.5	-5.8	73.3	355.4
503	B36R_100_087d	0.75	0.125	1.0	1.0	0.875	0.562	314	0.766	0.125	1.0	49.0	60.6	-7.9	61.1	352.5	0.75	0.125	1.0	47.9	76.3	-9.1	69.9	352.5
504	R31Y_075_075d	0.75	0.25	0.0	0.75	0.75	0.375	49	0.75	0.237	0.0	49.3	33.9	43.4	55.1	52.0	0.75	0.25	0.0	49.9	39.3	46.2	71.8	49
505	R18Y_075_062d	0.75	0.25	0.125	0.75	0.625	0.437	41	0.75	0.239	0.125	50.6	35.7	32.2	48.1	42.0	0.75	0.25	0.125	50.5	39.4	38.4	55.0	44.2
506	R00Y_075_050d	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	53.2	35.1	22.4	41.7	32.5	0.75	0.25	0.25	51.4	39.0	30.3	49.5	37.8
507	R26Y_075_050d	0.75	0.25	0.375	0.75	0.5	0.5	376	0.75	0.25	0.366	53.3	35.8	16.6	39.5	24.9	0.75	0.25	0.375	52.1	39.7	22.4	45.6	24.9
508	R00Y_075_050d	0.75	0.25	0.5	0.75	0.5	0.5	360	0.75	0.25	0.5	53.4	37.0	9.5	38.2	14.4	0.75	0.25	0.5	52.6	40.9	13.6	43.1	18.4
509	B61R_075_050d	0.75	0.25	0.625	0.75	0.5	0.5	344	0.75	0.25	0.633	53.5	38.2	3.6	38.4	5.4	0.75	0.25	0.625	53.3	41.8	6.0	42.2	8.2
510	B50R_075_050d	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.75	53.6	39.1	-0.3	39.1	359.5	0.75	0.25	0.75	53.8	42.9	0.3	42.9	0.3
511	B40R_087_062d	0.75	0.25	0.875	0.875	0.625	0.562	319	0.76	0.25	0.875	54.6	45.0	-4.1	45.2	354.6	0.75	0.25	0.875	54.4	44.9	-5.0	45.1	353.6
512	B34R_100_075d	0.75	0.25	1.0	1.0	0.75	0.625	311	0.762	0.25	1.0	54.7	50.3	-8.2	51.0	350.6	0.75	0.25	1.0	54.8	46.2	-10.2	47.3	347.4
513	R50Y_075_075d	0.75	0.375	0.0	0.75	0.75	0.375	60	0.75	0.375	0.0	55.7	21.3	50.0	54.4	66.8	0.75	0.375	0.0	55.3	28.0	52.1	59.1	61.7
514	R38Y_075_062d	0.75	0.375	0.125	0.75	0.625	0.437	53	0.75	0.364	0.125	56.0	24.3	38.1	45.2	57.4	0.75	0.375	0.125	55.7	28.7	42.7	51.5	66.1
515	R23Y_075_050d	0.75	0.375	0.25	0.75	0.5	0.5	44	0.75	0.366	0.25	57.1	26.4	26.8	37.6	45.4	0.75	0.375	0.25	56.3	29.4	33.4	44.5	48.6
516	R00Y_075_037d	0.75	0.375	0.375	0.75	0.375	0.562	390	0.75	0.375	0.375	59.4	26.3	16.8	31.2	32.5	0.75	0.375	0.375	57.6	29.1	24.0	37.8	39.5
517	R18Y_075_037d	0.75	0.375	0.5	0.75	0.375	0.562	371	0.75	0.375	0.493	59.6	27.0	10.8	29.1	21.7	0.75	0.375	0.5	58.2	29.9	16.1	34.0	28.2
518	B65R_075_037d	0.75	0.375	0.625	0.75	0.375	0.562	349	0.75	0.375	0.631	59.6	28.4	4.0	28.6	8.0	0.75	0.375	0.625	59.0	31.1	7.2	31.9	13.0
519	B50R_075_037d	0.75	0.375	0.75	0.75	0.375	0.562	330	0.75	0.375	0.75	59.7	29.3	-0.2	29.3	359.5	0.75	0.375	0.75	59.5	32.3	1.1	32.3	2.0
520	B38R_087_050d	0.75	0.375	0.875	0.875	0.5	0.625	316	0.758	0.375	0.875	60.6	35.2	-4.0	35.5	353.5	0.75	0.375	0.875	60.1	34.6	-4.6	34.9	352.2
521	B30R_100_062d	0.75	0.375	1.0	1.0	0.625	0.687	307	0.76	0.375	1.0	60.5	39.9	-8.5	40.8	347.9	0.75	0.375	1.0	61.0	35.6	-10.2	37.0	343.9
522	R68Y_075_075d	0.75	0.5	0.0	0.75	0.75	0.375	71	0.75	0.512	0.0	63.0	8.8	57.9	58.6	81.2	0.75	0.5	0.0	61.6	16.2	58.4	60.6	74.4
523	R61Y_075_062d	0.75	0.5	0.125	0.75	0.625	0.437	67	0.75	0.51	0.125	63.6	10.5	46.2	47.3	77.1	0.75	0.5	0.125	62.3	16.6	48.4	51.2	71.0
524	R50Y_075_050d	0.75	0.5	0.25	0.75	0.5	0.5	60	0.75	0.5	0.25	63.2	14.2	33.3	36.2	66.8	0.75	0.5	0.25	62.5	18.2	36.9	41.2	63.7
525	R31Y_075_037d	0.75	0.5	0.375	0.75	0.375	0.562	49	0.75	0.493	0.375	63.7	16.9	21.7	27.5	52.0	0.75	0.5	0.375	63.1	19.4	26.9	33.1	54.1
526	R00Y_075_025d	0.75	0.5	0.5	0.75	0.25	0.625	390	0.75	0.5	0.5	65.7	17.5	11.2	20.8	32.5	0.75	0.5	0.5	64.3	19.7	17.8	26.6	41.9
527	R00Y_075_025d	0.75	0.5	0.625	0.75	0.25	0.625	360	0.75	0.5	0.625	65.8	18.5	4.7	19.1	14.4	0.75	0.5	0.625	65.0	21.2	9.2	23.1	23.5
528	B50R_075_025d	0.75	0.5	0.75	0.75	0.25	0.625	330	0.75	0.5	0.75	65.9	19.5	-0.1	19.5	359.5	0.75	0.5	0.75	65.5	22.7	2.0	22.8	5.0
529	B34R_087_037d	0.75	0.5	0.875	0.875	0.375	0.687	311	0.756	0.5	0.875	66.5	25.1	-4.1	25.5	350.6	0.75	0.5	0.875	66.5	24.3	-4.4	24.7	349.7
530	B25R_100_050d	0.75	0.5	1.0	1.0	0.5	0.75	300	0.75	0.5	1.0	66.6	28.2	-9.9	29.9	340.6	0.75	0.5	1.0	67.0	25.5	-10.6	27.6	337.4
531	R85Y_075_075d	0.75	0.625	0.0	0.75	0.75	0.375	81	0.75	0.637	0.0	68.2	0.4	63.4	63.4	89.5	0.75	0.625	0.0	67.4	5.6	64.1	64.3	84.9
532	R81Y_075_062d	0.75	0.625	0.125	0.75	0.625	0.437	79	0.75	0.635	0.125	69.0	1.7	51.9	52.0	88.0	0.75	0.625	0.125	68.3	5.9	53.2	53.5	83.6
533	R76Y_075_050d	0.75	0.625	0.25	0.75	0.5	0.5	76	0.75	0.633	0.25	69.9	2.9	40.5	40.6	85.8	0.75	0.625	0.25	69.0	6.7	41.4	42.0	80.7
534	R68Y_075_037d	0.75	0.625	0.375	0.75	0.375	0.562	71	0.75	0.631	0.375	70.6	4.4	28.9	29.3	81.2	0.75	0.625	0.375	69.7	7.9	30.8	31.8	75.5
535	R50Y_075_025d	0.75	0.625	0.5	0.75	0.25	0.625	60	0.75	0.625	0.5	70.7	7.1	16.6	18.1	66.8	0.75	0.625	0.5	70.6	9.1	20.3	22.2	65.7
536	R00Y_075_012d	0.75	0.625	0.625	0.75	0.125	0.687	390	0.75	0.625	0.625	72.0	8.7	5.6	10.4	32.5	0.75	0.625	0.625	71.7	10.4	11.4	15.4	47.7
537	B50R_075_012d	0.75	0.625	0.75	0.75	0.125	0.687	330	0.75	0.625	0.75													

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> /.PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md		
567	R00Y_087_087a	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.0	43.5 61.5 39.3	73.0 32.5	0.875 0.0 0.0	44.1 64.7 40.6	76.4 32.1 3.5	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
568	R36Y_087_087a	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.116	43.7 62.1 33.6	70.6 28.4	0.875 0.0 0.125	44.4 65.2 35.0	74.0 28.2 3.4	382	1.0 0.0 0.133	46.5 71.0 38.5	80.7 28.4
569	R23Y_087_087a	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.233	43.7 62.8 27.6	68.6 23.7	0.875 0.0 0.25	44.7 66.0 28.2	71.8 23.1 3.3	375	1.0 0.0 0.266	46.6 71.8 31.6	78.4 23.7
570	R08Y_087_087a	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.364	43.9 63.9 20.5	67.1 17.7	0.875 0.0 0.375	44.7 67.1 21.5	70.5 17.7 3.4	365	1.0 0.0 0.416	46.8 73.0 23.4	76.7 17.7
571	B70R_087_087a	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.51	43.9 65.4 13.2	66.7 11.4	0.875 0.0 0.5	44.8 68.8 14.5	70.3 11.9 3.7	354	1.0 0.0 0.583	46.8 74.7 15.1	76.3 11.4
572	B63R_087_087a	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.641	44.0 66.6 7.5	67.1 6.4	0.875 0.0 0.625	44.9 70.0 8.3	70.5 6.8 3.5	344	1.0 0.0 0.733	46.9 76.2 8.5	76.7 6.4
573	B56R_087_087a	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.758	44.1 67.6 3.3	67.7 2.8	0.875 0.0 0.75	45.0 71.3 3.4	71.4 2.7 3.8	337	1.0 0.0 0.866	47.0 77.3 3.8	77.4 2.8
574	B50R_087_087a	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.2 68.5 -0.5	68.5 359.5	0.875 0.0 0.875	45.2 72.4 -0.9	72.4 359.4 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
575	B44R_100_100a	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	45.5 74.1 -4.8	74.3 356.2	0.875 0.0 1.0	45.4 73.8 -5.1	74.0 356.0 0.4	323	0.883 0.0 1.0	45.5 74.1 -4.8	74.3 356.2
576	R13Y_087_087a	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.116 0.0	46.9 53.7 43.0	68.8 38.7	0.875 0.125 0.0	47.9 56.1 44.5	71.6 38.4 2.9	37	1.0 0.133 0.0	50.2 61.4 49.2	78.7 38.7
577	R00Y_087_075a	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.125	49.8 52.7 33.6	62.5 32.5	0.875 0.125 0.125	48.7 55.5 37.7	67.2 34.2 5.1	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
578	R35Y_087_075a	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.237	49.9 53.3 28.2	60.3 27.8	0.875 0.125 0.25	49.1 56.2 30.6	64.0 28.6 3.8	382	1.0 0.0 0.15	46.5 71.1 37.6	80.4 27.8
579	R18Y_087_075a	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.362	50.1 54.1 21.6	58.3 21.7	0.875 0.125 0.375	49.2 57.0 22.9	61.4 21.8 3.2	371	1.0 0.0 0.316	46.7 72.1 28.8	77.7 21.7
580	R00Y_087_075a	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.5	50.0 55.5 14.2	57.3 14.4	0.875 0.125 0.5	49.6 58.4 15.1	60.4 14.5 3.1	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
581	B65R_087_075a	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.637	50.2 56.8 8.0	57.3 8.0	0.875 0.125 0.625	50.0 59.4 8.2	60.0 7.8 2.6	348	1.0 0.0 0.683	46.9 75.7 10.7	76.5 8.0
582	B57R_087_075a	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.762	50.3 57.9 3.3	58.0 3.2	0.875 0.125 0.75	50.3 60.8 2.5	60.8 2.3 3.0	337	1.0 0.0 0.85	47.0 77.2 4.4	77.3 3.2
583	B50R_087_075a	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.4 58.7 -0.4	58.7 359.5	0.875 0.125 0.875	50.4 61.7 -2.0	61.8 358.0 3.4	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
584	B43R_100_087a	0.875 0.125 1.0	1.0 1.0 0.875	322	0.883 0.125 1.0	51.6 64.4 -4.6	64.6 355.8	0.875 0.125 1.0	50.8 63.0 -6.4	63.4 354.1 2.3	322	0.866 0.0 1.0	45.2 73.6 -5.3	73.8 355.8
585	R26Y_087_087a	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.233 0.0	51.6 43.6 48.4	65.1 47.9	0.875 0.25 0.0	52.9 44.9 49.6	66.9 47.8 2.2	44	1.0 0.266 0.0	55.6 49.8 55.3	74.4 47.9
586	R15Y_087_075a	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.237 0.125	53.2 45.0 37.5	58.6 39.8	0.875 0.25 0.125	53.7 44.5 42.1	61.2 43.4 4.6	37	1.0 0.15 0.0	50.9 60.0 50.0	78.1 39.8
587	R00Y_087_062a	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.0 43.9 28.0	52.1 32.5	0.875 0.25 0.25	54.7 44.0 33.6	55.4 37.3 5.7	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
588	R31Y_087_062a	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.364	56.2 44.6 22.4	49.9 26.7	0.875 0.25 0.375	55.3 44.4 25.6	51.3 30.0 3.3	380	1.0 0.0 0.183	46.6 71.3 35.9	79.9 26.7
589	R11Y_087_062a	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.489	56.3 45.3 15.7	48.0 19.1	0.875 0.25 0.5	55.7 45.6 18.0	49.0 21.5 2.3	367	1.0 0.0 0.383	46.9 72.5 25.1	76.8 19.1
590	B69R_087_062a	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.635	56.4 46.9 8.5	47.6 10.3	0.875 0.25 0.625	56.4 46.4 9.4	47.4 11.5 1.0	352	1.0 0.0 0.616	46.9 75.0 13.6	76.2 10.3
591	B59R_087_062a	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.76	56.4 48.0 3.4	48.2 4.1	0.875 0.25 0.75	56.7 47.5 3.3	47.6 4.0 0.6	339	1.0 0.0 0.816	47.0 76.9 5.5	77.1 4.1
592	B50R_087_062a	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 48.9 -0.4	48.9 359.5	0.875 0.25 0.875	57.0 48.8 -1.9	48.9 357.7 1.6	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
593	B42R_100_075a	0.875 0.25 1.0	1.0 1.0 0.75	321	0.887 0.25 1.0	57.8 54.8 -4.3	55.0 355.4	0.875 0.25 1.0	57.8 50.4 -6.5	50.9 352.6 4.8	322	0.85 0.0 1.0	44.9 73.1 -5.8	73.3 355.4
594	R41Y_087_087a	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.364 0.0	57.6 31.5 54.9	63.3 60.1	0.875 0.375 0.0	58.6 33.4 55.6	64.9 59.0 2.2	54	1.0 0.416 0.0	62.4 36.0 62.8	72.4 60.1
595	R31Y_087_075a	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.362 0.125	58.4 33.9 43.4	55.1 52.0	0.875 0.375 0.125	59.2 33.4 46.5	57.3 54.3 3.2	48	1.0 0.316 0.0	57.8 45.2 57.9	73.5 52.0
596	R18Y_087_062a	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.364 0.25	59.7 35.7 32.2	48.1 42.0	0.875 0.375 0.25	59.8 34.0 36.5	49.8 47.0 4.5	39	1.0 0.183 0.0	52.2 57.1 51.6	77.0 42.0
597	R00Y_087_050a	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.3 35.1 22.4	41.7 32.5	0.875 0.375 0.375	61.1 33.4 27.6	43.3 39.6 5.6	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
598	R26Y_087_050a	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.491	62.4 35.8 16.6	39.5 24.9	0.875 0.375 0.5	61.9 34.1 19.6	39.4 29.9 3.4	377	1.0 0.0 0.233	46.6 71.6 33.3	79.0 24.9
599	R00Y_087_050a	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.625	62.5 37.0 9.5	38.2 14.4	0.875 0.375 0.625	62.2 35.4 11.3	37.1 17.7 2.4	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
600	B61R_087_050a	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.758	62.6 38.2 3.6	38.4 5.4	0.875 0.375 0.75	62.9 36.7 3.9	36.9 6.1 1.6	342	1.0 0.0 0.766	46.9 76.5 7.2	76.8 5.4
601	B50R_087_050a	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.7 39.1 -0.3	39.1 359.5	0.875 0.375 0.875	63.5 37.6 -1.5	37.6 357.5 2.1	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
602	B40R_100_062a	0.875 0.375 1.0	1.0 1.0 0.625	319	0.885 0.375 1.0	63.8 45.0 -4.1	45.2 354.6	0.875 0.375 1.0	64.2 38.9 -6.9	39.5 349.8 6.7	320	0.816 0.0 1.0	44.1 72.1 -6.7	72.4 354.6
603	R58Y_087_087a	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.51 0.0	65.2 17.8 63.0	65.5 74.2	0.875 0.5 0.0	64.8 21.3 62.0	65.6 71.0 3.7	65	1.0 0.583 0.0	71.1 20.3 72.0	74.8 74.2
604	R50Y_087_075a	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.5 0.125	64.8 21.3 50.0	54.4 66.8	0.875 0.5 0.125	65.0 22.4 51.0	55.7 66.2 1.5	59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
605	R38Y_087_062a	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.489 0.25	65.1 24.3 38.1	45.2 57.4	0.875 0.5 0.25	65.2 23.9 40.1	46.7 59.2 2.0	52	1.0 0.383 0.0	60.9 38.9 61.0	72.3 57.4
606	R23Y_087_050a	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.491 0.375	66.2 26.4 26.8	37.6 45.4	0.875 0.5 0.375	65.9 24.7 30.0	38.9 50.5 3.6	42	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4
607	R00Y_087_037a	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.5 26.3 16.8	31.2 32.5	0.875 0.5 0.5	67.5 24.4 21.3	32.4 41.0 4.9	389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
608	R18Y_087_037a	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.618	68.7 27.0 10.8	29.1 21.7	0.875 0.5 0.625	68.3 25.3 13.0	28.5 27.1 2.8	371	1.0 0.0 0.316	46.7 72.1 28.8	77.7 21.7
609	B65R_087_037a	0.875 0.5 0.75	0.875 0.375 0.687	349	0.875 0.5 0.756	68.8 28.4 4.0	28.6 8.0	0.875 0.5 0.75	68.9 26.7 5.0	27.1 10.6 1.9	348	1.0 0.0 0.683	46.9 75.7 10.7	76.5 8.0
610	B50R_087_037a	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	68.8 29.3 -0.2	29.3 359.5	0.875 0.5 0.875	69.5 27.8 -0.9	27.9 357.9 1.7	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
611	B38R_100_050a	0.875 0.5 1.0	1.0 1.0 0.5	316	0.883 0.5 1.0	69.8 35.2 -4.0	35.5 353.5	0.875 0.5 1.0	70.3 29.2 -6.6	30.0 347.1 6.5	317	0.766 0.0 1.0	43.1 70.5 -8.0	71.0 353.5
612	R73Y_087_087a	0.875 0.625 0.0	0.875 0.875 0.437	74	0.875 0.641 0.0	71.5 7.0 69.6	69.9 84.1	0.875 0.625 0.0	71.0 10.2 68.7	69.5 81.4 3.3	75	1.0 0.733 0.0	78.3 8.0 79.5	79.9 84.1
613	R68Y_087_075a	0.875 0.625 0.125	0.875 0.75 0.5	71	0.875 0.637 0.125	72.1 8.8 57.9	58.6 81.2	0.875 0.625 0.125	71.5 10.9 56.9	58.8 79.1 2.3	71	1.0 0.683 0.0	76.1 11.8 77.2	78.1 81.2
614	R61Y_087_062a	0.875 0.625 0.25	0.875 0.625 0.562	67	0.875 0.635 0.25	72.7 10.5 46.2	47.3 77.1	0.875 0.625 0.25	72.5 11.3 45.1	46.6 75.8 1.3	67	1.0 0.616 0.0	73.0 16.8 73.9	75.8 77.1
615	R50Y_087_050a	0.875 0.625 0.375	0.875 0.5 0.625	60	0.875 0.625 0.375	72.3 14.2 33.3	36.2 66.8	0.875 0.625						

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_Md	rgb*Md	LabCh*Md
648	R00Y_100_100a	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5 0.0	46.4 70.3 44.9	32.5 0.0 389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
649	R38Y_100_100a	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.116	46.5 70.9 39.3	81.0 29.0 0.0	46.5 70.9 38.9	28.7 0.3 383	1.0 0.0 0.116	46.5 70.9 39.3	81.0 29.0
650	R26Y_100_100a	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.233	46.6 71.6 33.3	79.0 24.9 0.0	46.6 71.6 32.5	24.4 0.8 377	1.0 0.0 0.233	46.6 71.6 33.3	79.0 24.9
651	R13Y_100_100a	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.366	46.8 72.4 26.0	76.9 19.8 0.0	46.8 72.4 25.6	19.4 0.4 368	1.0 0.0 0.366	46.8 72.4 26.0	76.9 19.8
652	R00Y_100_100a	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4 0.0	46.7 74.0 19.0	14.4 0.0 360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
653	B68R_100_100a	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.633	46.9 75.2 12.9	76.3 9.7 1.0	46.9 75.1 13.2	10.0 0.3 351	1.0 0.0 0.633	46.9 75.2 12.9	76.3 9.7
654	B61R_100_100a	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.766	46.9 76.5 7.2	76.8 5.4 1.0	46.9 76.3 7.8	5.8 0.5 342	1.0 0.0 0.766	46.9 76.5 7.2	76.8 5.4
655	B55R_100_100a	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.883	47.1 77.4 3.2	77.5 2.4 1.0	47.0 77.4 3.5	2.6 0.2 336	1.0 0.0 0.883	47.1 77.4 3.2	77.5 2.4
656	B50R_100_100a	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5 0.0	47.2 78.3 -0.6	78.3 359.5 0.0	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
657	R11Y_100_100a	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.116 0.0	49.7 62.6 48.5	79.2 37.7 1.0	49.9 62.1 48.7	79.0 38.1 0.6 36	1.0 0.116 0.0	49.7 62.6 48.5	79.2 37.7
658	R00Y_100_087a	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.125	52.6 61.5 39.3	73.0 32.5 1.0	50.6 61.7 41.6	74.5 34.0 3.0 389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
659	R36Y_100_087a	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.241	52.8 62.1 33.6	70.6 28.4 1.0	50.9 62.4 34.4	71.2 28.8 2.0 382	1.0 0.0 0.133	46.5 71.0 38.5	80.7 28.4
660	R23Y_100_087a	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.358	52.9 62.8 27.6	68.6 23.7 1.0	51.1 63.2 27.6	68.9 23.5 1.8 375	1.0 0.0 0.266	46.6 71.8 31.6	78.4 23.7
661	R08Y_100_087a	1.0 0.125 0.5	1.0 0.875 0.562	365	1.0 0.125 0.489	53.0 63.9 20.5	67.1 17.7 1.0	51.4 64.0 20.3	67.1 17.5 1.6 365	1.0 0.0 0.416	46.8 73.0 23.4	76.7 17.7
662	B70R_100_087a	1.0 0.125 0.625	1.0 0.875 0.562	355	1.0 0.125 0.635	53.0 65.4 13.2	66.7 11.4 1.0	51.0 65.0 12.9	66.2 11.2 1.4 354	1.0 0.0 0.583	46.8 74.7 15.1	76.3 11.4
663	B63R_100_087a	1.0 0.125 0.75	1.0 0.875 0.562	346	1.0 0.125 0.766	53.1 66.6 7.5	67.1 6.4 1.0	51.2 65.9 6.5	66.2 5.6 1.5 344	1.0 0.0 0.733	46.9 76.2 8.5	76.7 6.4
664	B56R_100_087a	1.0 0.125 0.875	1.0 0.875 0.562	338	1.0 0.125 0.883	53.2 67.6 3.3	67.7 2.8 1.0	51.2 65.9 2.0	67.0 1.7 1.7 337	1.0 0.0 0.866	47.0 77.3 3.8	77.4 2.8
665	B50R_100_087a	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	53.3 68.5 -0.5	68.5 359.5 0.0	51.2 67.5 -2.5	67.5 357.8 2.3 330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
666	R23Y_100_100a	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4 1.0	54.8 51.4 54.3	74.8 46.5 1.7 42	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4
667	R13Y_100_087a	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.241 0.125	56.0 53.7 43.0	68.8 38.7 1.0	50.2 50.2 45.9	68.1 42.4 4.5 37	1.0 0.133 0.0	50.2 51.4 49.2	78.7 38.7
668	R00Y_100_075a	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	58.9 52.7 33.6	62.5 32.5 1.0	50.2 37.7 62.8	36.9 5.2 389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
669	R35Y_100_075a	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.362	59.0 53.3 28.2	60.3 27.8 1.0	50.5 29.5 58.5	30.3 3.6 382	1.0 0.0 0.15	46.5 71.1 37.6	80.4 27.8
670	R18Y_100_075a	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.487	59.2 54.1 21.6	58.3 21.7 1.0	50.7 22.0 55.3	23.5 3.6 371	1.0 0.0 0.316	46.7 72.1 28.8	77.7 21.7
671	R00Y_100_075a	1.0 0.25 0.625	1.0 0.75 0.625	360	1.0 0.25 0.625	59.2 55.5 14.2	57.3 14.4 1.0	50.8 53.7 15.1	3.7 360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
672	B65R_100_075a	1.0 0.25 0.75	1.0 0.75 0.625	349	1.0 0.25 0.762	59.3 56.8 8.0	57.3 8.0 1.0	50.5 53.1 7.0	53.6 7.5 3.8 348	1.0 0.0 0.683	46.9 75.7 10.7	76.5 8.0
673	B57R_100_075a	1.0 0.25 0.875	1.0 0.75 0.625	339	1.0 0.25 0.887	59.4 57.9 3.3	58.0 3.2 1.0	50.6 53.9 1.5	43.3 337	1.0 0.0 0.85	47.0 77.2 4.4	77.3 3.2
674	B50R_100_075a	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	59.5 58.7 -0.4	58.7 359.5 0.0	50.8 54.5 -3.2	54.6 356.6 4.9 330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
675	R36Y_100_100a	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.366 0.0	60.1 40.4 60.2	72.5 56.1 1.0	0.375 0.0	60.5 39.6 60.5 72.3 56.7 0.9 51	1.0 0.366 0.0	60.1 40.4 60.2	72.5 56.1
676	R26Y_100_087a	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.358 0.125	60.7 43.6 48.4	65.1 47.9 1.0	0.375 0.125	60.7 40.3 50.4 64.6 51.3 3.8 44	1.0 0.266 0.0	55.6 49.8 55.3	74.4 47.9
677	R15Y_100_075a	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.362 0.25	62.3 45.0 37.5	58.6 39.8 1.0	0.375 0.25	61.4 40.5 40.7 57.4 45.1 5.5 37	1.0 0.15 0.0	50.9 60.0 50.0	78.1 39.8
678	R00Y_100_062a	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.1 43.9 28.0	52.1 32.5 1.0	0.375 0.375	62.8 39.5 31.8 50.7 38.8 6.2 389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
679	R31Y_100_062a	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.489	65.3 44.6 22.4	49.9 26.7 1.0	0.375 0.5	63.5 39.9 23.9 46.5 30.9 5.2 380	1.0 0.0 0.183	46.6 71.3 35.9	79.9 26.7
680	R11Y_100_062a	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.614	65.4 45.3 15.7	48.0 19.1 1.0	0.375 0.625	64.1 40.8 15.7 43.7 21.7 4.7 367	1.0 0.0 0.383	46.9 72.5 25.1	76.8 19.1
681	B69R_100_062a	1.0 0.375 0.75	1.0 0.625 0.687	353	1.0 0.375 0.76	65.5 46.9 8.5	47.6 10.3 1.0	0.375 0.75	64.8 41.8 7.9 42.5 10.7 5.1 352	1.0 0.0 0.616	46.9 75.0 13.6	76.2 10.3
682	B59R_100_062a	1.0 0.375 0.875	1.0 0.625 0.687	341	1.0 0.375 0.885	65.5 48.0 3.4	48.2 4.1 1.0	0.375 0.875	65.4 42.6 1.5 42.6 2.0 5.7 339	1.0 0.0 0.816	47.0 76.9 5.5	77.1 4.1
683	B50R_100_062a	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	65.6 48.9 -0.4	48.9 359.5 0.0	0.375 1.0	65.7 43.7 -3.5 43.8 355.4 6.0 330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
684	R50Y_100_100a	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8 1.0	0.5 0.0	66.4 28.5 66.7 72.5 66.8 0.0 59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
685	R41Y_100_087a	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.489 0.125	66.7 31.5 54.9	63.3 60.1 1.0	0.5 0.125	66.6 29.3 55.7 63.0 62.2 2.2 54	1.0 0.416 0.0	62.4 36.0 62.8	72.4 60.1
686	R31Y_100_075a	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.487 0.25	67.5 33.9 43.4	55.1 52.0 1.0	0.5 0.25	67.2 29.8 44.7 53.8 56.3 4.2 48	1.0 0.316 0.0	57.8 45.2 57.9	73.5 52.0
687	R18Y_100_062a	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.489 0.375	68.8 35.7 32.2	48.1 42.0 1.0	0.5 0.375	68.1 29.9 35.0 46.0 49.4 6.4 39	1.0 0.183 0.0	52.2 57.1 51.6	77.0 42.0
688	R00Y_100_050a	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.4 35.1 22.4	41.7 32.5 1.0	0.5 0.5	69.5 29.5 25.7 39.2 41.0 6.7 389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
689	R26Y_100_050a	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.616	71.5 35.8 16.6	39.5 24.9 1.0	0.5 0.625	70.4 30.3 17.0 34.8 29.3 5.5 377	1.0 0.0 0.233	46.6 71.6 33.3	79.0 24.9
690	R00Y_100_050a	1.0 0.5 0.75	1.0 0.5 0.75	360	1.0 0.5 0.75	71.6 37.0 9.5	38.2 14.4 1.0	0.5 0.75	71.0 31.4 9.3 32.8 16.4 5.5 360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4
691	B61R_100_050a	1.0 0.5 0.875	1.0 0.5 0.75	344	1.0 0.5 0.883	71.7 38.2 3.6	38.4 5.4 1.0	0.5 0.875	71.6 32.6 2.2 32.7 4.0 5.7 342	1.0 0.0 0.766	46.9 76.5 7.2	76.8 5.4
692	B50R_100_050a	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	71.8 39.1 -0.3	39.1 359.5 0.0	0.5 1.0	72.2 33.6 -3.5 33.8 353.9 6.4 330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
693	R63Y_100_100a	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.633 0.0	73.9 15.3 74.7	76.3 78.4 1.0	0.625 0.0	73.5 15.9 74.3 76.0 77.9 0.7 68	1.0 0.633 0.0	73.9 15.3 74.7	76.3 78.4
694	R58Y_100_087a	1.0 0.625 0.125	1.0 0.875 0.562	65	1.0 0.635 0.125	74.3 17.8 63.0	65.5 74.2 1.0	0.625 0.125	74.3 15.7 62.7 64.6 75.8 2.0 65	1.0 0.583 0.0	71.1 20.3 72.0	74.8 74.2
695	R50Y_100_075a	1.0 0.625 0.25	1.0 0.75 0.625	60	1.0 0.625 0.25	73.9 21.3 50.0	54.4 66.8 1.0	0.625 0.25	74.8 16.8 50.4 53.1 71.5 4.6 59	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8
696	R38Y_100_062a	1.0 0.625 0.375	1.0 0.625 0.687	53	1.0 0.614 0.375	74.2 24.3 38.1	45.2 57.4 1.0	0.625 0.375	75.1 18.0 38.9 42.9 65.1 6.4 52	1.0 0.383 0.0	60.9 38.9 61.0	72.3 57.4
697	R23Y_100_050a	1.0 0.625 0.5	1.0 0.5 0.75	44	1.0 0.616 0.5	75.3 26.4 26.8	37.6 45.4 1.0	0.625 0.5	76.3 18.2 28.7 34.0 57.5 8.4 42	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4
698	R00Y_100_037a	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	77.7 26.3 16.8	31.2 32.5 1.0	0.625 0.625	77.6 18.7 19.4 26.9 46.0 8.0 389	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
699	R18Y_100_037a	1.0 0.625 0.75	1.0 0.375 0.812	371	1.0 0.625 0.743	77.8 27.0 10.8	29.1 21.7 1.0	0.625 0.75	78.3 19.8 11.3 22.8 29.7 7.2 371	1.0 0.0 0.316	46.7 72.1 28.8	77.7 21.7
700	B65R_100_037a	1.0 0.625 0.875	1.0 0.375 0.812	349	1.0 0.625 0.881	77.9 28.4 4.0	28.6 8.0 1.0	0.625 0.875	79.0 21.3 3.4 21.6 9.2 7.1 348	1.0 0.0 0.683	46.9 75.7 10.7	76.5 8.0
701	B50R_100_037a	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 1.0	78.0 29.3 -0.2	29.3 359.5 0.0	0.625 1.0	80.0 21.8 -2.7 22.0 352.8 8.1 330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
702	R76Y_100_100a	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0							

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
729	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.4 0.0 0.0	360	1.0 1.0 1.0	96.4 0.0 0.0
730	G50B_100_012d	0.875 1.0 1.0	1.0 0.125 0.937	210	0.875 1.0 1.0	91.5 -3.7 -4.9	6.2 233.2	0.875 1.0 1.0	93.0 -2.8 -3.8	4.8 233.1 2.0	210	0.875 1.0 1.0
731	G50B_100_025d	0.75 1.0 1.0	1.0 0.25 0.875	210	0.75 1.0 1.0	86.6 -7.4 -9.9	12.4 233.2	0.75 1.0 1.0	89.0 -5.8 -8.1	9.9 234.3 3.4	210	0.75 1.0 1.0
732	G50B_100_037d	0.625 1.0 1.0	1.0 0.375 0.812	210	0.625 1.0 1.0	81.6 -11.1 -14.9	18.6 233.2	0.625 1.0 1.0	84.2 -8.9 -12.7	15.5 235.0 4.0	210	0.625 1.0 1.0
733	G50B_100_050d	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	76.7 -14.8 -19.9	24.8 233.2	0.5 1.0 1.0	78.7 -12.9 -18.5	22.5 235.1 3.1	210	0.5 1.0 1.0
734	G50B_100_062d	0.375 1.0 1.0	1.0 0.625 0.687	210	0.375 1.0 1.0	71.8 -18.5 -24.9	31.1 233.2	0.375 1.0 1.0	73.3 -16.5 -23.9	29.1 235.4 2.7	210	0.375 1.0 1.0
735	G50B_100_075d	0.25 1.0 1.0	1.0 0.75 0.625	210	0.25 1.0 1.0	66.8 -22.3 -29.9	37.3 233.2	0.25 1.0 1.0	66.9 -21.4 -30.4	37.3 234.8 1.0	210	0.25 1.0 1.0
736	G50B_100_087d	0.125 1.0 1.0	1.0 0.875 0.562	210	0.125 1.0 1.0	61.9 -26.0 -34.9	43.5 233.2	0.125 1.0 1.0	61.4 -25.1 -35.9	43.8 235.0 1.4	210	0.125 1.0 1.0
737	G50B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2	0.0 1.0 1.0	55.9 -28.8 -41.3	50.3 235.1 2.0	210	0.0 1.0 1.0
738	RO0Y_100_012d	1.0 0.875 0.875	1.0 0.125 0.937	390	1.0 0.875 0.875	90.2 8.7 5.6	10.4 32.5	1.0 0.875 0.875	90.9 4.5 6.8	8.2 56.2 4.4	389	1.0 0.0 0.0
739	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	87.3 0.0 0.0	0.0 0.0	0.875 0.875 0.875	87.7 1.3 2.8	3.1 64.7 3.2	360	1.0 1.0 1.0
740	G50B_087_012d	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.875	82.4 -3.7 -4.9	6.2 233.2	0.75 0.875 0.875	83.7 -1.9 -1.3	2.3 214.2 4.3	210	0.75 0.875 0.875
741	G50B_087_025d	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.875	77.5 -7.4 -9.9	12.4 233.2	0.625 0.875 0.875	79.3 -5.5 -5.9	8.0 226.9 4.8	210	0.625 0.875 0.875
742	G50B_087_037d	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.875	72.5 -11.1 -14.9	18.6 233.2	0.5 0.875 0.875	74.1 -9.8 -11.5	15.1 229.4 3.9	210	0.5 0.875 0.875
743	G50B_087_050d	0.375 0.875 0.875	0.875 0.5 0.625	210	0.375 0.875 0.875	67.6 -14.8 -19.9	24.8 233.2	0.375 0.875 0.875	68.7 -14.4 -17.1	22.4 229.8 3.0	210	0.375 0.875 0.875
744	G50B_087_062d	0.25 0.875 0.875	0.875 0.625 0.562	210	0.25 0.875 0.875	62.7 -18.5 -24.9	31.1 233.2	0.25 0.875 0.875	63.0 -19.9 -23.3	30.6 229.5 2.0	210	0.25 0.875 0.875
745	G50B_087_075d	0.125 0.875 0.875	0.875 0.75 0.5	210	0.125 0.875 0.875	57.7 -22.3 -29.9	37.3 233.2	0.125 0.875 0.875	57.5 -24.5 -29.0	37.9 229.8 2.3	210	0.125 0.875 0.875
746	G50B_087_087d	0.0 0.875 0.875	0.875 0.875 0.437	210	0.0 0.875 0.875	52.8 -26.0 -34.9	43.5 233.2	0.0 0.875 0.875	52.4 -29.2 -34.8	45.4 230.0 3.2	210	0.0 1.0 1.0
747	RO0Y_100_025d	1.0 0.75 0.75	1.0 0.25 0.875	390	1.0 0.75 0.75	83.9 17.5 11.2	20.8 32.5	1.0 0.75 0.75	83.9 11.6 13.1	17.5 48.5 6.2	389	1.0 0.0 0.0
748	RO0Y_087_012d	0.875 0.75 0.75	0.875 0.125 0.812	390	0.875 0.75 0.75	81.1 8.7 5.6	10.4 32.5	0.875 0.75 0.75	80.9 7.9 9.4	12.3 49.8 3.9	389	1.0 0.0 0.0
749	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	78.2 0.0 0.0	0.0 0.0	0.75 0.75 0.75	77.1 4.3 5.4	6.9 51.0 7.0	360	1.0 1.0 1.0
750	G50B_075_012d	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.75	73.3 -3.7 -4.9	6.2 233.2	0.625 0.75 0.75	73.1 0.2 0.9	0.9 74.4 7.1	210	0.625 0.75 0.75
751	G50B_075_025d	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.75	68.3 -7.4 -9.9	12.4 233.2	0.5 0.75 0.75	68.0 -4.8 -4.6	6.6 223.9 5.9	210	0.5 0.75 0.75
752	G50B_075_037d	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	63.4 -11.1 -14.9	18.6 233.2	0.375 0.75 0.75	63.3 -9.8 -10.2	14.2 226.2 4.8	210	0.375 0.75 0.75
753	G50B_075_050d	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	58.5 -14.8 -19.9	24.8 233.2	0.25 0.75 0.75	57.8 -16.2 -16.6	23.2 225.7 3.6	210	0.25 0.75 0.75
754	G50B_075_062d	0.125 0.75 0.75	0.75 0.625 0.437	210	0.125 0.75 0.75	53.6 -18.5 -24.9	31.1 233.2	0.125 0.75 0.75	52.9 -21.7 -21.9	30.8 225.1 4.4	210	0.125 0.75 0.75
755	G50B_075_075d	0.0 0.75 0.75	0.75 0.75 0.375	210	0.0 0.75 0.75	48.6 -22.3 -29.9	37.3 233.2	0.0 0.75 0.75	47.9 -28.0 -28.0	39.6 224.9 6.0	210	0.0 1.0 1.0
756	RO0Y_100_037d	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	77.7 26.3 16.8	31.2 32.5	1.0 0.625 0.625	77.8 17.9 20.2	27.0 48.3 9.0	389	1.0 0.0 0.0
757	RO0Y_087_025d	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	74.8 17.5 11.2	20.8 32.5	0.875 0.625 0.625	74.9 14.2 16.2	21.6 48.7 6.0	389	1.0 0.0 0.0
758	RO0Y_075_012d	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.625	72.0 8.7 5.6	10.4 32.5	0.75 0.625 0.625	71.5 10.1 12.2	15.8 50.3 6.7	389	1.0 0.0 0.0
759	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	69.1 0.0 0.0	0.0 0.0	0.625 0.625 0.625	67.6 5.5 7.6	9.4 53.7 9.5	360	1.0 1.0 1.0
760	G50B_062_012d	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.625	64.2 -3.7 -4.9	6.2 233.2	0.5 0.625 0.625	63.1 0.0 2.5	2.5 90.3 8.4	210	0.5 0.625 0.625
761	G50B_062_025d	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	59.2 -7.4 -9.9	12.4 233.2	0.375 0.625 0.625	58.5 -5.7 -3.1	6.5 208.4 7.0	210	0.375 0.625 0.625
762	G50B_062_037d	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	54.3 -11.1 -14.9	18.6 233.2	0.25 0.625 0.625	53.4 -13.2 -9.3	16.2 215.2 6.0	210	0.25 0.625 0.625
763	G50B_062_050d	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	49.4 -14.8 -19.9	24.8 233.2	0.125 0.625 0.625	48.8 -19.8 -15.0	24.8 217.1 6.9	210	0.125 0.625 0.625
764	G50B_062_062d	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.625	44.4 -18.5 -24.9	31.1 233.2	0.0 0.625 0.625	44.2 -27.0 -21.2	34.4 218.1 9.2	210	0.0 1.0 1.0
765	RO0Y_100_050d	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.4 35.1 22.4	41.7 32.5	1.0 0.5 0.5	70.0 28.2 26.4	38.7 43.1 8.1	389	1.0 0.0 0.0
766	RO0Y_087_037d	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.5 26.3 16.8	31.2 32.5	0.875 0.5 0.5	67.4 23.8 22.7	32.9 43.6 6.5	389	1.0 0.0 0.0
767	RO0Y_075_025d	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	65.7 17.5 11.2	20.8 32.5	0.75 0.5 0.5	64.2 19.3 18.4	26.7 43.5 7.5	389	1.0 0.0 0.0
768	RO0Y_062_012d	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	62.8 8.7 5.6	10.4 32.5	0.625 0.5 0.5	60.8 14.2 14.2	20.1 45.0 10.4	389	1.0 0.0 0.0
769	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.5 0.5 0.5	56.5 8.0 9.3	12.3 49.0 12.7	360	1.0 1.0 1.0
770	G50B_050_012d	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	55.1 -3.7 -4.9	6.2 233.2	0.375 0.5 0.5	52.4 1.1 3.5	3.6 72.5 10.1	210	0.375 0.5 0.5
771	G50B_050_025d	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	50.1 -7.4 -9.9	12.4 233.2	0.25 0.5 0.5	47.7 -6.6 -2.8	7.2 203.5 7.5	210	0.25 0.5 0.5
772	G50B_050_037d	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	45.2 -11.1 -14.9	18.6 233.2	0.125 0.5 0.5	43.5 -14.4 -8.9	16.9 211.8 7.0	210	0.125 0.5 0.5
773	G50B_050_050d	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.5	40.3 -14.8 -19.9	24.8 233.2	0.0 0.5 0.5	39.5 -23.3 -15.1	27.8 212.9 9.7	210	0.0 1.0 1.0
774	RO0Y_100_062d	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.1 43.9 28.0	52.1 32.5	1.0 0.375 0.375	63.2 37.9 33.1	50.4 41.1 8.0	389	1.0 0.0 0.0
775	RO0Y_087_050d	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.3 35.1 22.4	41.7 32.5	0.875 0.375 0.375	60.8 33.6 29.4	44.6 41.1 7.2	389	1.0 0.0 0.0
776	RO0Y_075_037d	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	59.4 26.3 16.8	31.2 32.5	0.75 0.375 0.375	58.0 28.4 25.2	37.9 41.5 8.7	389	1.0 0.0 0.0
777	RO0Y_062_025d	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	56.6 17.5 11.2	20.8 32.5	0.625 0.375 0.375	54.6 23.0 20.8	31.1 42.0 11.2	389	1.0 0.0 0.0
778	RO0Y_050_012d	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.375	53.7 8.7 5.6	10.4 32.5	0.5 0.375 0.375	50.9 16.0 15.2	22.1 43.5 12.3	389	1.0 0.0 0.0
779	NW_037d	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9 0.0 0.0	0.0 0.0	0.375 0.375 0.375	47.0 9.0 9.2	12.9 45.6 13.4	360	1.0 1.0 1.0
780	G50B_037_012d	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	46.0 -3.7 -4.9	6.2 233.2	0.25 0.375 0.375	42.8 -0.3 2.9	2.9 95.9 9.1	210	0.25 0.375 0.375
781	G50B_037_025d	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	41.0 -7.4 -9.9	12.4 233.2	0.125 0.375 0.375	38.9 -9.0 -3.0	9.6 198.6 7.4	210	0.125 0.375 0.375
782	G50B_037_037d	0.0 0.375 0.375	0.375 0.375 0.187	210	0.0 0.375 0.375	36.1 -11.1 -14.9	18.6 233.2	0.0 0.375 0.375	35.4 -19.8 -9.5	21.9 205.6 10.2	210	0.0 1.0 1.0
783	RO0Y_100_075d	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	58.9 52.7 33.6	62.5 32.5	1.0 0.25 0.25	56.7 48.8 38.9	62.5 38.5 6.8	389	1.0 0.0 0.0
784	RO0Y_087_062d	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.0 43.9 28.0	52.1 32.5	0.875 0.25 0.25	54.1 44.9 35.0	56.9 37.9 7.2	389	1.0 0.0 0.0
785	RO0Y_075_050d	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	53.2 35.1 22.4	41.7 32.5	0.75 0.25 0.25	51.6 39.2 30.7	49.8 38.0 9.3	389	1.0 0.0 0.0
786	RO0Y_062_037d	0.625 0.25 0.25	0.6									

http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 30/33

SI0700A

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md		
810	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	179.2 0.1 360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
811	B00R_100_012d	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.875 1.0	87.6 3.2 -4.8	5.8 303.9	0.875 0.875 1.0	88.5 3.2 -4.8	5.8 303.9	0.9 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
812	B00R_100_025d	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.75 1.0	78.8 6.5 -9.6	11.6 303.9	0.75 0.75 1.0	78.5 8.0 -9.7	12.6 309.6	1.5 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
813	B00R_100_037d	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.625 1.0	69.9 9.7 -14.5	17.5 303.9	0.625 0.625 1.0	69.0 11.4 -14.7	18.6 309.9	1.9 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
814	B00R_100_050d	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.5 1.0	61.1 13.0 -19.3	23.3 303.9	0.5 0.5 1.0	57.6 16.8 -20.1	26.2 309.9	5.2 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
815	B00R_100_062d	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	52.3 16.2 -24.2	29.2 303.9	0.375 0.375 1.0	47.3 21.2 -25.0	32.8 310.3	7.0 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
816	B00R_100_075d	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	43.5 19.5 -29.0	35.0 303.9	0.25 0.25 1.0	38.4 23.4 -30.1	38.1 307.8	6.4 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
817	B00R_100_087d	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	34.6 22.8 -33.9	40.8 303.9	0.125 0.125 1.0	29.6 27.6 -34.5	44.2 308.7	7.0 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
818	B00R_100_100d	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9	0.0 0.0 1.0	23.9 27.3 -37.8	46.6 305.8	2.4 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
819	Y00G_100_012d	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 1.0 0.875	95.4 -0.8 11.2	11.2 94.3	1.0 1.0 0.875	95.5 -1.6 8.3	8.4 100.9	2.9 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
820	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	87.3 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	87.5 1.5 2.9	3.3 61.8	3.3 360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
821	B00R_087_012d	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.75 0.875	78.5 3.2 -4.8	5.8 303.9	0.75 0.75 0.875	77.6 6.1 -2.5	6.6 337.3	3.7 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
822	B00R_087_025d	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.625 0.875	69.7 6.5 -9.6	11.6 303.9	0.625 0.625 0.875	68.5 9.4 -7.7	12.1 330.7	3.7 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
823	B00R_087_037d	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.5 0.875	60.8 9.7 -14.5	17.5 303.9	0.5 0.5 0.875	57.5 14.4 -13.6	19.8 316.6	5.7 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
824	B00R_087_050d	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	52.0 13.0 -19.3	23.3 303.9	0.375 0.375 0.875	47.4 18.4 -19.1	26.5 313.9	7.1 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
825	B00R_087_062d	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	43.2 16.2 -24.2	29.2 303.9	0.25 0.25 0.875	38.2 20.4 -24.7	32.0 309.4	6.4 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
826	B00R_087_075d	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	34.4 19.5 -29.0	35.0 303.9	0.125 0.125 0.875	29.8 24.1 -29.8	38.4 308.9	6.5 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
827	B00R_087_087d	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.0 0.875	25.5 22.8 -33.9	40.8 303.9	0.0 0.0 0.875	23.9 23.6 -33.7	41.1 305.0	1.8 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
828	Y00G_100_025d	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 1.0 0.75	94.3 -1.7 22.4	22.5 94.3	1.0 1.0 0.75	94.3 -2.7 16.9	17.1 99.2	5.6 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
829	Y00G_087_012d	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.875 0.75	86.3 -0.8 11.2	11.2 94.3	0.875 0.875 0.75	86.5 0.2 11.2	11.2 88.8	1.1 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
830	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	78.2 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	76.9 4.5 5.4	7.0 45.9	7.1 360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
831	B00R_075_012d	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.625 0.75	69.4 3.2 -4.8	5.8 303.9	0.625 0.625 0.75	67.9 7.5 -0.3	7.5 357.1	6.3 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
832	B00R_075_025d	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.5 0.75	60.6 6.5 -9.6	11.6 303.9	0.5 0.5 0.75	56.9 12.3 -6.7	14.0 331.1	7.4 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
833	B00R_075_037d	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	51.7 9.7 -14.5	17.5 303.9	0.375 0.375 0.75	47.1 15.6 -12.7	20.2 320.8	7.7 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
834	B00R_075_050d	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	42.9 13.0 -19.3	23.3 303.9	0.25 0.25 0.75	38.3 17.2 -18.9	25.6 312.2	6.2 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
835	B00R_075_062d	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	34.1 16.2 -24.2	29.2 303.9	0.125 0.125 0.75	29.9 20.4 -24.7	32.0 309.5	5.8 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
836	B00R_075_075d	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.0 0.75	25.3 19.5 -29.0	35.0 303.9	0.0 0.0 0.75	23.9 19.6 -29.2	35.2 303.8	1.3 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
837	Y00G_100_037d	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 1.0 0.625	93.3 -2.5 33.6	33.7 94.3	1.0 1.0 0.625	93.0 -3.9 27.2	27.5 98.2	6.5 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
838	Y00G_087_025d	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.875 0.625	85.2 -1.7 22.4	22.5 94.3	0.875 0.875 0.625	85.5 -1.1 20.4	20.4 93.1	2.0 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
839	Y00G_075_012d	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.75 0.625	77.2 -0.8 11.2	11.2 94.3	0.75 0.75 0.625	76.0 2.9 13.9	14.2 78.0	4.8 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
840	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	69.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	67.5 5.7 7.9	9.8 53.8	9.9 360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
841	B00R_062_012d	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.5 0.625	60.3 3.2 -4.8	5.8 303.9	0.5 0.5 0.625	56.3 10.4 0.4	10.4 2.5	9.7 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
842	B00R_062_025d	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	51.4 6.5 -9.6	11.6 303.9	0.375 0.375 0.625	46.9 13.1 -6.2	14.5 334.7	8.7 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
843	B00R_062_037d	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	42.6 9.7 -14.5	17.5 303.9	0.25 0.25 0.625	38.2 15.0 -13.0	19.9 318.9	7.0 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
844	B00R_062_050d	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	33.8 13.0 -19.3	23.3 303.9	0.125 0.125 0.625	29.8 18.0 -19.9	26.8 312.0	6.3 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
845	B00R_062_062d	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.0 0.625	25.0 16.2 -24.2	29.2 303.9	0.0 0.0 0.625	23.8 16.1 -25.0	29.7 302.7	1.4 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
846	Y00G_100_050d	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 1.0 0.5	92.2 -3.4 44.8	45.0 94.3	1.0 1.0 0.5	91.8 -4.7	38.1 38.4	97.1 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
847	Y00G_087_037d	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.875 0.5	84.2 -2.5 33.6	33.7 94.3	0.875 0.875 0.5	84.2 -2.3	31.2 31.3	94.2 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
848	Y00G_075_025d	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.75 0.5	76.1 -1.7 22.4	22.5 94.3	0.75 0.75 0.5	75.2 1.5 24.0	24.0 86.3	3.7 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
849	Y00G_062_012d	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.625 0.5	68.1 -0.8 11.2	11.2 94.3	0.625 0.625 0.5	66.8 4.2 16.7	17.3 75.6	7.6 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
850	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	56.1 8.4 8.5	11.9 45.4	12.6 360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
851	B00R_050_012d	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	51.2 3.2 -4.8	5.8 303.9	0.375 0.375 0.5	46.6 11.1 1.0	11.1 5.5	10.8 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
852	B00R_050_025d	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	42.3 6.5 -9.6	11.6 303.9	0.25 0.25 0.5	37.9 12.5 -6.7	14.2 331.8	8.0 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
853	B00R_050_037d	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	33.5 9.7 -14.5	17.5 303.9	0.125 0.125 0.5	29.8 14.8 -14.5	20.7 315.5	6.2 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
854	B00R_050_050d	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.0 0.5	24.7 13.0 -19.3	23.3 303.9	0.0 0.0 0.5	23.9 12.4 -20.2	23.7 301.6	1.2 270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9
855	Y00G_100_062d	1.0 1.0 0.375	1.0 0.625 0.687	90	1.0 1.0 0.375	91.2 -4.3 56.0	56.2 94.3	1.0 1.0 0.375	90.5 -5.3	49.5 49.8	96.1 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
856	Y00G_087_050d	0.875 0.875 0.375	0.875 0.5 0.625	90	0.875 0.875 0.375	83.1 -3.4 44.8	45.0 94.3	0.875 0.875 0.375	83.2 -2.9	42.1 42.2	94.0 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
857	Y00G_075_037d	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.75 0.375	75.1 -2.5 33.6	33.7 94.3	0.75 0.75 0.375	74.2 0.5 34.3	34.3 89.0	3.3 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
858	Y00G_062_025d	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.625 0.375	67.0 -1.7 22.4	22.5 94.3	0.625 0.625 0.375	65.9 2.9 26.5	26.7 83.7	6.3 89	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3
859	Y00G_050_012d	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.5 0.375	58.9 -0.8 11.2	11.2 94.3	0.5 0.5 0.375	55.7 6.6 17.3	18.5 69.0	10.1 89	1.0 1.0 0.0	88.0	

http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF /.PS; uscita di trasferimento
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 31/33

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md		
891	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.1	0.1 113.9 0.1	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
892	B50R_100_012d	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 1.0	90.3 9.7 0.0	9.7 359.5	1.0 0.875 1.0	91.8 6.1 -1.1	6.2 349.5 4.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
893	B50R_100_025d	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 1.0	84.1 19.5 -0.1	19.5 359.5	1.0 0.75 1.0	85.8 14.1 -2.1	14.2 351.5 6.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
894	B50R_100_037d	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 1.0	78.0 29.3 -0.2	29.3 359.5	1.0 0.625 1.0	80.1 21.9 -2.7	22.1 352.7 8.1	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
895	B50R_100_050d	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	71.8 39.1 -0.3	39.1 359.5	1.0 0.5 1.0	72.2 33.4 -3.4	33.6 354.1 6.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
896	B50R_100_062d	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	65.6 48.9 -0.4	48.9 359.5	1.0 0.375 1.0	65.2 44.4 -3.3	44.5 355.7 5.3	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
897	B50R_100_075d	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	59.5 58.7 -0.4	58.7 359.5	1.0 0.25 1.0	58.3 56.5 -2.6	56.5 357.2 3.3	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
898	B50R_100_087d	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	53.3 68.5 -0.5	68.5 359.5	1.0 0.125 1.0	51.3 69.4 -1.3	69.4 358.8 2.3	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
899	B50R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5	1.0 0.0 1.0	46.3 79.0 0.7	79.0 0.5 1.7	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
900	GO0B_100_012d	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.875	90.6 -8.1 3.4	8.8 157.0	0.875 1.0 0.875	91.9 -7.4 6.4	6.4 136.6 3.8	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
901	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	87.3 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	87.6 1.4 2.8	3.1 63.4 3.1	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
902	B50R_087_012d	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.875	81.2 9.7 0.0	9.7 359.5	0.875 0.75 0.875	81.8 9.4 1.5	9.6 9.3 1.7	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
903	B50R_087_025d	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.875	75.0 19.5 -0.1	19.5 359.5	0.875 0.625 0.875	76.4 16.9 0.7	16.9 2.3 3.1	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
904	B50R_087_037d	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	68.8 29.3 -0.2	29.3 359.5	0.875 0.5 0.875	69.1 28.3 -0.3	28.3 359.2 1.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
905	B50R_087_050d	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.7 39.1 -0.3	39.1 359.5	0.875 0.375 0.875	62.4 39.0 -0.7	39.0 358.8 0.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
906	B50R_087_062d	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 48.9 -0.4	48.9 359.5	0.875 0.25 0.875	55.8 50.5 -0.8	50.5 359.0 1.8	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
907	B50R_087_075d	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.4 58.7 -0.4	58.7 359.5	0.875 0.125 0.875	48.9 63.6 -0.3	63.6 359.7 5.1	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
908	B50R_087_087d	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.2 68.5 -0.5	68.5 359.5	0.875 0.0 0.875	43.9 73.6 1.1	73.6 0.9 5.4	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
909	GO0B_100_025d	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.75	84.7 -16.2 6.9	17.6 157.0	0.75 1.0 0.75	86.7 -9.3 8.2	12.4 138.6 7.3	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
910	GO0B_087_012d	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.75	81.5 -8.1 3.4	8.8 157.0	0.75 0.875 0.75	82.6 -3.4 6.6	7.4 117.5 5.7	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
911	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	78.2 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	77.4 4.1 5.2	6.6 51.3 6.7	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
912	B50R_075_012d	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.75	72.1 9.7 0.0	9.7 359.5	0.75 0.625 0.75	72.4 11.4 3.9	12.1 19.2 4.4	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
913	B50R_075_025d	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	65.9 19.5 -0.1	19.5 359.5	0.75 0.5 0.75	65.4 22.3 2.4	22.4 6.1 3.7	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
914	B50R_075_037d	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	59.7 29.3 -0.2	29.3 359.5	0.75 0.375 0.75	59.2 32.7 1.5	32.8 2.6 3.8	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
915	B50R_075_050d	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	53.6 39.1 -0.3	39.1 359.5	0.75 0.25 0.75	52.6 44.2 0.8	44.2 1.1 5.3	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
916	B50R_075_062d	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	47.4 48.9 -0.4	48.9 359.5	0.75 0.125 0.75	46.3 56.9 0.6	56.9 0.6 8.1	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
917	B50R_075_075d	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	41.3 58.7 -0.4	58.7 359.5	0.75 0.0 0.75	41.3 67.2 1.1	67.2 0.9 8.6	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
918	GO0B_100_037d	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.625	78.9 -24.4 10.3	26.5 157.0	0.625 1.0 0.625	81.0 -14.8 12.4	19.3 140.0 10.0	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
919	GO0B_087_025d	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.625	75.6 -16.2 6.9	17.6 157.0	0.625 0.875 0.625	77.3 -9.0 10.4	13.8 130.7 8.2	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
920	GO0B_075_012d	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.625	72.4 -8.1 3.4	8.8 157.0	0.625 0.75 0.625	72.5 -1.4 8.9	9.0 98.9 8.6	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
921	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	69.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	67.8 5.4 7.2	9.1 52.9 9.1	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
922	B50R_062_012d	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	62.9 9.7 0.0	9.7 359.5	0.625 0.5 0.625	61.4 15.9 5.3	16.8 18.4 8.3	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
923	B50R_062_025d	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	56.8 19.5 -0.1	19.5 359.5	0.625 0.375 0.625	55.6 26.0 3.8	26.3 8.4 7.6	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
924	B50R_062_037d	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	50.6 29.3 -0.2	29.3 359.5	0.625 0.25 0.625	49.4 37.4 2.5	37.5 3.8 8.6	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
925	B50R_062_050d	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	44.5 39.1 -0.3	39.1 359.5	0.625 0.125 0.625	43.2 49.9 1.4	49.9 1.6 10.9	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
926	B50R_062_062d	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	38.3 48.9 -0.4	48.9 359.5	0.625 0.0 0.625	38.6 59.8 1.2	59.8 1.2 11.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
927	GO0B_100_050d	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.5	73.0 -32.5 13.8	35.3 157.0	0.5 1.0 0.5	74.9 -21.3 16.1	26.7 142.8 11.6	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
928	GO0B_087_037d	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.5	69.8 -24.4 10.3	26.5 157.0	0.5 0.875 0.5	71.5 -15.9 14.0	21.2 138.6 9.3	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
929	GO0B_075_025d	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.5	66.5 -16.2 6.9	17.6 157.0	0.5 0.75 0.5	67.0 -8.4 12.4	15.0 124.1 9.6	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
930	GO0B_062_012d	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.5	63.3 -8.1 3.4	8.8 157.0	0.5 0.625 0.5	62.8 -2.1 10.4	10.6 101.6 9.2	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
931	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	56.9 8.2 8.0	11.5 44.0 11.9	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0
932	B50R_050_012d	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.5	53.8 9.7 0.0	9.7 359.5	0.5 0.375 0.5	51.4 18.0 5.8	19.0 17.7 10.4	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
933	B50R_050_025d	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.25 0.5	47.7 19.5 -0.1	19.5 359.5	0.5 0.25 0.5	45.6 29.1 3.7	29.3 7.3 10.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
934	B50R_050_037d	0.5 0.125 0.5	0.5 0.375 0.312	330	0.5 0.125 0.5	41.5 29.3 -0.2	29.3 359.5	0.5 0.125 0.5	39.9 41.1 1.8	41.1 2.6 12.0	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
935	B50R_050_050d	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.5	35.4 39.1 -0.3	39.1 359.5	0.5 0.0 0.5	35.3 50.7 0.7	50.7 0.8 11.6	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5
936	GO0B_100_062d	0.375 1.0 0.375	1.0 0.625 0.687	150	0.375 1.0 0.375	67.2 -40.6 17.2	44.1 157.0	0.375 1.0 0.375	68.4 -29.0 20.0	35.2 145.4 12.0	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
937	GO0B_087_050d	0.375 0.875 0.375	0.875 0.5 0.625	150	0.375 0.875 0.375	63.9 -32.5 13.8	35.3 157.0	0.375 0.875 0.375	65.5 -23.7 17.8	29.6 143.0 9.8	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
938	GO0B_075_037d	0.375 0.75 0.375	0.75 0.375 0.562	150	0.375 0.75 0.375	60.7 -24.4 10.3	26.5 157.0	0.375 0.75 0.375	61.6 -16.6 15.6	22.8 136.7 9.4	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
939	GO0B_062_025d	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.375	57.4 -16.2 6.9	17.6 157.0	0.375 0.625 0.375	57.9 -10.0 13.6	16.9 126.4 9.1	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
940	GO0B_050_012d	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	54.1 -8.1 3.4	8.8 157.0	0.375 0.5 0.375	52.2 -0.2 10.8	10.8 91.1 10.9	149	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0
941	NW_037d	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9								

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07L0NP.PDF> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF /.PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

		HIC*Fd				rgb_Fd				ict_Fd				hsi_Fd				rgb*Fd				LabCh*Fd				rgb**Fd				LabCh**Fd				DE**Fd				hsiMd	rgb*Md			LabCh*Md																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
972	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0</

vedere dei file simili: <http://130.149.60.45/~farbmetrik/SI07/SI07.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-SI07/SI07L0NP.PDF / .PS
la domanda per la misura uscita nella stampa di offset, separazionecmY0 (CMY0)

TUB materiale: code=rha4ta

n	HIC*Fd	rgb_Fd		ict_Fd		hsi_Fd		rgb*Fd		LabCh*Fd				rgb*Fd		LabCh*Fd		DE**Fd		hsiM,d	rgb*Md		LabCh*Md											
1053	NW_086d	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	86.7	0.0	0.0	0.0	0.0	0.866	0.866	0.866	87.1	1.5	2.6	3.0	58.7	3.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	91.5	0.0	0.0	0.0	0.0	0.933	0.933	0.933	91.8	0.6	1.0	1.1	58.2	1.2	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.3	0.0	0.0	0.0	292.0	0.1	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1056	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.4	0.4	0.0	0.4	358.7	1.2	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1057	NW_006d	0.066	0.066	0.066	0.066	0.0	0.066	360	0.066	0.066	0.066	28.4	0.0	0.0	0.0	0.0	0.066	0.066	0.066	25.4	4.9	1.3	5.1	15.6	5.9	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1058	NW_013d	0.133	0.133	0.133	0.133	0.0	0.133	360	0.133	0.133	0.133	33.3	0.0	0.0	0.0	0.0	0.133	0.133	0.133	28.4	7.3	4.0	8.4	28.5	9.6	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1059	NW_020d	0.2	0.2	0.2	0.2	0.0	0.2	360	0.2	0.2	0.2	38.1	0.0	0.0	0.0	0.0	0.2	0.2	0.2	32.4	8.5	5.9	10.4	34.6	11.9	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1060	NW_026d	0.266	0.266	0.266	0.266	0.0	0.266	360	0.266	0.266	0.266	42.9	0.0	0.0	0.0	0.0	0.266	0.266	0.266	37.4	8.1	7.9	11.3	44.1	12.6	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1061	NW_033d	0.333	0.333	0.333	0.333	0.0	0.333	360	0.333	0.333	0.333	47.8	0.0	0.0	0.0	0.0	0.333	0.333	0.333	41.7	10.0	8.4	13.1	39.9	14.4	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1062	NW_040d	0.4	0.4	0.4	0.4	0.0	0.4	360	0.4	0.4	0.4	52.7	0.0	0.0	0.0	0.0	0.4	0.4	0.4	48.0	8.5	9.4	12.7	47.8	13.5	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1063	NW_046d	0.466	0.466	0.466	0.466	0.0	0.466	360	0.466	0.466	0.466	57.5	0.0	0.0	0.0	0.0	0.466	0.466	0.466	53.0	8.6	8.8	12.3	45.4	13.1	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1064	NW_053d	0.533	0.533	0.533	0.533	0.0	0.533	360	0.533	0.533	0.533	62.4	0.0	0.0	0.0	0.0	0.533	0.533	0.533	59.1	6.8	8.0	10.5	49.5	11.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1065	NW_060d	0.6	0.6	0.6	0.6	0.0	0.6	360	0.6	0.6	0.6	67.3	0.0	0.0	0.0	0.0	0.6	0.6	0.6	65.4	5.7	7.8	9.7	53.8	9.9	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1066	NW_066d	0.666	0.666	0.666	0.666	0.0	0.666	360	0.666	0.666	0.666	72.1	0.0	0.0	0.0	0.0	0.666	0.666	0.666	71.1	5.0	6.9	8.6	53.9	8.7	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1067	NW_073d	0.734	0.734	0.734	0.734	0.0	0.734	360	0.734	0.734	0.734	77.0	0.0	0.0	0.0	0.0	0.734	0.734	0.734	76.1	4.9	5.4	7.3	48.0	7.4	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1068	NW_080d	0.8	0.8	0.8	0.8	0.0	0.8	360	0.8	0.8	0.8	81.9	0.0	0.0	0.0	0.0	0.8	0.8	0.8	81.5	2.9	4.1	5.1	54.7	5.1	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1069	NW_086d	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	86.7	0.0	0.0	0.0	0.0	0.866	0.866	0.866	87.0	1.5	2.7	3.1	60.3	3.1	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1070	NW_093d	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	91.5	0.0	0.0	0.0	0.0	0.933	0.933	0.933	91.7	0.6	1.0	1.2	59.0	1.2	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1071	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.3	0.0	0.0	0.0	297.4	0.1	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1072	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.3	0.5	-0.7	0.9	305.3	0.9	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1073	NW_100d	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.5	0.0	0.1	0.1	115.8	0.1	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
1074	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5	1.0	0.0	0.0	46.3	70.0	46.4	84.0	33.5	1.5	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
1075	G50B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2	0.0	1.0	1.0	56.8	-28.8	-40.9	50.1	234.8	1.3	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
1076	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3	1.0	1.0	0.0	87.8	-6.8	90.1	90.4	94.3	0.4	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
1077	B00R_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9	0.0	0.0	1.0	24.3	28.0	-38.0	47.2	306.4	2.6	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
1078	G00B_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0	0.0	1.0	0.0	48.8	-66.5	27.6	72.0	157.3	1.6	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5	1.0	0.0	1.0	46.3	78.6	0.0	78.6	359.9	1.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5

delta E* = 5.3

grafico TUB-SI07; 16 tintes, carta standard offset APCO
colori e la differenza, ΔE^* , 3D=0, de=0, *cmY0*

immettere: *rgb/cmyk* -> *rgb*_d
uscita: trasferire a *cmY0*_d