

Adapted (a) CIELAB ( $C_{ab,a}^*, L^*$ ) and relative CIELAB ( $c^*, l^*$ )

System: SI44\_HRS16\_96\_D65\_00%\_G0

$$l^* = (L^* - L_N^*) / (L_W^* - L_N^*)$$


CIELAB hue angles:

$$h_{ab,d} = [33, 100, 154, 227, 295, 347] \quad b^*$$

$$h_{ab,dx} = [30, 99, 151, 230, 301, 351]$$

$$c^* = C_{ab,a}^* / C_{ab,a,M}^*$$

$M$  = Maximum colour



SI441-8A, 1; cf1=0.90; nt=0.18; nx=1.0

Adapted (a) CIELAB ( $C_{ab,a}^*, L^*$ ) and relative CIELAB ( $c^*, l^*$ )

System: SI44\_HRS16\_96\_D65\_00%\_G1

$$l^* = (L^* - L_N^*) / (L_W^* - L_N^*)$$


CIELAB hue angles:

$$h_{ab,d} = [33, 100, 154, 227, 295, 347] \quad b^*$$

$$h_{ab,dx} = [33, 100, 154, 227, 295, 347]$$

$$c^* = C_{ab,a}^* / C_{ab,a}^* M$$

$M$  = Maximum colour



SI441-8A, 2; cf1=0.90; nt=0.18; nx=1.0