

$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per D65

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per D50

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per P40

nel diagramma di chroma ( $A^*$ ,  $B^*$ )



$XYZ_w = 109.849, 100.0, 35.58$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = A00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per A00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per E00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per C00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per P00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di chroma ( $A^*, B^*$ )





$XYZ_w=94.8136, 100.0, 107.33$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per D65

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 96.7256, 100.0, 81.41$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per D50

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 101.751, 100.0, 64.44$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per P40

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 111.15, 100.0, 35.19$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = A00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per A00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w=99.9908, 99.9999, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per E00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w=97.2866, 100.0, 116.14$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w=100$

6 di massimo (m)  $C_{AB}$  per C00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 102.375, 100.0, 81.25$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770


$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per P00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 97.65, 100.0, 118.42$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

Ostwald colori ottimi (o),  $Y_w = 100$

6 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di chroma ( $A^*, B^*$ )

