

$XYZ_w=95.0443, 100.0, 108.89$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = D65$$

LABCab 85

Nome e la gamma spettrale

$R_m \text{ 561_770 } Y_m \text{ 495_770}$


$G_m \text{ 475_573 } C_m \text{ 380_561}$

$B_m \text{ 380_495 } M_m \text{ 573_475}$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per D65

nel diagramma di valore cromatico (A, B)



$XYZ_w=96.4228, 100.0, 82.49$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = D50$$

LABCab 85

Nome e la gamma spettrale

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per D50

nel diagramma di valore cromatico (A, B)



$XYZ_w=100.932, 100.0, 64.68$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0.4$

$n = P40$

LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$


$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per P40

nel diagramma di valore cromatico (A, B)



$XYZ_w=109.849, 100.0, 35.58$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = A00$$

LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$


$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per A00

nel diagramma di valore cromatico (A, B)



$XYZ_w=100.001, 100.0, 100.0$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = E00$$



$XYZ_w=98.0718, 100.0, 118.22$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = C00$$

LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$


$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per C00

nel diagramma di valore cromatico (A, B)



$XYZ_w=102.067, 100.0, 81.06$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = P00$$



LABCab 85

Nome e la gamma spettrale

R_m 561_770 Y_m 495_770

G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per P00

nel diagramma di valore cromatico (A, B)

$XYZ_w=97.9332, 100.0, 118.95$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = Q00$$

LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$


$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per Q00

nel diagramma di valore cromatico (A, B)



$XYZ_w=94.8136, 100.0, 107.33$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = D65$$



LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$

$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per D65

nel diagramma di valore cromatico (A, B)

$XYZ_w=96.7256, 100.0, 81.41$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = D50$$



$R_m \text{ 561_770 } Y_m \text{ 495_770}$

$G_m \text{ 475_573 } C_m \text{ 380_561}$

$B_m \text{ 380_495 } M_m \text{ 573_475}$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per D50

nel diagramma di valore cromatico (A, B)

$XYZ_w=101.751, 100.0, 64.44$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0.4$

$n = P40$

LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$


$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per P40

nel diagramma di valore cromatico (A, B)



$XYZ_w=111.15, 100.0, 35.19$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = A00$$

LABCab 85

Nome e la gamma spettrale

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per A00

nel diagramma di valore cromatico (A, B)



$XYZ_w=99.9908, 99.9999, 100.0$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = E00$

LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770 \quad Y_m\ 495_770$


$G_m\ 475_573 \quad C_m\ 380_561$

$B_m\ 380_495 \quad M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per E00

nel diagramma di valore cromatico (A, B)



$XYZ_w=97.2866, 100.0, 116.14$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = C00$$



LABCab 85

Nome e la gamma spettrale

$R_m\ 561_770$ $Y_m\ 495_770$

$G_m\ 475_573$ $C_m\ 380_561$

$B_m\ 380_495$ $M_m\ 573_475$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per C00

nel diagramma di valore cromatico (A, B)

$XYZ_w=102.375, 100.0, 81.25$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = P00$$



LABCab 85

Nome e la gamma spettrale C_m

R_m 561_770 Y_m 495_770

G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per P00

nel diagramma di valore cromatico (A, B)

$XYZ_w=97.65, 100.0, 118.42$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = Q00$$



LABCab 85

Nome e la gamma spettrale

$R_m \text{ 561_770}$ $Y_m \text{ 495_770}$

$G_m \text{ 475_573}$ $C_m \text{ 380_561}$

$B_m \text{ 380_495}$ $M_m \text{ 573_475}$

Ostwald colori ottimi (o), $Y_W=100$

6 di massimo (m) C_{AB} per Q00

nel diagramma di valore cromatico (A, B)