

$XYZ_w=858.975, 908.216, 956.204$ *
D65

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v=100$

del offset spazio di colore per D65

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=873.582, 908.569, 725.701$ *_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$



$XYZ_w=915.75, 908.886, 568.87$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v=100$

del offset spazio di colore per P40

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=999.329, 909.474, 313.950$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$



CIE LAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$

$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_w=100$

del offset spazio di colore per A00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w=904.435, 908.455, 876.511$ *
D65

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v=100$

del offset spazio di colore per E00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=885.915, 908.163, 1037.78^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v=100$

del offset spazio di colore per C00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w = 924.802, 908.732, 711.316$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$



CIE LAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$

$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v = 100$

del offset spazio di colore per P00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w = 884.055, 908.177, 1041.39^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v = 100$

del offset spazio di colore per Q00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=856.262, 907.063, 939.9$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v=100$

del offset spazio di colore per D65

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=875.822, 907.661, 714.215$ *
 D_{65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_w=100$

del offset spazio di colore per D50

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=922.693, 908.142, 565.000$ *
D65

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$



$XYZ_w = 1010.78, 909.03, 309.7$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$



$XYZ_w=903.609, 907.361, 873.954$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_w=100$

del offset spazio di colore per E00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=878.194, 906.929, 1016.81^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_w=100$

del offset spazio di colore per C00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w = 926.951, 907.82, 710.87$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v = 100$

del offset spazio di colore per P00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=880.693, 906.911, 1034. \mathbf{b^*_{D65}}$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

CIELAB D65

Nome de la colori dispositivo

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$

$B_{d,RECS}$

$M_{d,RECS}$

colori dispositivo e colori elementari, $Y_v=100$

del offset spazio di colore per Q00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

