

$XYZ_w=95.0443, 100.0, 108.89$

Parameter:  $N$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = \text{D65}$$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for D65

in chromatic value diagram (A, B)



$XYZ_w=96.4228, 100.0, 82.49$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = D50$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for D50

in chromatic value diagram (A, B)

Parameter:  $N$



$XYZ_w=100.932, 100.0, 64.68$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = P40$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for P40

in chromatic value diagram (A, B)



$XYZ_w=109.849, 100.0, 35.58$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = A00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for A00

in chromatic value diagram (A, B)



$XYZ_w=100.001, 100.0, 100.0$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = E00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for E00

in chromatic value diagram (A, B)

Parameter:  $N$



$XYZ_w=98.0718, 100.0, 118.22$

Parameter:  $N$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = C00$$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for C00

in chromatic value diagram (A, B)



$XYZ_w=102.067, 100.0, 81.06$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = P00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for P00

in chromatic value diagram (A, B)

Parameter:  $N$



$XYZ_w=97.9332, 100.0, 118.95$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = Q00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for Q00

in chromatic value diagram (A, B)

Parameter:  $N$





$XYZ_w=94.8136, 100.0, 107.33$

Parameter:  $N$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = \text{D65}$$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for D65

in chromatic value diagram (A, B)



$XYZ_w=96.7256, 100.0, 81.41$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = D50$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for D50

in chromatic value diagram (A, B)

Parameter:  $N$



$XYZ_w=101.751, 100.0, 64.44$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = P40$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for P40

in chromatic value diagram (A, B)



$XYZ_w=111.15, 100.0, 35.19$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = A00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for A00

in chromatic value diagram (A, B)



$XYZ_w=99.9908, 99.9999, 100.0$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = E00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for E00

in chromatic value diagram (A, B)

Parameter:  $N$



$XYZ_w=97.2866, 100.0, 116.14$

Parameter:  $N$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = C00$$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for C00

in chromatic value diagram (A, B)



$XYZ_w=102.375, 100.0, 81.25$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = P00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for P00

in chromatic value diagram (A, B)

Parameter:  $N$



$XYZ_w=97.65, 100.0, 118.42$

$A = (a - a_n) Y$

$B = (b - b_n) Y$

$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = Q00$

LABCab 85

Name and spectral range

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 optimal colours (o),  $Y_w=100$

8 of maximum (m)  $C_{AB}$  for Q00

in chromatic value diagram (A, B)

Parameter:  $N$

