

















see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

















TUB registration: 20130201-TE61/TE61L0NA.TXT /PS
application for measurement of display output
TUB material: code=rh4ta



see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



















TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 63cd/m²

input: w/rgb/cmyk -> rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rh4ta



















TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 6,3cd/m²

input: w/rgb/cmyk $\rightarrow$ rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta



















TUB-test chart TE61; threshold data Avramopoulos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 630cd/m²

input: w/rgb/cmyk → rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta



















TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 63cd/m²

input: w/rgb/cmyk -> rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta



















TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 6,3cd/m²

input: w/rgb/cmyk $\rightarrow$ rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



















TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 630cd/m²

input: w/rgb/cmyk -> rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



















TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 63cd/m²

input: w/rgb/cmyk -> rgb_d
output: transfer to rgb_d

see similar files: <http://130.149.60.45/~farbmetrik/TE61/TE61.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE61/TE61L0NA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



TUB-test chart TE61; threshold data Avramopolos (89)
tp=0,1s, 4 observers, average, P-A3-fit, 6,3cd/m²

input: w/rgb/cmyk → rgb_d
output: transfer to rgb_d