


http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/22


see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output


TUB material: code=rha4ta




TE941-1, Picture B4W-: 16 equidistant steps W-C-; W-M-; W-Y-; W-N; rgb/cmy0 set(rgb/cmyk)color




TE941-3, Picture B5W-: Script and Landolt-rings N; C-; M-; Y-; Z; PS operator rgb->rgb_.setrgbcolor



TE941-5, Picture B6W-: Landolt-rings W-C-; W-M-; PS operator rgb setrgbcolor



TE941-7, Picture B7W-: Landolt-rings W-Y-; W-N; PS operator rgb setrgbcolor



TE940-5, Picture B2W-: radial gratings W-C-; W-M-; W-Y-; W-N; PS operator rgb->rgb_.setrgbcolor



TE940-7, Picture B3W-: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0 set(rgb/cmyk)color



test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart CMY

input: rgb/cmyk -> w/rgb/cmyk-
output: no change




http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/22

TE9400L


TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmykn6 (CMYK)

TUB material: code=rha4ta


see similar files: http://130.149.60.45/~farbmetrik/TE94/TE94.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TE941-1, Picture B4Wd: 16 equidistant steps W-C_d; W-M_d; W-Y_d; W-N; rgb/cmy0->rgb_d setrgbcolor




TE941-3, Picture B5Wd: Script and Landolt-rings N; C_d; M_d; Y_d; Z; PS operator rgb->rgb_d setrgbcolor




TE940-5, Picture B2Wd: radial gratings W-C_d; W-M_d; W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor



TE940-7, Picture B3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0->rgb_d setrgbcolor



TE941-5, Picture B6Wd: Landolt-rings W-C_d; W-M_d; PS operator rgb->rgb_d setrgbcolor




TE941-7, Picture B7Wd: Landolt-rings W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart CMY, 3D=0, de=0, cmyk


input: rgb/cmyk -> rgb_d
output: transfer to cmyk_d

1-003130-E0


1-003130-E0



TE941-1, Picture B4Wd: 16 equidistant steps W-C_d; W-M_d; W-Y_d; W-N; rgb/cmy0->rgb_d setrgbcolor



TE941-3, Picture B5Wd: Script and Landolt-rings N; C_d; M_d; Y_d; Z; PS operator rgb->rgb_d setrgbcolor




TE940-5, Picture B2Wd: radial gratings W-C_d; W-M_d; W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor




TE940-7, Picture B3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0->rgb_d setrgbcolor



test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart CMY, 3D=0, de=0, cmyk




TE941-5, Picture B6Wd: Landolt-rings W-C_d; W-M_d; PS operator rgb->rgb_d setrgbcolor




TE941-7, Picture B7Wd: Landolt-rings W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor

input: rgb/cmyk -> rgb_d
output: transfer to cmyk_d






TE941-1, Picture B4Wd: 16 equidistant steps W-C_d; W-M_d; W-Y_d; W-N; rgb/cmy0->rgb_d setrgbcolor



TE941-3, Picture B5Wd: Script and Landolt-rings N; C_d; M_d; Y_d; Z; PS operator rgb->rgb_d setrgbcolor




TE940-5, Picture B2Wd: radial gratings W-C_d; W-M_d; W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor




TE940-7, Picture B3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0->rgb_d setrgbcolor



test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart CMY, 3D=0, de=0, cmyk



TE941-5, Picture B6Wd: Landolt-rings W-C_d; W-M_d; PS operator rgb->rgb_d setrgbcolor



TE941-7, Picture B7Wd: Landolt-rings W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor


input: rgb/cmyk -> rgb_d
output: transfer to cmyk_d



http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/22

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmykn6 (CMYK)
TUB material: code=rha4ta




radial gratings W-C_d radial gratings W-M_d radial gratings W-Y_d radial gratings W-N radial gratings W-Z




TE940-5, Picture B2Wd: radial gratings W-C_d; W-M_d; W-Y_d; W-N; PS operator *rgb*->*rgb_d* *setrgbcolor*




test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart CMY, 3D=0, de=0, *cmyk*




TE941-1, Picture B4Wd: 16 equidistant steps W-C_d; W-M_d; W-Y_d; W-N; *rgb/cmy0*->*rgb_d* *setrgbcolor*



TE941-3, Picture B5Wd: Script and Landolt-rings N; C_d; M_d; Y_d; Z; PS operator *rgb*->*rgb_d* *setrgbcolor*




TE941-5, Picture B6Wd: Landolt-rings W-C_d; W-M_d; PS operator *rgb*->*rgb_d* *setrgbcolor*




TE941-7, Picture B7Wd: Landolt-rings W-Y_d; W-N; PS operator *rgb*->*rgb_d* *setrgbcolor*


input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*



TE941-1, Picture B4Wd: 16 equidistant steps W-C_d; W-M_d; W-Y_d; W-N; rgb/cmy0->rgb_d setrgbcolor



TE941-3, Picture B5Wd: Script and Landolt-rings N; C_d; M_d; Y_d; Z; PS operator rgb->rgb_d setrgbcolor




TE940-5, Picture B2Wd: radial gratings W-C_d; W-M_d; W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor




TE940-7, Picture B3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0->rgb_d setrgbcolor



test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart CMY, 3D=0, de=0, cmyk



TE941-5, Picture B6Wd: Landolt-rings W-C_d; W-M_d; PS operator rgb->rgb_d setrgbcolor



TE941-7, Picture B7Wd: Landolt-rings W-Y_d; W-N; PS operator rgb->rgb_d setrgbcolor

input: rgb/cmyk -> rgb_d
output: transfer to cmyk_d



<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 9/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmyk6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-003930-F0

1-003930-F0

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmyk6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* - > *rgba*
output: transfer to *cmykd*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031030-F0

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separationcmyk6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separationcmyk6 (CMYK)

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>

technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmy6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* - > *rgba*
output: transfer to *cmyka*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031430-F0

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmy6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031530-F0

<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmy6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031730-F0

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmy6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* - > *rgba*
output: transfer to *cmyka*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031830-F0

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmykn6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmyka*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031930-F0

<http://130.149.60.45/~farbmetrik/TE94/TE94L0NP.PDF> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/22

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

TUB registration: 20150701-TE94/TE94L0NP.PDF /.PS
application for measurement of offset print output, separationcmykn6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/TE94/TE94.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE94; 2(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0032130-F0