



**CIE data of Ostwald colours of maximum chromatic value**  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-*sRGB* data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-*sRGB* data

$a^*$ ,  $b^*$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D65-*sRGB* data

*ab* CIE tristimulus value *Y* and chromaticities *a*, *b*, *c<sub>ab</sub>*  
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-*sRGB* data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-*sRGB* data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and D50-*sRGB* data


$a^*$ ,  $b^*$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$



CIE tristimulus value  $Y$  and chromaticities  $a$ ,  $b$ ,  $c_{ab}$  in the range  $Y=0$  to  $100$



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data




3-000030-L0


TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data


tristimulus value  $Y$ ,  $R_G$ ,  $Y_B$ , radial chromatic values  $A$ ,  $B$ ,  $CAB$   
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data



3-000030-L0


TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data


$a^*$ ,  $b^*$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data

tristimulus value  $Y$ ,  $R_G$ ,  $Y_B$ , radial chromatic values  $A$ ,  $B$ ,  $C_{AB}$   
 in the range  $Y=0$  to  $100$



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data

$a^*$ ,  $b^*$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$




3-000030-L0


TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and A00-sRGB data

$a$ ,  $b$  CIE tristimulus value  $Y$  and chromaticities  $a$ ,  $b$ ,  $c_{ab}$   
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data



3-000030-L0

TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data

$a^*$ ,  $b^*$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and E00-sRGB data

$a$ ,  $b$  CIE tristimulus value  $Y$  and chromaticities  $a$ ,  $b$ ,  $c_{ab}$   
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-*sRGB* data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-sRGB data



3-000030-L0


TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-sRGB data

$a^*$ ,  $b^*$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and C00-*sRGB* data

*ab* CIE tristimulus value *Y* and chromaticities *a*, *b*, *c<sub>ab</sub>*  
 in the range  $Y=0$  to  $100$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data



3-000030-L0

TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data




3-000030-L0

TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and P00-sRGB data

$a^*$ ,  $b^*$ , CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$




3-000030-L0

TF060-7A\_1

CIE tristimulus value  $Y$  and chromaticities  $a$ ,  $b$ ,  $c_{ab}$  in the range  $Y=0$  to  $100$   $Y_m$




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data




3-000030-L0

TF060-7A\_1


CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data



3-000030-L0

TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data




3-000030-L0

TF060-7A\_1

CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data

$a^*$ ,  $b^*$ ,  $C^*_{ab}$  CIELAB lightness  $L^*$  and radial chroma  $a^*$ ,  $b^*$ ,  $C^*_{ab}$   
 in the range  $Y=0$  to  $100$



CIE data of *Ostwald* colours of maximum chromatic value  
 $Y_w=100$ ,  $Y_m=520\_770$ ,  $B_m=380\_520$ , and Q00-sRGB data

