

$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

b^*_{D65}

Parameter: N



CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für D65

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

b^*_{D65}

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für D50

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

$XYZ_w = 100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.21945$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


Geräte- & Elementarfarben, $Y_w = 100$

des sRGB-Farbenraums für P40

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

b^*_{D65}

Parameter: N



$XYZ_w = 109.849, 100.0, 35.58$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$

b^*_{D65}

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w = 100$

des sRGB-Farbenraums für A00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

$XYZ_w = 100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

b^*_{D65}

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für E00

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

Param-


$$a^* = 500 (a' - a'_n) Y^{1/3}$$
$$b^* = 500 (b' - b'_n) Y^{1/3}$$
$$a' = a_2 [x/y]^{1/3}$$
$$b' = b_2 [z/\gamma]^{1/3}$$
$$a_2 = [1/X_{D65}]^{1/3} = 0.2191$$
$$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376 G_p$$
$$n = 100$$

CIELAB D65

Name und Farbart

$$R_{d,sRGB} \quad x=0,64 \quad y=0,33$$
$$G_{d,sRGB} \quad x=0,30 \quad y=0,60$$
$$B_{d,SRGB} \quad x=0,18 \quad y=0,06$$
Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für C00

in Buntheitsdiagram (a^*_{D65} , b^*_{D65})

$XYZ_w = 102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


Geräte- & Elementarfarben, $Y_w = 100$

des sRGB-Farbenraums für P00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

b^*_{D65}

Parameter: N



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für Q00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

Parameter: N



$XYZ_w=94.8136, 100.0, 107.33$ b^*_{D65}

Parameter: N

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$



CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für D65

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

$XYZ_w=96.7256, 100.0, 81.41$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

b^*_{D65}

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für D50

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

$XYZ_w = 101.751, 100.0, 64.44$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2196$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

b^*_{D65}

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w = 100$

des sRGB-Farbenraums für P40

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

$XYZ_w = 111.15, 100.0, 35.19$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$

CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


Geräte- & Elementarfarben, $Y_w = 100$

des sRGB-Farbenraums für A00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

b^*_{D65}

Parameter: N



$XYZ_w=99.9908, 99.9999, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für E00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

Parameter: N



$XYZ_w=97.2866, 100.0, 116.14$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für C00

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})

$XYZ_w = 102.375, 100.0, 81.25$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

CIELAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


Geräte- & Elementarfarben, $Y_w = 100$

des sRGB-Farbenraums für P00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

b^*_{D65}

Parameter: N



$XYZ_w=97.65, 100.0, 118.42$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$


$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

b^*_{D65}

Parameter: N



CIE LAB D65

Name und Farbart

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

Geräte- & Elementarfarben, $Y_w=100$

des sRGB-Farbenraums für Q00

in Buntheitsdiagram (a^*_{D65}, b^*_{D65})