




TG871-1, Bild D4Wd: 16 gleichabständige Stufen $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor




TG871-3, Bild D5Wd: Schrift und Landoltringe N ; R_d ; G_d ; B_d ; Z ; PS -Operator: $rgb \rightarrow rgb_d$ setrgbcolor




TG870-5, Bild D2Wd: Radialgitter $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; PS -Operator: $rgb \rightarrow rgb_d$ setrgbcolor



TG871-5, Bild D6Wd: Landoltringe $W-R_d$; $W-G_d$; PS -Operator: $rgb \rightarrow rgb_d$ setrgbcolor



TG870-7, Bild D3Wd: 14 CIE-Prüffarben sowie 2 + 16 Graustufen (sf); PS -Operator: $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor



TG871-7, Bild D7Wd: Landoltringe $W-B_d$; $W-N$; PS -Operator: $rgb \rightarrow rgb_d$ setrgbcolor




+-.:		lmno		pqrs		tuvw	
xyz;		hijk		lmno		hijk	
tuvw		defg		hijk		+-.:	
pqrs		!abc		xyz;		tuvw	
lmno		+-.:		tuvw		defg	
hijk		xyz;		defg		!abc	
defg		tuvw		!abc		xyz;	
!abc		pqrs		6		defg	
10							
	$N R_e G_e B_e Z$				$N R_e G_e B_e Z$		$N R_e G_e B_e Z$

Figure 1 displays two sets of Landoltringe (W-R_e and W-G_e) arranged in a grid. Each set has six rows corresponding to different codes: 0-1, 7-8, E-F, 2-0, 8-6, and F-D. The Landoltringe are colored in a gradient from light to dark, representing different values. The W-R_e set is on the left and the W-G_e set is on the right. The codes are listed to the right of each row.


Radialgitter $W-R_e$ Radialgitter $W-G_e$ Radialgitter $W-B_e$ Radialgitter $W-N$ Radialgitter $W-Z$

A color calibration chart featuring 16 numbered color patches in the first row. The patches are: 1 (light red), 2 (tan), 3 (olive green), 4 (teal), 5 (light blue), 6 (cyan), 7 (sky blue), 8 (lavender), 9 (magenta), 10 (yellow), 11 (green), 12 (blue), 13 (orange), 14 (dark green), 15 (black), and 16 (white). Below the numbered patches is a grayscale step wedge with 16 patches ranging from black to white.


0-013131-F0




TG871-1, Bild D4Wdd: 16 gleichabständige Stufen $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; $rgb/cmy_0 \rightarrow rgbd_{dd}$ setrgbcolor




TG871-3, Bild D5Wdd: Schrift und Landoltringe N ; R_d ; G_d ; B_d ; Z ; PS-Operator: $rgb \rightarrow rgbd_{dd}$ setrgbcolor




TG870-5, Bild D2Wdd: Radialgitter $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; PS-Operator: $rgb \rightarrow rgbd_{dd}$ setrgbcolor




TG870-7, Bild D3Wdd: 14 CIE-Prüffarben sowie 2 + 16 Graustufen (sf); PS-Operator: $rgb/cmy_0 \rightarrow rgbd_{dd}$ setrgbcolor




TG871-5, Bild D6Wdd: Landoltringe $W-R_d$; $W-G_d$; PS-Operator: $rgb \rightarrow rgbd_{dd}$ setrgbcolor




TG871-7, Bild D7Wdd: Landoltringe $W-B_d$; $W-N$; PS-Operator: $rgb \rightarrow rgbd_{dd}$ setrgbcolor




TG871-1, Bild D4Wde: 16 gleichabständige Stufen $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy_0 \rightarrow rgb_{de}$ setrgbcolor



TG871-3, Bild D5Wde: Schrift und Landoltringe N ; R_e ; G_e ; B_e ; Z ; PS-Operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TG870-5, Bild D2Wde: Radialgitter $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS-Operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TG871-5, Bild D6Wde: Landoltringe $W-R_e$; $W-G_e$; PS-Operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TG870-7, Bild D3Wde: 14 CIE-Prüffarben sowie 2 + 16 Graustufen (sf); PS-Operator: $rgb/cmy_0 \rightarrow rgb_{de}$ setrgbcolor



TG871-7, Bild D7Wde: Landoltringe $W-B_e$; $W-N$; PS-Operator: $rgb \rightarrow rgb_{de}$ setrgbcolor