

$XYZ_w=95.0443, 100.0, 108.89$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per D65

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w=96.4228, 100.0, 82.49$

b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per D50

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w = 100.932, 100.0, 64.68$

b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}_d$

$b^* = 500 (b' - b'_n) Y^{1/3}_d$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2196$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w = 100$

del sRGB spazio di colore per P40

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w = 109.849, 100.0, 35.58$

b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0834$

$n = A00$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per A00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w=100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

CIELAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$


$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per E00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=98.0718, 100.0, 118.22$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$



CIELAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per C00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w = 102.067, 100.0, 81.06$

b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per P00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w=97.9332, 100.0, 118.95$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per Q00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w=94.8136, 100.0, 107.33$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per D65

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

b*
D65

$$a^* = 500 (a' - a'_n) Y^{1/3}$$

$$b^* = 500 (b' - b'_n) Y^{1/3}$$


$$a' = a_2 [x/y]^{1/3}$$

$$b' = b_2 [z/y]^{1/3}$$

$$a_2 = [1/X_{D65}]^{1/3} = 0.2191$$

$$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$$

$n = D50$



CIELAB D65

Nome e chromaticit 

$$R_{d,sRGB} \quad x=0,64 \quad y=0,33$$

$$G_{d,sRGB} \quad x=0,30 \quad y=0,60$$

$B_{d,SRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per D50

nel diagramma di chroma (a^*_{p65} , b^*_{p65})

$XYZ_w = 101.751, 100.0, 64.44$

b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2196$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w = 100$

del sRGB spazio di colore per P40

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w = 111.15, 100.0, 35.19$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0836$

$n = A00$

CIELAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$


$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w = 100$

del sRGB spazio di colore per A00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w = 99.9908, 99.9999, 100.0$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

CIELAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$


$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w = 100$

del sRGB spazio di colore per E00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})



$XYZ_w=97.2866, 100.0, 116.14$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per C00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w = 102.375, 100.0, 81.25$

b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$



CIE LAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per P00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

$XYZ_w=97.65, 100.0, 118.42$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

CIELAB D65

Nome e chromaticità

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

colori di basic e miscuglio, $Y_w=100$

del sRGB spazio di colore per Q00

nel diagramma di chroma (a^*_{D65}, b^*_{D65})

