







T1871-1, Fig. D4Wd: 16 equidistant passi $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor




T1870-5, Fig. D2Wd: reticoli radiali $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor




T1870-7, Fig. D3Wd: 14 prova colori CIE 1 2 + 16 grigio passi (sf); PS operator: $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor





T1871-3, Fig. D5Wd: codice i Landolt anelli N ; R_d ; G_d ; B_d ; Z ; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor





T1871-5, Fig. D6Wd: anelli di Landolt $W-R_d$; $W-G_d$; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor



T1871-7, Fig. D7Wd: anelli di Landolt $W-B_d$; $W-N$; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor





T1871-1, Fig. D4We: 16 equidistant passi $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_e$ setrgbcolor




T1871-3, Fig. D5We: codice i Landolt anelli N ; R_e ; G_e ; B_e ; Z ; PS operator: $rgb \rightarrow rgb_e$ setrgbcolor


T1870-5, Fig. D2We: reticoli radiali $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_e$ setrgbcolor




T1871-5, Fig. D6We: anelli di Landolt $W-R_e$; $W-G_e$; PS operator: $rgb \rightarrow rgb_e$ setrgbcolor




T1871-7, Fig. D7We: anelli di Landolt $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_e$ setrgbcolor



T1871-1, Fig. D4Wdd: 16 equidistanti passi $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor




T1871-3, Fig. D5Wdd: codice i Landolt anelli N ; R_d ; G_d ; B_d ; Z ; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor




T1870-5, Fig. D2Wdd: reticoli radiali $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor




T1870-7, Fig. D3Wdd: 14 prova colori CIE i 2 + 16 grigio passi (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor




T1871-5, Fig. D6Wdd: anelli di Landolt $W-R_d$; $W-G_d$; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor




T1871-7, Fig. D7Wdd: anelli di Landolt $W-B_d$; $W-N$; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor



T1871-1, Fig. D4Wde: 16 equidistanti passi $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy_0 \rightarrow rgb_{de}$ setrgbcolor




T1871-3, Fig. D5Wde: codice i Landolt anelli N ; R_e ; G_e ; B_e ; Z ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




T1870-5, Fig. D2Wde: reticoli radiali $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



T1870-7, Fig. D3Wde: 14 prova colori CIE i 2 + 16 grigio passi (sf); PS operator: $rgb/cmy_0 \rightarrow rgb_{de}$ setrgbcolor



T1871-5, Fig. D6Wde: anelli di Landolt $W-R_e$; $W-G_e$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



T1871-7, Fig. D7Wde: anelli di Landolt $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor